

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 2019311658 B2**

(54) Title
**NOVEL HYALURONIDASE VARIANTS AND PHARMACEUTICAL COMPOSITION COM-
PRISING THE SAME**

(51) International Patent Classification(s)
C12N 9/26 (2006.01) **A61K 45/06** (2006.01)
A61K 38/16 (2006.01) **A61P 35/00** (2006.01)

(21) Application No: **2019311658** (22) Date of Filing: **2019.07.25**

(87) WIPO No: **WO20/022791**

(30) Priority Data

(31) Number	(32) Date	(33) Country
10-2018-0086308	2018.07.25	KR
10-2019-0029758	2019.03.15	KR

(43) Publication Date: **2020.01.30**

(44) Accepted Journal Date: **2022.10.20**

(71) Applicant(s)
Alteogen, Inc

(72) Inventor(s)
**PARK, Soon Jae;CHUNG, Hye-Shin;LEE, Seung Joo;YOU, Sun-Ah;SONG, Hyung-
Nam;LEE, Chang Woo**

(74) Agent / Attorney
Madderns Pty Ltd, GPO Box 2752, Adelaide, SA, 5001, AU

(56) Related Art
WO 2015/003167 A1
WO 2013/102144 A2
WO 2016/033555 A1

(12) 특허협력조약에 의하여 공개된 국제출원

(19) 세계지식재산권기구
국제사무국



(10) 국제공개번호

(43) 국제공개일

2020 년 1 월 30 일 (30.01.2020)

WIPO | PCT

WO 2020/022791 A1

(51) 국제특허분류:

C12N 9/26 (2006.01)

A61K 45/06 (2006.01)

A61K 38/16 (2006.01)

A61P 35/00 (2006.01)

(21) 국제출원번호:

PCT/KR2019/009215

(22) 국제출원일:

2019 년 7 월 25 일 (25.07.2019)

(25) 출원언어:

한국어

(26) 공개언어:

한국어

(30) 우선권정보:

10-2018-0086308 2018 년 7 월 25 일 (25.07.2018) KR

10-2019-0029758 2019 년 3 월 15 일 (15.03.2019) KR

(71) 출원인: (주)알테오젠 (ALTEOGEN, INC) [KR/KR];
34054 대전시 유성구 유성대로1628번길 62, Daejeon (KR).

(72) 발명자: 박순재 (PARK, Soon Jae); 34054 대전시 유성구 유성대로1628번길 62, Daejeon (KR). 정혜신 (CHUNG, Hye-Shin); 34054 대전시 유성구 유성대로1628번길 62, Daejeon (KR). 이승주 (LEE, Seung Joo); 34054 대전


시 유성구 유성대로1628번길 62, Daejeon (KR). 유선아 (YOU, Sun-Ah); 34054 대전시 유성구 유성대로1628번길 62, Daejeon (KR). 송형남 (SONG, Hyung-Nam); 34054 대전시 유성구 유성대로1628번길 62, Daejeon (KR). 이창우 (LEE, Chang Woo); 34054 대전시 유성구 유성대로1628번길 62, Daejeon (KR).

(74) 대리인: 이처영 등 (LEE, Cheo Young et al.); 06133 서울시 강남구 테헤란로 123 11층, Seoul (KR).

(81) 지정국 (별도의 표시가 없는 한, 가능한 모든 종류의 국내 권리의 보호를 위하여): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(54) Title: NOVEL HYALURONIC ACID-HYDROLYZING ENZYME MUTANT AND PHARMACEUTICAL COMPOSITION COMPRISING SAME

(54) 발명의 명칭: 신규 히알루론산 가수분해 효소 변이체 및 이를 포함하는 약제학적 조성물



(57) Abstract: The present invention relates to a technical field of protein engineering for increasing the enzyme activity and thermal stability of human hyaluronidase, which is a hyaluronic acid-hydrolyzing enzyme, and relates to a hyaluronidase PH20 mutant or a fragment thereof, comprising: the substitution of at least one amino acid residue, among the amino acid sequence of the wild-type PH20 having SEQ ID NO: 1, at an alpha helix site and/or a site corresponding to a connection site thereof; and selectively, the additional deletion of an N-terminal amino acid residue and/or a C-terminal amino acid residue. Specifically, the present invention relates to a PH20 mutant and a fragment thereof, the wild-type PH20, having a sequence of SEQ ID NO: 1, comprising: the substitution of at least one residue selected from the group consisting of T341A, T341C, T341G, S343E, M345T, K349E, L353A, L354I, N356E and I361T; additionally, the substitution of an amino acid positioned at alpha helix site 8 and/or the connection site of alpha helix site 7 and alpha helix site 8; and the deletion of some amino acids of an N-terminal site and a C-terminal site.

[다음 쪽 계속]

(84) 지정국 (별도의 표시가 없는 한, 가능한 모든 종류의 역내 권리의 보호를 위하여): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), 유라시아 (AM, AZ, BY, KG, KZ, RU, TJ, TM), 유럽 (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

공개:

- 국제조사보고서와 함께 (조약 제21조(3))
- 명세서의 서열목록 부분과 함께 (규칙 5.2(a))

(57) 요약서: 본 발명은 히알루론산 가수분해 효소인 인간 히알루로니다제의 효소 활성과 열 안정성을 높이는 단백질 공학 기술분야에 관한 것으로, 서열번호 1의 야생형 PH20의 아미노산 서열 중에서 알파나선 부위 및/또는 그 연결 부위에 해당하는 부위에서 하나 이상의 아미노산 잔기의 치환과, 선택적으로 추가적인 N-말단 및/또는 C-말단의 아미노산 잔기가 결실된, 히알루로니다제 PH20 변이체 또는 이의 절편에 대한 것이다. 구체적으로는 서열번호 1의 서열을 갖는 야생형 PH20에 있어, T341A, T341C, T341G, S343E, M345T, K349E, L353A, L354I, N356E 및 I361T로 구성된 군에서 선택된 하나 이상의 잔기의 치환을 포함하고, 추가적으로 알파나선 8 부위 및/또는 알파나선 7 및 알파나선 8의 연결 부위에 위치한 아미노산의 치환을 포함하며, N-말단 및 C-말단 부위의 일부 아미노산이 결실된 PH20의 변이체 및 이의 절편에 관한 것이다.

**NOVEL HYALURONIDASE VARIANTS AND PHARMACEUTICAL COMPOSITION
COMPRISING THE SAME**

TECHNICAL FIELD

[1] The present invention relates to novel human hyaluronidase variants having increased enzymatic activity and thermal stability compared to human hyaluronidase which is an enzyme that hydrolyzes hyaluronic acid, and more particularly to hyaluronidase PH20 variants or fragments thereof, which comprise one or more amino acid residue substitutions in the region corresponding to the alpha-helix region and/or its linker region in wild-type PH20 having the amino acid sequence of SEQ ID NO: 1, preferably mature wild-type PH20 consisting of amino acid residues L36 to S490, and in which one or more of the N-terminal or C-terminal amino acid residues are selectively deleted, a method for producing the same, and a pharmaceutical composition comprising the same.

[2]

BACKGROUND ART

[3] The human skin is composed of epidermis, dermis and a subcutaneous fat layer, and there are six types of glycosaminoglycans in the skin. These glycosaminoglycans include hyaluronic acid, chondroitin sulfate, dermatan sulfate, heparan sulfate, heparin, and keratin sulfate.

[4] These glycosaminoglycans are composed of repeating disaccharide sugar units. The number of the disaccharide sugar units is different among the glycosaminoglycans, but ranges from several hundreds to thousands. Among the glycosaminoglycans, hyaluronic acid is present in the skin more than half of the

amount in the body. Hyaluronic acid is synthesized by hyaluronan synthase present in the cell membrane, is present alone without binding to proteoglycans, and is the only glycosaminoglycan having no sulfate group. Other glycosaminoglycans bind to proteoglycans and have a sulfate group. Hyaluronic acid consists of glucuronic acid and N-acetylglucosamine linked via alternating β -1,4 and β -1,3 bonds, and is composed of about 5,000 repeating units of these disaccharides. It is known that about one-third (5 g) of hyaluronic acid in the human body is turned over every day.

[5] Hyaluronidases are enzymes that degrade hyaluronic acid present in the extracellular matrix. It is known that there are six types of hyaluronidases in humans: they are Hyal1, Hyal2, Hyal3, Hyal4, HyalPS1, and PH20/SPAM1. Human Hyal1 and Hyal2 are expressed in most of the tissues. PH20/SPAM1 (hereinafter referred to as PH20) is expressed in the sperm plasma membrane and the acrosomal membrane. However, HyalPS1 is not expressed because it is a pseudogene. Hyaluronidases are divided into, according to a method of cleaving hyaluronic acid, three types: enzymes (EC 3.2.1.35) that cleave β -1,4 bonds between N-acetylglucosamine and glucuronic acid by the use of H_2O ; enzymes (EC 3.2.1.36) that cleave β -1,3 bonds between N-acetylglucosamine and glucuronic acid by the use of H_2O ; and bacterial hyaluronidases (EC 4.2.99.1) that cleave β -1,4 bonds without using H_2O .

[6] The catalytic amino acids of Hyal1 are D129 and E131, which hydrolyze hyaluronic acid by substrate-assisted catalysis. Hyal1 exhibits the optimum activity at an acidic Ph of 3 to 4, and has no enzymatic activity at Ph 4.5 or higher. In contrast

to Hyal1, PH20 exhibits enzymatic activity at a wide Ph range of 3 to 8.

[7] Arming et al. identified that the catalytic amino acids of PH20 are D111 and E113 (Arming et al., 1997). Arming et al. labelled Leu as the first amino acid of the mature protein, and thus the catalytic amino acids of the full-length PH20 with the signal peptide correspond to D146 and E148, respectively.

[8] Hyaluronidase hydrolyzes hyaluronic acid, thereby reducing the viscosity of hyaluronic acid in the extracellular matrix and increasing the permeability thereof into tissue (skin). The subcutaneous area of the skin has a neutral Ph of about 7.0 to 7.5. Thus, among the various types of hyaluronidases, PH20 is widely used in clinical practice (Bookbinder et al., 2006). In examples in which PH20 is used in clinical practice, PH20 is used as an eye relaxant and an anesthetic additive in ophthalmic surgery, and is also co-administered with an antibody therapeutic agent which is injected subcutaneously (Bookbinder et al., 2006). In addition, based on the property of hyaluronic acid that is overexpressed in tumor cells, PH20 is used to hydrolyze hyaluronic acid in the extracellular matrix of tumor cells, thereby increasing the access of an anticancer therapeutic agent to the tumor cells. In addition, it is also used to promote resorption of body fluids and blood, which are excessively present in tissue.

[9] PH20 was first identified in guinea pig sperm by Lathrop et al., and is also known to be expressed in sperms of different species. Human PH20 gene was cloned by Lin et al. and Gmachl et al. Human PH20 has the amino acid sequence of SEQ ID NO: 1 which consists of 509 amino acid residues, and exhibits 60% amino acid

identity with guinea pig PH20 gene. Human PH20 enzyme is encoded from SPAM1 (sperm adhesion molecule-1) gene, and Ser490 of PH20 is present as binding to the glycosylphosphatidylinositol (GPI) on the surface of the sperm plasma membrane and in the acrosomal membrane. Sperm hydrolyzes hyaluronic acid using PH20 when it penetrates oocytes through the hyaluronan-rich cumulus layer of the oocytes. PH20 is present in the amount corresponding to 1% or less of the amount of proteins in sperm, and has six N-glycosylation sites (N82, N166, N235, N254, N368, and N393).

[10] Currently commercially available PH20 is obtained by extraction from the testes of cattle or sheep. Examples thereof include Amphadase® (bovine hyaluronidase) and Vitrase® (sheep hyaluronidase).

[11] Bovine testicular hyaluronidase (BTH) is obtained by removing a signal peptide and 56 amino acids on the C-terminal from bovine wild-type PH20 during post-translational modification. BTH is also a glycoprotein, and has a mannose content of 5% and a glucosamine content of 2.2%, based on the total components including amino acids. When animal-derived hyaluronidase is repeatedly administered to the human body at a high dose, a neutralizing antibody can be produced. Since animal-derived hyaluronidase contains other biomaterials in addition to PH20, it may cause an allergic reaction when administered to the human body (Bookbinder et al., 2006). In particular, the production and the use of PH20 extracted from cattle can be limited due to concerns of mad cow disease. In order to overcome this problem, studies on the recombinant protein of human PH20 have been conducted.

[12] Recombinant protein of human PH20 has been reported to be expressed in yeast (*P. pastoris*), DS-2 insect cells, and animal cells. The recombinant PH20 proteins produced in insect cells and yeast differ from human PH20 in terms of the pattern of N-glycosylation during post-translational modification.

[13] Among hyaluronidases, only three dimensional structures of Hyal1 (PDB ID: 2PE4) (Chao et al., 2007) and bee venom hyaluronidase (PDB ID: 1FCQ, 1FCU, 1FCV) are determined. Hyal1 is composed of two domains, a catalytic domain and an EGF-like domain. The catalytic domain is in the form of $(\beta/\alpha)_8$ in which an alpha-helix and a beta-strand, which characterize the secondary structure of the protein, are each repeated eight times (Chao et al., 2007). The EGF-like domain is completely conserved in variants in which the C-terminus of Hyal1 is spliced differently. The amino acid sequences of Hyal1 and PH20 are 35.1% identical, and the protein structure of PH20 has not yet been found.

[14] A recombinant protein of human PH20 was developed by Halozyme Therapeutic, Inc. and has been sold under the trade name Hylenex® (Bookbinder et al., 2006; Frost, 2007).

[15] When D146 and E148, which are the catalytic amino acids of PH20, were mutated to asparagine (D146N) and glutamine (E148Q), respectively, there was no enzymatic activity (Arming et al., 1997). In addition, when R246 of PH20 was substituted with glycine, the enzymatic activity was reduced by 90%, and when E319 was substituted with glutamine and R322 was substituted with threonine, the enzymatic activity disappeared. A variant in which 36 amino acids at the C-terminus of PH20 were removed (474-509 amino-acid truncation) showed a 75% reduction in enzymatic activity compared to wild-type PH20. This variant was

not secreted extracellularly and remained in HeLa cells. When C-terminal 134 amino acids were removed from PH20, PH20 had no enzymatic activity and was not secreted extracellularly. According to Frost et al., the C-terminal 477-483 region of PH20 is essential for soluble expression (Frost, 2007). The activity of full-length PH20 (1 to 509) or a PH20 variant having a C-terminus truncated at position 467 was merely 10% of a PH20 variant having a C-terminus truncated at one of positions 477 to 483 (Frost, 2007).

[16] Meanwhile, recombinant PH20 still has insufficient thermal stability or expression levels in the recombinant cells. Therefore, there is a great demand in industry for a recombinant hyaluronidase having further improved biological and physico-chemical characteristics.

[17]

DISCLOSURE OF INVENTION

[18]

TECHNICAL PROBLEM

[19] The present invention seeks to provide a hyaluronidase PH20 variant or fragment thereof which is improved in thermal stability, enzyme activity and expression level, compared to wild-type PH20, preferably mature wild-type PH20.

[20] The present invention also seeks to provide a composition for treating cancer, comprising the above-described hyaluronidase PH20 variant or fragment thereof, and a method of treating cancer using the same.

TECHNICAL SOLUTION

[21] In one aspect, the present invention relates to a hyaluronidase PH20 variant or fragment thereof, which comprises

one or more amino acid residue substitutions in the region corresponding to an alpha-helix region and/or its linker region in the amino acid sequence of wild-type PH20, preferably mature wild-type PH20, and in which one or more of the N-terminal or C-terminal amino acid residues are selectively deleted.

[21a] In another aspect, the present invention relates to a PH20 variant or fragment thereof having an hyaluronidase activity, which comprises amino acid residue substitutions of L354I and/or N356E and further comprises one or more amino acid residue substitutions in the region corresponding to T341 to N363, T341 to I361, L342 to I361, S343 to I361, I344 to I361, M345 to I361, or M345 to N363 in wild-type PH20 having the amino acid sequence of SEQ ID NO: 1.

[22] In another aspect, the present invention relates to a composition for treating cancer, comprising the above-described hyaluronidase PH20 variant or fragment thereof, and a method of treating cancer using the same.

[23]

BRIEF DESCRIPTION OF THE DRAWINGS

[24] FIG. 1 shows the protein tertiary structure model of PH20. The protein tertiary structure of PH20 was modeled using, as a template, Hyal1 (PDB ID: 2PE4) (Chao et.al., 2007) whose protein crystal structure was found, in Swiss-Model server (<https://swissmodel.expasy.org/>).

[25] FIG. 1A shows the protein tertiary structure model of PH20, and indicates D146 and E148 which are catalytic amino acids. The protein tertiary structure model of PH20 is composed of eight repeats of a beta-strand and an alpha-helix.

[26] FIG. 1B shows an eta (η) 8 loop in which alpha-helix 8 of PH20 and G340 to I344 which form a linker region in the N-terminal region of alpha-helix 8 are located. G340, T341, L342, S343 and I344 residues are each shown.

[27] FIG. 1C shows amino acid residues (C351, Y357, and N363) which interact with the adjacent secondary structure, among the amino acids located in alpha-helix 8 of PH20. C351 forms a disulfide bond with C60 located in alpha-helix 1, Y357 hydrophobically interacts with F315 located between beta-strand 7 and alpha-helix 7, and N363 forms a hydrogen bond with a D69 residue located in alpha-helix 1.

[28]

[29] FIG. 2 compares the protein expression levels of WT (wild type) and variants constructed in the present invention. WT and variants were expressed by transient transfection in ExpiCHO cells. WT had an expression level of 16.1 mg/L. The protein expression levels of variants based on the variants HM1 and HM6 were higher than that of WT, and the protein expression levels of HM4 and HM7 were the highest. The protein expression level of HM11 obtained by introducing additional amino acid substitutions (Y365F and I367L) into the variant HM6 decreased to 6.4 mg/mL.

[30]

[31] FIG. 3 shows experimental results for the variants HM1 and HM6.

[32] FIG. 3A shows the results of SDS-PAGE after purification of WT and the variants HM1 and HM6. Purification was performed using a HisTrap column and a Q Sepharose column. WT and the variants HM1 and HM6 had a molecular weight of ~70 kDa (figure

legend: M, molecular weight marker; CS, supernatant; FT, flow-through; and Elution, elution fractions).

[33] FIG. 3B shows the enzymatic activity values of WT and the variants HM1 and HM6, measured by turbidimetric assay at pH 7.0. In the present invention, the enzymatic activity value measured by the turbidimetric assay was expressed as specific activity.

[34] FIG. 3C shows the enzymatic activities of WT and the variants HM1 and HM6, measured by substrate-gel assay. After SDS was removed with 2.5% Triton X-100 (w/v) at 4°C, an enzymatic reaction was performed at 37°C for 1 to 4 h. The variant HM6 renatured faster than WT and the variant HM1 and thus more rapidly hydrolyzed hyaluronic acid on polyacrylamide gel. The white band shows hyaluronic acid degraded by WT and the variant protein.

[35] FIG. 3D shows the enzymatic activities of WT and the variant HM1, measured by substrate-gel assay at pH of 5 to 8. WT and the variant HM1 exhibit activity in the pH range of 5 to 8, and show the highest enzymatic activity at pH 5.0. The variant HM1 has the signal peptide of human serum albumin or human Hyal1. The white band shows hyaluronic acid degraded by WT and the variant protein.

[36] FIG. 3E shows the results of separating WT and the variants HM1 and HM6 by a phenyl column. The variants were eluted faster than WT from the phenyl column.

[37]

[38] FIG. 4 shows the results of analyzing the final product of hyaluronic acid, degraded by WT and the variant HM6, after 10 min and 1 h by means of an Amide-80 column.

[39]

[40] FIG. 5 shows experimental results for G340 to I344 amino acid mutations of PH20.

[41] FIG. 5A shows SDS-PAGE results after HisTrap column purification for variants HM7, HM8, HM9, HM10 and HM21.

[42] FIG. 5B shows the results of measuring the enzymatic activities of WT and variants HM6, HM8, HM9, HM10, HM21 and HM7 by turbidimetric assay at pH 7.0.

[43] FIG. 5C shows the results of measuring the enzymatic activities of WT and variants HM6, HM8, HM9, HM10, HM21 and HM7 by substrate-gel assay. The bar graph at the bottom of FIG. 5C shows the degree of enzymatic activity obtained by quantifying the band after staining the gel with Alcian blue. The white band shows hyaluronic acid degraded by WT and the variant protein.

[44] FIG. 5D shows the results of analyzing WT and variants HM8, HM9, HM10, HM21 and HM7 by phenyl column chromatography.

[45] FIG. 5E shows the results of separating WT and variants HM6, HM8, HM9, HM10, HM21 and HM7 depending on their isoelectric points at the pH of 3 to 7 by means of IEF gel.

[46]

[47] FIG. 6 shows experimental results for the variant HM11.

[48] FIG. 6A shows the results of purifying protein by HisTrap column chromatography for the variant HM11.

[49] FIG. 6B shows the results of measuring the enzymatic activities of WT and the variant HM11 at pH 7.0 by turbidimetric assay.

[50]

[51] FIG. 7 shows experimental results for N-terminally truncated PH20 variants HM40, HM13, HM41, HM24, HM42, and HM25.

[52] FIG. 7A shows the results of purifying protein by HisTrap column chromatography for the PH20 variants HM40, HM13, HM41, HM24, HM42 and HM25.

[53] FIG. 7B shows the expression levels of the PH20 variants HM40, HM13, HM41, HM24, HM42, HM25, HP61 and HP62 in ExpiCHO cells.

[54] FIG. 7C shows the enzymatic activities of the PH20 variants HM40, HM13, HM41, HM24, HM42 HM25, HP61 and HP62 measured at pH 7.0 by turbidimetric assay and expressed as specific activities.

[55] FIG. 7D shows the enzymatic activities of the PH20 variants HM40, HM13, HM41, HM24, and HM42, measured by substrate-gel assay. The white band shows hyaluronic acid degraded by WT and the variant protein.

[56] FIG. 7E shows the results of analyzing WT and the variants HM40, HM13, HM41, HM24 and HM42 by phenyl column chromatography.

[57] FIG. 7F shows the change in particle size with increasing temperature for the PH20 variants HM40, HM13, HM41 and HM42.

[58]

[59] FIG. 8 shows experimental results for C-terminally truncated variants HM14, HM15 and HM16 constructed using HM6 as a template.

[60] FIG. 8A shows the results of SDS-PAGE after HisTrap purification for the variants HM14, HM15 and HM16. As controls, WT and the variant HM6 were included.

[61] FIG. 8B shows the results of measuring the enzymatic activities of WT and the variants HM6, HM14, HM15, and HM16 at pH 7.0 by turbidimetric assay.

[62] FIG. 8C shows the results of measuring the enzymatic activities of WT and the variants HM6, HM14, HM15, and HM16 for 1, 2 and 4 h by substrate-gel assay. The right graph of FIG. 8C is a bar graph showing enzymatic activities measured after staining with Alcian-blue after 1 h of enzymatic reaction. The white band shows hyaluronic acid degraded by WT and the variant protein.

[63] FIG. 8D shows the results of analyzing WT and the variants HM6, HM14, HM15, and HM16 by phenyl column chromatography.

[64] FIG. 8E shows the results of separating the variants HM14, HM15, and HM16 depending on their isoelectric points at the pH of 3 to 7 by IEF gel.

[65]

[66] FIG. 9 shows experimental results for PH20 variants HM19 and HM20 constructed using HM10 as a template.

[67] FIG. 9A shows the results of purified protein by HisTrap column chromatography for the PH20 variants HM19 and HM20.

[68] FIG. 9B shows the results of comparing the enzymatic activities of the PH20 variant HM19 and HM20 at pH 7.0 by turbidimetric assay.

[69] FIG. 9C shows the results of staining SDS gel with Alcian blue dye after 1 h of enzymatic reaction at 37°C by substrate-gel assay for WT and the variants HM10, HM19, and HM20. The white band shows hyaluronic acid degraded by WT and the variant protein.

[70]

[71] FIG. 10 shows the results of measuring the aggregation temperatures of WT and the PH20 variants by dynamic light scattering (hereinafter referred to as DLS) system. The

measurements were performed in triplicate and expressed as mean $\pm$ S.E. values.

[72]

[73] FIG. 11 shows a Stern-Volmer plot obtained after measuring the change in fluorescence of tryptophan residues of WT and PH20 variants by addition of acrylamide (0 to 0.5 M). Among amino acids, tryptophan is excited at 295 nm and emits maximum fluorescence at 340 nm. Acrylamide is a small molecule that can penetrate a protein structure and quench the fluorescence emission of tryptophan. As the protein structure is more flexible, the quenching of fluorescence by acrylamide is greater. F_0 is the fluorescence value in the absence of acrylamide, and F is the fluorescence value in the presence of acrylamide (0 to 0.5 M). The change in the fluorescence value measured was expressed as the ratio F_0/F .

[74] FIG. 11A is a Stern-Volmer plot for WT and variants HM1, HM4, HM6 and HM7.

[75] FIG. 11B is a Stern-Volmer plots for WT and variants HM14, HM15 and HM16.

[76]

[77] FIG. 12 shows the expression levels of HM10-based PH20 variants in ExpiCHO cells.

[78] FIG. 12A graphically shows the expression levels of respective variants.

[79] FIG. 12B shows the expression levels of respective variants in the table. WT and the PH20 variants had a 6xHis-tag at the C-terminus, and the protein expression levels after HisTrap column purification were expressed in mg/L. HM30 to HM33 variants were not expressed in ExpiCHO cells.

[80]

[81] FIG. 13 shows Western blot results for cell cultures of variants HM29, HM30, HM31, HM32 and HM33. The C-termini of HM10-based variants HM29, HM30, HM31, HM32 and HM33 were cleaved after A467, C464, D461, C358, or C455, respectively. C-terminally cleaved HM29 was expressed in ExpiCHO cells, but variants having a C-terminus cleaved at C464 or shorter in length was not expressed in ExpiCHO cells. Primary antibody was rabbit anti-PH20 polyclonal antibody (Abcam) diluted at 1:500. Secondary antibody was Goat anti-rabbit IgG HRP diluted at 1:2,000.

[82]

[83] FIG. 14 shows experimental results for C-terminally truncated variants constructed using HM10 as a template.

[84] FIG. 14A shows the results of measuring enzymatic activities at pH 7.0 by turbidimetric assay for C-terminally cleaved variants constructed using HM10 as a template.

[85] FIG. 14B compares enzymatic activities depending on the C-terminal cleavage sites of 17 PH20 variants (HM43, HM44, HM45, HM20, HM19, HM35, HM36, HM37, HM38, HM39, HM47, HM48, HM49, HM50, HM51, HM52 and HM10) constructed using HM10 as a template.

[86] FIG. 14C shows the results of staining SDS gel with Alcian blue dye after 1 h of enzymatic reaction at 37°C by substrate-gel assay for some (HM29, HM35, HM36, HM37, HM38, HM39, HM43, HM44 and HM45) of PH20 variants constructed using HM10 as a template. The white band shows hyaluronic acid degraded by WT and the variant protein.

[87]

[88] FIG. 15 shows SDS gel after passage through a final column during protein purification for the HP34 (FIG. 15A) and HP46 (FIG. 15B) expressed in ExpiCHO cells. HP34 was subjected to a four-step chromatography purification procedure consisting of Q Sepharose, Butyl HP, Heparin and Blue Sepharose columns, and SDS gel is a result obtained after Blue Sepharose column chromatography. HP46 was subjected to a three-step chromatography purification procedure consisting of Q Sepharose, Butyl HP and Heparin columns, and SDS gel is a result obtained after Heparin column chromatography.

[89]

[90] FIG. 16 shows the enzymatic activities of 6xHis-tag-free PH20 variants HP34 and HP46 constructed using HM21 as a template.

[91] FIG. 16A shows the results of measuring the enzymatic activities of WT and the variants HM21, HP34 and HP46 at pH 7.0 by turbidimetric assay.

[92] FIG. 16B shows the results of measuring the enzymatic activities of WT (HW2) and the variants HM21, HP34 and HP46 at pH 5.3 by Morgan-Elson assay (K_m : Michaelis-Menten constant, k_{cat} : turnover number, and k_{cat} / K_m : catalytic efficiency).

[93]

[94] FIG. 17 shows the results of characterization of HM21-Based PH20 Variants.

[95] FIG. 17A shows the results of measuring aggregation temperatures by DLS for 6xHis-tag-free PH20 variants HP34 and HP46 constructed using HM21 as a template. As controls, the aggregation temperatures of HW2 and HM21 are shown.

[96] FIG. 17B shows the results of measuring enzymatic activities for 1 h by substrate-gel assay for HW2 and the variants PH20 (HP20, HP34 and HP46).

[97] FIG. 17C shows the results of performing a substrate-gel assay after allowing variant (HW2 and HP46) samples to stand at pH 3.0 and pH 7.0 for 14 h. After SDS-PAGE, SDS was removed with 2.5% Triton X-100 (w/v), and an enzymatic reaction was performed at 37°C for 1 h.

[98] FIG. 17D shows the expression levels of PH20 variants HM21, HM53, HM54, HM55, HM56, HP59 and HP60 in ExpiCHO cells.

[99] FIG. 17E shows the expression of the enzymatic activity value of PH20 variants HM21, HM53, HM54, HM55, HM56, HP59 and HP60, measured by the turbidimetric assay, as specific activity at pH 5.3.

[100]

[101] FIG. 18 shows the results of measuring the stimulating index of CD4+ T cells in treatment with PH20 and PH20 variant at concentrations of 1.5 ng/mL and 15 ng/mL, respectively.

[102]

[103] FIG. 19 shows the results of measuring the stimulating index of CD8+ T cells in treatment with PH20 and PH20 variant at concentrations of 1.5 ng/mL and 15 ng/mL, respectively.

[104]

[105] **BEST MODE FOR CARRYING OUT THE INVENTION**

[106] Unless defined otherwise, all the technical and scientific terms used herein have the same meaning as those generally understood by one of ordinary skill in the art to which the invention pertains. Generally, the nomenclature used herein and

the experiment methods, which will be described below, are those well-known and commonly employed in the art.

[107]

[108] The present invention provides a hyaluronidase PH20 variant or fragment thereof, which comprises one or more amino acid residue substitutions in the region corresponding to an alpha-helix region and/or its linker region, preferably an alpha-helix 8 region (S347 to C381) and/or a linker region (A333 to R346) between alpha-helix 7 and alpha-helix 8, in the amino acid sequence of wild-type PH20, preferably mature wild-type PH20, and in which one or more of the N-terminal or C-terminal amino acid residues are selectively cleaved and deleted.

[109]

[110] In the present invention, the positions of amino acid residues in each variant correspond to the amino acid positions of wild-type PH20 having the sequence of SEQ ID NO: 1.

[111] In addition, in the present invention, "mature wild-type PH20" means a protein consisting of amino acid residues L36 to S490 of SEQ ID NO: 1, which lack M1 to T35, which form a signal peptide, and A491 to L509, which are not related to the substantial enzymatic function of PH20, in the amino acid sequence of wild-type PH20 having the sequence of SEQ ID NO: 1.

[112]

[113] **Table 1. Amino acid sequence of wild-type PH20 (SEQ ID NO: 1)**

MGVLKFKHIFFRSFVKSSGVSQIVFTFLLIPCCLTNFRAPPVIPNPFLWAWNAPSEFCLG
KFDEPLDMSLFSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITGVTVNGGIPQKISLQDHL
DKAKKDITFYMPVDNLGMAVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNVQLSLTEATE
KAKQEFEEKAGKDFLVETIKLGKLLRPNHLWGYLLFPDCYNHHYKKPGYNGSCFNVEIKRND

```
LSWLWNESTALYPSIYLNTQQSPVAATLYVRNRVREAIRVSKIPDAKSPLPVFAYTRIVFTD  
QVLKFLSQDELVYTFGETVALGASGIVIWGTLSIMRSMKSCLLLDNYMETILNPYIINVTLA  
AKMCSQVLCQEQGVCIRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGKPTLEDLEQFSEKFY  
CSCYSTLSCKEKADVKD TDAVDVCIADGVCIDAF LKPPMETEEPQIFYNASPSTLSATMFIV  
SILFLIISSVASL
```

[114] Specifically, the PH20 variant or fragment thereof according to the present invention may comprise one or more mutations, preferably amino acid residue substitutions selected from the group consisting of T341A, T341C, T341G, S343E, M345T, K349E, L353A, L354I, N356E and I361T, more preferably selected from the group consisting of T341A, T341C, L354I and N356E in wild-type PH20 having the amino acid sequence of SEQ ID NO: 1.

[115] In the present invention, the term "PH20 variant" is intended to include mutation of one or more amino acid residues, preferably substitution of one or more amino acid residues in the amino acid sequence of wild-type PH20, as well as occurrence of deletion of one or more amino acid residues at N-terminus or C-terminus together with substitution of the amino acid residues, and is used as substantially the same meaning as the expression "PH20 variant or fragment thereof".

[116]

[117] In the present invention, the protein tertiary structure of PH20 located outside the active site was studied through the protein structure modeling of human PH20 on the basis of Hyal1 (SEQ ID NO: 2) which is a human hyaluronidase whose protein tertiary structure is known. As a result, amino acids located in the alpha-helix 8 region of PH20 were selected and substituted with the amino acid sequence of alpha-helix 8 of Hyal1, thereby

attempting to enhance the thermal stability of the protein structure without affecting the catalytic activity of the enzyme. In particular, because alpha-helix 8 is located in the outer portion of the protein tertiary structure of PH20, there is less interaction with the adjacent alpha-helix or beta-strand than the other alpha-helices of PH20. According to the present invention, it has been found that when the amino acid sequence of the alpha-helix 8 region of human PH20 and a linker region between alpha-helix 7 and alpha-helix 8 is partially substituted with the amino acid sequence of the alpha-helix 8 region of highly hydrophilic Hyal1 and a linker region between alpha-helix 7 and alpha-helix 8 of Hyal1, the enzymatic activity at neutral pH and the protein aggregation temperature ($T_{agg.}$) increase. Based on these experimental results, it has been found that a novel PH20 variant or fragment thereof, which has increased enzymatic activity and thermal stability compared to wild-type PH20, can be provided.

[118]

[119] Thus, the PH20 variant according to the present invention comprises one or more amino acid residue substitutions selected from the group consisting of T341A, T341C, T341G, S343E, M345T, K349E, L353A, L354I, N356E and I361T, preferably selected from the group consisting of T341A, T341C, L354I and N356E in the amino acid sequence of wild-type PH20 (having the amino acid sequence of SEQ ID NO: 1), preferably mature wild-type PH20 (having a sequence consisting of amino acid residues L36 to S490 in the amino acid sequence of SEQ ID NO: 1).

[120] The PH20 variant according to the present invention also comprises one or more amino acid residue substitutions in the

region corresponding to an alpha-helix region and/or its linker region, preferably an alpha-helix 8 region (S347 to C381) and/or the linker region (A333 to R346) between alpha-helix 7 and alpha-helix 8, more preferably T341 to N363, T341 to I361, L342 to I361, S343 to I361, I344 to I361, M345 to I361, or M345 to N363 in wild-type PH20 having the amino acid sequence of SEQ ID NO: 1.

[121]

[122] In particular, in the PH20 variant according to the present invention, the alpha-helix 8 region (S347 to C381) and/or the linker region (A333 to R346) between alpha-helix 7 and alpha-helix 8 of the wild-type PH20, preferably the mature wild-type PH20 may be substituted with one or more amino acid residues of the corresponding region (see Tables 2 and 3) of Hyal1 having the sequence of SEQ ID NO: 2, but is not limited thereto.

[123]

[124] **Table 2. Amino acid sequence of wild-type Hyal1 (SEQ ID NO: 2)**

MAAHLIPICALFLTLLDMAQGFRGPLLPNRPFTTVWNANTQWCLERHGVDVDVSVFDVVANP GQTFRGPDMTIFYSSQLGTYPYYTPTGEPVFGGLPQNASLIAHLARTFQDILAAIPAPDFSG LAVIDWEAWRPRWAFNWDTKDIYRQSRALVQAQHPDWPAPQVEAVAQDQFQGAARAWMAGT LQLGRALRPRGLWGFYGFPCYNYDFLSPNYTGQCPSGIRAQNDQLGWLWGQSRALYPSIYM PAVLEGTGKSQMYVQHRVAEAFRVAVAAGDPNLPVLPYVQIFYDTTNHFLPLDELEHSLGES AAQGAAGVVLWVSWENTRTKESCQAIKEYMDTTLGPFILNVTSGALLCSQALCSGHGRCVRR TSHPKALLLLNPASFISIQLTPGGGPLSLRGALSLEDQAQMAVEFKCRCYPGWQAPWCERKSM W
--

[125] **Table 3. Comparison of alpha-helices and amino acid sequence between PH20 and Hyal1**

alpha-helix	amino acid sequences of PH20	amino acid sequences of Hyal1
alpha-helix 1	P56~D65	N39~G48
alpha-helix 3	S119~M135	S101~I117
alpha-helix 4'	K161~N176	K144~H159
alpha-helix 4	S180~R211	P163~R194
alpha-helix 5	F239~S256	P222~S239
alpha-helix 6	A274~D293	K257~G277
alpha-helix 7	S317~G332	P299~G314
alpha-helix 8	S347~C381	T329~C363

[126] More specifically, the novel PH20 variant or fragment thereof according to the present invention preferably comprises an amino acid residue substitution of L354I and/or N356E in the amino acid sequence of wild-type PH20, preferably mature wild-type PH20,

[127] and further comprises at least the amino acid residue substitution at one or more positions selected from among T341 to N363, particularly one or more positions selected from the group consisting of T341, L342, S343, I344, M345, S347, M348, K349, L352, L353, D355, E359, I361 and N363, but is not limited thereto.

[128] More preferably, the amino acid residue substitution at one or more positions selected from the group consisting of T341, L342, S343, I344, M345, S347, M348, K349, L352, L353, D355, E359,

I361 and N363 may be one or more amino acid residue substitutions selected from the group consisting of T341A, T341C, T341D, T341G, T341S, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, D355K, E359D, I361T and N363G , but is not limited thereto.

[129]

[130] Preferably, the novel PH20 variant or fragment thereof according to the present invention may comprise one or more amino acid residue substitutions selected from the group consisting of M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T,

[131] and may further comprise one or more amino acid residue substitutions selected from the group consisting of T341A, T341C, T341D, T341G, T341S, L342W, S343E, I344N and N363G, but is not limited thereto.

[132]

[133] More preferably, the novel PH20 variant or fragment thereof according to the present invention may comprise any one amino acid residue substitution selected from the following amino acid residue substitution groups, but is not limited thereto:

[134]

[135]~[145]

(a) T341S, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T;

(b) L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T;

(c) M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D, I361T and N363G;

(d) T341G, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T;

(e) T341A, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T;

(f) T341C, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T;

(g) T341D, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T;

(h) I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T; and

(i) S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T.

[146]

[147] In the present invention, an expression described by one-letter amino acid residue code together with numbers, such as "S347", means the amino acid residue at each position in the amino acid sequence of SEQ ID NO: 1.

[148] For example, "S347" means that the amino acid residue at position 347 in the amino acid sequence of SEQ ID NO: 1 is serine.

[149] In addition, "S347T" means that serine at position 347 of SEQ ID NO: 1 is substituted with threonine.

[150]

[151] The PH20 variant according to the present invention is interpreted as including variants or fragments thereof in which the amino acid residue at the specific amino acid residue position is conservatively substituted.

[152] As used herein, the term "conservative substitution" refers to modifications of a PH20 variant that involves the

substitution of one or more amino acids for amino acids having similar biochemical properties that do not result in loss of the biological or biochemical function of the PH20 variant.

[153] A "conservative amino acid substitution" is one in which the amino acid residue is replaced with an amino acid residue having a similar side chain. Families of amino acid residues having similar side chains have been defined and are well known in the art to which the present invention pertains. These families include amino acids with basic side chains (e.g., lysine, arginine and histidine), amino acids with acidic side chains (e.g., aspartic acid and glutamic acid), amino acids with uncharged polar side chains (e.g., glycine, asparagine, glutamine, serine, threonine, tyrosine, and cysteine), amino acids with nonpolar side chains (e.g., alanine, valine, leucine, isoleucine, proline, phenylalanine, methionine, and tryptophan), amino acids with beta-branched side chains (e.g., threonine, valine, and isoleucine), and amino acids with aromatic side chains (e.g., tyrosine, phenylalanine, tryptophan, and histidine).

[154] It is envisioned that the PH20 variant or fragments thereof of the present invention may still retain the activity although it has conservative amino acid substitutions.

[155]

[156] In addition, the PH20 variant or fragment thereof according to the present invention is interpreted to include PH20 variants or fragments thereof having substantially the same function and/or effect with those/that of the PH20 variant or fragment thereof according to the present invention, and having an amino acid sequence homology of at least 80% or 85%,

preferably at least 90%, more preferably at least 95%, most preferably at least 99% to the PH20 variant or fragment thereof according to the present invention.

[157]

[158] The PH20 variants according to the present invention have increased expression levels and protein refolding rate, thereby increasing high thermal stability, compared to mature wild-type PH20. Furthermore, the enzymatic activity of the PH20 variants was more increased than or similar to that of mature wild-type PH20 despite an increase in the thermal stability.

[159]

[160] Meanwhile, even if the mature wild type PH20 variants with the C-terminal deletion showed the decrease in enzymatic activities, based on the present invention, the C-terminal deleted PH20 variants showed the similar or increased enzymatic activities due to the more rapid protein refolding and thermal stabilities. In addition, PH20 variants in this present invention maintained the enzymatic activities when the N-terminal amino acids were deleted up to five amino acid residues. This indicated that for the protein expression and enzyme activities P41 of the N-terminus was important.

[161]

[162] Accordingly, the PH20 variant or fragment thereof according to the present invention is characterized in that it comprises one or more amino acid residue substitutions in the alpha-helix 8 region (S347 to C381) and/or the linker region (A333 to R346) between alpha-helix 7 and alpha-helix 8 in the amino acid sequence of wild-type PH20, and one or more of the N-

terminal and/or C-terminal amino acid residues are additionally deleted, but is not limited thereto.

[163]

[164] In one aspect, the PH20 variant or fragment thereof according to the present invention may be one in which cleavage occurs before an amino acid residue selected from the group consisting of M1 to P42 of the amino acid sequence of SEQ ID NO: 1, preferably before an amino acid residue L36, N37, F38, R39, A40, P41, or P42 at the N-terminus, so that one or more amino acid residues at the N-terminus are deleted, and/or cleavage occurs after an amino acid residue selected from the group consisting of V455 to L509, preferably after an amino acid residue selected from the group consisting of V455 to S490, most preferably after an amino acid residue V455, C458, D461, C464, I465, D466, A467, F468, K470, P471, P472, M473, E474, T475, E476, P478, I480, Y482, A484, P486, T488, or S490 at the C-terminus, so that one or more amino acid residues at the C-terminus are deleted.

[165]

[166] The expression "cleavage occurs before an amino acid residue selected from the group consisting of M1 to P42 at the N-terminus" means that an amino acid residue immediately before an amino acid residue selected from among M1 to P42 at the N-terminus is cleaved and deleted.

[167] For example, the expression "cleavage occurs before an amino acid residue L36, N37, F38, R39, A40, P41, or P42" respectively means that all amino acid residues from M1 to T35 immediately before L36, all amino acid residues from M1 to L36 immediately before N37, all amino acid residues from M1 to N37

immediately before F38, all amino acid residues from M1 to F38 immediately before R39, all amino acid residues from M1 to R39 immediately before A40, all amino acid residues from M1 to A40 immediately before P41, or all amino acid residues from M1 to P41 immediately before P42 in the amino acid sequence of SEQ ID NO: 1 is cleaved and removed, respectively.

[168]

[169] In addition, the expression "cleavage occurs after an amino acid residue selected from the group consisting of V455 to L509 at the C-terminus" means that an amino acid residue immediately after an amino acid residue selected from among V455 to L509 at the C-terminus is cleaved and deleted.

[170]

[171] For example, the expression "cleavage occurs after an amino acid residue V455, C458, D461, C464, I465, D466, A467, F468, K470, P471, P472, M473, E474, T475, E476, P478, I480, Y482, A484, P486, T488 or S490 at the C-terminus" means that an amino acid residue after the amino acid residue V455, C458, D461, C464, I465, D466, A467, F468, K470, P471, P472, M473, E474, T475, E476, P478, I480, Y482, A484, P486, T488 or S490 in the amino acid sequence of SEQ ID NO: 1 is cleaved and removed.

[172]

[173] Preferably, the novel PH20 variant or fragment thereof according to the present invention may be selected from the group consisting of amino acid sequences of SEQ ID NOs: 60 to 115, but is not limited thereto.

[174] Most preferably, the novel PH20 variant or fragment thereof according to the present invention may have the amino acid sequence of SEQ ID NO: 99. The novel PH20 variant or

fragment thereof having an amino acid sequence of SEQ ID NO: 99 may comprise 15 amino acid substitutions of T341S, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, and deletion before F38 at the N-terminus, and truncation after F468 at the C-terminus.

[175]

[176] The sequences of the substituted or cleaved amino acids in the PH20 variants constructed in the specific embodiment according to the present invention are as shown in Table 11.

[177]

[178] A study focused on increasing the enzymatic activity and thermal stability of PH20 by amino acid substitution of an alpha-helix and its linker region, which are secondary structures forming the tertiary structure of the protein, as disclosed in the present invention, has not been previously reported. Previous studies reported that the enzymatic activity of wild-type PH20 changes depending on the cleavage positions of amino acid residues located at the C-terminal region. However, in the present invention, a specific alpha-helix forming the secondary structure of PH20 was substituted with the alpha-helix of other human hyaluronidase, thereby constructing PH20 variants having higher stability than wild-type PH20. These variants may be variants in which the interaction of the substituted alpha-helix domain with portions forming other secondary structures of PH20 shows a pattern different from that of wild-type PH20, indicating that the variants have consistent enzymatic activity regardless of the C-terminal cleavage position.

[179]

[180] In specific embodiment, the novel PH20 variant or fragment thereof according to the present invention, which has increased enzymatic activity and thermal stability compared to mature wild-type PH20, may be one which comprises one or more amino acid residue substitutions selected from the group consisting of T341A, T341C, T341G, S343E, M345T, K349E, L353A, L354I, N356E and I361T, and in which one or more amino acids located in an alpha-helix 8 region (S347 to C381) and/or the linker region (A333 to R346) between alpha-helix 7 and alpha-helix 8 in the amino acid sequence of wild-type PH20, preferably mature wild-type PH20, are substituted with other amino acids.

[181] Specifically, the amino acid substitution in the linker region between alpha-helix 7 and alpha-helix 8 comprises the substitution of one or more amino acid residues in the region consisting of amino acid residues T341 to N363, T341 to I361, L342 to I361, L342 to I361, S343 to I361, I344 to I361, M345 to I361, or M345 to N363.

[182] In order to examine the effect of C-terminal truncation in PH20 variants in which alpha-helix 8 and a linker region between alpha-helix 7 and alpha-helix 8 are substituted, three PH20 variants (HM6, HM10 and HM21) were selected as templates.

[183]

[184] HM6 is a variant in which amino acids in M345 to N363 region are substituted with the amino acid sequence of Hyal1 (M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T in SEQ ID NO: 1 are substituted). In addition, HM6 is a variant in which the substitution of alpha-helix 8 and a linker region between alpha-helix 7 and alpha-helix 8 is the least substituted variant among the PH20 variants according to

the present invention, which do not comprise additional C-terminal cleavage (that is, a form in which the C-terminal amino acid residue is S490, like mature wild-type PH20).

[185] HM10 is a variant in which amino acids in L342 to I361 region are substituted with the amino acid sequence of Hyal1 (L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T in SEQ ID NO: 1 are substituted), and which has the highest thermal stability while having an enzymatic activity similar to that of mature wild-type PH20 among the PH20 variants according to the present invention, which do not comprise additional C-terminal truncation.

[186] HM21 is a variant in which amino acids in T341 to I361 region are substituted with the amino acid sequence of Hyal1 (T341S, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T in SEQ ID NO: 1 are substituted), and which has an enzymatic activity which is about two times higher than that of wild-type PH20 at Ph 7.0 among the PH20 variants according to the present invention, which do not comprise additional C-terminal truncation.

[187] The HM6-based PH20 variants constructed in the present invention have the N-terminus starting at L36 and the C-terminus terminating at I465, F468, or P471 as shown in Table 4 below.

[188]

[189] **Table 4. C-terminal amino acid truncated PH20 variants constructed using HM6 as a template**

Variant	Total length	Substituted region	Number of substituted amino acids	Number of truncated amino acids
HM6	36~490	M345~I361	11	0
HM14	36~465		11	25

HM15	36~468	11	22
HM16	36~471	11	19

[190] The HM10-based PH20 variants commonly have the N-terminus cleaved before the F38 residue and the C-terminus cleaved after the V455, C458, D461, C464, I465, D466, A467, F468, K470, P472, M473, E474, T475, E476, P478, I480, Y482, A484, P486, or T488 residue as shown in Table 5 below.

[191]

[192]~[193]

Table 5. C-terminal amino acid truncated PH20 variants constructed using HM10 as a template

Variant	Total length	Substituted region	Number of substituted amino acids	Number of truncated amino acids
HM10	36~490	L342~I361	14	0
HM52	38~488		14	4
HM51	38~486		14	6
HM50	38~484		14	8
HM49	38~482		14	10
HM48	38~480		14	12
HM47	38~478		14	14
HM39	38~476		14	16
HM38	38~475		14	17
HM37	38~474		14	18
HM36	38~473		14	19
HM35	38~472		14	20
HM19	38~470		14	22
HM20	38~468		14	24
HM45	38~467		14	25
HM29	36~467		14	23

HM44	38~466	14	26
HM43	38~465	14	27
HM30	36~464	14	26
HM31	36~461	14	29
HM32	36~458	14	32
HM33	36~455	14	35
HP19	38~470	14	22
HP20	38~468	14	24

[194] As shown in the examples of variants which comprise amino acid substitutions in the L342 to I361 region corresponding to the alpha-helix 8 region and the linker region between alpha-helix 7 and alpha-helix 8 of HM10 as a template and in which the N-terminus was cleaved before the F38 residue and the C-terminus was cleaved at I465, D466, A467, F468, K470, P472, M473, E474, T475, E476, P478, I480, Y482, A484, P486, or T488, the PH20 variants according to the present invention exhibited an enzymatic activity similar to that of mature wild-type PH20 regardless of the C-terminal cleavage position.

[195]

[196] As shown in Table 6 below, two HM21-based PH20 variants commonly have the N-terminus cleaved before the F38 residue and the C-terminus cleaved after the F468 or K470 residue.

[197]

[198] **Table 6. C-terminal amino acid truncated PH20 variants constructed using HM21 as a template**

Variant	Total length	Substituted region	Number of substituted amino acids	Number of truncated amino acids
HM21	38~490		15	2

33				
HP34	38~470	T341~I361	15	22
HP46	38~468		15	24

[199] Variants were constructed using, as a template, HM21 having an enzymatic activity which is about two times higher than that of mature wild-type PH20. These variants are those which comprise amino acid substitutions in the T341 to I361 region corresponding to the alpha-helix 8 region and the linker region between alpha helix 7 and alpha-helix 8 and in which the N-terminus was cleaved before the F38 residue and the C-terminus was cleaved after F468 or K470. Surprisingly, these variants maintained the high enzymatic activity of HM21 regardless of the C-terminal cleavage position.

[200] In the study conducted by Frost et al., when the length of PH20 is shorter due to the cleavage before the amino acid position of 477, the enzymatic activity decreased to about 10% of a variant having a C-terminus cleaved after the position 477. However, in the present invention, when one or more amino acids in alpha-helix 8 of PH20 and its linker region were substituted, the enzymatic activity was maintained due to the increase in the stability of the protein regardless of the C-terminal cleavage position. This result is very significant in that it solves the problem that the enzymatic activity of wild-type PH20 is reduced due to the C-terminal truncation of wild-type PH20.

[201]

[202] In addition, in the present invention, the effect of the N-terminal amino acids of PH20, which has not been known previously, was studied.

[203] In order to examine the effects of N-terminal cleavage sites in HM6 variants in which one or more amino acid residues in the region (M345 to I361) corresponding to the alpha-helix 8 region of wild-type PH20 and the linker region between alpha-helix 7 and alpha-helix 8 (substituted with M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D or I361T in SEQ ID NO: 1 and comprising no additional C-terminal cleavage) were substituted with amino acid residues of the corresponding alpha-helix 8 region of Hyal1 and the linker region between alpha-helix 7 and alpha-helix 8, variants, in which amino acid residues L36 to V47 in SEQ ID NO: 1 were substituted with FRGPLLPNR or amino acid residues L36 to A52 in SEQ ID NO: 1 were substituted with FRGPLLPNRPFTTV, were constructed using HM6 as a template. In addition, using HM6 as a template, the variants HM40, HM13, HM41, HM24, HM42 and HM25 were constructed in which the N-terminus in the amino acid sequence of SEQ ID NO: 1 was cleaved before the N37, F38, R39, A40, P41 or P42 residue (see Table 7).

[204]

[205] **Table 7. N-terminal amino acid cleaved variants based on HM6**

Variant	Total length	Substituted region	Number of substituted amino acids	Number of truncated amino acids
HM6	36~490	M345~I361	11	0
HM40	37~490		11	1
HM13	38~490		11	2
HM41	39~490		11	3
HM24	40~490		11	4
HM42	41~490		11	5

35			
HM25	42~490	11	6
HM17	L36~V47, M345~I361	23	
HM18	L36~A52, M345~I361	28	

[206] As a result, it was shown that when the N-terminus of HM6 was cleaved before the N37, F38, R39, A40 or P41 residue, the enzymatic activity was not greatly influenced; however, when the N-terminus was cleaved before the P42 residue, the enzymatic activity significantly decreased, indicating that the N-terminal region of PH20, located after P41, is important for protein expression and enzymatic activity. In addition, when one or more amino acids in the N-terminal L36 to V47 or L36 to A52 region of HM6 were substituted with the amino acids of Hyal1, the variant protein was not expressed in ExpiCHO cells, indicating that the N-terminal region is important for protein expression.

[207]

[208] In addition, in the present invention, it was attempted to increase the expression of a recombinant PH20 protein in animal cells by using the signal peptide of other proteins, instead of using the original signal peptide of PH20.

[209] Therefore, in another aspect, the novel PH20 variant according to the present invention may be one in which the N-terminus further comprises a human growth hormone signal peptide having an amino acid sequence MATGSRTSLLLAFGLLCLPWLQEGSA of SEQ ID NO: 3, a human serum albumin signal peptide having an amino acid sequence MKWVTFISLLFLFSSAYS of SEQ ID NO: 4, or a human Hyal1 signal peptide having an amino acid sequence MAAHLLPICALFLTLLDMAQG of SEQ ID NO: 5 as shown in Table 8 below,

instead of the signal peptide of wild-type PH20, which consists of M1 to T35, but is not limited thereto.

[210]

[211] The expression "instead of the signal peptide of wild-type PH20, which consists of M1 to T35" means a case in which the signal peptide of wild-type PH20 is partially or completely deleted; thus it does not perform its function. In addition, the expression is meant to include a case in which a portion of the N-terminus is further deleted, for example, a case in which cleavage occurs before the N37, F38, R39, A40, P41 or P42 residue occurs so that an additional deletion of the N-terminus together with the deletion of the signal peptide of wild-type PH20 occurs.

[212]

[213] **Table 8. Amino acid sequences of signal peptide of human growth hormone, human serum albumin or human Hyal1**

	Amino acid sequences	SEQ NO.
human growth hormone	MATGSRTSLLLLAFGLLCLPWLQEGSA	3
human serum albumin	MKWVTFISLLFLFSSAYS	4
human Hyal1	MAAHLLPICALFLTLLDMAQG	5

[214] In another aspect, the present invention provides a composition for treating cancer comprising the novel PH20 variant according to the present invention, and a method for treating cancer using the same.

[215]

[216] Cancers or carcinomas that can be treated by the novel

PH20 variant according to the present invention are not limited particularly, but includes both solid cancers and blood cancers. The cancer may be selected from the group consisting of liver cancer, hepatocellular carcinoma, gastric cancer, breast cancer, lung cancer, ovarian cancer, bronchial cancer, nasopharyngeal cancer, laryngeal cancer, pancreatic cancer, bladder cancer, colorectal cancer, colon cancer, uterine cervical cancer, brain cancer, prostate cancer, bone cancer, thyroid cancer, parathyroid cancer, renal cancer, esophageal cancer, biliary tract cancer, testis cancer, rectal cancer, head and neck cancer, ureteral cancer, osteosarcoma, neurocytoma, fibrosarcoma, rhabdomyosarcoma, astrocytoma, neuroblastoma and neuroglioma, but is not limited thereto. Preferably, cancers that can be treated by the composition according to the present invention may be selected from the group consisting of colorectal cancer, breast cancer, lung cancer and renal cancer, but is not limited thereto.

[217]

[218] The composition of the present invention may be a pharmaceutical composition. The pharmaceutical composition may further comprise a pharmaceutically acceptable component. The component that is typically used in the formulation of drugs may be one or more selected from the group consisting of, but not limited to, lactose, dextrose, sucrose, sorbitol, mannitol, starch, gum acacia, calcium phosphate, alginate, gelatin, calcium silicate, microcrystalline cellulose, polyvinylpyrrolidone, cellulose, water, syrups, methyl cellulose, methylhydroxybenzoate, propylhydroxybenzoate, talc, magnesium stearate, and mineral oil. In addition, the pharmaceutical

composition may further comprise one or more selected from the group consisting of diluents, excipients, lubricants, wetting agents, sweeteners, aromatics, emulsifiers, suspensions, and preservatives.

[219] The pharmaceutical composition of the present invention may be administered orally or parenterally. The parenteral administration is carried out by intravenous injection, subcutaneous injection, intramuscular injection, intraperitoneal injection, endothelial administration, topical administration, intranasal administration, intrapulmonary administration, rectal administration, and the like. For the oral administration, the active ingredient in the composition needs to be formulated into a coated dosage form or into a dosage form which can protect the active ingredient from being disintegrated in stomach considering that peptides and proteins are digested in stomach. Alternatively, the present composition may be administered via any device by which the active ingredient can move to the target cell of interest.

[220] The pharmaceutical composition may be formulated in the form of solutions, suspensions, syrups or emulsions in oils or aqueous media, or in the form of extracts, grains, suppositories, powders, granules, tablets or capsules, and may additionally include dispersing or stabilizing agents for the purpose of formulation.

[221] In particular, the composition for treating cancer according to the present invention may be used for combined treatment with other anticancer drugs.

[222] An anticancer drug that can be used for combined treatment with the novel PH20 variant according to the present invention

is preferably a chemical anticancer drug, an antibody-based anticancer drug, a biological anticancer drug, an RNAi, or a cell therapeutic agent, but is not limited thereto.

[223] Preferably, the anticancer drug that can be used for combined treatment with the novel PH20 variant according to the present invention is preferably an immuno-oncologic agent, more preferably an immune checkpoint inhibitor, but is not limited thereto.

[224]

[225] In another aspect, the present invention is directed to a nucleic acid encoding the PH20 variant or fragment thereof.

[226] The nucleic acids, as used herein, may be present in cells, in the cell lysate, or in the partially purified or substantially pure form. "Isolated" or "substantially pure", when referring to nucleic acids, refer to those that have been purified away from other cellular components or other contaminants, e.g., other cellular nucleic acids or proteins, by standard techniques, including alkaline/SDS treatment, CsCl banding, column chromatography, agarose gel electrophoresis, and others well known in the art. The nucleic acids of the present invention may be DNA or RNA.

[227] In still another aspect, the present invention is directed to recombinant expression vector comprising the nucleic acid. For expression of the PH20 variant or fragment thereof according to the present invention, a DNA encoding the PH20 variant can be obtained by standard molecular biology techniques (e.g., PCR amplification or cDNA cloning using a hybridoma that expresses the PH20 variant), and the DNA can be inserted into an expression vector such that it is "operatively linked" to

transcriptional and translational control sequences.

[228] As used herein, the term "operatively linked" is intended to mean that a gene encoding the PH20 variant or fragment thereof is ligated into a vector such that transcriptional and translational control sequences serve their intended function of regulating the transcription and translation of the gene encoding the PH20 variant or fragment thereof. The expression vector and expression control sequences are chosen to be compatible with the expression host cell used. The genes encoding the PH20 are inserted into the expression vector by standard methods (e.g., ligation of complementary restriction enzyme sites on a fragment of the gene encoding the PH20 variant or fragment thereof and vector, or blunt end ligation if no restriction enzyme sites are present).

[229] In addition, the recombinant expression vectors carry regulatory sequences that control the expression of a gene encoding the PH20 variant in the host cell. The term "regulatory sequence" is intended to include promoters, enhancers and other expression control elements (e.g., polyadenylation signals) that control the transcription or translation of the genes encoding the PH20 variant or fragment thereof. It will be appreciated by those skilled in the art that the design of the expression vector, including the selection of regulatory sequences, may depend on such factors as the choice of the host cell to be transformed, the level of expression of protein desired, etc.

[230]

[231] In yet another aspect, the present invention is directed to a host cell comprising the nucleic acid or the vector. The host cell according to the present invention is preferably

selected from the group consisting of animal cells, plant cells, yeasts, *E. coli.*, and insect cells, but is not limited thereto.

[232] Specifically, the host cell according to the present invention include prokaryotic cells such as *E. coli*, *Bacillus subtilis*, *Streptomyces* sp., *Pseudomonas* sp., *Proteus mirabilis* or *Staphylococcus* sp., fungi such as *Aspergillus* sp., yeasts such as *Pichia pastoris*, *Saccharomyces cerevisiae*, *Schizosaccharomyces* sp. and *Neurospora crassa*, and eukaryotic cells such as lower eukaryotic cells, and higher other eukaryotic cells such as insect cells.

[233] In addition, the host cells that can be used in the present invention may be derived from plants or mammals. Preferably, examples of the host cells include, but are not limited to, monkey kidney cells (COS7), NSO cells, SP2/0, Chinese hamster ovary (CHO) cells, W138, baby hamster kidney (BHK) cells, MDCK, myeloma cells, HuT 78 cells and HEK293 cells. More preferably, CHO cells may be used.

[234]

[235] The nucleic acid or the vector is transfected into a host cell. Transfection can be performed using various techniques that are generally used to introduce foreign nucleic acid (DNA or RNA) into prokaryotic or eukaryotic cells, for example, electrophoresis, calcium phosphate precipitation, DEAE-dextran transfection or lipofection. In order to express the PH20 variant or fragment thereof of the present invention, various combinations of recombinant expression vectors and host cells can be employed. The preferred expression vector for eukaryotic cells comprises gene expression regulatory sequences derived from, but not limited to, SV40, bovine papillomavirus,

adenovirus, adeno-associated virus, cytomegalovirus and retrovirus. The expression vector, which can be used for bacterial hosts, comprises bacterial plasmids, such as, pET, pRSET, pBluescript, pGEX2T, pUC vector, col E1, pCR1, pBR322, pMB9 and the derivatives thereof, obtained from *E. coli*; a plasmid having broad host range, such as, RP4; phage DNAs exemplified by various phage lambda derivatives, such as, λ gt10, λ gt11 and NM989; and other DNA phages, such as, M13 and filamentous single-stranded DNA phage. The expression vector available for yeast cells may be 2- μ m plasmid and its derivatives. The expression vector for insect cells includes pVL941.

[236]

[237] In a further aspect, the present invention is directed to a method for producing an PH20 variant or fragment thereof, the method comprising a step of culturing the host cell and expressing the PH20 variant or fragment thereof according to the present invention.

[238] When a recombinant expression vector capable of expressing the PH20 variant or fragment thereof is introduced into mammalian host cells, the PH20 variant or fragment thereof can be produced by culturing the host cells for a period of time such that the PH20 variant or fragment thereof is expressed in the host cells, preferably a period of time such that the PH20 variant is secreted into the medium during culture of the host cells.

[239] In some cases, the expressed PH20 variant can be isolated and purified from the host cells. Isolation or purification of the PH20 variant can be performed by conventional

isolation/purification methods (e.g., chromatography) that are used for proteins. The chromatography may include one or more combinations selected from affinity chromatography, ion exchange chromatography, and hydrophobic chromatography, but is not limited thereto. In addition to the chromatography, a combination of filtration, ultrafiltration, salting out, dialysis, and the like may be used to isolate and purify the antibody.

[239a] It will be understood that the terms "comprise" and "include" and any of their derivatives (e.g. comprises, comprising, includes, including) as used in this specification, and the claims that follow, is to be taken to be inclusive of features to which the term refers, and is not meant to exclude the presence of any additional features.

[239b] Reference to any prior art in this specification is not, and should not be taken as, an acknowledgement or any form of suggestion that such prior art forms part of the common general knowledge.[240]

[241] Hereinafter, the present invention will be described in further detail with reference to examples. It will be obvious to a person having ordinary skill in the art that these examples are illustrative purposes only and are not to be construed to limit or change the scope of the present invention.

[242]

[243]

EXAMPLES

[244] Paragraph [244] is intentionally deleted.

[245]

[246] **Example 1. Construction of PH20 Variants**

[247] For construction of PH20 variants, the cDNA (clone ID: hMU002604) of wild-type PH20 was purchased from the Korean Human Gene Bank. Wild-type PH20 encodes amino acids from L36 to S490. The PH20 gene was amplified by polymerase chain reaction (hereinafter referred to as PCR) and inserted into the *XhoI* and *NotI* restriction enzyme sites of a pcDNA3.4-TOPO vector. For expression in ExpiCHO cells, the signal peptide of human growth hormone, human serum hormone or human Hyal1 was used as a signal peptide instead of the original signal peptide of PH20. For protein purification using a HisTrap column, the DNA sequence of a 6xHis-tag was located at the 3'-end of the PH20 cDNA. The amino acid substitution of PH20 variants was performed using PCR method, and the amino acid substitution was confirmed by DNA sequencing.

[248] The list of primers used in cloning of the PH20 variants are summarized in Table 9 below, and the specific sequences of the primers are summarized in Table 10 below.

[249]

[250]~[252]

Table 9. List of primers used in cloning of PH20 variants

Clone	Primer		
	1	2	3
cB4202	ALB-SP-Xho	ALB-PH20-MR	SPAM1-6H-Not
cB4203-HM1	ALB-SP-Xho	PH20_M345-364-F	SPAM1-6H-not
cB4203-HM2	ALB-SP-Xho	PH20_Y365-L380-F	SPAM1-7H-not
cB4203-HM3	ALB-SP-Xho	PH20_M345-L380-F	SPAM1-8H-not
cB4203-HM4	ALB-SP-Xho	B4203-HM4-F	SPAM1-9H-not
cB4203-HM5	ALB-SP-Xho	B4203-HM5-F	SPAM1-10H-not
cB4203-HM6	ALB-SP-Xho	PH20-G363N	SPAM1-6H-not
cB4203-HM7	ALB-SP-Xho	PH20-G363N	SPAM1-12H-not
cB4203-HM8	ALB-SP-Xho	cB4203-HM8-M	SPAM1-13H-not
cB4203-HM9	ALB-SP-Xho	cB4203-HM9-M	SPAM1-14H-not
cB4203-HM10	ALB-SP-Xho	cB4203-HM10-M	SPAM1-6H-Not
cB4203-HM11	ALB-SP-Xho	4203-HM11	SPAM1-16H-not

		45	
cB4203-HM12	ALB-SP-Xho	4203-HM12	SPAM1-17H-not
cB4203-HM13	ALB-SP-Xho	SASP-LN-del-R	SPAM1-18H-not
cB4203-HM14	ALB-SP-Xho	-	I465-6H-not
cB4203-HM15	ALB-SP-Xho	-	F468-6H-not
cB4203-HM16	ALB-SP-Xho	-	P471-6H-not
cB4203-HM17	ALB-SP-Xho	PH20-HM17	SPAM1-22H-not
cB4203-HM18	ALB-SP-Xho	PH20-HM18	SPAM1-23H-not
cB4203-HM19	ALB-SP-Xho	SASP-LN-del-R	K470-6H-not
cB4003-HP19	ALB-SP-Xho	K470-not	
cB4203-HM20	ALB-SP-Xho	SASP-LN-del-R	F468-6H-not
cB4003-HP20	ALB-SP-Xho	F468-not	
cB4203-HM21	ALB-SP-Xho	M21-mega-F	SPAM1-6H-Not
cB4203-HM24	ALB-SP-Xho	M24-R	SPAM1-6H-not
cB4203-HM25	ALB-SP-Xho	M25-R	SPAM1-6H-not
cB4203-HM26	ALB-SP-Xho	B4-HM26	SPAM1-6H-not
cB4203-HM27	ALB-SP-Xho	B4-HM27	SPAM1-6H-not
cB4203-HM28	ALB-SP-Xho	B4-HM28	SPAM1-6H-not
cB4203-HM29	ALB-SP-Xho	B4-HM29	
cB4203-HM30	ALB-SP-Xho	B4-HM30	
cB4203-HM31	ALB-SP-Xho	B4-HM31	
cB4203-HM32	ALB-SP-Xho	B4-HM32	
cB4203-HM33	ALB-SP-Xho	B4-m33	
cB4003-HP34	ALB-SP-Xho	M21-mega-F	K470-not
cB4203-HM35	ALB-SP-Xho	SASP-LN-del-R	P472-6H-not
cB4003-HP35	ALB-SP-Xho	P472-not	
cB4203-HM36	ALB-SP-Xho	SASP-LN-del-R	M473-6H-not
cB4003-HP36	ALB-SP-Xho	M473-not	
cB4203-HM37	ALB-SP-Xho	SASP-LN-del-R	E474-6H-not
cB4003-HP37	ALB-SP-Xho	E474-not	
cB4203-HM38	ALB-SP-Xho	SASP-LN-del-R	T475-6H-not
cB4003-HP38	ALB-SP-Xho	T475-not	
cB4203-HM39	ALB-SP-Xho	SASP-LN-del-R	E476-6H-not
cB4003-HP39	ALB-SP-Xho	SASP-LN-del-R	E476-not
cB4203-HM40	ALB-SP-Xho	M40-mega	SPAM1-6H-Not
cB4203-HM41	ALB-SP-Xho	M41-mega	SPAM1-6H-Not
cB4203-HM42	ALB-SP-Xho	m42-mega	SPAM1-6H-not
cB4203-HM43	ALB-SP-Xho	I465-6H-not	
cB4203-HM44	ALB-SP-Xho	D466-6H-not	
cB4203-HM45	ALB-SP-Xho	B4-HM29	
cB4003-HP46	ALB-SP-Xho	F468-Not	
cB4203-HM47	ALB-SP-Xho	P478-H-Not	
cB4203-HM48	ALB-SP-Xho	I480-H-Not	

cB4203-HM49	ALB-SP-Xho	Y482-H-Not	
cB4203-HM50	ALB-SP-Xho	A484-H-not	
cB4203-HM51	ALB-SP-Xho	P486-H-not	
cB4203-HM52	ALB-SP-Xho	SASP-LN-del-R	T488-H-not

[253]~[257]

Table 10. Primer sequences used in cloning of PH20 variants

Primer	SEQ NO.	Nucleotide Sequences (5'→ 3')
ALB-SP-Xho	6	GAA TAT CTC GAG GCC ACC ATG AAG TGG GTT ACA
SPAM1-6H-Not	7	CTA ATT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGG AAG AAA CCA ATT CTG C
ALB-PH20-MR	8	TAA CAG GAG GTG CTC TGA AAT TCA GAG AGT AAG CAG AGG AG
PH20_M345- P364-F	9	ATG GGG AAC CCT CAG TAT AAC AAG AAC CAA GGA ATC ATG TCA GGC CAT CAA GGA GTA TAT GGA CAC TAC ACT GGG GCC CTA CAT AAT CAA CGT CAC AC
PH20_Y365- L380-F	10	ATG GAG ACT ATA CTG AAT CCT TTC ATC CTG AAC GTG ACC AGT GGG GCC CTT CTC TGC AGT CAA GCC CTG TGC CAG GAG CAA GGA GTG TG
PH20_M345- L380-F*	11	ATG GAC ACT ACA CTG GGG CCC TTC ATC CTG AAC GTG ACC AGT GGG GCC CTT CTC TGC AGT CAA GCC CTG TGC CAG GAG CAA GGA GTG TG
B4203-HM4-F	12	ACT GTT GCT CTG GGT GCT TCT GGA ATT GTA ATA TGG GTA AGC TGG GAA AAT ACA AGA ACC AAG GAA TCA TGT CA
B4203-HM5-F	13	AGC AAG GAG TGT GTA TAA GGA AAA CCA GCC ACC CAA AAG ACT ATC TTC ACC TCA ACC CAG A
PH20-G363N	14	AGT ATA TGG ACA CTA CAC TGA ACC CCT ACA TAA TCA ACG TCA C
cB4203-HM8-M	15	ATT GTA ATA TGG GGA ACC CTC AGT AAT ACA AGA ACC AAG GAA TC
cB4203-HM9-M	16	ATT GTA ATA TGG GGA ACC CTC GAA AAT ACA AGA ACC AAG GAA TC
cB4203- HM10- M	17	ATT GTA ATA TGG GGA ACC TGG GAA AAT ACA AGA ACC AAG GAA TC
4203-HM11	18	ACA CTA CAC TGA ACC CCT TCA TAC TCA ACG TCA CCC TAG CAG CCA
4203-HM12	19	ACA CTA CAC TGA ACC CCT TCA TAC TCA ACG

		TCA CCC TAT CAG GCA AAA TGT GTA GCC AAG TGC
SASP-LN-del-R	20	TAA CAG GAG GTG CTC TGA AAG AGT AAG CAG AGG AG
I465-6H-not	21	CTA ATT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGT ATA CAG ACA CCA TCA GC
F468-6H-not	22	CTA ATT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGA AAA GCA TCT ATA CAG ACA CC
P471-6H-not	23	CTA ATT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGA GGT TTT AGA AAA GCA TCT ATA C
PH20-HM17	24	TCC AGG CCC AGA GGA AAG GCC GGT TGG GTA GCA AGG GGC CCC TAA AAG AGT AAG CAG AGG AG
PH20-HM18	25	TCA CTT GGG GCA TTC CAG ACG GTG GTG AAG GGC CGG TTG GGT AGC AAG GGG CCC CTA AAA GAG TAA GCA GAG GAG
K470-not	26	CTA ATT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGT TTT AGA AAA GCA TCT ATA C
F468-not	27	CTA ATT GCG GCC GCT CAT TAA AAA GCA TCT ATA CAG ACA CC
M21-mega-F	28	AAT TGT AAT ATG GGG AAG CTG GGA AAA TAC AAG AA
M24-R	29	TGG AAT AAC AGG AGG TGC AGA GTA AGC AGA GGA GA
M25-R	30	TTT GGA ATA ACA GGA GAG TAA GCA GAG GAG A
B4-HM26	31	AGT TTT GAA ATT CCT TTC TCT GGA TGA GCT GGA GCA CAG CCT GGG GGA GAG TGC GGC CCA GGG TGC TTC TGG AAT TG
B4-HM27	32	ATG AGC TGG AGC ACA GCT TTG GGG AGA GTG CGG CCC AG
B4-HM28	33	ATT CCT TTC TCA AGA TGA ACT TGA GCA CAG CTT TGG CGA AAC TGT TGC
B4-HM29	34	CTA ATT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGA GCA TCT ATA CAG ACA CC
B4-HM30	35	CTA ATT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGA CAG ACA CCA TCA GCA ATA C
B4-HM31	36	CTA ATT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGA TCA GCA ATA CAC ACA TC
B4-HM32	37	CTA ATT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGA CAC ACA TCA ACA GCA TC
B4- HM33	38	CTA ATT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGA ACA GCA TCA GTG TCT TTT AC
P472-not	39	GTT ATA GCG GCC GCT CAT TAG GGA GGT TTT

		48 AGA AAA GCA TC
M473-not	40	GTT ATA GCG GCC GCT CAT TAC ATG GGA GGT TTT AGA AAA GCA TC
E474-not	41	GTT ATA GCG GCC GCT CAT TAC TCC ATG GGA GGT TTT AGA AAA GC
T475-not	42	GTT ATA GCG GCC GCT CAT TAT GTC TCC ATG GGA GGT TTT AG
M40-mega	43	TAA CAG GAG GTG CTC TGA AAT TAG AGT AAG CAG AGG AG
M41-mega	44	TGG AAT AAC AGG AGG TGC TCT AGA GTA AGC AGA GGA G
M42-mega	45	TTT GGA ATA ACA GGA GGA GAG TAA GCA GAG GAG
D466-6H-not	46	CTA ATT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGA TCT ATA CAG ACA CCA TCA GC
P478-H-Not	47	GAT AAT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGA GGT TCT TCT GTC TCC ATG GG
I480-H-Not	48	GAT AAT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGA ATT TGA GGT TCT TCT GTC TCC
Y482-H-Not	49	GAT AAT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGG TAG AAA ATT TGA GGT TCT TCT G
A484-H-not	50	GAT AAT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGA GCA TTG TAG AAA ATT TGA GGT TC
P486-H-not	51	GAT AAT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGG GGT GAA GCA TTG TAG AAA ATT TGA GG
T488-H-not	52	GAT AAT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGT GTG GAG GGT GAA GCA TTG TAG
K470-6H-not	53	CTA ATT GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGT TTT AGA AAA GCA TCT ATA C
P472-6H-not	54	GTT ATA GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGG GGA GGT TTT AGA AAA GCA TC
M473-6H-not	55	GTT ATA GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGC ATG GGA GGT TTT AGA AAA GCA TC
E474-6H-not	56	GTT ATA GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGC TCC ATG GGA GGT TTT AGA AAA GC
T475-6H-not	57	GTT ATA GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGT GTC TCC ATG GGA GGT TTT AG
E476-6H-not	58	GTT ATA GCG GCC GCT CAT TAG TGG TGA TGG TGA TGA TGT TCT GTC TCC ATG GGA GG
E476-not	59	GTT ATA GCG GCC GCT CAT TAT TCT GTC TCC

[258] After finding the PH20 variant with increased enzymatic activity and thermal stability, the 6xHis-tag-free cDNA of the PH20 variant was also constructed.

[259] When the cell density of ExpiCHO cells reached $6 \times 10^6/\text{mL}$, a plasmid comprising the wild-type or variant PH20 cDNA inserted in the pcDNA3.4-TOPO vector was transfected into the ExpiCHO cells by ExpiFectamine CHO reagent. As a cell culture medium, ExpiCHO expression medium (100 to 500 mL) was used. After transfection, the ExpiCHO cells were shake-cultured at 130 rpm for total 6 days, during which the cells were cultured at 37°C for 1 day and further cultured at lower temperature of 32°C for 5 days. After completion of the culture, the cell supernatant was collected by centrifugation at 10,000 rpm for 30 min.

[260] The recombinant proteins of the C-terminal 6xHis-attached wild-type PH20 and variant PH20, produced in the ExpiCHO cells, were purified in three steps (performed using a HisTrap column, a Q Sepharose column and a Phenyl column, respectively) by an AKTA prime system.

[261] For protein purification using the HisTrap column, buffer A (20 mM sodium phosphate, pH 7.5, 0.5 M NaCl) and buffer B (20 mM sodium phosphate, pH 7.5, 0.5 M NaCl, 0.5 M imidazole) were prepared. The protein was bound to the HisTrap column, and the column was flushed with 5 column volumes (CV) of buffer A to remove non-specifically bound proteins. It was confirmed that the conductivity was maintained at constant level, the column was flushed with 5 CV of 20% buffer B to elute the protein. The eluted protein was dialyzed with dialysis buffer (20 mM sodium

phosphate, pH 7.5, 50 mM NaCl). For protein purification using the Q Sepharose column, buffer A (20 mM sodium phosphate, pH 7.5) and buffer B (20 mM sodium phosphate, pH 7.5, 0.5 M NaCl) were prepared. The protein was bound to the Q Sepharose column, and the column was flushed with 5 CV of buffer A to remove nonspecifically bound proteins, and then 5 CV of buffer B was flushed at concentration gradient of 0 to 100% to elute the protein.

[262] For protein purification using the phenyl column, buffer A (20 mM sodium phosphate, pH 7.0, 1.5 M $(\text{NH}_4)_2\text{SO}_4$) and buffer B (20 mM sodium phosphate, pH 7.0) were prepared. The protein was bound to the phenyl column, and the column was flushed with 5 CV of buffer A to remove nonspecifically bound proteins, and then 5 CV of buffer B was flushed at concentration gradient of 0 to 100% to elute the protein.

[263] The enzymatic activities of wild-type PH20 and variant PH20 were measured by turbidimetric assay, substrate-gel assay, and Morgan-Elson assay.

[264] The turbidimetric assay is a method of measuring the absorbance in the precipitate produced when hyaluronic acid is mixed with albumin (BSA). When hyaluronic acid is hydrolyzed by PH20, the absorbance of the precipitate produced when mixed with albumin decreases. Hyaluronidase PH20 (Sigma) was diluted to 1, 2, 5, 7.5, 10, 15, 20, 30, 50 and 60 units/mL, and prepared in each tube. The purified protein sample was dissolved in enzyme diluent buffer (20 mM Tris·HCl, pH 7.0, 77 mM NaCl, 0.01% (w/v) bovine serum albumin) and diluted to 100X, 300X, 600X, 1200X and 2400X and prepared in each tube. In fresh tubes, the hyaluronic acid solution having a concentration of 3 mg/mL was diluted 10-

fold to a concentration of 0.3 mg/mL so that the volume of each tube became 180 μ L. 60 μ L of enzyme was added to and mixed with the diluted hyaluronic acid solution and allowed to react at 37°C for 45 min. After completion of the reaction, 50 μ L of the reacted enzyme and 250 μ L of acidic albumin solution were added to each well of a 96-well plate and shaken for 10 min, and then the absorbance was measured at 600 nm by spectrophotometer.

[265] In the substrate-gel assay, the protein was electrophoresed on 10% SDS gel (including 0.17 mg/mL hyaluronic acid) for 1 h, and SDS was removed with 2.5% Triton X-100 (w/v) at 4°C for 2 h. Thereafter, an enzymatic reaction was performed in the buffer (50 mM sodium phosphate, pH 7.0, 150 mM NaCl) at 37°C (which is the optimum temperature for PH20) for 1 to 4 h, and the protein was stained with 0.5% Alcian blue reagent. Alcian blue reagent not bound to the hyaluronic acid was removed using de-staining solution. The SDS gel stained with Alcian blue was imaged, and then the band was quantified.

[266] The thermal stability of the protein was measured by a method of measuring the aggregation temperature by dynamic light scattering (DLS), a method of measuring the melting temperature (T_m) in real-time PCR using Sypro-Orange dye, a method of measuring the enzymatic activity after leaving the protein to stand at predetermined temperature for a predetermined time, etc. In the method of measuring the aggregation temperature by DLS, the aggregation of molecules is measured using light scattering, and thus the sensitivity is high and the aggregation temperature is generally lower than the melting temperature of the protein.

[267] The sequences of the substituted or cleaved amino acids in the PH20 variants constructed in the present invention are shown in Table 11 below.

[268] Among the variants according to the present invention, the variant having the 6xHis-tag attached to the C-terminus of PH20 was named HM; the variant free of the 6xHis-tag was named HP; mature PH20 (L36 to S490) having the 6xHis-tag attached to the C-terminus was named WT; and mature wild-type PH20 (L36 to Y482) having the C-terminus cleaved after Y482 while being free of the 6xHis-tag was named HW2.

[269]

[270]~[303]

Table 11. Amino acid sequences of PH20 variants according to the present invention and substitution/cleavage characteristics thereof

Name	SEQ NO.	Substitution	Amino Acid Sequence
HM1	60	12 amino acids substitution of M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D, I361T and N363G.	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNL GMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQ NVQLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKR NDDLSQLWNESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWGTLSTRTKES <u>CQAIKEYMDTTLG</u> PYIINVTLAAKMCSQVLCQEQQ VCIRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGK PTLEDLEQFSEKFYCSCYSTLSCKEKADVKTDAV DVCIAADGVCIDAFLKPPMETEEPQIFYNASPSTLS
HM2	61	7 amino acids substitution of Y365F, I367L, L371S, A372G, K374L, M375L and V379A	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNL GMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQ NVQLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKR NDDLSQLWNESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWGTLSTRTKES <u>CQAIKEYMDTTLNPFILNVTSGALLCSQA</u> LCQEQQ VCIRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGK

			PTLEDLEQFSEKFYCSYSTLSCKEKADVKTDAV DVCIDAGVCIDAFLKPPMETEEPQIFYNASPSTLS
HM3	62	19 amino acids substitution of M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D, I361T, N363G, Y365F, I367L, L371S, A372G, K374L, M375L and V379A	LNFRAPPVIPNV PFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGV TIFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHL DKAKKDITFYMPVDNL GMAVIDWEEWRPTWARNWKP KD VYKNRSIELVQQQ NVQLSLTEATEKAKQEF EKAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNH H YKKPGYNGSCFNVEIKR NDDL SWLWN ESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKI PDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWG T LSI <u>TRTKES</u> <u>CQAIKEYM</u> <u>DTTLGPFI</u> <u>LNVTSGALLCSQAL</u> CQE QG VCIRKNWNSSDYLHLNPDNF AIQLEKGGKFTVRGK PTLEDLEQFSEKFYCSYSTLSCKEKADVKTDAV DVCIDAGVCIDAFLKPPMETEEPQIFYNASPSTLS
HM4	63	17 amino acids substitution of G340V, T341S, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D, I361T and N363G	LNFRAPPVIPNV PFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGV TIFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHL DKAKKDITFYMPVDNL GMAVIDWEEWRPTWARNWKP KD VYKNRSIELVQQQ NVQLSLTEATEKAKQEF EKAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNH H YKKPGYNGSCFNVEIKR NDDL SWLWN ESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKI PDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIW <u>VSWENTR</u> <u>TRTKES</u> <u>CQAIKEYM</u> <u>DTTLGPYI</u> <u>INVT</u> LAAKMCSQVLCQE QG VCIRKNWNSSDYLHLNPDNF AIQLEKGGKFTVRGK PTLEDLEQFSEKFYCSYSTLSCKEKADVKTDAV DVCIDAGVCIDAFLKPPMETEEPQIFYNASPSTLS
HM6	64	11 amino acids substitution of M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T	LNFRAPPVIPNV PFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGV TIFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHL DKAKKDITFYMPVDNL GMAVIDWEEWRPTWARNWKP KD VYKNRSIELVQQQ NVQLSLTEATEKAKQEF EKAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNH H YKKPGYNGSCFNVEIKR NDDL SWLWN ESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKI PDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWG T LSI <u>TRTKES</u> <u>CQAIKEYM</u> <u>DTTLN</u> PYI <u>INVT</u> LAAKMCSQVLCQE QG VCIRKNWNSSDYLHLNPDNF AIQLEKGGKFTVRGK PTLEDLEQFSEKFYCSYSTLSCKEKADVKTDAV DVCIDAGVCIDAFLKPPMETEEPQIFYNASPSTLS
HM7	65	16 amino acids substitution of G340V, T341S L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E,	LNFRAPPVIPNV PFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGV TIFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHL DKAKKDITFYMPVDNL GMAVIDWEEWRPTWARNWKP KD VYKNRSIELVQQQ NVQLSLTEATEKAKQEF EKAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNH H YKKPGYNGSCFNVEIKR NDDL SWLWN ESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKI PDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIW <u>VSWENTR</u> <u>TRTKES</u>

		E359D and I361T	<u>CQAIKEYM</u> <u>DT</u> TLNPYIIINVTLAAKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNF AI QLEKGGKFTVRGK PTLEDLEQFSEKFYCSCYSTLSCKEKADV KD TDAV DVC IA DGVCIDAF LK PPMETEEPQIFYNASPSTLS
HM8	66	12 amino acids substitution of I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGV T IFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHL D KAKKDITFYMPVDNL GMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQ NVQLSLTEATEKAKQEF E KAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNH H YKPGYNGSCFNVEIKR NDDL S SWLWN E STALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKI P DAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWGTL <u>SNTR</u> <u>TKE</u> <u>S</u> <u>CQAIKEYM</u> <u>DT</u> TLNPYIIINVTLAAKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNF AI QLEKGGKFTVRGK PTLEDLEQFSEKFYCSCYSTLSCKEKADV KD TDAV DVC IA DGVCIDAF LK PPMETEEPQIFYNASPSTLS
HM9	67	13 amino acids substitution of S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGV T IFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHL D KAKKDITFYMPVDNL GMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQ NVQLSLTEATEKAKQEF E KAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNH H YKPGYNGSCFNVEIKR NDDL S SWLWN E STALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKI P DAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWGTL <u>EN</u> <u>TR</u> <u>TKE</u> <u>S</u> <u>CQAIKEYM</u> <u>DT</u> TLNPYIIINVTLAAKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNF AI QLEKGGKFTVRGK PTLEDLEQFSEKFYCSCYSTLSCKEKADV KD TDAV DVC IA DGVCIDAF LK PPMETEEPQIFYNASPSTLS
HM10	68	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGV T IFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHL D KAKKDITFYMPVDNL GMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQ NVQLSLTEATEKAKQEF E KAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNH H YKPGYNGSCFNVEIKR NDDL S SWLWN E STALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKI P DAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWGTL <u>WEN</u> <u>TR</u> <u>TKE</u> <u>S</u> <u>CQAIKEYM</u> <u>DT</u> TLNPYIIINVTLAAKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNF AI QLEKGGKFTVRGK PTLEDLEQFSEKFYCSCYSTLSCKEKADV KD TDAV DVC IA DGVCIDAF LK PPMETEEPQIFYNASPSTLS
HM11	69	13 amino acids substitution of M345T, S347T, M348K, K349E, L352Q, L353A,	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGV T IFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHL D KAKKDITFYMPVDNL GMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQ NVQLSLTEATEKAKQEF E KAGKDFLVETIKLGKLL

		L354I, D355K, N356E, E359D, I361T, Y365F and I367L	RPNHLWGYLFPDCYNHHYKPGYNGSCFNVEIKR NDDLSQLWNESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKIIPDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWGTLST <u>TRTKES</u> <u>CQAIKEYMDTTLNPFIL</u> NVTLAAKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGK PTLEDLEQFSEKFYCSCYSTLSCKEKADVKTDAV DVCIDAGVCIDAFKPPMETEEPQIFYNASPSTLS
HM12	70	15 amino acids substitution of M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D, I361T, Y365F, I367L, L371S and A372G	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGVTFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNL GMAVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQ NVQLSLTEATEKAKQEFKAGKDFLVETIKLGKLL RPNHLWGYLFPDCYNHHYKPGYNGSCFNVEIKR NDDLSQLWNESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKIIPDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWGTLST <u>TRTKES</u> <u>CQAIKEYMDTTLNPFIL</u> NVTL <u>SG</u> AKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGK PTLEDLEQFSEKFYCSCYSTLSCKEKADVKTDAV DVCIDAGVCIDAFKPPMETEEPQIFYNASPSTLS
HM13	71	11 amino acids substitution of M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, and truncation before F38 at the N-terminus	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFKAGKDFLVETIKLGKLLRP NHLWGYLFPDCYNHHYKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIIPDAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVIWGTLST <u>TRTKES</u> <u>CQ</u> <u>AIKEYMDTTL</u> NPYIINVT <u>LA</u> AKMCSQVLCQEQGVC IRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCIDAFKPPMETEEPQIFYNASPSTLS
HM14	72	11 amino acids substitution of M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T and truncation after I465 at the C-terminus	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGVTFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNL GMAVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQ NVQLSLTEATEKAKQEFKAGKDFLVETIKLGKLL RPNHLWGYLFPDCYNHHYKPGYNGSCFNVEIKR NDDLSQLWNESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKIIPDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWGTLST <u>TRTKES</u> <u>CQAIKEYMDTTL</u> NPYIINVT <u>LA</u> AKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGK PTLEDLEQFSEKFYCSCYSTLSCKEKADVKTDAV DVCIDAGVCI

HM15	73	11 amino acids substitution of M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, and truncation after F468 at the C-terminus	LNFRAPPVIPNPVFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGVTFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNL GMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQ NVQLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNHHYKKPGYNGSCFNVEIKR NDDLSQLWNESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWGTLST TRTKE COAIKEYMDTTL NPYIINVTLAAKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNFQAIQLEKGGKFTVRGK PTLEDLEQFSEKFYCSCYSTLSCKEKADVKTDAV DVCIDAGVCIDAF
HM16	74	11 amino acids substitution of M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, and truncation after P471 at the C-terminus	LNFRAPPVIPNPVFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGVTFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNL GMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQ NVQLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNHHYKKPGYNGSCFNVEIKR NDDLSQLWNESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWGTLST TRTKE COAIKEYMDTTL NPYIINVTLAAKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNFQAIQLEKGGKFTVRGK PTLEDLEQFSEKFYCSCYSTLSCKEKADVKTDAV DVCIDAGVCIDAF
HM17	75	Substitution of L36~V47 with FRGPLLPNR, and amino acids substitution of M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T	FRGPLLPNR PFLWAWNAPSEFCLGKFDEPLDMSLF SFIGSPRINATGQGVTFYVDRLGYYPYIDSITGV TVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGMA VIDWEEWRPTWARNWPKPDVYKNRSIELVQQQNVQ LSLTEATEKAKQEFEEKAGKDFLVETIKLGKLLRPN HLWGYYLFPDCYNHHYKKPGYNGSCFNVEIKRNDD LSWLWNESTALYPSIYLNTQQSPVAATLYVRNRVR EAIKRVSKIPDAKSPLPVFAYTRIVFTDQVLKFLSQ DELVYTFGETVALGASGIVIWGTLST TRTKE SCQA IKEYMDTTL NPYIINVTLAAKMCSQVLCQEQGVCI RKNWNSSDYLHLNPDNFQAIQLEKGGKFTVRGKPTL EDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDVC IADGVCIDAF
HM18	76	Substitution of L36~A52 with FRGPLLPNRPFTTV, and amino acids substitution of M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K,	FRGPLLPNRPFTTV WNAAPSEFCLGKFDEPLDMSLF SFIGSPRINATGQGVTFYVDRLGYYPYIDSITGV TVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGMA VIDWEEWRPTWARNWPKPDVYKNRSIELVQQQNVQ LSLTEATEKAKQEFEEKAGKDFLVETIKLGKLLRPN HLWGYYLFPDCYNHHYKKPGYNGSCFNVEIKRNDD LSWLWNESTALYPSIYLNTQQSPVAATLYVRNRVR EAIKRVSKIPDAKSPLPVFAYTRIVFTDQVLKFLSQ DELVYTFGETVALGASGIVIWGTLST TRTKE SCQA

		N356E, E359D and I361T	<u>IK</u> KEYMD <u>T</u> LNPIIINVTLAAKMCSQVLCQEQGVCIRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPTLEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDVCIADGVCIDAFLKPPMETEEPQIFYNASPSTLS
HM19	77	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-terminus, and truncation after K470 at the C-terminus	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSLFSFIGSPRINATGQGVTFYVDRLGYYPYIDSITGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGMAVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNVQLSLTEATEKAKQEFKAGKDFLVETIKLGKLLRPNHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRNDLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRVREAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKFLSQDELVYTFGETVALGASGIVIWG <u>TWENTRTKES</u> <u>CO</u> <u>AI</u> KEYMD <u>T</u> LNPIIINVTLAAKMCSQVLCQEQGVCIRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPTLEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDVCIADGVCIDAFLK
HM20	78	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-terminus, and truncation after F468 at the C-terminus	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSLFSFIGSPRINATGQGVTFYVDRLGYYPYIDSITGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGMAVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNVQLSLTEATEKAKQEFKAGKDFLVETIKLGKLLRPNHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRNDLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRVREAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKFLSQDELVYTFGETVALGASGIVIWG <u>TWENTRTKES</u> <u>CO</u> <u>AI</u> KEYMD <u>T</u> LNPIIINVTLAAKMCSQVLCQEQGVCIRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPTLEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDVCIADGVCIDAF
HM21	79	15 amino acids substitution of T341S, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSLFSFIGSPRINATGQGVTFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGMAVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNVQLSLTEATEKAKQEFKAGKDFLVETIKLGKLLRPNHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRNDDLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRVREAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKFLSQDELVYTFGETVALGASGIVIWG <u>SWENTRTKES</u> <u>CO</u> <u>AI</u> KEYMD <u>T</u> LNPIIINVTLAAKMCSQVLCQEQGVCIRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPTLEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDVCIADGVCIDAFLKPPMETEEPQIFYNASPSTLS

HM24	80	11 amino acids substitution of M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, and truncation before A40 at the N-terminus	APPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSLFS FIGSPRINATGQGVTFIFYVDRLGYYPYIDSITGVT VNGGIPQKISLQDHLDAKAKDITFYMPVDNLGMAV IDWEEWRPTWARNWKPKDVYKNRSIELVQQQNVQL SLTEATEKAKQEFEEKAGKDFLVETIKLGKLLRPNH LWGYLLFPDCYNHYYKKPGYNGSCFNVEIKRNDL SWLWNESTALYPSIYLNTQQSPVAATLYVRNRVRE AIRVSKIPDAKSPLPVFAYTRIVFTDQVLKFLSQD ELVYTFGETVALGASGIVIWGTLST TRTKES QAI KEYMDT TL NPYIINVTLAAKMCSQVLCQEQGVCIR KNWNSSDYLHLNPDNFAIQLEKGGKFTVRGKPTLE DLEQFSEKFYCSCYSTLSCKEKADVKTDAVDVCI ADGVCIDAFKPPMETEETEPQIFYNASPSTLS
HM25	81	11 amino acids substitution of M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before P42 at the N-terminus	PVIPNVPFLWAWNAPSEFCLGKFDEPLDMSLFSFI GSPRINATGQGVTFIFYVDRLGYYPYIDSITGVTVN GGIPQKISLQDHLDAKAKDITFYMPVDNLGMAVID WEEWRPTWARNWKPKDVYKNRSIELVQQQNVQLSL TEATEKAKQEFEEKAGKDFLVETIKLGKLLRPNHLW GYLLFPDCYNHYYKKPGYNGSCFNVEIKRNDLDSW LWNESTALYPSIYLNTQQSPVAATLYVRNRVREAI RVSKIPDAKSPLPVFAYTRIVFTDQVLKFLSQDEL VYTFGETVALGASGIVIWGTLST TRTKES QAIKE YMDT TL NPYIINVTLAAKMCSQVLCQEQGVCIRKN WNSSDYLHLNPDNFAIQLEKGGKFTVRGKPTLEDL EQFSEKFYCSCYSTLSCKEKADVKTDAVDVCIAD GVCIDAFKPPMETEETEPQIFYNASPSTLS
HM29	82	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before L36 at the N-terminus, and truncation after A467 at the C-terminus	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNL GMAVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQ NVQLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLL RPNHLWGYLLFPDCYNHYYKKPGYNGSCFNVEIKR NDLDSWLWNESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWGTL WENTR TKES QAIKEYMDT TL NPYIINVTLAAKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGK PTLEDLEQFSEKFYCSCYSTLSCKEKADVKTDAV DVCIDAGVCIDA
HM30	83	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I,	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNL GMAVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQ NVQLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLL RPNHLWGYLLFPDCYNHYYKKPGYNGSCFNVEIKR NDLDSWLWNESTALYPSIYLNTQQSPVAATLYVRN

		D355K, N356E, E359D and I361T, truncation before L36 at the N-terminus, and truncation after C464 at the C-terminus	RVREAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWGT WENTRTKES CQAIKEYMDTT LNPIIINVTLAAKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGK PTLEDLEQFSEKFYCSCYSTLSCKEKADVKTDAV DVCADGVC
HM31	84	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before L36 at the N-terminus, and truncation after D461 at the C-terminus	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGVTFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNL GMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQ NVQLSLTEATEKAKQEFKAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKR NDDLSQLWNESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWGT WENTRTKES CQAIKEYMDTT LNPIIINVTLAAKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGK PTLEDLEQFSEKFYCSCYSTLSCKEKADVKTDAV DVCAD
HM32	85	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before L36 at the N-terminus, and truncation after C458 at the C-terminus	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGVTFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNL GMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQ NVQLSLTEATEKAKQEFKAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKR NDDLSQLWNESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWGT WENTRTKES CQAIKEYMDTT LNPIIINVTLAAKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGK PTLEDLEQFSEKFYCSCYSTLSCKEKADVKTDAV DVC
HM33	86	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGVTFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNL GMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQ NVQLSLTEATEKAKQEFKAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKR NDDLSQLWNESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWGT WENTRTKES CQAIKEYMDTT LNPIIINVTLAAKMCSQVLCQEQG

		L36 at the N-terminus, and truncation after V455 at the C-terminus	VCIRKNWNSSDYHLNPDNF AIQLEKGGKFTVRGK PTLEDLEQFSEKFCYSCYSTLSCKEKADV KD TD AV
HP34	87	15 amino acids substitution of T341S, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-terminus, and truncation after K470 at the C-terminus	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGV TIFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHL DKAKKDITFYMPVDNLGM AVIDWEEWRPTWARNWPKDVK YNRSIELVQQQNV QLSLTEATEKAKQEFEKAGKDFL VETIKLGKLLRP NHLWGYYLFPDCYNHHYK KPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRN RV REAIRVSKI PDAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVI WGSWENTRTKESQ <u>AIKEYMDTT</u> LN PYIINVT LAAKMCSQVLCQE QGV IRKNWNSSDYHLNPDNF AIQLEKGGKFTVRGKPT LEDLEQFSEKFCYSCYSTLSCKEKADV KD TD AV DV CIADGVCIDAFLK
HM35	88	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-terminus, and truncation after P472 at the C-terminus	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGV TIFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHL DKAKKDITFYMPVDNLGM AVIDWEEWRPTWARNWPKDVK YNRSIELVQQQNV QLSLTEATEKAKQEFEKAGKDFL VETIKLGKLLRP NHLWGYYLFPDCYNHHYK KPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRN RV REAIRVSKI PDAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVI WGTWENTRTKESQ <u>AIKEYMDTT</u> LN PYIINVT LAAKMCSQVLCQE QGV IRKNWNSSDYHLNPDNF AIQLEKGGKFTVRGKPT LEDLEQFSEKFCYSCYSTLSCKEKADV KD TD AV DV CIADGVCIDAFLKPP
HM36	89	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-terminus, and	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGV TIFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHL DKAKKDITFYMPVDNLGM AVIDWEEWRPTWARNWPKDVK YNRSIELVQQQNV QLSLTEATEKAKQEFEKAGKDFL VETIKLGKLLRP NHLWGYYLFPDCYNHHYK KPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRN RV REAIRVSKI PDAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVI WGTWENTRTKESQ <u>AIKEYMDTT</u> LN PYIINVT LAAKMCSQVLCQE QGV IRKNWNSSDYHLNPDNF AIQLEKGGKFTVRGKPT LEDLEQFSEKFCYSCYSTLSCKEKADV KD TD AV DV

		truncation after M473 at the C-terminus	CIADGVCIDAFLKPPM
HM37	90	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-terminus, and truncation after E474 at the C-terminus	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLLRP NHLWGYLLFPDCYNHHYKKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIIPDAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVIGT <u>WENTRTKESQ</u> <u>AIKEYMDTTL</u> NPYIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCIDAFLKPPME
HM38	91	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-terminus, and truncation after T475 at the C-terminus	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLLRP NHLWGYLLFPDCYNHHYKKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIIPDAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVIGT <u>WENTRTKESQ</u> <u>AIKEYMDTTL</u> NPYIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCIDAFLKPPMET
HM39	92	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-terminus, and truncation after E476 at the C-	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLLRP NHLWGYLLFPDCYNHHYKKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIIPDAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVIGT <u>WENTRTKESQ</u> <u>AIKEYMDTTL</u> NPYIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCIDAFLKPPMETE

		terminus	
HM40	93	11 amino acids substitution of M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, and truncation before N37 at the N-terminus	NFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSLFSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITGVTVNGGIPQKISLQDHLDKAKKDITFYMPVDNLGMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQNVLQSLTEATEKAKQEFKAGKDFLVETIKLGKLLRPNHLWGYLFPDCYNHHYKPGYNGSCFNVEIKRNDLWSLWNESTALYPSIYLNTQQSPVAATLYVRNRVREAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKFLSQDELVYTFGETVALGASGIVIWGTLST TRTKE SCQAIKE YMD TT LNPIIINVTLAAKMCSQVLCQEQQVCIRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGKPTLEDLEQFSEKFYCSCYSTLSCKEKADVKDIDAVIDGVCIDAFKPPMETEEPQIFYNASPSTLS
HM41	94	11 amino acids substitution of M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, and truncation before R39 at the N-terminus	RAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSLFSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITGVTVNGGIPQKISLQDHLDKAKKDITFYMPVDNLGMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQNVQLSLTEATEKAKQEFKAGKDFLVETIKLGKLLRPNHLWGYLFPDCYNHHYKPGYNGSCFNVEIKRNDLWSLWNESTALYPSIYLNTQQSPVAATLYVRNRVREAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKFLSQDELVYTFGETVALGASGIVIWGTLST TRTKE SCQAIKE YMD TT LNPIIINVTLAAKMCSQVLCQEQQVCIRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGKPTLEDLEQFSEKFYCSCYSTLSCKEKADVKDIDAVIDGVCIDAFKPPMETEEPQIFYNASPSTLS
HM42	95	11 amino acids substitution of M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, and truncation before P41 at the N-terminus	PPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSLFSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITGVTVNGGIPQKISLQDHLDKAKKDITFYMPVDNLGMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQNVQLSLTEATEKAKQEFKAGKDFLVETIKLGKLLRPNHLWGYLFPDCYNHHYKPGYNGSCFNVEIKRNDLWSLWNESTALYPSIYLNTQQSPVAATLYVRNRVREAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKFLSQDELVYTFGETVALGASGIVIWGTLST TRTKE SCQAIKE YMD TT LNPIIINVTLAAKMCSQVLCQEQQVCIRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGKPTLEDLEQFSEKFYCSCYSTLSCKEKADVKDIDAVIDGVCIDAFKPPMETEEPQIFYNASPSTLS
HM43	96	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E,	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSLFSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITGVTVNGGIPQKISLQDHLDKAKKDITFYMPVDNLGMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQNVQLSLTEATEKAKQEFKAGKDFLVETIKLGKLLRPNHLWGYLFPDCYNHHYKPGYNGSCFNVEIKRNDLWSLWNESTALYPSIYLNTQQSPVAATLYVRNRVREAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKFLS

		E359D and I361T, truncation before F38 at the N-terminus, and truncation after I465 at the C-terminus	QDELVYTFGETVALGASGIVIWGS <u>WENTR</u> <u>TKE</u> <u>SCQ</u> <u>AIKEYMD</u> <u>T</u> <u>T</u> LNPIIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCI
HM44	97	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-terminus, and truncation after D466 at the C-terminus	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFKAGKDFLVETIKLGKLLRP NHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIPIPAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVIWGS <u>WENTR</u> <u>TKE</u> <u>SCQ</u> <u>AIKEYMD</u> <u>T</u> <u>T</u> LNPIIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCID
HM45	98	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-terminus, and truncation after A467 at the C-terminus	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFKAGKDFLVETIKLGKLLRP NHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIPIPAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVIWGS <u>WENTR</u> <u>TKE</u> <u>SCQ</u> <u>AIKEYMD</u> <u>T</u> <u>T</u> LNPIIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCI
HP46	99	15 amino acids substitution of T341S, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFKAGKDFLVETIKLGKLLRP NHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIPIPAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVIWGS <u>WENTR</u> <u>TKE</u> <u>SCQ</u> <u>AIKEYMD</u> <u>T</u> <u>T</u> LNPIIINVTLAAKMCSQVLCQEQGVC

		I361T, truncation before F38 at the N- terminus, and truncation after F468 at the C- terminus	IRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCIDAF
HM47	100	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N- terminus, and truncation after P478 at the C- terminus	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFKAGKDFLVETIKLGKLLRP NHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIPIPAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVIWGTTWENTRTKESQ <u>AIKEYMDTT</u> LNPIIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCIDAFKPPMETEEP
HM48	101	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N- terminus, and truncation after I480 at the C- terminus	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFKAGKDFLVETIKLGKLLRP NHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIPIPAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVIWGTTWENTRTKESQ <u>AIKEYMDTT</u> LNPIIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCIDAFKPPMETEEPQI
HM49	102	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T,	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFKAGKDFLVETIKLGKLLRP NHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIPIPAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVIWGTTWENTRTKESQ <u>AIKEYMDTT</u> LNPIIINVTLAAKMCSQVLCQEQGVC

		truncation before F38 at the N-terminus, and truncation after Y482 at the C-terminus	IRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCIDAFLKPPMETEETEPQIFY
HM50	103	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-terminus, and truncation after A484 at the C-terminus	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLLRP NHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVIWGT <u>WENTRTKESQ</u> <u>AIKEYMDTTL</u> NPYIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCIDAFLKPPMETEETEPQIFYNA
HM51	104	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-terminus, and truncation after P486 at the C-terminus	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLLRP NHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVIWGT <u>WENTRTKESQ</u> <u>AIKEYMDTTL</u> NPYIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCIDAFLKPPMETEETEPQIFYNASP
HM52	105	14 amino acids substitution of L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLLRP NHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVIWGT <u>WENTRTKESQ</u> <u>AIKEYMDTTL</u> NPYIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPT

		terminus, and truncation after T488 at the C-terminus	LEDLEQFSEKFCSCYSTLSCKEKADVKTDAVDV CIADGVCIDAFLKPPMETEEPQIFYNASPST
HM53	106	15 amino acids substitution of T341G, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before L36 at the N-terminus, and truncation after S490 at the C-terminus	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGVTFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNL GMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQ NVQLSLTEATEKAKQEFKAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKR NDDLSQLWNNESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKIPIPAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWG GWENTRTKES COAIKEYMDT TLNPIIINVTLAAKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNFQIQLKGGKFTVRGK PTLEDLEQFSEKFCSCYSTLSCKEKADVKTDAV DVCIAADGVCIDAFLKPPMETEEPQIFYNASPSTLS
HM54	107	15 amino acids substitution of T341A, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before L36 at the N-terminus, and truncation after S490 at the C-terminus	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGVTFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNL GMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQ NVQLSLTEATEKAKQEFKAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKR NDDLSQLWNNESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKIPIPAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWG AWENTRTKES COAIKEYMDT TLNPIIINVTLAAKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNFQIQLKGGKFTVRGK PTLEDLEQFSEKFCSCYSTLSCKEKADVKTDAV DVCIAADGVCIDAFLKPPMETEEPQIFYNASPSTLS
HM55	108	15 amino acids substitution of T341C, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before L36 at the N-terminus, and truncation after S490 at the C-terminus	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM SLFSFIGSPRINATGQGVTFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNL GMAVIDWEEWRPTWARNWPKPDVYKNRSIELVQQQ NVQLSLTEATEKAKQEFKAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKR NDDLSQLWNNESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKIPIPAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWG CWENTRTKES COAIKEYMDT TLNPIIINVTLAAKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNFQIQLKGGKFTVRGK PTLEDLEQFSEKFCSCYSTLSCKEKADVKTDAV DVCIAADGVCIDAFLKPPMETEEPQ109IFYNASPS TLS
HM56	109	15 amino acids	LNFRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDM

		substitution of T341D, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before L36 at the N-terminus, and truncation after S490 at the C-terminus	SLFSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSI TGVTVNGGIPQKISLQDHLDAKAKDITFYMPVDNL GMAVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQ NVQLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLL RPNHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKR NDDLSQLWNESTALYPSIYLNTQQSPVAATLYVRN RVREAIRVSKIIPDAKSPLPVFAYTRIVFTDQVLKF LSQDELVYTFGETVALGASGIVIWG DWENTRTKES CQAIKEYMDT TLNPYIINVTLAAKMCSQVLCQEQG VCIRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGK PTLEDLEQFSEKFYCSCYSTLSCKEKADVKTDAV DVCIDAGVCIDAFKPPMETEEPQIFYNASPSTLS
HP57	110	12 amino acids substitution of I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-terminus, and truncation after F468 at the C-terminus	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLLRP NHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIIPDAKSPLPVFAYTRIVFTDQVLKFSL QDELVYTFGETVALGASGIVIWGTL NTRTKESCO AIKEYMDT TLNPYIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCIDAF
HP58	111	13 amino acids substitution of S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-terminus, and truncation after F468 at the C-terminus	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLLRP NHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIIPDAKSPLPVFAYTRIVFTDQVLKFSL QDELVYTFGETVALGASGIVIWGTL ENTRTKESCO AIKEYMDT TLNPYIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYLHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCIDAF
HP59	112	15 amino acids substitution of T341A, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K,	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLLRP NHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIIPDAKSPLPVFAYTRIVFTDQVLKFSL

		N356E, E359D and I361T, truncation before F38 at the N-terminus, and truncation after F468 at the C-terminus	QDELVYTFGETVALGASGIVIWG <u>AWENTRTKESQ</u> <u>AIKEYMDTTL</u> NPYIIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCIDAF
HP60	113	15 amino acids substitution of T341G, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-terminus, and truncation after F468 at the C-terminus	FRAPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLLRP NHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVIWG <u>GWENTRTKESQ</u> <u>AIKEYMDTTL</u> NPYIIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCIDAF
HP61	114	16 amino acids substitution of A40G, T341S, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the N-terminus, and truncation after F468 at the C-terminus	FR <u>G</u> PPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLLRP NHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVIWG <u>SWENTRTKESQ</u> <u>AIKEYMDTTL</u> NPYIIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV CIADGVCIDAF
HP62	115	Removal of P42, 15 amino acids substitution of T341S, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T, truncation before F38 at the	FRGPPVIPNVPFLWAWNAPSEFCLGKFDEPLDMSL FSFIGSPRINATGQGVTFIFYVDRLGYYPYIDSITG VTVNGGIPQKISLQDHLDAKAKDITFYMPVDNLGM AVIDWEEWRPTWARNWKPKDVYKNRSIELVQQQNV QLSLTEATEKAKQEFEEKAGKDFLVETIKLGKLLRP NHLWGYYLFPDCYNHHYKPGYNGSCFNVEIKRND DLSWLWNESTALYPSIYLNTQQSPVAATLYVRNRV REAIRVSKIPDAKSPLPVFAYTRIVFTDQVLKFLS QDELVYTFGETVALGASGIVIWG <u>SWENTRTKESQ</u> <u>AIKEYMDTTL</u> NPYIIINVTLAAKMCSQVLCQEQGVC IRKNWNSSDYHLNPDNFAIQLEKGGKFTVRGKPT LEDLEQFSEKFYCSCYSTLSCKEKADVKTDAVDV

		N-terminus, and truncation after F468 at the C-terminus	CIADGVCIDAF
--	--	---	-------------

[304] **Example 2. Construction of PH20 Variants HM1 and HM6**

[305] As shown in FIG. 1B, amino acid residues M345 to N363 of PH20 correspond to the alpha-helix 8 region and the linker region between alpha-helix 7 and alpha-helix 8 in the protein tertiary structure model. Among the amino acids of alpha-helix 8, C351 forms a disulfide bond with C60 of alpha-helix 1; Y357 forms hydrophobic interaction with F315 of alpha-helix 7; and N363 forms a hydrogen bond with D69 of alpha-helix 1, thereby stabilizing secondary structures adjacent to alpha-helix 8 (FIG. 1C).

[306] In order to construct variants having higher enzymatic activity and thermal stability than WT by substituting amino acids located in the alpha-helix 8 region of PH20 and the linker region between alpha-helix 7 and alpha-helix 8, the following variants were constructed: the variant HM1 in which 12 amino acids in the M345 to N363 region were substituted; the variant HM2 in which 7 amino acids in the Y365 to V379 region were substituted; and the variant HM3 in which 19 amino acids in the M345 to V379 region were substituted. Among the amino acids located in alpha-helix 8 of PH20, C351, which is involved in disulfide bonding, and Y357 which is involved in hydrophobic interaction, were not substituted. The substituted amino acid sequences in the variants HM1, HM2 and HM3 are shown in Table 11 above. When ExpiCHO cells were transfected with the pcDNA3.4-TOPO plasmid comprising the gene of the variant HM1, HM2 or HM3, the variant HM1 was expressed in the ExpiCHO cells (FIG. 3A),

and the variants HM2 and HM3 were not expressed in the cells. Whether the protein would be expressed was confirmed not only by measurement of the enzymatic activity, but also by Western blot analysis using an antibody (Abcam, ab193009) against human PH20. The epitope of the antibody is Q173 to P222 region. These experimental results suggest that amino acid substitution of Y365 to V379 region of the amino acid sequence of alpha-helix 8, used in construction of the variants HM2 and HM3, causes a serious effect on the protein structure; thus the proteins of the variants HM2 and HM3 were not expressed. The expression level of the variant HM1 was 3.4-fold higher than that of wild-type WT (FIG. 2). The variant HM1 is one in which the hydrogen bond between N363 of alpha-helix 8 and D69 of alpha-helix 1 was removed by substituting N363 with glycine (FIG. 1C). To restore the hydrogen bond between N363 and D69, G363 in HM1 was substituted with asparagine, thereby constructing the variant HM6. The substituted amino acids in the variant HM6 are shown in Table 11 above.

[307] The variant HM6 was expressed in ExpiCHO cells, and the expression level thereof was similar to that of the variant HM1 (the expression level was 3.4-fold higher than that of WT) (FIG. 2). When the enzymatic activity was measured by turbidimetric assay, it was shown that the enzymatic activity of the variant HM6 was 1.3-fold higher than that of WT (FIG. 3B). In the substrate-gel assay, generally, SDS is removed with 2.5% Triton X-100 (w/v) after SDS-PAGE, and enzymatic reaction is performed at 37°C for 1 to 4 h, during which the extent to which hyaluronidase hydrolyzes hyaluronic acid is measured using Alcian blue dye. It is known that when SDS is removed from the

substrate gel, protein folding immediately occurs, and the substrate does not affect the protein folding. When the enzymatic activities of WT and the variants HM1 and HM6 were measured by the substrate-gel assay at 37°C for 1 to 4 h, HM6 exhibited higher enzymatic activity than those of WT and the variant HM1 (FIG. 3C). This result suggests that protein folding of the variants HM1 and HM6 and the resulting renaturation were faster than those of WT and that the constructed variants exhibit higher enzymatic activity than WT. When the signal peptide of PH20 itself was used, the expression level of the protein in ExpiCHO cells was low, and to solve this problem, the signal peptide sequence of human serum albumin or human Hyal1 was used. As shown in FIG. 3C, when each of the signal peptides of human serum albumin and human Hyal1 was used as the signal peptide of the variant HM1, the expression of the protein increased, and there was no significant difference between the two signal peptides. When the enzymatic activity was measured by the substrate-gel assay, WT having the signal peptide of human serum albumin and the variant HM1 having the signal peptide of human serum albumin or Hyal1 exhibited enzymatic activity at the pH ranging from 5 to 8 (FIG. 3D). In the present invention, the signal peptide of human serum albumin was used as the signal peptide of the variant constructed after HM1.

[308] When the thermal stabilities of WT and the variants HM1 and HM6 were compared based on the aggregation temperatures, the aggregation temperatures were 46.5°C, 53.0°C and 50.5°C, respectively, indicating that the aggregation temperatures of the variants HM1 and HM6 were 6.5°C and 4.0°C higher, than that of WT, respectively (FIG. 10). The results of measuring the

aggregation temperatures were consistent with the protein refolding results shown in the substrate-gel assay. These results suggest for the first time that the hydrogen bond formed by the N363 residue of alpha-helix 8 plays an important role in the thermal stability and enzymatic activity of PH20.

[309] In addition, when the hydrophilic/hydrophobic natures of WT and the variants HM1 and HM6 were compared using a phenyl column chromatography, HM1 and HM6 were all eluted earlier than WT. This suggests that the variants HM1 and HM6 have a more hydrophilic nature than WT due to the substitution of the amino acids. However, the variants HM1 and HM6 eluted from the phenyl column showed two peaks, unlike WT, and exhibited the same molecular weight when treated with PNGase F. This appears to be a difference caused by N-glycosylation (Fig. 3E).

[310]

[311] **Example 3. Construction of PH20 Variants HM4, HM7, HM8, HM9, HM10, HM11 and HM12**

[312] It is believed that the amino acid substitution of the M345 to N363 and M345 to I361 regions by construction of the variants HM1 and HM6 in Example 2 resulted in an increase in both the enzymatic activity and thermal stability of PH20, has made great advances in terms of protein engineering. Thus, based on the variants HM1 and HM6, other amino acids in the N-terminal and C-terminal directions were additionally substituted.

[313] First, the variants HM4 and HM7 were constructed, which comprise the substituted amino acids in the variants HM1 and HM6 and in which the amino acids between G340 and I344 were additionally substituted with G340V, T341S, L342W, S343E and I344N. The sequences of the substituted amino acid sequences in

the variants HM4 and HM7 are shown in Table 11 above. The variants HM4 and HM7 were expressed in ExpiCHO cells. The results of protein purification for HM7 are shown in FIG. 5A. HM4 and HM7 showed an increase in protein expression of 6.3-fold compared to WT, and showed increases in aggregation temperature of 10°C and 11.5°C, respectively, compared to WT. However, the enzymatic activities of HM4 and HM7, measured by turbidimetric assay, were about 15% of that of WT (FIG. 5B). Enzymatic activity and thermal stability generally have a trade-off relationship, but in the present invention, it appeared that the substitution introduced in the variants HM1 and HM6 increased the thermal stability of the variants while maintaining the enzymatic activity, and the enzymatic activities of the variants HM4 and HM7 decreased due to an excessive increase in the thermal stability. An increase in aggregation temperature of 11.5°C, which appeared in the variants HM4 and HM7 is a very significant result in terms of protein engineering. When the structural flexibilities of the proteins were analyzed by a Stern-Volmer plot, it was shown that the structural flexibilities of HM1, HM6, HM4 and HM7, obtained by substituting alpha-helix 8 and its linker region, were all higher than that of WT (FIG. 11A). This result suggests that the increase in local thermal stability resulted in an increase in the flexibility of the entire protein structure.

[314] The difference between the variants HM6 and HM7 is amino acids between G340 and I344. In order to identify amino acids which are involved in the increased thermal stability of the variant HM7, the following variants were constructed based on the variant HM6: HM8 in which I344N was substituted; HM9 in

which S343 and I344N were substituted; HM10 in which L342W, S343E and I344N were substituted; and HM21 in which T341S, L342W, S343E and I344N were substituted. The sequences of the substituted amino acids in the variants HM8, HM9, HM10 and HM21 are shown in Table 11 above. The variants HM8, HM9, HM10 and HM21 were expressed in ExpiCHO cells (FIG. 5A). As I344N, S343E and L342W were introduced in the N-terminal direction loop of alpha-helix 8 based on the variant HM6, the aggregation temperatures of the variants HM8, HM9 and HM10 increased to 52.5°C, 53°C and 55.5°C, respectively (FIG. 10). However, the variants HM8, HM9 and HM10 maintained enzymatic activities similar to that of WT (FIG. 5B). This result suggests that the amino acid substitution introduced in the variants HM8, HM9 and HM10 had a local effect on the thermal stabilities of the enzymes, but had no significant effect on the enzymatic activities. However, HM21 showed reduced thermal stability compared to HM10, but showed approximately 2-fold higher enzymatic activity compared to WT at pH 7.0. When WT and each variant were allowed to react with the substrate for 1 h in the substrate-gel assay, the enzymatic activity was reduced in the order of HM21 > HM10 > HM9 > HM8 > HM6 > WT (FIG. 5C).

[315] When the physical properties of the variants HM7, HM8, HM9, HM10 and HM21 were examined using a phenyl column chromatography, these PH20 variants were eluted earlier than WT, suggesting that these variants all have a hydrophilic nature. However, the pattern of the main peak at the amino acid substitution position appeared differently (FIG. 5D).

[316] The variant HM7 also showed two peaks in the phenyl column chromatography, like the variants HM1 and HM6, suggesting that two different types were present.

[317] In order to examine the patterns of migration of WT and the variants depending on their isoelectric points, isoelectric focusing (hereinafter referred to as IEF) analysis was performed (FIG. 5E). On IEF gel, WT and the variant HM6 and HM8 showed similar migration patterns, and the variants HM9, HM10, HM21 and HM7 comprising the S343E mutation migrated to a more acidic region. This result suggests that a change in the isoelectric point of the protein occurs due to the introduction of glutamic acid by S343E substitution of the amino acid between G340 and I344.

[318] In addition, based on the variant HM6, other amino acids in the C-terminal regions of alpha-helix 8 were substituted, thereby constructing the variants HM11 and HM12. The sequences of the substituted amino acids in the variants HM11 and HM12 are shown in Table 11 above. The variant HM11 was expressed in ExpiCHO cells, but the expression level thereof was lower than that of WT (FIG. 2), and the variant HM12 was not expressed in ExpiCHO cells. The variant HM11 exhibited an activity corresponding to 32% of that of WT (FIG. 6B).

[319]

[320] **Example 4. Construction of N-terminal amino acid-truncated PH20 variants based on HM6**

[321] The C-terminal region of PH20 is already well known to play an important role in the expression and enzymatic activity of PH20, but the role of the N-terminal region of PH20 is not well known. In order to examine the effect of cleavage of the

amino acid at the N-terminal region of PH20 on the enzymatic activity, variants HM40, HM13, HM41, HM24, HM42 and HM25 having the N-terminus cleaved at N37, F38, R39, A40, P41 or P42 were constructed based on the variant HM6 (Table 11). Furthermore, HP61 and HP62 with modifications at the N-terminal amino acids were additionally constructed.

[322] The variants HM40, HM13, HM41, HM24, HM42, HP61 and HP62 were expressed in ExpiCHO cells, but HM25 was not expressed (FIGS. 7A and 7B). The N-terminal truncated PH20 variants showed a difference in enzyme activity depending on the position where the N-terminus started. The variants HM40, HM13 and HM41, in which one to three amino acids were cleaved, showed enzymatic activity similar to that of the template HM6, but HM24 and HM42, in which four to five amino acids were cleaved, showed slightly lower activity than HM6 (FIG. 7C). However, HM25 in which six amino acids were cleaved were little expressed in ExpiCHO cells, and the enzymatic activity was also significantly low (3.5 U/ μ g). It appears that changes in the enzymatic activities of HP61 and HP62 with modifications at N-terminal amino acids are not significant.

[323] Regarding the enzymatic activities of the N-terminal cleaved PH20 variants, measured by the substrate-gel assay (1 h of reaction), the enzymatic activities of HM40, HM13 and HM41 were similar to that of the HM6 variant, but the enzymatic activities of HM24 and HM42 were lower than that of HM6 (FIG. 7D). HM25 in which six amino acids were cleaved could not be analyzed, because the amount of the protein produced was small.

[324] When the physical properties of the variants HM40, HM13, HM41, HM24 and HM42 were analyzed using a phenyl column

chromatography, these variants were eluted from the column earlier than WT, suggesting that these variants have a hydrophilic nature (FIG. 7E). This result suggests that the variants HM40, HM13, HM41, HM24 and HM42 constructed based on the variant HM6 maintained the hydrophilic nature of HM6 when considering the characteristics of L36 to A40 residues.

[325] The aggregation temperatures of the N-terminal cleaved PH20 variants, measured by DLS, were different among the variants depending on the position where the amino acid started (FIG. 7F). Although the N-terminal amino acid residues of the variants HM40, HM13, HM41 and HM42 were cleaved, they showed an aggregation temperature of 50°C or higher, indicating that the characteristics of the template HM6 were remained intact. Among these variants, the variants HM40 and HM42 exhibited an aggregation temperature which was 3 to 4°C higher than that of HM6, indicating that the thermal stability of these variants increased. In addition, in order to examine the effect of substitution of the N-terminal amino acids of PH20 on protein expression and enzymatic activity, the following variants were constructed: the variant HM17 in which N-terminal amino acid residues 36 to 47 (LNFRAPPVIPNV) of PH20 were substituted with FRGPLLPNR; and the variant HM18 in which N-terminal amino acid residues 36 to 52 (LNFRAPPVIPNVPFLWA) of PH20 were substituted with FRGPLLPNRPFTTV. The sequences of the substituted amino acids in the variants HM17 and HM18 are shown in Table 11 above. The variants HM17 and HM18 were not expressed in ExpiCHO cells. This suggests that, even when up to five amino acids located at the N-terminus were cleaved, the variants showed protein expression and enzymatic activity; however, substitution of more

amino acid residues, such as 36 to 47 residues or 36 to 52 residues, had an effect on protein folding.

[326]

[327] **Example 5. Construction of the C-terminal amino acid-truncated HM6-based variants HM14, HM15 and HM16 of PH20**

[328] The C-terminal region of PH20 is known to play an important role in protein expression and enzymatic activity. In the present invention, the variants HM14, HM15 and HM16, in which the C-terminal amino acids were cleaved at I465, F468 and K471, respectively, were constructed based on the variant HM6. The sequences of the substituted amino acids in these variants HM14, HM15 and HM16 are shown in Table 11 above. These variants HM14, HM15 and HM16 were expressed in ExpiCHO cells (FIG. 8A), and the protein expression levels thereof were in the order of HM16 > HM15 > HM14, indicating that the protein expression levels decreased as the number of C-terminal amino acids cleaved increased (FIG. 8A). However, the enzymatic activities of the variants HM14, HM15 and HM16 were in the order of HM16 > HM14 ($\approx$ WT) > HM15 (FIG. 8B). According to Frost et al., the C-terminal 477-483 region of PH20 is necessary for soluble expression, and when the C-terminus is cleaved at 467, the enzymatic activity of the variant is only 10% of a PH20 variant whose C-terminus was cleaved at residues 477 to 483, and when the C-terminus is cleaved before residue 467, the variant has no enzymatic activity. However, the C-terminal cleaved variants HM14, HM15 and HM16 constructed based on the variant HM6 in the present invention showed increased protein folding due to amino acid substitution of the M345 to I361 region, and thus the thermal stability thereof increased. For this reason, even when the C-

terminus was cleaved after I465, F468 or P471, the variant showed enzymatic activity similar to that of WT, and the enzymatic activity thereof did not significantly decrease.

[329] The structural flexibilities of WT and the variants HM14, HM15 and HM16 were examined by fluorescence quenching using acrylamide (FIG. 11B). The variants HM14, HM15 and HM16 were all structurally more flexible than WT. This result suggests that the C-terminal cleaved variants constructed using the variant HM6 also maintained their structural flexibility.

[330] The enzymatic activities of the variants HM14, HM15 and HM16, measured by turbidimetric assay, were also confirmed in substrate-gel assay (FIG. 8C).

[331] When the physical properties of the C-terminal cleaved variants were analyzed using a phenyl column chromatography, the variants HM14, HM15 and HM16 were all eluted earlier than WT, indicating that they had a hydrophilic nature. In addition, the hydrophobicities of these variants were in the order of HM16 > HM14 > HM15 (FIG. 8D).

[332]

[333] **Example 6. Construction of the HM10-Based Variants HM19 and HM20 Comprising N-Terminal and C-Terminal Amino Acid Cleavage**

[334] The PH20 variants constructed in the present invention were based on HM6, and HM8, HM9 and HM10, in which amino acid residues G340 to I344 were additionally substituted, exhibited better performance than WT in terms of protein expression levels, enzymatic activities and thermal stabilities. The variants HM19 and HM20 were constructed which had an N-terminus cleaved at F38 and a C-terminus cleaved at F468 based on HM10 having high

enzymatic activity and thermal stability among variants HM8, HM9 and HM10. HM19 and HM20 were all expressed in ExpiCHO cells and purified using a HisTrap column chromatography (FIG. 9A). When the enzymatic activities of these variants were measured by turbidimetric assay, HM19 and HM20 exhibited an enzymatic activity which was 10% higher than that of WT (FIG. 9B). In substrate-gel assay, HM19 and HM20 also exhibited higher enzymatic activity than WT (FIG. 9C).

[335]

[336] **Example 7. Characterization of HM10-Based PH20**

Variants

[337] The expression levels of HM10-based C-terminal truncated variants in ExpiCHO cells showed a tendency to decrease as the length of the C-terminal region became shorter, and these variants were not expressed when the C-terminus was truncated at C464 or shorter (FIG. 12). C464 is necessary because it forms a disulfide bond with C437 and is important for maintaining the protein structure.

[338] In order to examine whether the variant is not expressed in ExpiCHO cells when the C-terminus is cleaved at residue 464 or shorter, Western blot analysis was performed. As shown in FIG. 13, the HM30, HM31, HM32 and HM33 variants were not detected in Western blots.

[339] The enzymatic activities of the HM10-based C-terminal truncated variants, measured by turbidimetric assay, are shown in FIGS. 14A and 14B. The C-terminal truncated PH20 variants exhibited an enzymatic activity of $\pm 20\%$ compared to WT. When the C-terminus was cleaved after I480, the enzyme activity increased overall. In addition, the variants HP19 and HP20, obtained by

removing the 6xHis-tag from HM19 and HM20, showed decreases in enzymatic activity of 23% and 9.6%, respectively, compared to when the 6xHis-tag was present. This suggests that the 6xHis-tag has an effect on the enzymatic activity.

[340] When the enzymatic activities of the HM10-based C-terminal truncated variants were measured by substrate-gel assay, these variants exhibited higher enzymatic activity than WT, and showed enzymatic activity similar to that of the template HM10, indicating that the difference in enzymatic activity depending on the length of the C-terminal region was not significant (FIG. 14C).

[341]

[342] **Example 8. Characterization of HM21-Based PH20 Variants**

[343] The variant HP34 was purified by four-step column chromatography (FIG. 15A), and the variant HP46 was purified by three-step column chromatography (FIG. 15B). The amounts of HP34 and HP46 produced were 1.73 mg/L and 25.6 mg/L, respectively. HP34 and HP46 are 6xHis-tag-free variants, and the process of purifying these variants differs from the process of purifying variants having the 6xHis-tag, and thus it is difficult to compare the expression levels of the proteins.

[344] In turbidimetric assay, the activities of HP34 and HP46 were 45.6 U/ μ g and 47.2 U/ μ g, respectively, which were about 2-fold higher than that of WT and were about 10% higher than that of the template HM21 (FIG. 16A).

[345] The kinetics of each variant was measured by Morgan-Elson assay, and the results of the measurement are shown in FIG. 16B. The catalytic efficiencies (k_{cat}/K_m) of HP34 and HP46 were 1.7 to

2 times higher than that of wild-type HW2. This result is consistent with the result that the specific activity was higher than that of WT. The Michaelis constant (K_m) was lower in these variants than in HW2, indicating the substrate affinities of these variants increased. From these results, it can be concluded that the HM21, HP34 and HP46 variants bind strongly to the substrate and have the property of converting the substrate into a product with high efficiency. This property is attributable to the effect of substitution of T341 with serine. When threonine located at position 341 is substituted with an amino acid, such as alanine, glycine, aspartic acid or the like, the effect of the substitution on the enzymatic activity can be predicted.

[346] The aggregation temperatures of HP34 and HP46, measured by DLS, were 51.5°C and 51.0°C, respectively, which were similar to that of the template HM21 and were about 5°C higher than that of HW2, indicating that these variants were thermally stable (FIG. 17A). The enzymatic activity of HP20, measured by substrate-gel assay, was similar to that of HP20, whereas HP46 exhibited higher enzymatic activity than HP20, indicating that the protein folding of HM21 as a template was better than that of HM10 (FIG. 17B).

[347] Wild-type HW2 and the variant HP46 were left to stand overnight at pH 7.0 and pH 3.0, and then the enzymatic activities thereof were compared by substrate-gel assay. As a result, it was shown that HP46 exhibited high activity not only at pH 7.0 but also at pH 3.0, indicating that it had excellent stability (FIG. 17C).

[348] HM53, HM54, HM55, HM56, HP59 and HP60 are variants having a mutation at the amino acid at position 341, among HM21-based variants. It was confirmed that the mutation of the amino acid at position 341 had various effects on the expression level and activity of the variants (FIGS. 17D and 17E).

[349]

[350] **Example 9. In Vitro Immunogenicity Assay of PH20 Variant**

[351] Biopharmaceuticals with higher molecular weights than those of low-molecular-weight synthetic chemicals have a risk of triggering unintended immune responses when they enter the human body. An outside contact surface, created by folding or interaction with adjacent domains in the secondary structure or tertiary structure of a large-molecular-weight biomaterial, can promote immune response to the biomaterial by providing an epitope to the immune system in the human body. This immune response can produce an anti-drug antibody (ADA), and this response can inhibit the drug's effectiveness, or cause hypersensitivity to the drug, or promote clearance of the drug in the human body. The immune response to the drug may therefore affect the results in clinical trials, and may cause serious abnormal reactions upon long-term use. This immune response can be influenced by various factors, and triggered by the specific response to the drug itself or disease, or by factors that depend on the method of drug administration or individual patients. Factors caused by the drug itself include the similarity or dissimilarity of the biopharmaceuticals to human peptides, posttranslational modification, impurities, aggregate formation, and the characteristics of the formulation. Factors

that varies among individual patients include sex, reactivity with other drugs being taken, and genetic factors depending on the type of human leukocyte antigen (HLA).

[352] This immunogenic response is triggered by CD4 + T cells or CD8 + T cells that recognize epitopes regardless of the cause of the immune response. Because of HLA class II gene diversity in individuals, epitopes of CD4 + T cells are different among individuals, and therefore the responsiveness to biopharmaceuticals in CD4+ T cells in each blood provided by the healthy donor can be a very important criterion for evaluating immune responses that may arise in clinical processes. CD4 + T cells are activated by antigen presenting cells (APCs) recognizing the antigens presented through their type II MHC (major histocompatibility complex). Activated CD4 + T cells release cytokines that activate macrophages, cytotoxic T cells, and B cells, resulting in high levels of antibody production. On the contrary, CD8 + T cells have direct cytotoxicity and directly remove cells infected with antigens, damaged cells, or cells that lost their function. CD8 + T cells have T cell receptors that can recognize specific antigen peptides bound to type I MHC molecules located on the surface of every cell. CD8 + T cells can also be activated by recognizing antigens presented by antigen presenting cells, and this activation can be further enhanced by cytokines of CD4 + T cells. Therefore, when the activation level of CD4 + T cells and CD8 + T cells by new biomaterials is measured *in vitro*, it is possible to predict immunogenic responses that can be induced in clinical processes. In this example, in order to predict the immunogenicity of the PH20 variant in comparison with a control, CD4+ T cells and CD8+

T cells were isolated from PBMCs, and then treated with 1.5 ng/mL and 15 ng/mL of the control PH20 and the PH20 variant (HP46), and then the distributions of activated CD4+ T cells and CD8+ T cells were measured. The activation level of each type of T cells was measured using Stimulating Index, and Stimulating Index (SI) is defined as follows: (if the SI value of cells is 2 or more, it can be determined that the cells were activated at the significant level).

[353] Stimulating Index (SI) = (T-cell activation level after treatment with test sample) /

[354] (T-cell activation level after treatment with vehicle)

[355] Immunogenic responses may vary depending on the HLA type. Therefore, experiments for measuring responses in more various HLA types were performed using T cells isolated from PBMCs provided from 10 healthy donors. The HLA types of the 10 PBMCs used are shown in Table 12 below.

[356]

[357]

Table 12. HLA types of tested PBMCs

No	HLA A		HLA B		HLA C I		DRB1		DQB1		DPB1	
1	0206	3303	3501	5801	0302	0801	1405	1501	0303	0602	0201	0301
2	0201	0207	4601	5101	0102	1502	0803	1101	0301	0601	0201	0202
3	0206	3101	1501	3501	0304	0401	0803	0901	0303	0601	0201	0501
4	0101	3101	1501	1517	0303	0701	1302	1501	0602	0604	0401	0501
5	0201	3101	5101	6701	0702	1402	0401	0403	0301	0302	0201	0401
6	0201	1101	1501	3901	0401	0702	0102	0901	0402	0501	0101	1401
7	0201	0206	4002	5502	0102	0304	0802	1454	0302	0502	0402	0501
8	0201	0201	1501	4001	0303	0304	0802	1406	0301	0302	0501	1301
9	1101	2402	4006	5101	0801	1502	0701	0901	0202	0303	0201	1301
10	2602	3101	4002	5101	0304	1502	0405	1501	0401	0602	0201	0501

[358] The results of measuring the activation levels of CD4+ and CD8+ T cells treated with each of PH20 and the PH20 variant are summarized in Table 13 below. When looking at the results of measuring the activation levels of CD4+ and CD8+ T cells, it appears that PH20 and the PH20 variant all show relatively low activation levels. In the case of PH20, the activation level of CD4+ T cells was measured to be 2 or more in two experiments, and in the case of the PH20 variant, the activation of CD4+ T cells was not detected. In the case of PH20, the activation of CD8+ T cells was detected in one experiment, and in the case of the PH20 variant, the activation of CD8+ T cells was also detected in one experiment. However, in the case of PH20, the SI value was measured to be 2 or more at both 1.5 ng/mL and 15 ng/mL, but in the case of the PH20 variant, an SI value of 2 or less at 1.5 ng/mL and an SI value of 2 or more at 15 ng/mL were measured (see FIGS. 18 and 19).

[359] Therefore, at the lower concentration, the activation level of CD8 + T cells was observed to be low in the case of the PH20 variant, and it is determined that the activation level of CD8+ T cells by PH20 is higher than the activation level of CD8+ T cells by the PH20 variant. The conclusions drawn from the above results are as follows:

[360] 1) the activation levels of CD4+ T cells and CD8+ T cells by PH20 and the PH20 variant are relatively low; and

[361] 2) the possibility of activation of CD4+ T cells and CD8+ T cells by the PH20 variant is lower than that by PH20.

[362] From these results, it is expected that the PH20 variant will have a lower possibility of triggering an immunogenic response in clinical processes than PH20.

[363]

[364] **Table 13.**

Stimulating Index (SI) measured from *in vitro* immunogenicity assay results

PBMC No.	CD4				CD8			
	PH20 (ng/mL)		PH20 variant (ng/mL)		PH20 (ng/mL)		PH20 variant (ng/mL)	
	1.5	15	1.5	15	1.5	15	1.5	15
1	1.03	0.859	0.728	1.176	1.38	1.42	1.22	1.60
2	1.05	0.09	0.596	0.922	1.20	1.11	1.00	1.07
3	1.90	1.44	1.56	1.12	1.43	1.31	1.59	1.35
4	2.51	2.79	0.788	1.82	1.28	1.90	0.579	0.974
5	1.27	1.47	1.09	1.14	0.987	0.932	0.972	1.02
6	0.825	0.834	0.998	0.946	0.904	1.13	1.09	0.986
7	2.07	2.07	1.43	1.90	2.08	2.34	1.30	2.46
8	0.898	1.079	0.967	0.822	0.926	1.06	0.896	0.813
9	0.882	0.957	0.895	0.941	0.853	0.993	0.950	1.09
10	0.983	0.970	1.12	1.13	1.15	1.08	1.15	1.24

[365]

ADVANTAGEOUS EFFECTS

[366] The PH20 variants or fragments thereof according to the present invention have increased protein expression levels and show an increase in protein aggregation temperature of 4-11.5°C or so when expressed in CHO (ExpiCHO) cells so that they can be efficiently produced while having high thermal stability, compared to the mature wild-type PH20.

[367] Further, as the result of substrate-gel assay, one of tests to measure the activity of hyaluronidase, the PH20 variants or fragments thereof according to the present invention have improved protein refolding so that they are re-natured faster than that of the mature wild-type PH20, and the original

enzymatic activity is maintained regardless of the C-terminal cleavage position.

[368] Furthermore, the PH20 variants or fragments thereof according to the present invention have low immunogenicity so that they can be repeatedly administered to the human body.

[369]

Reference

[370]

[371] Arming, S., Strobl, B., Wechselberger, C., and Kreil, G. (1997). In vitro mutagenesis of PH-20 hyaluronidase from human sperm. *Eur J Biochem* 247, 810-814.

[372] Bookbinder, L.H., Hofer, A., Haller, M.F., Zepeda, M.L., Keller, G.A., Lim, J.E., Edgington, T.S., Shepard, H.M., Patton, J.S., and Frost, G.I. (2006). A recombinant human enzyme for enhanced interstitial transport of therapeutics. *J Control Release* 114, 230-241.

[373] Chao, K.L., Muthukumar, L., and Herzberg, O. (2007). Structure of human hyaluronidase-1, a hyaluronan hydrolyzing enzyme involved in tumor growth and angiogenesis. *Biochemistry* 46, 6911-6920.

[374] Frost, G.I. (2007). Recombinant human hyaluronidase (rHuPH20): an enabling platform for subcutaneous drug and fluid administration. *Expert Opin Drug Deliv* 4, 427-440.

[375]

Sequence List (Free Text)

[376] The electronic file is attached.

【CLAIMS】**【Claim 1】**

A PH20 variant or fragment thereof having hyaluronidase activity, which comprises amino acid residue substitutions of L345I and/or N356E and further comprises one or more amino acid residue substitutions in the region corresponding to T341 to N363, T341 to I361, L342 to I361, S343 to I361, I344 to I361, M345 to I361, or M345 to N363 in wild-type PH20 having the amino acid sequence of SEQ ID NO: 1.

【Claim 2】

The PH20 variant or fragment thereof of claim 1, which comprises amino acid residue substitutions of L354I and/or N356E, and further comprises an amino acid residue substitution at one or more positions selected from the group consisting of T341, L342, S343, I344, M345, S347, M348, K349, L352, L353, D355, E359, I361 and N363.

【Claim 3】

The PH20 variant or fragment thereof of claim 2, which comprises amino acid residue substitutions of L354I and/or N356E, and further comprises one or more amino acid residue substitutions selected from the group consisting of T341A, T341C, T341D, T341G, T341S, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, D355K, E359D, I361T and N363G.

【Claim 4】

The PH20 variant or fragment thereof of claim 2, which comprises M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T.

【Claim 5】

The PH20 variant or fragment thereof of claim 4, which further comprises one or more amino acid residue substitutions selected from the group consisting of T341A, T341C, T341D, T341G, T341S, L342W, S343E, I344N and N363G.

【Claim 6】

The PH20 variant or fragment thereof of claim 5, which comprises any one amino acid residue substitution selected from the following amino acid residue substitution groups:

(a) T341S, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T;

(b) L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T;

(c) M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D, I361T and N363G;

(d) T341G, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T;

(e) T341A, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T;

(f) T341C, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T;

(g) T341D, L342W, S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T;

(h) I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T; and

(i) S343E, I344N, M345T, S347T, M348K, K349E, L352Q, L353A, L354I, D355K, N356E, E359D and I361T.

【Claim 7】

The PH20 variant or fragment thereof of any one of claims 1 to 6, wherein further one or more of the N-terminal or C-terminal amino acid residues are deleted.

【Claim 8】

The PH20 variant or fragment thereof of claim 7, wherein cleavage occurs before an amino acid residue selected from the group consisting of M1 to P42 at the N-terminus, so that one or more amino acid residues at the N-terminus are deleted.

【Claim 9】

The PH20 variant or fragment thereof of claim 8, wherein cleavage occurs before an amino acid residue L36, N37, F38, R39, A40, P41, or P42 at the N-terminus, so that one or more amino acid residues at the N-terminus are deleted.

【Claim 10】

The PH20 variant or fragment thereof of claim 7, wherein cleavage occurs after an amino acid residue selected from the group consisting of V455 to L509 at the C-terminus, so that one or more amino acid residues at the C-terminus are deleted.

【Claim 11】

The PH20 variant or fragment thereof of claim 10, wherein cleavage occurs after an amino acid residue selected from the group consisting of V455 to S490 at the C-terminus, so that one or more amino acid residues at the C-terminus are deleted.

【Claim 12】

The PH20 variant or fragment thereof of claim 11, wherein cleavage occurs after an amino acid residue V455, C458, D461, C464, I465, D466, A467, F468, K470, P471, P472, M473, E474, T475, E476, P478, I480, Y482, A484, P486, T488, or S490 at the C-

terminus, so that one or more amino acid residues at the C-terminus are deleted.

【Claim 13】

The PH20 variant or fragment thereof of any one of claims 1 to 12, wherein the N-terminus comprises a human growth hormone-derived signal peptide having an amino acid sequence MATGSRTSLLLAFLGLLCLPWLQEGSA of SEQ ID NO: 3, a human serum albumin-derived signal peptide having an amino acid sequence MKWVTFISLLFLFSSAYS of SEQ ID NO: 4, or a human Hyal1-derived signal peptide having an amino acid sequence MAAHLLPICALFLTLLDMAQG of SEQ ID NO: 5.

【Claim 14】

The PH20 variant or fragment thereof of any one of claims 1 to 12, wherein the PH20 variant or fragment thereof is selected from the group consisting of amino acid sequences of SEQ ID NOs: 60 to 115.

【Claim 15】

The PH20 variant or fragment thereof of claim 14, which has an amino acid sequence of SEQ ID NO: 99.

【Claim 16】

A composition for treating cancer, which comprises the PH20 variant or fragment thereof of any one of claims 1 to 15.

【Claim 17】

The composition for treating cancer of claim 16, wherein the composition is used for combined treatment with other anticancer drugs.

【Claim 18】

The composition for treating cancer of claim 17, wherein the other anticancer drugs are immuno-oncologic agents.

【Claim 19】

The composition for treating cancer of claim 18, wherein the immuno-oncologic agents are immune checkpoint inhibitors.

【Claim 20】

A nucleic acid encoding the PH20 variant or fragment thereof of any one of claims 1 to 15.


【Claim 21】

A recombinant expression vector comprising the nucleic acid of claim 20.


【Claim 22】

A host cell transformed with the recombinant expression vector of claim 21.


【Fig. 1】




【Fig. 2】

A


【Fig. 3】







【Fig. 4】




【Fig. 5】









【Fig. 6】






【Fig. 7】



【Fig. 8】




【Fig. 9】

A**B****C**


【Fig. 10】

	$T_{\text{agg.}} (^{\circ}\text{C})$
WT	46.5 ± 0.5
HM1	53.0 ± 1.2
HM4	56.5 ± 1.5
HM6	50.5 ± 0.5
HM7	58.0 ± 1.0
HM8	52.5 ± 0.5
HM9	53.0 ± 1.0
HM10	55.5 ± 0.5
HM13	50.5 ± 0.5
HM14	51.0 ± 1.0
HM15	49.0 ± 1.0
HM16	51.0 ± 1.0
HM19	53.0 ± 1.0
HM20	51.0 ± 1.0
HM21	51.7 ± 0.7

【Fig. 11】




【Fig. 12】




	Total length	Expression level (mg/L)		Total length	Expression level (mg/L)		Total length	Expression level (mg/L)
WT	L36~S490	16.1	HM39	F38~E476	36.7	HM29	L36~A467	16.3
HM10	L36~S490	75.0	HM38	F38~T475	41.4	HM44	F38~D466	8.5
HM52	F38~T488	36.2	HM37	F38~E474	41.9	HM43	F38~I465	4.7
HM51	F38~P486	19.7	HM36	F38~M473	36.6	HM30	L36~C464	No
HM50	F38~A484	98.9	HM35	F38~P472	44.8	HM31	L36~D461	No
HM49	F38~Y482	93.4	HM19	F38~K470	38.3	HM32	L36~C458	No
HM48	F38~I480	126.5	HM20	F38~F468	20.8	HM33	L36~V455	No
HM47	F38~P478	74.4	HM45	F38~A467	17.9			


【Fig. 13】




【Fig. 14】



【Fig. 15】



【Fig. 16】







B

	K_m (mg/mL)	k_{cat} (1/min)	k_{cat}/K_m (1/min/mg/mL)
HW2	2.29±0.20	0.72±0.01	0.32±0.03
HM21	1.65±0.10	0.88±0.12	0.53±0.06
HP34	1.94±0.18	1.03±0.13	0.54±0.08
HP46	1.78±0.04	1.31±0.10	0.73±0.04


【Fig. 17】

A


	T_{agg} (°C)
HW2	46.5
HM21	51.7
HP34	51.5
HP46	51.0

B**C****D****E**

【Fig. 18】



【Fig. 19】



SEQUENCE LISTING

<110> Alteogen Inc.

<120> NOVEL HYALURONIDASE VARIANTS AND PHARMACEUTICAL
COMPOSITION
COMPRISING THE SAME

<130> 4240-501

<150> KR 10-2018-0086308

<151> 2018-07-25

<150> PCT/KR2019/009215

<151> 2019-07-25

<150> KR 10-2019-0029758

<151> 2019-03-15

<160> 115

<170> PatentIn version 3.5

<210> 1

<211> 509

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Sequence

<400> 1

Met	Gly	Val	Leu	Lys	Phe	Lys	His	Ile	Phe	Phe	Arg	Ser	Phe	Val	Lys
1				5					10					15	

Ser	Ser	Gly	Val	Ser	Gln	Ile	Val	Phe	Thr	Phe	Leu	Leu	Ile	Pro	Cys
		20						25					30		

Cys	Leu	Thr	Leu	Asn	Phe	Arg	Ala	Pro	Pro	Val	Ile	Pro	Asn	Val	Pro
		35					40					45			

Phe	Leu	Trp	Ala	Trp	Asn	Ala	Pro	Ser	Glu	Phe	Cys	Leu	Gly	Lys	Phe
	50					55					60				

Asp	Glu	Pro	Leu	Asp	Met	Ser	Leu	Phe	Ser	Phe	Ile	Gly	Ser	Pro	Arg
65					70					75					80

Ile	Asn	Ala	Thr	Gly	Gln	Gly	Val	Thr	Ile	Phe	Tyr	Val	Asp	Arg	Leu	
				85					90					95		
Gly	Tyr	Tyr	Pro	Tyr	Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	
			100					105					110			
Gly	Ile	Pro	Gln	Lys	Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	
		115					120					125				
Lys	Asp	Ile	Thr	Phe	Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	
	130					135					140					
Ile	Asp	Trp	Glu	Glu	Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	
145					150					155					160	
Lys	Asp	Val	Tyr	Lys	Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	
				165					170					175		
Val	Gln	Leu	Ser	Leu	Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	
			180					185					190			
Glu	Lys	Ala	Gly	Lys	Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	
		195					200					205				
Leu	Leu	Arg	Pro	Asn	His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	
	210					215					220					
Tyr	Asn	His	His	Tyr	Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	
225					230					235					240	
Val	Glu	Ile	Lys	Arg	Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	
				245					250					255		
Thr	Ala	Leu	Tyr	Pro	Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	
			260					265					270			
Ala	Ala	Thr	Leu	Tyr	Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	
		275					280					285				
Ser	Lys	Ile	Pro	Asp	Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	

290					295					300					
Arg	Ile	Val	Phe	Thr	Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu
305					310					315					320
Leu	Val	Tyr	Thr	Phe	Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile
				325					330					335	
Val	Ile	Trp	Gly	Thr	Leu	Ser	Ile	Met	Arg	Ser	Met	Lys	Ser	Cys	Leu
			340					345					350		
Leu	Leu	Asp	Asn	Tyr	Met	Glu	Thr	Ile	Leu	Asn	Pro	Tyr	Ile	Ile	Asn
		355					360					365			
Val	Thr	Leu	Ala	Ala	Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln
	370					375					380				
Gly	Val	Cys	Ile	Arg	Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu
385					390					395					400
Asn	Pro	Asp	Asn	Phe	Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr
				405					410					415	
Val	Arg	Gly	Lys	Pro	Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys
			420					425					430		
Phe	Tyr	Cys	Ser	Cys	Tyr	Ser	Thr	Leu	Ser	Cys	Lys	Glu	Lys	Ala	Asp
		435					440					445			
Val	Lys	Asp	Thr	Asp	Ala	Val	Asp	Val	Cys	Ile	Ala	Asp	Gly	Val	Cys
	450					455					460				
Ile	Asp	Ala	Phe	Leu	Lys	Pro	Pro	Met	Glu	Thr	Glu	Glu	Pro	Gln	Ile
465					470					475					480
Phe	Tyr	Asn	Ala	Ser	Pro	Ser	Thr	Leu	Ser	Ala	Thr	Met	Phe	Ile	Val
				485					490					495	
Ser	Ile	Leu	Phe	Leu	Ile	Ile	Ser	Ser	Val	Ala	Ser	Leu			
			500					505							

<210> 2
 <211> 435
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 2

Met Ala Ala His Leu Leu Pro Ile Cys Ala Leu Phe Leu Thr Leu Leu
 1 5 10 15

Asp Met Ala Gln Gly Phe Arg Gly Pro Leu Leu Pro Asn Arg Pro Phe
 20 25 30

Thr Thr Val Trp Asn Ala Asn Thr Gln Trp Cys Leu Glu Arg His Gly
 35 40 45

Val Asp Val Asp Val Ser Val Phe Asp Val Val Ala Asn Pro Gly Gln
 50 55 60

Thr Phe Arg Gly Pro Asp Met Thr Ile Phe Tyr Ser Ser Gln Leu Gly
 65 70 75 80

Thr Tyr Pro Tyr Tyr Thr Pro Thr Gly Glu Pro Val Phe Gly Gly Leu
 85 90 95

Pro Gln Asn Ala Ser Leu Ile Ala His Leu Ala Arg Thr Phe Gln Asp
 100 105 110

Ile Leu Ala Ala Ile Pro Ala Pro Asp Phe Ser Gly Leu Ala Val Ile
 115 120 125

Asp Trp Glu Ala Trp Arg Pro Arg Trp Ala Phe Asn Trp Asp Thr Lys
 130 135 140

Asp Ile Tyr Arg Gln Arg Ser Arg Ala Leu Val Gln Ala Gln His Pro
 145 150 155 160

Asp Trp Pro Ala Pro Gln Val Glu Ala Val Ala Gln Asp Gln Phe Gln

165								170					175				
Gly	Ala	Ala	Arg	Ala	Trp	Met	Ala	Gly	Thr	Leu	Gln	Leu	Gly	Arg	Ala		
			180					185					190				
Leu	Arg	Pro	Arg	Gly	Leu	Trp	Gly	Phe	Tyr	Gly	Phe	Pro	Asp	Cys	Tyr		
		195					200					205					
Asn	Tyr	Asp	Phe	Leu	Ser	Pro	Asn	Tyr	Thr	Gly	Gln	Cys	Pro	Ser	Gly		
	210					215					220						
Ile	Arg	Ala	Gln	Asn	Asp	Gln	Leu	Gly	Trp	Leu	Trp	Gly	Gln	Ser	Arg		
225					230					235					240		
Ala	Leu	Tyr	Pro	Ser	Ile	Tyr	Met	Pro	Ala	Val	Leu	Glu	Gly	Thr	Gly		
				245					250					255			
Lys	Ser	Gln	Met	Tyr	Val	Gln	His	Arg	Val	Ala	Glu	Ala	Phe	Arg	Val		
			260					265					270				
Ala	Val	Ala	Ala	Gly	Asp	Pro	Asn	Leu	Pro	Val	Leu	Pro	Tyr	Val	Gln		
		275					280					285					
Ile	Phe	Tyr	Asp	Thr	Thr	Asn	His	Phe	Leu	Pro	Leu	Asp	Glu	Leu	Glu		
	290					295					300						
His	Ser	Leu	Gly	Glu	Ser	Ala	Ala	Gln	Gly	Ala	Ala	Gly	Val	Val	Leu		
305					310					315					320		
Trp	Val	Ser	Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile		
				325					330					335			
Lys	Glu	Tyr	Met	Asp	Thr	Thr	Leu	Gly	Pro	Phe	Ile	Leu	Asn	Val	Thr		
			340					345					350				
Ser	Gly	Ala	Leu	Leu	Cys	Ser	Gln	Ala	Leu	Cys	Ser	Gly	His	Gly	Arg		
		355					360					365					
Cys	Val	Arg	Arg	Thr	Ser	His	Pro	Lys	Ala	Leu	Leu	Leu	Leu	Asn	Pro		
	370					375					380						

Ala Ser Phe Ser Ile Gln Leu Thr Pro Gly Gly Gly Pro Leu Ser Leu
 385 390 395 400

Arg Gly Ala Leu Ser Leu Glu Asp Gln Ala Gln Met Ala Val Glu Phe
 405 410 415

Lys Cys Arg Cys Tyr Pro Gly Trp Gln Ala Pro Trp Cys Glu Arg Lys
 420 425 430

Ser Met Trp
 435

<210> 3
 <211> 26
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 3

Met Ala Thr Gly Ser Arg Thr Ser Leu Leu Leu Ala Phe Gly Leu Leu
 1 5 10 15

Cys Leu Pro Trp Leu Gln Glu Gly Ser Ala
 20 25

<210> 4
 <211> 18
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 4

Met Lys Trp Val Thr Phe Ile Ser Leu Leu Phe Leu Phe Ser Ser Ala
 1 5 10 15

Tyr Ser

<210> 5
 <211> 21
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 5

Met Ala Ala His Leu Leu Pro Ile Cys Ala Leu Phe Leu Thr Leu Leu
 1 5 10 15

Asp Met Ala Gln Gly
 20

<210> 6
 <211> 33
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 6
 gaatatctcg aggccacat gaagtgggtt aca
 33

<210> 7
 <211> 55
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 7
 ctaattgcgg ccgctcatta gtggtgatgg tgatgatgga agaaaccaat tctgc
 55

<210> 8
 <211> 41
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 8
 taacaggagg tgctctgaaa ttcagagagt aagcagagga g
 41

<210> 9
 <211> 98
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 9
 atggggaacc ctcaagtataa caagaaccaa ggaatcatgt caggccatca
 aggagtatat 60

ggacactaca ctgggggcct acataatcaa cgtcacac
 98

<210> 10
 <211> 89
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 10
 atggagacta tactgaatcc tttcatcctg aacgtgacca gtgggggcct
 tctctgcagt 60

caagccctgt gccaggagca aggagtgtg
 89

<210> 11
 <211> 89
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 11
 atggacacta cactggggcc cttcatcctg aacgtgacca gtgggggcct
 tctctgcagt 60

caagccctgt gccaggagca aggagtgtg
 89

<210> 12
 <211> 74
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 12
 actgttgctc tgggtgcttc tggaattgta atatgggtaa gctgggaaaa
 tacaagaacc 60

aaggaatcat gtca
 74

<210> 13
 <211> 61
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 13
 agcaaggagt gtgtataagg aaaaccagcc acccaaaaga ctatcttcac
 ctcaaccag 60

a
 61

<210> 14
 <211> 43
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 14
 agtatatgga cactacactg aaccctaca taatcaacgt cac
 43

<210> 15
 <211> 44
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 15
attgtaatat ggggaaccct cagtaatata agaaccaagg aatc
44

<210> 16
<211> 44
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 16
attgtaatat ggggaaccct cgaaaataca agaaccaagg aatc
44

<210> 17
<211> 44
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 17
attgtaatat ggggaacctg ggaaaataca agaaccaagg aatc
44

<210> 18
<211> 45
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 18
acactacact gaacccttc atactcaacg tcaccctagc agcca
45

<210> 19
<211> 63
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 19

acactacact gaaccccttc atactcaacg tcaccctatc aggcaaaatg
tgtagccaag 60

tgc
63

<210> 20
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 20
taacaggagg tgctctgaaa gagtaagcag aggag
35

<210> 21
<211> 56
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 21
ctaattgcgg ccgctcatta gtggtgatgg tgatgatgta tacagacacc atcagc
56

<210> 22
<211> 59
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 22
ctaattgcgg ccgctcatta gtggtgatgg tgatgatgaa aagcatctat acagacacc
59

<210> 23
<211> 61
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 23
 ctaattgcgg ccgctcatta gtggtgatgg tgatgatgag gtttagaaa
 agcatctata 60

c
 61

<210> 24
 <211> 62
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 24
 tccaggccca gaggaagggc cggttgggta gcaaggggccc cctaaaagag
 taagcagagg 60

ag
 62

<210> 25
 <211> 75
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 25
 tcacttgggg cattccagac ggtggtgaag ggccggttgg gtagcaaggg
 gccctaaaa 60

gagtaagcag aggag
 75

<210> 26
 <211> 58
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 26
 ctaattgcgg ccgctcatta gtggtgatgg tgatgatgtt ttagaaaagc atctatac
 58

<210> 27
<211> 41
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 27
ctaattgctgg ccgctcatta aaaagcatct atacagacac c
41

<210> 28
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 28
aattgtaata tggggaagct gggaaaatac aagaa
35

<210> 29
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 29
tggaataaca ggaggtgcag agtaagcaga ggaga
35

<210> 30
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 30
tttggaataa caggagagta agcagaggag a
31

<210> 31
 <211> 77
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 31
 agttttgaaa ttccttttctc tggatgagct ggagcacagc ctggggggaga
 gtgcggccca 60

gggtgcttct ggaattg
 77

<210> 32
 <211> 38
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 32
 atgagctgga gcacagcttt ggggagagtg cggcccag
 38

<210> 33
 <211> 48
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 33
 attcctttct caagatgaac ttgagcacag ctttggcgaa actgttgc
 48

<210> 34
 <211> 56
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 34
 ctaattgcgg ccgctcatta gtggtgatgg tgatgatgag catctataca gacacc
 56

<210> 35
 <211> 58
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 35
 ctaattgcgg ccgctcatta gtggtgatgg tgatgatgac agacaccatc agcaatac
 58

<210> 36
 <211> 56
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 36
 ctaattgcgg ccgctcatta gtggtgatgg tgatgatgat cagcaataca cacatc
 56

<210> 37
 <211> 56
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 37
 ctaattgcgg ccgctcatta gtggtgatgg tgatgatgac acacatcaac agcatc
 56

<210> 38
 <211> 59
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 38
 ctaattgcgg ccgctcatta gtggtgatgg tgatgatgaa cagcatcagt gtcttttac
 59

<210> 39
 <211> 41
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 39
 gttatagcgg ccgctcatta gggagggtttt agaaaagcat c
 41

<210> 40
 <211> 44
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 40
 gttatagcgg ccgctcatta catgggaggt tttagaaaag catc
 44

<210> 41
 <211> 44
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 41
 gttatagcgg ccgctcatta ctccatggga ggtttttagaa aagc
 44

<210> 42
 <211> 41
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 42
 gttatagcgg ccgctcatta tgtctccatg ggagggtttta g
 41

<210> 43
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 43
taacaggagg tgctctgaaa ttagagtaag cagaggag
38

<210> 44
<211> 37
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 44
tggaataaca ggagggtgctc tagagtaagc agaggag
37

<210> 45
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 45
tttgaataa caggaggaga gtaagcagag gag
33

<210> 46
<211> 59
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 46
ctaattgcgg ccgctcatta gtggtgatgg tgatgatgat ctatacagac accatcagc
59

<210> 47

<211> 59
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 47
 gataatgcgg ccgctcatta gtggtgatgg tgatgatgag gttcttctgt ctccatggg
 59

<210> 48
 <211> 60
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 48
 gataatgcgg ccgctcatta gtggtgatgg tgatgatgaa tttgagggttc
 ttctgtctcc 60

<210> 49
 <211> 61
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 49
 gataatgcgg ccgctcatta gtggtgatgg tgatgatggt agaaaatttg
 aggttcttct 60

g
 61

<210> 50
 <211> 62
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 50
 gataatgcgg ccgctcatta gtggtgatgg tgatgatgag cattgtagaa
 aatttgaggt 60

tc
62

<210> 51
<211> 65
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 51
gataatgcgg ccgctcatta gtggtgatgg tgatgatggg gtgaagcatt
gtagaaaatt 60

tgagg
65

<210> 52
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 52
gataatgcgg ccgctcatta gtggtgatgg tgatgatgtg tggaggggtga
agcattgtag 60

<210> 53
<211> 58
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 53
ctaattgcgg ccgctcatta gtggtgatgg tgatgatgtt ttagaaaagc atctatac
58

<210> 54
<211> 59
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 54
gttatagcgg ccgctcatta gtggtgatgg tgatgatggg gaggttttag aaaagcatc
59

<210> 55
<211> 62
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 55
gttatagcgg ccgctcatta gtggtgatgg tgatgatgca tgggagggtt
tagaaaagca 60

tc
62

<210> 56
<211> 62
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 56
gttatagcgg ccgctcatta gtggtgatgg tgatgatgct ccatgggagg
ttttagaaaa 60

gc
62

<210> 57
<211> 59
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 57
gttatagcgg ccgctcatta gtggtgatgg tgatgatgtg tctccatggg aggttttag
59

<210> 58
<211> 56

<212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 58
 gttatagcgg ccgctcatta gtggtgatgg tgatgatgtt ctgtctccat gggagg
 56

<210> 59
 <211> 38
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 59
 gttatagcgg ccgctcatta ttctgtctcc atgggagg
 38

<210> 60
 <211> 455
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 60

Leu	Asn	Phe	Arg	Ala	Pro	Pro	Val	Ile	Pro	Asn	Val	Pro	Phe	Leu	Trp
1				5					10					15	

Ala	Trp	Asn	Ala	Pro	Ser	Glu	Phe	Cys	Leu	Gly	Lys	Phe	Asp	Glu	Pro
			20					25					30		

Leu	Asp	Met	Ser	Leu	Phe	Ser	Phe	Ile	Gly	Ser	Pro	Arg	Ile	Asn	Ala
		35					40					45			

Thr	Gly	Gln	Gly	Val	Thr	Ile	Phe	Tyr	Val	Asp	Arg	Leu	Gly	Tyr	Tyr
	50					55				60					

Pro	Tyr	Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro
65					70					75				80	

Gln	Lys	Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile	
				85					90					95		
Thr	Phe	Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	
			100					105					110			
Glu	Glu	Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	
		115					120					125				
Tyr	Lys	Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	
	130					135					140					
Ser	Leu	Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	
145					150					155					160	
Gly	Lys	Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	
				165					170					175		
Pro	Asn	His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	
			180					185					190			
His	Tyr	Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	
		195					200					205				
Lys	Arg	Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	
	210					215					220					
Tyr	Pro	Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	
225					230					235					240	
Leu	Tyr	Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	
				245					250					255		
Pro	Asp	Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	
			260					265					270			
Phe	Thr	Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	
		275					280					285				

Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
 290 295 300

Gly Thr Leu Ser Ile Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys
 305 310 315 320

Glu Tyr Met Asp Thr Thr Leu Gly Pro Tyr Ile Ile Asn Val Thr Leu
 325 330 335

Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
 340 345 350

Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
 355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
 370 375 380

Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
 385 390 395 400

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
 405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
 420 425 430

Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
 435 440 445

Ala Ser Pro Ser Thr Leu Ser
 450 455

<210> 61
 <211> 455
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 61

Leu	Asn	Phe	Arg	Ala	Pro	Pro	Val	Ile	Pro	Asn	Val	Pro	Phe	Leu	Trp
1				5					10					15	
Ala	Trp	Asn	Ala	Pro	Ser	Glu	Phe	Cys	Leu	Gly	Lys	Phe	Asp	Glu	Pro
			20					25					30		
Leu	Asp	Met	Ser	Leu	Phe	Ser	Phe	Ile	Gly	Ser	Pro	Arg	Ile	Asn	Ala
		35					40					45			
Thr	Gly	Gln	Gly	Val	Thr	Ile	Phe	Tyr	Val	Asp	Arg	Leu	Gly	Tyr	Tyr
	50					55					60				
Pro	Tyr	Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro
65					70					75					80
Gln	Lys	Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile
				85					90					95	
Thr	Phe	Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp
			100					105					110		
Glu	Glu	Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val
		115					120					125			
Tyr	Lys	Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu
	130					135					140				
Ser	Leu	Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala
145					150					155					160
Gly	Lys	Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg
				165					170					175	
Pro	Asn	His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His
			180					185					190		
His	Tyr	Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile
		195					200					205			

Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
 210 215 220

Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
 225 230 235 240

Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
 245 250 255

Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
 260 265 270

Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
 275 280 285

Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
 290 295 300

Gly Thr Leu Ser Ile Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys
 305 310 315 320

Glu Tyr Met Asp Thr Thr Leu Asn Pro Phe Ile Leu Asn Val Thr Ser
 325 330 335

Gly Ala Leu Leu Cys Ser Gln Ala Leu Cys Gln Glu Gln Gly Val Cys
 340 345 350

Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
 355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
 370 375 380

Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
 385 390 395 400

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
 405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala

420

425

430

Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
 435 440 445

Ala Ser Pro Ser Thr Leu Ser
 450 455

<210> 62
 <211> 455
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 62

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
 20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
 35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
 50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
 65 70 75 80

Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
 85 90 95

Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
 100 105 110

Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
 115 120 125

Tyr	Lys	Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu
	130					135						140			
Ser	Leu	Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala
145					150					155					160
Gly	Lys	Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg
				165					170					175	
Pro	Asn	His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His
			180					185					190		
His	Tyr	Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile
		195					200					205			
Lys	Arg	Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu
	210					215					220				
Tyr	Pro	Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr
225					230					235					240
Leu	Tyr	Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile
				245					250					255	
Pro	Asp	Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val
			260					265						270	
Phe	Thr	Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr
		275					280					285			
Thr	Phe	Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp
	290					295					300				
Gly	Thr	Leu	Ser	Ile	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys
305					310					315					320
Glu	Tyr	Met	Asp	Thr	Thr	Leu	Gly	Pro	Phe	Ile	Leu	Asn	Val	Thr	Ser
				325					330					335	
Gly	Ala	Leu	Leu	Cys	Ser	Gln	Ala	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
 50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
 65 70 75 80

Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
 85 90 95

Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
 100 105 110

Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
 115 120 125

Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
 130 135 140

Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
 145 150 155 160

Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
 165 170 175

Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
 180 185 190

His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
 195 200 205

Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
 210 215 220

Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
 225 230 235 240

Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
 245 250 255

Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val

270

Ala Ser Pro Ser Thr Leu Ser
450 455

30

<212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 64

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
 20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
 35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
 50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
 65 70 75 80

Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
 85 90 95

Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
 100 105 110

Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
 115 120 125

Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
 130 135 140

Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
 145 150 155 160

Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
 165 170 175

Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His

32

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430

Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
435 440 445

Ala Ser Pro Ser Thr Leu Ser
450 455

<210>	65
<211>	455
<212>	PRT
<213>	Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 65

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80

Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95

Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp

34

Glu Tyr Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335

Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350

Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380

Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430

Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
435 440 445

Ala Ser Pro Ser Thr Leu Ser
450 455

<210>	66
<211>	455
<212>	PRT
<213>	Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 66

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro

Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
 245 250 255

Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
 260 265 270

Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
 275 280 285

Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
 290 295 300

Gly Thr Leu Ser Asn Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys
 305 310 315 320

Glu Tyr Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
 325 330 335

Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
 340 345 350

Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
 355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
 370 375 380

Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
 385 390 395 400

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
 405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
 420 425 430

Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
 435 440 445

Ala Ser Pro Ser Thr Leu Ser
450 455

<210> 67
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 67

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80

Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95

Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110

Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125

Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140

Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160

Gly	Lys	Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	
				165					170					175		
Pro	Asn	His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	
			180					185					190			
His	Tyr	Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	
		195					200					205				
Lys	Arg	Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	
	210					215					220					
Tyr	Pro	Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	
225					230					235					240	
Leu	Tyr	Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	
				245					250					255		
Pro	Asp	Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	
			260					265					270			
Phe	Thr	Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	
		275					280					285				
Thr	Phe	Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	
	290					295					300					
Gly	Thr	Leu	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	
305					310					315				320		
Glu	Tyr	Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	
				325					330					335		
Ala	Ala	Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	
			340					345					350			
Ile	Arg	Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	
		355				360						365				

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
 370 375 380

Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
 385 390 395 400

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
 405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
 420 425 430

Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
 435 440 445

Ala Ser Pro Ser Thr Leu Ser
 450 455

<210> 68
 <211> 455
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 68

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
 20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
 35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
 50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
 65 70 75 80

Gln	Lys	Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile	85	90	95
Thr	Phe	Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	100	105	110
Glu	Glu	Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	115	120	125
Tyr	Lys	Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	130	135	140
Ser	Leu	Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	145	150	155
Gly	Lys	Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	165	170	175
Pro	Asn	His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	180	185	190
His	Tyr	Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	195	200	205
Lys	Arg	Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	210	215	220
Tyr	Pro	Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	225	230	235
Leu	Tyr	Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	245	250	255
Pro	Asp	Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	260	265	270
Phe	Thr	Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	275	280	285

Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
 290 295 300

Gly Thr Trp Glu Asn Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys
 305 310 315 320

Glu Tyr Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
 325 330 335

Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
 340 345 350

Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
 355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
 370 375 380

Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
 385 390 395 400

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
 405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
 420 425 430

Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
 435 440 445

Ala Ser Pro Ser Thr Leu Ser
 450 455

<210> 69
 <211> 455
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 69

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
 20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
 35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
 50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
 65 70 75 80

Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
 85 90 95

Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
 100 105 110

Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
 115 120 125

Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
 130 135 140

Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
 145 150 155 160

Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
 165 170 175

Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
 180 185 190

His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
 195 200 205

Lys	Arg	Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu
	210					215					220				
Tyr	Pro	Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr
225					230					235					240
Leu	Tyr	Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile
				245					250					255	
Pro	Asp	Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val
			260					265					270		
Phe	Thr	Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr
		275					280					285			
Thr	Phe	Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp
	290					295					300				
Gly	Thr	Leu	Ser	Ile	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys
305					310					315					320
Glu	Tyr	Met	Asp	Thr	Thr	Leu	Asn	Pro	Phe	Ile	Leu	Asn	Val	Thr	Leu
				325					330					335	
Ala	Ala	Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys
			340					345					350		
Ile	Arg	Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp
		355					360					365			
Asn	Phe	Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly
	370					375					380				
Lys	Pro	Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys
385					390					395					400
Ser	Cys	Tyr	Ser	Thr	Leu	Ser	Cys	Lys	Glu	Lys	Ala	Asp	Val	Lys	Asp
				405					410					415	

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
 420 425 430

Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
 435 440 445

Ala Ser Pro Ser Thr Leu Ser
 450 455

<210> 70
 <211> 455
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 70

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
 20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
 35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
 50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
 65 70 75 80

Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
 85 90 95

Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
 100 105 110

Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
 115 120 125

Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
 130 135 140

Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
 145 150 155 160

Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
 165 170 175

Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
 180 185 190

His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
 195 200 205

Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
 210 215 220

Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
 225 230 235 240

Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
 245 250 255

Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
 260 265 270

Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
 275 280 285

Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
 290 295 300

Gly Thr Leu Ser Ile Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys
 305 310 315 320

Glu Tyr Met Asp Thr Thr Leu Asn Pro Phe Ile Leu Asn Val Thr Ser
 325 330 335

Gly Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
 340 345 350

Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
 355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
 370 375 380

Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
 385 390 395 400

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
 405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
 420 425 430

Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
 435 440 445

Ala Ser Pro Ser Thr Leu Ser
 450 455

<210> 71
 <211> 453
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 71

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp
 1 5 10 15

Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp
 20 25 30

Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly
 35 40 45

Gln	Gly	Val	Thr	Ile	Phe	Tyr	Val	Asp	Arg	Leu	Gly	Tyr	Tyr	Pro	Tyr
	50					55					60				
Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro	Gln	Lys
65					70					75					80
Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile	Thr	Phe
				85					90					95	
Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	Glu	Glu
			100					105					110		
Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	Tyr	Lys
		115					120					125			
Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu
	130					135					140				
Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys
145					150					155					160
Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn
				165					170					175	
His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr
			180					185					190		
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg
		195					200					205			
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro
	210					215					220				
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr
225					230					235					240
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp
				245					250					255	

Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr	260	265	270	
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe	275	280	285	
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Thr	290	295	300	
Leu	Ser	Ile	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr	305	310	315	320
Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala	325	330	335	
Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	Ile	Arg	340	345	350	
Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	Asn	Phe	355	360	365	
Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly	Lys	Pro	370	375	380	
Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys	Ser	Cys	385	390	395	400
Tyr	Ser	Thr	Leu	Ser	Cys	Lys	Glu	Lys	Ala	Asp	Val	Lys	Asp	Thr	Asp	405	410	415	
Ala	Val	Asp	Val	Cys	Ile	Ala	Asp	Gly	Val	Cys	Ile	Asp	Ala	Phe	Leu	420	425	430	
Lys	Pro	Pro	Met	Glu	Thr	Glu	Glu	Pro	Gln	Ile	Phe	Tyr	Asn	Ala	Ser	435	440	445	
Pro	Ser	Thr	Leu	Ser												450			

<210> 72

<211> 430
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 72

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
 20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
 35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
 50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
 65 70 75 80

Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
 85 90 95

Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
 100 105 110

Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
 115 120 125

Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
 130 135 140

Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
 145 150 155 160

Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
 165 170 175

Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
 180 185 190

His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
 195 200 205

Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
 210 215 220

Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
 225 230 235 240

Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
 245 250 255

Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
 260 265 270

Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
 275 280 285

Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
 290 295 300

Gly Thr Leu Ser Ile Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys
 305 310 315 320

Glu Tyr Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
 325 330 335

Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
 340 345 350

Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
 355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
 370 375 380

Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys

Tyr	Lys	Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu
	130					135						140			
Ser	Leu	Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala
145					150					155					160
Gly	Lys	Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg
				165					170					175	
Pro	Asn	His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His
			180					185					190		
His	Tyr	Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile
		195					200					205			
Lys	Arg	Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu
	210					215					220				
Tyr	Pro	Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr
225					230					235					240
Leu	Tyr	Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile
				245					250					255	
Pro	Asp	Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val
			260					265						270	
Phe	Thr	Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr
		275					280					285			
Thr	Phe	Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp
	290					295					300				
Gly	Thr	Leu	Ser	Ile	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys
305					310					315					320
Glu	Tyr	Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu
				325					330					335	
Ala	Ala	Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys

350

Pro	Tyr	Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro
65					70					75					80
Gln	Lys	Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile
				85					90					95	
Thr	Phe	Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp
			100					105					110		
Glu	Glu	Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val
		115					120					125			
Tyr	Lys	Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu
	130					135					140				
Ser	Leu	Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala
145					150					155					160
Gly	Lys	Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg
				165					170					175	
Pro	Asn	His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His
			180					185					190		
His	Tyr	Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile
		195					200					205			
Lys	Arg	Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu
	210					215					220				
Tyr	Pro	Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr
225					230					235					240
Leu	Tyr	Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile
				245					250					255	
Pro	Asp	Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val
			260					265					270		
Phe	Thr	Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr

275		280		285											
Thr	Phe	Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp
290						295					300				
Gly	Thr	Leu	Ser	Ile	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys
305					310					315					320
Glu	Tyr	Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu
				325					330					335	
Ala	Ala	Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys
			340					345					350		
Ile	Arg	Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp
		355					360					365			
Asn	Phe	Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly
370						375					380				
Lys	Pro	Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys
385					390					395					400
Ser	Cys	Tyr	Ser	Thr	Leu	Ser	Cys	Lys	Glu	Lys	Ala	Asp	Val	Lys	Asp
				405					410					415	
Thr	Asp	Ala	Val	Asp	Val	Cys	Ile	Ala	Asp	Gly	Val	Cys	Ile	Asp	Ala
			420					425					430		
Phe	Leu	Lys	Pro												
			435												

<210> 75
 <211> 452
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 75

Phe	Arg	Gly	Pro	Leu	Leu	Pro	Asn	Arg	Pro	Phe	Leu	Trp	Ala	Trp	Asn
1				5					10					15	
Ala	Pro	Ser	Glu	Phe	Cys	Leu	Gly	Lys	Phe	Asp	Glu	Pro	Leu	Asp	Met
			20					25					30		
Ser	Leu	Phe	Ser	Phe	Ile	Gly	Ser	Pro	Arg	Ile	Asn	Ala	Thr	Gly	Gln
		35					40					45			
Gly	Val	Thr	Ile	Phe	Tyr	Val	Asp	Arg	Leu	Gly	Tyr	Tyr	Pro	Tyr	Ile
	50					55					60				
Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro	Gln	Lys	Ile
65					70					75					80
Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile	Thr	Phe	Tyr
				85					90					95	
Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	Glu	Glu	Trp
			100					105					110		
Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	Tyr	Lys	Asn
			115				120					125			
Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu	Thr
	130					135					140				
Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys	Asp
145					150					155					160
Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn	His
				165					170					175	
Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr	Lys
			180					185					190		
Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg	Asn
		195					200					205			
Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro	Ser

210					215					220					
Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr	Val
225					230					235					240
Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp	Ala
				245					250					255	
Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr	Asp
			260					265					270		
Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe	Gly
		275					280					285			
Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Thr	Leu
	290					295					300				
Ser	Ile	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr	Met
305					310					315					320
Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala	Lys
				325					330					335	
Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	Ile	Arg	Lys
			340					345					350		
Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	Asn	Phe	Ala
		355					360					365			
Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly	Lys	Pro	Thr
	370					375					380				
Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys	Ser	Cys	Tyr
385					390					395					400
Ser	Thr	Leu	Ser	Cys	Lys	Glu	Lys	Ala	Asp	Val	Lys	Asp	Thr	Asp	Ala
				405					410					415	
Val	Asp	Val	Cys	Ile	Ala	Asp	Gly	Val	Cys	Ile	Asp	Ala	Phe	Leu	Lys
			420				425						430		

Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn Ala Ser Pro
 435 440 445

Ser Thr Leu Ser
 450

<210> 76
 <211> 452
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 76

Phe Arg Gly Pro Leu Leu Pro Asn Arg Pro Phe Thr Thr Val Trp Asn
 1 5 10 15

Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp Met
 20 25 30

Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly Gln
 35 40 45

Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr Ile
 50 55 60

Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln Lys Ile
 65 70 75 80

Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile Thr Phe Tyr
 85 90 95

Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp Glu Glu Trp
 100 105 110

Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val Tyr Lys Asn
 115 120 125

Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu Ser Leu Thr

130					135					140					
Glu 145	Ala	Thr	Glu	Lys	Ala 150	Lys	Gln	Glu	Phe	Glu 155	Lys	Ala	Gly	Lys	Asp 160
Phe	Leu	Val	Glu	Thr 165	Ile	Lys	Leu	Gly	Lys 170	Leu	Leu	Arg	Pro	Asn 175	His
Leu	Trp	Gly	Tyr 180	Tyr	Leu	Phe	Pro	Asp 185	Cys	Tyr	Asn	His	His 190	Tyr	Lys
Lys	Pro	Gly 195	Tyr	Asn	Gly	Ser	Cys 200	Phe	Asn	Val	Glu	Ile 205	Lys	Arg	Asn
Asp 210	Asp	Leu	Ser	Trp	Leu	Trp 215	Asn	Glu	Ser	Thr	Ala 220	Leu	Tyr	Pro	Ser
Ile 225	Tyr	Leu	Asn	Thr	Gln 230	Gln	Ser	Pro	Val	Ala 235	Ala	Thr	Leu	Tyr	Val 240
Arg	Asn	Arg	Val	Arg 245	Glu	Ala	Ile	Arg	Val 250	Ser	Lys	Ile	Pro	Asp 255	Ala
Lys	Ser	Pro	Leu 260	Pro	Val	Phe	Ala	Tyr 265	Thr	Arg	Ile	Val	Phe	Thr	Asp
Gln	Val	Leu 275	Lys	Phe	Leu	Ser	Gln 280	Asp	Glu	Leu	Val	Tyr 285	Thr	Phe	Gly
Glu 290	Thr	Val	Ala	Leu	Gly	Ala 295	Ser	Gly	Ile	Val	Ile 300	Trp	Gly	Thr	Leu
Ser 305	Ile	Thr	Arg	Thr	Lys 310	Glu	Ser	Cys	Gln	Ala 315	Ile	Lys	Glu	Tyr	Met 320
Asp	Thr	Thr	Leu	Asn 325	Pro	Tyr	Ile	Ile	Asn 330	Val	Thr	Leu	Ala	Ala 335	Lys
Met	Cys	Ser	Gln 340	Val	Leu	Cys	Gln	Glu 345	Gln	Gly	Val	Cys	Ile 350	Arg	Lys

Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp Asn Phe Ala
 355 360 365

Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly Lys Pro Thr
 370 375 380

Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys Ser Cys Tyr
 385 390 395 400

Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr Asp Ala
 405 410 415

Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe Leu Lys
 420 425 430

Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn Ala Ser Pro
 435 440 445

Ser Thr Leu Ser
 450

<210> 77
 <211> 433
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 77

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp
 1 5 10 15

Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp
 20 25 30

Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly
 35 40 45

Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr

50		55		60											
Ile 65	Asp	Ser	Ile	Thr	Gly 70	Val	Thr	Val	Asn	Gly 75	Gly	Ile	Pro	Gln	Lys 80
Ile	Ser	Leu	Gln	Asp 85	His	Leu	Asp	Lys	Ala 90	Lys	Lys	Asp	Ile	Thr 95	Phe
Tyr	Met	Pro	Val 100	Asp	Asn	Leu	Gly	Met 105	Ala	Val	Ile	Asp	Trp 110	Glu	Glu
Trp	Arg	Pro 115	Thr	Trp	Ala	Arg	Asn 120	Trp	Lys	Pro	Lys	Asp 125	Val	Tyr	Lys
Asn 130	Arg	Ser	Ile	Glu	Leu	Val 135	Gln	Gln	Gln	Asn	Val 140	Gln	Leu	Ser	Leu
Thr 145	Glu	Ala	Thr	Glu	Lys 150	Ala	Lys	Gln	Glu	Phe 155	Glu	Lys	Ala	Gly	Lys 160
Asp	Phe	Leu	Val 165	Glu	Thr	Ile	Lys	Leu	Gly 170	Lys	Leu	Leu	Arg	Pro 175	Asn
His	Leu	Trp	Gly 180	Tyr	Tyr	Leu	Phe	Pro 185	Asp	Cys	Tyr	Asn	His 190	His	Tyr
Lys	Lys	Pro 195	Gly	Tyr	Asn	Gly	Ser 200	Cys	Phe	Asn	Val	Glu 205	Ile	Lys	Arg
Asn 210	Asp	Asp	Leu	Ser	Trp	Leu 215	Trp	Asn	Glu	Ser	Thr 220	Ala	Leu	Tyr	Pro
Ser 225	Ile	Tyr	Leu	Asn	Thr 230	Gln	Gln	Ser	Pro	Val 235	Ala	Ala	Thr	Leu	Tyr 240
Val	Arg	Asn	Arg	Val 245	Arg	Glu	Ala	Ile	Arg 250	Val	Ser	Lys	Ile	Pro 255	Asp
Ala	Lys	Ser	Pro 260	Leu	Pro	Val	Phe	Ala 265	Tyr	Thr	Arg	Ile	Val 270	Phe	Thr

Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr Thr Phe
 275 280 285

Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp Gly Thr
 290 295 300

Trp Glu Asn Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys Glu Tyr
 305 310 315 320

Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu Ala Ala
 325 330 335

Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys Ile Arg
 340 345 350

Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp Asn Phe
 355 360 365

Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly Lys Pro
 370 375 380

Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys Ser Cys
 385 390 395 400

Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr Asp
 405 410 415

Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe Leu
 420 425 430

Lys

<210> 78
 <211> 431
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 78

Phe	Arg	Ala	Pro	Pro	Val	Ile	Pro	Asn	Val	Pro	Phe	Leu	Trp	Ala	Trp
1				5					10					15	

Asn	Ala	Pro	Ser	Glu	Phe	Cys	Leu	Gly	Lys	Phe	Asp	Glu	Pro	Leu	Asp
			20					25					30		

Met	Ser	Leu	Phe	Ser	Phe	Ile	Gly	Ser	Pro	Arg	Ile	Asn	Ala	Thr	Gly
		35					40					45			

Gln	Gly	Val	Thr	Ile	Phe	Tyr	Val	Asp	Arg	Leu	Gly	Tyr	Tyr	Pro	Tyr
	50					55					60				

Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro	Gln	Lys
65					70					75				80	

Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile	Thr	Phe
				85					90					95	

Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	Glu	Glu
			100					105					110		

Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	Tyr	Lys
		115					120					125			

Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu
	130					135					140				

Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys
145					150					155					160

Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn
				165					170					175	

His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr
			180					185					190		

Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg
		195					200					205			

Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro
210						215					220				
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr
225					230					235					240
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp
				245					250					255	
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr
			260					265					270		
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe
		275					280					285			
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Thr
	290					295					300				
Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr
305					310					315					320
Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala
				325					330					335	
Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	Ile	Arg
			340					345					350		
Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	Asn	Phe
		355					360					365			
Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly	Lys	Pro
	370					375					380				
Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys	Ser	Cys
385					390					395					400
Tyr	Ser	Thr	Leu	Ser	Cys	Lys	Glu	Lys	Ala	Asp	Val	Lys	Asp	Thr	Asp
				405					410					415	

Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe
 420 425 430

<210> 79
 <211> 455
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 79

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
 20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
 35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
 50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
 65 70 75 80

Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
 85 90 95

Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
 100 105 110

Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
 115 120 125

Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
 130 135 140

Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
 145 150 155 160

Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
 165 170 175

Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
 180 185 190

His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
 195 200 205

Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
 210 215 220

Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
 225 230 235 240

Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
 245 250 255

Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
 260 265 270

Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
 275 280 285

Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
 290 295 300

Gly Ser Trp Glu Asn Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys
 305 310 315 320

Glu Tyr Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
 325 330 335

Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
 340 345 350

Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
 355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
 370 375 380

Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
 385 390 395 400

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
 405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
 420 425 430

Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
 435 440 445

Ala Ser Pro Ser Thr Leu Ser
 450 455

<210> 80
 <211> 451
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 80

Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp Asn Ala
 1 5 10 15

Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp Met Ser
 20 25 30

Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly Gln Gly
 35 40 45

Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr Ile Asp
 50 55 60

Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln Lys Ile Ser
 65 70 75 80

Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile	Thr	Phe	Tyr	Met	
				85					90					95		
Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	Glu	Glu	Trp	Arg	
			100					105					110			
Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	Tyr	Lys	Asn	Arg	
		115					120					125				
Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu	Thr	Glu	
	130					135					140					
Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys	Asp	Phe	
145					150					155					160	
Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn	His	Leu	
				165					170					175		
Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr	Lys	Lys	
			180					185					190			
Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg	Asn	Asp	
		195					200					205				
Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro	Ser	Ile	
	210					215					220					
Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr	Val	Arg	
225					230					235					240	
Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp	Ala	Lys	
				245					250					255		
Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr	Asp	Gln	
			260					265					270			
Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe	Gly	Glu	
		275					280					285				

Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp Gly Thr Leu Ser
 290 295 300

Ile Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys Glu Tyr Met Asp
 305 310 315 320

Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu Ala Ala Lys Met
 325 330 335

Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys Ile Arg Lys Asn
 340 345 350

Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp Asn Phe Ala Ile
 355 360 365

Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly Lys Pro Thr Leu
 370 375 380

Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys Ser Cys Tyr Ser
 385 390 395 400

Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr Asp Ala Val
 405 410 415

Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe Leu Lys Pro
 420 425 430

Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn Ala Ser Pro Ser
 435 440 445

Thr Leu Ser
 450

<210> 81
 <211> 449
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 81

Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp Asn Ala Pro Ser
 1 5 10 15

Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp Met Ser Leu Phe
 20 25 30

Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly Gln Gly Val Thr
 35 40 45

Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr Ile Asp Ser Ile
 50 55 60

Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln Lys Ile Ser Leu Gln
 65 70 75 80

Asp His Leu Asp Lys Ala Lys Lys Asp Ile Thr Phe Tyr Met Pro Val
 85 90 95

Asp Asn Leu Gly Met Ala Val Ile Asp Trp Glu Glu Trp Arg Pro Thr
 100 105 110

Trp Ala Arg Asn Trp Lys Pro Lys Asp Val Tyr Lys Asn Arg Ser Ile
 115 120 125

Glu Leu Val Gln Gln Gln Asn Val Gln Leu Ser Leu Thr Glu Ala Thr
 130 135 140

Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala Gly Lys Asp Phe Leu Val
 145 150 155 160

Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg Pro Asn His Leu Trp Gly
 165 170 175

Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His His Tyr Lys Lys Pro Gly
 180 185 190

Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile Lys Arg Asn Asp Asp Leu
 195 200 205

Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu Tyr Pro Ser Ile Tyr Leu
 210 215 220

Asn Thr Gln Gln Ser Pro Val Ala Ala Thr Leu Tyr Val Arg Asn Arg
 225 230 235 240

Val Arg Glu Ala Ile Arg Val Ser Lys Ile Pro Asp Ala Lys Ser Pro
 245 250 255

Leu Pro Val Phe Ala Tyr Thr Arg Ile Val Phe Thr Asp Gln Val Leu
 260 265 270

Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr Thr Phe Gly Glu Thr Val
 275 280 285

Ala Leu Gly Ala Ser Gly Ile Val Ile Trp Gly Thr Leu Ser Ile Thr
 290 295 300

Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys Glu Tyr Met Asp Thr Thr
 305 310 315 320

Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu Ala Ala Lys Met Cys Ser
 325 330 335

Gln Val Leu Cys Gln Glu Gln Gly Val Cys Ile Arg Lys Asn Trp Asn
 340 345 350

Ser Ser Asp Tyr Leu His Leu Asn Pro Asp Asn Phe Ala Ile Gln Leu
 355 360 365

Glu Lys Gly Gly Lys Phe Thr Val Arg Gly Lys Pro Thr Leu Glu Asp
 370 375 380

Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys Ser Cys Tyr Ser Thr Leu
 385 390 395 400

Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr Asp Ala Val Asp Val
 405 410 415

Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe Leu Lys Pro Pro Met
 420 425 430

Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn Ala Ser Pro Ser Thr Leu
 435 440 445

Ser

<210> 82
 <211> 432
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 82

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
 20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
 35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
 50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
 65 70 75 80

Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
 85 90 95

Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
 100 105 110

Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
 115 120 125

Tyr	Lys	Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu
	130					135					140				
Ser	Leu	Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala
145					150					155					160
Gly	Lys	Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg
				165					170					175	
Pro	Asn	His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His
			180					185					190		
His	Tyr	Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile
		195					200					205			
Lys	Arg	Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu
	210					215					220				
Tyr	Pro	Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr
225					230					235					240
Leu	Tyr	Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile
				245					250					255	
Pro	Asp	Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val
			260					265					270		
Phe	Thr	Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr
		275					280					285			
Thr	Phe	Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp
	290					295					300				
Gly	Thr	Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys
305					310					315					320
Glu	Tyr	Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu
				325					330					335	

Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350

Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380

Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430

<210> 83
<211> 429
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 83

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80

Gln	Lys	Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile	
				85					90					95		
Thr	Phe	Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	
			100					105					110			
Glu	Glu	Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	
		115					120					125				
Tyr	Lys	Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	
	130					135					140					
Ser	Leu	Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	
145					150					155					160	
Gly	Lys	Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	
				165					170					175		
Pro	Asn	His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	
			180					185					190			
His	Tyr	Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	
		195					200					205				
Lys	Arg	Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	
	210					215					220					
Tyr	Pro	Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	
225					230					235					240	
Leu	Tyr	Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	
				245					250					255		
Pro	Asp	Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	
			260					265					270			
Phe	Thr	Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	
		275					280					285				

Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
 290 295 300

Gly Thr Trp Glu Asn Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys
 305 310 315 320

Glu Tyr Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
 325 330 335

Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
 340 345 350

Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
 355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
 370 375 380

Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
 385 390 395 400

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
 405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys
 420 425

<210> 84
 <211> 426
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 84

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
 20 25 30

Leu	Asp	Met	Ser	Leu	Phe	Ser	Phe	Ile	Gly	Ser	Pro	Arg	Ile	Asn	Ala
		35					40					45			
Thr	Gly	Gln	Gly	Val	Thr	Ile	Phe	Tyr	Val	Asp	Arg	Leu	Gly	Tyr	Tyr
	50					55					60				
Pro	Tyr	Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro
65					70					75					80
Gln	Lys	Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile
				85					90					95	
Thr	Phe	Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp
			100					105					110		
Glu	Glu	Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val
		115					120					125			
Tyr	Lys	Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu
	130					135						140			
Ser	Leu	Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala
145					150					155					160
Gly	Lys	Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg
				165					170					175	
Pro	Asn	His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His
			180					185					190		
His	Tyr	Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile
		195					200					205			
Lys	Arg	Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu
	210					215					220				
Tyr	Pro	Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr
225					230					235					240

Leu	Tyr	Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile			
				245					250					255				
Pro	Asp	Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val			
			260					265					270					
Phe	Thr	Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr			
		275					280					285						
Thr	Phe	Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp			
	290					295					300							
Gly	Thr	Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys			
305					310					315				320				
Glu	Tyr	Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu			
				325					330					335				
Ala	Ala	Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys			
			340					345					350					
Ile	Arg	Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp			
		355				360						365						
Asn	Phe	Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly			
	370					375					380							
Lys	Pro	Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys			
385					390					395					400			
Ser	Cys	Tyr	Ser	Thr	Leu	Ser	Cys	Lys	Glu	Lys	Ala	Asp	Val	Lys	Asp			
				405					410					415				
Thr	Asp	Ala	Val	Asp	Val	Cys	Ile	Ala	Asp									
			420					425										
<210>	85																	
<211>	423																	
<212>	PRT																	
<213>	Artificial Sequence																	

<220>

<223> Synthetic Sequence

<400> 85

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
 20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
 35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
 50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
 65 70 75 80

Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
 85 90 95

Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
 100 105 110

Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
 115 120 125

Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
 130 135 140

Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
 145 150 155 160

Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
 165 170 175

Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
 180 185 190

His	Tyr	Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile
		195					200					205			
Lys	Arg	Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu
	210					215					220				
Tyr	Pro	Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr
225					230					235					240
Leu	Tyr	Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile
				245					250					255	
Pro	Asp	Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val
			260					265					270		
Phe	Thr	Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr
		275					280					285			
Thr	Phe	Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp
	290					295					300				
Gly	Thr	Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys
305					310					315					320
Glu	Tyr	Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu
				325					330					335	
Ala	Ala	Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys
			340					345					350		
Ile	Arg	Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp
		355					360					365			
Asn	Phe	Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly
	370					375					380				
Lys	Pro	Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys
385					390					395					400
Ser	Cys	Tyr	Ser	Thr	Leu	Ser	Cys	Lys	Glu	Lys	Ala	Asp	Val	Lys	Asp

405

410

415

Thr Asp Ala Val Asp Val Cys
420

<210> 86
<211> 420
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 86

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80

Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95

Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110

Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125

Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140

Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
 145 150 155 160

Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
 165 170 175

Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
 180 185 190

His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
 195 200 205

Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
 210 215 220

Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
 225 230 235 240

Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
 245 250 255

Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
 260 265 270

Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
 275 280 285

Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
 290 295 300

Gly Thr Trp Glu Asn Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys
 305 310 315 320

Glu Tyr Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
 325 330 335

Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
 340 345 350

Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp

355

360

365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
 370 375 380

Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
 385 390 395 400

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
 405 410 415

Thr Asp Ala Val
 420

<210> 87
 <211> 433
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 87

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp
 1 5 10 15

Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp
 20 25 30

Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly
 35 40 45

Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr
 50 55 60

Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln Lys
 65 70 75 80

Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile Thr Phe
 85 90 95

Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	Glu	Glu		
			100					105					110				
Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	Tyr	Lys		
		115					120					125					
Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu		
	130					135					140						
Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys		
145					150					155					160		
Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn		
				165					170					175			
His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr		
			180					185					190				
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg		
		195					200					205					
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro		
	210					215					220						
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr		
225					230					235					240		
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp		
				245					250					255			
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr		
			260					265					270				
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe		
		275					280					285					
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Ser		
	290					295					300						
Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr		

Met	Ser	Leu	Phe	Ser	Phe	Ile	Gly	Ser	Pro	Arg	Ile	Asn	Ala	Thr	Gly
		35					40					45			
Gln	Gly	Val	Thr	Ile	Phe	Tyr	Val	Asp	Arg	Leu	Gly	Tyr	Tyr	Pro	Tyr
	50					55					60				
Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro	Gln	Lys
65					70					75					80
Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile	Thr	Phe
				85					90					95	
Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	Glu	Glu
			100					105					110		
Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	Tyr	Lys
		115					120					125			
Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu
	130					135					140				
Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys
145					150					155					160
Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn
				165					170					175	
His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr
			180					185					190		
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg
		195					200					205			
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro
	210					215					220				
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr
225					230					235					240
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp

245								250					255			
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr	
			260					265					270			
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe	
		275					280					285				
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Thr	
	290					295					300					
Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr	
305					310					315					320	
Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala	
				325				330						335		
Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	Ile	Arg	
			340					345					350			
Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	Asn	Phe	
		355					360					365				
Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly	Lys	Pro	
	370					375					380					
Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys	Ser	Cys	
385					390					395					400	
Tyr	Ser	Thr	Leu	Ser	Cys	Lys	Glu	Lys	Ala	Asp	Val	Lys	Asp	Thr	Asp	
				405				410						415		
Ala	Val	Asp	Val	Cys	Ile	Ala	Asp	Gly	Val	Cys	Ile	Asp	Ala	Phe	Leu	
			420					425					430			
Lys	Pro	Pro														
		435														
<210>	89															
<211>	436															

<212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 89

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp
 1 5 10 15

Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp
 20 25 30

Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly
 35 40 45

Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr
 50 55 60

Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln Lys
 65 70 75 80

Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile Thr Phe
 85 90 95

Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp Glu Glu
 100 105 110

Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val Tyr Lys
 115 120 125

Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu Ser Leu
 130 135 140

Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala Gly Lys
 145 150 155 160

Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg Pro Asn
 165 170 175

His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His His Tyr

			180					90						185			190
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg		
		195					200					205					
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro		
	210					215					220						
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr		
225					230					235					240		
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp		
				245					250					255			
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr		
			260					265					270				
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe		
		275					280					285					
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Thr		
	290					295					300						
Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr		
305					310					315					320		
Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala		
				325					330					335			
Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	Ile	Arg		
			340					345					350				
Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	Asn	Phe		
		355					360					365					
Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly	Lys	Pro		
	370					375					380						
Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys	Ser	Cys		
385					390					395					400		

Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr Asp
405 410 415

Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe Leu
420 425 430

Lys Pro Pro Met
435

<210>	90
<211>	437
<212>	PRT
<213>	Artificial Sequence

<220>
<223> Synthetic Sequence

 $\langle 400 \rangle \quad 90$

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp
1 5 10 15

Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp
20 25 30

Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly
35 40 45

Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr
50 55 60

Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln Lys
65 70 75 80

Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile Thr Phe
85 90 95

Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp Glu Glu
100 105 110

Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val Tyr Lys

115					120					125					
Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu
	130						135					140			
Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys
145					150					155					160
Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn
				165					170					175	
His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr
			180					185					190		
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg
		195					200					205			
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro
	210					215					220				
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr
225					230					235					240
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp
				245					250					255	
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr
			260					265					270		
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe
		275					280					285			
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Thr
	290					295					300				
Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr
305					310					315					320
Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala
				325					330					335	

Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys Ile Arg
 340 345 350

Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp Asn Phe
 355 360 365

Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly Lys Pro
 370 375 380

Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys Ser Cys
 385 390 395 400

Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr Asp
 405 410 415

Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe Leu
 420 425 430

Lys Pro Pro Met Glu
 435

<210> 91
 <211> 438
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 91

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp
 1 5 10 15

Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp
 20 25 30

Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly
 35 40 45

Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr

50					55					60					
Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro	Gln	Lys
65					70					75					80
Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile	Thr	Phe
				85					90					95	
Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	Glu	Glu
			100					105					110		
Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	Tyr	Lys
		115					120					125			
Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu
	130					135					140				
Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys
145					150					155					160
Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn
				165					170					175	
His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr
			180					185					190		
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg
		195					200					205			
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro
	210					215					220				
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr
225					230					235					240
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp
				245					250					255	
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr
			260					265					270		

Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr Thr Phe
 275 280 285

Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp Gly Thr
 290 295 300

Trp Glu Asn Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys Glu Tyr
 305 310 315 320

Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu Ala Ala
 325 330 335

Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys Ile Arg
 340 345 350

Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp Asn Phe
 355 360 365

Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly Lys Pro
 370 375 380

Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys Ser Cys
 385 390 395 400

Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr Asp
 405 410 415

Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe Leu
 420 425 430

Lys Pro Pro Met Glu Thr
 435

<210> 92
 <211> 439
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 92

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp
 1 5 10 15

Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp
 20 25 30

Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly
 35 40 45

Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr
 50 55 60

Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln Lys
 65 70 75 80

Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile Thr Phe
 85 90 95

Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp Glu Glu
 100 105 110

Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val Tyr Lys
 115 120 125

Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu Ser Leu
 130 135 140

Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala Gly Lys
 145 150 155 160

Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg Pro Asn
 165 170 175

His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His His Tyr
 180 185 190

Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile Lys Arg
 195 200 205

Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro
210						215					220				
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr
225					230					235					240
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp
				245					250					255	
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr
			260					265					270		
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe
		275					280					285			
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Thr
	290					295					300				
Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr
305					310					315					320
Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala
				325					330					335	
Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	Ile	Arg
			340					345					350		
Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	Asn	Phe
		355					360					365			
Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly	Lys	Pro
	370					375					380				
Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys	Ser	Cys
385					390					395					400
Tyr	Ser	Thr	Leu	Ser	Cys	Lys	Glu	Lys	Ala	Asp	Val	Lys	Asp	Thr	Asp
				405					410					415	

Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe Leu
 420 425 430

Lys Pro Pro Met Glu Thr Glu
 435

<210> 93

<211> 454

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Sequence

<400> 93

Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala
 1 5 10 15

Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu
 20 25 30

Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr
 35 40 45

Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro
 50 55 60

Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln
 65 70 75 80

Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile Thr
 85 90 95

Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp Glu
 100 105 110

Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val Tyr
 115 120 125

Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu Ser
 130 135 140

Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala Gly
 145 150 155 160

Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg Pro
 165 170 175

Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His His
 180 185 190

Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile Lys
 195 200 205

Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu Tyr
 210 215 220

Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr Leu
 225 230 235 240

Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile Pro
 245 250 255

Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val Phe
 260 265 270

Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr Thr
 275 280 285

Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp Gly
 290 295 300

Thr Leu Ser Ile Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys Glu
 305 310 315 320

Tyr Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu Ala
 325 330 335

Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys Ile
 340 345 350

Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp Asn
 355 360 365

Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly Lys
 370 375 380

Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys Ser
 385 390 395 400

Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr
 405 410 415

Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe
 420 425 430

Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn Ala
 435 440 445

Ser Pro Ser Thr Leu Ser
 450

<210> 94
 <211> 452
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 94

Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp Asn
 1 5 10 15

Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp Met
 20 25 30

Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly Gln
 35 40 45

Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr Ile
 50 55 60

Asp 65	Ser	Ile	Thr	Gly	Val 70	Thr	Val	Asn	Gly	Gly 75	Ile	Pro	Gln	Lys	Ile 80
Ser	Leu	Gln	Asp	His 85	Leu	Asp	Lys	Ala	Lys 90	Lys	Asp	Ile	Thr	Phe	Tyr 95
Met	Pro	Val	Asp 100	Asn	Leu	Gly	Met	Ala 105	Val	Ile	Asp	Trp	Glu 110	Glu	Trp
Arg	Pro	Thr 115	Trp	Ala	Arg	Asn	Trp 120	Lys	Pro	Lys	Asp	Val 125	Tyr	Lys	Asn
Arg 130	Ser	Ile	Glu	Leu	Val	Gln 135	Gln	Gln	Asn	Val	Gln 140	Leu	Ser	Leu	Thr
Glu 145	Ala	Thr	Glu	Lys	Ala 150	Lys	Gln	Glu	Phe	Glu 155	Lys	Ala	Gly	Lys	Asp 160
Phe	Leu	Val	Glu	Thr 165	Ile	Lys	Leu	Gly	Lys 170	Leu	Leu	Arg	Pro	Asn 175	His
Leu	Trp	Gly	Tyr 180	Tyr	Leu	Phe	Pro	Asp 185	Cys	Tyr	Asn	His	His 190	Tyr	Lys
Lys	Pro	Gly 195	Tyr	Asn	Gly	Ser	Cys 200	Phe	Asn	Val	Glu	Ile 205	Lys	Arg	Asn
Asp 210	Asp	Leu	Ser	Trp	Leu	Trp 215	Asn	Glu	Ser	Thr	Ala 220	Leu	Tyr	Pro	Ser
Ile 225	Tyr	Leu	Asn	Thr	Gln 230	Gln	Ser	Pro	Val	Ala 235	Ala	Thr	Leu	Tyr	Val 240
Arg	Asn	Arg	Val	Arg 245	Glu	Ala	Ile	Arg	Val 250	Ser	Lys	Ile	Pro	Asp 255	Ala
Lys	Ser	Pro	Leu 260	Pro	Val	Phe	Ala	Tyr 265	Thr	Arg	Ile	Val	Phe 270	Thr	Asp

Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr Thr Phe Gly
 275 280 285

Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp Gly Thr Leu
 290 295 300

Ser Ile Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys Glu Tyr Met
 305 310 315 320

Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu Ala Ala Lys
 325 330 335

Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys Ile Arg Lys
 340 345 350

Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp Asn Phe Ala
 355 360 365

Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly Lys Pro Thr
 370 375 380

Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys Ser Cys Tyr
 385 390 395 400

Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr Asp Ala
 405 410 415

Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe Leu Lys
 420 425 430

Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn Ala Ser Pro
 435 440 445

Ser Thr Leu Ser
 450

<210> 95

<211> 450

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Sequence

<400> 95

Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp Asn Ala Pro
 1 5 10 15

Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp Met Ser Leu
 20 25 30

Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly Gln Gly Val
 35 40 45

Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr Ile Asp Ser
 50 55 60

Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln Lys Ile Ser Leu
 65 70 75 80

Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile Thr Phe Tyr Met Pro
 85 90 95

Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp Glu Glu Trp Arg Pro
 100 105 110

Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val Tyr Lys Asn Arg Ser
 115 120 125

Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu Ser Leu Thr Glu Ala
 130 135 140

Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala Gly Lys Asp Phe Leu
 145 150 155 160

Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg Pro Asn His Leu Trp
 165 170 175

Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His His Tyr Lys Lys Pro
 180 185 190

Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg	Asn	Asp	Asp
		195					200					205			
Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro	Ser	Ile	Tyr
	210					215					220				
Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr	Val	Arg	Asn
225					230					235					240
Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp	Ala	Lys	Ser
				245					250					255	
Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr	Asp	Gln	Val
			260					265					270		
Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe	Gly	Glu	Thr
		275					280					285			
Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Thr	Leu	Ser	Ile
	290					295					300				
Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr	Met	Asp	Thr
305					310					315					320
Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala	Lys	Met	Cys
				325					330					335	
Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	Ile	Arg	Lys	Asn	Trp
			340					345					350		
Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	Asn	Phe	Ala	Ile	Gln
		355					360					365			
Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly	Lys	Pro	Thr	Leu	Glu
	370					375					380				
Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys	Ser	Cys	Tyr	Ser	Thr
385					390					395					400

Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr Asp Ala Val Asp
 405 410 415

Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe Leu Lys Pro Pro
 420 425 430

Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn Ala Ser Pro Ser Thr
 435 440 445

Leu Ser
 450

<210> 96
 <211> 428
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 96

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp
 1 5 10 15

Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp
 20 25 30

Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly
 35 40 45

Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr
 50 55 60

Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln Lys
 65 70 75 80

Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile Thr Phe
 85 90 95

Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp Glu Glu
 100 105 110

Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	Tyr	Lys
		115					120					125			
Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu
	130					135					140				
Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys
145					150					155					160
Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn
				165					170					175	
His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr
			180					185					190		
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg
		195					200					205			
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro
	210					215					220				
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr
225					230					235					240
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp
				245					250					255	
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr
			260					265					270		
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe
		275					280					285			
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Ser
	290					295					300				
Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr
305					310					315					320

Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu Ala Ala
325 330 335

Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys Ile Arg
340 345 350

Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp Asn Phe
355 360 365

Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly Lys Pro
370 375 380

Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys Ser Cys
385 390 395 400

Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr Asp
405 410 415

Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile
420 425

<210> 97
<211> 429
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<400> 97

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp
1 5 10 15

Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp
20 25 30

Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly
35 40 45

Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr
50 55 60

Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln Lys
65 70 75 80

Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile Thr Phe
85 90 95

Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp Glu Glu
100 105 110

Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val Tyr Lys
115 120 125

Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu Ser Leu
130 135 140

Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala Gly Lys
145 150 155 160

Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg Pro Asn
165 170 175

His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His His Tyr
180 185 190

Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile Lys Arg
195 200 205

Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu Tyr Pro
210 215 220

Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr Leu Tyr
225 230 235 240

Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile Pro Asp
245 250 255

Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val Phe Thr
260 265 270

Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr Thr Phe
 275 280 285

Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp Gly Ser
 290 295 300

Trp Glu Asn Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys Glu Tyr
 305 310 315 320

Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu Ala Ala
 325 330 335

Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys Ile Arg
 340 345 350

Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp Asn Phe
 355 360 365

Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly Lys Pro
 370 375 380

Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys Ser Cys
 385 390 395 400

Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr Asp
 405 410 415

Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp
 420 425

<210> 98
 <211> 430
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 98

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp
 1 5 10 15

Asn	Ala	Pro	Ser	Glu	Phe	Cys	Leu	Gly	Lys	Phe	Asp	Glu	Pro	Leu	Asp
			20					25					30		
Met	Ser	Leu	Phe	Ser	Phe	Ile	Gly	Ser	Pro	Arg	Ile	Asn	Ala	Thr	Gly
		35					40					45			
Gln	Gly	Val	Thr	Ile	Phe	Tyr	Val	Asp	Arg	Leu	Gly	Tyr	Tyr	Pro	Tyr
	50					55					60				
Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro	Gln	Lys
65					70					75					80
Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile	Thr	Phe
				85					90					95	
Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	Glu	Glu
			100					105					110		
Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	Tyr	Lys
		115					120					125			
Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu
	130					135					140				
Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys
145					150					155					160
Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn
				165					170					175	
His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr
			180					185					190		
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg
		195					200					205			
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro
	210					215					220				

Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr
225					230					235					240
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp
				245					250					255	
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr
			260					265					270		
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe
		275					280					285			
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Ser
	290					295					300				
Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr
305					310					315					320
Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala
				325					330					335	
Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	Ile	Arg
			340					345					350		
Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	Asn	Phe
		355					360					365			
Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly	Lys	Pro
	370					375					380				
Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys	Ser	Cys
385					390					395					400
Tyr	Ser	Thr	Leu	Ser	Cys	Lys	Glu	Lys	Ala	Asp	Val	Lys	Asp	Thr	Asp
				405					410					415	
Ala	Val	Asp	Val	Cys	Ile	Ala	Asp	Gly	Val	Cys	Ile	Asp	Ala		
			420					425					430		

<210> 99

<211> 431
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 99

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp
 1 5 10 15

Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp
 20 25 30

Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly
 35 40 45

Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr
 50 55 60

Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln Lys
 65 70 75 80

Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile Thr Phe
 85 90 95

Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp Glu Glu
 100 105 110

Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val Tyr Lys
 115 120 125

Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu Ser Leu
 130 135 140

Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala Gly Lys
 145 150 155 160

Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg Pro Asn
 165 170 175

His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr	
			180					185					190			
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg	
		195					200					205				
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro	
	210					215					220					
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr	
225					230					235					240	
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp	
				245					250					255		
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr	
			260					265					270			
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe	
		275					280					285				
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Ser	
	290					295					300					
Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr	
305					310					315					320	
Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala	
				325					330					335		
Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	Ile	Arg	
			340					345					350			
Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	Asn	Phe	
		355					360					365				
Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly	Lys	Pro	
	370					375					380					
Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys	Ser	Cys	

Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu
130						135					140				
Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys
145					150					155					160
Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn
				165					170					175	
His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr
			180					185					190		
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg
		195					200					205			
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro
	210					215					220				
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr
225					230					235					240
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp
				245					250					255	
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr
			260					265					270		
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe
		275					280					285			
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Thr
	290					295					300				
Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr
305					310					315					320
Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala
				325					330					335	
Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	Ile	Arg

Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro	Gln	Lys
65					70					75					80
Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile	Thr	Phe
				85					90					95	
Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	Glu	Glu
			100					105					110		
Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	Tyr	Lys
		115					120					125			
Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu
	130					135					140				
Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys
145					150					155					160
Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn
				165					170					175	
His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr
			180					185					190		
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg
		195					200					205			
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro
	210					215					220				
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr
225					230					235					240
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp
				245					250					255	
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr
			260					265					270		
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe

275		280		285												
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Thr	
290						295					300					
Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr	
305					310					315					320	
Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala	
				325					330					335		
Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	Ile	Arg	
			340					345					350			
Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	Asn	Phe	
		355					360					365				
Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly	Lys	Pro	
	370					375						380				
Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys	Ser	Cys	
385					390					395					400	
Tyr	Ser	Thr	Leu	Ser	Cys	Lys	Glu	Lys	Ala	Asp	Val	Lys	Asp	Thr	Asp	
				405					410					415		
Ala	Val	Asp	Val	Cys	Ile	Ala	Asp	Gly	Val	Cys	Ile	Asp	Ala	Phe	Leu	
			420					425					430			
Lys	Pro	Pro	Met	Glu	Thr	Glu	Glu	Pro	Gln	Ile						
		435					440									
<210>	102															
<211>	445															
<212>	PRT															
<213>	Artificial Sequence															
<220>																
<223>	Synthetic Sequence															
<400>	102															

Phe	Arg	Ala	Pro	Pro	Val	Ile	Pro	Asn	Val	Pro	Phe	Leu	Trp	Ala	Trp
1				5					10					15	
Asn	Ala	Pro	Ser	Glu	Phe	Cys	Leu	Gly	Lys	Phe	Asp	Glu	Pro	Leu	Asp
			20					25					30		
Met	Ser	Leu	Phe	Ser	Phe	Ile	Gly	Ser	Pro	Arg	Ile	Asn	Ala	Thr	Gly
		35					40					45			
Gln	Gly	Val	Thr	Ile	Phe	Tyr	Val	Asp	Arg	Leu	Gly	Tyr	Tyr	Pro	Tyr
	50					55					60				
Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro	Gln	Lys
65					70					75					80
Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile	Thr	Phe
				85					90					95	
Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	Glu	Glu
			100					105					110		
Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	Tyr	Lys
		115					120					125			
Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu
	130					135					140				
Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys
145					150					155					160
Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn
				165					170					175	
His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr
			180					185					190		
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg
		195					200					205			
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro

210					215					220					
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr
225					230					235					240
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp
				245					250					255	
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr
			260					265					270		
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe
		275					280					285			
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Thr
	290					295					300				
Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr
305					310					315					320
Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala
				325					330					335	
Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	Ile	Arg
			340					345					350		
Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	Asn	Phe
		355					360					365			
Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly	Lys	Pro
	370					375					380				
Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys	Ser	Cys
385					390					395					400
Tyr	Ser	Thr	Leu	Ser	Cys	Lys	Glu	Lys	Ala	Asp	Val	Lys	Asp	Thr	Asp
				405					410					415	
Ala	Val	Asp	Val	Cys	Ile	Ala	Asp	Gly	Val	Cys	Ile	Asp	Ala	Phe	Leu
			420					425					430		

Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
 435 440 445

<210> 103
 <211> 447
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 103

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp
 1 5 10 15

Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp
 20 25 30

Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly
 35 40 45

Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr
 50 55 60

Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln Lys
 65 70 75 80

Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile Thr Phe
 85 90 95

Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp Glu Glu
 100 105 110

Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val Tyr Lys
 115 120 125

Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu Ser Leu
 130 135 140

Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala Gly Lys

145					150					155					160
Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn
				165					170					175	
His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr
			180					185					190		
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg
		195					200					205			
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro
	210					215					220				
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr
225					230					235					240
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp
				245					250					255	
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr
			260				265						270		
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe
		275					280					285			
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Thr
	290					295					300				
Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr
305					310					315					320
Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala
				325					330					335	
Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	Ile	Arg
			340					345					350		
Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	Asn	Phe
		355					360					365			

Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly Lys Pro
 370 375 380

Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys Ser Cys
 385 390 395 400

Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr Asp
 405 410 415

Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe Leu
 420 425 430

Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn Ala
 435 440 445

<210> 104

<211> 449

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Sequence

<400> 104

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp
 1 5 10 15

Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp
 20 25 30

Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly
 35 40 45

Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr
 50 55 60

Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln Lys
 65 70 75 80

Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile Thr Phe

85

90

95

Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp Glu Glu
 100 105 110

Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val Tyr Lys
 115 120 125

Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu Ser Leu
 130 135 140

Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala Gly Lys
 145 150 155 160

Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg Pro Asn
 165 170 175

His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His His Tyr
 180 185 190

Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile Lys Arg
 195 200 205

Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu Tyr Pro
 210 215 220

Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr Leu Tyr
 225 230 235 240

Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile Pro Asp
 245 250 255

Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val Phe Thr
 260 265 270

Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr Thr Phe
 275 280 285

Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp Gly Thr
 290 295 300

Trp Glu Asn Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys Glu Tyr
 305 310 315 320

Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu Ala Ala
 325 330 335

Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys Ile Arg
 340 345 350

Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp Asn Phe
 355 360 365

Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly Lys Pro
 370 375 380

Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys Ser Cys
 385 390 395 400

Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr Asp
 405 410 415

Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe Leu
 420 425 430

Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn Ala Ser
 435 440 445

Pro

<210> 105
 <211> 451
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 105

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp

1				5						10					15	
Asn	Ala	Pro	Ser	Glu	Phe	Cys	Leu	Gly	Lys	Phe	Asp	Glu	Pro	Leu	Asp	
			20					25					30			
Met	Ser	Leu	Phe	Ser	Phe	Ile	Gly	Ser	Pro	Arg	Ile	Asn	Ala	Thr	Gly	
		35					40					45				
Gln	Gly	Val	Thr	Ile	Phe	Tyr	Val	Asp	Arg	Leu	Gly	Tyr	Tyr	Pro	Tyr	
	50					55					60					
Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro	Gln	Lys	
65					70					75					80	
Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile	Thr	Phe	
				85					90					95		
Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	Glu	Glu	
			100					105					110			
Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	Tyr	Lys	
		115					120					125				
Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu	
	130					135					140					
Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys	
145					150					155					160	
Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn	
				165					170					175		
His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr	
			180					185					190			
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg	
		195					200					205				
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro	
	210					215					220					

Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr Leu Tyr
225 230 235 240

Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile Pro Asp
245 250 255

Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val Phe Thr
260 265 270

Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr Thr Phe
275 280 285

Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp Gly Thr
290 295 300

Trp Glu Asn Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys Glu Tyr
305 310 315 320

Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu Ala Ala
325 330 335

Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys Ile Arg
340 345 350

Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp Asn Phe
355 360 365

Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly Lys Pro
370 375 380

Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys Ser Cys
385 390 395 400

Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr Asp
405 410 415

Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe Leu
420 425 430

Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn Ala Ser
 435 440 445

Pro Ser Thr
 450

<210> 106
 <211> 455
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 106

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
 20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
 35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
 50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
 65 70 75 80

Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
 85 90 95

Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
 100 105 110

Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
 115 120 125

Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
 130 135 140

Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160

Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175

Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190

His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205

Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220

Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240

Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255

Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270

Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285

Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300

Gly Gly Trp Glu Asn Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys
305 310 315 320

Glu Tyr Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335

Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350

Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
 355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
 370 375 380

Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
 385 390 395 400

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
 405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
 420 425 430

Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
 435 440 445

Ala Ser Pro Ser Thr Leu Ser
 450 455

<210> 107
 <211> 455
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 107

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
 20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
 35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
 50 55 60

Pro	Tyr	Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro
65					70					75					80
Gln	Lys	Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile
				85					90					95	
Thr	Phe	Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp
			100					105					110		
Glu	Glu	Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val
		115					120					125			
Tyr	Lys	Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu
	130					135					140				
Ser	Leu	Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala
145					150					155					160
Gly	Lys	Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg
				165					170					175	
Pro	Asn	His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His
			180					185					190		
His	Tyr	Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile
		195					200					205			
Lys	Arg	Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu
	210					215					220				
Tyr	Pro	Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr
225					230					235					240
Leu	Tyr	Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile
				245					250					255	
Pro	Asp	Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val
			260					265					270		

Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
 275 280 285

Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
 290 295 300

Gly Ala Trp Glu Asn Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys
 305 310 315 320

Glu Tyr Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
 325 330 335

Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
 340 345 350

Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
 355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
 370 375 380

Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
 385 390 395 400

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
 405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
 420 425 430

Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
 435 440 445

Ala Ser Pro Ser Thr Leu Ser
 450 455

<210> 108

<211> 455

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Sequence

<400> 108

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
 20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
 35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
 50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
 65 70 75 80

Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
 85 90 95

Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
 100 105 110

Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
 115 120 125

Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
 130 135 140

Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
 145 150 155 160

Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
 165 170 175

Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
 180 185 190

His	Tyr	Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	
		195					200					205				
Lys	Arg	Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	
	210					215					220					
Tyr	Pro	Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	
225					230					235					240	
Leu	Tyr	Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	
				245					250					255		
Pro	Asp	Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	
			260					265					270			
Phe	Thr	Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	
		275					280					285				
Thr	Phe	Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	
	290					295					300					
Gly	Cys	Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	
305					310					315					320	
Glu	Tyr	Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	
				325					330					335		
Ala	Ala	Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	
			340					345					350			
Ile	Arg	Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	
		355					360					365				
Asn	Phe	Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly	
	370					375					380					
Lys	Pro	Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys	
385					390					395					400	

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
 405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
 420 425 430

Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
 435 440 445

Ala Ser Pro Ser Thr Leu Ser
 450 455

<210> 109
 <211> 455
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 109

Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1 5 10 15

Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
 20 25 30

Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
 35 40 45

Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
 50 55 60

Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
 65 70 75 80

Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
 85 90 95

Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
 100 105 110

Glu	Glu	Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val
		115					120					125			
Tyr	Lys	Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu
	130					135					140				
Ser	Leu	Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala
145					150					155					160
Gly	Lys	Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg
				165					170					175	
Pro	Asn	His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His
			180					185					190		
His	Tyr	Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile
		195					200					205			
Lys	Arg	Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu
	210					215					220				
Tyr	Pro	Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr
225					230					235					240
Leu	Tyr	Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile
				245					250					255	
Pro	Asp	Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val
			260					265					270		
Phe	Thr	Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr
		275					280					285			
Thr	Phe	Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp
	290					295					300				
Gly	Asp	Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys
305					310					315					320

Glu Tyr Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
 325 330 335

Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
 340 345 350

Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
 355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
 370 375 380

Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
 385 390 395 400

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
 405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
 420 425 430

Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
 435 440 445

Ala Ser Pro Ser Thr Leu Ser
 450 455

<210> 110
 <211> 431
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 110

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp
 1 5 10 15

Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp
 20 25 30

Met	Ser	Leu	Phe	Ser	Phe	Ile	Gly	Ser	Pro	Arg	Ile	Asn	Ala	Thr	Gly
		35					40					45			
Gln	Gly	Val	Thr	Ile	Phe	Tyr	Val	Asp	Arg	Leu	Gly	Tyr	Tyr	Pro	Tyr
	50					55					60				
Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro	Gln	Lys
65					70					75					80
Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile	Thr	Phe
				85					90					95	
Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	Glu	Glu
			100					105					110		
Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	Tyr	Lys
		115					120					125			
Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu
	130					135					140				
Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys
145					150					155					160
Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn
				165					170					175	
His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr
			180					185					190		
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg
		195					200					205			
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro
	210					215					220				
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr
225					230					235					240

Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp
				245					250					255	
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr
			260					265					270		
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe
		275					280					285			
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Thr
	290					295					300				
Leu	Ser	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr
305					310					315					320
Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala
				325					330					335	
Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	Ile	Arg
			340					345					350		
Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	Asn	Phe
		355					360					365			
Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly	Lys	Pro
	370					375						380			
Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys	Ser	Cys
385					390					395					400
Tyr	Ser	Thr	Leu	Ser	Cys	Lys	Glu	Lys	Ala	Asp	Val	Lys	Asp	Thr	Asp
				405					410					415	
Ala	Val	Asp	Val	Cys	Ile	Ala	Asp	Gly	Val	Cys	Ile	Asp	Ala	Phe	
			420					425					430		

<210> 111
 <211> 431
 <212> PRT
 <213> Artificial Sequence

<220>

<223> Synthetic Sequence

<400> 111

Phe	Arg	Ala	Pro	Pro	Val	Ile	Pro	Asn	Val	Pro	Phe	Leu	Trp	Ala	Trp
1				5					10					15	

Asn	Ala	Pro	Ser	Glu	Phe	Cys	Leu	Gly	Lys	Phe	Asp	Glu	Pro	Leu	Asp
			20					25					30		

Met	Ser	Leu	Phe	Ser	Phe	Ile	Gly	Ser	Pro	Arg	Ile	Asn	Ala	Thr	Gly
		35					40					45			

Gln	Gly	Val	Thr	Ile	Phe	Tyr	Val	Asp	Arg	Leu	Gly	Tyr	Tyr	Pro	Tyr
	50					55					60				

Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro	Gln	Lys
65					70					75					80

Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile	Thr	Phe
				85					90					95	

Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	Glu	Glu
			100					105					110		

Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	Tyr	Lys
		115					120					125			

Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu
	130					135					140				

Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys
145					150					155					160

Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn
				165					170					175	

His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr
			180					185					190		

Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile Lys Arg
 195 200 205

Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu Tyr Pro
 210 215 220

Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr Leu Tyr
 225 230 235 240

Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile Pro Asp
 245 250 255

Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val Phe Thr
 260 265 270

Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr Thr Phe
 275 280 285

Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp Gly Thr
 290 295 300

Leu Glu Asn Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile Lys Glu Tyr
 305 310 315 320

Met Asp Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu Ala Ala
 325 330 335

Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys Ile Arg
 340 345 350

Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp Asn Phe
 355 360 365

Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly Lys Pro
 370 375 380

Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys Ser Cys
 385 390 395 400

Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr Asp

405

410

415

Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe
 420 425 430

<210> 112
 <211> 431
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Sequence

<400> 112

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp
 1 5 10 15

Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp
 20 25 30

Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly
 35 40 45

Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr
 50 55 60

Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln Lys
 65 70 75 80

Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile Thr Phe
 85 90 95

Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp Glu Glu
 100 105 110

Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val Tyr Lys
 115 120 125

Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu Ser Leu
 130 135 140

Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys
145					150					155					160
Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn
				165					170					175	
His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr
			180					185					190		
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg
		195					200					205			
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro
	210					215					220				
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr
225					230					235					240
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp
				245					250					255	
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr
			260					265					270		
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe
		275					280					285			
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Ala
	290					295					300				
Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr
305					310					315					320
Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala
				325					330					335	
Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	Ile	Arg
			340					345					350		
Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	Asn	Phe

355

360

365

Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly Lys Pro
 370 375 380

Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys Ser Cys
 385 390 395 400

Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp Thr Asp
 405 410 415

Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala Phe
 420 425 430

<210> 113

<211> 431

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Sequence

<400> 113

Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp Ala Trp
 1 5 10 15

Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro Leu Asp
 20 25 30

Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala Thr Gly
 35 40 45

Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr
 50 55 60

Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln Lys
 65 70 75 80

Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile Thr Phe
 85 90 95

Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	Glu	Glu		
			100					105					110				
Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	Tyr	Lys		
		115					120					125					
Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu		
	130					135					140						
Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys		
145					150					155					160		
Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn		
				165					170					175			
His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr		
			180					185					190				
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg		
		195					200					205					
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro		
	210					215					220						
Ser	Ile	Tyr	Leu	Asn	Thr	Gln	Gln	Ser	Pro	Val	Ala	Ala	Thr	Leu	Tyr		
225					230					235					240		
Val	Arg	Asn	Arg	Val	Arg	Glu	Ala	Ile	Arg	Val	Ser	Lys	Ile	Pro	Asp		
				245					250					255			
Ala	Lys	Ser	Pro	Leu	Pro	Val	Phe	Ala	Tyr	Thr	Arg	Ile	Val	Phe	Thr		
			260					265					270				
Asp	Gln	Val	Leu	Lys	Phe	Leu	Ser	Gln	Asp	Glu	Leu	Val	Tyr	Thr	Phe		
		275					280					285					
Gly	Glu	Thr	Val	Ala	Leu	Gly	Ala	Ser	Gly	Ile	Val	Ile	Trp	Gly	Gly		
	290					295					300						
Trp	Glu	Asn	Thr	Arg	Thr	Lys	Glu	Ser	Cys	Gln	Ala	Ile	Lys	Glu	Tyr		

305					310						315				320
Met	Asp	Thr	Thr	Leu	Asn	Pro	Tyr	Ile	Ile	Asn	Val	Thr	Leu	Ala	Ala
				325					330					335	
Lys	Met	Cys	Ser	Gln	Val	Leu	Cys	Gln	Glu	Gln	Gly	Val	Cys	Ile	Arg
			340					345					350		
Lys	Asn	Trp	Asn	Ser	Ser	Asp	Tyr	Leu	His	Leu	Asn	Pro	Asp	Asn	Phe
		355					360					365			
Ala	Ile	Gln	Leu	Glu	Lys	Gly	Gly	Lys	Phe	Thr	Val	Arg	Gly	Lys	Pro
	370					375					380				
Thr	Leu	Glu	Asp	Leu	Glu	Gln	Phe	Ser	Glu	Lys	Phe	Tyr	Cys	Ser	Cys
385					390					395					400
Tyr	Ser	Thr	Leu	Ser	Cys	Lys	Glu	Lys	Ala	Asp	Val	Lys	Asp	Thr	Asp
				405					410					415	
Ala	Val	Asp	Val	Cys	Ile	Ala	Asp	Gly	Val	Cys	Ile	Asp	Ala	Phe	
			420					425					430		
<210>	114														
<211>	431														
<212>	PRT														
<213>	Artificial Sequence														
<220>															
<223>	Synthetic Sequence														
<400>	114														
Phe	Arg	Gly	Pro	Pro	Val	Ile	Pro	Asn	Val	Pro	Phe	Leu	Trp	Ala	Trp
1				5					10					15	
Asn	Ala	Pro	Ser	Glu	Phe	Cys	Leu	Gly	Lys	Phe	Asp	Glu	Pro	Leu	Asp
			20					25					30		
Met	Ser	Leu	Phe	Ser	Phe	Ile	Gly	Ser	Pro	Arg	Ile	Asn	Ala	Thr	Gly
		35					40					45			

Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr Pro Tyr
 50 55 60

Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro Gln Lys
 65 70 75 80

Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile Thr Phe
 85 90 95

Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp Glu Glu
 100 105 110

Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val Tyr Lys
 115 120 125

Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu Ser Leu
 130 135 140

Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala Gly Lys
 145 150 155 160

Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg Pro Asn
 165 170 175

His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His His Tyr
 180 185 190

Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile Lys Arg
 195 200 205

Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu Tyr Pro
 210 215 220

Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr Leu Tyr
 225 230 235 240

Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile Pro Asp
 245 250 255

Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val Phe Thr

Phe	Arg	Gly	Pro	Pro	Val	Ile	Pro	Asn	Val	Pro	Phe	Leu	Trp	Ala	Trp
1				5					10					15	
Asn	Ala	Pro	Ser	Glu	Phe	Cys	Leu	Gly	Lys	Phe	Asp	Glu	Pro	Leu	Asp
			20					25					30		
Met	Ser	Leu	Phe	Ser	Phe	Ile	Gly	Ser	Pro	Arg	Ile	Asn	Ala	Thr	Gly
		35					40					45			
Gln	Gly	Val	Thr	Ile	Phe	Tyr	Val	Asp	Arg	Leu	Gly	Tyr	Tyr	Pro	Tyr
	50					55					60				
Ile	Asp	Ser	Ile	Thr	Gly	Val	Thr	Val	Asn	Gly	Gly	Ile	Pro	Gln	Lys
65					70					75					80
Ile	Ser	Leu	Gln	Asp	His	Leu	Asp	Lys	Ala	Lys	Lys	Asp	Ile	Thr	Phe
				85					90					95	
Tyr	Met	Pro	Val	Asp	Asn	Leu	Gly	Met	Ala	Val	Ile	Asp	Trp	Glu	Glu
			100					105					110		
Trp	Arg	Pro	Thr	Trp	Ala	Arg	Asn	Trp	Lys	Pro	Lys	Asp	Val	Tyr	Lys
		115					120					125			
Asn	Arg	Ser	Ile	Glu	Leu	Val	Gln	Gln	Gln	Asn	Val	Gln	Leu	Ser	Leu
	130					135					140				
Thr	Glu	Ala	Thr	Glu	Lys	Ala	Lys	Gln	Glu	Phe	Glu	Lys	Ala	Gly	Lys
145					150					155					160
Asp	Phe	Leu	Val	Glu	Thr	Ile	Lys	Leu	Gly	Lys	Leu	Leu	Arg	Pro	Asn
				165					170					175	
His	Leu	Trp	Gly	Tyr	Tyr	Leu	Phe	Pro	Asp	Cys	Tyr	Asn	His	His	Tyr
			180					185					190		
Lys	Lys	Pro	Gly	Tyr	Asn	Gly	Ser	Cys	Phe	Asn	Val	Glu	Ile	Lys	Arg
		195					200					205			
Asn	Asp	Asp	Leu	Ser	Trp	Leu	Trp	Asn	Glu	Ser	Thr	Ala	Leu	Tyr	Pro

210					215					220					
Ser 225	Ile	Tyr	Leu	Asn	Thr 230	Gln	Gln	Ser	Pro	Val 235	Ala	Ala	Thr	Leu	Tyr 240
Val	Arg	Asn	Arg	Val 245	Arg	Glu	Ala	Ile	Arg 250	Val	Ser	Lys	Ile	Pro	Asp 255
Ala	Lys	Ser	Pro 260	Leu	Pro	Val	Phe	Ala 265	Tyr	Thr	Arg	Ile	Val 270	Phe	Thr
Asp	Gln	Val 275	Leu	Lys	Phe	Leu	Ser 280	Gln	Asp	Glu	Leu	Val 285	Tyr	Thr	Phe
Gly 290	Glu	Thr	Val	Ala	Leu	Gly 295	Ala	Ser	Gly	Ile	Val 300	Ile	Trp	Gly	Ser
Trp 305	Glu	Asn	Thr	Arg	Thr 310	Lys	Glu	Ser	Cys	Gln 315	Ala	Ile	Lys	Glu	Tyr 320
Met	Asp	Thr	Thr	Leu 325	Asn	Pro	Tyr	Ile	Ile 330	Asn	Val	Thr	Leu	Ala 335	Ala
Lys	Met	Cys	Ser 340	Gln	Val	Leu	Cys	Gln 345	Glu	Gln	Gly	Val	Cys 350	Ile	Arg
Lys	Asn	Trp 355	Asn	Ser	Ser	Asp	Tyr 360	Leu	His	Leu	Asn 365	Pro	Asp	Asn	Phe
Ala 370	Ile	Gln	Leu	Glu	Lys	Gly 375	Gly	Lys	Phe	Thr	Val 380	Arg	Gly	Lys	Pro
Thr 385	Leu	Glu	Asp	Leu	Glu 390	Gln	Phe	Ser	Glu	Lys 395	Phe	Tyr	Cys	Ser	Cys 400
Tyr	Ser	Thr	Leu	Ser 405	Cys	Lys	Glu	Lys	Ala 410	Asp	Val	Lys	Asp	Thr 415	Asp
Ala	Val	Asp	Val 420	Cys	Ile	Ala	Asp	Gly 425	Val	Cys	Ile	Asp	Ala 430	Phe	