



(86) Date de dépôt PCT/PCT Filing Date: 2016/10/04
(87) Date publication PCT/PCT Publication Date: 2017/04/13
(45) Date de délivrance/Issue Date: 2024/05/21
(85) Entrée phase nationale/National Entry: 2018/04/04
(86) N° demande PCT/PCT Application No.: NL 2016/050684
(87) N° publication PCT/PCT Publication No.: 2017/061859
(30) Priorité/Priority: 2015/10/05 (EP15188418.6)

(51) Cl.Int./Int.Cl. *C12N 15/82* (2006.01),
A01H 5/00 (2018.01), *C12Q 1/68* (2018.01),
C12Q 1/70 (2006.01)
(72) Inventeur/Inventor:
VERMUNT, ADRIANUS MARINUS WILHELMUS, NL
(73) Propriétaire/Owner:
LOOIJE APPLICATIONS B.V., NL
(74) Agent: BORDEN LADNER GERVAIS LLP

(54) Titre : LUTTE BIOLOGIQUE CONTRE DES VIRUS DE PLANTES
(54) Title: BIOLOGICAL CONTROL OF PLANT VIRUSES

(57) Abrégé/Abstract:

The present disclosure provides new attenuated Pepino mosaic viruses useful in the control of plant disease. Compositions for biological control of plant disease are also provided as well as methods for producing Pepino mosaic virus resistant plants.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(10) International Publication Number
WO 2017/061859 A1

(43) International Publication Date
13 April 2017 (13.04.2017)

(51) International Patent Classification:

C12N 15/82 (2006.01) *C12Q 1/70* (2006.01)
C12Q 1/68 (2006.01) *A01H 5/00* (2006.01)

(21) International Application Number:

PCT/NL2016/050684

(22) International Filing Date:

4 October 2016 (04.10.2016)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

15188418.6 5 October 2015 (05.10.2015) EP

(71) Applicant: **LOOIJJE APPLICATIONS B.V.** [NL/NL];
Leehove 81, 2678 MB De Lier (NL).

(72) Inventors: **VERMUNT, Adrianus Marinus Wilhelmus**;
c/o Leehove 81, 2678 MB De Lier (NL). **KAARSE-
MAKER, Rudolfus Cornelis**; c/o Leehove 81, 2678 MB
De Lier (NL).

(74) Agent: **JANSEN, C.M.**; V.O., Carnegieplein 5, 2517 KJ
Den Haag (NL).

(81) Designated States (*unless otherwise indicated, for every
kind of national protection available*): AE, AG, AL, AM,
AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY,

BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM,
DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT,
HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR,
KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME,
MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ,
OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA,
SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM,
ZW.

(84) Designated States (*unless otherwise indicated, for every
kind of regional protection available*): ARIPO (BW, GH,
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ,
TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU,
TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE,
DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU,
LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK,
SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, KM, ML, MR, NE, SN, TD, TG).

Published:

- with international search report (Art. 21(3))
- before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments (Rule 48.2(h))

(54) Title: BIOLOGICAL CONTROL OF PLANT VIRUSES

(57) Abstract: The present disclosure provides new attenuated Pepino mosaic viruses useful in the control of plant disease. Compositions for biological control of plant disease are also provided as well as methods for producing Pepino mosaic virus resistant plants.



WO 2017/061859 A1

Title: Biological control of plant viruses

FIELD OF THE INVENTION

The present disclosure provides new attenuated Pepino mosaic viruses useful in the control of plant
5 disease. Compositions for biological control of plant disease are also provided as well as methods
for the induction of cross-protection and increased resistance against Pepino mosaic virus in plants.

BACKGROUND OF THE INVENTION

The present invention concerns the field of biological control in agriculture and horticulture, in
10 particular, the control of plant pathogens.

Tomato is susceptible to various viral diseases, and one of the causal agents, *Pepino mosaic virus*
(PepMV), has recently become a major limiting factor with regard to tomato production. PepMV
belongs to the Potexvirus genus of the Alphaflexiviridae family. PepMV has rapidly spread
15 throughout commercial tomato cropping and is currently found throughout Europe and North-
America (Jorda *et al.*, 2001; Cotillon *et al.*, 2002; Verhoeven *et al.*, 2003; Ling *et al.*, 2008). The
RNA genome of PepMV encompasses approximately 6.4 kb and contains five open reading frames
that encode a RNA-dependent polymerase (RdRp), a triple gene block (TGB), a coat protein (CP),
and two short untranslated sequences flanking the coding regions (Aguilar *et al.*, 2002; Cotillon *et*
20 *al.*, 2002). Isolates of PepMV group into four separate strains (genotypes) based on sequence
similarity, namely the Peruvian (LP)-strain to which the original PepMV isolate belongs, the
European (EU)-strain that was found in Europe in 1999 (Van der Vlugt *et al.*, 2000), the CH2-
strain that was discovered in infected tomato seeds in Chile, and the US1-strain that was discovered
in diseased tomato plants in the USA (Ling, 2007). Symptom severity varies between different
25 isolates of PepMV (Van der Vlugt *et al.*, 2000) and differences in severity do not necessarily
coincide with differences in genotype (Hanssen *et al.*, 2008).

PepMV induces a wide range of symptoms on tomato (Van der Vlugt *et al.*, 2000; Jorda *et al.*,
2001), such as mosaic, leaf distortion, nettle-like heads, single yellow spots, interveinal chlorosis
and fruit discoloration. Tomato plants display symptoms shortly after infection with PepMV and, in
30 general, subsequently recover (Van der Vlugt & Stijger, 2008). Symptoms may, however, return
later during the growing season. Expression of symptoms may also depend on environmental
conditions, such as temperature and light intensity (Jorda *et al.*, 2001; Van der Vlugt & Stijger,
2008). PepMV is sometimes suggested to cause yield losses in tomato, but the highest economic
losses are attributed to symptoms that affect the commercial value of tomato fruits, such as

flaming, marbling, blotchy ripening and fruit size reduction (Soler *et al.*, 2000; Spence *et al.*, 2006).

PepMV is transmitted efficiently by contaminated hands, clothing or tools (Van der Vlugt & Stijger, 2008). Direct contact between healthy and infected plants during routine crop handling also suffices to spread PepMV infection. The incidence of PepMV on tomato is very high in some tomato cultivation areas, where the virus may affect up to 90% of the greenhouses (Soler-Aleixandre *et al.*, 2005). To stay free of virus is challenging under such circumstances.

There exists a need in the art to protect plants from PepMV infection and to prevent or reduce plant diseases associated with PepMV infection.

SUMMARY OF THE INVENTION

In one aspect, the disclosure provides an attenuated Pepino mosaic virus comprising a nucleic acid molecule comprising a nucleic acid sequence, wherein the nucleotide at the position corresponding to 2605 of SEQ ID NO:1 is G, the nucleotide at the position corresponding to 3156 of SEQ ID NO:1 is T, and/or the nucleotide at the position corresponding to 3422 SEQ ID NO: 1 is G.

Preferably, the nucleic acid sequence is at least 80% identical to SEQ ID NO: 1.

In one aspect, the disclosure provides an attenuated Pepino mosaic virus comprising a nucleic acid molecule comprising a nucleic acid sequence encoding arginine at the position according to 868 of SEQ ID NO:2 and/or encodes phenylalanine at the position according to 1052 of SEQ ID NO:2.

Preferably, the nucleic acid sequence is at least 80% identical to SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, or SEQ ID NO: 7. More preferably, the nucleic acid sequence is at least 80% identical to SEQ ID NO: 1.

25

In one aspect, the disclosure provides an isolated nucleic acid molecule comprising a nucleic acid sequence having at least 95% identity to a nucleic acid sequence selected from SEQ ID NO:1, SEQ ID NO: 3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, or SEQ ID NO: 7, wherein the nucleic acid sequence encodes arginine at the position according to 868 of SEQ ID NO:2 and/or encodes phenylalanine at the position according to 1052 of SEQ ID NO:2. In preferred embodiments, the isolated nucleic acid molecule encodes an amino acid sequence having at least 95% identity to any one of the amino acid sequences depicted in Figure 6, wherein the nucleic acid sequence encodes arginine at position 887 of Figure 6 and/or the nucleic acid sequence encodes phenylalanine at position 1071 of Figure 6.

- In one aspect, the disclosure provides an RNA-dependent RNA polymerase wherein the polymerase has an arginine at the position according to 868 of SEQ ID NO:2, a phenylalanine at the position according to 1052 of SEQ ID NO:2, a phenylalanine at the position corresponding to 956 of SEQ ID NO:2, and/or an asparagine at the position corresponding to 1325 of SEQ ID NO:2.
- 5 Preferably said polymerase has an arginine at the position according to 868 of SEQ ID NO:2 and a phenylalanine at the position according to 1052 of SEQ ID NO:2. Preferably said polymerase has a phenylalanine at the position corresponding to 956 of SEQ ID NO:2 and an asparagine at the position corresponding to 1325 of SEQ ID NO:2. Preferably said polymerase has an arginine at the position according to 868 of SEQ ID NO:2 and a phenylalanine at the position corresponding to
- 10 956 of SEQ ID NO:2. In some embodiments the RNA-dependent RNA polymerases has at least 50%, at least 70%, at least 80%, or at least 90% identity to any one of the amino acid sequences depicted in Figure 6. The invention also provides a nucleic acid molecule encoding a polymerase as indicated in this paragraph.
- 15 In one aspect, the disclosure provides an attenuated Pepino mosaic virus comprising a nucleic acid molecule comprising a nucleic acid sequence, wherein the nucleotide at the position corresponding to 2675 of SEQ ID NO:8 is G, the nucleotide at the position corresponding to 3226 of SEQ ID NO:8 is T, and/or the nucleotide at the position corresponding to 3492 SEQ ID NO: 8 is G. Preferably, the nucleic acid sequence is at least 80% identical to SEQ ID NO: 8.
- 20 In one aspect, the disclosure provides an attenuated Pepino mosaic virus comprising a nucleic acid molecule comprising a nucleic acid sequence encoding arginine at the position according to 886 of SEQ ID NO:9 and/or encodes phenylalanine at the position according to 1070 of SEQ ID NO:9. Preferably, the nucleic acid sequence is at least 80% identical to SEQ ID NO: 1, SEQ ID NO: 3,
- 25 SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, or SEQ ID NO: 7. More preferably, the nucleic acid sequence has at least 95%, at least 99%, or 100% identity to. SEQ ID NO: 8.
- In one aspect, the disclosure provides an RNA-dependent RNA polymerase having at least 50%, at least 70%, at least 80%, least 90%, at least 99% or at least 100% identity to SEQ ID NO:9,
- 30 wherein the polymerase has an arginine at the position according to 886 of SEQ ID NO:9 and/or a phenylalanine at the position according to 1070 of SEQ ID NO:9. Preferably said polymerase has an arginine at the position according to 886 of SEQ ID NO: 9 and a phenylalanine at the position according to 1070 of SEQ ID NO:9. Preferably said polymerase has a phenylalanine at the position corresponding to 974 of SEQ ID NO:2 and an asparagine at the position corresponding to 1343 of
- 35 SEQ ID NO:2. Preferably said polymerase has an arginine at the position according to 886 of SEQ

ID NO:2 and a phenylalanine at the position corresponding to 974 of SEQ ID NO:2. The invention also provides a nucleic acid molecule encoding a polymerase as indicated in this paragraph.

5 In one aspect the disclosure provides a vector, preferably an expression vector, comprising a nucleic acid molecule as disclosed herein. In one aspect the disclosure provides an isolated polypeptide encoded by a nucleic acid molecule disclosed herein. In one aspect the disclosure provides an antibody specific for the polypeptide encoded by a nucleic acid molecule as disclosed herein.

10 In one aspect the disclosure provides a composition for biological control of plant disease comprising an attenuated Pepino mosaic virus as disclosed herein, a nucleic acid molecule as disclosed herein or a vector as disclosed herein; and an agriculturally acceptable carrier.

15 In one aspect the disclosure provides a method for identifying a pepino mosaic virus (PepMV)-resistant plant, comprising

- a) exposing a plant or plant part to an attenuated Pepino mosaic virus as disclosed herein, a nucleic acid molecule as disclosed herein, a vector as disclosed herein, or the compositions as disclosed herein;
- b) exposing the plant or plant part to an infective dosage of PepMV, and
- 20 c) identifying said plant as PepMV-resistant plant when, after said exposure, disease-symptoms in said plant or plant part are reduced or delayed and/or PepMV accumulation in said plant or plant parts is reduced or delayed in comparison to a control PepMV infected plant.

In one aspect the disclosure provides a method for the detection of a pepino mosaic virus (PepMV) comprising providing a sample suspected of containing PepMV and detecting a PepMV virus as disclosed herein, a nucleic acid molecule as disclosed herein or a vector as disclosed herein. The method is useful among others to determine whether an application of the attenuated virus to a plant has been successful. The method is also useful to determine the extent of infection of a particular patch of crop. Particularly with a PepMV as disclosed herein. The sample is typically prepared from a plant or a part thereof that is susceptible to PepMV infection and/or replication. A sample is suspected of containing PepMV when there is reason to believe that the PepMV is present in the sample. A sample is also suspected of containing PepMV when the sample is from plant of which it needs to be verified that it does or does not contain a PepMV of the invention. Such a sample can be for instance from a plant in a greenhouse in the situation when in a nearby greenhouse a PepMV infection has been reported. It can also be from a plant with one or more

25
30
35

symptoms that point towards a PepMV infection and one wants to confirm this. The invention also provides method for the detection of PepMV as described herein wherein the term “sample suspected of containing PepMV” is replaced by the term “sample of a plant susceptible to PepMV infection”.

5

In one aspect the disclosure provides a method for producing a pepino mosaic virus (PepMV)-resistant plant, comprising exposing a plant or plant part to an attenuated Pepino mosaic virus as disclosed herein, a nucleic acid molecule as disclosed herein, a vector as disclosed herein, or the compositions as disclosed herein.

10

In one aspect the disclosure provides a PepMV-resistant plant comprising an attenuated Pepino mosaic virus as disclosed herein or a nucleic acid molecule as disclosed herein.

15

In one aspect the disclosure provides a method for controlling infection or disease in a plant comprising applying an effective amount of an attenuated Pepino mosaic virus as disclosed herein, a nucleic acid molecule as disclosed herein, a vector as disclosed herein, or the compositions as disclosed herein to said plant.

20

In one aspect the disclosure provides an attenuated Pepino mosaic virus as disclosed herein, a nucleic acid molecule as disclosed herein, a vector as disclosed herein, or the compositions as disclosed herein for use in controlling infection or disease in a plant. In particular, the use is for inducing resistance to PepMV.

25

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1. Inoculation of tomato plants with CHD alone resulted in strong necrosis of the leaves and stems, from 3 weeks after inoculation of CHD (Fig 1A). Inoculation of tomato plants with VCA, followed by CHD, protected plants from necrosis (Fig 1B).

Figure 2. Thirty-nine days after inoculation of tomato plants with VC1 (Fig 2A) or VCA (Fig 2B).

30

Figure 3. Development of mild symptoms in infected plants; no treatment (Fig. 3A); VCA treatment (Fig. 3B); VC1 treatment (Fig. 3C).

Figure 4. Comparison of symptoms in plants grown under optimal conditions (top row) versus sub-optimal conditions (bottom row); no treatment (Fig. 4A); VC1 treatment (Fig. 4B); VCA treatment (Fig. 4C).

- Figure 5.** An alignment of the sequence of VCA with closely related sequences identified from BLAST (Basic local alignment search tool) from NCBI. The sequence with the highest identity in the BLAST search was “1906”, having 99.6% identity. The nomenclature listed in Figure 5 corresponds to the annotations of NCBI as follows: 1906: Pepino mosaic virus isolate 1906 replicase, triple gene block protein 1 (TGBp1), triple geneblock protein 2 (TGBp2), triple gene block protein 3 (TGBp3), and coat protein genes, complete cds.
- DQ000985: Pepino mosaic virus isolate Ch2, complete genome.
- FJ212288: Pepino mosaic virus, complete genome.
- Pa: Pepino mosaic virus isolate PepMV-Pa, complete genome.
- 10 PK: Pepino mosaic virus isolate PepMV-PK, complete genome.
- 220606A1: Pepino mosaic virus isolate 220606A1.
- VFBC12-04: Pepino mosaic virus isolate VFBC12-04.
- VFBC12-08: Pepino mosaic virus isolate VFBC12-08.
- P5: Pepino mosaic virus isolate PepMV-P5, complete genome.
- 15 PCH06/104: Pepino mosaic virus isolate PCH 06/104 replicase, triple gene block protein 1 (TGBp1), triple gene block protein 2 (TGBp2), triple gene block protein 3 (TGBp3), and coat protein genes, complete cds

- Figure 6.** An alignment of the amino acid sequence of RNA-dependent RNA polymerase from VCA and other PepMV viruses.
- 20 LE-2002, AJ438767, and Sp-13 are EU isolates. LP-2001 is an LP isolate. US1 is a US isolate.

Figure 7. Sequence listing

Figure 8. Sequence listing

DETAILED DESCRIPTION OF THE DISCLOSED EMBODIMENTS

- 25 Cross-protection is the phenomenon of protecting crops against virulent isolates of viruses by pre-treatment with closely related attenuated isolates of the virus. In the 1970s, it was first applied successfully against infection of tomato with *Tobacco mosaic virus* in several countries (Burguán & Gáborjányi, 1984). Attenuated isolates may be selected among naturally occurring or be developed by the introduction of mutations into such isolates, for example using random
- 30 mutagenesis. A strategy in which attenuated isolates are applied to plants relies on the identification of an isolate that has as little impact on total yield and fruit quality as possible, and effectively protects against more virulent isolates at the same time.

- While not wishing to be bound by theory, cross-protection may be due to RNA silencing activity
- 35 induced by the protective isolate (Ratcliff *et al.*, 1999; Valkonen *et al.*, 2002). The role of post-

transcriptional gene silencing (PTGS) in cross-protection was demonstrated by the observation that two viral constructs derived from different viruses, but sharing a common sequence, could suppress each other when co-inoculated in plants (Ratcliff *et al.*, 1999). PTGS is an antiviral defence mechanism in plants, which targets double stranded RNA (dsRNA) for degradation in a sequence-specific manner. In cross-protection, it is thought that the mild strain 'primes' the defense system of the plant so that it operates against subsequent infection by severe strains.

In the study of Schenk *et al.* (2010), attenuated isolates of PepMV were tested (EU-Att1 and PE-Att1). The attenuated isolates effectively reduced the effects of isolates of PepMV with aggressive symptoms (namely, EU-Ch11 and EU-Nec1). Total virus accumulation, symptom severity and yield losses were significantly reduced in cross-protected plants compared to the single infections by the aggressive isolates. The yields of the cross-protected plants were on a similar level as those of uninfected plants. Although plants cross-protected by the attenuated isolates reduced symptoms, infection by the attenuated isolates alone also produced symptoms (Table 2 of Schenk *et al.*) The attenuated isolates caused symptoms shortly after inoculation, a pattern which has also been observed in other trials (Spence *et al.*, 2006). Overall, the symptom severity correlated to virus accumulation, but accumulation alone did not explain all differences in symptom severity. In turn, symptom severity was negatively correlated to yield. The two symptoms that had the largest effect on yield i.e. leaf deformation and leaf necrosis, affected the leaf area of the plants, which would explain the observed yield losses. One aspect of the present invention is the provision of an attenuated virus that cross-protects plants from further PepMV infection while causing minimal symptoms from exposure to the attenuated virus alone.

Accordingly, one aspect of the disclosure provides Pepino mosaic viruses, in particular attenuated viruses. As is known to a skilled person, an attenuated virus is a virus that has been modified from a wild-type pathogenic virus. An attenuated virus has reduced pathogenicity as compared to the wild-type virus. In addition, an attenuated virus disclosed herein can be used to cross-protect plants against infection from virulent PepMV isolates.

The disclosure identifies several nucleotide positions in PepMV which play a role in the symptoms induced by PepMV infection. Specifically, the disclosure provides PepMV viruses and nucleic acid molecules, wherein the nucleic acid sequence encodes arginine at the position corresponding to 868 of SEQ ID NO:2 (corresponding to position 886 of SEQ ID NO:9) and/or encodes phenylalanine at the position corresponding to 1052 of SEQ ID NO:2 (corresponding to position 1070 of SEQ ID NO:9).

The disclosure provides that the nucleotides at positions 2605 and 3156 of SEQ ID NO: 1 (corresponding to positions 2675 and 3226 of SEQ ID NO: 8), and consequently the amino acids encoded (in part) by these nucleotides, play a role in the pathogenic symptoms. Specifically, an amino acid change from lysine to arginine at position 868 of SEQ ID NO:2 (corresponding to position 886 of SEQ ID NO:9) and an amino acid change from leucine to phenylalanine at position 1052 of SEQ ID NO: 2 (corresponding to position 1070 of SEQ ID NO:9) results in a PepMV attenuated virus. In the pathogenic viruses depicted in Figure 6, as well as the attenuated VC1 virus, the amino acids corresponding to 868 and 1052 of SEQ ID NO:2 (and 886 and 1070 of SEQ ID NO:9) are lysine and leucine, respectively. While not wishing to be bound by theory, these amino acid changes are believed to provide attenuated viruses which demonstrate milder symptoms that the VC1 virus (see Examples).

The disclosure also provides that additional nucleotides- and the amino acids which they encode- also play a role in pathogenic symptoms. Accordingly, in some embodiments the viruses and nucleic acid molecules disclosed herein contain one or more of the following: a C at the nucleotide position corresponding to 191 of SEQ ID NO: 1 (position 261 of SEQ ID NO: 8); a C at the nucleotide position corresponding to 2354 of SEQ ID NO: (position 2424 of SEQ ID NO: 8); a T at the nucleotide position corresponding to 2768 of SEQ ID NO: 1 (position 2838 of SEQ ID NO: 8); a T at position corresponding to 2868 of SEQ ID NO:1 (position 2938 of SEQ ID NO: 8); a G at the nucleotide position corresponding to 3422 of SEQ ID NO: 1 (position 3492 of SEQ ID NO: 8); and/or have an A at the nucleotide position corresponding to 3975 of SEQ ID NO: 1 (position 4045 of SEQ ID NO: 8). In some embodiments the viruses or nucleic acid molecules disclosed herein contain at least two, at least three, at least four, at least five, or all 6 of the nucleotides listed above. These six nucleotides are unique to both the VCA attenuated virus and the VC1 attenuated virus as compared to the virulent CH2 strains depicted in Figure 5. Preferably, the viruses and nucleic acid molecules disclosed herein, in addition to encoding arginine at the position corresponding to 868 of SEQ ID NO:2 (and corresponding to position 886 of SEQ ID NO:9) and/or phenylalanine at the position corresponding to 1052 of SEQ ID NO:2 (and corresponding to position 1070 of SEQ ID NO:9), also encode a phenylalanine at the position corresponding to 956 of SEQ ID NO:2 (and corresponding to position 974 of SEQ ID NO:9) and/or an asparagine at the position corresponding to 1325 of SEQ ID NO:2 (and corresponding to position 1343 of SEQ ID NO:9). As depicted in Figure 6, the wild-type pathogenic viruses encode a leucine and an aspartic acid at these positions. While not wishing to be bound by theory, these amino acids are believed to play a role in reducing the virulence of the viruses.

SEQ ID NO: 1 (herein referred to as the 'VCA' virus) was isolated as an attenuated virus of the CH2 strain. The Examples demonstrate the ability of the VCA virus to cross-protect against wild-type PepMV strains and the reduction of symptoms as compared to another attenuated virus VC1. SEQ ID NO: 1 depicts a partial sequence of the RNA-dependent RNA-polymerase of the VCA virus. SEQ ID NO: 8 depicts the nucleotide sequence of the RNA-dependent RNA-polymerase of the VCA virus, including the complete coding sequence.

See Figures 7 and 8 for the sequence listing. As known to a skilled person, Y indicates a C or T, R indicates A or G; and S indicates G or C. In some embodiments, R is G. In some embodiments, Y1 is C. In some embodiments, Y2 is C. In some embodiments, Y3 is T. In some embodiments, Y4 is T. In some embodiments, S is C. In some embodiments, Y5 is T.. In some embodiments, Y6 is T. Viruses having the nucleic acid sequence of SEQ ID NO:1 or SEQ ID NO:8 include a single homogenous virus (i.e., having one sequence; for example SEQ ID NO:1 or SEQ ID NO:8 wherein R is G; Y1 is C; Y2 is C; Y3 is T; Y4 is T; S is C; Y5 is T; Y6 is T) as well as mixtures of viruses each having SEQ ID NO:1 or SEQ ID NO:8.

The VCA virus was found to have nucleotide substitutions resulting in amino acid changes in the RNA-dependent RNA polymerase gene of the virus. SEQ ID NO:2 depicts the partial amino acid sequence of the RNA-dependent RNA polymerase from VCA. SEQ ID NO:9 depicts the complete amino acid sequence of the RNA-dependent RNA polymerase from VCA

VCA (SEQ ID NO:1/SEQ ID NO:8) is an exemplary attenuated virus of the CH2 strain. The disclosure also provides attenuated viruses from other PepMV strains. Four amino acids in SEQ ID NO:2 were found to be unique when compared to wild-type EU, LP, CH2, and US1 isolates.

Arginine at position 868 of SEQ ID NO:2 (886 of SEQ ID NO:9) corresponds to position 887 in the alignment shown in figure 6. Phenylalanine at position 956 of SEQ ID NO:2 (974 of SEQ ID NO:9) corresponds to position 975 in the alignment shown in figure 6. Phenylalanine at position 1052 of SEQ ID NO:2 (1070 of SEQ ID NO:9) corresponds to position 1071 in the alignment shown in figure 6. Asparagine at position 1325 of SEQ ID NO:2 (1343 of SEQ ID NO:9) corresponds to position 1344 in the alignment shown in figure 6. It is clear to a skilled person that attenuated viruses from any PepMV isolate can be prepared based on these amino acids.

In some embodiments, the virus is an attenuated virus of a EU strain. Exemplary wild-type EU viral sequences are depicted in SEQ ID Nos:3-5. In some embodiments, the virus is an attenuated virus of a US1 strain. An exemplary wild-type US1 viral sequence is depicted in SEQ ID NO:6. In

some embodiments, the virus is an attenuated virus of an LP strain. An exemplary wild-type LP viral sequence is depicted in SEQ ID NO:7.

PepMV viruses have, on the average, around 80% nucleic acid sequence identity. Accordingly, in preferred embodiments the PepMV viruses have a nucleic acid sequence at least 80% identical to SEQ ID NO:1, wherein the nucleic acid sequence encodes arginine at the position corresponding to 868 of SEQ ID NO:2 and/or encodes phenylalanine at the position corresponding to 1052 of SEQ ID NO:2 (or rather, encodes arginine at position 887 of Figure 6 and/or the nucleic acid sequence encodes phenylalanine at position 1071 of Figure 6). In preferred embodiments, the PepMV viruses have a nucleic acid sequence at least 80% identical to SEQ ID NO:8, wherein the nucleic acid sequence encodes arginine at the position corresponding to 886 of SEQ ID NO:9 and/or encodes phenylalanine at the position corresponding to 1070 of SEQ ID NO:9. In a preferred embodiment, the attenuated viruses disclosed herein have a nucleic acid sequence at least 80%, at least 90%, preferably at least 95%, more preferably at least 98%, and most preferably at least 99% identical to SEQ ID NO:1, SEQ ID NO:8, SEQ ID NO: 3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, or SEQ ID NO: 7. The sequences provided herein refer to the bases A, T, C, and G. However, it is clear to a skilled person that when referring to a PepMV virus (an RNA virus), uracil is present instead of thymine.

The disclosure also provides an isolated nucleic acid molecule comprising a nucleic acid sequence at least 80%, at least 90%, preferably at least 95%, more preferably at least 98%, and most preferably at least 99% identical to SEQ ID NO:1, SEQ ID NO:8, SEQ ID NO: 3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, or SEQ ID NO: 7, wherein the nucleic acid sequence encodes arginine at the position corresponding to 868 of SEQ ID NO:2 and/or encodes phenylalanine at the position corresponding to 1052 of SEQ ID NO:2 (or rather, encodes arginine at position 887 of Figure 6 and/or the nucleic acid sequence encodes phenylalanine at position 1071 of Figure 6; or rather encodes arginine at position 886 of SEQ ID NO:9 and/or the nucleic acid sequence encodes phenylalanine at position 1070 of SEQ ID NO:9).

In some embodiments, the nucleotide at the position corresponding to 2605 of SEQ ID NO:1 (2675 of SEQ ID NO:8) is G; the nucleotide at the position corresponding to 3156 of SEQ ID NO: 1 (3226 of SEQ ID NO:8) is T and/or the nucleotide at the position corresponding to 3422 SEQ ID NO: 1 (3492 of SEQ ID NO:8) is G. In preferred embodiments, the nucleotide at the position corresponding to 2605 of SEQ ID NO:1 (2675 of SEQ ID NO:8) is G and/or the nucleotide at the position corresponding to 3156 of SEQ ID NO: 1 (3226 of SEQ ID NO:8) is T. In preferred embodiments, the nucleic acid molecules comprise one or more of the following: a C at the

nucleotide position corresponding to 191 of SEQ ID NO: 1 (position 261 of SEQ ID NO: 8); a C at the nucleotide position corresponding to 2354 of SEQ ID NO: 1 (position 2424 of SEQ ID NO: 8); a T at the nucleotide position corresponding to 2768 of SEQ ID NO: 1 (position 2838 of SEQ ID NO: 8); a T at position corresponding to 2868 of SEQ ID NO: 1 (position 2938 of SEQ ID NO: 8);
5 and/or have an A at the nucleotide position corresponding to 3975 of SEQ ID NO: 1 (position 4045 of SEQ ID NO: 8). Such nucleic acid molecules are useful, for example, for producing the viruses disclosed herein.

As used herein, the term "isolated" refers to a protein, peptide or nucleic acid molecule which is
10 substantially separated from other (sub)cellular components. The term includes a nucleic acid molecule or protein which has been removed from its naturally occurring environment, as well as recombinant or cloned DNA isolates and chemically synthesized analogues or analogues biologically synthesized by heterologous systems.

15 A further aspect of the disclosure provides vectors and expression vectors comprising the nucleic acid molecules and viruses disclosed herein. Expression vectors useful in the present disclosure include vaccinia virus, retroviruses, and baculovirus. The expression vector may comprise the nucleic acid sequences disclosed herein or a fragment thereof that is under control of or operatively linked to a regulatory element, such as a promoter. The segment of DNA referred to as the
20 promoter is responsible for the regulation of the transcription of DNA into mRNA. The expression vector may comprise one or more promoters suitable for the expression of the gene in, e.g., plant cells, fungal cells, bacterial cells, yeast cells, insect cells or other eukaryotic cells.

The viruses and nucleic acid molecules disclosed herein can be made by any method known to one
25 of skill in the art. Methods of generating full length cDNA clones of the RNA genome of PepMV have been described, see, e.g., Hasiow-Jaroszewsk et al. Arch Virol (2009) 154:853-856. In addition, the cloning of both EU and CH2 PepMV clones has also been described in Duff-Farrier et al., Molecular Plant Pathology (2015) 16:308-315. Duff-Farrier et al. describes the construction of cDNA from PepMV EU and CH2 isolates and well as the introduction of chimeric sequences into
30 the cDNA. Infectious RNA was synthesized in vitro, which was used to infect plants. Similar methods can be used to generate the viruses and nucleic acid molecules with sequences described herein.

The viruses and nucleic acid molecules disclosed herein are useful for producing plants with
35 increased resistance to PepMV, in particular to disease causing strains of PepMV such as the

Peruvian (LP) strain, the European (EU) strain, the CH2 strain, first identified in Chile, and the US1 strain, identified in the United States. Accordingly, the disclosure provides attenuated viruses and nucleic acid molecules for controlling PepMV infection and/or PepMV disease in a plant. As used herein, controlling PepMV infection includes the reduction, prevention, or delay of PepMV accumulation in a plant. As used herein, controlling PepMV disease includes the reduction, prevention, or delay of PepMV symptoms.

The nucleic acid molecules disclosed herein, the polypeptides encoded by said nucleic acid molecules, as well as antibodies recognizing said polypeptides are all useful for, e.g., detecting infection by the attenuated virus and thereby detecting plants with increased resistance to PepMV.

The viruses and nucleic acid molecules disclosed herein may be provided in compositions comprising an agriculturally acceptable carrier. Such compositions can be used for the biological control of plant disease. Preferably, the composition comprises an anti-oxidant, a phosphate buffer and/or a sulphite (sulphite can help prevent rotting). Preferably, the compositions have a pH range of 6-8.5, more preferably a pH of 7.7 ± 0.5 . Preferably the compositions comprise one or more of the following: mono-basic potassium phosphate, di-basic sodium phosphate dodecahydrate, and/or sodium sulphite. More preferably, the compositions comprises 0.4-1.6 g of mono-basic potassium phosphate per liter, more preferably around 0.8 g/L; 15-60 g of di-basic sodium phosphate dodecahydrate per liter, more preferably around 30g/L; and 1-4 g sodium sulphite per liter, more preferably around 2 g/L.

The viruses may be propagated in a suitable plant host. The tissue from infected plants is ground and the homogenate (the sap) can be used to prepare the compositions disclosed herein. Alternatively, the nucleic acid molecules disclosed herein may be cloned into a vector for replication in another host.

The host range of PepMV is mainly restricted to plant species of the Solanaceae family. Tomato (*Solanum lycopersicum*) is one of the most economically important natural host of PepMV. Pepino plant (*S. muricatum*) is a host in Peru and China (Jones *et al.*, 1980; Soler *et al.*, 2002; Zhang *et al.*, 2003). In surveys in Peru, PepMV has been found to be naturally present in wild *Solanum* species (*S. chilense*, *S. chmielewskii*, *S. parviflorum* and *S. peruvianum*).

Infections, symptomless or with mild symptoms have also been observed in weed species which are member of families of Amaranthaceae, Asteraceae, Boraginaceae, Brassicaceae,

Chenopodiaceae, Compositae, Convolvulaceae, Malvaceae, Plantaginaceae, Polygonaceae and Solanaceae. (Córdoba *et al.*, 2004; Jordá *et al.*, 2001; Kazinczi *et al.*, 2005, Papayiannis *et al.*, 2012; Salomone & Roggero 2002; Soler *et al.*, 2002; Stobbs *et al.*, 2009). Most of these infections were found in the vicinity of tomato greenhouses. PepMV has also been detected in a few potato
 5 cultivars (e.g., *Solanum tuberosum* cv. 'Yungay').

Several species have been found to be experimentally-susceptible to infection by PepMV following artificial inoculation, including eggplant (*Solanum melongena*) which was found to be infected by PepMV by mechanical inoculation (Salomone & Roggero, 2002; Verhoeven *et al.*, 2003).
 10 *Some cultivars of potato (S. tuberosum) can also be experimentally infected by PepMV (Jones et al., 1980). PepMV can infect Datura metel, D. stramonium, Nicotiana debneyi, N. benthamiana systemically (Jones et al., 1980; Verhoeven et al., 2003). Some PepMV isolates can infect N. glutinosa and N. tabacum (LP and some EU isolates; Verhoeven et al., 2003).*

15 Preferably, the term "plant" refers to any plant which is capable of being infected with PepMV. In some embodiments, the plant belongs to the Solanaceae family, in particular the genus Solanum or Lycopersicon. As is known to the skilled person, the nomenclature for tomato plants has recently changed. For example, Solanum juglandifolium is now referred to as Lycopersicon juglandifolium. A preferred plant is a tomato plant.

20 As used herein, the term "plant part" includes, for example, single cells and tissues from pollen, ovules, leaves, embryos, roots, root tips, anthers, flowers, fruits, stems shoots, and seeds; as well as pollen, ovules, leaves, embryos, roots, root tips, anthers, flowers, fruits, stems, shoots, scions, rootstocks, seeds, protoplasts, calli, and the like.

25 PepMV induces a wide range of symptoms on tomato, such as yellow mosaic, leaf distortion, leaf blistering or bubbling, nettle-like heads, single yellow spots, inter-veinal chlorosis, severe leaf mosaics, leaf or stem necrosis and fruit discolouration (Van der Vlugt *et al.*, 2000; Jorda *et al.*, 2001; Roggero *et al.*, 2001; Spence *et al.*, 2006; Hasiów *et al.*, 2008; Hasiów-Jaroszewska *et al.*, 2009a; Hanssen *et al.*, 2009). Tomato
 30 plants display symptoms shortly after infection with PepMV and, in general, symptoms subsequently subside (Van der Vlugt & Stijger, 2008). However, symptoms may return later during the growing season.

Expression of symptoms may depend on environmental conditions, such as temperature and light
 35 intensity. Low environmental temperatures and low light intensity result in more severe damage

(Jorda *et al.*, 2001; Van der Vlugt & Stijger, 2008). PepMV is sometimes suggested to cause yield losses in tomato, but the highest economic losses are attributed to symptoms that affect the commercial value of tomato fruits, such as flaming, marbling, blotchy ripening and fruit size reduction (Soler *et al.*, 2000; Spence *et al.*, 2006; Hanssen & Thomma, 2010). In addition, the so-called ‘tomato collapse’, a sudden and progressive wilt of tomato which can lead to plant death is probably caused by PepMV accumulation in the vascular system (Soler-Aleixandre *et al.*, 2005). Striking differences in the severity of symptomatology have been reported (Verhoeven *et al.*, 2003; Hanssen *et al.*, 2008) and not all isolates cause typical PepMV symptoms such as marbled and flamed fruits (Hanssen *et al.*, 2009).

10 Symptoms in plants can be characterized either qualitatively or quantitatively.

The viruses disclosed herein are also useful for inducing resistance in “tolerant plants”, i.e., plants which may become infected with the virus and further its spread but remain symptomless or will have mild symptoms.

15 Several methods have been developed to detect PepMV. A robust method to detect PepMV in plants is DAS-ELISA (Van der Vlugt *et al.*, 2002). Commercially available polyclonal antibodies can be purchased at Prime Diagnostics (Wageningen, The Netherlands). Different PCR-assays have been described to detect PepMV: a general potexvirus detection method (Van der Vlugt & Berendsen, 2002), a real-time immunocapture RT-PCR (Mansilla *et al.*, 2003; Matínez-Culebras *et al.*, 2002; Ling, 2005; Ling *et al.*, 2007) and sensitive real-time PCR assays (Alfaro-Fernández *et al.*, 2009; Johnson & Walcott, 2012; Gutiérrez-Aguirre *et al.*, 2009). Simultaneous detection of multiple plant viruses including PepMV can be performed by using micro-arrays (Boonham *et al.*, 2007) and deep sequencing (Li *et al.*, 2012). Preferably, the accumulation of PepMV in a plant is

20 determined using a quantitative detection method (e.g. an ELISA method or a quantitative reverse transcriptase-polymerase chain reaction [RT-PCR]).

A further aspect of the disclosure provides isolated polypeptides expressed by the viruses. In some embodiments the polypeptide is a RNA-dependent polymerase (RdRp) or a coat protein (CP). Preferably, the polypeptide is RdRp.

30 A further aspect of the disclosure provides antibodies specific for the polypeptides disclosed herein, preferably RdRp. In preferred embodiments, the antibody recognizes an antigen specific to VCA, but does not recognize the CH2, the US-1, the EU, or the LP strains. Preferably the antigen comprises the arginine at the position corresponding to 868 of SEQ ID NO:2 and/or the

35 phenylalanine at the position corresponding to 1052 of SEQ ID NO:2 (or rather, the arginine at the

position corresponding to 886 of SEQ ID NO:9 and/or the phenylalanine at the position corresponding to 1070 of SEQ ID NO:9).

A further aspect of the disclosure provides a method for producing said antibodies comprising
 5 immunizing a host (such as a mouse) with the attenuated virus, or a protein or peptide fragment thereof ; harvesting from blood (including serum) or splenocytes of said host antibodies against said virus, protein or peptide fragment. In a preferred embodiment, the method further comprises selecting one antibody-producing splenocyte, fusing said splenocyte to an immortalized hybridoma cell line and allowing said hybridoma fusion to produce monoclonal antibodies. Preferably, the
 10 antigen is in part encoded by a nucleic acid sequence wherein the nucleotide at the position corresponding to 2605 of SEQ ID NO:1 (2675 of SEQ ID NO:8) is G; the nucleotide at the position corresponding to 3156 of SEQ ID NO: 1 (3226 of SEQ ID NO:8) is T and/or the nucleotide at the position corresponding to 3422 SEQ ID NO: 1 (3492 of SEQ ID NO:8) is G. More preferably, the antigen is in part encoded by a nucleic acid sequence wherein the nucleotide at the position
 15 corresponding to 2605 of SEQ ID NO:1 (2675 of SEQ ID NO:8) is G and/or the nucleotide at the position corresponding to 3156 of SEQ ID NO: 1 (3226 of SEQ ID NO:8) is T.

A further aspect of the disclosure provides a method for detecting the presence of the attenuated virus in a plant sample comprising reacting said sample with an antibody according to the
 20 disclosure. Suitable methods for performing immunoassays are well-known to a skilled person and include, e.g., radio-immunoassay (RIA), immunogold labeling, immunosorbent electron microscopy (ISEM), enzyme-linked immunosorbent assay (ELISA), Western blotting and immunoblotting.

A further aspect of the disclosure provides a method for identifying a pepino mosaic virus (PepMV)-resistant plant, comprising
 25 a) exposing a plant or plant part to an infective dosage of the attenuated viruses or nucleic acid molecules disclosed herein,
 b) exposing the plant or plant part to an infective dosage of PepMV, and
 30 c) identifying said plant as PepMV-resistant plant when, after exposure to PepMV, disease-symptoms in said plant or plant part are reduced or delayed and/or PepMV accumulation in said plant or plant parts is reduced in comparison to a control plant.

It is clear to a skilled person that step a) includes an incubation period of sufficient duration to
 35 allow establishment of the attenuated virus. Preferably, such incubation period is at least one week,

more preferably at least 5 weeks. In some embodiments, the presence of virus in the plant can be confirmed by one of the methods disclosed herein. It is also clear to a skilled person that step b) includes an incubation period of sufficient duration to allow establishment of the PepMV virus and detectable symptoms in control plants. Preferably, such incubation period is at least one week,
5 more preferably at least 5 weeks.

As used herein, “resistant” refers to a reduction in multiplication of PepMV, a reduction of movement/spread of the virus to other cells, and/or a reduction or delay in the development of disease symptoms after infection with PepMV. Resistance can be determined by comparing a
10 PepMV infected plant with a plant exposed to VCA and PepMV. Preferably, the PepMV referred to above is a CH2, US-1, EU, or LP strains, however, it also includes other disease causing PepMV strains.

Preferably, the accumulation of PepMV in a plant is determined using a quantitative detection
15 method (e.g. an ELISA method or PCR, such as a quantitative reverse transcriptase-polymerase chain reaction [RT-PCR]).

As used herein, an “infective dosage” refers to the dosage of viral particles or viral nucleic acid molecule capable of infecting a plant. As is clear to as skilled person, the dosage may vary between
20 plant species.

Methods of exposing a plant or a plant part to virus are well-known in the art and include dusting, coating, injecting, rubbing, rolling, dipping, spraying, or brushing. Exemplary methods include mechanical inoculation (e.g., rubbing plants or plant parts with infected plant material) and
25 spraying plants with a solution containing virus particles or viral nucleic acid (see Example 1). The attenuated virus may be isolated from infected plants or other sources by any method known to one of the art.

As is known to a skilled person, cross protection may not lead to resistance in 100% of plants of the
30 same species. Typically, cross protection protects more that 50% of the plants, preferably more than 80% of the plants.

A further aspect of the disclosure provides a method for producing a pepino mosaic virus (PepMV)-resistant plant using the attenuated viruses or nucleic acid molecules disclosed herein for
35 cross-protection. Also provided are methods for controlling or preventing plant disease, in

particular PepMV causing disease. Also provided are methods for controlling or preventing infection by PepMV. The methods comprise exposing a plant or plant part to an infective dosage of the attenuated virus, the nucleic acid molecules disclosed herein, or the compositions disclosed herein. In some embodiments, the methods further comprise detecting the attenuated virus in said
5 plants or plant parts, such as by a method disclosed herein.

The disclosure also provides for PepMV-resistant plants comprising the attenuated virus or the nucleic acid sequences disclosed herein. Such plants may have been infected by the attenuated virus or are the progeny of a plant infected by the virus. The plants may also have been transformed
10 by the nucleic acid molecules disclosed herein or a vector comprising the nucleic acid molecule. Progeny of said plants are also encompassed by the invention. Such plants are obtainable by the methods described herein.

PepMV is an RNA virus. As such it is preferred that the nucleic acid molecule that is comprised in
15 the virion is RNA. Sequences indicated herein contain a T and as such refer to DNA. Wherein herein reference is made to a virus comprising a nucleic acid molecule with a certain nucleic acid sequence and reference is made to a DNA sequence in the context of a virus, it is of course clear to the person skilled in the art that the corresponding RNA sequence is intended. In other words that the reference is to the SEQ ID wherein the T is replaced by a U. Vectors and other compositions
20 that do not refer to a virus or virus particle can have the referenced DNA, an RNA with the same sequence or a combination thereof.

Definitions

As used herein, "to comprise" and its conjugations is used in its non-limiting sense to mean that
25 items following the word are included, but items not specifically mentioned are not excluded. In addition the verb "to consist" may be replaced by "to consist essentially of" meaning that a compound or adjunct compound as defined herein may comprise additional component(s) than the ones specifically identified, said additional component(s) not altering the unique characteristic of the invention.

30

The articles "a" and "an" are used herein to refer to one or to more than one (i.e., to at least one) of the grammatical object of the article. By way of example, "an element" means one element or more than one element.

The word “approximately” or “about” when used in association with a numerical value (approximately 10, about 10) preferably means that the value may be the given value of 10 more or less 1% of the value.

5 **References**

- Aguilar JM, Hernández-Gallardo MD, Cenis JL, Lacasa A and Aranda MA (2002) Complete sequence of the *Pepino mosaic virus* RNA genome. Archives of Virology 147: 2009-2015.
- Alfaro-Fernández A, Cebrián MC, Córdoba-Sellés MC, Herrera-Vásquez JA and Jordá C (2008) First report of the US1 strain of *Pepino mosaic virus* in tomato in the Canary islands, Spain. Plant Disease 92: 1590.
- Alfaro-Fernández A, Córdoba-Sellés MC, Herrera-Vásquez JA, Cebrián MC and Jordá C (2010) Transmission of *Pepino mosaic virus* by the fungal vector *Olpidium virulentus*. Journal of Phytopathology 158: 217-226.
- Alfaro-Fernández A, Sanchez-Navarro J, Cebrián MC, Córdoba-Sellés MC, Pallas V and Jordá CC (2009) Simultaneous detection and identification of Pepino mosaic virus (PepMV) isolates by multiplex one-step RT-PCR. European Journal of Plant Pathology 125: 143-158.
- Baulcombe D (2004) RNA silencing in plants. Nature 431: 356-363.
- Boonham N, Tomlinson J and Mumford R (2007) Microarrays for rapid identification of plant viruses. Annual Review of Phytopathology 45: 307-328.
- Burgyán J and Gáborjányi R (1984) Cross-protection and multiplication of mild and severe strains of TMV in tomato plants. Journal of Phytopathology 110: 156-167.
- Candresse T, Marais A, Faure C, Dubrana MP, Gombert J and Bendahmane A (2010) Multiple coat protein mutations abolish recognition of *Pepino mosaic potexvirus* (PepMV) by the potato Rx resistance gene in transgenic tomatoes. Molecular Plant-Microbe Interactions 23: 376-383.
- Carmichael DJ, Rey MEC, Naidoo S, Cook G and van Heerden SW (2011) First report of *Pepino mosaic virus* infecting tomato in South Africa. Plant Disease 95: 767.
- Córdoba-Sellés MC, Garcia-Ráñez A, Alfaro-Fernández A and Jordá-Gutiérrez C (2007) Seed transmission of Pepino mosaic virus and efficacy of tomato seed disinfection treatments. Plant Disease 91: 1250-1254.
- Córdoba MC, Martínez-Priego L and Jordá C (2004) New natural hosts of *Pepino mosaic virus* in Spain. Plant Disease 88: 906.
- Costa AS and Muller GW (1980) Tristeza control by cross protection: A US-Brazil cooperative success. Plant Disease 64: 538-541.
- Cotillon AC, Girard M and Ducouret S (2002) Complete nucleic acid sequence of the genomic RNA of a French isolate of *Pepino mosaic virus* (PepMV). Archives of Virology 147: 2231-2238.

- Davino S, Bellardi MG, Agosteo GE, Iacono G and Davino M (2006) Characterization of a strain of *Pepino mosaic virus* found in Sicily. *Journal of Plant Pathology* 88, S31-S63.
- Davino S, Davino M, Bellardi MG, Agosteo GE (2008) *Pepino mosaic virus* and *Tomato chlorosis virus* causing mixed infection in protected tomato crops in Sicily. *Phytopathologia Mediterranea* 47: 35-41.
- Desbiez C and Lecoq H (1997) *Zucchini yellow mosaic virus*. *Plant Pathology* 46: 809-829.
- Ding SW and Voinnet O (2007) Antiviral immunity directed by small RNAs. *Cell* 130: 413-426
- Duff-Farrier C, Boonham N and Foster GR (2011) The generation of *Pepino mosaic virus* infectious clones; investigating the link between genotype and phenotype. *Phytopathology* 101: S46.
- Drake JW, Charlesworth B, Charlesworth D and Crow JF (1998) Rates of spontaneous mutation. *Genetics* 148: 1667-1686.
- Efthimiou KE, Gatsios AP, Aretakis KC, Papayiannis LC and Katis NI (2011) First report of *Pepino mosaic virus* infecting greenhouse cherry tomatoes in Greece. *Plant Disease* 95: 78.
- EPPO (European and Mediterranean Plant Protection Organization) (2000) *Pepino mosaic potexvirus* found in Spain. EPPO Reporting Service, No. 9, 2000/132. EPPO (2009) EPPO alert list-viruses. *Pepino mosaic potexvirus*- a new virus of tomato introduced into Europe. www.eppo.org/QUARANTINE/Alert_List/alert_list.htm.
- EPPO (2010). *Pepino mosaic virus*. www.eppo.org/QUARANTINE/Alert_List/viruses/PEPMV0.htm.
- Fakhro A, Von Bargen S, Bandte M and Büttner C (2010) *Pepino mosaic virus*, a first report of a virus infecting tomato in Syria. *Phytopathologia Mediterranea* 49: 99-101.
- Fletcher J (2000) *Pepino mosaic*, a new disease of tomatoes. Horticultural Development council. Factsheet 12/00. 8pp. <http://www.hdc.org.uk/assets/pdf/33201200/4977.pdf>.
- Forray A, Tüske M and Gáborjányi R (2004) First report on the occurrence of *Pepino mosaic virus* in Hungary. *Növényvédelem* 40: 471-473.
- Fulton RW (1986) Practices and precautions in the use of cross protection for plant virus disease control. *Annual Review of Phytopathology* 24: 67-81.
- French CJ, Bouthillier M, Bernardy M, Ferguson G, Sabourin M, Johnson RC, Masters C, Godkin S and Mumford R (2001) First report of *Pepino mosaic virus* in Canada and the United States. *Plant Disease* 85: 1121.
- French CJ, Bunckle A, Ferguson G, Dubeau C, Bouthillier M and Bernardy MG (2006) Complete sequencing and phylogenetic analysis of isolates of *Pepino mosaic virus* from Canada. *Canadian Journal of Plant Pathology - Revue Canadienne de Phytopathologie* 28: 349.

- French C, Bunckle A, Ferguson G and Bernardy M (2005) Complete sequencing and phylogenetic analysis of tomato isolates of Pepino mosaic virus from Canada and other geographic regions. *Phytopathology* 95: S31.
- French CJ, Dubeau C, Bunckle A, Ferguson G, Haesevoets R, Bouthillier M and Bernardy MG
 5 (2008) Overview of Pepino mosaic virus research. *Canadian Journal of Plant Pathology - Revue Canadienne de Phytopathologie* 30: 373-374.
- Gal-On A and Shibolet Y (2006) Cross protection. In: *Natural Resistance Mechanisms of Plants to Viruses* (Loebenstein G and Carr JP, eds), pp. 261–268. Dordrecht: Kluwer Academic Publishers.
- 10 Gómez P, Sempere RN, Aranda MA and Elena SF (2012) Phylodynamics of *Pepino mosaic virus* in Spain. *European Journal of Plant Pathology* 134: 445-449.
- Gómez P, Sempere RN, Amari K, Gomez-Aix C and Aranda MA (2010) Epidemics of *Tomato torrado virus*, *Pepino mosaic virus* and *Tomato chlorosis virus* in tomato crops: do mixed infections contribute to torrado disease epidemiology? *Annals of Applied Biology* 156: 401-410.
- 15 Gómez P, Sempere RN, Elena SF and Aranda MA (2009) Mixed infections of *Pepino mosaic virus* strains modulate the evolutionary dynamics of this emergent virus. *Journal of Virology* 83: 12378-12387.
- Gutierrez-Aguirre I, Mehle N, Delic D, Gruden K, Mumford R and Ravnikaar M (2009) Real-time quantitative PCR based sensitive detection and genotype discrimination of *Pepino mosaic virus*
 20 *Journal of Virological Methods* 162: 46-55.
- Hanssen IM and Thomma B (2010c). *Pepino mosaic virus*: A successful pathogen that rapidly evolved from emerging to endemic in tomato crops. *Molecular Plant Pathology* 11: 179-189.
- Hanssen IM, Gutierrez-Aguirre I, Paeleman A, Goen K, Wittemans L, Lievens B, Vanachter ACRC, Ravnikaar M and Thomma BPHJ (2010a) Cross-protection or enhanced symptom display in
 25 greenhouse tomato co-infected with different *Pepino mosaic virus* isolates. *Plant Pathology* 59: 13-21.
- Hanssen IM, Mumford R, Blystad DR, Cortez I, Hasiów -Jaroszevska B, Hristova D, Pagán I, Pereira AM, Peters J, Pospieszny H, Ravnikaar M, Stijger I, Tomassoli L, Varveri C, van der Vlugt R and Nielsen SL (2010b) Seed transmission of *Pepino mosaic virus* in tomato. *European Journal*
 30 *of Plant Pathology* 126: 145-152.
- Hanssen IM, Paeleman A, Vandewoestijne E, Van Bergen L, Bragard C, Lievens B, Vanachter ACRC and Thomma BPHJ (2009) *Pepino mosaic virus* isolates and differential symptomatology in tomato. *Plant Pathology* 58: 450-460.
- Hanssen IM, Paeleman A, Wittemans L, Goen K, Lievens B, Bragard C, Vanachter ACRC and
 35 Thomma BPHJ (2008) Genetic characterization of *Pepino mosaic virus* isolates from Belgian

- greenhouse tomatoes reveals genetic recombination. *European Journal of Plant Pathology*: 121: 131-146.
- Hanssen IM, Van Esse HP, Ballester AR, Hogewoning SW, Parra NO, Paeleman A, Lievens B, Bovy AG and Thomma BPHJ (2011) Differential tomato transcriptomic responses induced by *pepino mosaic virus* isolates with differential aggressiveness. *Plant Physiology* 156: 301-318.
- 5 *Hasiów-Jaroszewska B and Borodyenko N (2012) Characterization of the necrosis determinant of the European genotype of pepino mosaic virus by site-specific mutagenesis of an infectious cDNA clone. Archives of Virology* 157: 337-341.
- Hasiów-Jaroszewska B, Borodyenko N, Jackowiak P, Figlerowicz M and Pospieszny H (2010)*
- 10 *Pepino mosaic virus - a pathogen of tomato crops in Poland: Biology, evolution and diagnostics. Journal of Plant Protection Research* 50: 470-476.
- Hasiów-Jaroszewska B, Borodyenko N, Jackowiak P, Figlerowicz M and Pospieszny H (2011) A single mutation in TGB3 converts mild pathotype of Pepino mosaic virus into necrotic one. Virus Research* 159: 57-61.
- 15 *Hasiów B, Borodyenko N and Pospieszny H (2008) Complete genomic RNA sequence of the Polish Pepino mosaic virus isolate belonging to the US2 strain. Virus Genes* 36: 1-8.
- Hasiów-Jaroszewska B, Borodyenko N and Pospieszny H (2009b) Infectious RNA transcripts derived from cloned cDNA of a Pepino mosaic virus isolate. Archives of Virology* 154: 853-856.
- Hasiów-Jaroszewska B, Borodyenko N and Pospieszny H (2011) Genetic and biological variability of Pepino mosaic virus isolates infecting tomato plants. Phytopathology* 101: S70.
- 20 *Hasiów-Jaroszewska B, Czerwoniec A, Pospieszny H and Elena S (2011) Tridimensional model structure and patterns of molecular evolution of Pepino mosaic virus TGBp3 protein. Virology Journal* 8: DOI: 10.1186/1743-422X-8-318.
- Hasiów-Jaroszewska B, Jackowiak P, Borodyenko N, Figlerowicz M and Pospieszny H (2010)*
- 25 *Quasispecies nature of Pepino mosaic virus and its evolutionary dynamics. Virus Genes* 41: 260-267.
- Hasiów-Jaroszewska B, Kuzniar A, Peters SA, Leunissen JAM and Pospieszny H (2010) Evidence for RNA recombination between distinct isolates of Pepino mosaic virus. Acta Biochimica Polonica* 57: 385-388.
- 30 *Hasiów-Jaroszewska B, Pospieszny H and Borodyenko N (2009a) New necrotic isolates of Pepino mosaic virus representing Ch2 genotype. Journal of Phytopathol* 157: 494-496
- Johnson K and Walcott R (2005) A real-time PCR assay for the simultaneous detection of Pepino mosaic virus and Clavibacter michiganensis subsp michiganensis (2005) Phytopathology* 95: S50.

- Johnson KL and Walcott RR (2012) Progress towards a real-time PCR Assay for the simultaneous detection of *Clavibacter michiganensis* subsp *michiganensis* and *Pepino mosaic virus* in tomato seed. *Journal Of Phytopathology* 160: 353-363.
- Jones RAC, Koenig R and Lesemann DE (1980) *Pepino mosaic virus*, a new potexvirus from
 5 pepino (*Solanum muricatum*). *Annals of Applied Biology* 94: 61-68.
- Jorda C, Lázaro Pérez A, Matínez-Culebras P, Abad P, Lacasa A and Guerrero MM (2001) First Report of *Pepino mosaic virus* on Tomato in Spain. *Plant Disease* 85: 1292.
- Karyeija RF, Kreuze JF, Gibson RW and Valkonen JPT (2000) Synergistic interactions of a Potyvirus and a phloem-limited Crinivirus in sweet potato plants. *Virology* 269: 26-36.
- 10 Kazinczi G, Takacs AP, Horvath J, Gaborjanyi R and Beres I (2005) Susceptibility of some weed species to *Pepino mosaic virus* (PepMV). *Communications in agricultural and applied biological sciences* 70: 489-491.
- Kondo T, Kasai K, Yamashita K and Ishitani M (2007) Selection and discrimination of an attenuated strain of *Chinese yam necrotic mosaic virus* for cross-protection. *Journal of General*
 15 *Plant Pathology* 73: 152-155.
- Kosaka Y and Fukunishi T (1997) Multiple inoculation with three attenuated viruses for the control of cucumber virus disease. *Plant Disease* 81: 733-738.
- Krinkels, M (2001). *Pepino mosaic virus* causes sticky problem. *Prophyta: The Annual*, May 2001, 30-33.
- 20 Kulek B (2009) An increasing the resistance of field tomato to *Pepino mosaic virus*. *Communications in agricultural and applied biological sciences* 74: 867-877.
- Lacasa A, Guerrero MM, Hita I, Martinez MA, Jordá C, Bielza P, Contreras J, Alcazar A and Cano A (2003) Implication of bumble bees (*Bombus* spp.) on *Pepino mosaic virus* (PepMV) spread on tomato crops. *Plagas* 29, 393-403
- 25 Li R, Gao S, Hernandez AG, Wechter WP, Fei Z and Ling KS (2012) Deep Sequencing of small RNAs in tomato for virus and viroid identification and strain differentiation. *PLoS ONE* 7: e37127, DOI: 10.1371/journal.pone.0037127.
- Ling K (2005) Realtime immunocapture RT-PCR detection of *Pepino mosaic virus* on tomato seed and plant tissues in a single tube. *Phytopathology* 95: S61-S62.
- 30 Ling K (2006) Two variants of *Pepino mosaic virus* isolated from imported tomato seed from Chile share high levels of sequence identity with the US isolates. *Phytopathology* 96: S69.
- Ling KS (2007a) Molecular characterization of two *Pepino mosaic virus* variants from imported tomato seed reveals high levels of sequence identity between Chilean and US isolates. *Virus Genes* 34: 1-8.

- Ling K (2007b) The population genetics of *Pepino mosaic virus* in North America greenhouse tomatoes. *Phytopathology* 97: S65.
- Ling KS (2008) Pepino mosaic virus on tomato seed: virus location and mechanical transmission. *Plant Disease* 92: 1701-1705.
- 5 Ling KS (2010) Effectiveness of chemo- and thermotherapeutic treatments on *Pepino mosaic virus* in tomato seed. *Plant Disease* 94: 325-328.
- Ling KS and Scott JW (2007) Sources of resistance to *Pepino mosaic virus* in tomato accessions. *Plant Disease* 91: 749-753.
- Ling KS and Zhang W (2011) First report of *Pepino mosaic virus* infecting tomato in
10 Mexico. *Plant Disease* 95: 1035-1036.
- Ling KS, Wechter WP and Jordan R (2007) Development of a one-step immunocapture real-time TaqMan RT-PCR assay for the broad spectrum detection of *Pepino mosaic virus*. *Journal of Virological Methods* 144: 65-72.
- Ling KS, Wintermantel WM and Bledsoe M (2008) Genetic composition of *Pepino mosaic virus*
15 population in North American greenhouse tomatoes. *Plant Disease* 92: 1683-1688.
- López C, Soler S and Nuez F (2005) Comparison of the complete sequences of three different isolates of *Pepino mosaic virus*: size variability of the TGBp3 protein between tomato and *L. peruvianum* isolates. *Archives of Virology* 150: 619-627.
- Malpica JM, Fraile A, Moreno I, Obies CI, Drake JW and García-Arenal F (2002) The rate and
20 character of spontaneous mutation in an RNA virus. *Genetics* 162: 1505-1511.
- Mansilla C, Sánchez F and Ponz F (2003) The diagnosis of the tomato variant of *pepino mosaic virus*: an IC-RT-PCR approach. *European Journal of Plant Pathology* 109: 139-146.
- Maroon-Lango C, Guaragna MA, Jordan RL, Bandia M and Marquardt S (2003) Detection and characterization of a US isolate of Pepino mosaic virus. *Phytopathology* 93: S57.
- 25 Maroon-Lango CJ, Guaragna MA, Jordan RL, Hammond J, Bandla M and Marquardt SK (2005) Two unique US isolates of *Pepino mosaic virus* from a limited source of pooled tomato tissue are distinct from a third (European-like) US isolate. *Archives of Virology* 150: 1187-1201.
- Matínez-Culebras PV, Lázaro A, Campos PA and Jorda C (2002) A RT-PCR assay combined with RFLP analysis for detection and differentiation of isolates of *Pepino mosaic virus* (PepMV) from
30 tomato. *European Journal of Plant Pathology* 108: 887-892.
- Mathioudakis MM, Veiga R, Ghita M, Tsikou D, Medina V, Canto T, Makris AM and Livieratos IC (2012) Pepino mosaic virus capsid protein interacts with a tomato heat shock protein cognate 70. *Virus Research* 163: 28-39.

- Mumford RA and Metcalfe EJ (2001) The partial sequencing of the genomic RNA of a UK isolate of Pepino mosaic virus and the comparison of the coat protein sequence with other isolates from Europe and Peru. *Archives of Virology* 146: 2455-2460.
- Özdemir S (2010) First report of *Pepino mosaic virus* in tomato in Turkey. *Journal of Plant Pathology* 92, S4.107.
- Pagán I, Cordoba-Selles MDC, Martinez-Priego L, Fraile A, Malpica JM, Jordá C and Garcia-Arenal F (2006) Genetic structure of the population of *Pepino mosaic virus* infecting tomato crops in Spain. *Phytopathology* 96: 274-279.
- Papayiannis LC, Kokkinos CD and Alfaro-Fernández A (2012) Detection, characterization and host range studies of *Pepino mosaic virus* in Cyprus. *European Journal of Plant Pathology* 132: 1-7.
- Pennazio S, Roggero P and Conti M (2001) A history of plant virology. Cross protection. *New Microbiologica* 24: 99-114.
- Pepeira final report (2010) EU Pest Risk Analysis *Pepino mosaic virus*. www.pepeira.wur.nl/UK.
- Pospieszny, H., Borodynko, N. and Palczewska, M. (2002). Occurrence of *Pepino mosaic virus* in Poland. *Phytopathologia Polonica* 26: 91-94.
- Pospieszny H and Borodynko N (2006) New Polish isolate of *Pepino mosaic virus* highly distinct from European tomato, Peruvian, and US2 strains. *Plant Disease* 90: 1106.
- Pospieszny H, Hasiow B and Borodynko N (2008) Characterization of two distinct Polish isolates of *Pepino mosaic virus*. *European Journal of Plant Pathology* 122: 443-445.
- Pruss G, Ge X, Shi XM, Carrington JC and Vance VB (1997) Plant viral synergism: The potyviral genome encodes a broad-range pathogenicity enhancer that transactivates replication of heterologous viruses. *Plant Cell* 9: 859-868.
- Ratcliff FG, MacFarlane SA and Baulcombe DC (1999) Gene silencing without DNA: RNA-mediated cross-protection between viruses. *Plant Cell* 11: 1207-1215.
- Roggero P, Masenga V, Lenzi R, Coghe F, Ena S and Winter S (2001) First report of *Pepino mosaic virus* in tomato in Italy. *Plant Pathology (New Disease Reports)* 50: 798.
- Salomone A and Roggero P (2002) Host range, seed transmission and detection by ELISA and lateral flow of an Italian isolate of *Pepino mosaic virus*. *Journal of Plant Pathology* 84: 65-68.
- Schenk MF, Hamelink R, Van der Vlugt RAA, Vermunt AMW, Kaarsemaker RC and Stijger CCMM (2010) The use of attenuated isolates of *Pepino mosaic virus* cross-protection. *European Journal of Plant Pathology* 127: 249-261.
- Schwarz D, Beuch U, Bandte M, Fakhro A, Buettner C and Obermeier C (2010) Spread and interaction of *Pepino mosaic virus* (PepMV) and *Pythium aphanidermatum* in a closed nutrient solution recirculation system: effects on tomato growth and yield. *Plant Pathology* 59: 443-452.

- Sempere RN, Gomez P, Truniger V and Aranda MA (2011) Development of expression vectors based on pepino mosaic virus. *Plant Methods* 7: DOI: 10.1186/1746-4811-7-6.
- Shipp JL, Buitenhuis R, Stobbs L, Wang K, Kim WS and Ferguson G (2008) Vectoring of *Pepino mosaic virus* by bumble-bees in tomato greenhouses. *Annals of Applied Biology* 153: 149-155.
- 5 Soler-Alexandre S, López C, Cebolla-Cornejo J and Nuez F (2007) Sources of resistance to *Pepino mosaic virus* (PepMV) in tomato. *HortScience* 42: 40-45.
- Soler-Alexandre S, López C, Díez MJ, Pérez De Castro A and Nuez F (2005a) Association of *Pepino mosaic virus* with tomato collapse. *Journal of Phytopathology* 153: 464-469.
- Soler S, López C and Nuez F (2005b). Natural occurrence of viruses in *Lycopersicon* spp. in
10 Ecuador. *Plant Disease* 89: 1244.
- Soler S, Prohens J, López C, Aramburu J, Galipienso L and Nuez F (2010) Viruses infecting tomato in Valencia, Spain: Occurrence, distribution and effect of seed origin. *Journal of Phytopathology* 158: 797-805.
- Soler S, López C, Prohens J and Nuez F (2011) New sources of resistance to PepMV in tomato.
15 *Journal of Plant Diseases and Protection* 118: 149-155.
- Soler-Alexandre S, López C, Cebolla-Cornejo J and Nuez F (2007) Sources of resistance to *Pepino mosaic virus* (PepMV) in tomato. *HortScience* 42: 40-45.
- Soler S, Prohens J, Díez MJ and Nuez F (2002). Natural occurrence of *Pepino mosaic virus* in *Lycopersicon* species in Central and Southern Peru. *Journal of Phytopathology* 150: 49-53
- 20 Spence NJ, Basham J, Mumford RA, Hayman G, Edmondson R and Jones DR (2006) Effect of *Pepino mosaic virus* on the yield and quality of glasshouse-grown tomatoes in the UK. *Plant Pathology* 55: 595-606.
- Steinhauer DA, Domingo E and Holland JJ (1992) Lack of evidence for proofreading mechanisms associated with an RNA virus polymerase. *Gene* 122: 281-288.
- 25 Stobbs LW, Greig N, Weaver S, Shipp L and Ferguson G (2009) The potential role of native weed species and bumble bees (*Bombus impatiens*) on the epidemiology of *Pepino mosaic virus*. *Canadian Journal of Plant Pathology - Revue Canadienne de Phytopathologie* 31: 254-261.
- Tiberini A, Davino S, Davino M and Tomassoli L (2011) Complete sequence, genotyping and comparative analysis of *pepino mosaic virus* isolates from Italy. *Journal Of Plant Pathology* 93:
30 437-442.
- Tromas N and Elena SF (2010). The rate and spectrum of spontaneous mutations in a plant RNA virus. *Genetics* 185: 983-989.
- Valkonen JPT, Rajamäki ML and Kekarainen T (2002) Mapping of viral genomic regions important in cross-protection between strains of a potyvirus. *Molecular Plant-Microbe Interactions*
35 15: 683-692.

- Van der Vlugt RAA and Berendsen M (2002) Development of a general potexvirus detection method. *European Journal of Plant Pathology* 108: 367–371.
- Van der Vlugt RAA, Cuperus C, Vink J, Stijger CCMM, Lesemann D-E, Verhoeven JThJ and Roenhorst JW (2002) Identification and characterisation of *Pepino mosaic potex virus* in tomato.
 5 Bulletin OEPP/EPPO Bulletin 32: 503–508.
- Van der Vlugt RAA and Stijger CCMM (2008) *Pepino mosaic virus*. In: Mahy B and Van Regenmortel MHV (eds.) *Encyclopedia of Virology Third Edition*. Vol. (pp. 103-108) Elsevier Publishers.
- Van der Vlugt RAA, Stijger CCMM, Verhoeven JTJ and Lesemann DE (2000) First report of
 10 *Pepino mosaic virus* on tomato. *Plant Disease* 84: 103.
- Verhoeven JTJ, Van Der Vlugt RAA and Roenhorst JW (2003) High similarity between tomato isolates of *Pepino mosaic virus* suggests a common origin. *European Journal of Plant Pathology* 109: 419-425.
- Yeh SD and Gonsalves D (1984) Evaluation of induced mutants of *Papaya ringspot virus* for
 15 control by cross protection. *Phytopathology* 74: 1086–1091.
- Yeh SD, Gonsalves D, Wang HL, Namba R and Chiu RJ (1988) Control of papaya ringspot virus by cross protection. *Plant Disease* 72: 375-380.
- Yoon JY, Ahn HI, Kim M, Tsuda S and Ryu KH (2006) Pepper mild mottle virus pathogenicity determinants and cross protection effect of attenuated mutants in pepper. *Virus Research* 118: 23-
 20 30.
- Wang, H.L., Gonsalves, D., Provvidenti, R. and Lecoq, H.L. (1991) Effectiveness of cross protection by a mild strain of *zucchini yellow mosaic virus* in cucumber, melon, and squash. *Plant Disease* 75: 203–207.
- Zhang YL, Shen ZJ, Zhong J, Lu XL, Chjeng G and Li RD (2003) Preliminary characterization of
 25 *Pepino mosaic virus* Shanghai isolate (PepMV-Sh) and its detection by ELISA. *Acta Agriculturae Shanghai* 19: 90-92.

The invention is further explained in the following examples. These examples do not limit the scope of the invention, but merely serve to clarify the invention.

30 EXAMPLES

Example 1: Cross-protection experiments with new mild isolates of the CH2 strain of PepMV
 VC1 is a mild isolate of the CH2 strain of pepino mosaic virus (PepMV). During wintertime, VC1 infection can produce unwanted symptoms in inoculated plants, namely, nettle-heads and growth retardation. New variants of the CH2 strain were produced in order to identify viruses that would
 35 offer cross-protection but with reduced unwanted symptoms. In this trial, the new mild isolate

VCA is compared with VC1 for symptoms and their cross-protection effectivity. The RNA-dependent RNA-polymerase (RdRp) of VCA was sequenced and was found to comprise a mixture of closely related viruses having the sequence of SEQ ID NO:1. Additional sequencing was performed to determine the complete coding sequence of the RdRp which is depicted in SEQ ID NO:8. The overlapping sequences of SEQ ID NO:1 and 8 are identical with the exception of position 6290 of SEQ ID NO:8. A “C” is present at this position in SEQ ID NO:8 instead of a “T” in the SEQ ID NO:1. This may reflect a mutation, but does not lead to an amino acid change.

A sequence alignment of VCA with known PepMV viruses is depicted in Figure 5. Three of the nucleotides in SEQ ID NO:1 (corresponding to positions 2605, 3156 and 3422 of SEQ ID NO:1) are unique to VCA in comparison to not only the known PepMV viruses, but also to the attenuated strain VC1. While not wishing to be bound by theory, it is believed that these two nucleotide changes alter the amino acid sequence, which in turn results in milder symptoms.

Set-up:
Tomato plants of the cultivar Merlice (on rootstock) were used. Each row of 12 plants was a different treatment. The plants were grown in two greenhouse compartments. The set temperatures were 20°C at daytime and 18°C at nighttime. The trial lasted 3 months. Inoculations were carried out by the rubbing protocol (see below).

Plants were inoculated first with mild isolates (VC1 or VCA) and tested with ELISA to determine infection. The results of the ELISA are shown below.

VC1	4/4 +
VCA	4/4 +
Negative control	0/4 +

Approximately six weeks (39 days) after the first inoculation the plants were inoculated with the virulent isolate (CHD).

Results

Infection with the mild isolates VCA and VC1 resulted in very mild symptoms, namely, light bubbling on the young leaves and minor nettle-heads (Fig. 2). Infection with the virulent CH2 isolate CHD alone showed strong necrosis of the leaves and stems, from 3 weeks after inoculation of CHD (Fig. 1A). Treatment with VCA or VC1 protected plants from necrosis (see, e.g., Fig 1B)

Conclusions

- VCA is as mild as VC1 and maybe even milder.
- Both VCA and VC1 prevented symptoms of the virulent CH2 isolate CHD.

Example 2: Symptoms observed from treatment with PepMV variants

VC1 infection can produce unwanted symptoms in inoculated plants, namely, nettle-heads and growth retardation. In this trial, the new mild isolate VCA is compared with VC1 for the induction of symptoms in treated plants.

5

Tomato plants of the cultivar Komeett were used. Inoculations were carried out by the rubbing protocol (see below). Plants were inoculated with mild isolates (VC1 or VCA) and tested two weeks later with ELISA to determine infection. It was found on average 95% of the virus inoculated plants had been infected. The virus-free plants remained free until the end of the test.

10

Treatment with either VCA or VC1 resulted in the development of light symptoms, such as leaf misformation. However, plants treated with VCA (Fig. 3B) had more leaf volume and grew better than those treated with VC1 (Fig. 3C).

Example 3: Comparison of symptoms in plants grown under optimal conditions versus sub-optimal conditions

15

Figure 4 depicts plants grown under optimal conditions versus sub-optimal conditions. In optimal growing conditions, plants treated with VC1 and VCA show a comparable level of very mild symptoms. However, in sub-optimal growing conditions, VC1 treated plants show much more severe symptoms than VCA treated plants. While not wishing to be bound by theory, it is believed that the nucleotide differences at position 2605, and 3156 of SEQ ID NO:1 result in an amino acid alteration as compared to VC1 and that one or both of these amino acid alterations is responsible for the milder symptoms.

20

Material and methods:

Rubbing protocol:

25

Knead frozen or fresh infected plant material. Take 7.5-10 ml of extracted plant sap or 7.5-10 ml virus suspension of virus product.

Put the 7.5-10 ml in a plastic tray

Dilute virus suspension 10-times with PBS

Add 1-2% (w/v) carborundum

30

Mix suspension well.

Put disposable gloves on your hands.

Stir with your fingers and thumb in the suspension.

Inoculate two leaves on each plant in upper half on a leaflet by rubbing 5-times leaflet between thumb and index finger. Leaves should be damaged a little bit.

35

(light discolouration, without holes).

Dip for each plant your finger and inoculate the plant

After inoculation, collect all residual material and put this in a garbage bin or waste container. The residual material should be disinfected by 100-200 ppm hypochlorite and after that it can be processed as regular waste.

- 5 Test after 14 (± 2) days the percentage of infected plants. This can be determined by the method ELISA.

High pressure spraying protocol:

Usage of spraying liquid: 0,5 L/ m.

- 10 Measure the needed amount of cold tap water and put this in the tank of the spraying cart.

Prepare virus solution

Add carborundum 800gram/100 L to spraying liquid.

Mix carborundum well in spray cart, by hand, cover your fore-arm in a

- 15 disposable overboot, circulate te contents of the tank

Pressure on nozzles in spraying arm: 12-15 bar

Spraying width: 1.20 m, 6 nozzles

Spraying height: 10-15 cm above the plants.

Check the nozzles for blockages and evenness of spray.

- 20 After inoculation, collect all residual material and put this in a garbage bin or waste container. The residual material should be disinfected by 100-200 ppm hypochlorite and after that it can be processed as regular waste.

Test after 14 (± 2) days the percentage of infected plants. This can be determined by the ELISA method.

25

ELISA for measuring PepMV in sample

Reagents for performing DAS-ELISA were obtained from PRIME Diagnostics, Wageningen, The Netherlands. The ELISAs were carried out according to the manufacturer's instructions.

CLAIMS

1. An attenuated Pepino mosaic virus comprising a nucleic acid molecule comprising a nucleic acid sequence that is at least 90% identical to SEQ ID NO:1 and encodes arginine at the position corresponding to 868 of SEQ ID NO:2, phenylalanine at the position corresponding to 1052 of SEQ ID NO:2, phenylalanine at the position corresponding to 956 of SEQ ID NO:2, and asparagine at the position corresponding to 1325 of SEQ ID NO:2.
2. The virus according to claim 1, wherein the nucleic acid molecule comprises a nucleic acid sequence that is at least 90% identical to SEQ ID NO:8.
3. An isolated nucleic acid molecule of an attenuated Pepino mosaic virus, wherein said nucleic acid molecule encodes an amino acid sequence having at least 95% identity to SEQ ID NO:9, wherein the nucleic acid molecule encodes an arginine at the position corresponding to 886 of SEQ ID NO:9, a phenylalanine at the position corresponding to 1070 of SEQ ID NO:9, a phenylalanine at the position corresponding to position 974 of SEQ ID NO:9, and an asparagine at the position corresponding to position 1343 of SEQ ID NO:9.
4. A vector comprising the nucleic acid molecule according to claim 3, or the virus according to any one of claims 1-2.
5. The vector of claim 4, wherein the vector is an expression vector.
6. An isolated polypeptide encoded by the nucleic acid molecule of claim 3.
7. A composition for biological control of a plant disease comprising the virus of any one of claims 1-2, the nucleic acid molecule of claim 3, or the vector of claim 4 or 5; and an agriculturally acceptable carrier, wherein the plant disease is infection by PepMV.


8. A method for the detection of a pepino mosaic virus (PepMV) comprising providing a sample suspected of containing PepMV and detecting in said sample the virus of any one of claims 1-2, the nucleic acid molecule of claim 3, or the vector of claim 4 or 5.

9. A method for producing a pepino mosaic virus (PepMV)-resistant plant, comprising exposing a plant or plant part to the virus of any one of claims 1-2, the nucleic acid molecule of claim 3, the vector of claim 4 or 5, or the composition of claim 7.

Figure 1B:



Figure 1A






Figure 2B




Figure 2A

Figure 3A



Figure 3C






Figure 3B





Alignment VCA - PepMV CH2 29sept2015.apr

Figure 5



Alignment VCA - PepMV CH2 29sept2015.apr

[illegible]

[illegible]

Alignment VCA - PepMV CH2 29sept2015.apr

	(601)	601	610	620	630	640	650	660	670	680	690	700	Section 7
1906	(516)	516	520	530	540	550	560	570	580	590	600	610	
Pa	(601)	601	610	620	630	640	650	660	670	680	690	700	
220606A1	(471)	471	480	490	500	510	520	530	540	550	560	570	
VFBC12-04	(601)	601	610	620	630	640	650	660	670	680	690	700	
VFBC12-08	(601)	601	610	620	630	640	650	660	670	680	690	700	
PCH06/104	(601)	601	610	620	630	640	650	660	670	680	690	700	
F1212288	(600)	600	610	620	630	640	650	660	670	680	690	700	
P5	(601)	601	610	620	630	640	650	660	670	680	690	700	
DQ000985	(601)	601	610	620	630	640	650	660	670	680	690	700	
PK	(601)	601	610	620	630	640	650	660	670	680	690	700	
VCA	(464)	464	470	480	490	500	510	520	530	540	550	560	
1906	(616)	616	620	630	640	650	660	670	680	690	700	710	Section 8
Pa	(701)	701	710	720	730	740	750	760	770	780	790	800	
220606A1	(571)	571	580	590	600	610	620	630	640	650	660	670	
VFBC12-04	(701)	701	710	720	730	740	750	760	770	780	790	800	
VFBC12-08	(701)	701	710	720	730	740	750	760	770	780	790	800	
PCH06/104	(616)	616	620	630	640	650	660	670	680	690	700	710	
F1212288	(700)	700	710	720	730	740	750	760	770	780	790	800	
P5	(701)	701	710	720	730	740	750	760	770	780	790	800	
DQ000985	(701)	701	710	720	730	740	750	760	770	780	790	800	
PK	(701)	701	710	720	730	740	750	760	770	780	790	800	
VCA	(564)	564	570	580	590	600	610	620	630	640	650	660	

Alignment VCA - PepMV CH2 29sept2015.apr

[illegible]

Alignment VCA - PepMV CH2 29sept2015.apr

	1001	1010	1020	1030	1040	1050	1060	1070	1080	1090	1100	Section 11
1906 (916)	GTCAAAATCTGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
Pa (1001)	GTCAAAATCTGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
220606A1 (871)	GTCAAAATCTGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
VFBC12-04 (1001)	GTCAAAATCTGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
VFBC12-08 (1001)	GTCAAAATCTGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
PCH06/104 (916)	GTCAAAATCTGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
FJ212288 (1000)	GTCAAAATCTGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
P5 (1001)	GTCAAAATCTGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
DQ000985 (1001)	GTCAAAATCTGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
PK (1001)	GTCAAAATCTGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
VCA (864)	GTCAAAATCTGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
(1101)	1110	1120	1130	1140	1150	1160	1170	1180	1190	1200	Section 12	
1906 (1016)	CACATATGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
Pa (1101)	CACATATGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
220606A1 (971)	CACATATGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
VFBC12-04 (1101)	CACATATGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
VFBC12-08 (1101)	CACATATGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
PCH06/104 (1016)	CACATATGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
FJ212288 (1100)	CACATATGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
P5 (1101)	CACATATGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
DQ000985 (1101)	CACATATGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
PK (1101)	CACATATGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	
VCA (964)	CACATATGTC	CAATTAAGG	GGACACAAAG	GAGATATCTT	GGCAATG	TAAAGTCTT	TAATCTT	TTATG	ACCTT	TTATG	ACCTT	

Alignment VCA - PepMV CH2 29sept2015.apr

[illegible]

Alignment VCA - PepMV CH2 29sept2015.apr

[illegible]

[illegible]

[illegible]

Alignment VCA - PepMV CH2 29sept2015.apr

[illegible]

Alignment VCA - PepMV CH2 29sept2015.apr

[illegible]

Alignment VCA - PepMV CH2 29sept2015.apr

[illegible]

[illegible]

Alignment VCA - PepMV CH2 29sept2015.apr

[illegible]

	(3001)	3001	3010	3020	3030	3040	3050	3060	3070	3080	3090	3100	Section 31
1906 (2916)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
Pa (3001)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
220606A1 (2871)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
VFBC12-04 (3001)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
VFBC12-08 (3001)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
PCH06/104 (2916)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
FJ212288 (3000)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
P5 (3001)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
DQ000985 (3001)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
PK (3001)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
VCA (2864)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
1906 (3016)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
Pa (3101)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
220606A1 (2971)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
VFBC12-04 (3101)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
VFBC12-08 (3101)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
PCH06/104 (3016)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
FJ212288 (3100)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
P5 (3101)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
DQ000985 (3101)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
PK (3101)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	
VCA (2954)	PA	TCGCTTTT	CCGCGGAAATTT	GGTGTAGCGG	AAATTTAA	CCAACTGAGC	CTGGTACGAT	TTTCCGCTAGCG	ATATCGGAAT	TGCGAATA	CTTTAGCG	ATTATAGC	

[illegible]

Alignment VCA - PepMV CH2 29sept2015.apr

	(3401)	3401	3410	3420	3430	3440	3450	3460	3470	3480	3490	3500	Section 35
1906 (3316)	GAAGTGA	GAAGA	GAACG	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA
Pa (3401)	GAAGTGA	GAAGA	GAACG	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA
220606A1 (3271)	GAAGTGA	GAAGA	GAACG	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA
VFBC12-04 (3401)	GAAGTGA	GAAGA	GAACG	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA
PCH06/104 (3316)	GAAGTGA	GAAGA	GAACG	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA
FJ212288 (3400)	GAAGTGA	GAAGA	GAACG	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA
P5 (3401)	GAAGTGA	GAAGA	GAACG	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA
DQ000985 (3401)	GAAGTGA	GAAGA	GAACG	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA
PK (3401)	GAAGTGA	GAAGA	GAACG	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA
VCA (3264)	GAAGTGA	GAAGA	GAACG	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA	CTTCTG	CGGAA
1906 (3416)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
Pa (3501)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
220606A1 (3371)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
VFBC12-04 (3501)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
VFBC12-08 (3501)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
PCH06/104 (3416)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
FJ212288 (3500)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
P5 (3501)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
DQ000985 (3501)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
PK (3501)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
VCA (3364)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
													Section 36
1906 (3501)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
Pa (3501)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
220606A1 (3371)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
VFBC12-04 (3501)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
VFBC12-08 (3501)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
PCH06/104 (3416)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
FJ212288 (3500)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
P5 (3501)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
DQ000985 (3501)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
PK (3501)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT
VCA (3364)	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT	CAATG	GGT	TAAGTCT

Alignment VCA - PepMV CH2 29sept2015.apr

	(3601)	3601	3610	3620	3630	3640	3650	3660	3670	3680	3690	3700	Section 37
1906 (3516)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
Pa (3601)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
220606A1 (3471)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
VFBC12-04 (3601)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
VFBC12-08 (3601)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
PCH06/104 (3516)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
F1212288 (3600)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
P5 (3601)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
DQ000985 (3601)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
PK (3601)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
VCA (3464)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
	(3701)	3701	3710	3720	3730	3740	3750	3760	3770	3780	3790	3800	Section 38
1906 (3616)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
Pa (3701)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
220606A1 (3571)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
VFBC12-04 (3701)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
VFBC12-08 (3701)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
PCH06/104 (3616)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
F1212288 (3700)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
P5 (3701)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
DQ000985 (3701)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
PK (3701)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG
VCA (3564)	GGTAC	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG	GGT	TTAAG	GGGG	TAAGG	CCAGG

Alignment VCA - PepMV CH2 29sept2015.apr

[illegible]

Alignment VCA - PepMV CH2 29sept2015.apr

[illegible]

[illegible]

Alignment VCA - PepMV CH2 29sept2015.apr

[illegible]

[illegible]

[illegible]

[illegible]

Alignment VCA - PepMV CH2 29sept2015.apr

	5201	5210	5220	5230	5240	5250	5260	5270	5280	5290	5300	Section 53
1906 (5116)	AAACGCGCATATATGACGAGGTGGCAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
Pa (5201)	AAACGCGCATATATGACGAGGTGGCAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
220606A1 (5071)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
VFBC12-04 (5201)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
VFBC12-08 (5201)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
PCH06/104 (5116)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
FJ212288 (5200)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
P5 (5201)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
DQ000985 (5201)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
PK (5201)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
VCA (5064)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
1906 (5216)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
Pa (5301)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
220606A1 (5171)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
VFBC12-04 (5301)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
VFBC12-08 (5301)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
PCH06/104 (5216)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
FJ212288 (5300)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
P5 (5301)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
DQ000985 (5301)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
PK (5301)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400
VCA (5164)	AAACGAGTCATTATTAACACGAGTGGAGGTGATTAATTTGGCAAGACGCTT	AGTGGTCTGGTATTCAGACGGTACTAGAGAGATTTCTTACTTTCCGCA	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400

[illegible]

[illegible]

[illegible]

[illegible]


[illegible]

Alignment VCA - PepMV CH2 29sept2015.apr

Section 65

	(6401)	6401	6410	6420	6430	6441
1906 (6292)						
Pa (6401)						
220606A1 (6246)						
VFBC12-04 (6400)						
VFBC12-08 (6401)						
PCH06/104 (6292)						
FJ212288 (6400)						
P5 (6401)						
DQ000985 (6401)						
PK (6401)						
VCA (6232)						

Figure 6



Alignment RdRP aa VCA EU LP US1 strains.apr

	(292)	292	300	310	320	330	340	350	360	370	388	Section 4
LE-2002 RdRp	(292)	KMPRSPALQIIIVKSNVAVIQDDEPFA	COLLISFIR	INMDEDEP	INNEFI	CO	SSINDIN	IKAS	FEKENVAPNQ	DEPOMIE	THRE	
AJ438767 RdRp	(292)	KMPRSPALQIIIVKSNVAVIQDDEPFA	COLLISFIR	INMDEDEP	INNEFI	CO	SSINDIN	IKAS	FEKENVAPNQ	DEPOMIE	THRE	
Sp-13 RdRp	(292)	KMPRSPALQIIIVKSNVAVIQDDEPFA	COLLISFIR	INMDEDEP	INNEFI	CO	SSINDIN	IKAS	FEKENVAPNQ	DEPOMIE	THRE	
LP-2001 RdRp	(292)	KMPRSPALQIIIVKSNVAVIQDDEPFA	COLLISFIR	INMDEDEP	INNEFI	CO	SSINDIN	IKAS	FEKENVAPNQ	DEPOMIE	THRE	
US1 RdRp	(292)	KMPRSPALQIIIVKSNVAVIQDDEPFA	COLLISFIR	INMDEDEP	INNEFI	CO	SSINDIN	IKAS	FEKENVAPNQ	DEPOMIE	THRE	
DQ000985 RdRp	(292)	KMPRSPALQIIIVKSNVAVIQDDEPFA	COLLISFIR	INMDEDEP	INNEFI	CO	SSINDIN	IKAS	FEKENVAPNQ	DEPOMIE	THRE	
FJ212288 RdRp	(292)	KMPRSPALQIIIVKSNVAVIQDDEPFA	COLLISFIR	INMDEDEP	INNEFI	CO	SSINDIN	IKAS	FEKENVAPNQ	DEPOMIE	THRE	
220606A1 RdRp	(277)	KMPRSPALQIIIVKSNVAVIQDDEPFA	COLLISFIR	INMDEDEP	INNEFI	CO	SSINDIN	IKAS	FEKENVAPNQ	DEPOMIE	THRE	
1906 RdRp	(292)	KMPRSPALQIIIVKSNVAVIQDDEPFA	COLLISFIR	INMDEDEP	INNEFI	CO	SSINDIN	IKAS	FEKENVAPNQ	DEPOMIE	THRE	
VCA RdRp	(274)	KMPRSPALQIIIVKSNVAVIQDDEPFA	COLLISFIR	INMDEDEP	INNEFI	CO	SSINDIN	IKAS	FEKENVAPNQ	DEPOMIE	THRE	
LE-2002 RdRp	(389)	389	400	410	420	430	440	450	460	470	485	Section 5
AJ438767 RdRp	(389)	389	400	410	420	430	440	450	460	470	485	
Sp-13 RdRp	(389)	389	400	410	420	430	440	450	460	470	485	
LP-2001 RdRp	(389)	389	400	410	420	430	440	450	460	470	485	
US1 RdRp	(389)	389	400	410	420	430	440	450	460	470	485	
DQ000985 RdRp	(389)	389	400	410	420	430	440	450	460	470	485	
FJ212288 RdRp	(389)	389	400	410	420	430	440	450	460	470	485	
220606A1 RdRp	(374)	389	400	410	420	430	440	450	460	470	485	
1906 RdRp	(389)	389	400	410	420	430	440	450	460	470	485	
VCA RdRp	(371)	389	400	410	420	430	440	450	460	470	485	
LE-2002 RdRp	(486)	486	500	510	520	530	540	550	560	570	582	Section 6
AJ438767 RdRp	(486)	486	500	510	520	530	540	550	560	570	582	
Sp-13 RdRp	(486)	486	500	510	520	530	540	550	560	570	582	
LP-2001 RdRp	(486)	486	500	510	520	530	540	550	560	570	582	
US1 RdRp	(486)	486	500	510	520	530	540	550	560	570	582	
DQ000985 RdRp	(486)	486	500	510	520	530	540	550	560	570	582	
FJ212288 RdRp	(486)	486	500	510	520	530	540	550	560	570	582	
220606A1 RdRp	(471)	486	500	510	520	530	540	550	560	570	582	
1906 RdRp	(486)	486	500	510	520	530	540	550	560	570	582	
VCA RdRp	(468)	486	500	510	520	530	540	550	560	570	582	

Alignment RdRP aa VCA EU LP US1 strains.apr

		Section 7														
		583	588	590	600	610	620	630	640	650	660	670	679			
LE-2002 RdRp	(583)	AVSDT	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA
AJ438767 RdRp	(583)	AVSDT	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA
Sp-13 RdRp	(583)	AVSDT	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA
LP-2001 RdRp	(583)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
US1 RdRp	(583)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
DQ000985 RdRp	(583)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
FJ212288 RdRp	(583)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
220606A1 RdRp	(568)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
1906 RdRp	(583)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
VCA RdRp	(565)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
		Section 8														
		(680)	680	690	700	710	720	730	740	750	760	770	779			
LE-2002 RdRp	(680)	AVSDT	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA
AJ438767 RdRp	(680)	AVSDT	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA
Sp-13 RdRp	(680)	AVSDT	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA
LP-2001 RdRp	(680)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
US1 RdRp	(680)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
DQ000985 RdRp	(679)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
FJ212288 RdRp	(679)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
220606A1 RdRp	(664)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
1906 RdRp	(679)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
VCA RdRp	(661)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
		Section 9														
		(777)	777	790	800	810	820	830	840	850	860	873				
LE-2002 RdRp	(777)	AVSDT	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA
AJ438767 RdRp	(777)	AVSDT	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA
Sp-13 RdRp	(777)	AVSDT	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA	PELNANGK	QSS	DEMLA
LP-2001 RdRp	(777)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
US1 RdRp	(777)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
DQ000985 RdRp	(776)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
FJ212288 RdRp	(776)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
220606A1 RdRp	(761)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
1906 RdRp	(776)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA
VCA RdRp	(758)	AVSDT	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA	PELNANGK	QNS	DEMLA

Alignment RdRp aa VCA EU LP US1 strains.apr

	1165	1170	1180	1190	1200	1210	1220	1230	1240	1250	Section 13
(1165) LE-2002 RdRp (1165)	EQOQVAVLGGNANV	RRMRQRFQGGIF	INCEETVHINQ	QVWV	QNNNRTACIN	FIATFDSQ	ISMLQF	ENKAFENIPADN	IEGYNINIKINA		1261
AJ438767 RdRp (1165)	EQOQVAVLGGNANV	RRMRQRFQGGIF	INCEETVHINQ	QVWV	QNNNRTACIN	FIATFDSQ	ISMLQF	ENKAFENIPADN	IEGYNINIKINA		
Sp-13 RdRp (1165)	EQOQVAVLGGNANV	RRMRQRFQGGIF	INCEETVHINQ	QVWV	QNNNRTACIN	FIATFDSQ	ISMLQF	ENKAFENIPADN	IEGYNINIKINA		
LP-2001 RdRp (1165)	EQOQVAVLGGNANV	RRMRQRFQGGIF	INCEETVHINQ	QVWV	QNNNRTACIN	FIATFDSQ	ISMLQF	ENKAFENIPADN	IEGYNINIKINA		
US1 RdRp (1165)	EQOQVAVLGGNANV	RRMRQRFQGGIF	INCEETVHINQ	QVWV	QNNNRTACIN	FIATFDSQ	ISMLQF	ENKAFENIPADN	IEGYNINIKINA		
DQ000985 RdRp (1164)	EQOQVAVLGGNANV	RRMRQRFQGGIF	INCEETVHINQ	QVWV	QNNNRTACIN	FIATFDSQ	ISMLQF	ENKAFENIPADN	IEGYNINIKINA		
FJ212288 RdRp (1164)	EQOQVAVLGGNANV	RRMRQRFQGGIF	INCEETVHINQ	QVWV	QNNNRTACIN	FIATFDSQ	ISMLQF	ENKAFENIPADN	IEGYNINIKINA		
220606A1 RdRp (1149)	EQOQVAVLGGNANV	RRMRQRFQGGIF	INCEETVHINQ	QVWV	QNNNRTACIN	FIATFDSQ	ISMLQF	ENKAFENIPADN	IEGYNINIKINA		
1906 RdRp (1164)	EQOQVAVLGGNANV	RRMRQRFQGGIF	INCEETVHINQ	QVWV	QNNNRTACIN	FIATFDSQ	ISMLQF	ENKAFENIPADN	IEGYNINIKINA		
VCA RdRp (1146)	EQOQVAVLGGNANV	RRMRQRFQGGIF	INCEETVHINQ	QVWV	QNNNRTACIN	FIATFDSQ	ISMLQF	ENKAFENIPADN	IEGYNINIKINA		
(1262) LE-2002 RdRp (1262)	KIFPLGILSIMPLSGEGPTFDANT	ECGSIATATPRHIN	EN	QVYAGDDNALDGNQ	QKRS	IKLQK	KLSKTL	PROVKGHI	ASFCGWTITGGI		1358
AJ438767 RdRp (1262)	KIFPLGILSIMPLSGEGPTFDANT	ECGSIATATPRHIN	EN	QVYAGDDNALDGNQ	QKRS	IKLQK	KLSKTL	PROVKGHI	ASFCGWTITGGI		
Sp-13 RdRp (1262)	KIFPLGILSIMPLSGEGPTFDANT	ECGSIATATPRHIN	EN	QVYAGDDNALDGNQ	QKRS	IKLQK	KLSKTL	PROVKGHI	ASFCGWTITGGI		
LP-2001 RdRp (1262)	KIFPLGILSIMPLSGEGPTFDANT	ECGSIATATPRHIN	EN	QVYAGDDNALDGNQ	QKRS	IKLQK	KLSKTL	PROVKGHI	ASFCGWTITGGI		
US1 RdRp (1262)	KIFPLGILSIMPLSGEGPTFDANT	ECGSIATATPRHIN	EN	QVYAGDDNALDGNQ	QKRS	IKLQK	KLSKTL	PROVKGHI	ASFCGWTITGGI		
DQ000985 RdRp (1261)	KIFPLGILSIMPLSGEGPTFDANT	ECGSIATATPRHIN	EN	QVYAGDDNALDGNQ	QKRS	IKLQK	KLSKTL	PROVKGHI	ASFCGWTITGGI		
FJ212288 RdRp (1261)	KIFPLGILSIMPLSGEGPTFDANT	ECGSIATATPRHIN	EN	QVYAGDDNALDGNQ	QKRS	IKLQK	KLSKTL	PROVKGHI	ASFCGWTITGGI		
220606A1 RdRp (1246)	KIFPLGILSIMPLSGEGPTFDANT	ECGSIATATPRHIN	EN	QVYAGDDNALDGNQ	QKRS	IKLQK	KLSKTL	PROVKGHI	ASFCGWTITGGI		
1906 RdRp (1261)	KIFPLGILSIMPLSGEGPTFDANT	ECGSIATATPRHIN	EN	QVYAGDDNALDGNQ	QKRS	IKLQK	KLSKTL	PROVKGHI	ASFCGWTITGGI		
VCA RdRp (1243)	KIFPLGILSIMPLSGEGPTFDANT	ECGSIATATPRHIN	EN	QVYAGDDNALDGNQ	QKRS	IKLQK	KLSKTL	PROVKGHI	ASFCGWTITGGI		
(1359) LE-2002 RdRp (1359)	TKNPIEMHVASINLQEA	IGNHTAARSSVAIDMKRS	YOMGDEIHR	ITL	EDACQNP	AVRTHK	LNQGSAMR	GENSPPP	STH		1439
AJ438767 RdRp (1359)	TKNPIEMHVASINLQEA	IGNHTAARSSVAIDMKRS	YOMGDEIHR	ITL	EDACQNP	AVRTHK	LNQGSAMR	GENSPPP	STH		
Sp-13 RdRp (1359)	TKNPIEMHVASINLQEA	IGNHTAARSSVAIDMKRS	YOMGDEIHR	ITL	EDACQNP	AVRTHK	LNQGSAMR	GENSPPP	STH		
LP-2001 RdRp (1359)	TKNPIEMHVASINLQEA	IGNHTAARSSVAIDMKRS	YOMGDEIHR	ITL	EDACQNP	AVRTHK	LNQGSAMR	GENSPPP	STH		
US1 RdRp (1359)	TKNPIEMHVASINLQEA	IGNHTAARSSVAIDMKRS	YOMGDEIHR	ITL	EDACQNP	AVRTHK	LNQGSAMR	GENSPPP	STH		
DQ000985 RdRp (1358)	TKNPIEMHVASINLQEA	IGNHTAARSSVAIDMKRS	YOMGDEIHR	ITL	EDACQNP	AVRTHK	LNQGSAMR	GENSPPP	STH		
FJ212288 RdRp (1358)	TKNPIEMHVASINLQEA	IGNHTAARSSVAIDMKRS	YOMGDEIHR	ITL	EDACQNP	AVRTHK	LNQGSAMR	GENSPPP	STH		
220606A1 RdRp (1343)	TKNPIEMHVASINLQEA	IGNHTAARSSVAIDMKRS	YOMGDEIHR	ITL	EDACQNP	AVRTHK	LNQGSAMR	GENSPPP	STH		
1906 RdRp (1358)	TKNPIEMHVASINLQEA	IGNHTAARSSVAIDMKRS	YOMGDEIHR	ITL	EDACQNP	AVRTHK	LNQGSAMR	GENSPPP	STH		
VCA RdRp (1340)	TKNPIEMHVASINLQEA	IGNHTAARSSVAIDMKRS	YOMGDEIHR	ITL	EDACQNP	AVRTHK	LNQGSAMR	GENSPPP	STH		

Figure 7

SEQ ID NO:1

CTAGCATTGTGAAGCCGCTTACCAACATGTTAGACCTGTGCTCAAGGAATCCCTAATCAACTGTCCTTATGCGC
 TTAATGACTATGAAGCAGACACCCTTGAGAATTTAGGTGTACAATAAAACCCCATGCAATCCAAACACATACTC
 ATGCGGCAGCTAAAGTTGTGGAAAATAGAATGCTCGAAATCGTTGGACACCACCTTGCCCAAGGACGAGAAAGTTA
 CCTTCATTTTTCTCAAAAAGAAGCAAACCTGAGATACATGCGAAGAGCTGCTGTACATAAAGATGTTTTTGTTAATC
 ACAATATAGAACCCAAGGATTTCTTCAGGTATGATGAGGAATCTACATCTACTAGTTTCTCCGTGAACACCAGGA
 TCGCTTACATCTCCGATTCTCTACATTTTCATGGAACAGCTGATGTGACCCACCTCTTTGACCGTTGCCACAATC
 TTAACAACTGATGGCAACTGTCGTTTTACCTGTTGAAGCCATCCACAAACAAACATCTTTATTTCCAGCGATAT
 ACTCCATTAATTACAATGAAGAAGGTTTTGTAGTATATCCCTGGTTCTCATGGTGGAGGGGCATACTTTCATAAGT
 ATGAAACATTAGACTGGCTCAAACTACTCTAGATTCATTGGCCAGGACCCCTTAAGTGGACTCCGATACACCATAA
 CCTTCAAATGGTAGAGAGTTTAGGAGCCCAACCATCTTTTCCCTCTCCAAAGAGGAAATTTTGAAACACCTTTAT
 ACAGGACGTTTTCAAAAAAATAGCTTTGTGACCTTTCCCTAACATCTTCCATCCCCAACATGTTAATGCCACAAAGC
 CCATGCCAAGATCCAGGGCAATTCAGCTGTATTTATATGTCAAATCTGTCAATAAGGTGACACAAAGAGATATCT
 TTGCGAAAGTAAGGCAACTTATATCTACAGCTGAAGTTGAATTTGATGACCCCTGATGAAGTTACACATATTGTCA
 ATTATTTTCGCATATGTCTCAGAACTAAGCTCAATCAACGACTATGACAATATGCTCAAATCAAGTTTTTTCAAAA
 AACTTGTGTGACCCCATGCAACATGACTGGAGGTGCATGATTGAATTTCTTCGGGGAAAAAGTGATTTCAATCAAC
 TTTTAATGCTCTCTTCAATGGAAAGACTTCTCTTACACCATTAATAACTGAAGAGTTAGTTGTTGCTACACACACTG
 AAATTGGCCAGGCAATCTGTGAAGCTGCGACCATACAAAGAAAGACAATGACCAATTTAGTCAAAACAAAG
 GCGCAGTAACATTAGCTGATTTCAAAGAAGCGGACAGCATGTGGAGTACACTCAGTTTGTATCTGAGTTTAAAT
 CCACTGTTGACCCCAACGGAGCTATGAAAATGCCATCAACAATCTTGGCATTGAGATTAATGAGGATGTACCTG
 AAAGTTCCGGCCTAATRAAACATTGCTTAACAATGAAATATCTTTAGCAATGTCA₁CTGCTGAACATGTGCAA
 GCGGTTCAAGAAATTGAGTCTTTACTCTCTAACCCCGAAGCGGCACCAATATTGCCCCCTGCACATGTTAAACA
 TGGGCTAGCCTTGACATCTGACAY₂TTCCAGCACTAAAAACCGTGAAATCGAAGATATAGTGGCTAAGCTGGAAT
 ACAAAGAAATGAAGCTAGTTTGCAGCTACCTTCAACCAAAATAAGGAATTGTCAAAACCAAGGCTGCTGATAACAA
 TCTCCCTGGAAATGCTTGGATCCATTGCTTAATGCACACGGCTTCAAAGGAGATCAATTACAATACGGCCAGA
 TGGTAACTTGATACAGCCCATCCAAGACATTAACAATTCACAGCCTAGATCTGACTATCCGTCTTCTCTGCCATG
 TGAAGTTGTGGAAGCTTTGAGGAAAATTAAGCGTGCTGTCTATGCCATCCCAATAAGCCACAGGAGAGCTAGTGC
 TTACAGTTCTGACATCAAAAAATAACAGAACTGGCAAACCTTCTCTGCAACCAAGCAAGAATGGAAGAAAGCTT
 TGCTTTCAAATGCAACATGAAGACATCGTCAAATCAGGTGTTGTCATACATGGTTGCGGAGGTTCTGGCAAATC
 CCAGGCATTACAAAACCTTCTTGAGAACATTGGGTGATTCAAATGATTGCTGTACTGTTGTAGTACCCACTGTTGA
 ACTTAGAAATGAAGCTGGGTAAACAACTCCATAAATTGCCATAGGAGCATATCAAAACATTTGAGAAAGCAATGAT
 TCAACCTGGCTTTCCAATTGTTATATTTGATGATTACACCAAGTTGCCACCTGGCTACATTGAAGCATACCTATT
 TCACCATGCCAACACTGAGCTTTTCATACTCACTGGTGATTCTAGGCAAAGCGTGATCCATGAATCTAACAATGA
 AGCGTACATTGGCTCATTAGATGAAGCTGTTGCATACTACGCTAATTACTGCGGTTTTTATTTAAATGCTACTCA
 TAGAAATGTCCGTAGTTTTAGCCAACAACTTGGTGTTTACAGTGAGAAAGAAGGACACTTGAAAATCACTTTTGC
 TTCACATGCCCTTACAAAAGTGCAAAGTGCCAAATTTAGTTCCCTTCTCAAATGAAAAGGAGTGCTATGTY₃AGACA
 TTGGACATAAATCCATGACCTATGCTGGTTGCCAAGGTTTAAACAGCACCCCAAGGTACAAATTTCTCTTGATAACC
 ACAGCAACATTTGCTGTGACAGAGTTCTGTACACCTGTCTGTCTGCTGCAAGTTGATTCCATCCACTTCATAATA
 CTGGTCCCAACAATTCAGAAATTTGGGATAAGCTTGAAGCAACACCATATCTCAAAGCCTTCATTGATGTCTATA
 GAGATGAAAAAACTGAAATGTTCAATTTCTAAGCCTGCTGATGACAGTCCAACTGAGCCTGAAGCACCTGTTACAC
 ATTTCCCAATAGCAAAATGGAATAAATTAGAGAAATAGCTTCTGCTTTGCCTGAAAAATTTGCTAGGGAGATTT
 ATGACAAGCATCATGGCCACTCCAACACAATCCAACTGAGAACCCTGTGGTCCAACTTTTCCAACATCAACAAG
 CGAAAGACGAGACACTCTTTTGGGCTACAATTGAAGCTAGATTGCCATAACAACCTCCTGAAGCAAAACCTCAGAG
 AATTTTTGTTTAAAGAAAGATGTTGGAGACATTTCTTCTTCAATTACCATAATGCGATGTGCTGCTGCGGACC
 CTGTTGACTTTTGAAGAAAAGACCTGGGAGATCTGTGCTGCTGAAGTGAAAAACACTTATCTTGCCAAACCCATGG
 CCAATCTTATCAATGCGGCAAGTAGACAATCACCCGACTTTGACTCTAATAAGATCTCATTATTCTTAAAGTCTC
 AATGGGTGAAAAAAGTGGAAAACTTGGAGCTATCAAATCAAACCTGGGCAGACCATAGCTGCTTTTATGCAAC
 AAACAGTCATGTTGTATGGTACTATGGCCAGGTAAGTAAAGGAAATGCGGCAAGATTCAGCCAAACACATAT
 TCATCAATTGTGAAACCACAACCTGATGATCTCAATAAATTTGTCAAAGAY₄GGCTGGAACTTTAAACAGAACCGCC
 CAAACAAATGACTTCACTGCTTTTGATCAGTCACAAGATGGAGCAATGCTTCAATTTGAAGTCATGAAAGCAAAA
 TTTTAAACATTTCCAGCTGATGTCATTGAAGGCTACATCAACATCAAGCTGAATGCTAAAATTTTCTTGGAAACA
 CTCTCAATAATGAGACTTTCTGGTGAAGGTCCACATTTGACGCTAACACTGAGTGTTGATTGCATACACTGCC
 ACAAGATTCCATATTGACAATACCTGTTAAGCAAGTGATGCCGGTGACGACATGGCATTAGATGGAGTTGTGAGT
 GAAAAGAAATCATTCAGGAAGTTACAAAATCTACTAAAACCTCACTTCAAAAACGCTGTACCCAAAACAGGTTAAA
 GGGAAATTACGCTGAATTTTGTGGTTGGACTTTTACACACAGGGGGTATAATTAATAATCCACTTAAATGCGATGCC
 TCAATTATGCTGCAAGAAGCCATTGGCAATCTGCACACAGCAGCCAGATCTTATGCAATTGACATGAAGCATTCA
 TACCAATGGGTGACCAACTGCATGACTACCTAACCCCGATGAAGCTGAACAACATTTCTAGCTGTGAGAAAG
 CTTCAAAACTCCATCAAGGCGAGGCCATGCGTCTTGGGGAGAAAAGTCCACCAAGATCAACCCATTAAAGGGTT
 AAGTTTTCCCCAGTTTGAATGGAAAGATCAACTTTGATCAATTTACTTCTGTTACACAAATTTGAACACAAGAT
 TAACACTGAAGGAATCATTGTTGTGCACGGAATTGCTGGAAGTGGGAAAACACATTGCTTAGGACTTTATTTTC

TGCATACCCTAGCTTAGTTATAGGTTACCTAGGCCCTTGTTACTTAGATAAAGCTAATAAAATTTTACAAAGTTTG
 CCTTTCTTGTTTTCCAAATACCTTGTGTGACATTGTTGACGAGTATCATCTCTTAGAAAAGTTTTCTGAACCAAA
 ACTAGCCATTTTTGGTGCACCCCTGTCAGTGCATTACATTGAAAGGTTGAGAACACCAACTACACATCCTTCAG
 AACACACCGATTGGCAAATCCACTGCTGCTCTACTAAACCAGTTATTTGATCTTAACATTGAGTCAGTCAAAGC
 ACAAGACGACACAGTAGAATACTTTGATCCTTTTCGACGTGGACCCCTCTGAACACATTTCTGCTTCAGAAAAAGA
 AGTTTTGGAATTTGTAGGTGATCAAGTTGAGACTACAAGCTCTGAAGAACTAGCTGGTCTCGAGTTTAGTGAAGT
 TACTTTCTACTGTACCACACTTGTGCTGCTGTTCAAGAAAATCCTGCTAAAACCTTCATTTCACTCACTAGACA
 CACTTCAAAGCTCACAATTGGTGAACATAAATGCCAGGTCTGACTCCTAGAGCTGATCTTACTGACACGTATAAAA
 TCATTGCTATAGCCTTTCTACTGTGAGCTTGCATTACTTCCAAAACAGTCATTATCAACCAAGTTGCAGGTGATA
 ATTTGCACAGACTACCCTTTGGTGGTTCAGTATCAAGACGGAACCTAAGAAGATTTCTTACTTTCCGCAGCAACAAT
 CCTACTTTCACTCAGGAAACAAGCTTAATGTCTCATACTTATCTTCATTCTTACACTGGGTATTGTCTCACC
 ATAAATTTAGTTTTAGCATTAGCCGTAATACTCACCAGCATCATTGCTACAACACACATTCTGCAACCCAAACAG
 GTCAATCAGTGCCAGGTGATCATTGACGGTGCAGCCATAGTTATAACAAATTGTCCAAACACACCCGAAGTTCTT
 AAAGCAATCAACTTCTCCCTTGAACGGGTTAAGTTTTCTCAATTGTGAAATTATTTGTTATCTAGTTAAA
 TTCAAACAATTTAACTCAACTATGGAACCAACCTACAGCTTCTAACCCATCAGATGCACCACCAACTGCTGCT
 CAAGCTGGTGCCAGAGCCCGAGCGACTTCTCAAATCCTAATACAGCTCCTTCCCTAAGTGATTGGAAGAAGATC
 AAATACGTGTCACTGTCACTTCAGTTGCCACGCTGCTGAAATTGAGGCCCTTGGCAAGATCTTTACTGCCATG
 GGTTCAGCAGCAATGAGACCGGACCTGCCATGTGGGACCTCGCTCGTGCTTATGCTGATGTGCAAGTTCAAAA
 TCTGCACAACCTTAY₅AGGTGCCACACCATCCAACCCCTGCTTTGTCTAGACGTGCACTTGTGCACAGTTTGATCG
 TATCAATATCACACCCAGACAATTCTGCATGTATTTGCAAAAATTGTTTGAACATACTGTTAGACAGCAATGT
 GCCACCTGCCAAGTGGGCAAAATTGGGCTATCAGGAAGATACCAAGTTTGTGCTTTTGACTTCTTTGATGGAGT
 CACAAATCCAGCTAGTCTACAGCCY₆GCAGATGGCCTAATCAGGCAGCCCAATGAAAAAGAGCTTGTGCTCACT
 CGGTTGCTAAATATGGTGGCCTTGGCCGCCAGAAAATATCCACTGGTAACATACACACCCCTTGGTGAAGTTA
 CACGTGGTCACATGGGCGGCGCCAACACTATGTACGCAATTGATGCACCTCCTGAACTTTAAACACTCGAAACTT
 AATCAGAGTGGG

SEQ ID NO:2

SICEAAYQHVRLKESLINCPYALNDYEADTLENLGVITINPHAIQTHHAAAKVVENRMLEIVGHHLFPKDEKVT
 FIFLKRSLRYMRRAAVHKDVFVNHNIPEKDFFRYDEESTSTSFVNTRIAYISDSLHFMFADVTHLFDRCNHL
 KTMATHEIVLPSEAIHKQTSLEPAIYSINYNEEGFEYIEPGSHGGGAYFHKYETLDWLKYSRFLFGDPLTLGRYIT
 IQMVESLGANHLFLFQGRNFETPLYRTFQKNSFVTFPNIFHPQHVNATKPMPSRAIQLYLYVKSVMKVTQRDIF
 AKVRQLISTAELELYDFDELTHIVNYFAYVSELSSINDYDNMLKSSFFKKLVAPMQHDWRCMIEFFRGKSDFNQL
 LTALQWKDFSYYTIKTEELVVATHTEIGQAICEAATTYKERRQLTNLVKQGAUTLADPKEADQHVYETHFDPEFKS
 TVDPHRSYENAINNLGIEINEDVPESSTGNXTLLNNEISLAMSXAHEVQAVQEIIEILLSNPEAAPILPPAHVKTW
 ASLASDXSSSTKNREIEDIVAKLEIQRNEASCYSYLQPNKELSKPKAADNNLPWNWIPLLNAHFGKGDQLQYGPDG
 NLIQPIQDINNSQPRSDYFSSLPCELVETLRKIKRAVYAIPISHRRASAYSDDIKNNRTGKLLCNQSKWEKESFA
 FKMQHEDIVKSGVVIHGCCGSGKSQALQNFRLTLDGSDNCCCTVVVPTVELRNDWVNLKHLKLFMEHIKTFEKAMIQ
 PCGPPIVIFDDYTKLPPGYIEAYLFHHANTELFILTGDSRQSVYHESNNEAYIASLDEAVAYYANYCYFYNATHR
 NVRLSLANKLGVYSEKEGHLKITFASHALQCKVPILVPSQMKRSAMXDIGHKSMTYAGCQGLTAPKVQILLDNHT
 QHCSDRVLYTCLSRVDSIHFINTEGPNNSSEFWDKLEATPYLKAFIDVYRDEKTEMFNSKPADDSPTEPEAFVTHF
 PIANGNNLEKLASALPEKFAREIYDKHHGHSNTIQTENPVVQLFQHQQAKDETLEFWATIEARLSITTPEANLREF
 LEKKDVGDIFFNYHNAMCLPADPVDFEETWEICAAEVKNTYLAKPMANLINAASRQSPDFDSNKISLFLKSQW
 VKKVEKLGAIKSKPGQTIAAFMQQTVMLYGTMARYLRKMRQRFQPKHIFINCETTTDDLNFVKDGNWVFNRTAQ
 NDFTAEDQSDGAMLQFEVMMKAFENIPADVIEGYINIKLNKIFLGTLSIMRLSGEGPTFDANTECSIATYATAT
 FHDINTVKQVYAGDDMALDGVVSEKKSFRKLQNLKLTSLKTLPKQVKGNVYAEFCGWTFTPGGIKKNPLKMHASI
 MLQEAIGNLHTAARSYAIDMKHSYQMGDQLHDYLTPEAEQHF LAVRKLHLKHLQGEAMRLGEKSPPRSTH

SEQ ID NO:3 EU AJ438767

GAACAAACAAACAAATAACAAATATACAAAGTTAAACTAACACAAACATAACCACGTGAAAAACAGCGAA
 AGCATTTTACACATTATGTCTCGTGTGAGAAATCTTTGGAAAAGATCAGAGACCCACAAGTACAGTCC
 AGCATTGTGAGCTGCCTATCAACATGTTTCGACCTGTACTTAAAGAATCTCTAATCAATTGCTCTACG
 CGCTTAATGATTATGAAGCAGACACCCCTTGAGAACTCTTGGTGTACAATTAACCCCATGCAATCCAAAC
 ACACACACATGCCGAGCCAAAGTAGTCGAAAATCGTATGCTTGAAATTGTTGGACATCACTTGCCTAAA
 GATGAAAAAGTAACTTTTCATCTTCTCAAACGTAGCAAGCTGCGTTACATGAGAAGAGCTGCTGTGCATA
 AAGATGTCTTTGTCAATCATAACATTGAACCAAAAGACTTCTTCAGGTATGATGAAGAGTCTACATCAAC
 CAGCTTTTCCGTGTGATACGAGAATCGCATACATTTAGATTCTCTACACTTTATGGAACCTGCTGATGTG
 ACTCACTTGTGTTGACCGTTGCCAAAACCTTAAACATTGATGGCAACTGTTGTACTACCTGTGGAGGCTA
 TACACAGACAGACATCTCTATTCCTGCGATTTACTCCATTAACATAATGAAGAAGGCTTTGAGTATAT
 CCCAGGATCACACGGTGGTGGGGCATATTTCCACAAATATGAAACCCTAGAATGGCTCAAATACTCTAGA
 TTCATTGGACATGATCCATTGACTGGTTTTAAATACACCATTACGATTCAAATGGTGGAGAGTCTTGGTG
 CCAACCACCTTTTCTCTTCCAAAGAGGAACTTTGAGACGCCGTATACAGGACGTTTCAAAGAATAG

TTTTGTGACATTCCCAAATATATTCCATCCCCGACACGTCAATGCCACAAAACCTATGCCTAGATCAAGG
GCCATACAGCTGTAATTATATGTGAAATCAGTAAATAAAGTTACGCCAAGAGATATATTTGCCAAGGTTA
GACAACTGATTTCCACTGCTGAGCTAGAATTGTATGACCCTGATGAACCTCAGCATGTTGTAAATTTATTT
CACATATGTGTACAACTGTCATCTATCAATGATTATGACAACATGCTCAAATCCAGTTTCTTCAAAAAA
CTGGTTGCACCCATGCAACACGACTGGAGGTGCGATTGAATTTCTCCGGGAAAGAGTGACTTCAATC
AACTGCTCAGAGCTCTTCAATGGAAGATTTTTCTTATACTATTAAGACTGAAGAGCTTGTAATTACTAC
ACACACTGCTATAGGACAAGCAATAAGCAATGCGAGCTGCCACATATAAGAAAGAAAGCAGCTGACTCAA
TTGGTCAAAAAAGGTACAATATCCTTAGCAGATTTTGAACAGAGAGAGCCTGAAATAAATTACACTGAGT
TTGAGCCTGAACTAGGCCCCAAGTGGAGTGCCTTACTAATTATAATAATGCAGTTAAAAATTTAGGTCT
TTCTGCACCTTGATGAAGAGCCCCAATGTTTCATCTCTAACAGTCATCTACCCTGCAATGAAATATCCTTA
GCAATGACTGATGACGACAATGCTGCGGCCATTTCATGAAATTGAATCTCTATTGTCTGAACCGATAATAG
CTCCTCAACTCCAGCATTGCCACACAAGACATGGGCCAGTTATGCTTCAGACACTTCATCCATGAAGAA
CCGTGAGATTGAGAACATAATTGCTGAGCTTGAAATCTCAGGAAGGAAAATAATGTGCAGCAAACTACT
CATGATTACCATGCAGTTTCTGACACAGCTCAGAGCTCCGGAGATCTCCCATGGAAGCATGGATTCCAC
TTCTGAATGCACACGGCTTCAAGGGAGACCAACTTCAATACAGTCCGGATGGCAAAGTGATTACGCCAAT
CCAGGACATCAACAACAAAACACCAAGATCTGAGTACCCATCCAGCATTCTGCAGATCTTGTGGATACA
CTGCGAACATTAAGAGAGCAGTGTATGCCATTCTTATTAGCCATCGAAGGGCAAGTGCTTACAGCTCTG
ATATCAAAAAACAATAGGACCGGCAAATTACTCTGTTCCCAATCAAAAAGAAATGGAAGGAAAGTTTTGCTTT
CAAAATGCAACATGAAGACATCGTTAAATCTGGAGTAGTCATTTCATGGCTGTGGCGGCTCTGGAAAAATCA
CAAGCATTACAAAACCTTTCTCAGAACTCCTGGCGACTCTAATGACTGCTGCACAGTGGTTGTGCCAACTG
TTGAACTCAGAAATGATTGGGTGAACAAATTGTGTAAGCTACCCATGGAACACATTAAAAACATTTGAAAA
AGCAATGATTCAACCAGGATTCCAGTTGTTATCTTTGATGACTACACTAAATTGCCACCTGGTTACATT
GAAGCCTATTTGTTCCACCATGCCAACACTGAACTTTTCATTCTTACTGGGGACTCGCGGCAAGTGAT
ATCATGAGTCCAAACAATGAAGCATACATTGCCCTCATATAGATGAAGCCGTCGCTTATTATGCTAACTCTG
TGGATTTTACCTAAATGCTACACACAGAAATGTTGCGAGTTTGGCCAATAAGCTAGGTGTTTACAGTGAG
AAAGAAGGTCACCTCAAATTTACCTTTGCCTCAAATGCTCTACAAAAGTGCAAAGTGCCAATTTTGGTGC
CCTCTCAAATGAAGAAGAGTGCTATGCAAGACATAGGGCACAAAGCCATGACCTACGCTGGGTGTCAGG
GCTTACTGCACCGAGAGTCCAAATTTTGTGTTGACAAACACACACAACACTGCTCAGACAGGGTGCTGTAC
ACTTGTCTCTCCAGAGCTGTGGATTCCATCCACTTTATCAATACAGGCCCAAACAATTTCTGAATTTTGGG
ACAAGCTTGAGGCAACACCATACCTCAAAGCATTATTGATACTTACAGAGATGAGAAAAACAGTAATGCT
CAATTCTAAGCCTGCTGATGACAGTCCCGCTGAGCCTGAAGCTCCATTGACTCACTTTCCAGTGTCAAAC
GGCAATAACTTGGAAAAGTTAGCTTCAGCGCTTCCTGAAAAATTTGCAAGAGAGTTATATGATAAACACC
ATGGATATTTCTAATACAATCCAACTGAAAATCCAGTGGTGCAACTTTTCCAGCATCAACAAGCCAAAGA
TGAAACACTTTTCTGGGCAACAATAGAAGCTAGACTTTCTATTACAACCTCCGGAAGCCAACTTACGAGAA
TTTGTGCTAAAGAAAGATGTTGGAGATATCTTGTTTTTCAATTACCACAATGTCATGTGCTTACCTGCCG
ACCCAGTGGATTTGAGCCAAGAACATGGGAAATATGTGCTGCTGAAGTTAAAAATACATACTTATGCCAA
ACCAAGCTTGAGCTTAAGTCAATGCTGCTAGCAGACATACTCCTGATTTGACGCTAACAAAATTTCCCTG
TTCCTAAAATCTCAATGGGTCAAGAAAGTGAAAAAATTAGGTGCTGTCAAGTCAAAGCCTGGCCAGACCA
TTGCAGCTTTTCATGCAACAAACAGTGATGTTGTATGGGACCATGGCCAGATACCTCAGAAAGATGAGACA
AAGATTTCAACCAAAACATATTTTCATCAATTGTGAAACAACAACGATAATCTGAACCAATTTGTAAAA
CAAGGTTGGAATTTTAAACAGAACAGCTCAGACAAATGATTTTCACAGCTTTTGACCAATCACAAGATGGTG
CAATGCTTCAATTTGAAGTCATGAAGGCCAAAATCTTCAATATCCCTGCCGACATCATTGAAGGATACAT
CAACATCAAAITGAACGCCAAAATTTTCTTGGCACATTGTCCATTATGAGGTTGTCTGGTGAAGGTCCA
ACTTTTGATGCCAACACAGAATGTTCAATAGCATATACTGCTACAAAGATAACCATCTTGATTCTACAGTCA
AGCAGGTTTATGCTGGAGATGATATGGCATTAGATGGAGTTGTCCAAGAAAAACCCCTCTTTTAAAAAACT
ACAGAACAAGCTTAACTCACCTCAAAGACACTATTTCCAAAACAGGTTAAAGGTGATTATGCTGAATTC
TGTGGTTGGACTTTCACCTCCTGGTGGTATCATTAAAAACCCCTTTGAAAATGCATGCTTCCATTATGTTGC
AAGAGGCAATCGGCAATTTACACACTGCTGCCAGATCATATGCCATTGACATGAAGCATTATACCAAAAT
GGGTGATGAGCTGCACAATTACTTAACACCAGATGAAGCTGAACAACACTTCCTTGCTGTTCCGGAAGTTG
CACAAGTTACACCAAGGAGAAGCAATGAGACTTGGTGAAAAGAGCCCTCCAAAAGCAACACATTGAGGGG
TTAAGTTTTTCCCGAGTTTCGAAATGGAAAGATCACTCTGATTAAATTTACTTCAATTGCACCCTTCGAGC
CAAACTCAGTGTTGAAGGAATCATAGTTGTGCACGGAATTGCAGGCACTGGGAAAACCACTTTACTTAG
GACTTTATTTTCTGCTTACCCTAGCTTAGTTATAGGTTACCTAGGCCTTGCTATTTAGATAAACAAAAC
AAAATTTACAAAGTTTGTCTTATCTTGTCTTCCCAATACCCATTGTGATATTGTGATGAGTATCATTTC
TAGAAAGTTTTCAGAACCAAAATTTGGCTATCTTTGGTGACCCCTGTCAATGCACATACATTGAGAGACT
TAGAGTCCCACATTACACTTCCTTCAGAACTCATAGATTTGGAAGTCAACTGCTGAGATTTGAACAAA
CTGTTTGACCTTAATATAGTCTCAGTTAAGAAAAGAGACGACATCGTTGAATTTCTTAACCCCTTTCGAAG
TTGACCCCACTGAGCATATCTCTGCCTCTGAAGAAGAAGTCTTGGACTTTGTTTCTGACCAAGTGGTGAC
CACTAGCTCAGAGGAACTAGCAGGACTTGAGTTTGCAGAAACAACCTTTCTACTGCACAACATTGGCCGCA
GCTGTTGCTGAAAATCCTGCTAAGACTTTTCATCTCTCTGACTAGACACACCCACAACTCACCATTGGGG
AACTAAATGCCAGGTCTAACTCCTAGAGCTGACCTCACTGACACATACAAAATCATTGCCATTGCTTTCT

TGTTGTCAGCTTGCATTTACTTCCAAAATAGCCACTACCAACCTGTTGCTGGAGACAACTTGCACCGTTT
GCCTTTTGGTGGCCAAATATCAAGACGGCACCACAAAAGATATCTTATTTTCCACAACAGCAGTCATACCTT
CATTCTGGAACAAATTAATGTCTCATACTTATCTTCATTCTCACATTGGGTATTGTCTCACCACATA
AATTTAGTTTTAGCTTTAGTCTGACTACTCACCAGCATTCTTGCTATAACACACATTGAGCAACCAACAA
TACACAACCATTTGTCAGGTATCATTTGACGGTGTGCAATAGTCATAACAAATTTGTGAGAACACACCAGA
AGTGCTTAAAGCAATCAACTTCTCCCTTGGACGGGTAAAGTTTTCTAAATTTGAAAATTAATATTGA
GTGTTCCAAAAATCAACTTCAATAAACAATCATGCCTGACACAACACCTGTTGCTGCCACTTCAAGTGC
ACCACCCACAGCCAAAGATGCTGGTGCCAAAGCTCCTTCTGACTTCTCAAATCCCAATACAGCTCCTAGT
CTCAGTGATTTGAAGAAAGTCAAGTATGTCTCCACCGTGACCTCCGTGGCCACACCAGCTGAAATTGAAG
CCCTAGGCCAAAATCTTCACCGCTATGGGCCTTGCCGCAATGAGACTGGTCCGGCCATGTGGGATCTAGC
TCGTGCATATGCTGATGTGCAGAGTTCTAAATCGGCACAGCTGATTGGAGCTACCCCTTCCAACCTTGCA
CTATCACGCCGAGCCCTTGCTGCTCAGTTTGATCGAATCAATATAACCCCCAGGCAATTTTGCATGTACT
TTGCCAAAGTTGTTTGAACATACTTCTCGACAGCAACATTCCACCAGCAAATTTGGCCAAACTTGGTTA
CCAAGAAGATACAAAATTTGCTGCATTTGACTTCTTCGATGGAGTCACCAACCCCTGCCAGCCTGCAGCCT
GCTGATGGTCTTATCAGGCAGCCAAATGAGAAAGAACTAGCTGCTCACTCCGTAGCTAAGTACGGCGCCT
TGGCTAGGCCAAAAGATCTCCACAGGTAATTATATTACCACACTTGGAGAAGTCACACGTGGACACATGGG
AGGAGCTAACACCATGTACCGCATAGACGCACCCCTGAACTTTAAACACTCGAAACTTAATCAGAGTGG
GTTTTCTACAGTTTATCTTCTAATTATTTCTTTGAAAT

SEQ ID NO: 4 EU Sp-13

GAACACAAAATAAATAAATAAATATACAAAGTTAAACTAACACAACATAACCACGTGGAAAAACAGCGAA
AGCACTTTACCACATTATGTCTCGTGTAGAAATACTTTGGAAAGATCAGAGACCCACAAGTACAGTCC
AGCATTGTGGAAGCTGCCTATCAACATGTTTCGACCTGTACTTAAAGAATCTCTAATCAATTTGCTTACG
CGCTTAATGATTATGAAGCAGACACCCCTTGAGAACTCTTGGTGTACAATTAACCCCATGCAATCCAAAC
ACACACACATGCCGAGCCAAAGTAGTCGAAATCGTATGCTTGAAATTGTTGGACATCACTTGCCATAAA
GATGAAAAAGTAACTTTTCATCTTCTCAAACGTAGCAAGCTGCGTTACATGAGAAGAGCTGCTGTGCATA
AAGATGTCTTTGTCAATCATAACATTGAACCAAAAGACTTCTTCAGGTATGATGAAGAGTCTACATCAAC
CAGCTTTTCCGTTGATACGAGAATCGCATACATTTTCAAGATTCTTACACTTTATGGAACCTGCTGATGTG
ACTCACTTGTTTGACCGTTGCCAAAACCTTAAACATTGATGGCAACTGTTGTACTACCTGTGGAAGCTA
TACACAGACAGACATCTCTATTCCCTGCGATTCTTACTCCATTAACATAATGAAGAAGGCTTTGAGTATAT
CCCAGGATCACACGGTGGTGGGCATATTTCCACAAATATGAAACCCTAGAATGGCTCAAATACTCTAGA
TTCATTGGACATGATCCATTGACTGGTTTTAAATACACCATTACGATTCAAATGGTGGAGAGTCTTGGTG
CCAACCACCTTTTCCCTCTTCCAAAGAGGAACTTTGAGACGCCGTATACAGGACGTTTCAAAGAAATAG
TTTTGTGACATTTCCCAAATATATTCCATCCCCGACACGTCAATGCCACAAAACCTATGCCTAGATCAAGG
GCCATACAGCTGTACTTATATGTGAAATCAGTAAATAAAGTTACGCCAAAGAGATATATTGCCAAAGGTTA
GACAATCAGTTTCCACTGCTGAGCTAGAATTGTATGACCCCTGATGAACTCACGCAGCTTGTGAATTTATT
CACATATGTGTCAACACTGTCTATCTATCAATGATTATGACAACATGCTCAAATCCAGTTTCTTCAAAAAA
CTGGTTGCACCCATGCAACACGACTGGAGGTGCATGATTGAATTTCTCCGGGAAAGAGTGACTTCAATC
AACTGCTCACAGCTCTTCAATGGAAGATTTTTCTCTATACTATTAAGACTGAAGAGCTTGTAAATTACTAC
ACACACTGCTATAGGACAAGCAATAAGCAATGCAGCTACCACATATAAGAAAGAAAGGCAGCTGACTCAA
TTGGTCAAAAAAGGTACAATATCCTTAGCAGATTTTGAACAGAGAGAACCTGAAATAAATTACACTGAGT
TTGAGCCTGAACTAGGCCCCAAGTGGACTGCGTTACTAATTATAAATATGCAGTAAAAAATTTAGGTCT
TTCTGCACTTGTGAACAGCCTCAATGTTTCTTCTAGCAGTCAATACCTGCAATGAAATATCTTTA
GCAATGACTGATGACGACAATGCTGCGGCCATTTCATGAAATTGAATCTCTATTGTCTGAACCGATAATAG
CTCCTCAACTCCAGCATTGCCACACAAGACATGGGCCAGTTATGCTTCAGACACTTCATCCATGAAGAA
CCGTGAGATTGAGAACATAATTGCTGAGCTTGAAATCTCACGGAAGGAAAATAATGTGCAGCAAACTACT
CATGATTACCATCCAGTTTTTGCACAGCTCAGAGCTCCGGAGATCTCCCATGGAAAGCATGGATCCAC
TTCTGAATGCACACGGCTTCAAGGGAGACCAACTTCAATACAGTCCGGATGGCAAAGTGATTACGCCAAT
CCAGGACATCAATAACAAAACACCAAGATCTGAGTACCCATCCAGCATTCTGCGAGATCTTGTGAATACA
CTGCGAAACATTAAAAAGAGCAGTGTATGCCATTCTTATTAGCCATCGAAGGGCAAGTGCTTACAGCTCTG
ATATCAAAAAACAATAGGACCGGCAAAATTACTCTGTTCCCAATCAAAAGAATGGAGGGAAAGTTTTGCTTT
CAAAATGCAACATGAAGACATCGTTAAATCTGGAGTAGTCATTTCATGGCTGTGGCGGCTCTGGAAAATCA
CAAGCATTACAAAACCTTTCTCAGAACTCTTGGCGACTCTAATGACTGCTGCACAGTGGTTGTGCCAACTG
TTGAACTCAGAAATGATTGGGTGAACAAATTTGTGTAAGCTACCCATGGAACACATTAAAAACATTTGAAAA
AGCAATGATTCAACCAGGATTCCAGTTGTTATCTTTGATGACTACACTAAATTGCCACCTGGTTACATT
GAAGCCTATTTGTTCCACCATGCCAACACTGAACCTTTTCTTCTTACTGGAGACTCGCGGCAAGTGAT
ATCATGAGTCCAAACATGAAGCATACATTGCCCTTATAGATGAAGCCGTCGCTTATTATGCTAATCTACTG
TGGATTTTACCTAAATGCTACACACAGAAATGTTTCGAGTTTGGCCAATAAGCTAGGTGTTTACAGTGAG
AAAGAAGGTACCTCAAATTTACCTTTGCCTCAAATGCTCTACAAAAGTGCAAAGTGCCAATTTTGGTGC
CCTCTCAAATGAAGAAGAGTGCTATGCAAGACATAGGGCACAAAGCCATGACCTACGCTGGGTGTCAAGG
GCTTACTGCACCGAGAGTCCAAATTTTGTGTTGACAACACACACAACACTGCTCAGACAGGGTGTCTGAC

ACTTGTCTCTCCAGAGCTGTGGATTCCATCCACTTTATCAATACAGGCCCAAACAATTCTGAATTTTGGG
ACAAGCTTGAGGCAACACCATACTCAAAGCATTATTGATACTTACAGAGATGAGAAAACAGAAATGCT
CAATTCTAAGCCTGCTGATGACAGTCCCGCTGAGCCTGAAGCTCCATTGACTCACTTCCAGTGTCAAAC
GGCAATAACCTTGAAAAAGTTAGCTTCAGCGCTTCCCTGAAAAATTTGCAAGAGAGTTATATGATAAACACC
ATGGATATTCTAATAACAATCCAACTGAAAATCCAGTGGTGCAACTTTTCCAGCATCAACAAGCCAAAGA
TGAAACACTTTTCTGGGCAACAATAGAAGCTAGACTTTCTATTACAACCTCCGGAAGCCAACTTACGAGAA
TTTGTGCTAAAGAAAGATGTTGGAGATATCTTGTTTTCAATTACCACAATGTCATGTGCTTACCTGCCG
ACCCAGTGGATTTCGAGCCAAGAACATGGGAAATATGTGCTGCTGAAGTTAAAAATACATACTTAGCCAA
ACCAATGGCTAACTTGATCAATGCTGCTAGCAGACAATCTCCTGATTTCGACGCTAACAAAATTTCCCTG
TTCCTAAAAATCTCAATGGGTCAAGAAAGTGGAAAAATTAGGTGCTGTCAAGTCAAAGCCTGGCCAGACCA
TTGCAGCTTTTCATGCAACAAACAGTGATGTTGTATGGGACCATGGCCAGATACCTCAGAAAAGATGAGACA
AAGATTTCAACCAAAACATATTTTCATCAATTGTGAAACAACAACCTGATAATCTGAACCAATTTGTTAAA
CAAGGTTGGAACTTTAACAGAACAGCTCAGACAAATGATTTTCACAGCTTTTGACCAATCACAAGATGGTG
CAATGCTTCAATTTGAAGTCATGAAGGCAAAATCTTCAATATCCCTGCCGACATCATTGAAGGATACAT
CAACATCAAATTTGAACGCCAAAATTTTTCTTGGCACATTGTCCATTATGAGGTTGTCTGGTGAAGGTCCA
ACTTTTGTAGCCAACACAGAAIGTTCAATAGCATATACTGCTACAAGATAACCATCTTGATTCTACAGTCA
AGCAGGTTTTATGCTGGAGATGATATGGCATTAGATGGAGTTGTCCAAAGAAAAACCCCTCTTTTAAAAAACT
ACAGAACAAGCTTAAACTCACCTCAAAGACACTATTTCCAAAACAGGTAAAGGTGATTATGCTGAATTC
TGTGGTTGGACTTTCACTCCTGGTGGTATCATTTAAAAACCCCTTTGAAAATGCATGCTTCCATTATGTTGC
AAGAGGCAATCGGCAATTTACACACTGCTGCCAGATCATATGCCATTGACATGAAACATTCATACCAAAAT
GGGTGATGAGCTGCACAATTACTTAACACCAGATGAAGCTGAACAACACTTCCTTGCTGTTCCGGAAGTTG
CACAAGTTACACCAAGGAGAAGCAATGAGACTTGGTGAAAAGAGCCCTCCAAAAGCAACACATTGAGGGG
TTAAGTTTTCCCAAGTTTCAAAATGAAAAGATCAACTCTGATTAATTTACTTCAATTGCACCACTTCGAGC
CAAACTCAGTGTGTGAAGGAACCATAGTTGTGACGGAATTGTCAGGCACTGGGAAAACCACTTTACTTAG
GACTTTATTTTCTGCTTACCCTAGCTTAGTTATAGGTTACCTAGGCCTTGCTATTTAGATAAAACAAAAC
AAAATTTACAAAGTTTGCTTAICTTGTCTTTCCCAATACCCATTGTGATATTGTCGATGAGTATCATTGTC
TAGAAAGTTTTCTAGAACCAAAATTTGGCTATCTTTGGTGACCCCTGTCAATGCACATACATTGAGAGACT
TAGAGTCCCACATTACACTTCCTTCAGAACTCATAGATTTGGAAGTCAACTGCTGAGATTTTGAACAAA
CTGTTTGACCTTAATATAGTCTCAGTTAAGAAAGAAGACGACATCGTTGAATTCCTTAACCCCTTTTGAAG
TTGACCCCACTAGCATATCTCTGCTCTGAAGAGAAGTCTTGGACTTTGTTTCTGACCAAGTTGGTGAC
CACTAGCTCAGAGGAAGTAGCAGGACTTGAGTTTGAGAAACAACCTTTCTACTGCACAACATTGGCCGCA
GCTGTTGCTGAAAAATCCTGCTAAGACTTTCACTCTCTGACTAGACACACCCACAACTCACCATTGGGG
AACTAAATGCCAGGTCTAACTCCTAGAGCTGACCTCACTGACACATACAAAATCATTGCCATTGCTTTCT
TGTTGTGAGCTTGCATTTACTTCCAAAATAGCCACTACCAACCTGTTGCTGGAGACAACCTTGACCGTTT
GCCTTTTGGTGGCAATATCAAGACGGCACCACAAAAGATATCCTATTTTCCACAACAGCAGTCATACCTT
CATTCTGGAACAAATTAATATGCTCCTCATACTTATCTTCATTCTCACGTTGGGTATTGTCCTCACCATA
AATTTAGTTTTAGCTTTAGTCTGCTACTCAACAGCACTTCTTGCTATAACACACATTCAGCAACCCACAA
TACACAACCAATTGTCAGGCCATCATTGACAGTGTGCAATAGTCATAACAAATTTGTGAGAACACACCAGA
AGTGCTTAAAGCAATAAACTTCTCCCCTTGGAACGGGTAAAGTTTTCTAAATTTGAAAATTAGTATTGA
GTGTTTCAAAAAATCAACTTCAATAAACAATCATGCCTGACACAACACCTGTTGCTGCCACTTCAAGTGC
ACCACCCACAGCCAAAGATGCTGGTGCCAAAGCTCCTTCTGACTTCTCAAAATCCCAATACAGCTCCTAGT
CTCAGTGATTGAAGAAAGTCAAGTATGTCTCCACCGTGACCTCCGTGGCCACACCAGCTGAAATTGAAG
CCCTAGGCCAAAATCTTCACCGCTATGGGCTTGCCGCCAATGAGACTGGTCCGGCCATGTGGGATCTAGC
TCGTGCATATGCTGATGTGCAGAGTTCTAAATCGGCACAGCTGATTGGAGCTACCCCTTCCAACCCTGCA
CTATCACGCCGAGCCCTTGCTGCTCAGTTTGATCGAATCAATATAACCCCCAGGCAATTTTGCATGTACT
TTGCCAAAGTTGTTTGGAAACATACTTCTCGACAGCAACATTCCACCAGCAAATTTGGGCCAACTTGGTTA
CCAAGAAGATACAAAATTTGCTGCATTTGACTTCTTCGATGGAGTCACCAACCCCTGCCAGCCTGCAGCCT
GCTGATGGTCTTATCAGGCAGCCAAATGAAAAAGAACTAGCTGCTCACTCCGTAGCTAAGTACGGCGCCT
TGGCTAGGCCAAAAGATCTCCACAGGTAATTATATTACCACACTTGAGAAAGTCACACGTGGACACATGGG
AGGAGCTAACACCATGTACGCGATAGACGCACCCCTGAACTTTAAACACTCGAACTTAATCAGAGTGG
GGTTTTCTACAGTTTATTTTCTTAATTTCTTTGAAATAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAA

SEQ ID NO:5 LE-2002

GAACCAAAATAAAATAACAATTATACAAAGTTAAACTAACACAACATAACCACGTGGAAAAACAGCGAA
AGCACTTTACCGCATTATGTCTCGTGTGAGAAATACTTTGGAAAAGATCAGAGACCCACAAGTACAGTCC
AGCATTTGTGAAGCTGCCTATCACATGTTTCGACCTGTACTTAAAGAATCTCTAATCAATTTGCTTACG
CGCTTAATGATTATGAAGCAGACACCCCTTGAGAACTTGGTGTCACAATTAACCCCATGCAATCCAAAC
ACACACACATGCCGAGCCAAAGTAGTCGAAAATCGTATGCTTGAATTTGTTGGACATCACTTGCCATAA
GATGAAAAGTAACTTTTCATCTTCTCAAACGTAGCAAGCTGCGTTACATGAGAAGAGCTGCTGTGCATA
AAGATGTCTTTTCAATCATAACATTGAACCAAAAGACTTCTTCAGGTATGATGAAGAGTCCACATCAAC

CAGCTTTTCCGTTGATACGAGAATCGCATACATTTCAGATTCTCTACACTTTATGGAACCTGCTGATGTG
ACTCACTTGTGTTGACCGTTTGCCAAAACCTTAAACATTGATGGCAACTGTTGTACTACCTGTGGAAGCTA
TACACAGACAGACATCTCTATTCCCTGCGATTACTCCATTAACTACAATGAAGAAGGCTTTGAGTATAT
CCCAGGATCACACGGTGGTGGGGCATATTTCCACAAAATATGAAACTCTAGAATGGCTCAAATACTCTAGA
TTCATTGGACATGATCCATTGACTGGTTTTAAATACACCATTACGATTCAAATGGTGGAGAGTCTTGGTG
CCAACCACCTTTTCTCTTCCAAAGAGGAAACTTTGAGACGCCGCTATACAGGACGTTTCAAAGAATAG
TTTTGTGACATTCCCAAATATATCCATCCCCGACACGTCAATGCCACAAAACCTATGCCTAGATCAAGG
GCCATACAGCTGTAATTATGTGAAATCAGTAAATAAAGTTACGCCAAAGAGATATATTTGCCAAGGTTA
GACAACTGATTTCCACTGCTGAGCTAGAATTGTATGACCCTGATGAACTCACGCATGTTGTAAATTATTT
CACATATGTGTACAACTGTCTATCAATGATTATGACAACATGCTCAAATCCAGTTTCTTCAAAAAA
CTGGTTGCACCCATGCAACACGACTGGAGGTGCATGATTGAATTTCTCCGGGAAAGAGTGACTTCAATC
AACTGCTCACAGCTCTTCAATGGAAAGATTTTTCTTATACTATTAAGACTGAAGAGCTTGTAAATTACTAC
ACACACTGCTATAGGACAAGCAATAAGCAATGCAGCTACCACATATAAGAAAGAAAGCAGCTGACTCAA
TTGGTCAAAAAAGGTACAATATCCTTAGCAGATTTTGAACAGAGAGAACCTGAAATAACTTACACTGAGT
TTGAGCCTGAACTAGGCCCCAAGTGGACTGCGTTACTAATTATAATAATGCAGTTAAAAATTTAGGTCT
TTCTGCACCTTGATGAACAGCCICAATGTTCACTTCTAGCAGTCATCTACCTGCAATGAAATACTCTTA
GCAATGACTGATGACGACAATGCTGCGGCCATTATGAAATTGAATCTCTATTGTCTGAACCGATAATAG
CTCCTCAACTTCCAGCATTGCCACACAAGACATGGGGCCAGTTATGCTTCAGACACTTCATCCATGAAGAA
CCGTGAGATTGAGAACATAATTGCTGAGCTTGAATCTCACGGAAGGAAAATAATGTGCAGCAAACTACT
CATGATTACCATGCAGTTTCTGACACAGCTCAGAGCTCCGGAGATCTCCCATGGAAAGCATGGATTCCAC
TTCTGAATGCACACGGCTTCAAGGGAGACCAACTTCAATACAGTCCGGATGGCAAAGTGATTAGCCAAAT
CCAGGACATCAACAACAAAACACCAAGATCTGAGTACCCATCCAGCATTCTGTCAGATCTTGTGAATACA
CTGCGAAACATTAAAGAGCAGTGTATGCCATTCTTATAGCCATCGAAGGGCAAGTGCTTACAGCTCTG
ATATCAAAAACAAATAGGACCGGCAAAATTACTCTGTTCCCAATCAAAAGAATGGAAGGAAAGTTTTGCTTT
CAAAATGCAACATGAAGACATCGTTAAATCTGGAGTAGTCATTACCGCTGTGGCGCTCTGGAATACTCA
CAAGCATTACAAAACCTTTCTCAGAACTCTTGGCGACTCTAATGACTGCTGCACAGTGGTTGTGCCAACTG
TTGAACTCAGAAATGATTGGGTGAACAAATTGTGTAAGCTACCCATGGAACACATTAAACATTTGAAAA
AGCTATGATTCAACCAGGATTCCAGTTGTTATATTTGATGACTACACTAAATTGCCACCTGGTTACATT
GAAGCCTATTTGTTCCACCATGCCAACACTGAACTTTTCACTTCTTACTGGAGACTCGCGGCAAGTGAT
ATCATGAGTCCCAACAATAGAGCATACATTGCCCTAGTTAGATGAAGCCGTGCTTATATGCTAAGTCTG
TGGATTTTACCTAAATGCTACACACAGAAATGTTGCGAGTTTGGCCAATAAGCTAGGTGTTTACAGTGAG
AAAGAAGGTCACCTCAAAATTACCTTTGCCTCAAAATGCTCTACAAAAGTGCAAAGTGCCAATTTTGGTGC
CCTCTCAAAATGAAGAAGAGTGCTATGCAAGACATAGGGCACAAAGCCATGACCTACGCTGGGTGTCAAGG
GCTTACTGCACCAGAGTCCAAATTTTGTGTTGACAACACACACAACTGCTCAGACAGGGTGCTGTAC
ACTTGTCTCTCCAGAGCTGTGGATTCCATCCACTTTATCAATACAGGCCCAACAAATCTGAATTTTGGG
ACAAGCTTGAGGCAACACCATACCTCAAAGCATTATTGATACCTTACAGAGATGAGAAAACGAAATGCT
CAATTCTAAGCCTGCTGATGACAGTCCCGCTGAGCTGAAGCTCCATTGACTCACTTCCAGTCACTAAC
GGCAATAACTTGAAAAAGTTAGCTTCAGCGCTTCCCTGAAAAATTTGCAAGAGAGTTATATGATAAACACC
ATGGATATTCTAATACAATCCAACTGAAAATCCAGTGGTGCAACTTTTCCAGCATCAACAAGCCAAAGA
TGAAACACTTTTCTGGGCAACAATAGAAGCTAGACTTTCTATTACAACCTCCGGAAGCCAATTACGAGAA
TTTGTCTTAAAGAAAGATGTTGGAGATATCTTGTTTTCAATTACCACAATGTCTATGTGCTTACCTGCCG
ACCCAGTGGATTTCGAGCCAAGAACATGGGAAATATGTGCTGCTGAAGTTAAAAATACATACTTAGCCAA
ACCAATGGCTAAGTTGATCAATGCTGCTAGCAGACAATCTCCTGATTTCGACGCTAACAAAATTTCCCTG
TTCCTAAAAATCTCAATGGGTCAAGAAAGTGAAAAATTAGGTGCTGTCAAGTCAAAGCCTGGCCAAACCA
TTGCAGCTTTTCAATGCAACAAACAGTGATGTTGTATGGGACCATGGCCAGATACCTCAGAAAGATGAGACA
AAGATTTCAACCAAAACATATTTTCATCAATTGTGAAACAACAACCTGATAATCTGAACCAATTTGTAAAA
CAAGGTTGGAACTTTAAACAGAACAGCTCAGACAAATGATTTTCACAGCTTTTGACCAATCACAAGATGGTG
CAATGCTTCAATTTGAAGTCAATGAAGGCAAAATCTTCAATATCCCTGCCGACATCATTGAAGGATACAT
CAACATCAAAATTGAACGCCAAAATTTTTCTTGGCACATTGTCCATTATGAGGTTGTCTGGTGAAGTCCA
ACTTTTGATGCCAACAGAAATGTTCAATAGCATATACCGCTACAAAGATACCATCTTGATTCTACAGTCA
AGCAGGTTTATGCTGGAGATGATATGGCATTAGATGGAGTTGTCCAAGAAAAACCTCTTTTTAAAAAACT
ACAGAACAAAGCTTAACTCACCTCAAAGACACTATTTCCAAAACAGGTAAAGGTGATTATGCTGAATTC
TGTGGTTGGACTTTCACCTCCTGGTGGTATCATTAAAAACCTTTGAAAATGCATGCTTCCATTATGTTGC
AAGAGGCAATCGGCAATTTACACACTGCTGCCAGATCATATGCCATTGACATGAAGCATTATACCAAAAT
GGGTGATGAGCTGCACAATTACTTAACACCAGATGAAGCTGAACAACACTTCTTGTGCTTGGGAAGTTG
CACAAGTTACACCAAGGAGAAGCAATGAGACTTGGTGAAAAGAGCCCTCCAAAAGCAACACATTGAGGGG
TTAAGTTTTTCCCAAGTTCCGAAATGGAAAGATCAACTCTGATTAATTTACTTCAATTGCACCACTTCGAGC
CAAACTCAGTGTGGAAGGAATCATAGTTGTGCACGGAATTGCAGGCACTGGGAAAACCACTTTACTTAG
GACTTTATTTTCTGCTTACCCTAGCTTAGTTATAGGTTACCTAGGCCTTGCTATTTAGATAAACAAAAC
AAAATTTACAAAGTTTGTCTTATCTGCTTTCCCAATACCCATTGTGATATTGTGATGAGTATCATTTC
TAGAAAGTTTTCTAGAACCAAAATTGGCTATCTTTGGTGACCCCTGTCAATGCACATACATTGAGAGACT

TAGAGTCCCACATTACACTTCCTTCAGAACTCATAGATTTGGAAAGTCAACTGCTGAGATTTTGAACAAA
 CTGTTTGACCTCAATATAGTCTCAGTCAAGAAAGAACGACATCGTTGAATTCCTTAACCCCTTTTGAAG
 TTGACCCCACTGAGCATATCTCTGCCTCTGAAGAAGAAGTCTTGGGCTTTGTTTCTGACCAAGTGGTGAC
 CACTAGCTCAGAGGAAGTACGAGGACTTGAGTTTGCAGAAACAACCTTTCTACTGCACAACATTGGCCGCA
 GCTGTTGCTAAAAATCCTGCTAAGACTTTTCATCTCTCTGACTAGACACACCCACAACTCACCATTGGGG
 AACTAAATGCCAGGTCTAACTCCTAGAGCTGACCTCACTGACACATACAAAATCATTGCCATTGCTTTCT
 TGTGTGCTGAGCTTGCAATTTACTTCCAAAATAGCCACTACCAACCTGTTGCTGGAGACAACCTTGACCCGTT
 GCCTTTTGGTGGCCAATATCAAGACGGCACCACAAAAGATATCTTATTTTCCACAACAGCAGTCATACTTT
 CACTCTGGAACAAAATTAATGTCTCATACTTATCTTCATTCTCACATTGGGTATTGTCTCACCATAA
 AATTTAGTTTTTAGCTTTAGTCGTACTACTACCAGCATTTCTGCTATAACACACATTGAGCAACCAACAA
 TACACAACCATTTGTGAGGTATCATTGACGGTGTGCAATAGTCATAACAAATTGTGAGAACACACCAGA
 AGTGCTTAAAGCAATCAACTTCTCCCTTGGAAACGGGTAAAGTTTTCTAAATTTGAAAATTAATATTGA
 GTGTTTCAAAAATCAACTTCAATAAACAATCATGCTGACACAACACCTGTTGCTGCCACTTCAAGTGCA
 CCACCCACAGCCAAAGATGCTGGTGCCAAAGCTCCTTCTGACTTCTCAAATCCCAATACAGCTCCTAGTC
 TCAGTGATTTGAAGAAAGTCAAGTATGTCTCCACCGTGACCTCCGTGGCCACACCAGCTGAAATTGAAGC
 CCTAGGCCAAAATCTTACCAGCTATGGGCTTGGCCCAATGAGACTGGTCCGGCCATGTGGGATCTAGCT
 CGTGCAATATGCTGATGTGCAGAGTTCTAAATCGGCACAGCTGATTGGAGCTACCCCTTCCAACCTTGAC
 TATCACGCCGAGCCCTTGCTGCTCAGTTTGATCGAATCAATATAACCCCCAGGCAATTTTGCATGTACTT
 TGCCAAAGTTGTTTGGAAACATACTTCTCGACAGCAACATTCCACCAGCAAATTTGGGCCAACTTGGCTAC
 CAAGAAGATACAAAATTTGCTGCAATTTGACTTCTCGATGGAGTCACCAACCTTGCCAGCCTGCAGCCTG
 CTGATGGTCTTATCAGGCAGCCAAATGAGAAAGAACTAGCTGCTCACTCCGTAGCTAAGTACGGCGCCTT
 GGCTAGGCCAAAAGATCTCCACAGGTAATTATATTACCACACTTGGAGAAGTCACACGTGGACACATGGGA
 GGAGCTAACACCATGTACGCGATAGACGCGCCCCCTGAACCTTTAAACACTCGAACTTAATCAGAGTGGG
 GTTTTCTACAGTTTATTTTCTTAATTATTTCTTTGAAACAAAAA
 AAAAAAAAAA

SEQ ID NO: 6 US1

GAAAAACAAAACATAACACATAATATCAAAAAGTGACCAAAACACAACATAAACACGTGGAAAAACAGCGAAA
 GCACCTTTACCACATTATGTCTCGTGTTAGAAACACTTTAGAAAAGATCAGGGACCCACAAGTACAGTCAA
 GCATAGCGAAGCAGCATACCAACATGTTTCGACCACTTTTGAAGGAATCTCTAATCAATGATCTCCCTATGC
 GCTCAATGATTATGAAGCCGACACCCTTGAGAATTTAGGTGTCACAATTAACCCCTCATGCAATTCAAACC
 CATAACACGCGCAGCAGCTAAAGTGGTTGAAAACCGAATGCTAGAGATTGTTGGTCAACCATCTACCAAAAG
 ATGAGAAGGTTACCTTCATTTTCTAAAACGTAGTAAATTGCGTTACATGAGAAGAGCTGCTGTTTATAA
 AGATGTTTTTTGTCAACCATAACGTAGAGCCCAAGATTTTTTTAGGTATGACGAGGAGTCCACATCAACA
 AGCTTCTCCGTGAATACTAGAATCGCATACATTTTCAGACTCCTTACATTTTATGGAGCCAGCTGATGTTA
 CACACCTTTTCGACCGTTGCCAAAATCTTAAACATTAATGGCAACCGTTGTCTTACCTGTTGAAGCAAT
 TCATAGCAAAACATCTTTATTTTCTGCGATATATCTCCATTAACCTACAATGAAGAAGGCTTTGAGTATATC
 CCTGGTTCCCATGGTGGTGGGGCATACTTTTCAACAGTATGAGACCTTAGACTGGCTTAAATATTCCAGAT
 TCATAGGACATGATCCATTGACTGGCTCAAATATACCATTACAATTCAAATGGTTGAAAGTCTAGGCGC
 CAACCACCTTTTCTTTTCCAAAGAGGAAATTTTGAACGCCCTTATATAGGACCTTTCAAAAAATAGT
 TTTGTGACATTCCTTAATATATTTTCATCCCGACATGTCAATGCCACAAAACCTATGCCACGCTCCAGGG
 CAATTCATTTGACTTATATGTTAAGTCTGTCAACAAAGTCACACAAAGAGACATCTTTGCAAAAGTTAG
 ACAGCTTATATCCACAGCTGAGCTGGAAGTGTATGACCTGATGAGCTTACTCATGTTGTCAATTACTTT
 TCATATGTTTCAAAATGTCATCTATAAATGATTATGACAACATGCTAAAATCCAGTTTCTTCAAGAAAT
 TGGTTGCACCCATGCAACAAGACTGGAGGTGCATGATTGAAYTCTTCCGGGGAAGAGTGATTTCATCA
 ACTTCTCACCCTCTTCAATGGAAAGATTTTTTCTTATACTATCAAAAAGTGAAGAGCTAATAATTACTACA
 CACACTGCCATTGGGCAAGCTATAAGTGGAGCAGCTAATACTTATAAGGAAAGAGGCAATTGACACAAC
 TGGTCAAGCAAGGAGTGATTTCACTCGCTGATTTTCAATCTGAAGAGCCCAAAATAGAATACACCGAATT
 CGAGCGAGAAACAAAACACCAAGTGTGTTGTGACTAATTACAACAATGCTGTTAAGAACCTTGGCCTG
 TCTGAACCGATGGATCTGCCAGAAATGCTCATACGCTAGAAACTCTGTTCTTAACAATGAGATATCTATGG
 CTATGACTGATGCTGACAACCTTCGCTGTTATAAATGAAATTGAATCTCTCTTGTCTGAAGAAATCGCAGC
 ACCAACACTTCCAGCATTGAAAAATAAAACATGGGCTAGTTATGCATCTGACACTTCATCAAAGAAGAAAT
 GAAGAAATTGAAAAATATAATTGCTGAGCTAGAAGCTTCACGTAAGGTCTCCAATGTCCAGCAAACACAGC
 ACAACTACCATATCTCACAATGCCCCACTTCTTAACTGCTGATCTTCCATGGAAAGCCTGGCTCCCACT
 TCTCAATGCCCATGGTTTTCAAAGGAGATCAGATCCAACATAGTCCCGACGGCCAAATAATCCAACCAATT
 CAGGACATCAACAATAAAACACCAAGATCTGAATACCCATCTAGCATCCCTGCAGATCTTGTTCACCTT
 TGGCCAATATTTAAAGAGCAGTTTATGCTATTCTTATCAGCCACAGAAGGGCCAGCGCTTATAGCTCAGA
 TGTTAAAAATAACAGAAGTGGAAAGTCTCTGTGCTCAATCCAAAGAAATGGAAAGAGAGTTTGTCTTC
 AAAATGCAACATGAAGACATAGTCAAATCTGGTGTGTGCATACATGGTTGTGGCGGCTCCGGAAATCAC
 AAGCATTGCAAACTTCTTAGAACTTTGGGTGACAATAATGACTGCTGTACAGTTGTTGTCCCCACAGT
 AGAGCTCAGGAATGACTGGGTAAACAAATTGTGCAAGTTGCCTATGGAACACATCAAAACATTTGAAAAA

GCAATGATTCAACCAGGCTTTCTGTTGTCATTTTGTACGACTATACTAAGCTGCCACCCGGTTACATTG
AAGCTTATCTGTTCCATCATGCCAACACTGAACCTCTTCATCCTCACTGGTGACTCTAGACAAAGTGTATA
TCATGAGTCCAAACATGAAGCTTACATTGCCCTCTCTTGATGAAGCTGTTGCCTACTATTCCAACACTGT
GGTTTCTATTTGAACGCTACGCACAGAAATGTACGTAGTTTAGCTAACAAAGTTGGGAGTGTACAGTGAAA
AAGAAGGACACCTCAAAATTACTTTTGCATCCAAATGCTCTACAAAAATGCAAAGTACCCATCTTGGTGCC
CTCTCAGATGAAGAAAAATGCAATGCAAGACATTGGCCATAAAGCAATGACTTATGCAGGATGTCAAGGA
CTTACTGCTCCAGAGTTCAAATTTTGCTTGACAACCACACACAGCATTGCTCGGACAGAGTTCTTTACA
CATGTCTTTACAGAGCTGTGGATTCTATCCATTTTATCAATACTGGCCCCAACAAATTCGAATTTTGGGA
TAAGCTTGAAGCTACACCATACTCAAAGCCTTTATTGATACATACCGGGATGAAAAGACTGAGATGTTG
AATTCAAAACCTGCAGATGACAGCCCTGTGGAACCTAGAGCTCCTGCTACTCATTTCCCCGTCTCTAACG
GCAACAACCTTAGAGAAATTAGCTTCAACACTACCTGAAAAGTTTGCTCGGGAGATCTATGATAAACATCA
TGGTTATTCCAACACCATAACACAGAGAACCCCATAGTACAACTTTCCAACATCAGCAGGCAAAAGAT
GAAACTCTCTTTGGGCAACAATTGAGGCAAGACTTTCTATAACCACACCAGATGTAACCTCAGAGAAT
TTACTTTGAAGAAAGACGTTGGAGATATTCTGTTCTTTAACTATCACTCAGCAATGTGTCTGCCAGCTGA
CCCTGTGCACTTCGAGCCAAGAACTTGGGAAATATGTGCAGCTGAAGTCAAGAATACATACCTAGCAAAA
CCAATTGGCTAATTTGATAAAATGCCGCTAGTCGACAATCTCCTGACTTCGAGCCTAACAAAGATCTCACTGT
TTTTGAAGTCACAATGGGTTAAGAAAGTAGAGAAATTGGGAGCAATCAAAATCAAAGCCTGGGCAAAACAT
TGCGGCTTTTATGCAGCAAACCGTCATGCTGTACGGAACCTATGGCTAGATACTTAAGAAAAATGAGACAA
AGATTTCAACCAAAACACATTTTCATCAATTGTGAAACTACAACCTGATGATCTGAATAATTTTGTCTCA
ATGGTTGGAACTTAATCGAAGTCTCAGACTAATGATTTCACTGCATTTGATCAATCCCAAGATGGAGC
TATGTTACAATTTGAAGTCATGAAGGCTAAATTCCTTCAACATTCCTGCAGACGTGATTGAAGGGTATATC
AACATTAAGCTTAACGCTAAAATTTTCTAGGTACCCTTTCAATTATGAGGTTATCAGGTGAAGGTCCTCA
CATTTGATGCAAAACACTGAATGCTCTATTGCTTACACAGCAACAAGATACCATCTAAGTTTCAGCAGTGAA
ACAAGTTTACGCTGGTGATGACATGGCTCTTGACGGAGTGGTCAATGGAAAAACCCCTCCTTTAAGAAACTA
CAGAGCAAGCTTAAATTGACATCAAAAACATTGTTTCCAAAACAAGTTAAGGGTGATTATGCCGAATTTT
GTGGGTGGACTTTTACCCAGGTGGGATTATTAATAATCCTTTGAAAATGCATGCATCCATCATGTTACA
AGAAGCAATAGGTAACCTCCACACTGCTGCTAGGTCTGATGCAATAGACATGAAGCATTTCATACCAATG
GGAGATAAATTCATGAATACCTTACTCCTGATGAAGCTGAGCAACATTTCTTGGCTGTTGCGAAATTC
ACAACTCCACCAAGGTGAAGCCATGAGACTTGGGGAGAAGAGCCCCCAAAAGCAACACATTGACGGGT
TAAGTTTCCCCTTTTCGAAATGGAAGATCCACTCTAATAAATTTACTTCAACTGCACCCTTTGAACCT
AAACTCAGCGTTGAAGGAGTTATGTTGTACACGGAATCGCTGGAACAGGGAAAACCTACCCTACTTAGAA
CTTTATTTTCCGCTTACCCGAACCTAGTTATAGGATCACCTAGGCCTTGTTATTTAGATAAAGCTAATAA
AATTTACAAGTTTGTGTTATCTTGCTTTCCAAACACCCTTTGTGATATTGTCGATGAGTACCATCTTCTA
GAAAGTTACCAAGAACCTACTTTGGCTTTGTTTGAGACCCCTTGTGAGTGTACTTTCATTGAAAGACTTA
GAATTCACACTACACTTCTTTCAGAACACATAGATTGGCAAGTCTACTGCAGAGCTTTTAAACAAGTT
GTTTCAACTTCAAATTTGATCTGTAACAAAGAAGACGACATAGTTGAATTTCTTCGACCCATTTCAAGTA
GACCAACTGAAAATATTTCAGCATCTGAGGAAGAAGTTTGGAAATTTGTCTCTGATCAAGTAGTAGACAA
CCAGCTCTGAAGAATTAGCAGGATTGGAGTTCACTGAAACCACTTTCTACTGCCTACACTAGCTGCAGC
AGTCACTGAAAACTCCTGCCAGAACTTTCTCTCTTAACCAGACACACTCAGAGACTCACCATTGGCGAA
CTAAATGCCAGGATTGACTCCTAGAGCTGACCTCACTGACACCTACAAGATAATTGCTATTGCTTTTTTG
TTGTCAGCTTGCAATTTACTTCCAAAACAGCCATTACCAACCTGTTGCTGGAGATAATCTGCATAGATTGC
CATTTGGTGGCCAGTATCAAGACGGCACCAAGAAGATATCATATTTTCTCAGCAACAATCATACTTTCA
CTCTGGTAACAAATTAATGTCTCATACTCATCTTCATTCTTACATTGGGTATCGTCTCACCATAAA
TTAGTTTTAGCGTTAGCCGTACTACTCACCAGCATTCTTGCTACAATAACACATTTCGCAGCCAACACAA
CACCACCATTTGTCAGGTATCATTTGACGGAGCTGCCATAGTTGTTACTAATTGTGAAAACACGCTGAAG
TTCTAAAAGCAATCAACTTCTCCCCTTGGAAACGGGTTAAGTTTTCTAGTGTGTTGAAAATTAACCTTGAG
CACTTCACAATTAAGCTAACAAATCACTAATCATGGCTGACAATACCCCAAGTTGCTGCTACTTCTGGTTC
CCCTCCAACCTGCICAAGATGCTGGTGCCAAAGCCCCGTGCTGACTTTTCAAATCCTAATACAGCTCCTAGC
CTCAGTGATTTGAAGAAAGTCAAGTATGTGTCCACAGTCACTTCAGTGGCAACCAACTGAAATAGAAG
CCCTTGGAAGATCTTACCAGCATGGGACTGGCTGCTAATGAACTGGACCCGCTATGTGGGATCTAGC
GCGTGCTTATGCTGATGTCCAAGTTCAAATCCGCACAACTCATAGGTGCCACCCCTTCAAATCCAGCA
CTCTCAGCCGCGCACTTGTGCCCCAATTTGATCGTATTAACATCACACCCAGGCAGTTCTGCATGTATT
TTGCTAAAGTTGTCTGGAACATTCTGCTAGACAGCAATATCCACCAGCAAACTGGGCCAAGCTTGGTTA
CCAAGAAGACACAAAATTTGCTGCTTTGATTTCTCGATGGAGTCACCAATCCAGCAAGTTTGCAACCA
GCTGACGGCTCATCCGACAACCAATGAAAAGGAGCTTGTGCTCACTCAGTTGCTAAGTATGGTGCAC
TAGCCAGGCAGAAAATTTCCACTGGCAACTACATAACCACACTTGGAGAGGTCACAGTGGACACATGGG
TGGAGCTAACACCATGTACGCAATTGATGCACCCCCAGAACTTTAAACACTCGAACTTAATTAGAGTG
GGGTTTTCTATAGTTTATTTTCCCAATAAATTGCTTTTGTAAAT

SEQ ID NO: 7 LP-2001

GAAGACAAAATATAAACAATATACAAAGTTAACTAACACAAACATAACCACGTGGAAAAACAGCGAAAG
CACTTTACCACATTATGTCTCGTGTGTCAGGAATACCTTGGAAAAAGATCAGAGACCCACAAGTACAGTCCAG
CATTTGCGAAGCCGCATATCAACATGTTTCGACCCGTACTTAAAGAAATCTCTAATCAATTGTCCTTATGCG
CTTAATGATTATGAAGCAGACACCCCTTGAGAATCTTGGTGTGACAATTAATCCCCACGCAATCCAAACAC
ACACACATGCCGCAGCTAAAGTAGTTGAAAATCGTATGCTTGAAATCGTTGGACATCACTTGCCAAAAGA
TGAAAAGGTAACCTTTTATCTTCTCAAACGTAGCAAGCTGCGTTACATGAGAAGAGCTGCTGTGCATAAA
GATGTCTTTGTCAATCATAACATTGAACCAAAAAGACTTCTTCAGGTATGATGAAGAGTCTACATCAACTA
GCTTTTCCGTTAATACGAGAATCGCATACATTTAGATTCTCTACACTTTATGGAACCTGCTGATGTGAC
TCACTTGTTTACCGTTGCCAAAACCTTAAACATTAATGGCAACTGTTGTACTACCTGTTGAAGCTATA
CACAGACAGACATCCCTATTCCCTGCCATTTACTCCATTAACATAATGAAGAAGGCTTTGAGTACATCC
CAGGATCACACGGTGGTGGGGCATATTTCCACAAATATGAAACCCCTAGAATGGCTCAAATACTCTAGATT
CATTGGACATGATCCATTGACTGGTTTAAATACACCATTACAATTCAAATGGTAGAGAGTCTTGGTGGC
AACCACCTTTTCTTTTCCAAAGAGGAACTTTGAGACGCCGTTATACCGGACGTTTCAAAGAATAGTT
TTGTGACATTTCCAAATATATTTTCATCCCCGACATGTCAATGCCACAAAACCTATGCCATAGATCAAGGGC
CATACAGCTGTACCTATATGTGAAATCAGTAAATAAAGTTACGCCAAGAGACATATTTGCTAAACTTAGA
CAACTGATTTTACCGTTGCTGAACATAGAATTGTATGACCTGATGAACCTACGCATGTTGTAAATTTATTC
CATATGTGTCAAACTGTCTATCAATGATTATGACAACATGCTCAAATCCAGTTTCTTTAAAAAACT
GGTGGCACCCTGCAACACGACTGGAGGTGCATGATTGAATTTCTCCGGGAAAGAGTGACTTCAATCAA
CTGCTAACAGCTCTTCAATGGAAAGATTTTTCATACACTATTAAGACTGATGAGCTGTAAATCACTACAC
ACACTGCTATAGGACAAGCAATATGCAATGCAGTGTCTACATATAAAGAAAGAAGGCAGCTGACTCAATT
GGTCAAAAATGGTACAATATCCTTAGCAGATTTTGAACAGAAAGAACCTGAAATAACCTACACTGAATTT
GAGCCTGAACTAGGCCCCAGGTGGACTGCGTTACTAATTACAATAATGCAGTCAGAAATTTAGGTCTTT
CTGCATCGATGAACAGCCTCAATGTTTCATCTTCTAACAGTCATATACCCTGCAATGAAATATCTTAGC
AATGACTGATGATGATAATGCTGCGGCCATTTCATGAAATTGAATCTCTATTGTCTGAACCGATAATAGCT
CCTCAACTCCCAGCATTGGCCACACAAGACATGGGCTAGTTATGCTTCCGACACATCATCTATGAAGAACC
GTGAAATTGAGAACATAATTGCTGAGCTTGAAATCTCACGGAAGGAAACAATGTGCAGCAAACTACTCA
TGATTACCATGCTGTTTCTGATACTGCTCAAACTCTGGAGGTCTCCCATGGAAAGCATGGATTCCACTT
CTGAATGCACACGGCTTTAAGGGAGACCAACTTCAATACAGTCTGATGGCAAAGTGATTTCAGCCAAATTC
AGGCATCAATTAACAAACACCAAGATCTGAGTACCCATCCAGTATTCCTGCAGATCTTGTAACTACACT
CGGAAACATTAAGAGCAGTGTATGCCATTCTTATTAGCCATCGAAGGGCAAGTGCTTACAGCTCTGAT
ATCAAGAACAATAGGACTGGCAAATTTGCTTTGCTCCCAATCAAAGAATGGAAGGAAAGTTTTGCTTTCA
AAATGCGACATGAAGACATCGTTAAATCTGGAGTGGTCATTTCATGGCTGTGGTGGCTCTGGAAAATCACA
AGCATTACAAAACCTTTCTCAGAACTCTTGGCGACACCAACGACTGTTGCACAGTGGTGGTGCCAACCTGTT
GAGCTCAGAAATGATTGGGTGAACAAATTTGTGCAAACTACCCATGGAACACATTAAGAACTTTGAAAAAG
CAATGATTCAACCAAGGATTTCCAGTCTGTTATCTTTGATGACTACACCAAAATTTGCCACCTGGTTACATTGA
AGCATATTTTGTCCCAACACCAACACCAAGATTTTCACTTCTCACTGGAGACTCGCGGCAAAAGTGATAT
CATGAGTCCAACAATGAAGCATAACATTGCCTCCTTAGATGAAGCCGTTGCTTACTATGCTAACTACTGCG
GATTTTACCTAAATGCTACACATAGAAATGTTTCGCAGTTTAGCCAATAAGCTAGGTGTTTACAGTGAGAA
AGAAGGCCACCTCAAATTTACCTTTGCCTCAAATGCTCTACAAAAGTGCAAAGTGCCAATTTTAGTGCTT
TCTAAATGAAGAAAGGTGCCATGCAAGACATAGGGCACAAGCCATGACCTACGCTGGTTGTCAAGGGC
TTACTGCTCCAAGAGTCCAAATTTTGTGTTGACAACACACACAACACTGCTCAGACAGGGTGTGTACAC
ATGTCTCTCTAGAGCTGTTGATTCCATCCATTTTATCAATACAGGTCCAAACAATTTCTGAATTTTGGGAC
AAGCTCGAGGCAACACCATACCTCAAAGCATTTTATTGATACTTACAGAGATGAGAAAACAGAAATGCTCA
ATTCTAAACCTGCTGACGACAGTCTTACTGAGCCTGAAGCTCCATTGACTCACTTTCCAGTGTCCAACGG
CAACAACCTTGAAAAAGTTAGCTTCAGCACTTCTGAAAAATTTGCAAGGGAGTTGTATGACAAACACCAT
GGGTATTCTAACACAATCCAACTGAAAAATCCAGTGGTACAACCTTTCCAGCATCAACAAGCCAAAGATG
AAACGCTTTTCTGGGCAACAATAGAAGCTAGACTTTCTATTACAACCTCCGGAAGCCAATTTACGAGAATT
TGTGCTGAAGAAAGATGTTGGAGACATCTTGTTTTTCAACTACCACAATGCGATGTGCTTACCCGCTGAT
CCAGTGGACTTTGAGCCAAAGACATGGGAAATATGTGCTGCTGAAGTTAAAAATACCTACTTTAGCCAAAC
CAATGGCTAACCCTGATCAATGCTGCTAGCAGACAATCTCTGATTTTGTATACTAATAAAAATTTCCCTGTT
CTTAAATCTCAATGGGTCAAAAAAGTGAAAAATTTAGGTGCTGTCAAATCAAAGCCTGGCCAGACCATC
GCAGCTTTTCATGCAACAAACAGTGTGTTGTATGGGACCATGGCCAGATACCTCAGAAAGATGAGACAAA
GATTCCAACCAAGCATATTTTCATTAATTGTGAGACAACAACGGATGATCTGAACCAATTTGTTAAACA
AGGTTGGAACCTTAACAGAAGTGTCTCAGACAAATGATTTACAGCTTTTGACCAATCACAAGATGGTGCA
ATGCTTCAATTTGAAGTCATGAAGGCAAAATTTCTCAATATCCCTGCTGACATTATGAAGGATACATCA
ATATCAAAATTTGACGCAAAATTTTCCCTGGTACATTTGCTCATTATGAGGTTGTCTGGTGAAGGTCCAAC
TTTTGATGCTAACACAGAATGTTCAATAGCATATACTGCTACAAGATACCATCTCGATTCCACAGTCAAG
CAGGTTTATGCTGGAGATGACATGGCATTAGATGGAGTTGTCCAAGAAAAACCCCTCTTTCAAAAATTTAC
AGAACAAGCTTAACTCACCTCAAAGACACTATTTCCAAAGCAGGTCAAAGGTGATTACGCTGAATTCGT
TGGTTGACTTTCACTCCTGGTGGCATCATTAATAAACCTTTTGAAATGCATGCTTCAATCATGTTGCAA

GAGGCAATTGGCAATTTGCACACTGCTGCCAGATCATATGCCATTGACATGAAGCATTTCATACCAAATGG
GTGATGAGCTGCATGATTACTTAAACACCAGATGAAGCTGAACAACATTTCTTGCTGTTTCGGAAATTGCA
CAAGCTACACCAAGGAGAAGCAATGAGACTTGGTGAAGAAGAGCCCTCCAAAATCAACACATTGAGGGGTT
AAGTTTTTCCCAGTTTGAAATGGAAAGATCAACTCTGATTAAATTTACTTCAATTGCACCACTTCGAGCCA
AAACTCAGTGTGAAGGAATCATAGTTGTGCACGGAATTGCAGGAACTGGGAAAACCACTTTACTTAGGA
CTTTATTTTCTGCTTACCCTAGCTTAGTTATAGTTTCACCTAGGCCTTGTTATTTAGACAAACAAAATAA
AATTTACAAAGTTTGCTTATCTTGCTTTCCCAATACCCATTGTGACATTGTTGATGAGTATCATTTCGTA
GAAAGTTTCCCAGAACCAAAATTTGGCTATCTTTGGTGACCCCTGTCAATGCACATACGTTGAAAGACTTA
GAGTCCCACATTACACTTCCTTCAGAACTCATAGATTGGAAAGTCAACTGCTGAGATTTGAACAACT
GTTTGATCTTAATATAATCTCAGTTAAGAAAGAAGACGACATTGTGAATTCTTTAACCCTTTCGAAGTT
GACCCCACTGAACATATCTCAGCCTCTGAAGAAGAAGTCTTAGACTTTGTTTCTGACCAAGTGGTGACCA
CCAGCTCAGAAGAACTAGCAGGACTTGAATTTGCTGAAACAACCTTCTACTGCACCACACTGGCAGCAGC
CGTTGCTGAAAACTCTGCTAAGACTTTTCATCTCTCTGACCAGACACACTCACAACTCACCATTGGGGAA
CTAAATGCCAGTGCTAACTCCTAGAGCTGACCTCACTGACACATACAAAATCATTGCCATTGCCTTCCTG
TTGTCAGCCTGCATTTACTTCCAAAATAGCCACTACCAACCTGTTGCTGGAGACAAATTTGCACCGTTTGC
CTTTTGGTGGCCAATATCAAGACGGCCTAAAAGGATTTCTTATTTTCCACAACAGCAGTCATACTTTCA
TTCTGGAACAAATTAATGTCTCATACTTATCTTCATTCTCACATTGGGTATTGTCTCACCATAAAA
TTTAGTTTTAGCTTTAGTCGTACTACTCACCAGCATTTCTTGCTATAACACACATTCAGCAACCAACAACA
CACAACCATTTGTCAGGTTCATCATTGACGGTGCTGCAATAGTCATAACAAATTTGTGAGAACACACCAGAAG
TACTTAAGGCAATCAACTTCTCCCCCTGGAACGGGTTAAGTTTTCTAAGTTTGAAAATCAATATTGAGT
GTTCAACAATCAACTTCAACAAACAATCATGCTGACACAACACCTGTTGCTGCCACTTCAAGTGCAC
CACCTACAGCCAAAGATGCTGGTGCCAAAGCTCCTTCTGACTTCTCAAATCCCAATACAGCTCCTAGTCT
CAGTGATTTGAAGAAAGTCAAGTATGTCTCCACAGTGACTTCCGTGGCCACACCAGCTGAAATTGAAGCC
CTAGGCAAAATCTTCACCGCTATGGGCCTTGCCGCCAATGAGACTGGTCCGGCGATGTGGGATCTAGCTC
GTGCGTATGCTGATGTGCAGAGCTCTAAATCCGCACAGCTGATTGGTGCTACCCCTTCCAACCTGCATT
ATCACGCCGAGCCCTTGCTGCTCAGTTTGATCGAATCAATATAACACCCAGGCAATTTTGCATGTACTTT
GCTAAAGTTGTTTGGAACATCCTTCTCGACAGCAATATCCACCAGCAAATTGGGCTAAACTTGGTTACC
AAGAAGATACAAAATTTGCTGCATTTGACTTCTTCGATGGAGTCACCAACCCCTGCCAGCCTGCAGCCTGC
TGATGGTCTCATCAGGCAACCAATGAGAAAGAACTAGCTGCTCACTCAGTAGCTAAATATGGCGCCTTG
GCTAGGCCAAAAGATCTCCACAGTAATTATATTACCACACTTGAGAGAAGTCACACGTGGACACATGGGTG
GAGCTAACACCATGTACGCGATCGACGCACCCCTGAACTTTAAACACTCGAACTTAATCAGAGTGGGG
TTTTCTACAGTTTATTTTCTTAATTATTTCTTTGAAACAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAA

Figure 8

SEQ ID NO: 8

AAAGCACTTTACCACATTATGTCTCGTGTTAGAAACACTTTAGAAAAGATCAGGGAC
CCACAAGTACAATCTAGCATTTGTGAAGCCGCTTACCAACATGTTAGACCTGTGCTC
AAGGAATCCCTAATCAACTGTCCTTATGCGCTTAATGACTATGAAGCAGACACCCTT
GAGAATTTAGGTGTCACAATAAACCCCATGCAATCCAAACACATACTCATGCGGCA
GCTAAAGTTGTGGAATAAGAAATGCTCGAAATCGTTGGACACCCTTGCCCAAGGA
CGAGAAAGTTACCTTCATTTTCCTCAAAAAGCAAACTGAGATACATGCGAAGAGC
TGCTGTACATAAAGATGTTTTTGTTAATCACAATATAGAACCCAAGGATTTCTTCAG
GTATGATGAGGAATCTACATCTACTAGTTTTCTCCGTGAACACCAGGATCGCTTACAT
CTCCGATTTCTTACATTTTCATGGAACCAGCTGATGTGACCCACCTCTTTGACCGTTG
CCACAATCTTAAAACACTGATGGCAACTGTCGTTTTACCTGTTGAAGCCATCCACAA
ACAAACATCTTTATTTCCAGCGATATACTCCATTAATTACAATGAAGAAGGTTTTGA
GTATATCCCTGGTTCTCATGGTGGAGGGGCATACTTTTCATAAGTATGAAACATTAGA
CTGGCTCAAATACTCTAGATTCATTGGCCAGGACCCCTTAACTGGACTCCGATACAC
CATAACCATTCAAATGGTAGAGAGTTTAGGAGCCAACCATCTTTTCCTCTTCCAAAG
AGGAAATTTTGAAACACCTTTATACAGGACGTTTTCAAAAAAATAGCTTTGTGACCTT
TCCTAACATCTTCCATCCCCAACATGTTAATGCCACAAAGCCCATGCCAAGATCCAG
GGCAATTCAGCTGTATTTATATGTCAAATCTGTCAATAAGGTGACACAAAGAGATAT
CTTTGCGAAAGTAAGGCAACTTATATCTACAGCTGAACTTGAATTGTATGACCCTGA
TGAACCTACACATATTGTCAATTATTTTCGCATATGTCTCAGAACTAAGCTCAATCAAC
GACTATGACAATATGCTCAAATCAAGTTTTTTTCAAAAAAAGTTGTTGCACCCATGCAA
CATGACTGGAGGTGCATGATTGAATTTCTTTCGGGGAAAAAGTGATTTCAATCAACTT
TTAACTGCTCTTCAATGGAAAGACTTCTCTTACACCATTAAAACTGAAGAGTTAGTT
GTTGCTACACACACTGAAATTGGCCAGGCAATCTGTGAAGCTGCGACCACATACAAA
GAAAGAAGACAATTGACCAATTTAGTCAAACAAGGCGCAGTAACATTAGCTGATTTTC
AAAGAAGCGGACCAGCATGTGGAGTACACTCACTTTGATCCTGAGTTTAAATCCACT
GTTGACCCCCACCGGAGCTATGAAAATGCCATCAACAATCTTGGCATTGAGATTAAT
GAGGATGTACCTGAAAGTTCCGGCAGCTAATRAAACATTGCTTAACAATGAAATATCT
TTAGCAATGTCA₁CTGCTGAACATGTGCAAGCCGTTCAAGAAATTGAGTCTTTACTC
TCTAACCCCGAAGCGGCACCAATATTGCCCCCTGCACATGTTAAACATGGGCTAGC
CTTGCACTCTGACAY₂TTCCAGCACTAAAAACCGTGAAATCGAAGATATAGTGGCTAA
GCTGGAAATACAAAGAAATGAAGCTAGTTGCAGCTACCTTCAACCAAATAAGGAATT
GTCAAAACCCAAGGCTGCTGATAACAATCTCCCTGGAATGCTTGGATCCCATTTGCT

TAATGCACACGGCTTCAAAGGAGATCAATTACAATACGGCCCAGATGGTAACTTGAT
ACAGCCCATCCAAGACATTAACAATTCACAGCCTAGATCTGACTATCCGTCTTCTCT
GCCATGTGAACCTTGTGGAACTTTGAGGAAAATTAAGCGTGCTGTCTATGCCATCCC
AATAAGCCACAGGAGAGCTAGTGCTTACAGTTCTGACATCAAAAATAACAGAACTGG
CAAACCTTCTCTGCAACCAAAGCAAAGAATGGAAAGAAAGCTTTGCTTTCAAATGCA
ACATGAAGACATCGTCAAATCAGGTGTTGTCATACATGGTTGCGGAGGTTCTGGCAA
ATCCCAGGCATTACAAAACCTTCTTGAGAACATTGGGTGATTCAAATGATTGCTGTAC
TGTTGTAGTACCCACTGTTGAACTTAGAAATGACTGGGTAAACAAACTCCATAAATT
GCCCATGGAGCATATCAAAACATTTGAGAAAGCAATGATTCAACCTGGCTTTCCAAT
TGTTATATTTGATGATTACACCAAGTTGCCACCTGGCTACATTGAAGCATACCTATTT
CACCATGCCAACACTGAGCTTTTTCATACTCACTGGTGATTCTAGGCAAAGCGTGTAC
CATGAATCTAACAATGAAGCGTACATTGCCTCATTAGATGAAGCTGTTGCATACTAC
GCTAATTACTGCGGTTTTTATTTAAATGCTACTCATAGAAATGTCCGTAGTTTAGCCA
ACAAACTTGGTGTTTACAGTGAGAAAGAAGGACACTTGAAAATCACTTTTGCTTCAC
ATGCCTTACAAAAGTGCAAAGTGCCAATTTTAGTTCCCTTCTCAAATGAAAAGGAGTG
CTATGTY₃AGACATTTGGACATAAATCCATGACCTATGCTGGTTGCCAAGGTTTAACA
GCACCCAAGGTACAAATTCTCCTTGATAACCACACGCAACATTGCTCTGACAGAGTT
CTGTACACCTGTCTGTCTCGTGCAGTTGATTCCATCCACTTCATTAATACTGGTCCC
AACAATTCAGAATTTTGGGATAAGCTTGAAGCAACACCATATCTCAAAGCCTTCATT
GATGTCTATAGAGATGAAAAAACTGAAATGTTCAATTCTAAGCCTGCTGATGACAGT
CCAACTGAGCCTGAAGCACCTGTTACACATTTCCCAATAGCAAATGGAAATAACTTA
GAGAAATTAGCTTCTGCTTTGCCTGAAAAATTTGCTAGGGAGATTTATGACAAGCAT
CATGGCCACTCCAACACAATCCAACTGAGAACCCTGTGGTCCAACCTTTTCCAACAT
CAACAAGCGAAAGACGAGACACTCTTTTGGGCTACAATTGAAGCTAGATTGTCCATA
ACAACTCCTGAAGCAAACCTCAGAGAATTTTGTTTAAGAAAGATGTTGGAGACATT
CTCTTCTTCAATTACCATAATGCGATGTGCTTGCCTGCCGACCCTGTTGACTTTGAA
GAAAAGACCTGGGAGATCTGTGCTGCTGAAGTGAAAAACACTTATCTTGCCAAACCC
ATGGCCAATCTTATCAATGCGGCAAGTAGACAATCACCCGACTTTGACTCTAATAAG
ATCTCATTATTCCTAAAGTCTCAATGGGTGAAAAAAGTGGAAGAACTTGGAGCTATC
AAATCAAAACCTGGGCAGACCATAGCTGCTTTTATGCAACAAACAGTCATGTTGTAT
GGTACTATGGCCAGGTACTTAAGGAAAATGCGGCAAAGATTCCAGCCAAAACACAT
ATTCATCAATTGTGAAACCACAACCTGATGATCTCAATAAATTTGTCAAAGAY₄GGCTG
GAACTTTAACAGAACCGCCCAAACAAATGACTTCACTGCTTTTGATCAGTCACAAGA
TGAGCAATGCTTCAATTTGAAGTCATGAAAGCAAAATTTTAAACATTCCAGCTGA
TGTCATTGAAGGCTACATCAACATCAAGCTGAATGCTAAAATTTTCCTTGGAACACT

CTCAATAATGAGACTTTCTGGTGAAGGTCCCACATTTGACGCTAACACTGAGTGTTG
GATTGCATACACTGCCACAAGATTCCATATTGACAATACTGTTAAGCAAGTGTATGC
CGGTGACGACATGGCATTAGATGGAGTTGTGAGTGAAAAGAAATCATTCAGGAAGT
TACAAAATCTACTAAAACCTCACTTCAAAAACGCTGTACCCAAAACAGGTTAAAGGGA
ATTACGCTGAATTTTGTGGTTGGACTTTTCACACCAGGGGGTATAATTAAAAATCCAC
TTAAAAATGCATGCCTCAATTATGCTGCAAGAAGCCATTGGCAATCTGCACACAGCAG
CCAGATCTTATGCAATTGACATGAAGCATTTCATACCAAATGGGTGACCAACTGCATG
ACTACCTAACCCCCGATGAAGCTGAACAACATTTCCCTAGCTGTGAGAAAGCTTCACA
AACTCCATCAAGGCGAGGCCATGCGTCTTGGGGAGAAAAGTCCACCAAGATCAACC
CATTAAGGGGTAAAGTTTTCCCCAGTTTTGAAATGGAAAGATCAACTTTGATCAATTT
ACTTCTGTTACACAAATTTGAACACAAGATTAACACTGAAGGAATCATTTGTTGTGCA
CGGAATTGCTGGAAGTGGGAAAACACATTTGCTTAGGACTTTATTTTCTGCATACCC
TAGCTTAGTTATAGGTTACCTAGGCCTTGTACTTAGATAAAGCTAATAAAATTTCA
CAAGTTTGCTTTCTTGTTTTTCCAAATACCTTGTGTGACATTTGTTGACGAGTATCATC
TCTTAGAAAGTTTTCTGAACCAAAACTAGCCATTTTTGGTGACCCCTGTCAGTGCA
CTTACATTTGAAAGGTTGAGAACACCCAACTACACATCCTTCAGAACACACCGATTTG
GCAAATCCACTGCTGCTCTACTAAACCAGTTATTTGATCTTAACATTGAGTCAGTCA
AAGCACAAGACGACACAGTAGAATACTTTGATCCTTTTCGCAGTGGACCCCTCTGAAC
ACATTTCTGCTTCAGAAAAAGAAGTTTTGGAATTTGTAGGTGATCAAGTTGAGACTA
CAAGCTCTGAAGAACTAGCTGGTCTCGAGTTTAGTGAAGTTACTTTCTACTGTACCA
CACTTGCTGGTGCTGTTCAAGAAAATCCTGCTAAAACCTTCATTTCACTCACTAGAC
ACACTTCAAAGCTCACAATTGGTGAAGTAAATGCCAGGTCTGACTCCTAGAGCTGAT
CTTACTGACACGTATAAAATCATTTGCTATAGCCTTTCTACTGTCAGCTTGCATTTACT
TCCAAAACAGTCATTATCAACCAGTTGCAGGTGATAATTTGCACAGACTACCCTTTG
GTGGTCAGTATCAAGACGGAAGTAAAGAAAGATTTCTTACTTTCCGCAGCAACAATCCT
ACTTTCACTCAGGAAAACAAGCTTAATGTCCTCATACTTATCTTCATTTCTTACACTGGG
TATTGTCCTCACCAATAAATTTAGTTTTAGCATTAGCCGTAATACTCACCAGCATCAT
TGCTACAACACACATTTCTGCAACCCAAACAGGTCAATCAGTGCCAGGTGATCATTTGA
CGGTGCAGCCATAGTTATAACAAATTTGTCCAAACACACCCGAAGTTCTTAAAGCAAT
CAACTTCTCCCCTTGGAACGGGTAAAGTTTTCCCTCAATTGTGAAATTATATTTGTTAT
CTAGTTAAATTCAAACAATTTAACTCAACTATGGAAAACCAACCTACAGCTTCTAAC
CCATCAGATGCACCACCAACTGCTGCTCAAGCTGGTGCCAGAGCCCAGCAGCTT
CTCAAATCCTAATACAGCTCCTTCCCTAAGTGATTTGAAGAAGATCAAATACGTGTC
AACTGTCACTTCAGTTGCCACGCCTGCTGAAATTTGAGGCCCTTGGCAAGATCTTTAC
TGCCATGGGTTTAGCAGCCAATGAGACCGGACCTGCCATGTGGGACCTCGCTCGTG

CTTATGCTGATGTGCAAAGTTCAAAATCTGCACAACTTAY₅AGGTGCCACACCATCCA
ACCGTGCTTTGTCTAGACGTGCACTTGCTGCACAGTTTGATCGTATCAATATCACAC
CCAGACAATTCTGCATGTATTTTGCAAAAATTGTTTGGAACATACTGTTAGACAGCA
ATGTGCCACCTGCCAACTGGGCAAAATTGGGCTATCAGGAAGATACCAAGTTTGCT
GCTTTTGACTTCTTTGATGGAGTCACAAATCCAGCTAGTCTACAGCCY₆GCAGATGG
CCTAATCAGGCAGCCCAATGAAAAAGAGCTTGCTGCTCACTCGGTTGCTAAATATGG
TGCCCTTGCCCGCCAGAAAATATCCACTGGTAACTACATCACCACCCTTGGTGAAGT
TACACGTGGTCACATGGGCGGCGCCAACACTATGTACGCAATTGATGCACCTCCTG
AACTTTAAACACTCGAACTTAACCAGAGTGGGGTTTTCTATAGTTTATTTTCCCTTA

SEQ ID NO: 9

MSRVRNTLEKIRDPQVQSSICEAAYQHVRPVLKESLINCPYALNDYEADTLENLGVTI
NPHAIQTHTHAAKVVENRMLEIVGHHLPKDEKVTFI FLKRSKLRYMRRAAVHKDV
FVNHNIEPKDFFRYDEESTSTSFSVNTRIAYISDSLHFMEPADVTHLFD RCHNLKTL M
ATVVLPVEAIHKQTS LFPAIYSINYN EEGFEYIPGSHGGGAYFHKYETLDWLKYSRFIG
QDPLTGLRYTITIQMVESLGANHLFLFQ RGNFETPLYRTFQKNSFVTFPNIFHPQHV N
ATKPMPRSR AIQLYLYVKS VNKV TQRDIFAKVRQLISTAELELYDPDELTHIVNYFAYV
SELSSINDYDNMLKSSFFKKLVAPMQH DWRCMIEFFRGKSDFNQLLTALQWKDFS Y
TIKTEELVVATHTEIGQAICEAATTYKERRQLTNLVKQGAVTLADFK EADQHVEYTHF
DPEFKSTVDPHRSYENAINNLGIEINEDVPESGTXNXTLLNNEISLAM SXAEHVQAVQ
EIESLLSNPEAAPILPPAHVKTWASLASDXSSTKNREIEDIVAKLEIQRNEASCSYLQP
NKELSKPKAADNNLPWN AWIPLLNAHGFKGDQLQYGP DGNLIQPIQDINNSQPRSD
YPSSLPCELVETLRKIKRAVYAIPISHRRASAYSSDIKNNRTGKLLCNQSK EWKESFAF
KMQHEDIVKSGVVIHGC GSGKSQALQNFLRTLGD SNDCC TVVVPTVELRNDWVNK
LHKLPMEHIKTFEKAMIQPGFPIVIFDDYTKLPPGYIEAYLFHHANTELFI LTGDSRQS
VYHESNNEAYIASLDEAVAYYANYCGFYLNATHRNV RSLANKLGVYSEKEGHLKITF
ASHALQKCKVPILVPSQMKRSAMXDIGHKSMTYAGCQGLTAPKVQILLDNHTQH CSD
RVLYTCLSRVDSIHFINTGPNNSEFWDKLEATPYLKAFIDVYRDEKTEMFNSK PAD
DSPTEPEAPVTHFPIANGNNLEKLASALPEKFAREIYDKHHGHSNTIQTENPVVQLFQ
HQQAKDETLFWATIEARLSITTPEANLREFLFKKDVG DILFFNYHNAMCLPADPVDF
EEKTWEICAAEVKNTYLAKPMANLINAASRQSPDFDSNKISLFLKSQWVKKVEKLGA
IKSKPGQTIAAFMQQTVMLYGTMARYLRKMRQRFQPKHIFINCETT TDDL NKFVKXG
WNFNRTAQTNDFTAFDQSQDGAMLQFEVMKAKFFNIPADVIEGYINIKLNAKIFLGT
LSIMRLSGEGPTFDANTECSIAYTATRFHIDNTVKQVYAGDDMALDGVVSEKKSFRK
LQNLLKLTSKTLYPKQVKGNYAEFCGWTFTPGGI IKNPLKMHASIMLQEAIGNLHTA

ARSYAIDMKHSYQMGDQLHDYLTPDEAEQHFLAVRKLHKLHQGEAMRLGEKSPPRS
TH