



(12) **United States Design Patent**
Gannoe et al.

(10) **Patent No.:** **US D655,008 S**
(45) **Date of Patent:** **** Feb. 28, 2012**

- (54) **TRAPEZIUM PROSTHESIS**
- (75) Inventors: **Jamy Gannoe**, West Milford, NJ (US);
Luis A. Arellano, Fair Lawn, NJ (US);
Lawrence Kiefer, Lafayette, NJ (US);
Jeff Tyber, Bethlehem, PA (US)
- (73) Assignee: **Extremity Medical LLC**, Parsippany,
NJ (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/367,074**
- (22) Filed: **Aug. 3, 2010**

D290,879 S	7/1987	Giampapa et al.
D291,248 S	8/1987	Sugarbaker et al.
4,936,860 A	6/1990	Swanson
4,969,908 A	11/1990	Swanson
5,702,468 A	12/1997	Goldberg
6,017,366 A	1/2000	Berman
6,168,630 B1	1/2001	Keller et al.
D450,121 S	11/2001	Anderson
D472,633 S	4/2003	Anderson
D493,225 S	7/2004	Varga et al.
7,160,331 B2	1/2007	Cooney et al.
7,182,787 B2	2/2007	Hassler et al.
D565,179 S	3/2008	Kubo et al.
7,531,003 B2	5/2009	Reindel
D619,718 S *	7/2010	Gannoe et al. D24/155
D642,689 S *	8/2011	Gannoe et al. D24/155

* cited by examiner

Related U.S. Application Data

- (63) Continuation-in-part of application No. 29/362,027, filed on May 19, 2010, now Pat. No. Des. 642,689, which is a continuation-in-part of application No. 29/313,441, filed on Jan. 7, 2009, now Pat. No. Des. 619,718.
- (51) **LOC (9) Cl.** **24-03**
- (52) **U.S. Cl.** **D24/155**
- (58) **Field of Classification Search** D24/155-157;
606/60, 61, 73, 95, 213, 65, 67, 288, 902,
606/246, 248, 249; 623/17.11, 17.12, 17.13,
623/17.14, 17.15, 17.16, 23.61, 23.56, 247,
623/213; D15/143, 139
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

D237,202 S	10/1975	Whin
4,198,712 A	4/1980	Swanson
D290,877 S	7/1987	Giampapa et al.
D290,878 S	7/1987	Giampapa et al.

Primary Examiner — Ian Simmons
Assistant Examiner — Charles Hanson
(74) *Attorney, Agent, or Firm* — Ward & Zinna, LLC


(57) **CLAIM**

The ornamental design for a trapezium prosthesis, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a trapezium prosthesis in accordance with the present invention as shown in the present design;
FIG. 2 is a right side view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a back view thereof;
FIG. 5 is a front view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The broken line showing is included for the purpose of illustrating the broken environment and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG. 5




FIG. 6




FIG. 7