



US007716676B2

(12) **United States Patent**
Sawicki et al.

(10) **Patent No.:** **US 7,716,676 B2**
(45) **Date of Patent:** **May 11, 2010**

(54) **SYSTEM AND METHOD FOR ISSUING A MESSAGE TO A PROGRAM**

(75) Inventors: **Marcin Sawicki**, Kirkland, WA (US);
Brian M. Jones, Redmond, WA (US);
Jeffrey C. Reynar, Woodinville, WA (US); **Edward W. Tharp**, Snohomish, WA (US)

(73) Assignee: **Microsoft Corporation**, Redmond, WA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 653 days.

(21) Appl. No.: **10/183,317**

(22) Filed: **Jun. 25, 2002**

(65) **Prior Publication Data**

US 2003/0237049 A1 Dec. 25, 2003

(51) **Int. Cl.**

G06F 9/54 (2006.01)

G06F 17/00 (2006.01)

(52) **U.S. Cl.** **719/313**; 719/318; 715/234;
715/235; 715/237

(58) **Field of Classification Search** 719/313,
719/318; 715/234, 235, 237, 530, 513
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,674,065 A	6/1987	Lange et al.	382/311
4,868,750 A	9/1989	Kucera et al.	711/2
5,020,019 A	5/1991	Ogawa	707/5
5,128,865 A	7/1992	Sadler	704/2
5,159,552 A	10/1992	van Gasteren et al.	704/1
5,267,155 A	11/1993	Buchanan et al.	715/540

5,287,448 A	2/1994	Nicol et al.	715/707
5,297,039 A	3/1994	Kanaegami et al.	707/5
5,317,546 A	5/1994	Balch et al.	368/9
5,337,233 A	8/1994	Hofert et al.	715/540
5,341,293 A	8/1994	Vertelney et al.	715/530
5,351,190 A	9/1994	Kondo	704/8
5,386,564 A	1/1995	Shearer et al.	395/650
5,392,386 A	2/1995	Chalas	715/841

(Continued)

FOREIGN PATENT DOCUMENTS

CA 2 2476 920 A1 3/2000

(Continued)

OTHER PUBLICATIONS

European Communication dated Sep. 25, 2007 cited in European Application No. 03 014 181.6-1243.

(Continued)


Primary Examiner—Li B Zhen

(74) *Attorney, Agent, or Firm*—Merchant & Gould

(57) **ABSTRACT**

Described is a mechanism for issuing an event notification message, from a first program to a second program, to indicate that an action occurred within the first program, where the event notification message includes a parameter that indicates that the action is one of a group of possible actions. More specifically, in an application configured to edit documents created with the eXtensible Markup Language XML, the occurrence of an XML-related action causes the event notification message to be issued. The XML-related action may be either an XML-related move action, an XML-related insert action, or an XML-related delete action. In this way, a single event notification message can be used to indicate the occurrence of three different types of actions while editing an XML document.

23 Claims, 6 Drawing Sheets



US 7,716,676 B2

Page 2

U.S. PATENT DOCUMENTS

5,418,902 A	5/1995	West et al.	715/503	6,014,616 A	1/2000	Kim	704/8
5,446,891 A	8/1995	Kaplan et al.	395/600	6,018,761 A	1/2000	Uomini	706/206
5,522,089 A	5/1996	Kikinis et al.	710/73	6,028,605 A	2/2000	Conrad et al.	345/840
5,535,323 A	7/1996	Miller et al.	715/707	6,029,135 A	2/2000	Krasle	704/275
5,541,836 A	7/1996	Church et al.	704/7	6,029,171 A	2/2000	Smiga et al.	707/102
5,546,521 A	8/1996	Martinez	715/711	6,031,525 A	2/2000	Perlin	345/173
5,581,684 A	12/1996	Dudzik et al.	715/708	6,052,531 A	4/2000	Waldin et al.	717/170
5,596,700 A	1/1997	Darnell et al.	715/512	6,061,516 A	5/2000	Yoshikawa et al.	717/109
5,617,565 A	4/1997	Augenbraun et al.	395/604	6,067,087 A	5/2000	Krauss et al.	715/762
5,625,783 A	4/1997	Ezekiel et al.	395/352	6,072,475 A	6/2000	van Ketwich	345/173
5,627,567 A	5/1997	Davidson	345/173	6,073,090 A	6/2000	Fortune et al.	704/8
5,627,958 A	5/1997	Potts et al.	715/708	6,085,201 A	7/2000	Tso	715/505
5,634,019 A	5/1997	Koppolu et al.	715/744	6,088,711 A	7/2000	Fein et al.	715/523
5,640,560 A	6/1997	Smith	395/615	6,092,074 A	7/2000	Rodkin et al.	707/102
5,657,259 A	8/1997	Davis et al.	708/204	6,108,640 A	8/2000	Slotznick	705/26
5,685,000 A	11/1997	Cox	704/9	6,108,674 A	8/2000	Murakami et al.	715/515
5,708,825 A	1/1998	Sotomayor	395/762	6,112,209 A	8/2000	Gusack	707/101
5,715,415 A	2/1998	Dazey et al.	715/708	6,441,753 B1	8/2000	Montgomery	341/34
5,717,923 A	2/1998	Dedrick	395/613	6,121,968 A	9/2000	Arcuri et al.	345/352
5,752,022 A	5/1998	Chiu et al.	395/610	6,122,647 A	9/2000	Horowitz et al.	707/513
5,761,689 A	6/1998	Rayson et al.	707/533	6,126,306 A	10/2000	Ando	708/605
5,764,794 A	6/1998	Perlin	382/186	6,137,911 A	10/2000	Zhilyaev	382/225
5,765,156 A	6/1998	Guzak et al.	707/100	6,141,005 A	10/2000	Hetherington et al.	715/866
5,781,189 A	7/1998	Holleran et al.	715/826	6,151,643 A	11/2000	Cheng et al.	710/36
5,781,904 A	7/1998	Oren et al.	707/100	6,154,738 A	11/2000	Call	707/4
5,794,257 A	8/1998	Liu et al.	707/501	6,167,469 A	12/2000	Safai et al.	710/62
5,799,068 A	8/1998	Kikinis et al.	379/93.06	6,167,523 A	12/2000	Strong	726/21
5,802,253 A	9/1998	Gross et al.	395/51	6,167,568 A	12/2000	Gandel et al.	717/176
5,802,262 A	9/1998	Van De Vanter	395/180	6,173,316 B1	1/2001	De Boor et al.	709/218
5,802,299 A	9/1998	Logan et al.	395/200.48	6,182,029 B1	1/2001	Friedman	704/9
5,802,530 A	9/1998	van Hoff	707/513	6,185,550 B1	2/2001	Snow et al.	707/1
5,805,911 A	9/1998	Miller	395/796	6,185,576 B1	2/2001	McIntosh	707/200
5,809,318 A	9/1998	Rivette et al.	715/512	6,199,046 B1	3/2001	Heinzle et al.	705/1
5,815,830 A	9/1998	Anthony	707/6	6,199,081 B1	3/2001	Meyerzon et al.	715/513
5,818,447 A	10/1998	Wolf et al.	715/752	6,208,338 B1	3/2001	Fischer et al.	715/705
5,821,931 A	10/1998	Berquist et al.	715/784	6,219,698 B1	4/2001	Iannucci et al.	709/221
5,822,539 A	10/1998	van Hoff	395/200.66	6,246,404 B1	6/2001	Feigner et al.	715/708
5,822,720 A	10/1998	Bookman et al.	704/3	6,262,728 B1	7/2001	Alexander	345/440.1
5,826,025 A	10/1998	Gramlich	395/200.47	6,272,074 B1	8/2001	Winner	368/10
5,832,100 A	11/1998	Lawton et al.	382/100	6,272,505 B1	8/2001	De La Huerga	707/501
5,845,077 A	12/1998	Fawcett	709/221	6,282,489 B1	8/2001	Bellesfield et al.	701/201
5,855,007 A	12/1998	Jovicic et al.	705/14	6,291,785 B1	9/2001	Koga et al.	209/584
5,859,636 A	1/1999	Pandit	715/501.1	6,292,768 B1	9/2001	Chan	704/1
5,872,973 A	2/1999	Mitchell et al.	395/685	6,295,061 B1	9/2001	Park et al.	715/764
5,875,443 A	2/1999	Nielsen	707/2	6,297,822 B1	10/2001	Feldman	715/705
5,877,757 A	3/1999	Baldwin et al.	715/705	6,300,950 B1	10/2001	Clark et al.	715/705
5,884,266 A	3/1999	Dvorak	704/270.1	6,308,171 B1	10/2001	De La Huerga	707/3
5,892,919 A	4/1999	Nielsen	395/200.58	6,311,152 B1	10/2001	Bai et al.	704/9
5,893,073 A	4/1999	Kasso et al.	705/8	6,311,177 B1	10/2001	Dauerer et al.	707/2
5,893,132 A	4/1999	Huffman et al.	715/201	6,311,194 B1	10/2001	Sheth et al.	715/505
5,895,461 A	4/1999	De La Huerga et al.	707/1	6,320,496 B1	11/2001	Sokoler et al.	340/470.1
5,896,321 A	4/1999	Miller et al.	365/189.01	6,323,853 B1	11/2001	Hedloy	345/339
5,900,004 A	5/1999	Gipson	707/530	6,336,125 B2	1/2002	Noda et al.	715/531
5,907,852 A	5/1999	Yamada	715/541	6,336,131 B1	1/2002	Wolfe et al.	709/203
5,913,214 A	6/1999	Madnick et al.	707/10	6,338,059 B1	1/2002	Fields et al.	707/4
5,920,859 A	7/1999	Li	707/5	6,339,436 B1	1/2002	Amro et al.	715/714
5,924,099 A	7/1999	Guzak et al.	707/100	6,339,755 B1	1/2002	Hetherington et al.	704/8
5,933,139 A	8/1999	Feigner et al.	715/708	6,347,398 B1	2/2002	Parthasarathy et al.	717/170
5,933,140 A	8/1999	Strahorn et al.	715/712	6,349,295 B1	2/2002	Tedesco et al.	707/3
5,933,498 A	8/1999	Schneck et al.	705/54	6,353,926 B1	3/2002	Parthasarathy et al.	717/11
5,940,614 A	8/1999	Allen et al.	717/120	6,381,742 B2	4/2002	Forbes et al.	717/176
5,944,787 A	8/1999	Zoken	709/206	6,382,350 B1	5/2002	Jezewski et al.	181/290
5,946,647 A	8/1999	Miller et al.	704/9	6,392,668 B1	5/2002	Murray	715/38
5,948,061 A	9/1999	Merriman et al.	709/219	6,396,515 B1	5/2002	Hetherington et al.	715/762
5,956,681 A	9/1999	Yamakita	704/260	6,401,067 B2	6/2002	Lewis et al.	704/275
5,974,413 A	10/1999	Beauregard et al.	707/6	6,408,323 B1	6/2002	Kobayashi et al.	709/100
5,987,480 A	11/1999	Donohue et al.	715/501.1	6,413,100 B1	7/2002	Dickmeyer et al.	434/322
5,991,719 A	11/1999	Yazaki et al.	704/251	6,415,304 B1	7/2002	Horvitz	715/205
5,995,756 A	11/1999	Hermann	395/712	6,421,678 B2	7/2002	Smiga et al.	707/102
6,006,265 A	12/1999	Rangan et al.	709/226	6,424,979 B1	7/2002	Livingston et al.	715/511
6,006,279 A	12/1999	Hayes	719/328	6,434,567 B1	8/2002	De La Huerga	707/102
				6,438,545 B1	8/2002	Beauregard et al.	707/6
				6,442,545 B1	8/2002	Feldman et al.	707/8

US 7,716,676 B2

Page 3

6,442,591 B1	8/2002	Haynes et al.	709/206	6,964,010 B1	11/2005	Sharp	715/507
6,456,304 B1	9/2002	Anguilo et al.	715/779	6,975,983 B1	12/2005	Fortescue et al.	704/9
6,470,091 B2	10/2002	Koga et al.	382/101	6,976,090 B2	12/2005	Ben-Shaul et al.	709/246
6,473,069 B1	10/2002	Gerpheide	345/157	6,976,209 B1	12/2005	Storisteanu et al.	715/512
6,493,006 B1	10/2002	Gourdol et al.	345/825	6,981,212 B1 *	12/2005	Claussen et al.	715/205
6,477,510 B1	11/2002	Johnson	705/30	6,986,104 B2	1/2006	Green et al.	715/523
6,480,860 B1	11/2002	Monday	707/102	6,990,654 B2	1/2006	Carroll, Jr.	717/109
6,498,982 B2	12/2002	Bellesfield et al.	701/202	7,003,522 B1	2/2006	Reynar et al.	707/10
6,510,504 B2	1/2003	Satyanarayanan	711/170	7,013,289 B2	3/2006	Horn et al.	705/26
6,516,321 B1	2/2003	De La Huerga	707/102	7,024,658 B1	4/2006	Cohen et al.	717/117
6,519,557 B1	2/2003	Emens et al.	704/8	7,028,312 B1	4/2006	Merrick et al.	719/330
6,519,603 B1	2/2003	Bays et al.	707/102	7,032,174 B2	4/2006	Montero et al.	715/257
6,546,433 B1	4/2003	Matheson	709/318	7,039,859 B1	5/2006	Sundaresan	715/229
6,553,385 B2	4/2003	Johnson et al.	707/104.1	7,051,076 B2	5/2006	Tsuchiya	709/206
6,556,972 B1	4/2003	Bakis et al.	704/277	7,082,392 B1	7/2006	Butler et al.	704/233
6,556,984 B1	4/2003	Zien	707/2	7,100,115 B1	8/2006	Yennaco	715/748
6,564,264 B1	5/2003	Creswell et al.	709/245	7,113,976 B2	9/2006	Watanabe	709/206
6,571,241 B1	5/2003	Nosohara	707/6	7,146,564 B2	12/2006	Kim et al.	715/235
6,571,253 B1	5/2003	Thompson et al.	707/103 R	7,216,351 B1	5/2007	Maes	719/328
6,591,260 B1	7/2003	Schwarzhoff et al.	707/2	7,237,190 B2	6/2007	Rollins et al.	715/234
6,595,342 B1	7/2003	Maritzen et al.	194/212	7,281,245 B2	10/2007	Reynar et al.	717/173
6,601,075 B1	7/2003	Huang et al.	707/104.1	7,302,634 B2	11/2007	Lucovsky et al.	715/200
6,604,099 B1	8/2003	Chung et al.	707/3	7,305,354 B2	12/2007	Rodriguez et al.	705/26
6,615,131 B1	9/2003	Rennard et al.	701/200	7,392,479 B2	6/2008	Jones et al.	715/513
6,618,733 B1	9/2003	White et al.	707/103	7,421,645 B2	9/2008	Reynar	715/206
6,622,140 B1	9/2003	Kantrowitz	707/5	7,454,459 B1	11/2008	Kapoor et al.	709/203
6,623,527 B1	9/2003	Hamzy	715/513	2001/0029605 A1	10/2001	Forbes et al.	717/11
6,625,581 B1	9/2003	Perkowski	705/27	2001/0041328 A1	11/2001	Fisher	434/157
6,629,079 B1	9/2003	Spiegel et al.	705/26	2001/0042098 A1	11/2001	Gupta et al.	709/206
6,631,519 B1	10/2003	Nicholson et al.	717/169	2001/0049702 A1	12/2001	Najmi	707/513
6,636,880 B1	10/2003	Bera	708/206	2001/0056461 A1	12/2001	Kampe et al.	709/201
6,643,650 B1	11/2003	Slaughter et al.	707/10	2002/0002590 A1	1/2002	King et al.	709/206
6,654,734 B1	11/2003	Mani et al.	707/2	2002/0003469 A1	1/2002	Gupta	340/407.1
6,654,932 B1	11/2003	Bahrs et al.	715/507	2002/0003898 A1	1/2002	Wu	382/187
6,658,623 B1	12/2003	Schilit et al.	715/513	2002/0004803 A1	1/2002	Serebrennikov	715/513
6,687,485 B2	2/2004	Hopkins et al.	434/350	2002/0007309 A1	1/2002	Reynar	705/14
6,694,307 B2	2/2004	Julien	707/3	2002/0023113 A1	2/2002	Hsing et al.	707/513
6,697,824 B1	2/2004	Bowman-Amuah	709/229	2002/0023136 A1	2/2002	Silver et al.	709/206
6,697,837 B1	2/2004	Rodov	709/203	2002/0026450 A1	2/2002	Kuramochi	707/104.1
6,708,189 B1	3/2004	Fitzsimons et al.	707/205	2002/0029304 A1	3/2002	Reynar et al.	709/332
6,715,144 B2	3/2004	Daynes et al.	717/174	2002/0035581 A1	3/2002	Reynar et al.	715/513
6,717,593 B1	4/2004	Jennings	715/760	2002/0038180 A1	3/2002	Bellesfield et al.	701/202
6,718,516 B1	4/2004	Claussen et al.	715/513	2002/0005110 A1	5/2002	Enns et al.	455/566
6,728,679 B1	4/2004	Strubbe et al.	704/270.1	2002/0065891 A1	5/2002	Malik	709/206
6,732,090 B2	5/2004	Shanahan et al.	707/3	2002/0066073 A1	5/2002	Lienhard et al.	717/105
6,732,361 B1	5/2004	Andreoli et al.	719/313	2002/0078222 A1	6/2002	Compas et al.	709/232
6,741,994 B1	5/2004	Kang et al.	707/102	2002/0091803 A1	7/2002	Imamura et al.	709/220
6,742,054 B1	5/2004	Upton, IV	710/6	2002/0099687 A1	7/2002	Krishnaprasad et al.	707/1
6,745,208 B2 *	6/2004	Berg et al.	707/201	2002/0100036 A1	7/2002	Moshir et al.	717/173
6,766,326 B1	7/2004	Cena	707/101	2002/0103829 A1	8/2002	Manning et al.	707/513
6,795,808 B1	9/2004	Strubbe et al.	704/275	2002/0104080 A1	8/2002	Woodard et al.	717/176
6,802,061 B1	10/2004	Parthasarathy et al.	717/173	2002/0110225 A1	8/2002	Cullis	379/67.1
6,826,726 B2 *	11/2004	Hsing et al.	715/513	2002/0111928 A1	8/2002	Haddad	707/1
6,829,631 B1	12/2004	Forman et al.	709/202	2002/0120685 A1	8/2002	Srivastava et al.	709/203
6,845,499 B2 *	1/2005	Srivastava et al.	717/100	2002/0129107 A1	9/2002	Loughran et al.	709/206
6,857,103 B1	2/2005	Wason	715/709	2002/0133523 A1	9/2002	Ambler et al.	707/536
6,859,908 B1	2/2005	Clapper	715/224	2002/0149601 A1	10/2002	Rajarajan et al.	345/619
6,868,625 B2	3/2005	Szabo	715/738	2002/0156774 A1	10/2002	Beauregard et al.	707/3
6,874,125 B1	3/2005	Carroll et al.	715/705	2002/0156792 A1	10/2002	Gombocz et al.	707/100
6,874,143 B1	3/2005	Murray et al.	717/173	2002/0169802 A1	11/2002	Brewer et al.	707/513
6,880,129 B1	4/2005	Lee et al.	715/763	2002/0175955 A1	11/2002	Gourdol et al.	345/821
6,883,137 B1	4/2005	Girardot et al.	715/513	2002/0178008 A1	11/2002	Reynar	704/272
6,898,604 B1	5/2005	Ballinger et al.	707/101	2002/0178182 A1	11/2002	Wang et al.	715/501.1
6,901,402 B1	5/2005	Corston-Oliver et al.	701/101	2002/0184247 A1	12/2002	Jokela et al.	707/204
6,904,560 B1	6/2005	Panda	715/202	2002/0188941 A1	12/2002	Cicciarelli et al.	717/175
6,925,457 B2	8/2005	Britton et al.	707/1	2002/0196281 A1	12/2002	Audleman et al.	345/762
6,925,470 B1	8/2005	Sangudi et al.	707/102	2002/0198909 A1	12/2002	Huynh et al.	707/513
6,944,857 B1	9/2005	Glaser et al.	717/173	2003/0002391 A1	1/2003	Biggs	368/82
6,948,133 B2 *	9/2005	Haley	715/780	2003/0005411 A1	1/2003	Gerken	717/120
6,950,831 B2	9/2005	Haley	707/104.1	2003/0009489 A1	1/2003	Griffin	707/500
6,950,982 B1	9/2005	Dourish	715/512	2003/0014745 A1	1/2003	Mah et al.	717/170
6,957,385 B2	10/2005	Chan et al.	715/504	2003/0025728 A1	2/2003	Ebbo et al.	345/744
6,963,867 B2	11/2005	Ford et al.	707/3	2003/0046316 A1	3/2003	Gergic et al.	707/513

2003/0050911	A1	3/2003	Lucovsky et al.	707/11	JP	2001-014303	1/2001
2003/0051236	A1	3/2003	Pace et al.	717/177	JP	2001-125994	5/2001
2003/0056207	A1	3/2003	Fischer et al.	717/174	JP	2001-522112	11/2001
2003/0081791	A1	5/2003	Erickson et al.	380/282	JP	2001-0350464	12/2001
2003/0083910	A1	5/2003	Sayal et al.	705/7	JP	2002-041353	2/2002
2003/0084138	A1	5/2003	Tavis et al.	709/223	JP	2002163250 A	6/2002
2003/0097318	A1	5/2003	Yu et al.	705/35	JP	2002-222181	8/2002
2003/0101190	A1	5/2003	Horvitz et al.	707/100	JP	2003-141174	5/2003
2003/0101204	A1	5/2003	Watson	708/206	WO	WO 95/07510 A1	3/1995
2003/0101416	A1	5/2003	McInnes et al.	715/513	WO	WO 99/17240 A1	4/1999
2003/0106040	A1	6/2003	Rubin et al.	717/106	WO	WO 00/54174 A1	9/2000
2003/0115039	A1	6/2003	Wang	704/4	WO	WO 00/67117	11/2000
2003/0121033	A1	6/2003	Peev et al.	717/175	WO	WO 00/73949 A1	12/2000
2003/0126136	A1	7/2003	Omoigui	707/10	WO	WO 01/18687 A1	3/2001
2003/0140308	A1	7/2003	Murthy et al.	715/500	WO	WO 01/37170 A2	5/2001
2003/0154144	A1	8/2003	Pokorny et al.	705/28	WO	WO 01/186390 A2	11/2001
2003/0158841	A1	8/2003	Britton et al.	707/3	WO	WO 02/099627 A1	1/2002
2003/0158851	A1	8/2003	Britton et al.	707/100	WO	WO 02/15518 A2	2/2002
2003/0167445	A1	9/2003	Su et al.	715/513	WO	WO 02/42928 A1	5/2002
2003/0172343	A1	9/2003	Leymaster et al.	715/500	WO	WO2004/012099 A2	2/2004
2003/0177341	A1	9/2003	Devillers	712/227			
2003/0182391	A1	9/2003	Leber et al.	709/217			
2003/0192040	A1	10/2003	Vaughan	717/173			
2003/0195937	A1	10/2003	Kircher et al.	709/207			
2003/0212527	A1	11/2003	Moore et al.	702/179			
2003/0220795	A1	11/2003	Araysantiparb et al.	704/275			
2003/0229593	A1	12/2003	Raley et al.	705/55			
2003/0233330	A1	12/2003	Raley et al.	705/55			
2004/0002939	A1	1/2004	Arora et al.	707/2			
2004/0003389	A1	1/2004	Reynar et al.	717/178			
2004/0006564	A1	1/2004	Lucovsky et al.	707/10			
2004/0006741	A1	1/2004	Radja et al.	715/513			
2004/0024875	A1	2/2004	Horvitz et al.	709/226			
2004/0039990	A1	2/2004	Bakar et al.	715/505			
2004/0044959	A1	3/2004	Shanmugasundaram et al.	715/513			
2004/0068694	A1	4/2004	Kaler et al.	715/513			
2004/0083218	A1	4/2004	Feng	707/100			
2004/0133846	A1	7/2004	Khoshtatefeh et al.	715/500			
2004/0143581	A1	7/2004	Bohannon et al.	707/100			
2004/0165007	A1	8/2004	Shafroon	345/781			
2004/0199861	A1	10/2004	Lucovsky	715/500			
2004/0201867	A1	10/2004	Katano	358/1.15			
2004/0236717	A1	11/2004	Demartini et al.	707/1			
2005/0050164	A1	3/2005	Burd et al.	709/217			
2005/0055330	A1	3/2005	Britton et al.	707/1			
2005/0094850	A1	5/2005	Nakao	382/103			
2005/0108195	A1	5/2005	Yalovsky et al.	707/1			
2005/0120313	A1	6/2005	Rudd et al.	715/866			
2005/0187926	A1	8/2005	Britton et al.	707/3			
2006/0173674	A1	8/2006	Nakajima et al.	704/9			

FOREIGN PATENT DOCUMENTS

CN	200410005390.8	10/2008
EP	0 364 180 A2	4/1990
EP	0481784 A2	4/1992
EP	0598511 A2	5/1994
EP	0872827 A2	10/1998
EP	0810520 B1	12/1998
EP	1093058 A1	4/2001
EP	1280068 A2	1/2003
EP	1361523 A2	11/2003
EP	1376392 A2	1/2004
EP	1 447 754 A1	8/2004
EP	1 452 966 A3	9/2004
JP	64-88771	4/1989
JP	05-174013	7/1993
JP	08-272662	10/1996
JP	09-138636	5/1997
JP	10-171827	6/1998
JP	2000-222394	8/2000
JP	2000-231566	8/2000

OTHER PUBLICATIONS

Japanese Official Action dated Oct. 19, 2007 cited in Japanese Application No. 2003-128417.

U.S. Final Office Action dated Dec. 7, 2007 cited in U.S. Appl. No. 10/426,446.

Russian Official Action dated Oct. 11, 2008 cited in Russian Application No. 2003118722.

Pershikov, V.I., "Explanatory Dictionary in Informatics," Finances and Statistics, Moscow, 1991 (in Russian with translated sections) 5 pgs.

U.S. Final Office Action dated Dec. 18, 2007 cited in U.S. Appl. No. 10/366,141.

U.S. Final Office Action dated Dec. 26, 2007 cited in U.S. Appl. No. 09/841,265.

U.S. Office Action dated Dec. 26, 2007 cited in U.S. Appl. No. 10/377,258.

U.S. Final Office Action dated Jan. 7, 2008 cited in U.S. Appl. No. 10/179,438.

U.S. Final Office Action dated Jan. 9, 2008 cited in U.S. Appl. No. 09/906,467.

David D. Lewis et al., "A Sequential Algorithm for Training Text Classifiers," Springer-Verlag New York, Inc., 1994, pp. 1-10.

U.S. Official Action dated Dec. 20, 2006 in U.S. Appl. No. 10/154,630.

U.S. Final Official Action dated Dec. 26, 2006 in U.S. Appl. No. 10/179,810.

U.S. Official Action dated Jan. 11, 2007 in U.S. Appl. No. 10/184,190.

U.S. Official Action dated Jan. 25, 2007 in U.S. Appl. No. 10/608,267.

European Communication dated Nov. 17, 2006 in EP 03 011 851.7-2211.

U.S. Office Action dated Jan. 25, 2008 cited in U.S. Appl. No. 10/608,267.

European Communication dated Dec. 11, 2006 in EP 03 012 830.0-2211.

Singapore Search Report/Written Opinion dated Jan. 26, 2007 in SG 200500214-2.

U.S. Official Action dated Feb. 6, 2007 cited in U.S. Appl. No. 09/588,411.

U.S. Official Action dated Feb. 7, 2007 cited in U.S. Appl. No. 10/179,438.

U.S. Official Action dated Feb. 21, 2007 cited in U.S. Appl. No. 10/366,141.

U.S. Office Action dated Feb. 8, 2008 cited in U.S. Appl. No. 10/141,712.

U.S. Official Action dated Feb. 15, 2008 cited in U.S. Appl. No. 10/731,899.

U.S. Final Office Action dated Feb. 20, 2008 cited in U.S. Appl. No. 10/154,630.

- Singapore Examination Reported (conducted by Austrian Patent Office) dated Jan. 25, 2008 cited in SG Application No. 200500214-2.
- Chinese Official Action dated Dec. 28, 2007 cited in Application No. 200410005390.8.
- Chinese Official Action dated Jan. 4, 2008 cited in Application No. 200510009487.0.
- Wei Ying-bin et al., "A New Technology ColdFusion of Realizing Dynamic Webpage," 2000, 6 pgs. (English language translation, pp. 1-6).
- European Examination Report dated Mar. 4, 2006 cited in Ep Application No. 03 012 432.5-1527.
- Russian Official Action dated Jan. 11, 2008 cited in Russian Application No. 2004105880/09(006292).
- V. Doroth et al., "Modern Computer Vocabulary," St. Petersburg, BHV-Peterburg, 2001, p. 465 (with English language translation).
- European Communication dated Feb. 16, 2007 cited in European Application No. 04 003 683.2-2211.
- Anonymous, "Adding Data from Other Sources in PowerPoint 2002," Jul. 2002, Internet article, XP-002420700, A Professional Approach Series the E-Zine Approach, <http://www.glencoe.com/ps/computered/pas/article.php4?articleId=437>, 8 pgs.
- Rice, F.C., "Transform XML Files with XSLT When Importing into Microsoft Excel 2002," Jul. 2001, Internet article, XP-002420701, [http://msdn2.microsoft.com/en-us/library/aa140055\(office.10,d=printer\).aspx](http://msdn2.microsoft.com/en-us/library/aa140055(office.10,d=printer).aspx), 9 pgs.
- Johnson, L., "What's So Special About Paste Special?," Jun. 2002, Internet article, XP-002420702, <http://pubs.logicaexpressions.com/Pub0009/LPMArticle.asp?ID=40>, 5 pgs.
- Anonymous, "Moving and Copying Text Tutorial," Aug. 17, 2001, Internet Article, XP-002307566, <http://tutorials.findtutorials.com/read/category/102/id/342/p/3>, 4 pgs.
- U.S. Official Action dated Mar. 9, 2007 cited in U.S. Appl. No. 10/426,446.
- U.S. Official Action dated Mar. 12, 2007 cited in U.S. Appl. No. 10/141,712.
- U.S. Official Action dated Apr. 10, 2007 cited in U.S. Appl. No. 09/907,418.
- Scott Driza, "Learn Word 2000 VBA Document Automation," *Wordware Publishing, Inc.* 2001, 6 pages.
- U.S. Official Action dated Feb. 24, 2006 in U.S. Appl. No. 10/154,630.
- U.S. Official Action dated Apr. 5, 2006 in U.S. Appl. No. 10/377,258.
- U.S. Official Action dated Apr. 10, 2006 in U.S. Appl. No. 10/179,810.
- U.S. Official Action dated Apr. 17, 2006 in U.S. Appl. No. 10/179,438.
- U.S. Official Action dated Apr. 17, 2006 in U.S. Appl. No. 10/184,190.
- U.S. Official Action dated May 26, 2006 in U.S. Appl. No. 09/588,411.
- U.S. Official Action dated May 31, 2006 in U.S. Appl. No. 10/141,712.
- U.S. Official Action dated Jun. 1, 2006 in U.S. Appl. No. 10/366,141.
- U.S. Final Official Action dated Jul. 19, 2006 in U.S. Appl. No. 09/906,552.
- U.S. Official Action dated Aug. 2, 2006 in U.S. Appl. No. 10/731,899.
- U.S. Official Action dated Aug. 9, 2006 cited in U.S. Appl. No. 10/164,960.
- U.S. Final Official Action dated Aug. 18, 2006 cited in U.S. Appl. No. 09/907,418.
- U.S. Final Office Action dated Jul. 26, 2007 cited in U.S. Appl. No. 10/164,960.
- U.S. Office Action dated Aug. 10, 2007 cited in U.S. Appl. No. 10/179,810.
- U.S. Office Action dated Sep. 10, 2007 cited in U.S. Appl. No. 10/179,438.
- U.S. Official Action dated Sep. 7, 2006 cited in U.S. Appl. No. 10/155,680.
- Malaysian Search Report dated Aug. 2, 2007 cited in Malaysian Application No. PI 20040265.
- U.S. Office Action dated Sep. 27, 2007 cited in U.S. Appl. No. 10/608,267.
- U.S. Official Action dated Sep. 28, 2006 cited in U.S. Appl. No. 10/608,267.
- U.S. Final Official Action dated Oct. 5, 2006 cited in U.S. Appl. No. 09/841,266.
- U.S. Official Action dated Oct. 6, 2006 cited in U.S. Appl. No. 10/140,544.
- U.S. Official Action dated Oct. 10, 2006 cited in U.S. Appl. No. 09/841,265.
- European Communication dated Apr. 19, 2006 in EP 05 000 506.5-1527.
- U.S. Final Office Action dated Oct. 19, 2006 cited in U.S. Appl. No. 09/906,467.
- European Communication dated Sep. 25, 2006 in EP 03 01 4181.
- World Wide Web Consortium, "Document Object Model (DOM) Level 2 Events Specification, Version 1.0", <http://www.w3.org/TR/2000/REC-DOM-Level-2-Events-20001113/DOM2-Events.pdf>, Nov. 2000, 50 pp.
- World Wide Web Consortium, "Document Object Model (DOM) Level 2 Core Specification, Version 1.0", <http://www.w3.org/TR/2000/REC-DOM-Level-2-Core-20001113/DOM2-Core.pdf>, Nov. 2000, 107 pp.
- U.S. Patent Appl. No. 11/924,856 filed Oct. 26, 2007 entitled "Providing Contextually Sensitive Tools and Help Content in Computer-Generated Documents".
- U.S. Final Office Action dated Oct. 16, 2007 cited in U.S. Appl. No. 09/907,418.
- U.S. Office Action dated Oct. 17, 2007 cited in U.S. Appl. No. 10/155,680.
- U.S. Final Office Action dated Oct. 19, 2007 cited in U.S. Appl. No. 10/184,190.
- U.S. Final Office Action dated Oct. 19, 2007 cited in U.S. Appl. No. 09/588,411.
- U.S. Final Office Action dated Oct. 19, 2007 cited in U.S. Appl. No. 10/141,712.
- U.S. Final Office Action dated Oct. 30, 2007 cited in U.S. Appl. No. 09/906,552.
- European Communication dated Nov. 9, 2006 in EP 03010292.5.
- "Word 2002 Add in: measurement Converter Smart Tag", <http://www.microsoft.com/downloads/details.aspx?FamilyID=f67fc42c-5f41-4c3f-9d5a-71354471dc32&DisplayLang=en>, retrieved on Nov. 9, 2006, 2 pgs.
- "Microsoft Measurement Converter Smart Tag—Chinese Version", <http://www.jiyang.gov.cn/laiying/My%20Pictures/%E8%B4%E5%BA%86%E8%BE%89/office2003/FILES/PFILES/COMMON/MSSHARED/SMARTTAG/CMEASURE/1033/CHMCABT.HTM>, retrieved on Nov. 7, 2006, 2 pgs.
- U.S. Office Action dated Nov. 9, 2006 cited in U.S. Appl. No. 10/184,298.
- U.S. Office Action dated Nov. 15, 2006 cited in U.S. Appl. No. 10/179,438.
- U.S. Official Action mailed Apr. 1, 2008 cited in U.S. Appl. No. 09/907,418.
- U.S. Official Action mailed Apr. 4, 2008 cited in U.S. Appl. No. 10/155,680.
- U.S. Official Action mailed Apr. 29, 2008 cited in U.S. Appl. No. 09/588,411.
- U.S. Final Official Action mailed Apr. 29, 2008 cited in U.S. Appl. No. 10/179,810.
- European Communication Summons to Attend Oral Proceedings dated Mar. 4, 2008 in EP 05 000 506.5-1527.
- European Communication Summons to Attend Oral Proceedings dated Mar. 10, 2008 in EP 03 01 0292.5-1527.
- Rubin, C., "Microsoft Word 2000 Official Manual", First Edition, Nikkei BP Soft Press, Inc., Aug. 2, 1999, pp. 215-217.
- U.S. Office Action dated May 27, 2008 cited in U.S. Appl. No. 09/906,552.
- U.S. Examiner's Answer BPAI dated Jun. 5, 2008 cited in U.S. Appl. No. 10/184,298.
- U.S. Office Action dated Jun. 11, 2008 cited in U.S. Appl. No. 09/841,265.
- U.S. Office Action dated Jun. 12, 2008 cited in U.S. Appl. No. 10/426,446.

- U.S. Office Action dated Jun. 13, 2008 cited in U.S. Appl. No. 10/780,376.
- U.S. Final Office Action dated Jun. 27, 2008 cited in U.S. Appl. No. 10/377,258.
- M. Stowe, "XML in Excel and the Spreadsheet Component", Microsoft Corporation, Aug. 2001, 6 pgs.
- C. Heinemann, "Cross-Reference your XML Data", Microsoft Corporation, Dec. 7, 1998, 6 pgs.
- D. Obasanjo, "XML__Namespaces and How They Affect Xpath and XSLT", Microsoft Corporation, May 20, 2002, 19 pgs.
- European Communication Summons to Attend Oral Proceedings dated May 7, 2008 cited in European Application No. 04002224.6.
- Russian Official Action dated Mar. 13, 2008 cited in Russian Application No. 2004104096/09(004398).
- Japanese Official Action dated Mar. 28, 2008 cited in Japanese Application No. 2003-178497.
- Pixley, "Document Object Model (DOM) Level 2 Events Specification Version 1.0", World Wide Web Consortium, Nov. 13, 2000, www.w3.org/TR/2000/REC-DOM-Level-2-Events-20001113/DOM2-Events.pdf.
- European Communication dated Jun. 3, 2008 cited in European Application No. 03 011 851.7-2211.
- Japanese Official Action dated Apr. 18, 2008 cited in Japanese Application No. 2003-128417.
- U.S. Official Action dated May 14, 2007 cited in U.S. Appl. No. 09/906,552.
- U.S. Final Official Action dated May 18, 2007 cited in U.S. Appl. No. 10/155,680.
- U.S. Official Action dated May 30, 2007 cited in U.S. Appl. No. 09/906,467.
- U.S. Final Official Action dated Jun. 15, 2007 cited in U.S. Appl. No. 10/731,899.
- U.S. Office Action dated Jun. 28, 2007 cited in U.S. Appl. No. 09/841,266.
- U.S. Final Office Action dated Jul. 12, 2007 cited in U.S. Appl. No. 10/184,298.
- U.S. Office Action dated Jul. 13, 2007 cited in U.S. Appl. No. 10/154,630.
- U.S. Office Action dated Jul. 20, 2007 cited in U.S. Appl. No. 09/841,265.
- "The Spatial Smart Tag", Geomatic Technologies, Mar. 10, 2005, 2 pp.
- Harmon, D., "Microsoft MapPoint 2002", Geoworld Quick-Take Reviews, Aug. 2001, 3 pp.
- Irie R. et al., "Resources for Place Name Analysis", May 28, 2004, 4 pp.
- Rajabifard, A. et al., "Creating an Enabling Platform for the Delivery of Spatial Information", Spatial Sciences Institute Biennial Conference, Sep. 12, 2005, 10 pp.
- Camarda, B., Special Editing Using® Microsoft® Office Word 2003, Que, Dec. 12, 2003, pp. 1-5.
- Ivens, K., Office XP Smart Tags, Microsoft, Mar. 6, 2002, pp. 1-4.
- Frye, C., Microsoft Office Systems: Step by Step, Microsoft Press, 2003 Edition, Sep. 3, 2003, pp. 1-6.
- U.S. Official Action mailed Sep. 8, 2006 in U.S. Appl. No. 10/948,948.
- U.S. Official Action mailed Feb. 15, 2007 in U.S. Appl. No. 10/948,948.
- U.S. Official Action mailed Oct. 18, 2007 in U.S. Appl. No. 10/948,948.
- U.S. Official Action mailed Mar. 20, 2008 in U.S. Appl. No. 10/948,948.
- U.S. Official Action mailed Oct. 16, 2008 in U.S. Appl. No. 10/948,948.
- U.S. Official Action mailed Oct. 16, 2008 in U.S. Appl. No. 10/154,630.
- European Search Report dated Dec. 12, 2006 in European Application No. 05 105 000.3-1527.
- European Examination Report dated Oct. 9, 2007 in European Application No. 05 105 000.3-1527.
- European Preliminary Opinion dated Aug. 27, 2008 cited in European Application No. 04002224.6—1527 / 1447754.
- Chinese Official Action dated Dec. 7, 2007 in Chinese Application No. 200510088529.4.
- Chinese Second Official Action dated Aug. 15, 2008 in Chinese Application No. 200510088529.4.
- Chilean Second Office Action cited in Chilean Application No. 67-2005 (date unknown).
- Malaysian Official Action dated Aug. 29, 2008 cited in Malaysian Application No. PI 20031902.
- Polish Official Action dated Aug. 27, 2008 in Polish Application No. P360520.
- Polish Official Letter dated Jun. 24, 2008 cited in Polish Application No. P 365553.
- U.S. Final Office Action dated Jul. 29, 2008 cited in U.S. Appl. No. 10/141,712.
- "XML Schema Part 2: Datatypes," W3C, May 2, 2001, <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>, pp. 1-146 (separated into 2 documents—A & B).
- U.S. Office Action dated Aug. 1, 2008 cited in U.S. Appl. No. 10/366,141.
- Ghamrawi et al., "Collective Multi-Label Classification," ACM, 2005, pp. 195-200.
- Polish Official Action dated Jul. 21, 2008 cited in Polish Application No. P 364854.
- Japanese Office Action dated Jul. 18, 2008 cited in Japanese Application No. 2002-207514.
- European Communication Minutes of Oral Proceedings and Decision dated Sep. 15, 2008 in European Application No. 05 000 506.5-1527.
- Polish Second Official Action dated Oct. 28, 2008 in Polish Application No. P36553.
- Australian First Official Action dated Oct. 21, 2008 cited in Application No. 2003204800.
- U.S. Final Office Action dated Dec. 24, 2008 cited in U.S. Appl. No. 09/841,265.
- Sharon Oviatt et al., "Integration and Synchronization of Input Modes during Multimodal Human-Computer Interaction," CHI 97, Atlanta, Georgia, Mar. 22-27, 1997, pp. 415-422.
- U.S. Office Action dated Dec. 23, 2008 cited in U.S. Appl. No. 10/179,810.
- U.S. Office Action dated Jan. 5, 2009 cited in U.S. Appl. No. 10/141,712.
- European Statement regarding Grounds of Appeal dated Jan. 13, 2009 cited in Application No. 04 002 224.6.
- Shiroiwa, K., "iMac&iBook, Must-see for User, Full of Recommended Setting Methods and Specially Selected Tips, Mastering Mac OS9", MacPeople, ASCII Corporation, Japan, Dec. 3, 1999, vol. 5, No. 24, p. 50 (in Japanese—no translation yet).
- (Previously cited) Koyaku, H., "What is Brought to SQL Server 2000 by XML, Part 1: Function of XML Provided by SQL Server 2000", Enterprise Servers World, vol. 3, No. 12, IDG Japan, Inc., Dec. 1, 2000, pp. 42-53 (with English language translation).
- U.S. Final Office Action dated Jan. 22, 2009 cited in U.S. Appl. No. 10/366,141.
- U.S. Office Action dated Feb. 4, 2009 cited in U.S. Appl. No. 10/377,258.
- U.S. Final Office Action dated Mar. 4, 2009 cited in U.S. Appl. No. 10/780,376.
- European Summons to Attend Oral Proceedings dated Feb. 26, 2009 cited in European Application No. 0301283.0-2211 (60001.0182EP01).
- European Communication dated Mar. 18, 2009 cited in European Application No. 04003683.2-2211 (60001.0216EP01).
- European Summons to Attend Oral Proceedings dated Mar. 20, 2009 cited in European Application No. 03012830.0 (60001.0182EP01).
- Japanese Official Action dated Feb. 6, 2009 cited in Japanese Application No. 2003-180218 (60001.0190JP01).
- Japanese Official Action dated Feb. 13, 2009 cited in Japanese Application No. 2003-162911 (60001.0181JP01).
- Japanese Official Action dated Feb. 24, 2009 cited in Japanese Application No. 2003-161338 (60001.0182JP01).
- Japanese Official Action dated Mar. 6, 2009 cited in Japanese Application No. 2004-042140 (60001.0216JP01).

- Japanese Office Action dated Oct. 10, 2008 cited in Application No. 2004-037158.
- Koyaku, H., "What is Brought to SQL Server 2000 by XML, Part 1: Function of XML Provided by SQL Server 2000", Enterprise Servers World, vol. 3, No. 12, IDG Japan, Inc., Dec. 1, 2000, pp. 42-53.
- Chinese Office Action dated Oct. 17, 2008 cited in Application No. 03145242.6.
- Santos, C.A.S., L.F.G Soares, G.L. de Souza and J.P. Courtiat; *Design methodology and formal validation of hypermedia documents*; Proceedings of the sixth ACM international conference on multimedia, (1998) p. 39-48.
- Terveen, Loren, Will Hill and Brian Amento; *Constructing, organizing, and visualizing collections of tropically related Web resources*; ACM Trans. Comput.-um. Interact. 6, 1 (Mar. 1999) p. 67-94.
- Barrett, Rob, Paul P. Maglio and Daniel C. Kellem; *How to personalize the Web*; Conference proceedings on human factors in computing systems (1997) p. 75-82.
- Marx, Matthew and Chris Schmandt; *Clues: dynamic personalized message filtering*; Proceedings of the ACM 1996 conference on computer supported cooperative work (1996) p. 113-121.
- Goschka, Karl M. And Jurgen Falb; *Dynamic hyperlink generation for navigation in relational databases*; Proceedings of the tenth ACM conference on hypertext and hypermedia: returning to our diverse roots (1999) p. 23-24.
- Pentland, Alex; *Perceptual user interfaces: perceptual intelligence*; Commun. ACM 43,3 (Mar. 2000) p. 35-44.
- Stairmand, Mark A.; *Textual context analysis for information retrieval*; Proceedings of the 20th annual international ACM SIGIR conference on research and development in information retrieval (1997) p. 140-147.
- Glushko, Robert J., Jay M. Tenenbaum and Bart Meltzer; *An XML framework for agent-based E-commerce*; Commun. ACM 42,3 (Mar. 1999) p. 106.
- Kukich, Karen; *Technique for Automatically Correcting Words in Text*; ACM Comput. Surv., 24, 4 (Dec. 1992); pp. 377-439.
- Marx, Matt and Chris Schmandt; *Putting People First: Specifying Proper Names in Speech Interfaces*; Proceedings of the ACM Symposium on User Interface Software and Technology; 1994; pp. 29-37.
- Ford, Bryan, Mike Hibler, Jay Lepreau, Roland McGrath and Patrick Tullman; *Interface and execution models in the fluke kernel*; Proceedings of the third symposium on operating systems design and implementation, (1999) p. 101-115.
- Desmarais, Michel C. and Jiming Liu; *Exploring the applications user-expertise assessment for intelligent interfaces*; Proceedings of the conference on human factors in computing systems, (1993) p. 308-313.
- Foley, James D.; *Future directions in user-computer interface software*; Conference proceedings on organizational computer systems, (1991) p. 289-297.
- Hartson, H. Rex and Deborah Hix; *Human-computer interface development: concepts and systems for its management*; ACM Comput. Surv. 1 (Mar. 1989) p. 5-92.
- Foley, Jim; *Integrating computer technology, people technology; strategies and case studies from Georgia Tech's Graphics, Visualization and Usability Center*; Proceedings of the workshop on advanced visual interfaces, (1994) p. 34-43.
- Tsai, M., P. Reiher and G.J. Popek; *Command management system for next-generation user input*; Proceedings of the seventh workshop on hottopics in operating systems, (1999) p. 179-84.
- Microsoft Computer Dictionary*, Microsoft, Microsoft Press, Fifth Edition, p. 409.
- Kuenning, Geoff, "Using ISPELL from Emacs", theochem.ki.ku.dk/on_line_docs/ispell/ispell_1.html, 4 pp., publication date unknown.
- "Spellout Command", Commands Reference, vol. 5, rz.uni-hohenheim.de/betriebssysteme/unix/aix/aix_4.3.3_doc/base_doc/usr/share/man/inf . . . , 1 page, publication date unknown.
- "Chapter 8—Standard Input and Output", comp.lancs.ac.uk/computing/users/eiamjw/unix/chap8.html, 3 pp., publication date unknown.
- Panagiotis, Christias, Man-cgi 1.15, physics.umn.edu/cgi-bin/man-cgi?spell, 1994,5 pp.
- Bischof, Hans-Peter, "Spell, Spellin, Spellout—Finding Spelling Errors", vorlesungen.uniosnabrueck.de/informatik/shellsript/Html/Man/-Man_NeXT_html/html . . . , Apr. 21, 1997,2 pp.
- "Module 123—Spell", duplex.hypermart.net/books/bsd/501-504.html, 4 pp., publication date unknown.
- Panagiotis, Christias, Man-cgi 1.15, calpoly.edu/cgi-bin/man-cgi?spell+1, 1994,3 pp.
- Martensson, Bengt, "Thread-Enhanced Spell Front End for GNU Emacs + Detex + Delatex", geocrawler.com/archives/3/337/1987/8/0/1871981/, Aug. 20, 1987, 1 page.
- Willisson, Pace, Ispell (1), rt.com/man/findaffix.1.html, 1983, 15 pp.
- Willisson, Pace, Ispell (1), "User Commands", .csee.usf.edu/cgi-bin/man-cgi?ispell, 1983, 18 pp.
- "Handout 38: Spell Checking, Word Counting, and Textual Analysis", courses.cs.emporia.edu/pheatch/courses/2002/cs501s02/hand38/, 3 pp., publication date unknown.
- Keunung, Geoff, "International Spell", cs.ucla.edu/geoff.ispell.html, 3 pp., publication date unknown.
- Ispell 4, "Ispell—Format of Ispell Dictionaries and Affix Files", bigbiz.com/cgi-bin/manpage?4+ispell, 11 pp., publication date unknown.
- McMahon, Lee. E., "SED—A Non-Interactive Text Editor," Bell Laboratories, Murray Hill, New Jersey 07974, Aug. 15, 1978, p. 16.
- Beitner, N.D.; Hall, W.; Goble, C.A., "Multimedia Support and Authoring in Microcosm: An Extended Model," Dept. of Electronics and Computer Science, Univ. of Southampton, Southampton SO17 1BJ, UK; Dept. of Computer Science, Univ. of Manchester, Oxford Road, Manchester M13 9PL, UK, pp. 1-12, publication date unknown.
- IBM Corporation, IBM Research Disclosure #368; "Multimedia Hyperlinks Automatically Created For Reference Documents," IBM Technical Disclosure Bulletin, Jun. 1993, pp. 1-5.
- The Complete LINUX™ Operating System 5.2 Deluxe*, Red Hat,® Macmillian Digital Publishing USA, A Viacom Company, Red Hat Software, Inc., ISBN 1-57595-199-1B, 1995-1998, pp. 1-385.
- User Manual For AddressMate and AddressMate Plus*, CoStar Corporation, AddressMate Software, 1994-1995, pp. 1-210.
- Getting Results With Microsoft® Office 97 Real World Solutions For The Work You Do*, Microsoft Corporation, 1995-1997, pp. 1-703.
- InfoCentral™ 7*, User's Manual, Corel Corporation, vol. 1, Version 7.0, 1996, pp. 1-86.
- Corel® Office Professional 7 Quick Results User's Manual, vol. 1, Version 7.0 (first printing), Corel Corporation, Limited, pp. 1-531, publication date unknown.
- Novell GroupWise User's Guide for Windows 16-Bit Version 5.2, Novell, Inc., 1993-1997, pp. 1-231.
- Novell GroupWise User's Guide for Windows 32-Bit Version 5.2, Novell, Inc., 1998, pp. 1-318.
- Claris Em@iler Getting Started User's Guide, For Macintosh, Claris Corporation, 1995-1997,61 pp.
- Developer's Guide To Apple Data Detectors, For Version 1.0.2., Apple Computer, Inc., 1997, pp. 1-33.
- Apple Data Detectors User's Manual, Apple Computer, Inc., 1997, pp. 1-15.
- Nardi, Bonnie A.; Miller, James R.; Wright, David J., "Collaborative, Programmable Intelligent Agents," Jim Miller/Miramontes Computing, Apple Computer Advanced Technology Group, miramontes.com/writing/add-cacm/add-cacm/html, Mar. 1998, pp. 1-11.
- Hewkin, "Smart Tags—the Distributed-Memory Resolution", IEE Review, Jun. 22, 1989, pp. 203-206.
- Measuring Units Conversion Table—web.archie.org—1997 Internet French Property, pp. 1-4.
- IBM Technical Disclosure Bulletin, "National Language Support Enhancement for Culture-Specific Operations", Nov. 1, 1993, vol. 36, Issue 11, pp. 629-638.
- Towers, J. Tarin, Visual Quickstart Guide: Dreamweaver 2 for Windows and Macintosh, 1999, Peachpit Press, pp. 150-151.
- Cornell, Paul, "Developing Smart Tag DLLs", MSDN Library, msdn.microsoft.com/library/default.asp?url=/library/enu/dnsmarttag/html/ode_smarttags.asp, Apr. 2001, pp. 8.
- Menu Customizing, IBM Technical Disclosure Bulletin, vol. 34, No. 1, Jun. 1991, pp. 91-92 (4 pp. total).

- Perry, Brad, et al., "Discovering Similar Resources by Content Park-Linking", Proceedings of the Sixth International Conference on Information and Knowledge Management, published by ACM Press 1997, pp. 317-324.
- Schulz, Charles, "Writing Applications for Uniform Operation on a Mainframe or PC: A Metric Conversion Program", Lockheed Missles & Space Company, Inc., Sunnyvale, CA, May 1990, pp. 348-361.
- Devanbue, P. et al., "Chime: customizable hyperlink insertion and maintenance engine for software engineering environments", Software Engineering, Publication date: 1999, ISBN: 1-58113-07400.
- "Using Flyswat", flyswat.com/using.html, download date: Sep. 28, 1999, 1 pp.
- "What is Flyswat", flyswat.com, download date: Sep. 28, 1999, 5 pp.
- "Intelligent Text Processing: About", syntalex.co.uk/about/about.html, download date: Aug. 7, 1999, 1 pp.
- "Intelligent Text Processing: Automatic Cross-Referencing", syntalex.co.uk/services/acrl.html, download date Aug. 7, 1999, 3 pp.
- "Intelligent Text Processing: Case Study: Context", casestudies/context.html, download date: Aug. 7, 1999, 3 pp.
- "Integrating with External Systems: iPlanet™ Unified Development Server", Sun Microsystems, Inc., Ver. 5.0, Aug. 2001, pp. 127-156.
- Sperberg-McQueen, C.M. and Thompson, Henry, "XML Schema", W3C Architecture Domain, w3.org/XML/Schema, 2000-2002, pp. 1-10.
- Quin, Liam, "Extensible Markup Language (XML)", W3C Architecture Domain, w3.org/XML/, 1996-2002, pp. 1-3.
- Clark, James, and DeRose, Steve, "XML Path Language (XPath), Version 1.0", W3C, w3.org/TR/xpath, 1999-2000, pp. 1-31.
- "Microsoft BizTalk Server 2002—Using BizTalk Mapper", Microsoft.com/library/en-us/bts_2002/htm/lat_xmltools_map_intro_zkqb.asp ..., Microsoft Corporation, 1999-2001, pp. 1-2.
- "BizTalk Server 2002 Mapper User Interface", msdn.microsoft.com/library/en-us/bts_2002/htm/lat_xmltools_map_concept_codw..., Microsoft Corporation, 1999-2001, p. 1.
- "BizTalk Server 2002 Compiling Maps", msdn.microsoft.com/library/en-us/bts_2002/htm/lat_xmltools_map_concept_drgl.a..., Microsoft Corporation, 1999-2001, p. 1.
- "BizTalk Server 2002 Testing Maps", msdn.microsoft.com/library/en-us/bts_2002/htm/lat_xmltools_map_concept_fhhy.a..., Microsoft Corporation, 1999-2001, pp. 1-2.
- "BizTalk Server 2002 View Links and Functoids By Using Grid Preview", msdn.microsoft.com/library/en-us/bts_2002/htm/lat_xmltools_map_check_fuwn.as..., Microsoft Corporation, 1999-2001, p. 1.
- "The StarOffice™ 6.0 Suite: New Features Guide", Sun Microsystems, V. 1.1, Jul. 2002, pp. 1-31.
- "New Microsoft Office Family Application Taps Power of Industry-Standard XML", microsoft.com/presspass/press/2002/oct02/10-09officefamilypr.mspx, Microsoft Corporation, Oct. 2002-Feb. 2003, pp. 1-2.
- "Q&A: How 'XDocs' Alters the Paradigm for Gathering Business-Critical Information", microsoft.com/presspass/press/2002/oct02/10-09officefamily.mspx, Microsoft Corporation, Oct. 2002-Feb. 2003, pp. 1-4.
- "InfoPath: Microsoft Names New Product from Office Group", microsoft.com/presspass/press/2003/feb03/02-10infopath.mspx, Microsoft Corporation, Oct. 2002-Feb. 2003, pp. 1-4.
- "Microsoft Unveils Visual Studio.NET Enterprise Tools", Microsoft Corporation, microsoft.com/presspass/press/2001/may01/05-21vsepr.mspx, May 2001, pp. 1-4.
- "Microsoft Extends XML Web Services Support in .NET Enterprise Servers Through Visual Studio .NET", www.microsoft.com/presspass/press/2002/feb02/02-13servervspr.mspx, Microsoft Corporation, Feb. 2002, pp. 1-3.
- "How to Use XSL to Transform Excel XML Spreadsheet for Server-Side Use", support.microsoft.com/default.aspx?scid=kb;en-us;278976, Microsoft Corporation, Aug. 2004, pp. 1-7.
- Mueller, Jennifer M., "Work Smarter with Smart Tags", Journal of Accounting—Online, vol. 194, No. 5, Nov. 2002, aicpa.org/pubs/jofa/nov2002/Mueller.htm, retrieved on Apr. 22, 2005.
- M. Fernandez et al., "SilkRoute: trading between relations and XML", Computer Networks, vol. 33, No. 1-6, Jun. 2000, pp. 723-745.
- V. Braganholo, "Updating Relational Databases Through XML Views", Technical Report, Sep. 2002, pp. 1-61.
- G. Falquet et al., "Design and Analysis of Active Hypertext Views on Databases", Information Sciences Institute, Jan. 2002, pp. 1-24.
- S. Ceri et al., "Deriving Production Rules for Incremental View Maintenance", Proceedings of the 17th International Conference on Very Large Data Bases, Sep. 1991, pp. 577-589.
- A. Bonifati, "Active Behaviors within XML Document Management", EDBT Ph. D. Workshop, Mar. 2000, pp. 1-4.
- "Integrated Development Environment (IDE)", tova.com/products_ide.html, Jun. 2002, pp. 1-2.
- "Altova markup your mind?", altova.com/products_ide.html, Dec. 2002, pp. 1-3.
- Arbortext, "Arbortext and Accessibility", arbortext.com/html/accessibility.html, Dec. 2002, pp. 1-5.
- Arbortext, "XML Compliance, 100% Pure XML", arbortext.com/html/xml_compliance, Dec. 2002, pp. 1-3.
- Arbortext, "Schemas", arbortext.com/html/schemas.html, Dec. 2002, pp. 1-3.
- Arbortext, "Arbortext's Support for XSL-FO", arbortext.com/html/xsl-fo.html, Dec. 2002, pp. 1-4.
- Corel, "Corel XMeta4, Making XML Content Creation Easy", corel.com/servlet/Satellite?pagename, Nov. 2003, pp. 1-2.
- Corel, "Corel XMeta 4 and Interwoven TeamXML", corel.com/futuretense_cs/ccurl/corel+xml+4+and+interwoven+teamxml.pdf, Aug. 2003, pp. 1-2.
- Corel, "The Corel-XyEnterprise XML Solution", corel.com/futuretense_cs/ccurl/corel+and+XY+enterprise+XML+solution.pdf, Aug. 2003, pp. 1-2.
- Brooks-Bilson, "Programming ColdFusion" [electronic resource] 2001, Safari Tech Books Online, 1st Edition, 25 pp.
- Wilker, John, "ColdFusion MX Adds J2EE, XML, and Web Services Compatibility", Aug. 9, 2002, builder.com.com/5102-6387-104585.html, 3 pp.
- Homer, Alex et al., Professional Active Services Pages, 1997, Wrox Press Ltd., Section "Client-Side Scripting and Components", subsection "Choosing Your Applets, and Controls", 16 pp.
- Flanagan, D., "JavaScript—The Definitive Guide, Fourth Edition", Jan. 2002, O'Reilly, 12 pp.
- Brockschmidt, K., "Inside OLE, Second Edition", 1995, Microsoft Press, p. 169.
- Toth, V., "Visual C++ 4 Unleashed", 1996, Sams Publishing, p. 174.
- Sriram, V., "ComponentXchange: An E-Exchange for Software Components", Master Thesis, CitSeer, May 2001, pp. i-v, 1-77.
- Bosak, "XML: The Universal Publishing Format", SGML/XML Europe '98, May 1998, pp. A1-C17.
- Kristensen, "Template Resolution in XML/HTML", Computer Networks and ISDN Systems, vol. 30, 1998, pp. 239-249.
- Fan et al., "FormPlus: A Form Authoring Toolkit", Proceedings of the Fourteenth Annual Computer Software and Applications Conference, Oct. 31, 1990-Nov. 2, 1990, pp. 255-260.
- Boone, "Concept Features in Re: Agent, An Intelligent Email Agent", Proceedings of the 2nd International Conference on Autonomous Agents, May 9-13, 1998, pp. 141-148.
- Takkinen et al., "CAFÉ: A Conceptual Model for Managing Information in Electronic Mail", Proceedings of the Annual Hawaii International Conference on System Sciences, 1998, pp. 44-53.
- "Smart Tags: Dumb Technology?", webreference.com, Online, Aug. 29, 2001, http://www.webreference.com/xml/column30/3.html, 3 pp.
- "Being 'Smart' with Smart Tags in Office XP", Create for Mississippi, Aug. 2001, create.cett.msstate.edu/create/howto/smart_tags.pdf, 7 pp.
- Harold, E.R., "XML: Extensible Markup Language", IDG Books Worldwide, Books 24x7.com printout, 1998, pp. 1-11.
- Marais, Hannes, "Supporting Cooperative and Personal Surfing With a Desktop Assistant", 1997, ACM Press, pp. 129-138.
- U.S. Appl. No. 09/818,157, filed Mar. 27, 2001, entitled "Automatically Adding Proper Names to a Database".

- U.S. Appl. No. 09/841,265, filed Apr. 24, 2001, entitled "Method and System for Applying Input Mode Bias".
- U.S. Appl. No. 09/841,266, filed Apr. 24, 2001, entitled "Method and System for Providing Electronic Commerce Actions Based on Semantically Labeled Strings".
- U.S. Appl. No. 09/906,552, filed Jul. 16, 2001, entitled "Method and System for Providing Restricted Actions for Recognized Semantic Categories".
- U.S. Appl. No. 09/906,467, filed Jul. 16, 2001, entitled "Application Program Interfaces for Semantically Labeling Strings and Providing Actions Based on Semantically Labeled Strings".
- U.S. Appl. No. 09/907,418, filed Jul. 17, 2001, entitled "Method and System for Defining Semantic Categories and Actions".
- U.S. Appl. No. 09/588,411, filed Jun. 6, 2000, entitled "Method and System for Semantically Labeling Strings and Providing Actions Based on Semantically Labeled Strings".
- U.S. Appl. No. 10/141,712, filed May 9, 2002, entitled "Method, System, and Apparatus for Converting Dates Between Calendars and Languages Based Upon Semantically Labeled Strings".
- U.S. Appl. No. 10/154,630, filed May 23, 2002, entitled "Method, System, and Apparatus for Converting Numbers Based Upon Semantically Labeled Strings".
- U.S. Appl. No. 10/140,544, filed May 7, 2002, entitled "Method, System, and Apparatus for Converting Numbers Between Measurement Systems Based Upon Semantically Labeled Strings".
- U.S. Appl. No. 10/155,680, filed May 23, 2002, entitled "Method, System, and Apparatus for Converting Currency Values Based Upon Semantically Labeled Strings".
- U.S. Appl. No. 10/164,960 filed Jun. 6, 2002, entitled "Providing Contextually Sensitive Actions and Help Content in Computer-Generated Documents".
- U.S. Appl. No. 10/164,260 filed Jun. 5, 2002, entitled "Mechanism for Downloading Software Components from a Remote Source for Use by a Local Software Application".
- U.S. Appl. No. 10/731,899, filed Dec. 9, 2003, entitled "Mechanism for Downloading Components Associated with XML Documents and Smart Documents".
- U.S. Appl. No. 10/179,810, filed Jun. 25, 2002, entitled "Method, System, and Apparatus for Performing Custom Actions on Digital Content".
- U.S. Appl. No. 10/178,680, filed Jun. 24, 2002, entitled "System and Method for Incorporating Smart Tags in Online Content".
- U.S. Appl. No. 10/179,438, filed Jun. 25, 2002, entitled "Method and System for Dynamically Providing Actions Associated with Semantically Labeled Strings".
- U.S. Appl. No. 10/184,298, filed Jun. 27, 2002, entitled "Method and System for Associating Actions with Semantic Labels in Electronic Documents".
- U.S. Appl. No. 10/366,141 filed Feb. 13, 2003, entitled "Linking Elements of a Document to Corresponding Fields, Queries and/or Procedures in a Database".
- U.S. Appl. No. 10/377,258 filed Feb. 28, 2003, entitled "Method and System for Enhancing Paste Functionality of a Computer Software Application".
- U.S. Appl. No. 10/426,446, filed Apr. 29, 2003, entitled "Methods and System for Recognizing Names in a Computer-Generated Document and for Providing Helpful Actions Associated with Recognized Names".
- U.S. Appl. No. 10/608,267 filed Jun. 27, 2003, entitled "Leveraging Markup Language Data for Semantically Labeling Text Strings and Data and for Providing Actions Based on Semantically Labeled Text Strings and Data".
- U.S. Appl. No. 10/780,376 filed Feb. 17, 2004, entitled "Methods and Systems for Providing Automatic Actions on Recognized Text Strings in a Computer-Generated Document".
- U.S. Appl. No. 10/184,190 filed Jun. 27, 2002, entitled "System and Method for Providing Namespace Related Information".
- U.S. Official Action dated Dec. 29, 2003 in U.S. Appl. No. 09/588,411.
- U.S. Official Action dated Feb. 12, 2004 in U.S. Appl. No. 10/154,630.
- U.S. Official Action dated Mar. 29, 2004 in U.S. Appl. No. 09/906,552.
- U.S. Official Action dated Jun. 14, 2004 in U.S. Appl. No. 09/588,411.
- U.S. Official Action dated Jun. 18, 2004 in U.S. Appl. No. 09/818,157.
- U.S. Official Action dated Jul. 15, 2004 in U.S. Appl. No. 09/906,467.
- U.S. Official Action dated Aug. 20, 2004 in U.S. Appl. No. 09/841,266.
- U.S. Official Action dated Sep. 29, 2004 in U.S. Appl. No. 09/907,418.
- U.S. Official Action dated Oct. 6, 2004 in U.S. Appl. No. 09/818,157.
- U.S. Official Action dated Nov. 2, 2004 in U.S. Appl. No. 10/178,680.
- U.S. Official Action dated Dec. 8, 2004 in U.S. Appl. No. 09/588,411.
- U.S. Official Action dated Jan. 25, 2005 in U.S. Appl. No. 09/906,552.
- U.S. Official Action dated Jan. 26, 2005 in U.S. Appl. No. 10/154,630.
- U.S. Official Action dated Mar. 1, 2005 in U.S. Appl. No. 09/818,157.
- U.S. Official Action dated Mar. 17, 2005 in U.S. Appl. No. 09/841,265.
- U.S. Official Action dated Mar. 24, 2005 in U.S. Appl. No. 10/141,712.
- U.S. Official Action dated Apr. 8, 2005 in U.S. Appl. No. 10/164,960.
- U.S. Official Action dated Apr. 19, 2005 in U.S. Appl. No. 09/841,266.
- U.S. Official Action dated May 5, 2005 in U.S. Appl. No. 09/906,467.
- U.S. Official Action dated May 6, 2005 in U.S. Appl. No. 09/907,418.
- U.S. Official Action dated May 20, 2005 in U.S. Appl. No. 10/184,298.
- U.S. Official Action dated Jun. 3, 2005 in U.S. Appl. No. 10/154,630.
- U.S. Official Action dated Jun. 6, 2005 in U.S. Appl. No. 10/164,260.
- U.S. Official Action dated Jun. 24, 2005 in U.S. Appl. No. 10/140,544.
- U.S. Official Action dated Jul. 25, 2005 in U.S. Appl. No. 10/179,438.
- U.S. Official Action dated Sep. 2, 2005 in U.S. Appl. No. 10/366,141.
- U.S. Official Action dated Oct. 5, 2005 in U.S. Appl. No. 10/179,810.
- U.S. Official Action dated Oct. 20, 2005 in U.S. Appl. No. 09/906,552.
- U.S. Official Action dated Nov. 2, 2005 in U.S. Appl. No. 10/184,190.
- U.S. Official Action dated Nov. 10, 2005 in U.S. Appl. No. 10/164,260.
- U.S. Official Action dated Nov. 15, 2005 in U.S. Appl. No. 09/841,265.
- U.S. Official Action dated Nov. 22, 2005 in U.S. Appl. No. 10/141,712.
- U.S. Official Action dated Dec. 5, 2005 in U.S. Appl. No. 09/907,418.
- U.S. Official Action dated Dec. 14, 2005 in U.S. Appl. No. 10/608,267.
- U.S. Official Action dated Dec. 15, 2005 in U.S. Appl. No. 10/155,680.
- U.S. Official Action dated Jan. 11, 2006 in U.S. Appl. No. 09/841,266.
- U.S. Official Action dated Jan. 17, 2006 in U.S. Appl. No. 10/140,544.
- U.S. Official Action dated Feb. 2, 2006 in U.S. Appl. No. 09/906,467.
- U.S. Official Action dated Feb. 16, 2006 in U.S. Appl. No. 10/184,298.
- Mexican Official Action dated Feb. 11, 2009 cited in Application No. PA/a/2003/005451.
- Chinese Final Rejection dated Mar. 13, 2009 cited in Application No. 03145242.6.
- Japanese Final Rejection dated Mar. 17, 2009 cited in Application No. 2004-037158.
- Japanese Final Rejection dated Apr. 3, 2009 cited in Application No. 2002-207514.
- U.S. Office Action dated Apr. 20, 2009 cited in U.S. Appl. No. 10/426,446.
- U.S. Office Action dated Apr. 27, 2009 cited in U.S. Appl. No. 10/154,630.
- Australian First Examiner's Report dated Sep. 15, 2008 in Application No. 2003204379.
- Japanese Final Official Action dated Nov. 25, 2008 cited in Application No. 2002-207514.

Japanese Official Action dated May 26, 2009 cited in Application No. 2005-039754.

Chinese Decision on Rejection dated Jul. 3, 2009 cited in Application No. 03143003.1.

European Summons to Attend Oral Proceedings dated Aug. 5, 2009 cited in Application No. 03003931.7.

Polish Official Notice dated Aug. 25, 2009 cited in Application No. P.365553/DP.

Australian Official Action dated Sep. 11, 2009 cited in Application No. 2003204478.

Norwegian Official Action dated Aug. 24, 2009 cited in Application No. 2003 2550.

Polish Official Notice dated Sep. 22, 2009 cited in Application No. P. 364854/DP.

Polish Official Notice dated Sep. 23, 2009 cited in Application No. P. 360520/DP.

Korean Official Action dated Sep. 30, 2009 cited in Application No. 10-2003-40988.

Japanese Official Notice of Final Rejection dated Oct. 2, 2009 cited in Application No. 2003-162911.

Malaysian Examination Report dated Nov. 30, 2009 cited in Application No. PI 20040559.

Australian Third Official Action dated Dec. 23, 2009 cited in Application No. 2003204478.

U.S. Office Action dated Oct. 22, 2009 cited in U.S. Appl. No. 10/377,258.

Japanese Final Office Action dated Oct. 27, 2009 cited in Application No. 2003-161338.

Russian Official Action dated Jun. 21, 2009 cited in Application No. 2005104223/09.

D. Richter, "Windows for professionals" (Win32 API programming for Windows NT 3.5 and Windows 95, translation from English, Moscow: Russian Edition, 1995, ISBN 5-7502-0010-8, pp. 26, 31, 215.

U.S. Final Office Action dated Nov. 30, 2009 cited in U.S. Appl. No. 10/179,810.

Glover et al., "Interferring hierarchical Descriptions," ACM, 2002, pp. 507-514.

Australian First Official Action Report dated Jan. 18, 2009 cited in Application No. 2004200459.

* cited by examiner





FIG. 1

**FIG. 2**

XMLChange(Sel As Selection, OldXMLNode as XMLNode,
NewXMLNode As XMLNode, Reason as WdXMLChangeReason)

301 302 303 304

FIG. 3

```
<resume>
  <name>John Doe</name>
  <objective>Rewarding employment</objective>
  <education>
    <p>Private University</p>
    <p>Masters of Business Administration</p>
    <p>Big Name State School</p>
    <p>Bachelors of Political Science</p>
  </education>
  <experience>
    <p>Project manager for major project.
    Helped keep team on schedule and under
    budget.</p>
  </experience>
</resume>
Professor Smith
```

202

405


430

415

425

OldXMLNode: <p>
NewXMLNode: None


FIG. 4



OldXMLNode: None
NewXMLNode: <references>

OldXMLNode: <references>
NewXMLNode: <objective>

FIG. 5



OldXMLNode: <objective>

NewXMLNode: <resume>

FIG. 6

1

SYSTEM AND METHOD FOR ISSUING A MESSAGE TO A PROGRAM

BACKGROUND OF THE INVENTION

Software applications are gradually becoming more and more complex and powerful. What was once a simple text editor may now be a complex word processor with countless rich features, for example the ability to create Web pages or edit XML markup. As technology evolves, each software application provides more and more functionality to enhance a user's experience. In addition, many software applications now expose their native functionality to add-on applications through programmatic interfaces. For example, object oriented programming has enabled some software applications and their documents to be treated as objects. These objects publicly expose the functionality of the applications in the form of methods that may be called and properties that may be read or set to manipulate the applications or documents. These advancements have enabled programmers to develop third-party add-ons to automate tasks and functions formerly performed manually while interacting with the application. Many such add-on applications are developed in simple programming languages, such as the Visual Basic for Applications (VBA) language. These add-ons can work by calling the application's methods and properties to achieve various goals and customize the application's core functionality for a custom environment.

In addition to being able to make calls from the custom code of the add-on to the core application, there is need for the custom code to be written in such a way that it actually responds to (as opposed to "initiates") calls from the application when something happens in the application itself. For example, one could want to write custom code for a word processing application, that reacts in some special way to the user's keystrokes received by the application and perhaps blocks some of them if the user is editing an area where only some types of letters are allowed. In such cases, there is need for a way for the programmer to let the application know that there is special custom code that the application should run when a given type of event occurs. Once the custom code is registered with the application, the code can now "react" in useful ways to specific events occurring within the core application, thereby extending the application's core functionality.

SUMMARY OF THE INVENTION

The present invention is directed at a mechanism for issuing an event notification message, from one fragment of code to another (which may not be part of the original code of the program but rather added by a third-party solution vendor to extend the original program's functionality). The notification message is of a specific type that indicates which of the possible events actually occurred. For example, the notification message could be triggered by some special state that the program has entered. The event notification message could in such a case include parameters describing what the old state was, what the new state is, and a description of the reason that caused the program to enter this state. More specifically, in an application configured to edit documents created with the eXtensible Markup Language XML, the occurrence of an XML-related change of state as a result of a user-initiated action causes the event notification message to be issued.

The XML-related state change that is reported by the event could be a change in the XML-based context of the user's insertion point in a word processing application. It could be triggered by for example the user moving the insertion point

2

out of one XML element and into another. Or it could be triggered when the user inserts a new XML element around the selection. Or it could be triggered when the user deletes the XML element that currently surrounds the user's insertion point. In this way, a single event notification message can be used to indicate this kind of state change regardless of which of the three different user actions caused the state change while editing an XML document. It is useful for the add-on programmer to be able to write code responding to this kind of event for example in order to provide the user with context sensitive feedback, depending on where in the XML structure the user is currently editing content. For example, when the user starts editing the contents of a <city> XML element, the custom add-on could automatically suggest a list of frequently used cities to the user. In one aspect, the invention is directed at a data structure for notifying a program of the occurrence of an XML-related action in another program (or another part of the same program). The data structure includes an identifier indicating that an XML-related state change has occurred. The data structure also includes a plurality of parameters. One parameter is used to identify a first XML node affected by the state change, and another parameter is used to identify a second XML node affected by the state change (if the state change involves more than one XML node). A third parameter is used to identify which of a plurality of reasons is responsible for the state change. The type of state change that is the subject of this invention is a change in the XML context of the user's insertion point. The possible reasons for why the state change occurred are an XML related move action, an XML-related insert action, or an XML-related delete action. Another parameter is used to identify a particular selection of content affected by the XML-related state change.

In another aspect, the invention is directed at a pair of executable programs (running within the same process or within two separate processes), where a first program is designed to enable editing a document that includes XML markup. The first program is also designed to issue a single event notification in response to state change occurring while editing the document as a result of a user action affecting the XML context of the user selection. The reason for the event affecting the XML context is identified as one of a plurality of types of XML-related actions, such as an XML-related move action, and XML-related insert action, or an XML-related delete action. A second program is designed to receive the single event notification and to handle the single event notification with an event handler. The event handler includes computer-executable instructions for responding to the types of actions in some appropriate way.

In yet another aspect, the invention is directed at either a program for issuing or a program for receiving an event notification message, where the event notification message includes parameters. The event notification message itself indicates that an XML-related state change has occurred. A first parameter of the event notification message identifies a first XML node associated with the XML-related state change, a second parameter of the event notification message identifies a second XML node associated with the XML-related state change, a third parameter of the event notification message identifies one of a plurality of types of actions responsible for the state change, and a fourth parameter of the event notification message identifies an affected selection of an XML document.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a functional block diagram of a computing environment in which implementations of the present invention may be embodied.

FIG. 2 is a functional block diagram overview of software applications that expose and use a public interface, in accordance with one embodiment of the present invention.

FIG. 3 is a logical representation of one implementation of an event notification message that may be employed in one embodiment of the present invention.

FIG. 4 is a graphical representation of what a display may look like presented by a software application allowing an XML document to be edited, in accordance with one embodiment of the invention.

FIG. 5 is a graphical representation of what another display may look like presented by the software application allowing the XML document to be further edited, in accordance with one embodiment of the invention.

FIG. 6 is a graphical representation of what still another display may look like presented by the software application allowing the XML document to be edited further still, in accordance with one embodiment of the invention.

ILLUSTRATIVE COMPUTING ENVIRONMENT
OF THE INVENTION

FIG. 1 illustrates an exemplary computing device that may be included in various forms in systems implementing the invention. In a very basic configuration, computing device 100 typically includes at least one processing unit 102 and system memory 104. Processing unit 102 includes existing physical processors, those in design, multiple processors acting together, virtual processors, and any other device or software program capable of interpreting binary executable instructions. Depending on the exact configuration and type of computing device, system memory 104 may be volatile (such as RAM), non-volatile (such as ROM, flash memory, etc.) or some combination of the two. System memory 104 typically includes an operating system 105, one or more program modules 106, and may include program data 107. This basic configuration is illustrated in FIG. 1 by those components within dashed line 108.

Computing device 100 may also have additional features or functionality. For example, computing device 100 may also include additional data storage devices (removable and/or non-removable) such as, for example, magnetic disks, optical disks, or tape. Such additional storage is illustrated in FIG. 1 by removable storage 109 and non-removable storage 110. Computer storage media may include volatile and nonvolatile, removable and non-removable media implemented in any method or technology for storage of information, such as computer readable instructions, data structures, program modules or other data. System memory 104, removable storage 109 and non-removable storage 110 are all examples of computer storage media. Computer storage media includes, but is not limited to, RAM, ROM, EEPROM, flash memory or other memory technology, CD-ROM, digital versatile disks (DVD) or other optical storage, magnetic cassettes, magnetic tape, magnetic disk storage or other magnetic storage devices, or any other medium which can be used to store the desired information and which can be accessed by computing device 100. Any such computer storage media may be part of device 100. Computing device 100 may also have input device(s) 112 such as keyboard, mouse, pen, voice input device, touch input device, etc. Output device(s) 114 such as a display,

speakers, printer, etc. may also be included. All these devices are known in the art and need not be discussed at length here.

Computing device 100 may also contain communications connection(s) 116 that allow the device to communicate with other computing devices 118, such as over a network. Communications connection(s) 116 is an example of communication media. Communication media typically embodies computer readable instructions, data structures, program modules or other data in a modulated data signal such as a carrier wave or other transport mechanism and includes any information delivery media. The term "modulated data signal" means a signal that has one or more of its characteristics set or changed in such a manner as to encode information in the signal. By way of example, and not limitation, communication media includes wired media such as a wired network or direct-wired connection, and wireless media such as acoustic, RF, infrared and other wireless media. The term computer readable media as used herein includes both storage media and communication media.

DETAILED DESCRIPTION OF EMBODIMENTS
OF THE INVENTION

The invention enables a software application, such as a word processor, to issue a single type of message, including parameters that refine the message, to notify another application of the occurrence of an state change, even if the state change could be caused by different user actions. More specifically, a software application that allows the editing of eXtensible Markup Language (XML) documents exposes certain functionality to other software applications. This functionality may be related to editing particular markup tags or content. Developers of add-ons to the software application may rely on being informed of certain markup-editing actions. To that end, the software application exposes notifications of these actions. In accordance with the invention, the software application is configured to issue a notification of more than one action by issuing a single "event" message. In one implementation, the single event message may be operative to indicate the state change resulting from the occurrence of one of three separate actions. First, the single event may be issued in response to an element being deleted that a current selection was inside. Second, the single event may be issued in response to an element being inserted around the current selection. Third, the single event may be issued in response to the current selection changing from one location to another. Regardless of what the cause of the state change, the event that fires is the same, but it includes the cause for the state change among its parameters.

FIG. 2 is a functional block diagram of a software application implementing one embodiment of the present invention to issue a single event message to another software application or program in response to the occurrence of one of a plurality of different actions. An XML document editor 201 is a software application that enables a user to create and edit XML documents, such as XML document 202, in a freestyle editing environment. The XML document editor 201 may be a word processor specially programmed to enable XML creation and editing. Although described here in the context of a word processor, it will be appreciated that the invention is not limited to word processors, but in fact has equal applicability to any application capable of manipulating XML (or the like) documents, such as a spreadsheet application, a forms editor, a desktop publishing package, an e-mail editor, a code editing tool, or any other tool where user interaction with the application might result (even if unknown to the user) in an XML document being changed, just to name a few.

5

The XML document **202** is a file that includes XML elements and content. The XML document **202** may include elements inserted by the XML document editor **201** that are associated with formatting or the like. In addition, the XML document **202** may include elements that are inserted manually by the user and which represent arbitrary elements of the user's choosing and design. In either case, the XML document editor **201** allows the user to edit the XML document **202**, including inserting, modifying, and deleting elements and their content.

An event generator **250** associated with the XML document editor **201** is programmed to listen for the occurrence of certain changes of state in the document as a result of certain actions, and to issue a notification of those state changes if they occur. The notification takes the form of a public interface **251** that exposes certain functionality of the XML document editor **201**.

Turning briefly away from the public interface **251**, another program, such as an automation component **209**, is also included and is programmed to add some supplemental or automated functionality to the XML document editor **201**. In other words, the automation component **209** is a software application that may be developed to provide a user of the XML document editor **201** with some automation of tasks already present in the XML document editor **201**. One common example might be a "macro" application that reduces several otherwise-manual steps to perform some activity, such as formatting a document in accordance with a company standard, into a single button click or the like. Alternatively, the automation component **209** may add supplemental functionality to the XML document editor **201**, such as enabling a user to invoke some outside process for publishing the document to the Web, or the like. In any case, the automation component **209** includes code, such as event handler **275**, that responds to the occurrence of some activity in the XML document editing environment. In particular, the automation component **209** is programmed to automate or add supplemental functionality to XML-related editing actions. More specifically, in accordance with the invention, the event handler **275** is programmed to respond to the occurrence of particular actions directly related to editing the XML document **202**.

Returning now to the interface exposed by the XML document editor **201**, the inventors have determined that there are three categories of actions that result in an XML context state change that is of interest to XML-related add-on software applications, such as the automation component **209**. These categories include: (1) deleting an XML element surrounding a current selection point, (2) inserting a new XML element around a selection point, and (3) moving the selection point from one location to another. In addition, the case of moving the selection point from one location to another encompasses three distinct XML-relevant situations: (1) moving the selection point from within one XML element to within another XML element, (2) moving the selection point from within one XML element to content that is not within an XML element, and (3) moving the selection point to within an XML element from content that is not within an XML element.

In the past, each of these categories of actions would have justified a separate notification, requiring the developer of the automation component **209** to learn and handle three different events. However, the inventors have determined that these particular three categories of actions are commonly handled by similar code and for similar purposes. Accordingly, a single event has been developed to notify add-on software applications of a state change in the document resulting from each of these three actions. In this way, a single event handler,

6

such as event handler **275**, may be implemented to take advantage of the functionality exposed by the XML document editor **201**. It should be noted that in this case, the term "functionality" means functionality related to the experience of editing XML-related content or elements.

With a single event, the automation component **209** can include a single event handler **275** programmed to respond to the XML context state changes caused by each of the three categories of actions. This design simplifies the job of developing the automation component **209** without sacrificing the flexibility of handling different events. In one specific implementation, the event exposed by the public interface **251** could take substantially the form illustrated in FIG. 3, and reproduced here:

```
XMLChange(Sel As Selection, OldXMLNode As XMLNode, NewXMLNode As XMLNode, Reason As WdXMLChangeReason)
```

where each term in the instruction has the following meaning. The term "XML.Change" refers to the name of the event being exposed, the "Sel" parameter **301** corresponds to an object representing a current selection point or selected content within an XML document being edited, the "OldXMLNode" parameter **302** corresponds to an object representing an XML element in which the selection existed prior to completion of the pending action, the "NewXMLNode" parameter **303** corresponds to an object representing an XML element in which the selection will exist after completion of the pending action, and the "Reason" parameter **304** corresponds to an identifier of the category of the particular pending action that results in this XML context state change. The Reason parameter is used to identify one of the three categories of actions described above. Accordingly, when this message is issued by the XML document editor **201**, the Reason parameter passed is one of three that defines which of the three types of actions has occurred.

In order to take advantage of the event exposed by the XML document editor **201**, the event handler **275** includes a declaration that makes the event handler **275** aware of the event, and then the code to execute in response to each of the three categories of actions. What follows is pseudo code that can be used in one specific implementation to handle the event described above:

```
Public WithEvents oWordProc As WordProc.Application
Private Sub oWordProc_XMLChange(Sel As Selection, OldXMLNode As XMLNode, NewXMLNode As XMLNode, Reason As WdXMLChangeReason)
Select Case Reason
Case wdXMLChangeReasonInsert
Code to execute in response to an XML insertion
Case wdXMLChangeReasonDelete
Code to execute in response to an XML deletion
Case wdXMLChangeReasonMove
Code to execute in response to moving the selection point
End Select
End Sub
```

Those skilled in the art will appreciate that the above pseudo code first creates an object "oWordProc" that is of "WordProc.Application" type, where objects of type WordProc.Application are basically instantiations of the functionality made available by the software application named "WordProc." In this instance, the WordProc application corresponds to the XML document editor **201** so that the oWordProc object corresponds to an instance of the XML document editor **201**. Including the "WithEvents" statement makes the oWordProc object aware of events generated by the XML document editor **201**. To that end, the subroutine named

“oWordProc_XMLChange” includes code to handle the XMLChange event described above. The parameters of the handler code and the message are the same.

In this particular instance, a Select/Case construct has been used to handle each of the three reasons that the event may be raised. For instance, the statement “Case wdXMLChangeReasonInsert” may be used to handle an event fired for the reason that an XML element has been inserted around a selection. The statement “Case wdXMLChangeReasonDelete” may be used to handle an event fired for the reason that an XML element surrounding the selection has been deleted. And the statement “Case wdXMLChangeReasonMove” may be used to handle an event fired for the reason that the selection point has moved in some way XML-relevant way. Each of these three cases will now be described with reference to FIGS. 4 through 6.

FIG. 4 is a graphical representation of what a display 410 may look like presented by the XML document editor 201 while allowing the XML document 202 to be edited. As illustrated, the XML document 202 may be a resume document with several portions wrapped by XML elements. For instance, the name “John Doe” is included within a <name> element 405, which is in turn included within a <resume> element 407. An insertion point is shown at an original location 415 corresponding to content within a <p> element 430.

While editing, a user may perform many actions on the XML document 202, including moving the insertion point. For instance, during editing the insertion point may be moved from the original location 415 to a new location 425 within the stream of text “Professor Smith.” Note that this stream of text, as illustrated, is not contained within any current XML element. Accordingly, based on this action and its surrounding circumstances, an event will be raised indicating that the insertion point was moved from one XML element to content not within any XML element. In this case, a message closely resembling the event illustrated above may be issued with parameters as will now be defined.

The Sel parameter may include an object that contains a current selection. In the described example, the current selection is related to the original location 415 of the insertion point. In other words, the entire content of the <p> element may be passed in the Selection object or some subset of that content if less than all the content is selected. Since the insertion point moved from within the XML element <p>, the OldXMLNode corresponds to the particular <p> element 430 within which the original location 415 existed. Similarly, the NewXMLNode corresponds to the XML element to which the insertion point has moved, which in this case is NULL because there is no XML element surrounding the new location 425. Finally, the Reason parameter includes an indicator that an XML-related Move action has taken place.

It should be noted that the insertion point could have been moved in the other direction (e.g., from the new location 425 to the original location 415). In that case, the XML context change event would still have been raised, although the OldXMLNode would have been NULL, and the NewXMLNode would have been the <p> element 430. The other parameters would have been as just described.

It should be appreciated by those skilled in the art, that the creators of the word processing application are free to define which types of XML elements cause the event to fire or not. For example, application creators could decide that Move, Insert or Delete actions involving elements of some special namespace they select do not cause the event to fire, but they do if the elements are from another namespace. More specifically, application creators could decide that elements from the namespace representing the native XML schema of a word

processing application are completely invisible to the state change detector that causes the event to fire and only elements from the non-native namespaces are “watched” by the event generator 250.

FIG. 5 is another display of the XML document 202 after further edits have been performed. First, the user may insert a new XML element around the “Professor Smith” text, thereby moving it into the <resume> element 407. Based on these circumstances, an XML-related insert event is raised by the XML document editor 201. Accordingly, the Sel parameter of the event includes a Selection object representing the content of the new XML element 510, the text “Professor Smith.” Since that text was not included within an XML element prior to the insert action, the OldXMLNode is NULL. The NewXMLNode identifies the new element, the <references> element 510. Finally, the reason parameter includes an identifier corresponding to an insert event.

In this example, after the user inserts the <references> element 510, the insertion point is moved from the <references> element 510 to the <objective> element 512, thereby causing another move event to be raised. However, unlike the move event described above, the current move event corresponds to moving the insertion point from one XML element (the <references> element 510) to another XML element (the <objective> element 512). In this case, the Sel parameter of the event corresponds to the content of the <references> element 510, the text “Professor Smith.” The OldXMLNode parameter identifies the <references> element 510, and the NewXMLNode parameter identifies the <objective> element 512. And finally, the Reason parameter identifies the type of event as an XML-related move event.

FIG. 6 is yet another display of the XML document 202 after further edits have been performed. In this situation, the user has deleted the <objective> element from around the “Rewarding employment” text 610, causing an XML-related delete event to be raised. In similar fashion to the events described above, the delete event includes a Sel parameter that identifies the “Rewarding employment” text 610 as the current selection, the <objective> element 512 (FIG. 5) as the OldXMLNode, and the <resume> element 407 as the NewXMLNode. Finally, the Reason parameter includes an indication that an XML-related delete action has been performed.

In summary, the invention enables overloading a single event notification to indicate the occurrence of a state change resulting from plural XML-related actions in an XML editing environment. The single event notification for plural actions simplifies the task of developing add-on software applications that take advantage of functionality exposed by the XML editing environment.

The above specification, examples and data provide a complete description of the manufacture and use of the composition of the invention. Since many embodiments of the invention can be made without departing from the spirit and scope of the invention, the invention resides in the claims hereinafter appended.

We claim:

1. A computer-readable storage medium encoded with instructions for issuing a notification from a first program to a second program, the instructions comprising:

a notification issuer configured as part of the first program to issue an event notification in response to determining that an event occurred, the event being associated with action performed by the first program on an Extensible Markup Language (XML) document, irrespective of a type of the action, wherein the event notification comprises a data structure, the data structure comprising:

an identifier field indicating that the data structure represents an occurrence of the action performed on the XML document by the first program,

a first parameter field identifying a current selection within the XML document,

a second parameter field identifying a first XML node associated with the event and contained within an XML namespace not native to the first program, wherein the first XML node corresponds to a first associated node within which the current selection existed when performance of the action began,

a third parameter field identifying a second XML node associated with the event, wherein the second XML node corresponds to a second associated node within which the current selection will exist after the action has been performed, and

a fourth parameter field identifying a type of the event that occurred, wherein the type of the event is selected from one of a plurality of event types; and

a single event handler, associated with the second program, configured to receive the event notification irrespective of which of a plurality of actions caused the event notification to be sent, wherein the first parameter, the second parameter, the third parameter, and the fourth parameter are included in the event notification received by the second program in response to a state change caused by at least one of the plurality of actions and used to provide supplemental functionality to the first program when the at least one of the plurality of actions occurs.

2. The system of claim 1, wherein the plurality of event types are selected from a group comprising an XML-related move action, an XML-related insert action, and an XML-related delete action.

3. The system of claim 2, wherein the XML-related move action comprises moving the current selection from the first XML node to the second XML node.

4. The system of claim 2, wherein the XML-related move action comprises moving the current selection from content that does not have an associated XML node to the second XML node.

5. The system of claim 2, wherein the XML-related move action comprises moving the current selection from the first XML node to content that does not have an associated XML node.

6. The system of claim 2, wherein the XML-related insert action comprises causing the current selection to be within the second XML node.

7. The system of claim 2, wherein the XML-related delete action comprises deleting the first XML node such that the current selection that was within the first XML node becomes within the second XML node.

8. The system of claim 1, wherein the data structure is configured to be passed from the first program to the second program when performance of the action is initiated, and wherein the first parameter, the second parameter, the third parameter, and the fourth parameter fields are configured to elicit from the second program another action responsive to the single event.

9. A computer-readable storage medium having computer-executable components comprising:

a first program for editing a document that includes a plurality of Extensible Markup Language (XML) nodes, wherein at least a portion of the plurality of XML nodes include content;

a notification issuer configured as part of the first program to issue a single event notification in response to deter-

mining that an event occurred, the event being associated with an action performed by the first program on a corresponding node containing an XML namespace not native to the first program, wherein the single event notification is irrespective of a type of the action and comprises a plurality of parameters, the plurality of parameters comprising:

a first parameter identifying the first XML node associated with the XML-related action,

a second parameter identifying a second XML node associated with the XML-related action, and

a third parameter identifying one of a plurality of action types that corresponds to the XML-related action; and

a second program configured to receive the single event notification and to handle the single event notification with an event handler, the event handler including computer-executable instructions for receiving the single event notification at the event handler regardless of which of a plurality of action types caused the single event notification to be issued and responding to each of the plurality of action types, wherein the second program uses the single event notification to provide supplemental functionality to the first program.

10. The computer-readable storage medium of claim 9, wherein the event handler further includes computer-executable instructions for responding to each of the plurality of action types, and wherein the response includes causing a third program to perform a further action that is different from the performed action.

11. The computer-readable storage medium of claim 9, wherein the plurality of action types comprise an XML-related move action corresponding to moving a current selection from content that does not have an associated XML node to within an XML node.

12. The computer-readable storage medium of claim 9, wherein the plurality of action types comprise an XML-related move action corresponding to moving a current selection from within an XML node to content that does not have an associated XML node.

13. The computer-readable storage medium of claim 9, wherein the plurality of action types comprise an XML-related move action corresponding to moving a current selection from within one XML node to within another XML node.

14. The computer-readable storage medium of claim 9, wherein the plurality of action types comprise an XML-related insert action corresponding to inserting an XML node around content within the document.

15. The computer-readable storage medium of claim 9, wherein the plurality of action types comprise an XML-related delete action corresponding to deleting an XML node from the document.

16. The computer-readable storage medium of claim 9, wherein the plurality of action types comprise an XML-related move action, an XML-related insert action, and an XML-related move action.

17. A computer-readable storage medium which stores a set of instructions which when executed performs a method for issuing a message from a first program to a second program, the method executed by the set of instructions comprising:

issuing by a notification issuer configured as part of the first program, from the first program to the second program, an event notification in response to determining that an event associated with a single Extensible Markup Language (XML) related action occurred on a first XML node contained within an XML namespace not native to the first program related to the first program, the event

11

notification being irrespective of a type of the action and having a plurality of parameters, the plurality of parameters comprising:

a first parameter identifying the first XML node associated with the XML-related action,

a second parameter identifying a second XML node associated with the XML-related action, and

a third parameter identifying one of a plurality of action types that corresponds to the XML-related action; wherein the second program uses the event notification to provide supplemental functionality to the first program; and

receiving the event notification comprising the plurality of parameters, by the second program from the first program, wherein the second program is configured to receive the event notification by a single event handler irrespective of which of the plurality of action types caused the event message to be sent and respond to the received event notification by providing supplemental functionality to the first program.

18. A method for issuing an event notification from a first program to a second program, the method comprising:

determining, in the first program, an occurrence of an action for editing a document, the document including Extensible Markup Language (XML) nodes contained in a plurality of XML namespaces;

selecting a type of action from a plurality of action types, the selected type of action correlated to the determined action;

in response to the occurred action, irrespective of the type of action, issuing an event notification, by a notification issuer configured as part of the first program, from the first program to a second program, the event notification including a first parameter field identifying a first XML node contained within one of the plurality of XML namespaces not native to the first program and associ-

12

ated with the action, a second parameter field identifying a second XML node associated with the action, and a third parameter field identifying the selected type of the action and used by the second program to provide supplemental functionality to the first program; and receiving, by the second program, the event notification, wherein the second program comprises a single event handler configured to receive the event notification irrespective of which of the plurality of action types caused the event notification to be issued.

19. The method of claim **18**, wherein the selected type of action comprises a delete action type if the determined action includes a deletion of at least one of XML nodes from the document.

20. The method of claim **19**, wherein the selected type of action comprises an XML-related insert action type if the determined action includes an insertion of at least one of XML nodes around content within the document.

21. The method of claim **20**, wherein the selected type of action comprises an XML-related move action type if the determined action includes at least one from a set of: movement of a current selection from content that does not have an associated XML node to within at least one of XML nodes, movement of the current selection from within the at least one of XML nodes to content that does not have an associated XML node, and movement of the current selection from within a first one of the XML nodes to within a second one of the XML nodes.

22. The method of claim **21**, wherein the second program includes a 'macro' application that provides automated functionality in the first program.

23. The method of claim **18**, wherein the supplemental functionality includes providing a user interface to invoke a process external to the first program.

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,716,676 B2
APPLICATION NO. : 10/183317
DATED : May 11, 2010
INVENTOR(S) : Marcin Sawicki et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page;

In page 5, in field (56), under "Other Publications" column 1, line 11, above "European Examination"
insert -- European Examination Report dated Mar. 4, 2006 cited in Ep Application No.
02 014 717.9-1527. --.

In column 9, line 32, in Claim 2, after "comprising" insert -- : --.

Signed and Sealed this
Eighth Day of February, 2011

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, slightly slanted style.

David J. Kappos
Director of the United States Patent and Trademark Office