



US00D986935S

(12) **United States Design Patent**
Lee et al.

(10) **Patent No.:** **US D986,935 S**
(45) **Date of Patent:** **** *May 23, 2023**

(54) **CUTTING INSERT**

(71) Applicant: **KORLOY INC.**, Seoul (KR)

(72) Inventors: **Nam Seon Lee**, Cheongju-si (KR); **Min Seok Oh**, Cheongju-si (KR); **Young Heum Kim**, Cheongju-si (KR)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **35/514,335**

(22) Filed: **Apr. 15, 2022**

(80) **Hague Agreement Data**

Int. Filing Date: **Apr. 15, 2022**
Int. Reg. No.: **DM/220756**
Int. Reg. Date: **Apr. 15, 2022**
Int. Reg. Pub. Date: **May 20, 2022**

(30) **Foreign Application Priority Data**

Nov. 10, 2021 (KR) 30-2021-0053433

(51) **LOC (14) Cl.** **15-09**

(52) **U.S. Cl.**
USPC **D15/139**

(58) **Field of Classification Search**

USPC D8/20, 70, 71, 90, 98; D15/21, 28, 77, D15/126, 131-133, 138, 139, 144
CPC B23C 2200/0494; B23C 2200/086; B23C 2200/128; B23C 2200/362; B23C 2210/03; B23C 2210/02; B23C 5/15; B23C 5/06; B23C 5/207; B27G 13/00; B27G 13/10; B02C 13/28; B02C 13/2804; B02C 4/305; B02C 7/12; B02C 18/18; B23B 2200/321; B23B 2200/087; B23B 27/007; B23B 27/143; B23B 51/02; B23B 51/048

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,207,538 A * 5/1993 Satran B23C 5/2213 D15/139
D342,269 S * 12/1993 Arai D15/139
D345,984 S * 4/1994 Ishikawa D15/139
D357,692 S * 4/1995 Ishikawa D15/139
D376,158 S * 12/1996 Hessman D15/139
D381,026 S * 7/1997 Hessman D15/139

(Continued)

OTHER PUBLICATIONS

Korloy, TP8P page, (site visited Nov. 17, 2022), Korloy website, URL:<www.korloy.com/en/prdinfo/view.do?id_product=942 &category=&pageIndex=1&searchCondition=&searchKeyword=&page=P> (Year: 2022),*

Primary Examiner — Calvin E Vansant
Assistant Examiner — Mark T. Philipps
(74) *Attorney, Agent, or Firm* — Rabin & Berdo, P.C.

(57) **CLAIM**


The ornamental design for a cutting insert, as shown and described.

DESCRIPTION


- 1. Cutting insert
- 1.1 : Perspective
- 1.2 : Front
- 1.3 : Back
- 1.4 : Top
- 1.5 : Bottom
- 1.6 : Left
- 1.7 : Right

The cutting insert has an approximately rectangular shape in a plan view; a square part with rounded corners is placed in the inserts center; the four corners of the insert are protruding; a triangular shape is arranged on the four sides of the square part, and it is arranged so that the width increases from one corner to the other corner of the insert; further, the insert is approximately rectangular in shape in the front


(Continued)




1.1




1.2




1.3




1.4



1.5



1.6



1.7

