



US00D741306S

(12) **United States Design Patent**
Kester et al.

(10) **Patent No.:** **US D741,306 S**

(45) **Date of Patent:** **** Oct. 20, 2015**

(54) **MOBILE DEVICE HAVING ELLIPTICAL SURFACE**

(71) Applicants: **Paul Marshall Kester**, Wrightsville Beach, NC (US); **Paul Marshall Kester, Jr.**, Wrightsville Beach, NC (US); **Anna Jean Kester**, Wrightsville Beach, NC (US)

(72) Inventors: **Paul Marshall Kester**, Wrightsville Beach, NC (US); **Paul Marshall Kester, Jr.**, Wrightsville Beach, NC (US); **Anna Jean Kester**, Wrightsville Beach, NC (US)

(73) Assignee: **Ocean Shore Poperties, Inc.**, Wrightsville Beach, NC (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/472,125**

(22) Filed: **Nov. 8, 2013**

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/248**

(58) **Field of Classification Search**

USPC D14/137, 138 R, 138 AA, 138 C, 138 G, D14/142, 144, 147, 240, 247, 248, 250, D14/341-347, 496, 138; D13/168; D18/7; 455/90.2, 90.3, 550.1, 556.1, 556.2; 379/433.01; D25/119, 121, 123
CPC ... H04M 1/02; H04M 1/0202; H04M 1/0206; H04M 1/0208; H04M 1/021; H04M 1/0212; H04M 1/0214; H04M 1/0216; H04M 1/0241; H04M 1/0264; G06F 1/1626

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,103,581 A * 4/1992 Novak 40/547
D358,149 S * 5/1995 Fellinger D14/138 AB
D386,690 S * 11/1997 Lewis D10/15
D427,172 S * 6/2000 Bequir D14/138 AC
6,430,110 B2 * 8/2002 Baroche 368/13
D488,142 S * 4/2004 Wang et al. D14/138 AB
D597,514 S * 8/2009 Gencarella et al. D14/138 AC
D601,537 S * 10/2009 Wang et al. D14/138 R
D609,213 S * 2/2010 Yeo D14/203.1
D612,352 S * 3/2010 Zhou et al. D14/138 AB

(Continued)

OTHER PUBLICATIONS

Kalin Nacheff; iCircle Mini—Every Inch an iPhone; Jan. 11, 2013; <http://kalinnacheff.com/2013/01/11/apple-icircle-mini/>.

Primary Examiner — Sandra Snapp

(74) *Attorney, Agent, or Firm* — Mitchell Law PLLC; Matthew W. Mitchell

(57) **CLAIM**

The ornamental design for a mobile device having dual elliptical surfaces, as shown and described.

DESCRIPTION

FIG. 1 is a bottom-front perspective view of the present invention;

FIG. 2 is a bottom-rear view of the mobile device of FIG. 1;

FIG. 3 is a front view of the mobile device of FIG. 1;

FIG. 4 is a rear view of the mobile device of FIG. 1;

FIG. 5 is a side view of the mobile device of FIG. 1, as seen from the left side of FIG. 3;


FIG. 6 is a side view of the mobile device of FIG. 1, as seen from the right side of FIG. 3;

FIG. 7 is a side view of the mobile device of FIG. 1, as seen from the top side of FIG. 3; and,

FIG. 8 is a side view of the mobile device of FIG. 1, as seen from the bottom side of FIG. 3.

The broken lines showing various actuation mechanisms are included for contextual purposes and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | | | | |
|--------------|--------|----------------------|------------|------------------|--------|----------------------|------------|
| D613,737 S * | 4/2010 | Ahlstrom | D14/344 | D709,876 S * | 7/2014 | Aumiller et al. | D14/344 |
| D621,399 S * | 8/2010 | Ahlstrom | D14/344 | D710,845 S * | 8/2014 | Aumiller et al. | D14/344 |
| D624,518 S * | 9/2010 | Li | D14/138 AD | D711,872 S * | 8/2014 | Aumiller et al. | D14/344 |
| D709,874 S * | 7/2014 | Aumiller et al. | D14/344 | D713,404 S * | 9/2014 | Green | D14/344 |
| D709,875 S * | 7/2014 | Aumiller et al. | D14/344 | D726,672 S * | 4/2015 | Olodort | D14/138 G |
| | | | | 2002/0089414 A1* | 7/2002 | Boggs et al. | 340/286.11 |
| | | | | 2014/0274216 A1* | 9/2014 | Olodort | 455/566 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8