

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
16 March 2006 (16.03.2006)

PCT

(10) International Publication Number
WO 2006/028340 A1

(51) International Patent Classification⁷: **G11B 20/10**

(21) International Application Number:
PCT/KR2005/002931

(22) International Filing Date:
5 September 2005 (05.09.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
10-2004-0072215
9 September 2004 (09.09.2004) KR

(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**
[KR/KR]; 416, Maetan-dong, Yeongtong-gu, Suwon-si,
Gyeonggi-do 442-742 (KR).

(72) Inventors: **KIM, Kwang-Min**; 208-402 Byucksan Apt.,
Bisan-dong, Dongan-gu, Anyang-si, Gyeonggi-do 431-050
(KR). **LEE, Jung-Ho**; 204-404 Sejong Regencyvill Apt.,
Gugal-ri, Giheung-eup, Yongin-si, Gyeonggi-do 449-579
(KR). **JUNG, Kil-Soo**; 104-1401 Namsuwon Doosan
Apt., 485, Byungjeom-ri, Taean-eup, Hwaseong-si,
Gyeonggi-do 445-986 (KR). **PARK, Sung-Wook**;
4-1103 Mapo Hyundai Apt., 188-108, Gongdeok 2-dong,
Mapo-gu, Seoul 121-761 (KR).

(74) Agent: **Y.P.LEE, MOCK & PARTNERS**; The
Cheonghwa Building, 1571-18, Seocho-dong, Seo-
cho-gu, Seoul 137-874 (KR).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KM, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM,
PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM,
SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU,
ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT,
RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA,
GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: STORAGE MEDIUM STORING MULTIMEDIA DATA FOR REPRODUCTION OF AV DATA AND PROGRAMMING FUNCTION, AND REPRODUCING APPARATUS AND METHOD THEREOF



(57) **Abstract:** A storage medium storing multimedia data for the reproduction of audio- visual (AV) data and a programming function, and a reproducing apparatus and method thereof. The storage medium includes: reproduction mode data for reproducing audio-visual (AV) data; program data including a plurality of program applications for providing interactive functions with a user and/ or additional functions using the AV data; system data for controlling the execution of the reproduction mode data and the program data; and application objects for managing the execution of the program data and information on the reproduction mode data to be reproduced along with the execution of the program data. Accordingly, various user interfaces and/or various additional functions can be provided, as well as simple reproduction of AV data. Also the program application can be prevented from using malicious intent, and program applications having the same function can be reused without modification or recompilation.

WO 2006/028340 A1

Description

STORAGE MEDIUM STORING MULTIMEDIA DATA FOR RE- PRODUCTION OF AV DATA AND PROGRAMMING FUNCTION, AND REPRODUCING APPARATUS AND METHOD THEREOF

Technical Field

[1] Aspects of the present invention relates to the reproduction of multimedia data, and more particularly, to a storage medium storing multimedia data for the reproduction of audio-visual (AV) data and a programming function, and a reproducing apparatus and method thereof

Background Art

[2] FIG. 1 illustrates a typical architecture of multimedia data for the reproduction of AV data. Referring to FIG. 1, multimedia data for the reproduction of audio-visual (AV) data, such as a high quality movie, can be classified into four layers, including AV data 3 and 4, navigation data 2, and system data 1.

[3] The system data 1 in the fourth layer includes startup information, which indicates information on a movie object to be initially played when a storage medium such as a disc is inserted in a reproducing apparatus, and an index table including information on a plurality of titles. The index table is defined in the highest layer along with a plurality of titles and a menu, and further includes beginning position information of the plurality of titles and beginning position information of the menu, as well as the startup information. When a new title is selected by a user's input, menu selection, or navigation command, the reproducing apparatus confirms the information on the plurality of titles included in the index table and reproduces AV data based on the information.

[4] The navigation data 2 in the third layer comprises movie objects 20, each including navigation commands for the reproduction of AV data. Using the navigation commands included in a movie object 20, the reproduction of a playlist 3, which is described below, in a lower layer starts, the movie objects 20 are switched over, and the reproduction of the playlist 3 is managed in response to the user's preference.

[5] The playlist 3 in the second layer defines reproduction units of AV data. The AV data is recorded on consecutive spaces of a storage medium in clip units which are described below. The playlist 3 indicates a reproducing unit in which a portion of a clip is reproduced or a plurality of clips are bound and reproduced at once. The playlist 3 includes a plurality of playitems, which are smaller reproducing units. A playitem indicates a reproduction duration of a portion of a clip or a plurality of clips. Using the

playlist 3, a reproduction sequence can be set so that a plurality of playitems are sequentially reproduced or so that predetermined playitems of the plurality of playitems are selectively reproduced, by the user's selection or basic settings of the reproducing apparatus.

[6] The clip 4 in the first layer defines a recording unit of AV data. The clip 4 includes a clip AV stream and a clip information file. The clip AV stream comprises audio/video, subtitles, and graphic data. The clip information file includes an attribute of the clip AV stream and an entry point map used for converting reproduction time information to byte address information.

[7] FIG. 2 is a block diagram of a conventional reproducing apparatus for AV data reproduction. Referring to FIG. 2, the reproducing apparatus includes a reader for reading data from a storage medium, a buffer unit for temporarily storing the read data, a module manager for controlling a navigation engine to read system data and process an initial operation and a title change due to a user's selection or a navigation change, the navigation engine for controlling the reproduction of AV data based on the contents of navigation data, and a presentation engine for decoding the AV data and displaying the decoded video data on a screen. Even though not shown, the reproducing apparatus can further include a blender for overlaying the decoded video data and graphical data on one screen.

[8] The operation of reproducing multimedia data from the storage medium described in FIG. 1 will now be described using the reproducing apparatus described with respect to FIG. 2.

[9] When the storage medium is inserted in the reproducing apparatus, the module manager reads the index table corresponding to the system data 1 from the multimedia data recorded on the storage medium. The module manager confirms startup information from the index table and controls the navigation engine to execute a movie object 20 directed by the startup information.

[10] The navigation engine reads the movie object 20, analyzes navigation commands stored in the movie object 20, and controls the presentation engine to reproduce AV data according to the navigation commands.

[11] The presentation engine reads the playlist 3 and the clip files 4 corresponding to the navigation commands, and reproduces clip AV streams based on information included in each file. Here, if a new title is selected by a user's input, a menu, or a navigation commander and so on, the module manager controls the navigation engine to reproduce the selected title according to the procedures described above. Accordingly, high quality AV data can be reproduced by reading the multimedia data from the storage medium.

[12] Recently, in addition to the simple reproduction of AV data, a demand for various

additional services and user interactive functions has been increasing. However, a conventional AV data storage medium is only used for simply reproducing the AV data according to the will of its producer, and can not provide the user interactive functions and various additional functions such as downloading new content related to AV content and/or displaying information related to the AV content.

[13] Accordingly, program applications written in C, Java, HTML, and/or scripting languages need to be provided along with AV data, to provide various interactive functions with a user and/or additional functions. Unlike the reproduction of AV data in the order determined by its producer, by executing these applications, the reproduction of the AV data can be achieved according to various scenarios based on interactions with a user. Thus, a storage medium should provide information for controlling applications to operate in the way desired by a contents producer, along with the program applications.

[14] On the other hand, the program applications can be used for malicious intent against the will of the content producer. That is, the program applications may directly read AV data that the content producer intends to protect, and deliberately distribute the AV data through other media, e.g., the internet or removable storage media. Therefore, program applications must be able to prevent AV data that a producer intends to protect from being illegally distributed.

Disclosure of Invention

Technical Solution

[15] Aspects of the present invention provide a storage medium storing multimedia data for the reproduction of audio-visual (AV) data and a programming function, which provides various interactive functions with a user and/or additional functions besides the simple reproduction of the AV data, and a reproducing apparatus and method thereof.

[16] An aspect of the present invention also provides a storage medium storing program applications for preventing AV data that a producer intends to protect from being illegally distributed, and a reproducing apparatus and method thereof.

Advantageous Effects

[17] As described above, the embodiments of the present invention provide a storage medium storing multimedia data for the reproduction of audio-visual (AV) data and a programming function, which provides various interactive functions with a user and/or additional functions besides the simple reproduction of the AV data, and a reproducing apparatus and a method thereof.

[18] That is, by storing information on AV data to be reproduced in an application object separate from a program application, along with control information on the

program application, the program application is prevented from being used for malicious intent, and program applications having the same function can be reused without modification or recompilation

Description of Drawings

[19] These and/or other aspects and advantages of the invention will become apparent and more readily appreciated from the following description of the embodiments, taken in conjunction with the accompanying drawings of which:

[20] FIG. 1 illustrates a typical architecture of multimedia data for the reproduction of AV data;

[21] FIG. 2 is a block diagram of a conventional reproducing apparatus for AV data reproduction;

[22] FIG. 3 illustrates an architecture of multimedia data for reproduction of AV data and a programming function according to an embodiment of the present invention;

[23] FIG. 4 illustrates a structure of an application object for the programming function according to an embodiment of the present invention;

[24] FIGS. 5 and 6 are examples of a structure of the application object for the programming function according to an embodiment of the present invention;

[25] FIGS. 7 and 8 are examples of the structure of full mode navigation data for the programming function according to an embodiment of the present invention;

[26] FIG. 9 is a block diagram of a reproducing apparatus for the reproduction of AV data and a programming function according to an embodiment of the present invention; and

[27] FIG. 10 is a flowchart illustrating a reproducing method for the reproduction of AV data and a programming function according to an embodiment of the present invention.

Best Mode

[28] According to an aspect of the present invention, there is provided a storage medium comprising: reproduction mode data for reproducing audio-visual (AV) data; program data including a plurality of program applications, for providing interactive functions with a user and/or additional functions using the AV data; system data for controlling the execution of the reproduction mode data and the program data; and application objects for managing the execution of the program data and information on the reproduction mode data to be reproduced along with the execution of the program data.

[29] Each of the application objects may include application management information for managing the execution of the program data and playlist information which is a reproduction unit of the reproduction mode data in title units. The application management information may include information on attributes of the program data and information on the operation of the program data.

[30] The information on attributes of the program data may include at least one of location, name and version information of the program applications, and the information on the operation of the program data may include at least one of information on start, pause and end of the program applications, pre-load information, and pre-patch information. The program data may be an application program written in one of Java, HTML, C, and a scripting language. The playlist information may include a file name of at least one playlist reproduced along with the execution of the program data. As used in this specification, an expression of the form 'one of X, Y and Z' corresponds to X, Y or Z; and an expression of the form 'at least one of X, Y and Z' corresponds to X, Y, Z, X and Y, X and Z, Y and Z, or X and Y and Z.

[31] According to another aspect of the present invention, there is provided a reproducing apparatus comprising: a reader which reads application objects from the storage medium; and a controller which manages execution of the program data based on the read application objects in title units.

[32] The reproducing apparatus may further include an application manager which controls the reproduction of reproduction mode data and the execution of the program data based on the application objects.

[33] Each of the application objects may include application management information for managing the execution of the program data, and playlist information which is a reproduction unit of the reproduction mode data in title units, and the application manager may control the operation of the program applications based on the application management information and reproduce AV data corresponding to the program applications along with the execution of the program applications based on the playlist information.

[34] According to another aspect of the present invention, there is provided a reproducing method comprising: reading application objects from the storage medium; and managing the execution of the program data based on the read application objects in title units.

[35] The reproducing method may further include controlling the reproduction of the reproduction mode data and the execution of the program data based on the application objects.

[36] Controlling the reproduction of the reproduction mode data and the execution of the program data comprises: confirming a title selected from an index table included in the system data; confirming playlist information and application management information if the confirmed title is full mode data; reading a relevant playlist file from the reproduction mode data based on the confirmed playlist information; and reproducing AV data based on the playlist file read during the execution of a relevant program application from the program data based on the confirmed application management in-

formation.

[37] Additional aspects and/or advantages of the invention will be set forth in part in the description which follows and, in part, will be obvious from the description, or may be learned by practice of the invention.

Mode for Invention

[38] Reference will now be made in detail to the present embodiments of the present invention, examples of which are illustrated in the accompanying drawings, wherein like reference numerals refer to the like elements throughout. The embodiments are described below in order to explain the present invention by referring to the figures.

[39] FIG. 3 illustrates an architecture of multimedia data for the reproduction of AV data and a programming function according to an embodiment of the present invention.

[40] Referring to FIG. 3, the multimedia data can be classified into four layers, including AV data 3 and 4, navigation data 2, and system data 1. In addition, the multimedia data further includes a plurality of program applications 6 and full mode navigation data 5 in order to provide the programming function. The full mode navigation data 5 includes a plurality of application objects 50.

[41] When basic AV data is reproduced, the reproduction order and time is obtained by reading playlists 3 using a navigation command stored in a movie object 20 as described above. Also, the time information is converted to byte address information by reading a clip information file 4 corresponding to the reproduction time based on the reproduction order. The AV data is reproduced by reading clip AV streams 4 corresponding to the converted byte addresses. A mode in which AV data is simply reproduced based on time specified by a producer is called a core mode or movie mode.

[42] A mode in which program applications performing program functions are reproduced together with AV data is called a full mode. The multimedia data may further include the plurality of program applications 6 and the plurality of application objects 50 for the full mode. That is, the multimedia data further includes the application objects 50 for performing program functions as well as the movie objects 20 for the simple reproduction of AV data. Accordingly, in the full mode, each program application provides a user interactive function and an additional function to a user while reproducing all or part of the AV data using an application program interface (API) with a playlist. That is, by synchronizing with a specific scene of a movie, specific information can be provided, or a predetermined program application 6 can operate.

[43] For example, while reproducing the movie 'The Matrix,' at a scene in which a cellphone appears, an advertising application for the cellphone manufacturer can automatically be performed when a user clicks the cellphone using a control or pointing

device such as, for example, a 'mouse' or a 'joystick.' Also, while reproducing 'The Lord of The Rings,' when a panorama of mountains covered with snow is shown, an application providing a description, travel information, and special features of the actual location of the scene can be provided. Further, biographical or current information about actors in the movie can be provided.

[44] FIG. 4 illustrates the structure of an application object 50 for the programming function according to an embodiment of the present invention. Referring to FIGS. 3 and 4, the application object 50 includes playlist information 51, application management information 52, and/or additional information 53.

[45] A conventional storage medium can reproduce AV data in title units based on the intent of the content producer. The storage medium provided in the present embodiment also includes AV data and application data in title units. Titles are classified into core mode titles, including only AV data, and full mode titles, including AV data and application data together, based on kinds of multimedia data included in the storage medium. The core mode titles have the same structure as titles included in the conventional storage medium.

[46] A full mode title includes at least one program application and a playlist of AV data to be reproduced by the program application. A movie object 20 included in a core mode title controls the reproduction of AV data based on playlists pre-defined by a producer using a navigation command. However, for a full mode title, a navigation command for the reproduction of AV data is unnecessary, since a program application 6 controls the reproduction of AV data. Instead, the full mode title requires the playlist information 51, for reproducing AV data desired by the producer, and the application management information 52, for controlling the operation of the program applications 6. The multimedia data in the present embodiment includes the application objects 50 for controlling the reproduction of the full mode titles using the playlist information 51 and the application management information 52.

[47] Referring to FIG. 4, the playlist information 51 indicates a list of playlists of AV data used in a title. The program application 6 reads a list of a playlist 3 indicating a clip AV stream corresponding to a section to be reproduced from the clip AV streams 4, which are high quality AV data stored in the storage medium for reproducing all or part of a movie, and reproduces its corresponding AV data.

[48] In particular, the playlist information 51 is not included in the full mode program application 6, but is separately managed by the application object 50, in order to maintain independence of application production and aid the reuse of the produced applications. In general, for a movie mode title, AV data 4, playlists 3, and movie objects 20 are produced together according to one purpose which is AV data reproduction. However, full mode program applications 6 can be produced regardless of the content

of AV data. That is, if functions desired by a producer can be supported, then a third party can produce the program applications 6 regardless of the AV data, and a content producer can connect playlists 3 to the program applications 6. Accordingly, the independence of application production can be maintained.

[49] Also, full mode program applications used in another title can be used for other AV data without modification. If the playlist information 51 is not provided by the application object 50, as in the present embodiment, the program application 6 must directly include playlist information needed for reproduction. Thus, even if a program application provides the same function, if related AV data of the program application is changed, the program application must be re-compiled or re-created. Therefore, in terms of the independence of application production and reuse of applications, the playlist information 51 may be included in the application object 50, separate from the program application 6.

[50] The application management information 52 may include attribute information and operation information of the program applications 6. The attribute information of the program applications 6 includes location, name, and version information of the program applications 6. The operation information of the program applications 6 includes information for controlling life cycles of the program applications 6 such as start, pause, and end of the program applications 6, pre-load information, and pre-patch information.

[51] The application object 50 may directly manage the application management information 52, or may include only reference information to a separately defined application management table. FIGS. 5 and 6 are examples of the structure of the application object 50 for the programming function according to an embodiment of the present invention. In FIG. 5, the application object 50 directly manages the application management information 52, and in FIG. 6, the application object 50-1 separately defines an application management table 52-1.

[52] The additional information 53 is information describing a full mode title. The additional information 53 can include title identifiers, title names, and/or title descriptions intelligible to a user. The additional information 53 is optional. The application objects 50 can exist in a form of separate files for respective titles or in a form of one file using the title identifiers.

[53] FIGS. 7 and 8 are examples of the structure of the full mode navigation data 5 for the programming function according to an embodiment of the present invention. The application objects 50 can exist in the form of separate files for respective titles, as in FIG. 7, or in the form of one file, as in FIG. 8. A reproducing apparatus for the reproduction of AV data and a programming function will now be described based on the architecture of the multimedia data described above.

[54] FIG. 9 is a block diagram of a reproducing apparatus for reproduction of AV data and a programming function according to an embodiment of the present invention. Referring to FIG. 9, the reproducing apparatus includes a reader for reading data from a storage medium, a buffer unit for temporarily storing the read data, a module manager 904 for controlling a navigation engine to read system data and process an initial operation and a title change due to a user's selection or a navigation change, the navigation engine, for controlling the reproduction of AV data based on the contents of navigation data, and a presentation engine for decoding the AV data and displaying the decoded video data on a screen.

[55] The reproducing apparatus further includes a program engine 902 and a program data buffer 901 for executing program applications. According to the kinds of program applications, a plurality of program engines can be used. For example, for reproducing a Java application and an HTML application together, a Java virtual machine and a browser engine application are necessary. A blender is further included to form one picture by overlaying an application execution result of the program engine 902 and an AV data reproduction result of the presentation engine.

[56] The program engine 902 may further include an application manager 905 for controlling execution of program applications using the application objects 50 in order to provide the program function. That is, the application manager 905 included in the program engine 902 reads the playlist information 51 and the application management information 52 included in the application objects 50, and controls the execution of their corresponding program applications 6.

[57] Although the module manager 904 and the application manager 905 are formed separately in the present embodiment, the reproducing apparatus can be adapted so that the application manager 905 additionally performs the function of the module manager 904.

[58] The operation of reproducing the multimedia data from the storage medium described in FIGS. 3 and 4 will now be described using the reproducing apparatus described in FIG. 9. FIG. 10 is a flowchart illustrating a reproducing method for the reproduction of AV data and a programming function according to an embodiment of the present invention. Referring to FIG. 10, a full mode title is reproduced in the order described below.

[59] If the full mode title is selected by a user's input, a menu, or a navigation command, the module manager 904 reads system data 1 in operation 1001. The module manager 904 can obtain selected title information using an index table, which is the system data 1. The index table 1 included in the storage medium can direct a movie mode title and a full mode title. If the title selected from the index table 1 is a movie mode title, the title is executed through a movie object 20 of the title. If the title is a full mode title,

the title is executed through an application object 50.

[60] There are various methods of obtaining title information through the index table 1. An object for each item of title information, i.e., a movie object 20 or an application object 50, is directed in the index table 1. For the application object 50, application management information 52 can be included in the application object 50 as shown in FIG. 5. Or, as shown in FIG. 6, an application management table (AMT) storing the application management information 52 can be stored separately, and the application object 50 can include only reference information of the AMT. In any case, the application management information 52 can include attribute information 52a, such as the location, the name, and the version of a program application 6, and operation information 52b such as start, pause, and end of the program application 6, pre-load information, and pre-patch information. The application object 50 includes playlist information 51 of AV data to be reproduced with the program application 6.

[61] If the title is a full mode title, the application manager confirms the playlist information 51 and application management information 52 included in the selected title based on the application object 50 in operation 1002. The application manager confirms which program application 6 is needed for the title and where that program application 6 is stored, by reading the attribute information of the program application 6 based on the application object 50, and controls the execution of the program application 6 by reading the operation information of the program application 6. That is, the application manager 905 controls lifecycles such as start, pause, and end of the program application 6, and whether to preload necessary data based on the operation information of the program application 6.

[62] The program engine 902 is an engine for reproducing the program applications 6, and in particular, when some program applications 6 are implemented using Java, the program engine 902 includes a Java virtual machine (JavaVM). The application manager 905 controls the execution of a relevant program application 6 through the program engine 902 based on the application management information 52.

[63] The application manager 905 reads a list of playlists 3 of AV data to be reproduced, along with the execution of the relevant program application 6, using playlist information 51 included in the application object 50, in operation 1003. Here, the application manager 905 can read all playlists 3 included in the list of playlists in a bundle, or the application manager 905 can read only one playlist 3 defined in advance as a default, and then read the remaining playlists 3 at a request of the program applications 6. The application manager 905 can also read information on a clip to be reproduced based on information on the playlist 3 which has been read. Also, the application manager 905 temporarily stores the read playlist and the read information on the clip in a memory of the reproducing apparatus, in a form of a database. The

program application 6 obtains the temporarily stored playlist 3 and the information on the clip through a specific API, and reproduces a clip AV stream based on the playlist 3 and the information on the clip. In addition, the program application 6 can provide a necessary menu to a user. The application manager 905 can reproduce the playlist file 3 while executing the program application 6 based on the application management information 52, in operation 1004.

[64] The reproducing apparatus may provide an additional function of displaying a description of a currently reproduced title using additional information 53.

[65] In brief, the module manager 904 confirms a selected title from an index table included in system data 1, in operation 1001. If the confirmed title is a full mode title, the application manager 905 confirms playlist information 51 and application management information 52 by obtaining information on an application object 50 directed by title information, in operation 1002. The application manager reads a relevant playlist file 3 from AV data, based on the confirmed playlist information 51, in operation 1003 and reproduces the AV data based on the read playlist file 3 while executing a relevant program application 6 based on the confirmed application management information 52, in operation 1004.

[66] As described above, according to aspects of the present invention, a program application 6 implemented in a programming language such as Java does not directly read a playlist file 3, but instead, the application manager 905, which is a portion of the program engine 902 of the reproducing apparatus, reads the playlist 3 and a clip file 4 corresponding to the playlist 3, and stores the read playlist 3 and clip file 4 in a temporary data base. The stored playlist 3 and clip file 5 are provided to the program application 6 through a specific API. This gives the following benefits.

[67] First, a wrongly programmed program application 6, or a program application 6 having malicious intent, can not directly read a clip AV stream. Thus, the program application 6 is prevented from using the clip AV stream for purposes such as illegal duplication or distribution. The program application 6 can obtain only AV data analyzed by the application manager 905 through the specific API. When the program application 6 intends to reproduce the AV data, the program application 6 transmits clip file information such as a clip file name, obtained through the specific API, to the presentation engine reproducing the AV data. That is, the program application 6 provides only information required for reproducing the AV data, and is not able to directly read the AV data.

[68] Second, program applications 6 can be easily reused. The same program applications 6 can provide their functions for different AV data without modification. For example, in a case of a program application 6 for reproducing a movie, the program application 6 can be used without recompiling the playlist information 51. Normally, if

a program application 6 written in a universal programming language, such as Java, contains playlist information 51, then every time the playlist information 51 is changed, the program application 6 must be recompiled with the changed playlist information 51. However, according to aspects of the present invention, playlist information 51 is not included in a program application 6, and the application manager 905 provides the playlist information 51 using an application object 50. Accordingly, any program application 6 having the same function can reproduce a clip AV stream by obtaining playlist information 51 corresponding to the clip AV stream through a predefined specific API, without modification or recompiling. It is easier for a content producer to produce storage media, since the content producer does not have to prepare new program applications for titles which differ only in their content of AV data.

[69] A method of reproducing multimedia data for AV data reproduction and a program function according to an embodiment of the present invention can be written as a computer program. Codes and code segments constructing the program can be easily deducted by a programmer of ordinary skill in the art. The program implements the method of reproducing multimedia data for AV data reproduction and a program function by being stored in computer readable media, read by a computer, and executed by the computer. The computer readable media include magnetic storage media, optical recording media, and carrier wave media.

[70] As described above, the embodiments of the present invention provide a storage medium storing multimedia data for the reproduction of audio-visual (AV) data and a programming function, which provides various interactive functions with a user and/or additional functions besides the simple reproduction of the AV data, and a reproducing apparatus and a method thereof.

[71] That is, by storing information on AV data to be reproduced in an application object separate from a program application, along with control information on the program application, the program application is prevented from being used for malicious intent, and program applications having the same function can be reused without modification or recompilation.

[72] Although a few embodiments of the present invention have been shown and described, it would be appreciated by those skilled in the art that changes may be made in this embodiment without departing from the principles and spirit of the invention, the scope of which is defined in the claims and their equivalents. .

Claims

[1] What is claimed is:

1. A storage medium comprising:
reproduction mode data for reproducing audio-visual (AV) data;
program data including a plurality of program applications, for providing interactive functions with a user and/or additional functions using the AV data;
system data controlling execution of the reproduction mode data and the program data; and
application objects managing the execution of the program data and information on the reproduction mode data to be reproduced along with the execution of the program data.
2. The storage medium of claim 1, wherein each of the application objects includes application management information managing the execution of the program data and playlist information which is a reproduction unit of the reproduction mode data in title units.
3. The storage medium of claim 2, wherein the application management information includes information on attributes of the program data and information on the execution of the program data.
4. The storage medium of claim 3, wherein the information on attributes of the program data includes at least one of location, name and version information of the program applications, and the information on the operation of the program data includes at least one of information on start, pause and end of the program applications, pre-load information, and pre-patch information.
5. The storage medium of claim 1, wherein the program data is an application program written in one of Java, HTML, C, and a scripting language.
6. The storage medium of claim 2, wherein the playlist information includes the file name of at least one playlist reproduced along with the execution of the program data.
7. A reproducing apparatus comprising:
a reader which reads application objects from a storage medium, including reproduction mode data reproducing audio-visual (AV) data, program data including a plurality of program applications providing interactive functions with a user and/or additional functions using the AV data, system data controlling the execution of the reproduction mode data and the program data, and application objects managing the execution of the program data and information on the reproduction mode data to be reproduced along with the execution of the program data; and

a controller which manages execution of the program data based on the read application objects in title units.

[8] 8. The apparatus of claim 7, further comprising:
an application manager which controls reproduction of the reproduction mode data and the execution of the program data based on the application objects.

[9] 9. The apparatus of claim 8, wherein each of the application objects includes application management information managing execution of the program data and playlist information which is a reproduction unit of the reproduction mode data in title units, and
the application manager controls the operation of the program applications based on the application management information, and reproduces AV data corresponding to the program applications along with the execution of the program applications based on the playlist information.

[10] 10. A reproducing method comprising:
reading application objects from a storage medium, including reproduction mode data reproducing audio-visual (AV) data, program data including a plurality of program applications providing interactive functions with a user and/or additional functions using the AV data, system data controlling the execution of the reproduction mode data and the program data, and application objects managing execution of the program data and information on the reproduction mode data to be reproduced along with the execution of the program data; and managing the execution of the program data based on the application objects in title units.

[11] 11. The method of claim 10, further comprising:
controlling reproduction of the reproduction mode data and the execution of the program data based on the application objects.

[12] 12. The method of claim 11, wherein each of the application objects includes application management information managing the execution of the program data and playlist information which is a reproduction unit of the reproduction mode data in title units, and
in the controlling of the reproduction of the reproduction mode data and the execution of the program data, the operation of the program applications is controlled based on the application management information, and AV data corresponding to the program applications is reproduced along with the execution of the program applications based on the playlist information.

[13] 13. The method of claim 12, wherein the controlling of the reproduction of the reproduction mode data and the execution of the program data comprises:
confirming a title selected from an index table included in the system data;

confirming playlist information and application management information if the confirmed title is full mode data;

reading a relevant playlist file from the reproduction mode data based on the confirmed playlist information; and

reproducing AV data based on the playlist file read during the execution of a relevant program application from the program data, based on the confirmed application management information.

[14] 14. A method of interactively relating supplemental information to moving picture data, the method comprising:

reproducing a moving picture based on the moving picture data;

providing a program application by which the supplemental information is linkable to the motion picture data during the reproduction of the moving picture data;

providing a user with a pointing device for indicating a portion of the moving picture; and

displaying the supplemental information related to an object indicated by the user during the reproducing of the motion picture.

[15] 15. The method of claim 14, wherein the supplemental information is advertising information about the indicated object.

[16] 16. The method of claim 14, wherein the supplemental information is geographical information about the indicated object.

[17] 17. The method of claim 14, wherein the indicated object is an actor in the movie and the supplemental information is biographical or current information about the actor.

[18] 18. The method of claim 14, further comprising:

providing the moving picture data and the supplemental information from a same storage medium.

[19] 19. The method of claim 18, wherein the same storage medium is one of a magnetic storage medium, an optical recording medium, and a carrier wave medium.

[20] 20. The method of claim 14, further comprising:

providing the moving picture data and the supplemental information from different storage media.

[21] 21. The method of claim 20, wherein each of the different storage media is one of a magnetic storage medium, an optical recording medium, and a carrier wave medium.

[22] 22. The storage medium of claim 1, wherein at least one of the application objects comprises additional information including at least one of a title identifier, a title

name, and/or a title descriptor intelligible to a user.

[23] 23. The storage medium of claim 1, wherein each application object exists in a separate file corresponding to a respective title included in the AV data.

[24] 24. The storage medium of claim 1, wherein a plurality of application objects are included in one file and associated with corresponding portions of the AV data using a title identifier.

[25] 25. A reproducing apparatus comprising:
an application manager which:
reads application objects from a storage medium, including reproduction mode data reproducing audio-visual (AV) data, program data including a plurality of program applications providing interactive functions with a user and/or additional functions using the AV data, system data controlling the execution of the reproduction mode data and the program data, and application objects managing the execution of the program data and information on the reproduction mode data to be reproduced along with the execution of the program data, and controls reproduction of the reproduction mode data and the execution of the program data based on the application objects.

[26] 26. The apparatus of claim 25, wherein:
the application manager initially reads a plurality of playlists corresponding to AV data as a bundle or reads one of a plurality of playlists corresponding to the AV data as a default and then reads remaining ones of the plurality of playlists at a request of one of the program applications.

[27] 27. The apparatus of claim 25, wherein the applicant manager:
reads application management information from the storage medium; and
reads a playlist file from the AV data and reproduces the AV data based on the read playlist file while executing a program at least one program application based on the application management information.

[28] 28. The apparatus of claim 26, further comprising:
a buffer which stores the application objects read from the storage media,
wherein, where one of the program applications is implemented by a universal program language, the program application does not have access to read directly from the storage medium, whereby unauthorized duplication or distribution of the AV data is prevented.

[29] 29. The apparatus of claim 25, wherein:
the application objects further comprise a playlist and the application manager provides the playlist separately from the read program applications, wherein the read program application is useable for a plurality of other playlists without re-compilation.

FIG. 1




FIG. 2




FIG. 3






FIG. 4**FIG. 5**



FIG. 6**FIG. 7**

FIG. 8




FIG. 9





FIG. 10



INTERNATIONAL SEARCH REPORT

International application No.

PCT/KR2005/002931

A. CLASSIFICATION OF SUBJECT MATTER

IPC7 G11B 20/10

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

G11B 20/10 G11B 20/12 G11B 27/00

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WPI, PAJ "storage, medium, program, application, management, AV(Audio-video), JAVA, HTML, script"

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 2004-025651 A1 (MATSUSHITA ELECTRIC INDUSTRIAL CO., LTD.) 25 March 2004 See the whole document	1, 7, 10, 14, 25, 29
A	JP 07-014313 A (SONY CORP.) 17 January 1997 See the whole document	1, 7, 10, 14, 25, 29
A	JP 2002-343062 A (SONY CORP.) 29 November 2002 See the whole document	1, 7, 10, 14, 25, 29
P,A	WO 2004-084212 A1 (SAMSUNG ELEDCTRONICS CO., LTD) 30 September 2004 See the whole document	1, 7, 10, 14, 25, 29

 Further documents are listed in the continuation of Box C. See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance
 "E" earlier application or patent but published on or after the international filing date
 "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified)
 "O" document referring to an oral disclosure, use, exhibition or other means
 "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

23 NOVEMBER 2005 (23.11.2005)

Date of mailing of the international search report

24 NOVEMBER 2005 (24.11.2005)

Name and mailing address of the ISA/KR



Korean Intellectual Property Office
920 Dunsan-dong, Seo-gu, Daejeon 302-701,
Republic of Korea

Facsimile No. 82-42-472-7140

Authorized officer

KIM, Yong Woong

Telephone No. 82-42-481-5698

