



US00PP13858P29

(12) **United States Plant Patent**
Jaques

(10) **Patent No.:** **US PP13,858 P2**

(45) **Date of Patent:** **Jun. 3, 2003**

(54) **PLECTRANTHUS PLANT NAMED**
'PLEPALILA'

Tom MacCubbin II, Plant Profile: Mona Lavender Plec-
tranthus Orlando Sentinel, Nov. 30, 2002.*

(76) Inventor: **Roger Francois Jaques**, Kirstenbosch
Botanical Institute, Private Bag X7,
Claremont 7735 (ZA)

Connie Krochmal, Sensational Container Plants for Fall
[http://www.smallgarden.info/sensational_container_](http://www.smallgarden.info/sensational_container_plants_for.htm)
[plants_for.htm](http://www.smallgarden.info/sensational_container_plants_for.htm).*

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

Andrew Hankey, Plectranthus, Witwatersand National
Botanical Garden, South Africa, Apr. 2001.*

(21) Appl. No.: **10/034,484**

* cited by examiner

(22) Filed: **Dec. 28, 2001**

(51) **Int. Cl.**⁷ **A01H 5/00**

Primary Examiner—Bruce R. Campbell

(52) **U.S. Cl.** **Plt./263; Plt./373**

Assistant Examiner—W C Haas

(58) **Field of Search** **Plt./263, 373**

(74) *Attorney, Agent, or Firm*—Wood, Phillips, Katz, Clark
& Mortimer

(56) **References Cited**

(57) **ABSTRACT**

PUBLICATIONS

UPOV ROM GTITM Computer Database, GTI JOUVE
Retrieval Software 2002/05, citation(s) for 'Plepalila'.*
[wysiwyg://7/http://forums.gardenweb.com/forums/load/annuals/mg/0923351830715.html](http://forums.gardenweb.com/forums/load/annuals/mg/0923351830715.html) Plant to recommend:mona
lavender plectranthus.*

A new and distinct Plectranthus plant named 'Plepalila' is
shown herein and described.

2 Drawing Sheets

1

2

LATIN NAME OF THE GENUS AND SPECIES
OF PLANT CLAIMED

Plectranthus hybrida.

VARIETY DENOMINATION

Plepalila.

BACKGROUND OF INVENTION

The present invention comprises a new and distinct Plec-
tranthus plant, hereinafter referred to by the cultivar name
'Plepalila'. More specifically, the breeding program which
resulted in the production of the new cultivar was carried out
in Cape Town, Western Cape, South Africa. The female or
seed parent of 'Plepalila' was a proprietary *Plectranthus*
saccatus designated 800/77 (unpatented). The male or pol-
len parent of 'Plepalila' was a proprietary *Plectranthus*
hilliardiae designated 146/92 (unpatented). The resulting
seed was collected and germinated. From the progeny, a
single plant was selected in 1998.

Asexual reproduction of the new cultivar by terminal or
stem cuttings taken during 1999 at Claremont, South Africa
and during 2000–2001 at West Chicago Ill., USA has
demonstrated that the characteristics of the new cultivar as
herein described are firmly fixed and are retained through
successive generations of such asexual propagation.

SUMMARY OF THE INVENTION

It was found that the cultivar of the present invention:

- (a) Exhibits an upright bushy habit,
- (b) Forms lavender flowers,

- (c) Forms dark green foliage with dark purple underside and
- (d) Exhibits a vigorous growth habit.

'Plepalila' has not been observed under all possible envi-
ronmental conditions to date. Accordingly, it is possible that
the phenotype may vary somewhat with variations in the
environment, such as temperature, light intensity, and day
length.

When the new cultivar of the present invention is com-
pared to its male parent (non-patented) it exhibits shorter
petioles, of a different color and leaves of a different texture
and color as detailed in Table A.

BRIEF DESCRIPTION OF PHOTOGRAPHS

The accompanying photographs show as nearly true as it
is reasonably possible to make the same in color illustrations
of this type, typical flower and foliage characteristics of the
new cultivar. The plants were grown in a greenhouse at West
Chicago, Ill., USA.

- Photo A illustrates the general growth habit of 'Plepalila'.
- Photo B illustrates individual flowers of 'Plepalila'.

DETAILED BOTANICAL DESCRIPTION

The chart used in the identification of colors described
herein is The R.H.S Colour Chart of The Royal Horticultural
Society, London, England. The color values were deter-
mined on Jul. 27, 2001 in West Chicago, Ill. The readings
were taken between 10:00 and 11:45 p.m. under natural light
conditions. The plants were produced from cuttings taken
from stock plants and were grown under greenhouse con-
ditions comparable to those used in commercial practice
while utilizing a soilless growth medium and maintaining
temperatures of approximately 72° F. during the day and

approximately 65° F. during the night. Plants used for the following descriptions and measurements were grown for fourteen (14) weeks from rooted cuttings in a greenhouse in West Chicago Ill.

Botanical classification: *Plectranthus hybrida* cultivar Plepalila.

Propagation:

Type cutting.—Terminal tip.

Time to form roots.—Approximately 21–28 days.

Plant description:

Crop time.—Eight to eleven weeks in a 20 cm pot.

General appearance and form.—Upright bushy shrub.

Plant height.—Approximately 44.3 cm.

Plant spread.—Approximately 36.4 cm.

Number of branches.—Average of 4 with approximately 12 leaves per branch.

Branch.—Shape: Square. Diameter: Approximately 1 cm at base. Color: 137A with streaks of 79A. Texture: Sparsely pubescent, gland-dotted. Some long hairs at nodes.

Internode length.—At third node from tip: Approximately 4.8 cm.

Foliage description:

Form.—Single.

Shape.—Ovate.

Margin.—Crenate-serrate, undulate.

Apex.—Sharply acute.

Base.—Cuneate.

Arrangement.—Opposite.

Venation pattern.—Pinnate (reticulate).

Surface.—Appearance: Dull, velvety. Texture: Upper and lower surfaces: Papillose-hispid.

Color of mature foliage.—Upper surface: Darker and more yellow than 139A with veins of 139A.

Color of mature foliage.—Lower surface: Slightly lighter than 79A with veins of 79A.

Size.—Approximately 7.7 cm in length. Approximately 5.6 cm in width.

Petiole.—Shape: square. Length: Approximately 5.1 cm. Diameter: Approximately 2.3 mm. Color: Upper surface is 139A, side and lower surfaces are 79A.

Flower description:

Outdoor flowering habit.—‘Plepalila’ flowers naturally under short days, in late summer through early fall.

Inflorescence type.—Raceme, arising from upper most pair of leaves.

Flower arrangement.—Solitary, shortly pedicelled in 3 flowered verticils positioned at right angles to the stem.

Flower type.—Bilabiate. Upper lip is 4 lobed—2 central lobes 1.2 cm long and 5 mm wide and 2 lateral lobes 5 mm long and 1 mm wide. Lower lip is 2 lobed, concave, boat-shaped, 7 mm long and 4 mm wide.

Pedicel.—Length: Approximately 6 mm. Diameter: Approximately 1 mm. Texture: Finely glandular-hispid. Color: 79A.

Fragrance.—Slightly herbal.

Bud.—Length: 1.7 cm. Width: 3 mm.

Flower.—Length: Approximately 2.5 cm. Width: Approximately 5 mm. Appearance: Iridescent.

Corolla tube.—Flattened and bilaterally symmetrical with slightly swollen base. Length: 1.7 cm. Width at base: Approximately 4 mm. Width at throat: Approximately 3 mm. Color: Between 85B and 85C.

Limb.—Color: Lips have background color of between 85B and 85C with small spots of between 89B and 89C which somewhat coalesce into splotches.

Throat.—Color: Between 85B and 85C.

Calyx.—Shape: Tubular. Two lipped with broad upper lip and lower lip comprised of four pointed lobes fused at base. Lateral pair are shorter than the central pair. Surface: Setulose. Length: Approximately 4 cm at flowering stage. Diameter: Approximately 2 mm. Color: Closest to 145C with ribs and tips of 79A.

Reproductive organs.—Androecium — Stamens: 4. One pair approximately 1 cm in length with 8 mm free, rest fused to corolla tube and a second pair approximately 8 mm in length with 6 mm free and rest fused to corolla tube. Anthers; two parted, oval, approximately 1.5 mm in length, between 95C and 95D in color. Gynoecium—One pistil, approximately 2.9 cm long. Stigma is two parted approximately 1 mm in length, between 95B and 95C in color. Style is approximately 2.7 cm in length, 95C in color. Ovary is approximately 1 mm in length, 144A in color. Pollen has not been observed.

Seed production: Seed production has not been observed.

Disease resistance: Resistance to diseases common to *Plectranthus* has not been observed.

TABLE 1

	PLEPALILA	MALE PARENT
LEAF APEX	Sharply acute	Rounded
COLOR OF UPPER SURFACE OF LEAF	More yellow than 139A	139A
COLOR OF LOWER SURFACE OF LEAF	79A	146B with very narrow band around margin of 79A.
APPEARANCE OF UPPER SURFACE OF LEAF	Dull, velvety	Shiny, waxy
PETIOLE COLOR	Upper surface: 137A Sides and lower surface: 79A	All sides: 146B
PETIOLE LENGTH	5.1 cm	2.5 cm

I claim:

1. A new and distinct cultivar of *Plectranthus* plant named ‘Plepalila’ substantially as herein shown and described, which:

- (a) Exhibits an upright bushy habit;
- (b) Forms lavender flowers;
- (c) Forms dark green foliage with dark purple under surface; and
- (d) Exhibits a vigorous growth habit.

* * * * *

Fig. 1




Fig. 2

