



- (51) International Patent Classification: *G01R 33/44* (2006.01)
- (21) International Application Number: PCT/US2013/041337
- (22) International Filing Date: 16 May 2013 (16.05.2013)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 61/647,671 16 May 2012 (16.05.2012) US
- (71) Applicant: HALLIBURTON ENERGY SERVICES, INC. [US/US]; 10200 Bellaire Boulevard, Houston, TX 77072 (US).
- (72) Inventors: LI, Lilong; 7327 Bearden Falls Ln, Humble, TX 77396 (US). CHEN, Songhua; 10102 Stafford Hill Cove, Katy, TX 77494 (US).
- (74) Agents: KRUEGER, Daniel, J. et al.; Krueger Iselin LLP, P.O. Box 1906, Cypress, TX 77410-1906 (US).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,

[Continued on next page]

(54) Title: HYBRID SATURATION RECOVERY-INVERSION RECOVERY PULSE SEQUENCE FOR IMPROVED NMR LOGGING OF BOREHOLES




FIG. 1

(57) Abstract: A nuclear magnetic resonance (NMR) logging method includes providing a hybrid pulse sequence having a saturation pulse, an inversion pulse, and a detection sequence. The method also includes measuring echo signals in response to the hybrid pulse sequence. The method also includes deriving a spin-lattice time constant (T₁) distribution from the measured echo signals. A NMR system includes a hybrid pulse sequence module to provide a hybrid pulse sequence with a saturation pulse, an inversion pulse, and a detection sequence. The NMR system also includes a control module to select a time interval between the saturation pulse and the inversion pulse.

WO 2013/173575 A1



MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK,
SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG).

— before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments (Rule 48.2(h))

Published:

— with international search report (Art. 21(3))

**Hybrid Saturation Recovery-Inversion Recovery Pulse Sequence for Improved NMR
Logging of Boreholes**

5

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims priority to Provisional U.S. Application Ser. No. 61/647,671, entitled "Hybrid Saturation Recovery-Inversion Recovery Pulse Sequence for Improved NMR Logging of Boreholes" filed May 16, 2012 by Lilong Li and Songhua Chen, which is hereby
10 incorporated herein by reference.

BACKGROUND

Understanding the structure and properties of geological formations can improve the efficiency of oil field operations such as drilling, well completion, and production. The collection
15 of information relating to conditions downhole, commonly referred to as "logging," can be performed by several methods including nuclear magnetic resonance (NMR) logging.

NMR logging tools operate by using an imposed static magnetic field, B_0 , to give nuclei with non-zero nuclear spin (non-zero magnetic moment and angular momentum) split energy levels. Since lower energy levels are preferred, an ensemble of nuclei will exhibit an anisotropic
20 distribution of energy states, giving the nuclear spins a preferential polarization parallel to the imposed field. This state creates a net magnetic moment and produces a bulk magnetization. The nuclei converge upon their equilibrium alignment with a characteristic exponential relaxation time constant. When this convergence occurs after the nuclei have been placed in a cooperative

initial state (discussed below), it is known as recovery. The time constant for recovery is called the “spin-lattice” or “longitudinal” relaxation time (T_1).

During or after the polarization period, the tool applies a perturbing field, usually in the form of a radio frequency electromagnetic pulse whose magnetic component (B_1) is perpendicular to the static field (B_0). This perturbing field moves the orientation of the magnetization into the transverse (perpendicular) plane. The frequency of the pulse can be chosen to target specific nuclei (e.g., hydrogen). The polarized nuclei are perturbed simultaneously and, when the perturbation ends, they precess around the static magnetic field gradually re-polarizing to align with the static field once again while losing coherence in the transverse plane (T_2 relaxation). The precessing nuclei generate a detectable radio frequency signal that can be used to measure statistical distributions of T_1 , T_2 , porosities, and/or diffusion constants. To recover NMR measurements, data sampling is performed during a pulse sequence that generates free-induction decay or spin echoes. The data sampling process is limited by timing constraints of the receiver electronics as well as timing criteria of the NMR experiment.

For NMR-based formation evaluation, T_1 measurements are sometimes preferred over T_2 measurements because they may be less vulnerable to vibrations. Further, interpreting T_1 data may be simpler than interpreting T_2 data because T_1 data is not affected by the additional signal decay caused by the molecular diffusion in the magnetic field gradients. Moreover, T_1/T_2 data provide additional formation and fluid information than T_2 data alone. Despite these benefits, T_1 measurements may suffer from either very long measurement time using the inversion-recovery (IR) data acquisition method, or reduced sensitivity in the short relaxation time range using the saturation-recovery (SR) method.

BRIEF DESCRIPTION OF THE DRAWINGS

Accordingly, there are disclosed herein various methods and systems nuclear magnetic resonance (NMR) analysis using a hybrid pulse sequence to improve T_1 measurements.

FIG. 1 is a block diagram of an illustrative NMR tool.

5 FIG. 2 shows an illustrative hybrid pulse sequence.

FIG. 3 shows an illustrative two-step inversion.

FIGS. 4A-4F show illustrative high signal-to-noise ratio (SNR) inversion results.

FIGS. 5A-5F show illustrative low signal-to-noise ratio (SNR) inversion results.

FIG. 6 shows a chart comparing illustrative relaxation times.

10 FIG. 7A and 7B show illustrative charts comparing T_1 inversion results using a hybrid pulse sequence and a saturation-recovery pulse sequence.

FIG. 8A shows a chart with illustrative wait time (TW) information related to use of a hybrid pulse sequence in a heavy-oil environment.

15 FIG. 8B shows a chart with illustrative TW information related to use of a hybrid pulse sequence in a shale-oil environment.

FIG. 9 shows an illustrative NMR system.

FIG. 10 shows an illustrative logging while drilling (LWD) environment.

FIG. 11 shows an illustrative wireline logging environment.

FIG. 12 shows an illustrative computer system for managing logging operations.

20 FIGS. 13 and 14 are flowcharts of illustrative NMR methods.

It should be understood, however, that the specific embodiments given in the drawings and detailed description below do not limit the disclosure. On the contrary, they provide the foundation for one of ordinary skill to discern the alternative forms, equivalents, and other

modifications that are encompassed in the scope of the appended claims.

DESCRIPTION

Disclosed herein are methods and systems for nuclear magnetic resonance (NMR) analysis
5 using a hybrid pulse sequence that combines saturation-recovery (SR) and inversion-recovery (IR).
Data acquisition using the hybrid pulse sequence retains the efficiency of SR while securing
increased sensitivity characteristics of IR, thereby improving the performance of NMR analysis
for fast relaxing components abundant in gas shale, heavy oil, and for microporosity in
carbonates.

10 As an example application, an NMR logging tool using the hybrid pulse sequence may
measure the distribution of lattice relaxation time (T_1) in a sample, where various T_1 times may
be present. Such distributions are helpful for downhole formation evaluation because different
types of fluids reside in pores of different sizes. Thus, the combined fluids produce vastly
different T_1 values in NMR measurements. With the disclosed hybrid pulse sequence, the NMR
15 logging tool sensitivity to fast-relaxing T_1 components (components with very small T_1) is
improved without significantly extending the measurement time.

FIG. 1 is a block diagram of an illustrative NMR tool 100. In some embodiments, the
NMR tool 100 is part of a downhole wireline logging string or a logging-while-drilling (LWD)
string to analyze formation attributes. In another embodiment, the NMR tool 100 corresponds to
20 laboratory equipment to analyze samples. As shown, the NMR logging tool 100 includes a static
magnetic field (B_0) source 102, such as one or more strong, permanent magnets (e.g., samarium
cobalt magnets). The NMR logging tool 100 also includes a pulsed magnetic field (B_1) source
104 to emit pulses of an alternating radio frequency (RF) magnetic field using one or more

antennas with suitable electronics. Note that such antennas and electronics can act in a dual role, also functioning to receive and detect spin echo signals. Alternatively such receiving can be done with separate antennas and electronics.

The NMR logging tool 100 further includes a hybrid pulse sequence generator 110 in
5 communication with the pulsed magnetic field source 104. In some embodiments, the hybrid pulse sequence generator 110 includes a processor and a memory with executable software instructions. In alternative embodiments, the hybrid pulse sequence generator 110 corresponds to hardware modules such as programmable logic or application-specific integrated circuits (ASICs) configured to provide any of the hybrid pulse sequence variations described herein. The
10 hybrid pulse sequence generator 110 directs the pulsed magnetic field source 104 to output a particular pulse sequence and to listen for NMR phenomena related to the pulse sequence. More specifically, the hybrid pulse sequence generator 110 includes a hybrid pulse sequence module 112 that stores information or parameters for one or more saturation pulses, an inversion pulse, and a detection sequence that make up each hybrid pulse sequence.

15 The hybrid pulse sequence generator 110 also includes a control module 114 that enables selection of or updates to hybrid pulse sequence options. For example, the time interval between the last saturation pulse and the inversion pulse may be selected or updated to increase or decrease sensitivity to fast-relaxing components. Further, the number of saturation pulses may be increased or decreased. Further, the detection sequence may be selected or switched between
20 a free-induction decay (FID) pulse, a Carr-Purcell sequence, a Carr-Purcell-Meiboom-Gill (CPMG) sequence, or another sequence with different phase cycling schemes. It should be understood that the refocusing pulse or pulses in these sequences are not restricted to 180 degrees.

The NMR tool 100 also includes a measurement storage unit 116 to store NMR phenomena measurements related to the hybrid pulse sequence. The measurement storage unit 116 is accessible via wired or wireless data transmissions to provide the measurements to processing logic for analysis. For example, stored measurements may be used to derive T_1 distributions as described herein. In at least some embodiments, the measurements or values derived from the measurements may be displayed on a computer.

FIG. 2 shows an illustrative hybrid pulse sequence with a saturation pulse, an inversion pulse, and a detection sequence. Also, various time intervals are illustrated for the hybrid pulse sequence, including: a wait time (TW) between the saturation pulse and the inversion pulse; an inversion time interval (TI) between the inversion pulse and the detection sequence; and an interecho interval (TE) between pulses of the detection sequence. In operation, the saturation pulse places the target nuclei in an essentially demagnetized state. After TW in which the nuclei begin to repolarize parallel to the static field, the inversion pulse is applied to invert the (partial) polarization along the z-axis. After TI , measurements are secured using a standard CPMG sequence, in which a 90° pulse is followed by a sequence of 180° pulses spaced according to TE to generate echo signals (shown along the lower line in FIG. 2). The T_1 and T_2 measurements can be derived from the echo signal amplitudes in the usual way. In various embodiments, the time intervals can each be varied to improve measurement sensitivity and robustness. Further, through the use of gradients and frequency variation, the NMR measurements can further be spatially resolved.

Some variations to the hybrid pulse sequence of FIG. 2 can be envisioned. For example, for $TI=0$, the inversion pulse can be eliminated, but the resulting signals will be mathematically inverted. At longer values for TI , the inversion pulse can also be eliminated, resulting in a

saturation-recovery pulse sequence. The time interval before the inversion pulse TW can be adjusted, or become variable, according to specific needs of the application. Further, the number of CPMG echoes acquired can change with TI , or a direct FID measurement can be acquired instead of a CPMG echo train when field homogeneity is sufficient. Further, a Carr-Purcell
 5 sequence, or another sequence with different phase cycling schemes may be used. Further, although the illustrated pulses in FIG. 2 have a square shape, other pulse shapes may be used. For example, a soft pulse or a fast passage involving frequency sweep would also work.

The disclosed hybrid pulse sequence for T_1 measurements is a combination of a saturation-recovery sequence and an inversion-recovery sequence. The saturation-recovery-
 10 CPMG method can be described symbolically as $(sat)-TW-\pi/2 -TE/2-(\pi-TE/2-echo-TE/2)_n$, where (sat) represents a saturation pulse or pulses, and π and $\pi/2$ are RF pulses. Meanwhile, the inversion-recovery-CPMG method can be described symbolically as $\pi-TI- \pi/2 -TE/2-(\pi -TE/2-echo-TE/2)_n$.

Compared to the IR sequence, the SR sequence does not require a long time to reach full
 15 polarization between the measurements of two TWs . In contrast, the IR sequence requires a very long wait time (e.g., at least 3 times the longest T_1 component) to repolarize the magnetization. Therefore, from the logging speed consideration, the SR approach may be favored over IR.

The polarization buildup following the saturation pulse is described by

$$M(TW) = M_0(1 - \exp(-TW/T_1)) \quad (1)$$

20 for a single T_1 component system. For a system containing a multiple component fluid fractions and/or pore sizes, the buildup can be described by

$$M(TW) = \sum_{i=1}^N M_{0i}(1 - \exp(-TW/T_{1i})). \quad (2)$$

From Eqs. (1) and (2) it can be seen that the polarization build-up curve starts from near zero at low TW . On the other hand, using the IR sequence, the polarization evolution is described by

$$M(TI) = M_0 \left[1 - 2 \exp\left(-\frac{TI}{T_1}\right) \right] \quad (3)$$

for a single T_1 component system, and for a system containing multiple component fluid fractions and/or pore sizes, the buildup can be described by

$$M(TI) = \sum_{i=1}^N M_{0i} \left[1 - 2 \exp\left(-\frac{TI}{T_{1i}}\right) \right]. \quad (4)$$

The evolution of magnetization starts at nearly $-M_0$ at very low TI .

A distribution of T_1 may be obtained by inverting the evolution of the magnetization polarization curve with a multiexponential decay model described by Eq. (2) or (4). Because signals corresponding to different T_{1i} should be greater than or equal to zero, a non-negative constraint is included in the inversion. The sensitivity of inversion to resolve the individual components depends, among other factors, on the signal-to-noise ratio (SNR) of the evolution of the polarization curve data. For the SR approach, the initial data points, corresponding to the short TWs , may have a very poor SNR; thus, the fast-relaxing components can suffer a greater error. On the other hand, for short TIs in the inversion-recovery sequence, the signal amplitude of the initial data points may be close to M_0 but opposite in the phase. Therefore, the SNR may be adequate.

The hybrid pulse sequence is advantageous in that it overcomes the long time required to run the IR sequence but maintains the advantage of this sequence's sensitivity to the fast decay T_1 components. The hybrid pulse sequence can be described as saturation-(partial-recovery)-inversion-recovery sequence (HSIR) and can be symbolically written as:

$$(sat) - TW_i - \pi - TI_j - \pi/2 - TE/2 - (\pi - TE/2 - echo - TE/2)_n. \quad (5)$$

The TW_i can be fixed or variable but is usually a short time interval, which allows only the fastest relaxing component being fully polarized. The first saturation pulse establishes the well-defined state. After TW_i ,

$$M(TW_i) = M_0(1 - \exp(-TW_i/T_1)) \quad (6a)$$

5 is the polarized magnitude of the magnetization. The following π pulse inverts this $M(TW_i)$ signal to the $-z$ direction, and the remaining unpolarized magnetization, $M_0 e^{-\frac{TW_i}{T_1}}$, continues its course of building up the polarization. Subsequently, after the inversion-recovery with time TI_j ,

$$M = M_0 \cdot \left\{ \left(1 - e^{-\frac{TW_i}{T_1}}\right) \cdot \left(1 - 2e^{-\frac{TI_j}{T_1}}\right) + e^{-\frac{TW_i}{T_1}} \cdot \left(1 - e^{-\frac{TI_j}{T_1}}\right) \right\} \quad (6b)$$

With algebraic simplification, Eq. (6a) can be rewritten as:

$$10 \quad M = M_0 \cdot \left[1 - 2e^{-\frac{TI_j}{T_1}} + e^{-\frac{TI_j+TW_i}{T_1}} \right]. \quad (6c)$$

From this expression, it can be seen that if a TW value is sufficiently larger than a T_1 component value to be quantified, the third term in the bracket can be dropped, and TI_s can be varied to estimate this component. Further, optimization of TW is possible as later described.

At the end of the CPMG echo train with n number of echoes, the magnetization is
15 described by

$$M = M_0 \cdot \left[1 - 2e^{-\frac{TI_j}{T_1}} + e^{-\frac{TI_j+TW_i}{T_1}} \right] \cdot e^{-\frac{nTE}{(T_1/R)}} \quad (7)$$

for a single relaxation time component system, where $R = T_1/T_2$ is used instead of explicitly T_2 .

On the other hand, for a multiple-component system,

$$M(TW_i) = \sum_{k=1}^K M_{0k} \cdot \left[1 - 2e^{-\frac{TI_j}{T_{1k}}} + e^{-\frac{TI_j+TW_i}{T_{1k}}} \right] \cdot e^{-\frac{nTE}{(T_{1k}/R_k)}}. \quad (8)$$

The disclosed hybrid pulse sequence preserves the time saving advantage of the saturation-recovery sequence while increasing the dynamic range and therefore the measurement accuracy of the fast relaxing components. The amplitude of the echoes in FIG. 2 is:

$$E_n = \sum_j M_j \{ (1 - e^{-TI/T_{1j}}) \cdot (1 - 2e^{-TR/T_{1j}}) + e^{-TI/T_{1j}} \cdot (1 - e^{-TR/T_{1j}}) \} \cdot e^{-n \cdot TE \cdot R_j / T_{1j}}, \quad (9)$$

5 where M_j is the equilibrium magnetization with a characteristic spin-lattice relaxation time T_{1j} , and R_j the T_1/T_2 ratio of that component. From Eq. 9 one can see that in the extreme case when $TI=0$, it is the same as the saturation-recovery case:

$$E_n = \sum_j M_j (1 - e^{-TR/T_{1j}}) \cdot e^{-n \cdot TE \cdot R_j / T_{1j}}. \quad (10)$$

In another extreme case where TW is several times the longest T_1 component (thus consuming a
10 lot more time), Eq. 9 reduces to:

$$E_n = \sum_j M_j (1 - 2e^{-TR/T_{1j}}) \cdot e^{-n \cdot TE \cdot R_j / T_{1j}}, \quad (11)$$

the same as that for IR. If, however, one chooses a TW (or several TW s) that is several times the T_1 of the fast relaxing components of the sample for smaller TI , and a TW of zero for larger TI , the accuracy enhancements in Eq. 11 are achieved for fast relaxing components without
15 introducing too much overhead time compared to saturation-recovery (Eq. 10).

The performance of the hybrid pulse sequence is compared herein with SR and IR sequences. While the total porosity is straightforward to compare, the quantification of the fidelity of the T_1 distribution derived from the inversion of the T_1 evolutions of these sequences is more challenging. In the comparison, the Fréchet distance quantifies the resemblance between
20 two T_1 distributions. More specifically, the Fréchet distance is calculated to compare the true (model) T_1 distribution and the T_1 distribution inverted from the magnetization evolutions from either the hybrid or SR sequence. As presented herein, the Fréchet distance is shorter for T_1 distributions derived from the hybrid sequence than those derived from the SR sequence.

To perform the comparison, random noise is added to the time-domain magnetization evolution data such that the noise reaches the typical levels found in either laboratory NMR core plug measurements or openhole logging data, respectively. Also, systems are modeled with different underlying T_1/T_2 ratio because the ability to resolve the relaxation time spectrum and quantify the fast relaxing components is T_1/T_2 ratio dependent. In each model, simulation is repeated at least 100 realizations with fresh random noises in the magnetization evolution data, and the conclusion is based on the statistical measures of the whole data set. From the simulations, improvements gained by using the hybrid pulse sequence are observable for both core and log-data noise level but are more significant in the high-level noise data, indicating that the sequence is indeed beneficial to the downhole logging environment. To objectively compare the capability of deriving petrophysical information from the two data acquisition methods, simulation of the magnetization evolutions with response to the same input models are generated with additive random noises at the level comparative to that typically found in core plug NMR measurements and NMR logging data.

The formation rock models used for the comparison are extracted from the observation of real NMR logging data in: (1) a North America shale gas well with dominant porosity in short-relaxation time range; (2) a heavy oil-bearing formation containing heavy oil and movable water; and (3) T_2 distributions of a carbonate reservoir having both micro- and macro-porosities. To add to the complexity of the model, a variable $R = T_1/T_2$ ratio is applied. The R values are set to be 3 for the shortest relaxation time component and 1 for the longest relaxation time component and progressively decrease from 3 to 1 for the intermediate components. Such a pattern of R variation is reasonable especially for heavy-oil and shale gas formations. The values of TWs and TIs in the hybrid sequence are listed in Table 1.

Table 1. The TW and TI times used in the hybrid sequence simulation

TI	0	0.5	1	2	3	4	8	16	40	100	300	500	1000	3000
TW	8	8	8	8	8	0	0	0	0	0	0	0	0	0

For the simulations, the interecho time of the echo trains following the hybrid and SR sequence is 0.3 ms and the number of echoes is 15. With these parameters, the difference in total data-acquisition time between this hybrid and the SR sequences is less than 1% (approximately equal). Note that the TW value is chosen to be zero for TI values greater than 4 ms, because it is no longer necessary for longer TIs and it saves time as well. For the SR sequence, the TW values are chosen to be the same as the TI values of the hybrid sequence listed in Table 1. Note that the plain IR sequence is not included in the comparison because it would take a very long time (the disadvantage is obvious).

The simulation data is inverted in two steps. The first step inverts the echo trains with a multi- T_2 decay model to obtain the apparent porosity vector, $\phi(TW_i, TI_j)$. The second step inverts the $\phi(TW_i, TI_j)$ vector with a multi- T_1 polarization build-up model. The two-step inversion is illustrated in Fig. 3. The two-step inversion technique eliminates the need for estimating the unknown T_1/T_2 in the inversion process. The inversion processing algorithm included a regularization term where the normal regularization has been used for all data. The regularization coefficient is adjusted based on the signal strength and noise level.

For the quantitative comparison of the T_1 distributions from the inversion with the true T_1 relaxation-time distribution models, the Fréchet distances between the inversion results and the true models are calculated. The Fréchet distance is a measure of similarity between two curves that takes into account the location and ordering of the points along the curves. The shorter the Fréchet distance, the higher degree of similarity between the inversion result and the model T_1 distribution. In the comparison, the vertical scale of the partial porosity model is normalized to

the same as the horizontal $\log(T_1)$ scale. The inversion results are normalized by the same factor. A discrete Fréchet distance computational algorithm can then be used to compute the distance. It can also be used for comparing core and log-derived relaxation time distributions. For the comparison, the curve misfit is computed as:

$$5 \quad \sqrt{\frac{\sum_{i=1}^{nBins} (M_i^{inv} - M_i^{model})^2}{\# \text{ of bins}}} . \quad (12)$$

FIGS. 4A-4C show simulated inversion results using a saturation-recovery sequence. Similarly, FIGS. 4D-4F show simulated inversion results using a hybrid recovery sequence. In FIGS. 4A-4F, model T_1 distributions and multiple noise-realization of the inversion results are displayed for carbonate, heavy oil with movable water, and black shale formations. The total porosity of these simulations are 22 porosity units (p.u.) for carbonate, 15 p.u. for heavy oil, and 6 p.u. for gas shale, respectively. To perform the simulations of FIGS. 4A-4F, a fixed signal-to-noise ratio (SNR) of 200 is used, in the range for suitable laboratory core-plug NMR measurements.

In FIGS. 4A-4F, each model curve is represented as a line with diamonds, and the other lines are the inversion results. Using the naked eye, the high SNR data inversion results derived from both SR and the hybrid pulse sequence are observed to be quite good. For the heavy-oil and shale cases, the hybrid pulse sequence results recover the model distribution patterns more closely, particularly for the short relaxation-time ranges. This is consistent with the expectation that the hybrid pulse sequence has better sensitivity for the fast-relaxing components.

The Fréchet distances computed for the simulations of FIGS 4A-4F compare the inversion results derived from these two sequences. The Fréchet distance and the misfit calculation values are shown in Table 2 indicating non-trivial improvements for hybrid pulse

sequence data versus the SR pulse sequence data. The values listed in the table are the means of the values computed from the individual noise realizations.

Table 2: Statistical analysis of Fréchet Distance and Misfit for the cases shown in FIGS. 4A-4F

	Mean Fréchet Distance	STD of Fréchet Distance	Mean Misfit	STD of Misfit
Carbonate-SR	2.75	0.23	0.2123	0.0103
Carbonate-HSIR	2.72	0.25	0.2100	0.0107
Heavy Oil-SR	2.22	0.19	0.1285	0.0080
Heavy Oil-HSIR	2.13	0.20	0.1097	0.0080
Shale-SR	1.30	0.19	0.0325	0.0032
Shale-HSIR	1.11	0.01	0.0291	0.0033

The more significant improvements are observed when the data have higher levels of noises. In logging operations, the noise level is determined by the formation, borehole environment, tool and acquisition configurations, and the data averaging. In the simulations, 0.5 p.u. of random noise is added to all the model data. For 22 p.u., 15 p.u., and 6-p.u. model formations, the corresponding SNR is 44, 30, and 12, respectively, and is in the typical range of logging data quality.

Compared to high SNR simulations shown in FIGS. 4A-4F, the improvements by using hybrid pulse sequence are more significant for the low SNR simulations in FIGS. 5A-5F. The quantitative, statistical analysis of the Fréchet distance shows improvement for all simulations with more significant improvements achieved for heavy-oil and shale gas simulations. The less-significant improvement for carbonates with small amounts of microporosity is understandable because the weak-signal amplitudes at the short relaxation-time range, where the hybrid pulse sequence exhibits the advantage, do not contribute significantly to the Fréchet distance nor to the misfit. Nevertheless, for both the high SNR and low SNR simulations, hybrid pulse sequence results still consistently show an advantage. In other words, the consistency of the inversion

results for hybrid pulse sequence data in the microporosity ranges for varying noise realizations is better than that for the SR data in the same region. The Fréchet distance and the misfit calculation values are shown in Table 3 indicating non-trivial improvements for hybrid pulse sequence data versus the SR pulse sequence data.

5 Table 3: Statistical analysis of Fréchet Distance and Misfit for the cases shown in FIGS. 5A-5F

	Mean Fréchet Distance	STD of Fréchet Distance	Mean Misfit	STD of Misfit
Carbonate-SR	4.07	0.23	0.2545	0.0105
Carbonate-HSIR	4.04	0.23	0.2508	0.0101
Heavy Oil-SR	5.03	0.29	0.2127	0.0105
Heavy Oil-HSIR	3.48	0.24	0.1688	0.0106
Shale-SR	5.20	0.35	0.0705	0.0056
Shale-HSIR	3.76	0.41	0.0513	0.0051

In FIGS. 5A-5F, each model curve is represented as a line with diamonds, and the other lines are the inversion results. Again, 0.5 p.u. of random noise is added to all the model data. For 22 p.u., 15 p.u., and 6-p.u. model formations, the corresponding SNR is 44, 30, and 12, respectively, and is in the typical range of logging data quality. The hybrid pulse sequence results recover the model distribution patterns more closely, and the improvements over SR results are more significant for the low SNR (poorer-quality) data of FIGS. 5A-5F than for the high-SNR data of FIGS. 4A-4F.

FIG. 6 compares the T_1 and T_2 inversion results from experimental data gathered with different NMR sequences using a North American shale plug saturated with water. One obvious difference between SR and hybrid pulse sequence T_1 measurements is that hybrid pulse sequence gives a very early T_1 component (≤ 0.1 ms) and a second peak centered at about 1 ms. The SR sequence, meanwhile, only gives one broader peak, albeit with some bias toward earlier

components. Such a bias gets more pronounced with higher number of scans. However, even with 4 times more scans, SR sequence still cannot separate the two peaks. Such a peak separation should be “real”, as confirmed by T_2 and the IR results shown also in FIG. 6. In shale, T_1 components ≤ 0.1 ms should almost certainly come from organic matter. Therefore, the hybrid pulse sequence, just as the IR sequence, is more sensitive to earlier relaxation components and can even distinguish between the signal from organic matter and that from other materials. Advantageously, the hybrid pulse sequence can achieve this sensitivity at a fraction of the time used in IR measurements. For example, to obtain the result using 512 scans, it will take a little more than 1.5 hours for the hybrid sequence, but more than 16 hours for the IR sequence if one uses 3 seconds as the wait time.

FIGS. 7A and 7B shows the comparison of T_1 distributions from a North American carbonate plug using hybrid pulse and SR sequences, respectively, with various numbers of scans. The carbonate sample has a lot of vugs, as manifested by the large peak at more than 1 second relaxation times. At the same time, the sample has a certain degree of microporosity and meso-porosity, as indicated by the earlier peaks in the T_1 distribution pattern. It can be seen that at 128 scans, the hybrid pulse sequence separates the earlier two peaks very well, with correct amplitudes. In comparison, with SR, 384 scans are needed to have a good separation. For the hybrid pulse sequence, at higher number of scans, more features appears for the second peak, while these features are absent in SR results. All of these observations suggest that the hybrid pulse sequence is indeed more sensitive to earlier components of T_1 distribution and offers a better characterization at minimal time cost if these components do exist in the sample. Compared to IR, the hybrid pulse sequence has a significant advantage because for IR, each scan needs an additional delay of more than 15 seconds to completely relax the nuclear spins, and

each T_1 measurement includes 40 wait times. As an example, the time saving for a 128-scan experiment would be more than $128 \times 15 \times 40$ seconds = 21.3 hours.

From Eq. (8), it can be recognized that the advantage of using the hybrid pulse sequence over the SR sequence is dependent on the selection of the TW and TI values, as well as the T_1 distribution of the sample being investigated. In some embodiments, simulations may be performed to determine an optimal TW value. Such simulations may be performed to test heavy-oil and shale gas models with different TW values. Subsequently, the corresponding Fréchet distance and the curve misfit values are computed. Without limitation, the simulation SNR is maintained at 20. FIGS. 8A and 8B show two example simulation results for heavy-oil and shale gas, respectively.

For both simulations, the minimum Fréchet distance and misfit consistently reside at approximately 10 ms. The fact that the optimal TW does not vary significantly from one formation scenario to another is helpful in implementing the hybrid pulse sequence in a logging data-acquisition scheme. Because pore sizes and fluid saturations inevitably vary from depth to depth, and the variations are not predictable before logging operations, it is desirable to use one set of parameters to log an entire well.

FIG. 9 shows a block diagram of an illustrative NMR system 300. The NMR logging system 300 includes a computer 302 that, in at least some embodiments, directs the operations of hybrid pulse sequence generator 110. In such embodiments, the computer stores and executes instructions to enable NMR logging based on a hybrid pulse sequence as described herein. The computer 302 is configured to provide commands, programming, and/or data to a transmitter 304. The transmitter 304 may include a programmable pulse sequence device or storage, a radio frequency (RF) synthesizer, a phase shifter, a pulse gate, an amplifier, and/or other components

to control the pulsed magnetic field for NMR logging operations including the hybrid pulse sequence operations described herein. In different embodiments, the hybrid pulse sequence generator 110 enables adjustment of hybrid pulse sequence options based on a default configuration, user selection, and/or calibration. For example, the time interval (TW) between the last saturation pulse and the inversion pulse may be selected or updated to increase or decrease sensitivity to fast-relaxing components. Further, the number of saturation pulses may be increased or decreased. Further, the detection sequence may be selected or switched between an FID pulse, a Carr-Purcell sequence, a CPMG sequence, or another sequence with different phase cycling schemes. In short, the transmitter 304 is configured to output any of the hybrid pulse sequence variations described herein.

The NMR logging system 300 also includes NMR spectrometer components 306 used for NMR logging operations. Examples of NMR spectrometer components 306 include one or more magnets, shim coils, probes/antennas, and/or field-frequency lock components. Further, the NMR spectrometer components 306 may include a duplexer that enables separation between transmission current and reception current. The receiver 308 of NMR logging system 300 is configured to receive and decode NMR signals. The receiver 310 may include an analog-to-digital converter (ADC), filters, mixers, splitters, pre-amplifiers, and/or other components to receive NMR signals and recover measurement data. In accordance with embodiments, receiver 310 is configured to recover free-induction decay or spin echo data using available receiver window options. The recovered measurement data is output from the receiver 308 to computer 310 for storage and analysis. Thus, the computer 302 may communicate with the transmitter 304 and the receiver 308 of system 300 to enable NMR logging operations in which a hybrid pulse sequence is used to recover spin echo data and/or free-induction decay data.

Fig. 10 shows an illustrative logging while drilling (LWD) environment, which serves as an exemplary usage context for the NMR tool 100 or NMR system 300 described herein. A drilling platform 2 supports a derrick 4 having a traveling block 6 for raising and lowering a drill string 8. A drill string kelly 10 supports the rest of the drill string 8 as it is lowered through a rotary table 12. The rotary table 12 rotates the drill string 8, thereby turning a drill bit 14. As bit 14 rotates, it creates a borehole 16 that passes through various formations 18. A pump 20 circulates drilling fluid through a feed pipe 22 to kelly 10, downhole through the interior of drill string 8, through orifices in drill bit 14, back to the surface via the annulus 9 around drill string 8, and into a retention pit 24. The drilling fluid transports cuttings from the borehole 16 into the pit 24 and aids in maintaining the integrity of the borehole.

The drill bit 14 is just one piece of an open-hole LWD assembly that includes one or more drill collars 26 and logging tools 28, 32. Drill collars 26 are thick-walled steel pipe sections that provide weight and rigidity for the drilling process. The logging tools 28, 32 (some of which may be built in to the drill collars) gather measurements of various drilling or formation parameters. Either of logging tools 28, 32 may include an NMR logging tool configured to perform and/or be directed by the calibration techniques described herein. Measurements from the logging tools 28, 32 can be acquired by a telemetry sub (e.g., built in to logging tool 28) to be stored in internal memory and/or communicated to the surface via a communications link. Mud pulse telemetry is one common technique for providing a communications link for transferring logging measurements to a surface receiver 30 and for receiving commands from the surface, but other telemetry techniques can also be used.

At various times during the drilling process, the drill string 8 may be removed from the borehole 16 as shown in Fig. 11. Once the drill string 8 has been removed, logging operations can

be conducted using a wireline logging string 34 (*i.e.*, an assembly of wireline logging tools suspended by a cable 42 having conductors for transporting power to the tools and telemetry from the tools to the surface). It should be noted that various types of formation property sensors can be included with the wireline logging sonde 34. For example, the illustrative wireline logging sonde 5 34 includes logging tool 32, which may correspond to an NMR logging tool configured to perform and/or be directed by the hybrid pulse sequence techniques described herein. The logging tool 32 may be coupled to other modules of wireline logging sonde 34 by one or more adaptors 33.

A wireline logging facility 44 collects measurements from the logging tool 32, and includes computing facilities 45 for managing logging operations, acquiring and storing the 10 measurements gathered by the wireline logging sonde 34, and optionally processing the measurements for display to a user. For the logging environments of Figs. 10 and 11, measured parameters can be recorded and displayed in the form of a log, *i.e.*, a two-dimensional graph showing the measured parameter as a function of tool position or depth.

Fig. 12 shows an illustrative computer system 43 for managing logging operations. The 15 computer system 43 may correspond to, *e.g.*, an onsite logging facility for the drilling rig of Fig. 10, the computing facilities 45 of the wireline logging facility 44 of Fig. 11, or a remote computing system that manages logging operations. The computer system 43 may include wired or wireless communication interfaces for directing logging operations and/or receiving logging measurements. As shown, the illustrative computer system 43 includes user workstation 51 with a computer 20 chassis 46 coupled to a display device 48 and a user input device 50. The computer chassis 46 includes one or more information storage devices for accessing software (shown in Fig. 12 in the form of removable, non-transitory information storage media 52) that configures the computer system to interact with a user, enabling the user to process the logging data and, in the case of local

logging facilities, to manage logging operations including analyzing borehole conditions. The software may also be downloadable software accessed through a network (e.g., via the Internet). In some embodiments, illustrative computer system 43 executes software that performs the hybrid pulse sequence techniques described herein and/or directs logging operations of a NMR logging tool (e.g., NMR logging tool 100 or 32) using the disclosed hybrid pulse sequence techniques.

In some embodiments, the computer system 43 includes a non-transitory computer readable medium with a hybrid pulse sequence software tool. The software tool, when executed, causes a processor of the computer system 43 to provide a hybrid pulse sequence or suitable parameters from which a hybrid pulse sequence may be generated.

Fig. 13 is a flowchart of an illustrative NMR method 702. The NMR method 702 may be performed, for example, by a downhole wireline logging tool, a LWD tool, or a laboratory tool. In method 702, a hybrid pulse sequence is provided at block 704. The hybrid pulse sequence may correspond to any of the hybrid pulse sequence variations described herein. The provided hybrid pulse sequence may include, for example, a saturation pulse, an inversion pulse, and a detection sequence. The detection sequence may correspond to an FID sequence, a Carr-Purcell sequence, a CPMG sequence, or another sequence with different phase cycling schemes. In some embodiments, the hybrid pulse sequence includes multiple saturation pulses. At block 706, echo signals are measured in response to the hybrid pulse sequence provided at block 704. At block 708, a T_1 distribution is derived from the measured echo signals. The derived T_1 distribution may be displayed to a user using a computer. Additionally or alternatively, a formation property may be displayed as a function of tool position based on the derived T_1 distribution.

In some embodiments, the NMR method 702 includes additional steps. For example, the

NMR method 702 may include selecting a time interval between the saturation pulse and the inversion pulse. The selection criteria may be based on user-input, predetermined measurement criteria, or other factors. In some embodiments, the NMR method 702 may include adjusting a time interval between the saturation pulse and the inversion pulse from a first value to a second value that is different than the first value.

FIG. 14 is a flowchart of another illustrative NMR method 802. Again, the NMR method 802 may be performed, for example, by a downhole wireline logging tool, a LWD tool, or a laboratory tool. In method 802, a measurement region is exposed to a static magnetic field at block 804. At block 806, a hybrid pulse sequence is repeatedly applied to the measurement region. In at least some embodiments, the hybrid pulse sequence includes, in order: a saturation pulse, an inversion pulse, a 90° pulse, and optionally one or more 180° pulses to induce echo signals. Measurements, corresponding to the hybrid pulse sequence, are collected at block 808. The collected measurements may correspond to a free-induction decay signal caused by the 90° pulse or to an echo signal caused by one or more 180° pulses. A T_1 distribution is derived from the collected measurements at block 810. Finally, a representation of the T_1 distribution is displayed at block 812.

In some embodiments, the NMR method 802 includes additional steps. For example, the NMR method 802 may include varying a time interval (TW) between the inversion pulse and the 90° pulse between repeated applications of the hybrid pulse sequence. Further, the NMR method 802 may include spacing the varying TW equally on a logarithmic scale. Further, the NMR method 802 may include spacing, on a logarithmic scale, the varying TW more closely for lower values than for higher values.

Numerous other modifications, equivalents, and alternatives, will become apparent to those skilled in the art once the above disclosure is fully appreciated. It is intended that the following claims be interpreted to embrace all such modifications, equivalents, and alternatives where applicable.

CLAIMS

What is claimed is:

1. A nuclear magnetic resonance (NMR) method that comprises:
 - providing a hybrid pulse sequence having a saturation pulse, an inversion pulse, and a
5 detection sequence;
 - measuring echo signals in response to the hybrid pulse sequence; and
 - deriving a spin-lattice time constant (T_1) distribution from the measured echo signals.
2. The NMR method of claim 1, further comprising displaying a representation of the T_1 distribution.
- 10 3. The NMR method of claim 1, wherein the hybrid pulse sequence comprises multiple saturation pulses.
4. The NMR method of claim 1, wherein the detection sequence comprises a free-induction decay (FID) pulse.
5. The NMR method of claim 1, wherein the detection sequence comprises a spin-echo sequence,
15 a Carr-Purcell sequence, a Carr-Purcell-Meiboom-Gill (CPMG) sequence, or a sequence with different phase cycling schemes.
6. The NMR method according to any one of claims 1 to 5, further comprising selecting a time interval between the saturation pulse and the inversion pulse.
7. The NMR method according to any one of claims 1 to 5, further comprising adjusting a time
20 interval between the saturation pulse and the inversion pulse from a first value to a second value that is different than the first value.
8. The NMR method according to any one of claims 1 to 5, wherein said providing a hybrid pulse sequence is performed by a downhole NMR logging tool or logging-while-drilling (LWD) NMR tool.
- 25 9. The NMR method according to any one of claims 1 to 5, wherein said providing a hybrid pulse sequence is performed by a laboratory NMR tool.

10. A nuclear magnetic resonance (NMR) system, comprising:

a hybrid pulse sequence module to provide a hybrid pulse sequence with a saturation pulse, an inversion pulse, and a detection sequence; and

5 a control module to select a time interval between the saturation pulse and the inversion pulse.

11. The NMR system of claim 10, wherein the hybrid pulse sequence module and the control module correspond to software modules stored in computer-readable memory and executable by a processor.

12. The NMR system of claim 10, wherein the hybrid pulse sequence module and the control
10 module correspond to hardware modules.

13. The NMR system of claim 10, wherein the control module selects the time interval based on input from a user.

14. The NMR system according to any one of claims 10 to 13, further comprising:

a static magnetic field source;

15 a pulsed magnetic field source; and

a measurement storage unit to store spin-lattice time constant (T_1) distribution measurements based on the hybrid pulse sequence.

15. The NMR system according to any one of claims 10 to 13, wherein the NMR system is part of a downhole logging tool or logging-while-drilling (LWD) tool.

20 16. The NMR system according to any one of claims 10 to 13, wherein the NMR system is part of a laboratory tool.

17. A nuclear magnetic resonance (NMR) data acquisition method that comprises:

exposing a measurement region to a static field;

repeatedly applying a pulse sequence to the region, the sequence including, in order: a

25 a saturation pulse, an inversion pulse, a 90° pulse, and optionally one or more 180° pulses to induce echo signals;

collecting measurements of a free-induction decay signal caused by the 90° pulse or measurements of the echo signals;

deriving a measurement of a spin-lattice time constant (T_1) distribution from said measurements; and

5 displaying to a user a representation of the T_1 distribution.

18. The method of claim 17, wherein a time interval (TI) between the inversion pulse and the 90° pulse varies between repeated applications of the pulse sequence.

19. The method of claim 18, wherein TI values are equally spaced on a logarithmic scale.

20. The method of claim 18, wherein, on a logarithmic scale, the TI values are more closely
10 spaced for lower values than for higher values.




FIG. 1




FIG. 2










FIG. 3









Carbonate, HSIR



Heavy oil, HSIR



Shale, HSIR






FIG. 6




FIG. 7A




FIG. 7B




FIG. 8A




FIG. 8B




FIG. 9




FIG. 10





FIG. 12



14/14




FIG. 13




FIG. 14

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US2013/041337

A. CLASSIFICATION OF SUBJECT MATTER

IPC(8) - G01R 33/44 (2013.01)

USPC - 324/303

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC(8) - E21B 47/12; G01R 33/44, 33/50; G01V 3/00, 3/14, 3/32 (2013.01)

USPC - 324/303, 307, 309; 702/6, 11

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

CPC - G01N 24/081; G01R 33/50, 33/5615, 33/5617; G01V 3/32 (2013.01)

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

PatBase, Google Patents, Google Scholar

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X -- Y	US 2010/0134104 A1 (SONG et al) 03 June 2010 (03.06.2010) entire document	1,2,4-6,8 ----- 3,7,9,15,17-20
X -- Y	US 2011/0074417 A1 (KITANE et al) 31 March 2011 (31.03.2011) entire document	10-14,16 ----- 3,7,9,15
Y	US 2004/0027122 A1 (HEATON et al) 12 February 2004 (12.02.2004) entire document	17-20
A	US 2004/0041562 A1 (SPEIER) 04 March 2004 (04.03.2004) entire document	1-20

Further documents are listed in the continuation of Box C.

* Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier application or patent but published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search 20 September 2013	Date of mailing of the international search report 02 OCT 2013
--	--

Name and mailing address of the ISA/US Mail Stop PCT, Attn: ISA/US, Commissioner for Patents P.O. Box 1450, Alexandria, Virginia 22313-1450 Facsimile No. 571-273-3201	Authorized officer: Blaine R. Copenheaver PCT Helpdesk: 571-272-4300 PCT OSP: 571-272-7774
---	---