

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
12 April 2001 (12.04.2001)


PCT

(10) International Publication Number
WO 01/26059 A1

- (51) International Patent Classification⁷: G06T 17/50, 15/10
- (74) Agents: WELDON, Michael, J. et al.; John A. O'Brien & Associates, 3rd floor, Duncairn House, 14 Carysfort Avenue, Blackrock, County Dublin (IE).
- (21) International Application Number: PCT/IE00/00118
- (22) International Filing Date: 3 October 2000 (03.10.2000)
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DE (utility model), DK, DK (utility model), DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 990827 4 October 1999 (04.10.1999) IE
- (71) Applicant (*for all designated States except US*): DIGITECH RESEARCH [IE/IE]; Unit 11, The Stables Office Park, Coast Road, Portmarnock, County Dublin (IE).
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): ROCHE, Sean [IE/IE]; 18 Seabury Heights, Malahide, County Dublin (IE). O'NEILL, Kenneth [IE/IE]; 40 Ayrfield Avenue, Dublin 13 (IE). SHACKLETON, Christopher [IE/IE]; 16 The Warren, Malahide, County Dublin (IE).
- Published:
— With international search report.

[Continued on next page]

(54) Title: PRODUCTION OF AN ANIMATED DIGITAL ELEVATION MODEL



(57) Abstract: A process for producing a survey animated digital model for visualisation of such things as planning developments. Vector data is extracted from merged digital images (13). Attribute data is assigned to items such as trees or hedges. Ground level data attributes are made and a digital terrain model is developed (17) using point and breakline data. The model is completed by micro relief enhancement (19) and integration of digital terrain model data, orthophoto data, and the micro relief enhancement feature data.



WO 01/26059 A1



— *Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

PRODUCTION OF AN ANIMATED DIGITAL ELEVATION MODEL

The invention relates to production of a survey animated digital model.

5 Heretofore, the traditional approach for providing information about proposed developments such as those in planning applications has been to provide detailed drawings with "artist impressions" provided to help illustrate the proposal and bring it life. Such information is generally useful for professionals in the surveying and architectural fields. However, where a proposal needs to be brought to a wider audience such as in a consultation process for planning, the traditional approaches are very limiting. This is particularly the case where the proposal is quite substantial, such as a new road or golf course development. It is also the case that sketches and drawings are insufficient for providing information about developments to an audience such as potential members of a golf club or potential holiday-makers to a particular area.

15 It is therefore an object of the invention to provide a process for producing a survey animated model which may be used for visualisation of topography.

20 According to the invention, there is provided a process for producing a survey animated digital model comprising the steps of:-

generating a stereo model of a survey area;

25 generating an enhanced 3D map by assigning attributes to features;

generating a digital terrain model by assigning levels to ground points and generating a mesh of triangles interconnecting the ground level points;

- 2 -

generating an orthophoto by performing planometric rectification to eliminate radial bias distortion and perspective error;

5 performing micro relief enhancement of the enhanced 3D map by assigning library symbols and growth profiles to items of vegetation and forming multiple structural blocks for buildings;

10 translating the digital terrain model data into individual triangular faces consistent with the terrain surface, applying the orthophoto data in its correct geo-spatial location as a vertical and planar image map over the terrain surface, and integrating the enhanced micro relief to provide a digital model; and

15 exporting the digital model to a rendering application to provide a survey animated digital model.

In one embodiment, the step of generating the enhanced 3D map comprises the sub-steps of assigning growth patterns to vegetation.

20 Preferably, the step of generating the digital terrain model comprises the sub-step of generating breakline information assigned to linear ground features such as road edges.

25 Preferably, the orthophoto is projected into a Cartesian form.

In another embodiment, the micro relief enhancement step comprises the sub-step of extracting mapping routines of the enhanced 3D map into a fixed format and generating a unique key code and a descriptor comprising parameter values and co-ordinates associated with each feature.

30

Preferably, the descriptor comprises height data extracted from the digital terrain model.

5 In another embodiment, vegetation growth projection data comprises vertical and linear growth data.

Preferably, the digital terrain model translation step comprises the sub-step of applying height level smoothing to the model to ensure a smooth macro relief ground profile.

10

According to another aspect, the invention provides a survey animated digital model whenever produced by a process as described above.

15 The invention will be more clearly understood from the following description of some embodiments thereof, given by way of example only with reference to the accompanying drawings in which:-

Figs. 1(a) and 1(b) are together a flow diagram illustrating a process of the invention for generating a survey animated digital model;

20

Fig. 2 is a sample photograph;

Fig. 3 is a map for the corresponding area to illustrate linear features;

25

Fig. 4 is a representation of an enhanced 3D map;

Fig. 5 is a scene from a digital model corresponding to the map segment of Fig. 4;

Fig. 6 is a representation of a digital terrain map mesh with linear breaklines at ground level;

5 Fig. 7(a) shows a mapping symbol for a tree and Figs. 7(b) and 7(c) show digital model scenes for year 0 and year 10 respectively;

Fig. 8 shows mapping lines for linear hedges and Fig. 9 shows a corresponding scene of the digital model;

10 Fig 10 shows building outline features and Fig. 11 shows a corresponding scene from the digital model; and

Fig. 12 is a sample digital model scene incorporating poles and Fig 13 shows a symbol for a pole.

15

Referring to the drawings, there is shown a process 1 for producing a survey animated digital model. The process 1 comprises steps 10 to 21 inclusive and these steps are illustrated in Figs. 2 to 13.

20 In step 10, there is vertical stereoscopic photography in which aerial photographs with an overlap of typically 60% are taken with an aircraft flying in a series of overlapping strips. The photo images are scanned to digital format and are processed in a photogrammetric workstation in step 11. The images are merged in step 12. Polarised glasses enable a user to view two images as a single stereo model. These
25 images are un-scaled and easily identifiable points are co-ordinated on them. The skilled operator then visually extracts vector data in step 13. An example of a stereo model is shown in Fig. 2 and Fig. 3 shows traditional vector mapping.

In step 14 an enhanced 3D survey map is generated by assigning additional data to
30 items such as trees, hedges, buildings, poles, and artificial boundaries. A tree is

regarded as a discrete vegetation feature and a tree type is selected from a menu and spread and height data are assigned to it. Spread is computed by digitising a number of points around the tree canopy to enclose it. For a hedge, a general style and format is selected from a menu and this selection includes data regarding the style and general permeability of the hedge. The centre line and spread characteristics are digitised. For buildings, a structural form is selected such as flat, apex, or hip style roof and these forms are used to produce complex structures. For poles, again a type is selected from a menu such as "telegraph", "power", or "pylon". The orientation is then set. For artificial boundaries, a type such as wall or fence is selected and a sub-type is then selected such as brick, concrete, or barbed wire. The upper levels of the features are digitised as a 3D polyline entity.

The final map, as shown in Fig. 4 is a 3D enhanced survey containing attribute data for extracting 3D model entities into a realistic and co-ordinated model space. This data is very important in later stages of the process for generating the digital model and a scene of a model is shown in Fig. 5. This scene is representative of the map segment shown in Fig. 4.

In step 15 a set of points is defined and an operator assigns a level to each of these points. These are representative of the ground level. In addition, in step 16 linear features on the ground, such as road edges, are used to generate breakline information. This produces an excellent mathematical representation of the ground surface. In step 17, when all of the points have been captured, the workstation automatically creates multiple triangles which lie between all of the captured points. The triangles do not cross the breaklines, thus better describing linear ground features. This produces a 3D mesh of triangles, as shown in Fig. 6.

In step 18, ortho-rectification takes place in which individual images are correctly located in 3D space. This takes into account the geo-referenced centre of the photographs and the rotation parameters which correspond to the aircraft's exact

rotation along all three axes at the moment the image was taken. The referenced image is then projected into a Cartesian form with attention paid to the ground profile, known camera errors, or distortions. The resulting sub-images are true-to-scale photomaps, and using a complex set of image-matching and biasing tools the sub-images are blended to form a single project-wide orthorectified photomap.

In step 19 there is micro relief enhancement feature extraction using the enhanced 3D map generated in step 14. Data from this map is extracted into a fixed format ASCII CARD file format. This file format is based on a unique key code to describe the feature type followed by a number of parameters and co-ordinates to act as descriptors. The entire mapping file is read and, dependant on the feature codes and associated attributes different sub-routines are executed. This is carried out as follows.

15 Tree-Discrete vegetation feature

- Assign a 3D library symbol 41 to the feature extract from the DTM, as shown in Fig. 7(a)
- Assign spread and height above ground. Heights are extracted from the existing Digital Terrain model. Spread is computed by digitising a number of points around the tree canopy to enclose it.
- Assign age to trees – nominal for existing or actual for new of proposed planting.
- Assign growth formula to trees (a parametric equation) which describes the following characteristics: height, height/depth ratio, permeability. Fig. 7(b) shows an image 42 for year 0 and Fig. 7(c) an image 43 for year 10.

30

- 7 -

- For deciduous tree types, enable seasonal changes in the defined imagery and opaque maps, to allow for changes on foliage colours and for loss of foliage in winter.
- 5
- For new tree plantings, allow also for statistical loss and propagation effects.

Hedge Linear vegetation features

10

- Create vertical projections of the spread canopy down to ground level. Build sub-TINS of individual hedgegrows. This incorporates the ground projected canopy lines and centre line to create thirty forms of the hedgegrows which correctly follow the horizontal, vertical, and spread characteristics. Mapping lines 50 are shown in Fig. 8 and a sample image in Fig. 9.
- 15
- Apply image mapping and permeability characteristics to the hedge, dependant on the parameters passed by the photogrammetric operator and the length of the various features.
- 20
- Assign growth formula to hedgegrows, which describes height and permeability.

25

Building Structure

- Form multiple structural blocks from the basic structural forms. Outlines 60 are shown in Fig. 10 and an extracted model 61 is shown in Fig. 11.

30

- Extract roof colour from the geo-referenced photo images.

Poles

- 5 • Generate 3D blocks based on the pole type selected for the feature
- For direction-specific features rotate in accordance with the mapping data
- Pylons are created by a specific technique, and are grown fractally based on
10 their height and spread. This fractal growth enables structures to maintain a consistent form, which does not lose realism as it increases in height and size.
- Lighting entities will have built-in lighting routines based on the light
15 type/sources selected at mapping time all lighting controls will be associated to enable global changes to be effected with ease. This will allow lighting layouts and designs to be evaluated.
- An image 70 with poles is shown in Fig. 12, and a pole symbol 71 is shown
20 in Fig. 13.

Artificial Boundaries

- 25 • Convert the feature into a 3D polyline.
- Extrude feature so that it intersects with the digital terrain model.
- Assign mapping materials to the now 3D surface based on its length and
30 feature type/sub-type. Opacity mapping also to be applied to fencing (post

and rail, barb wire, wooden cross) dependant on the type assigned at the map data collection stage.

5 Finally, in step 20 DTM data is translated into individual triangular faces consistent with the terrain surface and a high-level smoothing is applied to ensure a clean and smooth macro relief ground profile. The ortho imagery is applied in its correct geo-spatial location and placed as a vertical and planar image map over the new surface. This creates an effective background basis for an animated model.

10 The micro relief generated in step 19 is then integrated into the completed model to provide a single realistic visualisation of the environment. This visualisation is essentially 4-dimensional as changes in time and season are included.

15 The data is exported in step 21 to a rendering application for processing into ray traced single or multiple (animated) images.

This provides a survey animated digital model which may be used for visualisation of a landscape as a graphical and interactive aid for such things as concept and project development.

20

The invention is not limited to the embodiments described but may be varied in construction and detail within the scope of the claims.

Claims

1. A process for producing a survey animated digital model comprising the steps of:-

5

generating (12) a stereo model of a survey area;

generating (14) an enhanced 3D map by assigning attributes to features;

10

generating (15-17) a digital terrain model by assigning levels to ground points and generating a mesh (40) of triangles interconnecting the ground level points;

15

generating (18) an orthophoto by performing planometric rectification to eliminate radial bias distortion and perspective error;

performing micro relief enhancement (19) of the enhanced 3D map by assigning library symbols (50,60,71) and growth profiles to items of vegetation and forming multiple structural blocks for buildings;

20

translating the digital terrain model data into individual triangular faces consistent with the terrain surface, applying the orthophoto data in its correct geo-spatial location as a vertical and planar image map over the terrain surface, and integrating (20) the enhanced micro relief to provide a digital model; and

25

exporting (20) the digital model to a rendering application to provide a survey animated digital model.

2. A process as claimed in claim 1, wherein the step of generating the enhanced 3D map (14) comprises the sub-steps of assigning growth patterns to vegetation.
- 5 3. A process as claimed in claims 1 or 2, wherein the step of generating the digital terrain model comprises the sub-step of generating (16) breakline information assigned to linear ground features such as road edges.
4. A process as claimed in any preceding claim, wherein the orthophoto is
10 projected (18) into a Cartesian form.
5. A process as claimed in any preceding claim, wherein the micro relief enhancement step (19) comprises the sub-step of extracting mapping routines of the enhanced 3D map into a fixed format and generating a unique key code and a descriptor comprising parameter values and co-ordinates associated
15 with each feature.
6. A process as claimed in claim 6, wherein the descriptor comprises height data extracted from the digital terrain model.
20
7. A process as claimed in claims 6 or 7, wherein vegetation growth projection data comprises vertical and linear growth data.
8. A process as claimed in any preceding claim, wherein the digital terrain
25 model translation step comprises the sub-step of applying height level smoothing to the model to ensure a smooth macro relief ground profile.
9. A process substantially as described with reference to the drawings.

10. A survey animated digital model whenever produced by a process as claimed in any preceding claim.




Fig. 1(a)




Fig. 1(b)



Fig.2

31




Fig.3



Fig. 4

33




Fig. 5




Fig. 6




Fig. 7(a)

42




Fig. 7(b)

43



Fig. 7(c)




Fig. 9




Fig. 8




Fig. 10




Fig. 11




Fig. 13

70




Fig. 12

INTERNATIONAL SEARCH REPORT

International Application No

PCT/IE 00/00118

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 G06T17/50 G06T15/10

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06T H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, INSPEC, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DE 44 19 359 A (KIRCHNER WOLFRAM DIPL ING) 7 December 1995 (1995-12-07) abstract; claims 1,2; figures 1,3 column 4, line 12 -column 5, line 45	1-4,6,7, 9,10
Y	----	5,8
Y	US 5 187 754 A (ABDEL-MALEK AIMAN A ET AL) 16 February 1993 (1993-02-16) claims 1,11,13; figures 1-4,9,10 column 18, line 5 - line 42	5,8
X	US 5 381 338 A (WYSOCKI DAVID A ET AL) 10 January 1995 (1995-01-10) abstract; claims 6,21,22; figures 1,2B. column 4, line 4 - line 42 column 10, line 9 - line 59	1,10

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

° Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

8 February 2001

Date of mailing of the international search report

15/02/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Diallo, B

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IE 00/00118

Patent document cited in search report	A	Publication date	Patent family member(s)	Publication date
DE 4419359	A	07-12-1995	AT 197736 T	15-12-2000
			AU 3858795 A	04-01-1996
			CA 2191954 A	14-12-1995
			CN 1149916 A	14-05-1997
			CZ 9603416 A	12-03-1997
			DE 9422110 U	19-03-1998
			WO 9533973 A	14-12-1995
			DE 59508871 D	28-12-2000
			EP 0763185 A	19-03-1997
			ES 2099055 T	16-05-1997
			GR 97300018 T	30-06-1997
			HU 76229 A	28-07-1997
			LT 96166 A,B	25-07-1997
			LV 11712 A	20-02-1997
			LV 11712 B	20-06-1997
			PL 317417 A	14-04-1997
<hr style="border-top: 1px dashed black;"/>				
US 5187754	A	16-02-1993	IL 101576 A	31-10-1995
			JP 5143713 A	11-06-1993
<hr style="border-top: 1px dashed black;"/>				
US 5381338	A	10-01-1995	AU 2261292 A	25-01-1993
			CA 2112101 A,C	07-01-1993
			WO 9300647 A	07-01-1993
<hr style="border-top: 1px dashed black;"/>				