



US012250875B2

(12) **United States Patent**  
**Chen et al.**

(10) **Patent No.:** **US 12,250,875 B2**

(45) **Date of Patent:** **\*Mar. 11, 2025**

(54) **ORGANIC ELECTROLUMINESCENT MATERIALS AND DEVICES**

(71) Applicant: **Universal Display Corporation**,  
Ewing, NJ (US)

(72) Inventors: **Hsiao-Fan Chen**, Lawrence Township,  
NJ (US); **George Fitzgerald**,  
Lambertville, NJ (US); **Tyler Fleetham**,  
Newtown, PA (US); **Peter Wolohan**,  
Princeton Junction, NJ (US); **Joseph A.**  
**Macor**, Morrisville, PA (US); **Morgan**  
**C. Macinnis**, Yardley, PA (US);  
**Wystan Neil Palmer**, Princeton, NJ  
(US); **Geza Szigethy**, Newtown, PA  
(US); **Noah Horwitz**, Ewing, NJ (US)

(73) Assignee: **UNIVERSAL DISPLAY**  
**CORPORATION**, Ewing, NJ (US)

(\* ) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days.

This patent is subject to a terminal dis-  
claimer.

(21) Appl. No.: **18/504,375**

(22) Filed: **Nov. 8, 2023**

(65) **Prior Publication Data**

US 2024/0122061 A1 Apr. 11, 2024

**Related U.S. Application Data**

(63) Continuation of application No. 16/983,572, filed on  
Aug. 3, 2020, now Pat. No. 11,930,699.

(Continued)

(51) **Int. Cl.**  
**C07F 15/00** (2006.01)  
**C07F 5/02** (2006.01)

(Continued)

(52) **U.S. Cl.**  
CPC ..... **H10K 85/346** (2023.02); **C07F 15/0033**  
(2013.01); **C07F 15/0086** (2013.01);  
(Continued)

(58) **Field of Classification Search**  
CPC ... H10K 85/346; H10K 85/40; H10K 85/615;  
H10K 85/654; H10K 85/6572;  
(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,769,292 A 9/1988 Tang et al.  
5,061,569 A 10/1991 VanSlyke et al.  
(Continued)

**FOREIGN PATENT DOCUMENTS**

EP 0650955 5/1995  
EP 1725079 11/2006  
(Continued)

**OTHER PUBLICATIONS**

Adachi, Chihaya et al., "Organic Electroluminescent Device Having  
a Hole Conductor as an Emitting Layer," Appl. Phys. Lett., 55(15):  
1489-1491 (1989).

(Continued)


*Primary Examiner* — Jennifer A Boyd  
*Assistant Examiner* — Rachel Simbana


(74) *Attorney, Agent, or Firm* — DUANE MORRIS LLP

(57) **ABSTRACT**

Provided are compounds comprising a ligand  $L_A$  of Formula  
I

(Continued)





where the ligand L<sub>A</sub> is coordinated to Ir.

20 Claims, 2 Drawing Sheets

Related U.S. Application Data

- (60) Provisional application No. 62/887,200, filed on Aug. 15, 2019.
- (51) **Int. Cl.**
  - C07F 19/00** (2006.01)
  - C09K 11/06** (2006.01)
  - C09K 11/08** (2006.01)
  - C09K 11/87** (2006.01)
  - H10K 50/11** (2023.01)
  - H10K 50/12** (2023.01)
  - H10K 50/13** (2023.01)
  - H10K 71/00** (2023.01)
  - H10K 85/30** (2023.01)
  - H10K 85/40** (2023.01)
  - H10K 85/60** (2023.01)
  - H10K 101/10** (2023.01)
- (52) **U.S. Cl.**
  - CPC ..... **C07F 19/00** (2013.01); **C09K 11/06** (2013.01); **C09K 11/87** (2013.01); **H10K 85/40** (2023.02); **H10K 85/615** (2023.02); **H10K 85/654** (2023.02); **H10K 85/6572** (2023.02); **H10K 85/6574** (2023.02); **C09K 2211/1007** (2013.01); **C09K 2211/1029** (2013.01); **C09K 2211/1044** (2013.01); **C09K 2211/185** (2013.01)
- (58) **Field of Classification Search**
  - CPC ..... H10K 85/6574; C07F 15/0033; C07F 15/0086; C07F 19/00; C09K 11/06; C09K 11/87

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,247,190	A	9/1993	Friend et al.
5,703,436	A	12/1997	Forrest et al.
5,707,745	A	1/1998	Forrest et al.
5,834,893	A	11/1998	Bulovic et al.
5,844,363	A	12/1998	Gu et al.
6,013,982	A	1/2000	Thompson et al.
6,087,196	A	7/2000	Sturm et al.
6,091,195	A	7/2000	Forrest et al.
6,097,147	A	8/2000	Baldo et al.
6,294,398	B1	9/2001	Kim et al.
6,303,238	B1	10/2001	Thompson et al.
6,337,102	B1	1/2002	Forrest et al.

6,468,819	B1	10/2002	Kim et al.
6,528,187	B1	3/2003	Okada
6,687,266	B1	2/2004	Ma et al.
6,835,469	B2	12/2004	Kwong et al.
6,921,915	B2	7/2005	Takiguchi et al.
7,087,321	B2	8/2006	Kwong et al.
7,090,928	B2	8/2006	Thompson et al.
7,154,114	B2	12/2006	Brooks et al.
7,250,226	B2	7/2007	Tokito et al.
7,279,704	B2	10/2007	Walters et al.
7,332,232	B2	2/2008	Ma et al.
7,338,722	B2	3/2008	Thompson et al.
7,393,599	B2	7/2008	Thompson et al.
7,396,598	B2	7/2008	Takeuchi et al.
7,431,968	B1	10/2008	Shtein et al.
7,445,855	B2	11/2008	Mackenzie et al.
7,534,505	B2	5/2009	Lin et al.
2002/0034656	A1	3/2002	Thompson et al.
2002/0134984	A1	9/2002	Igarashi
2002/0158242	A1	10/2002	Son et al.
2003/0138657	A1	7/2003	Li et al.
2003/0152802	A1	8/2003	Tsuboyama et al.
2003/0162053	A1	8/2003	Marks et al.
2003/0175553	A1	9/2003	Thompson et al.
2003/0230980	A1	12/2003	Forrest et al.
2004/0036077	A1	2/2004	Ise
2004/0137267	A1	7/2004	Igarashi et al.
2004/0137268	A1	7/2004	Igarashi et al.
2004/0174116	A1	9/2004	Lu et al.
2005/0025993	A1	2/2005	Thompson et al.
2005/0112407	A1	5/2005	Ogasawara et al.
2005/0238919	A1	10/2005	Ogasawara
2005/0244673	A1	11/2005	Satoh et al.
2005/0260441	A1	11/2005	Thompson et al.
2005/0260449	A1	11/2005	Walters et al.
2006/0008670	A1	1/2006	Lin et al.
2006/0202194	A1	9/2006	Jeong et al.
2006/0240279	A1	10/2006	Adamovich et al.
2006/0251923	A1	11/2006	Lin et al.
2006/0263635	A1	11/2006	Ise
2006/0280965	A1	12/2006	Kwong et al.
2007/0190359	A1	8/2007	Knowles et al.
2007/0278938	A1	12/2007	Yabunouchi et al.
2008/0015355	A1	1/2008	Schafer et al.
2008/0018221	A1	1/2008	Egen et al.
2008/0106190	A1	5/2008	Yabunouchi et al.
2008/0124572	A1	5/2008	Mizuki et al.
2008/0220265	A1	9/2008	Xia et al.
2008/0297033	A1	12/2008	Knowles et al.
2009/0008605	A1	1/2009	Kawamura et al.
2009/0009065	A1	1/2009	Nishimura et al.
2009/0017330	A1	1/2009	Iwakuma et al.
2009/0030202	A1	1/2009	Iwakuma et al.
2009/0039776	A1	2/2009	Yamada et al.
2009/0045730	A1	2/2009	Nishimura et al.
2009/0045731	A1	2/2009	Nishimura et al.
2009/0101870	A1	4/2009	Prakash et al.
2009/0108737	A1	4/2009	Kwong et al.
2009/0115316	A1	5/2009	Zheng et al.
2009/0165846	A1	7/2009	Johannes et al.
2009/0167162	A1	7/2009	Lin et al.
2009/0179554	A1	7/2009	Kuma et al.
2012/0004407	A1*	1/2012	Stoessel ..... C07F 15/004 548/108
2016/0233424	A1*	8/2016	Kwong ..... H10K 85/361
2016/0351811	A1	12/2016	Lam et al.
2016/0351812	A1	12/2016	Lam et al.
2017/0352809	A1	12/2017	Lee et al.

FOREIGN PATENT DOCUMENTS

EP	2034538	3/2009
JP	200511610	1/2005
JP	2007123392	5/2007
JP	2007254297	10/2007
JP	2008074939	4/2008
WO	01/39234	5/2001
WO	02/02714	1/2002
WO	02015654	2/2002

(56)

## References Cited

## FOREIGN PATENT DOCUMENTS

WO	03040257	5/2003
WO	03060956	7/2003
WO	2004093207	10/2004
WO	2004107822	12/2004
WO	2005014551	2/2005
WO	2005019373	3/2005
WO	2005030900	4/2005
WO	2005089025	9/2005
WO	2005123873	12/2005
WO	2006009024	1/2006
WO	2006056418	6/2006
WO	2006072002	7/2006
WO	2006082742	8/2006
WO	2006098120	9/2006
WO	2006100298	9/2006
WO	2006103874	10/2006
WO	2006114966	11/2006
WO	2006132173	12/2006
WO	2007002683	1/2007
WO	2007004380	1/2007
WO	2007063754	6/2007
WO	2007063796	6/2007
WO	2008056746	5/2008
WO	2008101842	8/2008
WO	2008132085	11/2008
WO	2009000673	12/2008
WO	2009003898	1/2009
WO	2009008311	1/2009
WO	2009018009	2/2009
WO	2009021126	2/2009
WO	2009050290	4/2009
WO	2009062578	5/2009
WO	2009063833	5/2009
WO	2009066778	5/2009
WO	2009066779	5/2009
WO	2009086028	7/2009
WO	2009100991	8/2009
WO	2014006913	1/2014

## OTHER PUBLICATIONS

Adachi, Chihaya et al., "Nearly 100% Internal Phosphorescence Efficiency in an Organic Light Emitting Device," *J. Appl. Phys.*, 90(10): 5048-5051 (2001).

Adachi, Chihaya et al., "High-Efficiency Red Electrophosphorescence Devices," *Appl. Phys. Lett.*, 78(11):1622-1624 (2001).

Aonuma, Masaki et al., "Material Design of Hole Transport Materials Capable of Thick-Film Formation in Organic Light Emitting Diodes," *Appl. Phys. Lett.*, 90, Apr. 30, 2007, 183503-1-183503-3.

Baldo et al., "Highly Efficient Phosphorescent Emission from Organic Electroluminescent Devices," *Nature*, vol. 395, 151-154, (1998).

Baldo et al., "Very high-efficiency green organic light-emitting devices based on electrophosphorescence," *Appl. Phys. Lett.*, vol. 75, No. 1, 4-6 (1999).

Gao, Zhiqiang et al., "Bright-Blue Electroluminescence From a Silyl-Substituted ter-(phenylene-vinylene) derivative," *Appl. Phys. Lett.*, 74(6): 865-867 (1999).

Guo, Tzung-Fang et al., "Highly Efficient Electrophosphorescent Polymer Light-Emitting Devices," *Organic Electronics*, 1: 15-20 (2000).

Hamada, Yuji et al., "High Luminance in Organic Electroluminescent Devices with Bis(10-hydroxybenzo[h]quinolinato) beryllium as an Emitter," *Chem. Lett.*, 905-906 (1993).

Holmes, R.J. et al., "Blue Organic Electrophosphorescence Using Exothermic Host-Guest Energy Transfer," *Appl. Phys. Lett.*, 82(15):2422-2424 (2003).

Hu, Nan-Xing et al., "Novel High Tg Hole-Transport Molecules Based on Indolo[3,2-b]carbazoles for Organic Light-Emitting Devices," *Synthetic Metals*, 111-112:421-424 (2000).

Huang, Jinsong et al., "Highly Efficient Red-Emission Polymer Phosphorescent Light-Emitting Diodes Based on Two Novel Tris(1-phenylisoquinolinato-C2,N)iridium(III) Derivatives," *Adv. Mater.*, 19:739-743 (2007).

Huang, Wei-Sheng et al., "Highly Phosphorescent Bis-Cyclometalated Iridium Complexes Containing Benzoimidazole-Based Ligands," *Chem. Mater.*, 16(12):2480-2488 (2004).

Hung, L.S. et al., "Anode Modification in Organic Light-Emitting Diodes by Low-Frequency Plasma Polymerization of CHF<sub>3</sub>," *Appl. Phys. Lett.*, 78(5):673-675 (2001).

Ikai, Masamichi et al., "Highly Efficient Phosphorescence From Organic Light-Emitting Devices with an Exciton-Block Layer," *Appl. Phys. Lett.*, 79(2):156-158 (2001).

Ikeda, Hisao et al., "P-185 Low-Drive-Voltage OLEDs with a Buffer Layer Having Molybdenum Oxide," *SID Symposium Digest*, 37:923-926 (2006).

Inada, Hiroshi and Shirota, Yasuhiko, "1,3,5-Tris[4-(diphenylamino)phenyl]benzene and its Methylsubstituted Derivatives as a Novel Class of Amorphous Molecular Materials," *J. Mater. Chem.*, 3(3):319-320 (1993).

Kanno, Hiroshi et al., "Highly Efficient and Stable Red Phosphorescent Organic Light-Emitting Device Using bis[2-(2-benzothiazoyl)phenolato]zinc(II) as host material," *Appl. Phys. Lett.*, 90:123509-1-123509-3 (2007).

Kido, Junji et al., "1,2,4-Triazole Derivative as an Electron Transport Layer in Organic Electroluminescent Devices," *Jpn. J. Appl. Phys.*, 32:L917-L920 (1993).

Kuwabara, Yoshiyuki et al., "Thermally Stable Multilayered Organic Electroluminescent Devices Using Novel Starburst Molecules, 4,4',4'-Tri(N-carbazolyl)triphenylamine (TCTA) and 4,4',4'-Tris(3-methylphenylphenyl-amino)triphenylamine (m-MTDATA), as Hole-Transport Materials," *Adv. Mater.*, 6(9):677-679 (1994).

Kwong, Raymond C. et al., "High Operational Stability of Electrophosphorescent Devices," *Appl. Phys. Lett.*, 81(1) 162-164 (2002).

Lamansky, Sergey et al., "Synthesis and Characterization of Phosphorescent Cyclometalated Iridium Complexes," *Inorg. Chem.*, 40(7):1704-1711 (2001).

Lee, Chang-Lyoul et al., "Polymer Phosphorescent Light-Emitting Devices Doped with Tris(2-phenylpyridine) Iridium as a Triplet Emitter," *Appl. Phys. Lett.*, 77(15):2280-2282 (2000).

Lo, Shih-Chun et al., "Blue Phosphorescence from Iridium(III) Complexes at Room Temperature," *Chem. Mater.*, 18(21):5119-5129 (2006).

Ma, Yuguang et al., "Triplet Luminescent Dinuclear-Gold(I) Complex-Based Light-Emitting Diodes with Low Turn-On Voltage," *Appl. Phys. Lett.*, 74(10):1361-1363 (1999).

Mi, Bao-Xiu et al., "Thermally Stable Hole-Transporting Material for Organic Light-Emitting Diode an Isoindole Derivative," *Chem. Mater.*, 15(16):3148-3151 (2003).

Nishida, Jun-ichi et al., "Preparation, Characterization, and Electroluminescence Characteristics of  $\alpha$ -Diimine-type Platinum(II) Complexes with Perfluorinated Phenyl Groups as Ligands," *Chem. Lett.*, 34(4): 592-593 (2005).

Niu, Yu-Hua et al., "Highly Efficient Electrophosphorescent Devices with Saturated Red Emission from a Neutral Osmium Complex," *Chem. Mater.*, 17(13):3532-3536 (2005).

Noda, Tetsuya and Shirota, Yasuhiko, "5,5'-Bis(dimesitylboryl)-2,2'-bithiophene and 5,5'-Bis(dimesitylboryl)-2,2',5',2''-terthiophene as a Novel Family of Electron-Transporting Amorphous Molecular Materials," *J. Am. Chem. Soc.*, 120 (37):9714-9715 (1998).

Okumoto, Kenji et al., "Green Fluorescent Organic Light-Emitting Device with External Quantum Efficiency of Nearly 10%," *Appl. Phys. Lett.*, 89:063504-1-063504-3 (2006).

Palilis, Leonidas C., "High Efficiency Molecular Organic Light-Emitting Diodes Based On Silole Derivatives And Their Exciplexes," *Organic Electronics*, 4:113-121 (2003).

Paulose, Betty Marie Jennifer S. et al., "First Examples of Alkenyl Pyridines as Organic Ligands for Phosphorescent Iridium Complexes," *Adv. Mater.*, 16(22):2003-2007 (2004).

Ranjan, Sudhir et al., "Realizing Green Phosphorescent Light-Emitting Materials from Rhenium(I) Pyrazolato Diimine Complexes," *Inorg. Chem.*, 42(4):1248-1255 (2003).

Sakamoto, Youichi et al., "Synthesis, Characterization, and Electron-Transport Property of Perfluorinated Phenylene Dendrimers," *J. Am. Chem. Soc.*, 122(8):1832-1833 (2000).

(56)

**References Cited**

## OTHER PUBLICATIONS

Salbeck, J. et al., "Low Molecular Organic Glasses for Blue Electroluminescence," *Synthetic Metals*, 91: 209-215 (1997).

Shirota, Yasuhiko et al., "Starburst Molecules Based on pi-Electron Systems as Materials for Organic Electroluminescent Devices," *Journal of Luminescence*, 72-74:985-991 (1997).

Sotoyama, Wataru et al., "Efficient Organic Light-Emitting Diodes with Phosphorescent Platinum Complexes Containing N\C/N-Coordinating Tridentate Ligand," *Appl. Phys. Lett.*, 86:153505-1-153505-3 (2005).

Sun, Yiru and Forrest, Stephen R., "High-Efficiency White Organic Light Emitting Devices with Three Separate Phosphorescent Emission Layers," *Appl. Phys. Lett.*, 91:263503-1-263503-3 (2007).

T. Östergård et al., "Langmuir-Blodgett Light-Emitting Diodes Of Poly(3-Hexylthiophene) Electro-Optical Characteristics Related to Structure," *Synthetic Metals*, 88:171-177 (1997).

Takizawa, Shin-ya et al., "Phosphorescent Iridium Complexes Based on 2-Phenylimidazo[1,2- $\alpha$ ]pyridine Ligands Tuning of Emission

Color toward the Blue Region and Application to Polymer Light-Emitting Devices," *Inorg. Chem.*, 46(10):4308-4319 (2007).

Tang, C.W. and VanSlyke, S.A., "Organic Electroluminescent Diodes," *Appl. Phys. Lett.*, 51(12):913-915 (1987).

Tung, Yung-Liang et al., "Organic Light-Emitting Diodes Based on Charge-Neutral Ru II PHosphorescent Emitters," *Adv. Mater.*, 17(8):1059-1064 (2005).

Van Slyke, S. A. et al., "Organic Electroluminescent Devices with Improved Stability," *Appl. Phys. Lett.*, 69(15):2160-2162 (1996).

Wang, Y. et al., "Highly Efficient Electroluminescent Materials Based on Fluorinated Organometallic Iridium Compounds," *Appl. Phys. Lett.*, 79(4):449-451 (2001).

Wong, Keith Man-Chung et al., A Novel Class of Phosphorescent Gold(III) Alkynyl-Based Organic Light-Emitting Devices with Tunable Colour, *Chem. Commun.*, 2906-2908 (2005).

Wong, Wai-Yeung, "Multifunctional Iridium Complexes Based on Carbazole Modules as Highly Efficient Electrophosphors," *Angew. Chem. Int. Ed.*, 45:7800-7803 (2006).

\* cited by examiner




FIG. 1




FIG. 2

1

## ORGANIC ELECTROLUMINESCENT MATERIALS AND DEVICES

### CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of co-pending U.S. patent application Ser. No. 16/983,572, filed on Aug. 3, 2020, which claims priority under 35 U.S.C. § 119(e) to U.S. Provisional Application No. 62/887,200, filed on Aug. 15, 2019, the entire contents of which are incorporated herein by reference.

### FIELD

The present disclosure generally relates to organometallic compounds and formulations and their various uses including as emitters in devices such as organic light emitting diodes and related electronic devices.

### BACKGROUND

Opto-electronic devices that make use of organic materials are becoming increasingly desirable for various reasons. Many of the materials used to make such devices are relatively inexpensive, so organic opto-electronic devices have the potential for cost advantages over inorganic devices. In addition, the inherent properties of organic materials, such as their flexibility, may make them well suited for particular applications such as fabrication on a flexible substrate. Examples of organic opto-electronic devices include organic light emitting diodes/devices (OLEDs), organic phototransistors, organic photovoltaic cells, and organic photodetectors. For OLEDs, the organic materials may have performance advantages over conventional materials.

OLEDs make use of thin organic films that emit light when voltage is applied across the device. OLEDs are becoming an increasingly interesting technology for use in applications such as flat panel displays, illumination, and backlighting.


One application for phosphorescent emissive molecules is a full color display. Industry standards for such a display call for pixels adapted to emit particular colors, referred to as “saturated” colors. In particular, these standards call for saturated red, green, and blue pixels. Alternatively, the OLED can be designed to emit white light. In conventional liquid crystal displays emission from a white backlight is filtered using absorption filters to produce red, green and blue emission. The same technique can also be used with OLEDs. The white OLED can be either a single emissive layer (EML) device or a stack structure. Color may be measured using CIE coordinates, which are well known to the art.

### SUMMARY

Provided are organometallic complexes based on benzo-diazaborole that possess high triplet energies. These complexes are believed to be useful as deep blue-emitting phosphorescent emitters in OLEDs.

2

In one aspect, the present disclosure provides a compound comprising a ligand  $L_A$  of Formula I



wherein: A is a 5-membered or 6-membered carbocyclic or heterocyclic ring;  $Z^1$  and  $Z^2$  are each independently C or N;  $K^3$  and  $K^4$  are each independently a direct bond, O, or S;  $X^1$ ,  $X^2$ , and  $X^3$  are each independently C or N, at least one of  $X^1$ ,  $X^2$ , and  $X^3$  is C; X is O or  $NR^1$ ;  $R^A$  and  $R^B$  each represent zero, mono, or up to the maximum number of allowed substitutions to its associated ring; each R,  $R^1$ ,  $R^A$ , and  $R^B$  is independently a hydrogen or a substituent selected from the group consisting of the general substituents defined herein; and two adjacent groups can be joined or fused to form a ring wherever chemically feasible, wherein the ligand  $L_A$  is complexed to a metal M to form a chelate ring as indicated by the two dashed lines; wherein the metal M can be coordinated to other ligands; and wherein the ligand  $L_A$  can be linked with other ligands to form a tridentate, tetradentate, pentadentate, or hexadentate ligand.

In another aspect, the present disclosure provides a formulation of the compound of the present disclosure.

In yet another aspect, the present disclosure provides an OLED having an organic layer comprising the compound of the present disclosure.

In yet another aspect, the present disclosure provides a consumer product comprising an OLED with an organic layer comprising the compound of the present disclosure.

### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 shows an organic light emitting device.

FIG. 2 shows an inverted organic light emitting device that does not have a separate electron transport layer.

### DETAILED DESCRIPTION

#### A. Terminology

Unless otherwise specified, the below terms used herein are defined as follows:

As used herein, the term “organic” includes polymeric materials as well as small molecule organic materials that may be used to fabricate organic opto-electronic devices. “Small molecule” refers to any organic material that is not a polymer, and “small molecules” may actually be quite large. Small molecules may include repeat units in some circumstances. For example, using a long chain alkyl group as a substituent does not remove a molecule from the “small molecule” class. Small molecules may also be incorporated into polymers, for example as a pendent group on a polymer backbone or as a part of the backbone. Small molecules may also serve as the core moiety of a dendrimer, which consists of a series of chemical shells built on the core moiety. The core moiety of a dendrimer may be a fluorescent or phosphorescent small molecule emitter. A dendrimer may be a “small molecule,” and it is believed that all dendrimers currently used in the field of OLEDs are small molecules.

As used herein, “top” means furthest away from the substrate, while “bottom” means closest to the substrate. Where a first layer is described as “disposed over” a second layer, the first layer is disposed further away from substrate. There may be other layers between the first and second layer, unless it is specified that the first layer is “in contact with” the second layer. For example, a cathode may be described as “disposed over” an anode, even though there are various organic layers in between.

As used herein, “solution processable” means capable of being dissolved, dispersed, or transported in and/or deposited from a liquid medium, either in solution or suspension form.

A ligand may be referred to as “photoactive” when it is believed that the ligand directly contributes to the photoactive properties of an emissive material. A ligand may be referred to as “ancillary” when it is believed that the ligand does not contribute to the photoactive properties of an emissive material, although an ancillary ligand may alter the properties of a photoactive ligand.

As used herein, and as would be generally understood by one skilled in the art, a first “Highest Occupied Molecular Orbital” (HOMO) or “Lowest Unoccupied Molecular Orbital” (LUMO) energy level is “greater than” or “higher than” a second HOMO or LUMO energy level if the first energy level is closer to the vacuum energy level.

Since ionization potentials (IP) are measured as a negative energy relative to a vacuum level, a higher HOMO energy level corresponds to an IP having a smaller absolute value (an IP that is less negative). Similarly, a higher LUMO energy level corresponds to an electron affinity (EA) having a smaller absolute value (an EA that is less negative). On a conventional energy level diagram, with the vacuum level at the top, the LUMO energy level of a material is higher than the HOMO energy level of the same material. A “higher” HOMO or LUMO energy level appears closer to the top of such a diagram than a “lower” HOMO or LUMO energy level.

As used herein, and as would be generally understood by one skilled in the art, a first work function is “greater than” or “higher than” a second work function if the first work function has a higher absolute value.

Because work functions are generally measured as negative numbers relative to vacuum level, this means that a “higher” work function is more negative. On a conventional energy level diagram, with the vacuum level at the top, a “higher” work function is illustrated as further away from the vacuum level in the downward direction. Thus, the definitions of HOMO and LUMO energy levels follow a different convention than work functions.

The terms “halo,” “halogen,” and “halide” are used interchangeably and refer to fluorine, chlorine, bromine, and iodine.

The term “acyl” refers to a substituted carbonyl radical ( $\text{C}(\text{O})-\text{R}_s$ ).

The term “ester” refers to a substituted oxycarbonyl ( $-\text{O}-\text{C}(\text{O})-\text{R}_s$  or  $-\text{C}(\text{O})-\text{O}-\text{R}_s$ ) radical.

The term “ether” refers to an  $-\text{OR}_s$  radical.

The terms “sulfanyl” or “thio-ether” are used interchangeably and refer to a  $-\text{SR}_s$  radical.

The term “sulfinyl” refers to a  $-\text{S}(\text{O})-\text{R}_s$  radical.

The term “sulfonyl” refers to a  $-\text{SO}_2-\text{R}_s$  radical.

The term “phosphino” refers to a  $-\text{P}(\text{R}_s)_3$  radical, wherein each  $\text{R}_s$  can be same or different.

The term “silyl” refers to a  $-\text{Si}(\text{R}_s)_3$  radical, wherein each  $\text{R}_s$  can be same or different.

The term “boryl” refers to a  $-\text{B}(\text{R}_s)_2$  radical or its Lewis adduct  $-\text{B}(\text{R}_s)_3$  radical, wherein  $\text{R}_s$  can be same or different.

In each of the above,  $\text{R}_s$  can be hydrogen or a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, and combination thereof. Preferred  $\text{R}_s$  is selected from the group consisting of alkyl, cycloalkyl, aryl, heteroaryl, and combination thereof.

The term “alkyl” refers to and includes both straight and branched chain alkyl radicals. Preferred alkyl groups are those containing from one to fifteen carbon atoms and includes methyl, ethyl, propyl, 1-methylethyl, butyl, 1-methylpropyl, 2-methylpropyl, pentyl, 1-methylbutyl, 2-methylbutyl, 3-methylbutyl, 1,1-dimethylpropyl, 1,2-dimethylpropyl, 2,2-dimethylpropyl, and the like. Additionally, the alkyl group may be optionally substituted.

The term “cycloalkyl” refers to and includes monocyclic, polycyclic, and spiro alkyl radicals. Preferred cycloalkyl groups are those containing 3 to 12 ring carbon atoms and includes cyclopropyl, cyclopentyl, cyclohexyl, bicyclo [3.1.1]heptyl, spiro[4.5]decyl, spiro[5.5]undecyl, adamantyl, and the like. Additionally, the cycloalkyl group may be optionally substituted.

The terms “heteroalkyl” or “heterocycloalkyl” refer to an alkyl or a cycloalkyl radical, respectively, having at least one carbon atom replaced by a heteroatom. Optionally the at least one heteroatom is selected from O, S, N, P, B, Si and Se, preferably, O, S or N. Additionally, the heteroalkyl or heterocycloalkyl group may be optionally substituted.

The term “alkenyl” refers to and includes both straight and branched chain alkene radicals. Alkenyl groups are essentially alkyl groups that include at least one carbon-carbon double bond in the alkyl chain. Cycloalkenyl groups are essentially cycloalkyl groups that include at least one carbon-carbon double bond in the cycloalkyl ring.

The term “heteroalkenyl” as used herein refers to an alkenyl radical having at least one carbon atom replaced by a heteroatom. Optionally the at least one heteroatom is selected from O, S, N, P, B, Si, and Se, preferably, O, S, or N.

Preferred alkenyl, cycloalkenyl, or heteroalkenyl groups are those containing two to fifteen carbon atoms.

Additionally, the alkenyl, cycloalkenyl, or heteroalkenyl group may be optionally substituted.

The term “alkynyl” refers to and includes both straight and branched chain alkyne radicals. Alkynyl groups are essentially alkyl groups that include at least one carbon-carbon triple bond in the alkyl chain. Preferred alkynyl groups are those containing two to fifteen carbon atoms. Additionally, the alkynyl group may be optionally substituted.

The terms “aralkyl” or “arylalkyl” are used interchangeably and refer to an alkyl group that is substituted with an aryl group. Additionally, the aralkyl group may be optionally substituted.

The term “heterocyclic group” refers to and includes aromatic and non-aromatic cyclic radicals containing at least one heteroatom. Optionally the at least one heteroatom is selected from O, S, N, P, B, Si, and Se, preferably, O, S, or N. Hetero-aromatic cyclic radicals may be used interchangeably with heteroaryl. Preferred hetero-non-aromatic cyclic groups are those containing 3 to 7 ring atoms which includes at least one hetero atom, and includes cyclic amines such as morpholino, piperidino, pyrrolidino, and the like, and cyclic ethers/thio-ethers, such as tetrahydrofuran, tetrahydropyran,

tetrahydrothiophene, and the like. Additionally, the heterocyclic group may be optionally substituted.

The term "aryl" refers to and includes both single-ring aromatic hydrocarbyl groups and polycyclic aromatic ring systems. The polycyclic rings may have two or more rings in which two carbons are common to two adjoining rings (the rings are "fused") wherein at least one of the rings is an aromatic hydrocarbyl group, e.g., the other rings can be cycloalkyls, cycloalkenyls, aryl, heterocycles, and/or heteroaryls. Preferred aryl groups are those containing six to thirty carbon atoms, preferably six to twenty carbon atoms, more preferably six to twelve carbon atoms. Especially preferred is an aryl group having six carbons, ten carbons or twelve carbons. Suitable aryl groups include phenyl, biphenyl, triphenyl, triphenylene, tetraphenylene, naphthalene, anthracene, phenalene, phenanthrene, fluorene, pyrene, chrysene, perylene, and azulene, preferably phenyl, biphenyl, triphenyl, triphenylene, fluorene, and naphthalene. Additionally, the aryl group may be optionally substituted.

The term "heteroaryl" refers to and includes both single-ring aromatic groups and polycyclic aromatic ring systems that include at least one heteroatom. The heteroatoms include, but are not limited to O, S, N, P, B, Si, and Se. In many instances, O, S, or N are the preferred heteroatoms. Hetero-single ring aromatic systems are preferably single rings with 5 or 6 ring atoms, and the ring can have from one to six heteroatoms. The hetero-polycyclic ring systems can have two or more rings in which two atoms are common to two adjoining rings (the rings are "fused") wherein at least one of the rings is a heteroaryl, e.g., the other rings can be cycloalkyls, cycloalkenyls, aryl, heterocycles, and/or heteroaryls. The hetero-polycyclic aromatic ring systems can have from one to six heteroatoms per ring of the polycyclic aromatic ring system. Preferred heteroaryl groups are those containing three to thirty carbon atoms, preferably three to twenty carbon atoms, more preferably three to twelve carbon atoms. Suitable heteroaryl groups include dibenzothiophene, dibenzofuran, dibenzoselenophene, furan, thiophene, benzofuran, benzothiophene, benzoselenophene, carbazole, indolocarbazole, pyridylindole, pyrrolodipyridine, pyrazole, imidazole, triazole, oxazole, thiazole, oxadiazole, oxatriazole, dioxazole, thiadiazole, pyridine, pyridazine, pyrimidine, pyrazine, triazine, oxazine, oxathiazine, oxadiazine, indole, benzimidazole, indazole, indoxazine, benzoxazole, benzisoxazole, benzothiazole, quinoline, isoquinoline, cinno-  
line, quinazoline, quinoxaline, naphthyridine, phthalazine, pteridine, xanthene, acridine, phenazine, phenothiazine, phenoxazine, benzofuro-pyridine, furodipyridine, benzothienopyridine, thienodipyridine, benzoselenophenopyridine, and selenophenodipyridine, preferably dibenzothiophene, dibenzofuran, dibenzoselenophene, carbazole, indolocarbazole, imidazole, pyridine, triazine, benzimidazole, 1,2-azaborine, 1,3-azaborine, 1,4-azaborine, borazine, and aza-analogs thereof. Additionally, the heteroaryl group may be optionally substituted.

Of the aryl and heteroaryl groups listed above, the groups of triphenylene, naphthalene, anthracene, dibenzothiophene, dibenzofuran, dibenzoselenophene, carbazole, indolocarbazole, imidazole, pyridine, pyrazine, pyrimidine, triazine, and benzimidazole, and the respective aza-analogs of each thereof are of particular interest.

The terms alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, alkenyl, cycloalkenyl, heteroalkenyl, alkyne, aralkyl, heterocyclic group, aryl, and heteroaryl, as used herein, are independently unsubstituted, or independently substituted, with one or more general substituents.

In many instances, the general substituents are selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkyne, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, boryl, and combinations thereof.

In some instances, the preferred general substituents are selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, heteroalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, aryl, heteroaryl, nitrile, isonitrile, sulfanyl, boryl, and combinations thereof.

In some instances, the more preferred general substituents are selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, alkoxy, aryloxy, amino, silyl, boryl, aryl, heteroaryl, sulfanyl, and combinations thereof.

In yet other instances, the most preferred general substituents are selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, aryl, heteroaryl, and combinations thereof.

The terms "substituted" and "substitution" refer to a substituent other than H that is bonded to the relevant position, e.g., a carbon or nitrogen. For example, when R<sup>1</sup> represents mono-substitution, then one R<sup>1</sup> must be other than H (i.e., a substitution). Similarly, when R<sup>1</sup> represents di-substitution, then two of R<sup>1</sup> must be other than H. Similarly, when R<sup>1</sup> represents zero or no substitution, R<sup>1</sup>, for example, can be a hydrogen for available valencies of ring atoms, as in carbon atoms for benzene and the nitrogen atom in pyrrole, or simply represents nothing for ring atoms with fully filled valencies, e.g., the nitrogen atom in pyridine. The maximum number of substitutions possible in a ring structure will depend on the total number of available valencies in the ring atoms.

As used herein, "combinations thereof" indicates that one or more members of the applicable list are combined to form a known or chemically stable arrangement that one of ordinary skill in the art can envision from the applicable list. For example, an alkyl and deuterium can be combined to form a partial or fully deuterated alkyl group; a halogen and alkyl can be combined to form a halogenated alkyl substituent; and a halogen, alkyl, and aryl can be combined to form a halogenated arylalkyl. In one instance, the term substitution includes a combination of two to four of the listed groups. In another instance, the term substitution includes a combination of two to three groups. In yet another instance, the term substitution includes a combination of two groups. Preferred combinations of substituent groups are those that contain up to fifty atoms that are not hydrogen or deuterium, or those which include up to forty atoms that are not hydrogen or deuterium, or those that include up to thirty atoms that are not hydrogen or deuterium. In many instances, a preferred combination of substituent groups will include up to twenty atoms that are not hydrogen or deuterium.

The "aza" designation in the fragments described herein, i.e. aza-dibenzofuran, aza-dibenzothiophene, etc. means that one or more of the C—H groups in the respective aromatic ring can be replaced by a nitrogen atom, for example, and without any limitation, azatriphenylene encompasses both dibenzo[f,h]quinoxaline and dibenzo[f,h]quinoline. One of ordinary skill in the art can readily envision other nitrogen analogs of the aza-derivatives described above, and all such analogs are intended to be encompassed by the terms as set forth herein.

As used herein, "deuterium" refers to an isotope of hydrogen. Deuterated compounds can be readily prepared

7


using methods known in the art. For example, U.S. Pat. No. 8,557,400, Patent Pub. No. WO 2006/095951, and U.S. Pat. Application Pub. No. US 2011/0037057, which are hereby incorporated by reference in their entireties, describe the making of deuterium-substituted organometallic complexes. Further reference is made to Ming Yan, et al., *Tetrahedron* 2015, 71, 1425-30 and Atzrodt et al., *Angew. Chem. Int. Ed. (Reviews)* 2007, 46, 7744-65, which are incorporated by reference in their entireties, describe the deuteration of the methylene hydrogens in benzyl amines and efficient pathways to replace aromatic ring hydrogens with deuterium, respectively.

It is to be understood that when a molecular fragment is described as being a substituent or otherwise attached to another moiety, its name may be written as if it were a fragment (e.g. phenyl, phenylene, naphthyl, dibenzofuryl) or as if it were the whole molecule (e.g. benzene, naphthalene, dibenzofuran). As used herein, these different ways of designating a substituent or attached fragment are considered to be equivalent.

In some instance, a pair of adjacent substituents can be optionally joined or fused into a ring. The preferred ring is a five, six, or seven-membered carbocyclic or heterocyclic ring, includes both instances where the portion of the ring formed by the pair of substituents is saturated and where the portion of the ring formed by the pair of substituents is unsaturated. As used herein, "adjacent" means that the two substituents involved can be on the same ring next to each other, or on two neighboring rings having the two closest available substitutable positions, such as 2, 2' positions in a biphenyl, or 1, 8 position in a naphthalene, as long as they can form a stable fused ring system.

#### B. The Compounds of the Present Disclosure

The present disclosure provides a compound comprising a ligand  $L_A$  of Formula I



wherein A is a 5-membered or 6-membered carbocyclic or heterocyclic ring;  $Z^1$  and  $Z^2$  are each independently C or N;  $K^3$  and  $K^4$  are each independently a direct bond, O, or S;  $X^1$ ,  $X^2$ , and  $X^3$  are each independently C or N, at least one of  $X^1$ ,  $X^2$ , and  $X^3$  is C; X is O or  $NR^2$ ;  $R^A$  and  $R^B$  each represent zero, mono, or up to the maximum number of allowed substitutions to its associated ring; each R,  $R^1$ ,  $R^A$ , and  $R^B$  are independently a hydrogen or a substituent selected from the group consisting of the general substituents defined herein; and two adjacent groups can be joined or fused to form a ring wherever chemically feasible, wherein the ligand  $L_A$  is complexed to a metal M to form a chelate ring as indicated by the two dashed lines; wherein the metal M can be coordinated to other ligands; and wherein the ligand  $L_A$  can

8

be linked with other ligands to form a tridentate, tetradentate, pentadentate, or hexadentate ligand.

In some embodiments, each R,  $R^1$ ,  $R^A$  and  $R^B$  can be independently selected from the group consisting of the preferred general substituents defined herein.

In some embodiments,  $Z^1$  is N, and  $Z^2$  is C. In some embodiments,  $Z^1$  is C, and  $Z^2$  is N.

In some embodiments,  $X^1$ - $X^3$  are all C.

In some embodiments, ring A is pyridine, pyrimidine, pyrazine, imidazole, pyrazole, oxazole, thiazole, or imidazole derived carbene.

In some embodiments, X is  $NR^1$ .

In some embodiments,  $R^1$  and R can be joined to form a ring wherever chemically feasible.




In some embodiments,  $Z^2$  and  $X^1$ - $X^3$  are all C.

In some embodiments, each of  $K^3$  and  $K^4$  is a direct bond. In some embodiments, one of  $K^3$  and  $K^4$  is O.

In some embodiments, the metal M is selected from the group consisting of Os, Ir, Pd, Pt, Au, Ag, and Cu.






In some embodiments, the metal M is Ir or Pt.

In some embodiments, the ligand  $L_A$  is selected from the group consisting of:








9

-continued



10

-continued



5

10

15

20

25

30

35

40


45

50

55

60

65



5

10

15

20



25

30

35

40

45




wherein  $R^G$  for each occurrence represents zero, mono, or up to the maximum number of allowed substitutions to its associated ring; and each of  $R''$  and  $R^G$  is independently a hydrogen or a substituent selected from the group consisting of the general substituents defined herein; and two adjacent  $R^G$  groups can be joined together to form a ring wherever chemically feasible.

In some embodiments, the ligand  $L_A$  is selected from the group consisting of the ligand structures in LIST1 below:

Ligand naming convention

Structure

$L_{A1-(j)(k)(p)(z)}$ , wherein each of  $j$ ,  $k$ ,  $p$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_{A1-(1)(1)(1)(1)}$  to  $L_{A1-(55)(55)(55)(55)}$  having the structure



wherein  $R_j = B_j$ ,  $R_k = B_k$ ,  $R_p = B_p$ , and  $R_z = B_z$ , and

-continued

Ligand naming convention	Structure	
$L_{A2-(j)(k)(p)}$ , wherein each of $j$ , $k$ , and $p$ is independently an integer from 1 to 55, wherein $L_{A2-(1)(1)(1)}$ to $L_{A2-(55)(55)(55)}$ having the structure		wherein $R_j = B_j$ , $R_k = B_k$ , and $R_p = B_p$ , and
$L_{A3-(j)(z)}$ , wherein each of $j$ , and $z$ is independently an integer from 1 to 55, wherein $L_{A3-(1)(1)}$ to $L_{A3-(55)(55)}$ having the structure		wherein $R_j = B_j$ , and $R_z = B_z$ , and
$L_{A4-(j)}$ , wherein $j$ is an integer from 1 to 55, wherein $L_{A4-(1)}$ to $L_{A4-(55)}$ having the structure		wherein $R_j = B_j$ , and
$L_{A5-(j)(k)}$ , wherein each of $j$ , and $k$ is independently an integer from 1 to 55, wherein $L_{A5-(1)(1)}$ to $L_{A5-(55)(55)}$ having the structure		wherein $R_j = B_j$ , and $R_k = B_k$ , and
$L_{A6-(j)(k)(p)(z)}$ , wherein each of $j$ , $k$ , $p$ , and $z$ is independently an integer from 1 to 55, wherein $L_{A6-(1)(1)(1)(1)}$ to $L_{A6-(55)(55)(55)(55)}$ having the structure		wherein $R_j = B_j$ , $R_k = B_k$ , $R_p = B_p$ , and $R_z = B_z$ , and

-continued


Ligand naming convention	Structure	
<p><math>L_{A7-(j)(k)(p)}</math>, wherein each of <math>j</math>, <math>k</math>, and <math>p</math> is independently an integer from 1 to 55, wherein <math>L_{A7-(1)(1)(1)}</math> to <math>L_{A7-(55)(55)(55)}</math> having the structure</p>		<p>wherein <math>R_j = B_j</math>, <math>R_k = B_k</math>, and <math>R_p = B_p</math>, and</p>
<p><math>L_{A8-(j)(k)(z)}</math>, wherein each of <math>j</math>, <math>k</math>, and <math>z</math> is independently an integer from 1 to 55, wherein <math>L_{A8-(1)(1)(1)}</math> to <math>L_{A8-(55)(55)(55)}</math> having the structure</p>		<p>wherein <math>R_j = B_j</math>, <math>R_k = B_k</math>, and <math>R_z = B_z</math>, and</p>
<p><math>L_{A9-(j)(k)}</math>, wherein each of <math>j</math>, and <math>k</math> is independently an integer from 1 to 55, wherein <math>L_{A9-(1)(1)}</math> to <math>L_{A9-(55)(55)}</math> having the structure</p>		<p>wherein <math>R_j = B_j</math>, and <math>R_k = B_k</math>, and</p>
<p><math>L_{A10-(j)}</math>, wherein <math>j</math> is an integer from 1 to 55, wherein <math>L_{A10-(1)}</math> to <math>L_{A10-(55)}</math> having the structure</p>		<p>wherein <math>R_j = B_j</math>, and</p>
<p><math>L_{A11-(j)(k)(z)}</math>, wherein each of <math>j</math>, <math>k</math>, and <math>z</math> is independently an integer from 1 to 55, wherein <math>L_{A11-(1)(1)(1)}</math> to <math>L_{A11-(55)(55)(55)}</math> having the structure</p>		<p>wherein <math>R_j = B_j</math>, <math>R_k = B_k</math>, and <math>R_z = B_z</math>, and</p>

-continued

Ligand naming convention


Structure

$L_{412}(j)(k)(z)$ , wherein each of  $j$ ,  $k$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_{412}(1)(1)(1)$  to  $L_{412}(55)(55)(55)$  having the structure



wherein  $R_j = B_j$ ,  $R_k = B_k$ , and  $R_z = B_z$ , and

$L_{413}(j)(k)(p)(z)$ , wherein each of  $j$ ,  $k$ ,  $p$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_{413}(1)(1)(1)(1)$  to  $L_{413}(55)(55)(55)(55)$  having the structure




wherein  $R_j = B_j$ ,  $R_k = B_k$ ,  $R_p = B_p$ , and  $R_z = B_z$ , and

wherein B1 to B55 have the following structures:


30

-continued

B6




B1



35


B2

B7




40

B3




45

B8




B4


50



B9




55




B5

60

B10











65











19

-continued



20

-continued



B11

5

B12

10

15

B13

20

B14

25

30

B15

35

B16

40

45

B17

50

55

B18

60

65

B19

B20

B21

B22

B23








B24

B25

B26








**21**

-continued











**22**

-continued



23

-continued




24

-continued

B41


5



B49

B42

10




B50

B43

15

20



B51


B44

25

30

B45

35




B52

B46

45

B47

50




B53

55

B48

60




B54

65

, and

25

-continued



B55

5

10

In some embodiments of  $L_A$ ,  $L_A$  is selected from the group consisting of those ligands from LIST1 whose  $R_i$ ,  $R_j$ , and  $R_k$  are one of the following structures: B1, B2, B3, B9, B10, B16, B18, B20, B22, B24, B25, B27, B29, B31, B32, B33, B34, B34, B40, B44, B45, and B46.

In some embodiments of the compound, the compound has a formula of  $M(L_A)_x(L_B)_y(L_C)_z$  wherein:  $L_A$  can be any of the structures for  $L_A$  defined above;  $L_B$  and  $L_C$  are each a bidentate ligand; and wherein  $x$  is 1, 2, or 3;  $y$  is 0, 1, or 2;  $z$  is 0, 1, or 2; and  $x+y+z$  is the oxidation state of the metal  $M$ .

In some embodiments of the compound, the compound has a formula selected from the group consisting of  $Ir(L_A)_3$ ,  $Ir(L_A)(L_B)_2$ ,  $Ir(L_A)_2(L_B)$ ,  $Ir(L_A)_2(L_C)$ , and  $Ir(L_A)(L_B)(L_C)$ ; wherein  $L_A$  can be any of the structures for  $L_A$  defined above; and  $L_A$ ,  $L_B$ , and  $L_C$  are different from each other.


In some embodiments, the compound has a formula of  $Pt(L_A)(L_B)$ ; wherein  $L_A$  can be any of the structures for  $L_A$  defined above; and  $L_A$  and  $L_B$  can be the same or different.

In some embodiments,  $L_A$  and  $L_B$  are connected to form a tetradentate ligand.

In some embodiments,  $L_B$  and  $L_C$  are each independently selected from the group consisting of the structures in LIST2 below:

26

-continued



20

25

30

35

40







45

50

55


60

65



27

-continued




wherein T is selected from the group consisting of B, Al, Ga, and In; each of Y<sup>1</sup> to Y<sup>13</sup> is independently selected from the group consisting of C and N; Y' is selected from the group consisting of BR<sub>e</sub>, NR<sub>e</sub>, PR<sub>e</sub>, O, S, Se, C=O, S=O, SO<sub>2</sub>, CR<sub>e</sub>R<sub>f</sub>, SiR<sub>e</sub>R<sub>f</sub>, and GeR<sub>e</sub>R<sub>f</sub>; R<sub>e</sub> and R<sub>f</sub> can be fused or joined to form a ring; each R<sub>a</sub>, R<sub>b</sub>, R<sub>c</sub>, and R<sub>d</sub> independently represents zero, mono, or up to the maximum number of allowed substitutions to its associated ring; each of R<sub>a1</sub>, R<sub>b1</sub>,

28


R<sub>c1</sub>, R<sub>d1</sub>, R<sub>a</sub>, R<sub>b</sub>, R<sub>c</sub>, R<sub>d</sub>, R<sub>e</sub> and R<sub>f</sub> is independently a hydrogen or a substituent selected from the group consisting of the general substituents defined herein; and any two adjacent substituents can be fused or joined to form a ring or form a multidentate ligand.

In some embodiments, L<sub>B</sub> and L<sub>C</sub> are each independently selected from the group consisting of the compounds in LIST3 below:




29

-continued




30

-continued




**31**

-continued




**32**

-continued




33

-continued



34

-continued




35 wherein  $R_{a1}$ ,  $R_{b1}$ ,  $R_{c1}$ ,  $R_{d1}$ ,  $R_a$ ,  $R_b$ , and  $R_c$  are all as defined above for LIST2, wherein each of them can form a ring with another wherever chemically feasible.

In some embodiments, the compound is Compound A having the formula  $Ir(L_A)_3$ , Compound B having the formula  $Ir(L_A)(L_B)_2$ , or Compound C having the formula  $Ir(L_A)_2(L_C)$ , wherein  $L_A$  can be any of the structures for  $L_A$  defined above;  $L_B$  is selected from the group consisting of  $L_{B1}$  through  $L_{B483}$  shown in LIST4 below:

45

$L_{B1}$


50



55

$L_{B2}$







60



65







**35**

-continued



**36**

-continued



*L<sub>B3</sub>*

5

10

*L<sub>B4</sub>*

20

25

*L<sub>B5</sub>*

30

35

*L<sub>B6</sub>*

40

45

*L<sub>B7</sub>*

50

55

*L<sub>B8</sub>*

60

65

*L<sub>B9</sub>*

*L<sub>B10</sub>*

*L<sub>B11</sub>*







*L<sub>B12</sub>*

*L<sub>B13</sub>*

*L<sub>B14</sub>*






37

-continued



38

-continued



L<sub>B15</sub>

5

10

L<sub>B16</sub>

15

20

L<sub>B17</sub>

25

30

L<sub>B18</sub>

35

40

L<sub>B19</sub>

45

50

L<sub>B20</sub>

55

60

65

L<sub>B21</sub>

L<sub>B22</sub>






L<sub>B23</sub>

L<sub>B24</sub>

L<sub>B25</sub>

**39**

-continued



L<sub>B26</sub>

5

10

L<sub>B27</sub>

20

25

L<sub>B28</sub>

30

35

40

L<sub>B29</sub>

45

50

55







L<sub>B30</sub>

60

65

**40**

-continued



L<sub>B31</sub>

L<sub>B32</sub>

L<sub>B33</sub>


L<sub>B34</sub>

L<sub>B35</sub>

L<sub>B36</sub>

**41**


-continued



L<sub>B37</sub>

5

10




L<sub>B38</sub>

15

20


25



L<sub>B39</sub>

30


35



L<sub>B40</sub>

40


45



L<sub>B41</sub>

50

55




L<sub>B42</sub>

60


65

**42**


-continued




L<sub>B43</sub>




L<sub>B44</sub>




L<sub>B45</sub>



L<sub>B46</sub>




L<sub>B47</sub>



L<sub>B48</sub>

**43**

-continued



L<sub>B49</sub>

5

10

L<sub>B50</sub>

20

25

L<sub>B51</sub>

30

35

L<sub>B52</sub>

40

45

L<sub>B53</sub>






50

55

L<sub>B54</sub>


60

65




**44**


-continued




L<sub>B55</sub>




L<sub>B56</sub>




L<sub>B57</sub>



L<sub>B58</sub>




L<sub>B59</sub>



L<sub>B60</sub>

**45**

-continued




L<sub>B61</sub>

5

10

L<sub>B62</sub>




15

20

L<sub>B63</sub>


25



30

L<sub>B64</sub>


35



40

L<sub>B65</sub>


45



50

L<sub>B66</sub>

55




60


65

**46**


-continued




L<sub>B67</sub>




L<sub>B68</sub>




L<sub>B69</sub>



L<sub>B70</sub>








L<sub>B71</sub>



L<sub>B72</sub>






**47**

-continued



**48**

-continued



L<sub>B73</sub>

5

10

15

L<sub>B74</sub>

20

25

L<sub>B75</sub>

30

35

40

L<sub>B76</sub>

45

50

L<sub>B77</sub>

55

60

65

L<sub>B78</sub>

L<sub>B79</sub>







L<sub>B80</sub>

L<sub>B81</sub>

L<sub>B82</sub>







**49**

-continued



**50**

-continued



L<sub>B83</sub>

5

10

15

L<sub>B84</sub>

20

25

L<sub>B85</sub>

30

35

L<sub>B86</sub>

40

45

L<sub>B87</sub>

50

55

L<sub>B88</sub>

60

65

L<sub>B89</sub>

L<sub>B90</sub>

L<sub>B91</sub>







L<sub>B92</sub>

L<sub>B93</sub>

L<sub>B94</sub>







**51**

-continued



**52**

-continued



L<sub>B95</sub>

5

10

L<sub>B96</sub>

15

20

L<sub>B97</sub>

25

30

L<sub>B98</sub>

35

40

L<sub>B99</sub>

45

50

55

L<sub>B100</sub>

60

65

L<sub>B101</sub>

L<sub>B102</sub>

L<sub>B103</sub>






L<sub>B104</sub>

L<sub>B105</sub>

L<sub>B106</sub>






**53**

-continued



**54**

-continued



LB107

5

10

15

LB108

20

25

LB109

30

35

40

LB110

45

50

LB111

55

60

65

LB112

LB113






LB114

LB115

LB116





**55**

-continued



**56**

-continued



L<sub>B117</sub>

5

10

L<sub>B118</sub> 15

20

25

L<sub>B119</sub>

30

35

40

L<sub>B120</sub>

45

50

L<sub>B121</sub> 55

60

65

L<sub>B122</sub>





L<sub>B123</sub>

L<sub>B124</sub>

L<sub>B125</sub>





**57**

-continued



**58**

-continued



LB126

5

10

15

20

LB127

25

30

35

LB128

40

45

50

LB129

55

60

65

LB130





LB131

LB132

LB133






**59**

-continued



**60**

-continued



LB134

5

10

15

20

LB135

25

30

35

LB136

40

45

50

LB137

55

60

65

LB138

LB139





LB140

LB141

LB142

**61**

-continued



**62**

-continued

L<sub>B143</sub>

5

10

15

L<sub>B144</sub>

20

25

30

L<sub>B145</sub>

35

40

45

50


L<sub>B146</sub>

55


60

65


L<sub>B147</sub>




L<sub>B148</sub>




L<sub>B149</sub>



L<sub>B150</sub>








L<sub>B151</sub>



**63**

-continued



**64**

-continued

LB152

5

10

LB153

15

20

LB154

25

30

35

LB155

40

45

50


LB156

55


60

65


LB157




LB158







LB159



LB160



**65**



**66**

-continued

LB161

5

10

15

LB162

20

25

30

35

LB163

40

45

50


LB164

55


60

65


LB165




LB166




LB167



LB168







LB169








**67**

-continued



**68**

-continued



L<sub>B170</sub>

5

10

15

20

L<sub>B171</sub>

25

30

35

L<sub>B172</sub>

45

50

L<sub>B173</sub>

55

60

65

L<sub>B174</sub>

L<sub>B175</sub>


L<sub>B176</sub>

L<sub>B177</sub>

L<sub>B178</sub>

**69**

-continued



L<sub>B179</sub>


5

10

15

**70**

-continued



L<sub>B183</sub>


L<sub>B180</sub>

20

25

30

35




L<sub>B184</sub>

L<sub>B181</sub>

40

45

50





L<sub>B185</sub>

L<sub>B182</sub>

55

60


65



L<sub>B186</sub>

71

-continued



L<sub>B187</sub>


5

10

15

72

-continued



L<sub>B191</sub>


L<sub>B188</sub>

20

25

30

35




L<sub>B192</sub>

L<sub>B189</sub>

40

45

50





L<sub>B193</sub>

L<sub>B190</sub>


55

60


65



L<sub>B194</sub>








L<sub>B195</sub>








73

-continued



74

-continued



L<sub>B196</sub>

5

10

L<sub>B197</sub>

15

20

25

L<sub>B198</sub>

30

35

40

L<sub>B199</sub>

45

50

L<sub>B200</sub>

55

60

65

L<sub>B201</sub>

L<sub>B202</sub>


L<sub>B203</sub>

L<sub>B204</sub>

L<sub>B205</sub>

75

-continued



L<sub>B206</sub>


5

10

15

76

-continued





L<sub>B210</sub>

L<sub>B207</sub> 20

25

30





L<sub>B211</sub>

L<sub>B208</sub> 35

40

45

50





L<sub>B212</sub>

L<sub>B209</sub> 55


60

65




L<sub>B213</sub>

**77**  
-continued




*L<sub>B214</sub>*  
5  
10  
15


**78**  
-continued




*L<sub>B218</sub>*




*L<sub>B215</sub>*  
20  
25  
30




*L<sub>B219</sub>*




*L<sub>B216</sub>*  
35  
40  
45



*L<sub>B220</sub>*







*L<sub>B217</sub>*  
50  
55  
60  
65



*L<sub>B221</sub>*





**79**

-continued



**80**

-continued



L<sub>B222</sub>

5

10

15

L<sub>B223</sub>

20

25

30

L<sub>B224</sub>

35

40

45

50

L<sub>B225</sub>

55

60

65

L<sub>B226</sub>





L<sub>B227</sub>

L<sub>B228</sub>

L<sub>B229</sub>






**81**

-continued



**82**

-continued



L<sub>B230</sub>

5

10

15

20

L<sub>B231</sub>

25

30

35

L<sub>B232</sub>

40

45

50

L<sub>B233</sub>

55

60

65

L<sub>B234</sub>

L<sub>B235</sub>


L<sub>B236</sub>

L<sub>B237</sub>

L<sub>B238</sub>

**83**

-continued



L<sub>B239</sub>


5

10

15

**84**

-continued



L<sub>B243</sub>


L<sub>B240</sub>

20


25

30

35



L<sub>B244</sub>




L<sub>B241</sub>


40

45

50



L<sub>B245</sub>




L<sub>B242</sub>


55

60

65




L<sub>B246</sub>



**85**

-continued



L<sub>B247</sub>


5

10

15

20

L<sub>B248</sub>




25

30

35

L<sub>B249</sub>




40

45

50

L<sub>B250</sub>




55

60

65

**86**

-continued



L<sub>B251</sub>


5

10

15

20

L<sub>B252</sub>




25

30

35

L<sub>B253</sub>




40

45

50

L<sub>B254</sub>




55

60

65

**87**

-continued



LB255


5

10

15

LB256

20



25

30


35

LB257

40

45

50




LB258

55


60

65




**88**


-continued




LB259



LB260








LB261



LB262






**89**

-continued



**90**

-continued



L<sub>B263</sub>

5

10

15

L<sub>B264</sub>

20

25

L<sub>B265</sub>

30

35

L<sub>B266</sub>

40

45

50

L<sub>B267</sub>

55

60

65

L<sub>B268</sub>

L<sub>B269</sub>






L<sub>B270</sub>

L<sub>B271</sub>

L<sub>B272</sub>

91

-continued




92

-continued

L<sub>B273</sub>

5




L<sub>B278</sub>

10

15

L<sub>B274</sub>

20




L<sub>B279</sub>

25

30

L<sub>B275</sub>

35



L<sub>B280</sub>


40

45

L<sub>B281</sub>

L<sub>B276</sub>

50




55

L<sub>B282</sub>

L<sub>B277</sub>





60



65






**93**

-continued



**94**

-continued



L<sub>B283</sub>

5

10

15

L<sub>B284</sub>

20

25

30

L<sub>B285</sub>

35

40

45

50

L<sub>B286</sub>

55

60

65

L<sub>B287</sub>

L<sub>B288</sub>





L<sub>B289</sub>

L<sub>B290</sub>

L<sub>B291</sub>

95

-continued



96

-continued

L<sub>B292</sub>

5

10

15

L<sub>B293</sub>

20

25

30

L<sub>B294</sub>

35

40

45






50

L<sub>B295</sub>

55

60

65



L<sub>B296</sub>

L<sub>B297</sub>






L<sub>B298</sub>

L<sub>B299</sub>

L<sub>B300</sub>

**97**

-continued




**98**

-continued

LB301


5



LB306

LB302


20



LB307

LB303


30



LB308

LB304


45



LB309

LB305

55








LB310

60

65

**99**

-continued




**100**

-continued

*L*<sub>B311</sub>


5



*L*<sub>B316</sub>

*L*<sub>B312</sub>


20



*L*<sub>B317</sub>

*L*<sub>B313</sub>


30



*L*<sub>B318</sub>

*L*<sub>B314</sub>


40



*L*<sub>B319</sub>

*L*<sub>B315</sub>





55



*L*<sub>B320</sub>

65


**101**  
-continued



**102**  
-continued

L<sub>B321</sub>

5



L<sub>B326</sub>


10

15

L<sub>B323</sub>

20

25




L<sub>B327</sub>

30

L<sub>B324</sub>

35

40



L<sub>B328</sub>

45


50

L<sub>B325</sub>


55

60

65







L<sub>B329</sub>



L<sub>B330</sub>

**103**

-continued



**104**

-continued

*L*<sub>B331</sub>

5

10

15

*L*<sub>B332</sub>

20

25

30

*L*<sub>B333</sub>

35

40

45






50

*L*<sub>B334</sub>

55

60

65



*L*<sub>B335</sub>

*L*<sub>B336</sub>






*L*<sub>B337</sub>

*L*<sub>B338</sub>

*L*<sub>B339</sub>

**105**

-continued




**106**

-continued

LB340

5




LB345

10

15

LB341

20




LB346

25

LB342

30




LB347

35

40

LB343

45




LB348

50

LB344

55








LB349

60

65






**107**

-continued



**108**

-continued



L<sub>B350</sub>

5

10

L<sub>B351</sub>

15

20

25

L<sub>B352</sub>

30

35

L<sub>B353</sub>

40

45

50

55

L<sub>B354</sub>

60

65

L<sub>B355</sub>

L<sub>B356</sub>






L<sub>B357</sub>

L<sub>B358</sub>

L<sub>B359</sub>

**109**

-continued



**110**

-continued

*L*<sub>B360</sub>

5

10

15

*L*<sub>B361</sub>

20

25

*L*<sub>B362</sub>

30

35

*L*<sub>B363</sub>

40

45

50


*L*<sub>B364</sub>

55


60

65


*L*<sub>B365</sub>




*L*<sub>B366</sub>




*L*<sub>B367</sub>



*L*<sub>B368</sub>








*L*<sub>B369</sub>








**111**

-continued



**112**

-continued



L<sub>B370</sub>

5

10

15

L<sub>B371</sub>

20

25

30

L<sub>B372</sub>

35

40

L<sub>B373</sub>

45

50

55

L<sub>B374</sub>

60

65

L<sub>B375</sub>

L<sub>B376</sub>






L<sub>B377</sub>

L<sub>B378</sub>

L<sub>B379</sub>







**113**

-continued



**114**

-continued



L<sub>B380</sub>

5

10

L<sub>B381</sub>

20

25

L<sub>B382</sub>

30

35

40

L<sub>B383</sub>

45

50

L<sub>B384</sub>

55

60

65

L<sub>B385</sub>

L<sub>B386</sub>

L<sub>B387</sub>






L<sub>B388</sub>

L<sub>B389</sub>

L<sub>B390</sub>






**115**

-continued



**116**

-continued



*L<sub>B391</sub>*

5

10

15

*L<sub>B392</sub>*

20

25

30

*L<sub>B393</sub>*

35

40

*L<sub>B394</sub>*

45

50

55

*L<sub>B395</sub>*

60

65

*L<sub>B396</sub>*

*L<sub>B397</sub>*






*L<sub>B398</sub>*

*L<sub>B399</sub>*

*L<sub>B400</sub>*

117

-continued




118

-continued

L<sub>B401</sub>

5




L<sub>B406</sub>

10

15

L<sub>B402</sub>

20




L<sub>B407</sub>

25

L<sub>B403</sub>

35




L<sub>B408</sub>

40

L<sub>B404</sub>

45




L<sub>B409</sub>

50

55

L<sub>B405</sub>

60








L<sub>B410</sub>

65






**119**

-continued



**120**

-continued



L<sub>B411</sub>

5

10

L<sub>B412</sub>

20

25

L<sub>B413</sub>

30

35

L<sub>B414</sub>

45

50

L<sub>B415</sub>

55

60

65

L<sub>B416</sub>

L<sub>B417</sub>





L<sub>B418</sub>

L<sub>B419</sub>

L<sub>B420</sub>

121

-continued



122

-continued

LB421

5

10

15

LB422

20

25

30

LB423

35

40

45

LB424

50

55

60

65






LB425

LB426

LB427






LB428

LB429



**123**

-continued



**124**

-continued

L<sub>B430</sub>

L<sub>B435</sub>

5

10

L<sub>B431</sub>

15

L<sub>B436</sub>

20

25

L<sub>B432</sub>

30

35

L<sub>B433</sub>

40

45





50

L<sub>B434</sub>

55





60

65



**125**

-continued



**126**

-continued

L<sub>B439</sub>

5

10

15

L<sub>B440</sub>

20

25

30

L<sub>B441</sub>

35

40

45

50


L<sub>B442</sub>

55


60

65


L<sub>B443</sub>




L<sub>B444</sub>




L<sub>B445</sub>



L<sub>B446</sub>








L<sub>B447</sub>



127

-continued



128

-continued

LB448

5

10

15

LB449

20

25

LB450

30

35

40

LB451

45






50

55

LB452

60

65



LB453






LB454

LB455






LB456

LB457

**129**  
-continued



**130**  
-continued



LB458

5

10

LB459

15

20

25

LB460

30

35

40

LB461

45

50

LB462

55

60

65

LB463

LB464





LB465

LB466

LB467

131

-continued



132


-continued

L<sub>B468</sub>

5

10

15




L<sub>B472</sub>

L<sub>B469</sub>

20

25

30



L<sub>B473</sub>


35

L<sub>B470</sub>

40

45

50




L<sub>B474</sub>

55

L<sub>B471</sub>

60





65



L<sub>B475</sub>

**133**

-continued



**134**

-continued

L<sub>B476</sub>

5

10

15

L<sub>B477</sub>

20

25

L<sub>B478</sub>

35

40

45





50

L<sub>B479</sub>

55

60

65



and

L<sub>B480</sub>


L<sub>B481</sub>

L<sub>B482</sub>

L<sub>B483</sub>


and

L<sub>C</sub> can be selected from the group consisting of:  
L<sub>Cj-I</sub> having the structures based on



and

$L_{Cj-II}$  having the structures based



wherein j is an integer from 1 to 768, wherein for each  $L_{Cj}$  in  $L_{Cj-I}$  and  $L_{Cj-II}$ ,  $R^{1'}$  and  $R^{2'}$  are defined as provided below:

$L_{Cj}$	$R^{1'}$	$R^{2'}$
$L_{C1}$	$R^{D1}$	$R^{D1}$
$L_{C2}$	$R^{D2}$	$R^{D2}$
$L_{C3}$	$R^{D3}$	$R^{D3}$
$L_{C4}$	$R^{D4}$	$R^{D4}$
$L_{C5}$	$R^{D5}$	$R^{D5}$
$L_{C6}$	$R^{D6}$	$R^{D6}$
$L_{C7}$	$R^{D7}$	$R^{D7}$
$L_{C8}$	$R^{D8}$	$R^{D8}$
$L_{C9}$	$R^{D9}$	$R^{D9}$
$L_{C10}$	$R^{D10}$	$R^{D10}$
$L_{C11}$	$R^{D11}$	$R^{D11}$
$L_{C12}$	$R^{D12}$	$R^{D12}$
$L_{C13}$	$R^{D13}$	$R^{D13}$
$L_{C14}$	$R^{D14}$	$R^{D14}$
$L_{C15}$	$R^{D15}$	$R^{D15}$
$L_{C16}$	$R^{D16}$	$R^{D16}$
$L_{C17}$	$R^{D17}$	$R^{D17}$
$L_{C18}$	$R^{D18}$	$R^{D18}$
$L_{C19}$	$R^{D19}$	$R^{D19}$
$L_{C20}$	$R^{D20}$	$R^{D20}$
$L_{C21}$	$R^{D21}$	$R^{D21}$
$L_{C22}$	$R^{D22}$	$R^{D22}$
$L_{C23}$	$R^{D23}$	$R^{D23}$
$L_{C24}$	$R^{D24}$	$R^{D24}$
$L_{C25}$	$R^{D25}$	$R^{D25}$
$L_{C26}$	$R^{D26}$	$R^{D26}$
$L_{C27}$	$R^{D27}$	$R^{D27}$
$L_{C28}$	$R^{D28}$	$R^{D28}$
$L_{C29}$	$R^{D29}$	$R^{D29}$
$L_{C30}$	$R^{D30}$	$R^{D30}$
$L_{C31}$	$R^{D31}$	$R^{D31}$
$L_{C32}$	$R^{D32}$	$R^{D32}$
$L_{C33}$	$R^{D33}$	$R^{D33}$
$L_{C34}$	$R^{D34}$	$R^{D34}$
$L_{C35}$	$R^{D35}$	$R^{D35}$
$L_{C36}$	$R^{D36}$	$R^{D36}$
$L_{C37}$	$R^{D37}$	$R^{D37}$
$L_{C38}$	$R^{D38}$	$R^{D38}$
$L_{C39}$	$R^{D39}$	$R^{D39}$
$L_{C40}$	$R^{D40}$	$R^{D40}$
$L_{C41}$	$R^{D41}$	$R^{D41}$
$L_{C42}$	$R^{D42}$	$R^{D42}$
$L_{C43}$	$R^{D43}$	$R^{D43}$
$L_{C44}$	$R^{D44}$	$R^{D44}$
$L_{C45}$	$R^{D45}$	$R^{D45}$
$L_{C46}$	$R^{D46}$	$R^{D46}$
$L_{C47}$	$R^{D47}$	$R^{D47}$
$L_{C48}$	$R^{D48}$	$R^{D48}$
$L_{C49}$	$R^{D49}$	$R^{D49}$
$L_{C50}$	$R^{D50}$	$R^{D50}$
$L_{C51}$	$R^{D51}$	$R^{D51}$
$L_{C52}$	$R^{D52}$	$R^{D52}$
$L_{C53}$	$R^{D53}$	$R^{D53}$
$L_{C54}$	$R^{D54}$	$R^{D54}$
$L_{C55}$	$R^{D55}$	$R^{D55}$
$L_{C56}$	$R^{D56}$	$R^{D56}$
$L_{C57}$	$R^{D57}$	$R^{D57}$
$L_{C58}$	$R^{D58}$	$R^{D58}$
$L_{C59}$	$R^{D59}$	$R^{D59}$
$L_{C60}$	$R^{D60}$	$R^{D60}$

-continued

	$L_{Cj}$	$R^{1'}$	$R^{2'}$	
5	$L_{C61}$	$R^{D61}$	$R^{D61}$	
	$L_{C62}$	$R^{D62}$	$R^{D62}$	
	$L_{C63}$	$R^{D63}$	$R^{D63}$	
	$L_{C64}$	$R^{D64}$	$R^{D64}$	
	$L_{C65}$	$R^{D65}$	$R^{D65}$	
10	$L_{C66}$	$R^{D66}$	$R^{D66}$	
	$L_{C67}$	$R^{D67}$	$R^{D67}$	
	$L_{C68}$	$R^{D68}$	$R^{D68}$	
	$L_{C69}$	$R^{D69}$	$R^{D69}$	
	$L_{C70}$	$R^{D70}$	$R^{D70}$	
	$L_{C71}$	$R^{D71}$	$R^{D71}$	
	$L_{C72}$	$R^{D72}$	$R^{D72}$	
	$L_{C73}$	$R^{D73}$	$R^{D73}$	
	$L_{C74}$	$R^{D74}$	$R^{D74}$	
	$L_{C75}$	$R^{D75}$	$R^{D75}$	
15	$L_{C76}$	$R^{D76}$	$R^{D76}$	
	$L_{C77}$	$R^{D77}$	$R^{D77}$	
	$L_{C78}$	$R^{D78}$	$R^{D78}$	
	$L_{C79}$	$R^{D79}$	$R^{D79}$	
	$L_{C80}$	$R^{D80}$	$R^{D80}$	
	$L_{C81}$	$R^{D81}$	$R^{D81}$	
	$L_{C82}$	$R^{D82}$	$R^{D82}$	
	$L_{C83}$	$R^{D83}$	$R^{D83}$	
	$L_{C84}$	$R^{D84}$	$R^{D84}$	
	$L_{C85}$	$R^{D85}$	$R^{D85}$	
	$L_{C86}$	$R^{D86}$	$R^{D86}$	
	$L_{C87}$	$R^{D87}$	$R^{D87}$	
	$L_{C88}$	$R^{D88}$	$R^{D88}$	
	$L_{C89}$	$R^{D89}$	$R^{D89}$	
	$L_{C90}$	$R^{D90}$	$R^{D90}$	
20	$L_{C91}$	$R^{D91}$	$R^{D91}$	
	$L_{C92}$	$R^{D92}$	$R^{D92}$	
	$L_{C93}$	$R^{D93}$	$R^{D93}$	
	$L_{C94}$	$R^{D94}$	$R^{D94}$	
	$L_{C95}$	$R^{D95}$	$R^{D95}$	
	$L_{C96}$	$R^{D96}$	$R^{D96}$	
	$L_{C97}$	$R^{D97}$	$R^{D97}$	
	$L_{C98}$	$R^{D98}$	$R^{D98}$	
	$L_{C99}$	$R^{D99}$	$R^{D99}$	
	$L_{C100}$	$R^{D100}$	$R^{D100}$	
25	$L_{C101}$	$R^{D101}$	$R^{D101}$	
	$L_{C102}$	$R^{D102}$	$R^{D102}$	
	$L_{C103}$	$R^{D103}$	$R^{D103}$	
	$L_{C104}$	$R^{D104}$	$R^{D104}$	
	$L_{C105}$	$R^{D105}$	$R^{D105}$	
	$L_{C106}$	$R^{D106}$	$R^{D106}$	
	$L_{C107}$	$R^{D107}$	$R^{D107}$	
	$L_{C108}$	$R^{D108}$	$R^{D108}$	
	$L_{C109}$	$R^{D109}$	$R^{D109}$	
	$L_{C110}$	$R^{D110}$	$R^{D110}$	
30	$L_{C111}$	$R^{D111}$	$R^{D111}$	
	$L_{C112}$	$R^{D112}$	$R^{D112}$	
	$L_{C113}$	$R^{D113}$	$R^{D113}$	
	$L_{C114}$	$R^{D114}$	$R^{D114}$	
	$L_{C115}$	$R^{D115}$	$R^{D115}$	
	$L_{C116}$	$R^{D116}$	$R^{D116}$	
	$L_{C117}$	$R^{D117}$	$R^{D117}$	
	$L_{C118}$	$R^{D118}$	$R^{D118}$	
	$L_{C119}$	$R^{D119}$	$R^{D119}$	
	$L_{C120}$	$R^{D120}$	$R^{D120}$	
35	$L_{C121}$	$R^{D121}$	$R^{D121}$	
	$L_{C122}$	$R^{D122}$	$R^{D122}$	
	$L_{C123}$	$R^{D123}$	$R^{D123}$	
	$L_{C124}$	$R^{D124}$	$R^{D124}$	
	$L_{C125}$	$R^{D125}$	$R^{D125}$	
	$L_{C126}$	$R^{D126}$	$R^{D126}$	
	$L_{C127}$	$R^{D127}$	$R^{D127}$	
	$L_{C128}$	$R^{D128}$	$R^{D128}$	
	$L_{C129}$	$R^{D129}$	$R^{D129}$	
	$L_{C130}$	$R^{D130}$	$R^{D130}$	
40	$L_{C131}$	$R^{D131}$	$R^{D131}$	
	$L_{C132}$	$R^{D132}$	$R^{D132}$	
	$L_{C133}$	$R^{D133}$	$R^{D133}$	
	$L_{C134}$	$R^{D134}$	$R^{D134}$	
	$L_{C135}$	$R^{D135}$	$R^{D135}$	
	$L_{C136}$	$R^{D136}$	$R^{D136}$	
	$L_{C137}$	$R^{D137}$	$R^{D137}$	
	45	$L_{C138}$	$R^{D138}$	$R^{D138}$
		$L_{C139}$	$R^{D139}$	$R^{D139}$
		$L_{C140}$	$R^{D140}$	$R^{D140}$
$L_{C141}$		$R^{D141}$	$R^{D141}$	
$L_{C142}$		$R^{D142}$	$R^{D142}$	
$L_{C143}$		$R^{D143}$	$R^{D143}$	
$L_{C144}$		$R^{D144}$	$R^{D144}$	
$L_{C145}$		$R^{D145}$	$R^{D145}$	
$L_{C146}$		$R^{D146}$	$R^{D146}$	
$L_{C147}$		$R^{D147}$	$R^{D147}$	
50	$L_{C148}$	$R^{D148}$	$R^{D148}$	
	$L_{C149}$	$R^{D149}$	$R^{D149}$	
	$L_{C150}$	$R^{D150}$	$R^{D150}$	
	$L_{C151}$	$R^{D151}$	$R^{D151}$	
	$L_{C152}$	$R^{D152}$	$R^{D152}$	
	$L_{C153}$	$R^{D153}$	$R^{D153}$	
	$L_{C154}$	$R^{D154}$	$R^{D154}$	
	$L_{C155}$	$R^{D155}$	$R^{D155}$	
	$L_{C156}$	$R^{D156}$	$R^{D156}$	
	$L_{C157}$	$R^{D157}$	$R^{D157}$	
55	$L_{C158}$	$R^{D158}$	$R^{D158}$	
	$L_{C159}$	$R^{D159}$	$R^{D159}$	
	$L_{C160}$	$R^{D160}$	$R^{D160}$	
	$L_{C161}$	$R^{D161}$	$R^{D161}$	
	$L_{C162}$	$R^{D162}$	$R^{D162}$	
	$L_{C163}$	$R^{D163}$	$R^{D163}$	
	$L_{C164}$	$R^{D164}$	$R^{D164}$	
	$L_{C165}$	$R^{D165}$	$R^{D165}$	
	$L_{C166}$	$R^{D166}$	$R^{D166}$	
	$L_{C167}$	$R^{D167}$	$R^{D167}$	
60	$L_{C168}$	$R^{D168}$	$R^{D168}$	
	$L_{C169}$	$R^{D169}$	$R^{D169}$	
	$L_{C170}$	$R^{D170}$	$R^{D170}$	
	$L_{C171}$	$R^{D171}$	$R^{D171}$	
	$L_{C172}$	$R^{D172}$	$R^{D172}$	
	$L_{C173}$	$R^{D173}$	$R^{D173}$	
	$L_{C174}$	$R^{D174}$	$R^{D174}$	
	$L_{C175}$	$R^{D175}$	$R^{D175}$	
	$L_{C176}$	$R^{D176}$	$R^{D176}$	
	$L_{C177}$	$R^{D177}$	$R^{D177}$	
65	$L_{C178}$	$R^{D178}$	$R^{D178}$	
	$L_{C179}$	$R^{D179}$	$R^{D179}$	
	$L_{C180}$	$R^{D180}$	$R^{D180}$	
	$L_{C181}$	$R^{D181}$	$R^{D181}$	
	$L_{C182}$	$R^{D182}$	$R^{D182}$	
	$L_{C183}$	$R^{D183}$	$R^{D183}$	
	$L_{C184}$	$R^{D184}$	$R^{D184}$	
	$L_{C185}$	$R^{D185}$	$R^{D185}$	
	$L_{C186}$	$R^{D186}$	$R^{D186}$	
	$L_{C187}$	$R^{D187}$	$R^{D187}$	

-continued

$L_{Cj}$	$R^1$	$R^2$	
$L_{C138}$	$R^{D138}$	$R^{D138}$	
$L_{C139}$	$R^{D139}$	$R^{D139}$	5
$L_{C140}$	$R^{D140}$	$R^{D140}$	
$L_{C141}$	$R^{D141}$	$R^{D141}$	
$L_{C142}$	$R^{D142}$	$R^{D142}$	
$L_{C143}$	$R^{D143}$	$R^{D143}$	
$L_{C144}$	$R^{D144}$	$R^{D144}$	
$L_{C145}$	$R^{D145}$	$R^{D145}$	10
$L_{C146}$	$R^{D146}$	$R^{D146}$	
$L_{C147}$	$R^{D147}$	$R^{D147}$	
$L_{C148}$	$R^{D148}$	$R^{D148}$	
$L_{C149}$	$R^{D149}$	$R^{D149}$	
$L_{C150}$	$R^{D150}$	$R^{D150}$	
$L_{C151}$	$R^{D151}$	$R^{D151}$	15
$L_{C152}$	$R^{D152}$	$R^{D152}$	
$L_{C153}$	$R^{D153}$	$R^{D153}$	
$L_{C154}$	$R^{D154}$	$R^{D154}$	
$L_{C155}$	$R^{D155}$	$R^{D155}$	
$L_{C156}$	$R^{D156}$	$R^{D156}$	
$L_{C157}$	$R^{D157}$	$R^{D157}$	20
$L_{C158}$	$R^{D158}$	$R^{D158}$	
$L_{C159}$	$R^{D159}$	$R^{D159}$	
$L_{C160}$	$R^{D160}$	$R^{D160}$	
$L_{C161}$	$R^{D161}$	$R^{D161}$	
$L_{C162}$	$R^{D162}$	$R^{D162}$	
$L_{C163}$	$R^{D163}$	$R^{D163}$	
$L_{C164}$	$R^{D164}$	$R^{D164}$	25
$L_{C165}$	$R^{D165}$	$R^{D165}$	
$L_{C166}$	$R^{D166}$	$R^{D166}$	
$L_{C167}$	$R^{D167}$	$R^{D167}$	
$L_{C168}$	$R^{D168}$	$R^{D168}$	
$L_{C169}$	$R^{D169}$	$R^{D169}$	
$L_{C170}$	$R^{D170}$	$R^{D170}$	30
$L_{C171}$	$R^{D171}$	$R^{D171}$	
$L_{C172}$	$R^{D172}$	$R^{D172}$	
$L_{C173}$	$R^{D173}$	$R^{D173}$	
$L_{C174}$	$R^{D174}$	$R^{D174}$	
$L_{C175}$	$R^{D175}$	$R^{D175}$	
$L_{C176}$	$R^{D176}$	$R^{D176}$	35
$L_{C177}$	$R^{D177}$	$R^{D177}$	
$L_{C178}$	$R^{D178}$	$R^{D178}$	
$L_{C179}$	$R^{D179}$	$R^{D179}$	
$L_{C180}$	$R^{D180}$	$R^{D180}$	
$L_{C181}$	$R^{D181}$	$R^{D181}$	
$L_{C182}$	$R^{D182}$	$R^{D182}$	40
$L_{C183}$	$R^{D183}$	$R^{D183}$	
$L_{C184}$	$R^{D184}$	$R^{D184}$	
$L_{C185}$	$R^{D185}$	$R^{D185}$	
$L_{C186}$	$R^{D186}$	$R^{D186}$	
$L_{C187}$	$R^{D187}$	$R^{D187}$	
$L_{C188}$	$R^{D188}$	$R^{D188}$	45
$L_{C189}$	$R^{D189}$	$R^{D189}$	
$L_{C190}$	$R^{D190}$	$R^{D190}$	
$L_{C191}$	$R^{D191}$	$R^{D191}$	
$L_{C192}$	$R^{D192}$	$R^{D192}$	
$L_{C193}$	$R^{D1}$	$R^{D3}$	
$L_{C194}$	$R^{D1}$	$R^{D4}$	
$L_{C195}$	$R^{D1}$	$R^{D5}$	50
$L_{C196}$	$R^{D1}$	$R^{D9}$	
$L_{C197}$	$R^{D1}$	$R^{D10}$	
$L_{C198}$	$R^{D1}$	$R^{D17}$	
$L_{C199}$	$R^{D1}$	$R^{D18}$	
$L_{C200}$	$R^{D1}$	$R^{D20}$	
$L_{C201}$	$R^{D1}$	$R^{D22}$	55
$L_{C202}$	$R^{D1}$	$R^{D37}$	
$L_{C203}$	$R^{D1}$	$R^{D40}$	
$L_{C204}$	$R^{D1}$	$R^{D41}$	
$L_{C205}$	$R^{D1}$	$R^{D42}$	
$L_{C206}$	$R^{D1}$	$R^{D43}$	
$L_{C207}$	$R^{D1}$	$R^{D48}$	60
$L_{C208}$	$R^{D1}$	$R^{D49}$	
$L_{C209}$	$R^{D1}$	$R^{D50}$	
$L_{C210}$	$R^{D1}$	$R^{D54}$	
$L_{C211}$	$R^{D1}$	$R^{D55}$	
$L_{C212}$	$R^{D1}$	$R^{D58}$	
$L_{C213}$	$R^{D1}$	$R^{D59}$	65
$L_{C214}$	$R^{D1}$	$R^{D78}$	

-continued

$L_{Cj}$	$R^1$	$R^2$
$L_{C215}$	$R^{D1}$	$R^{D79}$
$L_{C216}$	$R^{D1}$	$R^{D81}$
$L_{C217}$	$R^{D1}$	$R^{D87}$
$L_{C218}$	$R^{D1}$	$R^{D88}$
$L_{C219}$	$R^{D1}$	$R^{D89}$
$L_{C220}$	$R^{D1}$	$R^{D93}$
$L_{C221}$	$R^{D1}$	$R^{D116}$
$L_{C222}$	$R^{D1}$	$R^{D117}$
$L_{C223}$	$R^{D1}$	$R^{D118}$
$L_{C224}$	$R^{D1}$	$R^{D119}$
$L_{C225}$	$R^{D1}$	$R^{D120}$
$L_{C226}$	$R^{D1}$	$R^{D133}$
$L_{C227}$	$R^{D1}$	$R^{D134}$
$L_{C228}$	$R^{D1}$	$R^{D135}$
$L_{C229}$	$R^{D1}$	$R^{D136}$
$L_{C230}$	$R^{D1}$	$R^{D143}$
$L_{C231}$	$R^{D1}$	$R^{D144}$
$L_{C232}$	$R^{D1}$	$R^{D145}$
$L_{C233}$	$R^{D1}$	$R^{D146}$
$L_{C234}$	$R^{D1}$	$R^{D147}$
$L_{C235}$	$R^{D1}$	$R^{D149}$
$L_{C236}$	$R^{D1}$	$R^{D151}$
$L_{C237}$	$R^{D1}$	$R^{D154}$
$L_{C238}$	$R^{D1}$	$R^{D155}$
$L_{C239}$	$R^{D1}$	$R^{D161}$
$L_{C240}$	$R^{D1}$	$R^{D175}$
$L_{C241}$	$R^{D4}$	$R^{D3}$
$L_{C242}$	$R^{D4}$	$R^{D5}$
$L_{C243}$	$R^{D4}$	$R^{D9}$
$L_{C244}$	$R^{D4}$	$R^{D10}$
$L_{C245}$	$R^{D4}$	$R^{D17}$
$L_{C246}$	$R^{D4}$	$R^{D18}$
$L_{C247}$	$R^{D4}$	$R^{D20}$
$L_{C248}$	$R^{D4}$	$R^{D22}$
$L_{C249}$	$R^{D4}$	$R^{D37}$
$L_{C250}$	$R^{D4}$	$R^{D40}$
$L_{C251}$	$R^{D4}$	$R^{D41}$
$L_{C252}$	$R^{D4}$	$R^{D42}$
$L_{C253}$	$R^{D4}$	$R^{D43}$
$L_{C254}$	$R^{D4}$	$R^{D48}$
$L_{C255}$	$R^{D4}$	$R^{D49}$
$L_{C256}$	$R^{D4}$	$R^{D50}$
$L_{C257}$	$R^{D4}$	$R^{D54}$
$L_{C258}$	$R^{D4}$	$R^{D55}$
$L_{C259}$	$R^{D4}$	$R^{D58}$
$L_{C260}$	$R^{D4}$	$R^{D59}$
$L_{C261}$	$R^{D4}$	$R^{D78}$
$L_{C262}$	$R^{D4}$	$R^{D79}$
$L_{C263}$	$R^{D4}$	$R^{D81}$
$L_{C264}$	$R^{D4}$	$R^{D87}$
$L_{C265}$	$R^{D4}$	$R^{D88}$
$L_{C266}$	$R^{D4}$	$R^{D89}$
$L_{C267}$	$R^{D4}$	$R^{D93}$
$L_{C268}$	$R^{D4}$	$R^{D116}$
$L_{C269}$	$R^{D4}$	$R^{D117}$
$L_{C270}$	$R^{D4}$	$R^{D118}$
$L_{C271}$	$R^{D4}$	$R^{D119}$
$L_{C272}$	$R^{D4}$	$R^{D120}$
$L_{C273}$	$R^{D4}$	$R^{D133}$
$L_{C274}$	$R^{D4}$	$R^{D134}$
$L_{C275}$	$R^{D4}$	$R^{D135}$
$L_{C276}$	$R^{D4}$	$R^{D136}$
$L_{C277}$	$R^{D4}$	$R^{D143}$
$L_{C278}$	$R^{D4}$	$R^{D144}$
$L_{C279}$	$R^{D4}$	$R^{D145}$
$L_{C280}$	$R^{D4}$	$R^{D146}$
$L_{C281}$	$R^{D4}$	$R^{D147}$
$L_{C282}$	$R^{D4}$	$R^{D149}$
$L_{C283}$	$R^{D4}$	$R^{D151}$
$L_{C284}$	$R^{D4}$	$R^{D154}$
$L_{C285}$	$R^{D4}$	$R^{D155}$
$L_{C286}$	$R^{D4}$	$R^{D161}$
$L_{C287}$	$R^{D4}$	$R^{D175}$
$L_{C288}$	$R^{D9}$	$R^{D3}$
$L_{C289}$	$R^{D9}$	$R^{D5}$
$L_{C290}$	$R^{D9}$	$R^{D10}$
$L_{C291}$	$R^{D9}$	$R^{D17}$

-continued

$L_{Cj}$	$R^1$	$R^2$	
$L_{C292}$	$R^{D9}$	$R^{D18}$	
$L_{C293}$	$R^{D9}$	$R^{D20}$	5
$L_{C294}$	$R^{D9}$	$R^{D22}$	
$L_{C295}$	$R^{D9}$	$R^{D37}$	
$L_{C296}$	$R^{D9}$	$R^{D40}$	
$L_{C297}$	$R^{D9}$	$R^{D41}$	
$L_{C298}$	$R^{D9}$	$R^{D42}$	
$L_{C299}$	$R^{D9}$	$R^{D43}$	10
$L_{C300}$	$R^{D9}$	$R^{D48}$	
$L_{C301}$	$R^{D9}$	$R^{D49}$	
$L_{C302}$	$R^{D9}$	$R^{D50}$	
$L_{C303}$	$R^{D9}$	$R^{D54}$	
$L_{C304}$	$R^{D9}$	$R^{D55}$	
$L_{C305}$	$R^{D9}$	$R^{D58}$	15
$L_{C306}$	$R^{D9}$	$R^{D59}$	
$L_{C307}$	$R^{D9}$	$R^{D78}$	
$L_{C308}$	$R^{D9}$	$R^{D79}$	
$L_{C309}$	$R^{D9}$	$R^{D81}$	
$L_{C310}$	$R^{D9}$	$R^{D87}$	
$L_{C311}$	$R^{D9}$	$R^{D88}$	
$L_{C312}$	$R^{D9}$	$R^{D89}$	20
$L_{C313}$	$R^{D9}$	$R^{D93}$	
$L_{C314}$	$R^{D9}$	$R^{D116}$	
$L_{C315}$	$R^{D9}$	$R^{D117}$	
$L_{C316}$	$R^{D9}$	$R^{D118}$	
$L_{C317}$	$R^{D9}$	$R^{D119}$	
$L_{C318}$	$R^{D9}$	$R^{D120}$	25
$L_{C319}$	$R^{D9}$	$R^{D133}$	
$L_{C320}$	$R^{D9}$	$R^{D134}$	
$L_{C321}$	$R^{D9}$	$R^{D135}$	
$L_{C322}$	$R^{D9}$	$R^{D136}$	
$L_{C323}$	$R^{D9}$	$R^{D143}$	
$L_{C324}$	$R^{D9}$	$R^{D144}$	30
$L_{C325}$	$R^{D9}$	$R^{D145}$	
$L_{C326}$	$R^{D9}$	$R^{D146}$	
$L_{C327}$	$R^{D9}$	$R^{D147}$	
$L_{C328}$	$R^{D9}$	$R^{D149}$	
$L_{C329}$	$R^{D9}$	$R^{D151}$	
$L_{C330}$	$R^{D9}$	$R^{D154}$	35
$L_{C331}$	$R^{D9}$	$R^{D155}$	
$L_{C332}$	$R^{D9}$	$R^{D161}$	
$L_{C333}$	$R^{D9}$	$R^{D175}$	
$L_{C334}$	$R^{D10}$	$R^{D3}$	
$L_{C335}$	$R^{D10}$	$R^{D5}$	
$L_{C336}$	$R^{D10}$	$R^{D17}$	40
$L_{C337}$	$R^{D10}$	$R^{D18}$	
$L_{C338}$	$R^{D10}$	$R^{D20}$	
$L_{C339}$	$R^{D10}$	$R^{D22}$	
$L_{C340}$	$R^{D10}$	$R^{D37}$	
$L_{C341}$	$R^{D10}$	$R^{D40}$	
$L_{C342}$	$R^{D10}$	$R^{D41}$	45
$L_{C343}$	$R^{D10}$	$R^{D42}$	
$L_{C344}$	$R^{D10}$	$R^{D43}$	
$L_{C345}$	$R^{D10}$	$R^{D48}$	
$L_{C346}$	$R^{D10}$	$R^{D49}$	
$L_{C347}$	$R^{D10}$	$R^{D50}$	
$L_{C348}$	$R^{D10}$	$R^{D54}$	
$L_{C349}$	$R^{D10}$	$R^{D55}$	50
$L_{C350}$	$R^{D10}$	$R^{D58}$	
$L_{C351}$	$R^{D10}$	$R^{D59}$	
$L_{C352}$	$R^{D10}$	$R^{D78}$	
$L_{C353}$	$R^{D10}$	$R^{D79}$	
$L_{C354}$	$R^{D10}$	$R^{D81}$	
$L_{C355}$	$R^{D10}$	$R^{D87}$	55
$L_{C356}$	$R^{D10}$	$R^{D88}$	
$L_{C357}$	$R^{D10}$	$R^{D89}$	
$L_{C358}$	$R^{D10}$	$R^{D93}$	
$L_{C359}$	$R^{D10}$	$R^{D116}$	
$L_{C360}$	$R^{D10}$	$R^{D117}$	
$L_{C361}$	$R^{D10}$	$R^{D118}$	60
$L_{C362}$	$R^{D10}$	$R^{D119}$	
$L_{C363}$	$R^{D10}$	$R^{D120}$	
$L_{C364}$	$R^{D10}$	$R^{D133}$	
$L_{C365}$	$R^{D10}$	$R^{D134}$	
$L_{C366}$	$R^{D10}$	$R^{D135}$	
$L_{C367}$	$R^{D10}$	$R^{D136}$	65
$L_{C368}$	$R^{D10}$	$R^{D143}$	

-continued

$L_{Cj}$	$R^1$	$R^2$
$L_{C369}$	$R^{D10}$	$R^{D144}$
$L_{C370}$	$R^{D10}$	$R^{D145}$
$L_{C371}$	$R^{D10}$	$R^{D146}$
$L_{C372}$	$R^{D10}$	$R^{D147}$
$L_{C373}$	$R^{D10}$	$R^{D149}$
$L_{C374}$	$R^{D10}$	$R^{D151}$
$L_{C375}$	$R^{D10}$	$R^{D154}$
$L_{C376}$	$R^{D10}$	$R^{D155}$
$L_{C377}$	$R^{D10}$	$R^{D161}$
$L_{C378}$	$R^{D10}$	$R^{D175}$
$L_{C379}$	$R^{D10}$	$R^{D3}$
$L_{C380}$	$R^{D10}$	$R^{D5}$
$L_{C381}$	$R^{D10}$	$R^{D18}$
$L_{C382}$	$R^{D10}$	$R^{D20}$
$L_{C383}$	$R^{D10}$	$R^{D22}$
$L_{C384}$	$R^{D10}$	$R^{D37}$
$L_{C385}$	$R^{D17}$	$R^{D40}$
$L_{C386}$	$R^{D17}$	$R^{D41}$
$L_{C387}$	$R^{D17}$	$R^{D42}$
$L_{C388}$	$R^{D17}$	$R^{D43}$
$L_{C389}$	$R^{D17}$	$R^{D48}$
$L_{C390}$	$R^{D17}$	$R^{D49}$
$L_{C391}$	$R^{D17}$	$R^{D50}$
$L_{C392}$	$R^{D17}$	$R^{D54}$
$L_{C393}$	$R^{D17}$	$R^{D55}$
$L_{C394}$	$R^{D17}$	$R^{D58}$
$L_{C395}$	$R^{D17}$	$R^{D59}$
$L_{C396}$	$R^{D17}$	$R^{D78}$
$L_{C397}$	$R^{D17}$	$R^{D79}$
$L_{C398}$	$R^{D17}$	$R^{D81}$
$L_{C399}$	$R^{D17}$	$R^{D87}$
$L_{C400}$	$R^{D17}$	$R^{D88}$
$L_{C401}$	$R^{D17}$	$R^{D89}$
$L_{C402}$	$R^{D17}$	$R^{D93}$
$L_{C403}$	$R^{D17}$	$R^{D116}$
$L_{C404}$	$R^{D17}$	$R^{D117}$
$L_{C405}$	$R^{D17}$	$R^{D118}$
$L_{C406}$	$R^{D17}$	$R^{D119}$
$L_{C407}$	$R^{D17}$	$R^{D120}$
$L_{C408}$	$R^{D17}$	$R^{D133}$
$L_{C409}$	$R^{D17}$	$R^{D134}$
$L_{C410}$	$R^{D17}$	$R^{D135}$
$L_{C411}$	$R^{D17}$	$R^{D136}$
$L_{C412}$	$R^{D17}$	$R^{D143}$
$L_{C413}$	$R^{D17}$	$R^{D144}$
$L_{C414}$	$R^{D17}$	$R^{D145}$
$L_{C415}$	$R^{D17}$	$R^{D146}$
$L_{C416}$	$R^{D17}$	$R^{D147}$
$L_{C417}$	$R^{D17}$	$R^{D149}$
$L_{C418}$	$R^{D17}$	$R^{D151}$
$L_{C419}$	$R^{D17}$	$R^{D154}$
$L_{C420}$	$R^{D17}$	$R^{D155}$
$L_{C421}$	$R^{D17}$	$R^{D161}$
$L_{C422}$	$R^{D17}$	$R^{D175}$
$L_{C423}$	$R^{D50}$	$R^{D3}$
$L_{C424}$	$R^{D50}$	$R^{D5}$
$L_{C425}$	$R^{D50}$	$R^{D18}$
$L_{C426}$	$R^{D50}$	$R^{D20}$
$L_{C427}$	$R^{D50}$	$R^{D22}$
$L_{C428}$	$R^{D50}$	$R^{D37}$
$L_{C429}$	$R^{D50}$	$R^{D40}$
$L_{C430}$	$R^{D50}$	$R^{D41}$
$L_{C431}$	$R^{D50}$	$R^{D42}$
$L_{C432}$	$R^{D50}$	$R^{D43}$
$L_{C433}$	$R^{D50}$	$R^{D48}$
$L_{C434}$	$R^{D50}$	$R^{D49}$
$L_{C435}$	$R^{D50}$	$R^{D54}$
$L_{C436}$	$R^{D50}$	$R^{D55}$
$L_{C437}$	$R^{D50}$	$R^{D58}$
$L_{C438}$	$R^{D50}$	$R^{D59}$
$L_{C439}$	$R^{D50}$	$R^{D78}$
$L_{C440}$	$R^{D50}$	$R^{D79}$
$L_{C441}$	$R^{D50}$	$R^{D81}$
$L_{C442}$	$R^{D50}$	$R^{D87}$
$L_{C443}$	$R^{D50}$	$R^{D88}$
$L_{C444}$	$R^{D50}$	$R^{D89}$
$L_{C445}$	$R^{D50}$	$R^{D93}$

-continued

$L_{Cj}$	$R^1$	$R^2$	
$L_{C446}$	$R^{D50}$	$R^{D116}$	
$L_{C447}$	$R^{D50}$	$R^{D117}$	5
$L_{C448}$	$R^{D50}$	$R^{D118}$	
$L_{C449}$	$R^{D50}$	$R^{D119}$	
$L_{C450}$	$R^{D50}$	$R^{D120}$	
$L_{C451}$	$R^{D50}$	$R^{D133}$	
$L_{C452}$	$R^{D50}$	$R^{D134}$	
$L_{C453}$	$R^{D50}$	$R^{D135}$	10
$L_{C454}$	$R^{D50}$	$R^{D136}$	
$L_{C455}$	$R^{D50}$	$R^{D143}$	
$L_{C456}$	$R^{D50}$	$R^{D144}$	
$L_{C457}$	$R^{D50}$	$R^{D145}$	
$L_{C458}$	$R^{D50}$	$R^{D146}$	
$L_{C459}$	$R^{D50}$	$R^{D147}$	15
$L_{C460}$	$R^{D50}$	$R^{D149}$	
$L_{C461}$	$R^{D50}$	$R^{D151}$	
$L_{C462}$	$R^{D50}$	$R^{D154}$	
$L_{C463}$	$R^{D50}$	$R^{D155}$	
$L_{C464}$	$R^{D50}$	$R^{D161}$	
$L_{C465}$	$R^{D50}$	$R^{D175}$	
$L_{C466}$	$R^{D55}$	$R^{D3}$	20
$L_{C467}$	$R^{D55}$	$R^{D5}$	
$L_{C468}$	$R^{D55}$	$R^{D18}$	
$L_{C469}$	$R^{D55}$	$R^{D20}$	
$L_{C470}$	$R^{D55}$	$R^{D22}$	
$L_{C471}$	$R^{D55}$	$R^{D37}$	
$L_{C472}$	$R^{D55}$	$R^{D40}$	25
$L_{C473}$	$R^{D55}$	$R^{D41}$	
$L_{C474}$	$R^{D55}$	$R^{D42}$	
$L_{C475}$	$R^{D55}$	$R^{D43}$	
$L_{C476}$	$R^{D55}$	$R^{D48}$	
$L_{C477}$	$R^{D55}$	$R^{D49}$	
$L_{C478}$	$R^{D55}$	$R^{D54}$	30
$L_{C479}$	$R^{D55}$	$R^{D58}$	
$L_{C480}$	$R^{D55}$	$R^{D59}$	
$L_{C481}$	$R^{D55}$	$R^{D78}$	
$L_{C482}$	$R^{D55}$	$R^{D79}$	
$L_{C483}$	$R^{D55}$	$R^{D81}$	
$L_{C484}$	$R^{D55}$	$R^{D87}$	35
$L_{C485}$	$R^{D55}$	$R^{D88}$	
$L_{C486}$	$R^{D55}$	$R^{D89}$	
$L_{C487}$	$R^{D55}$	$R^{D93}$	
$L_{C488}$	$R^{D55}$	$R^{D116}$	
$L_{C489}$	$R^{D55}$	$R^{D117}$	
$L_{C490}$	$R^{D55}$	$R^{D118}$	40
$L_{C491}$	$R^{D55}$	$R^{D119}$	
$L_{C492}$	$R^{D55}$	$R^{D120}$	
$L_{C493}$	$R^{D55}$	$R^{D133}$	
$L_{C494}$	$R^{D55}$	$R^{D134}$	
$L_{C495}$	$R^{D55}$	$R^{D135}$	
$L_{C496}$	$R^{D55}$	$R^{D136}$	45
$L_{C497}$	$R^{D55}$	$R^{D143}$	
$L_{C498}$	$R^{D55}$	$R^{D144}$	
$L_{C499}$	$R^{D55}$	$R^{D145}$	
$L_{C500}$	$R^{D55}$	$R^{D146}$	
$L_{C501}$	$R^{D55}$	$R^{D147}$	
$L_{C502}$	$R^{D55}$	$R^{D149}$	
$L_{C503}$	$R^{D55}$	$R^{D151}$	50
$L_{C504}$	$R^{D55}$	$R^{D154}$	
$L_{C505}$	$R^{D55}$	$R^{D155}$	
$L_{C506}$	$R^{D55}$	$R^{D161}$	
$L_{C507}$	$R^{D55}$	$R^{D175}$	
$L_{C508}$	$R^{D116}$	$R^3$	
$L_{C509}$	$R^{D116}$	$R^5$	55
$L_{C510}$	$R^{D116}$	$R^{D17}$	
$L_{C511}$	$R^{D116}$	$R^{D18}$	
$L_{C512}$	$R^{D116}$	$R^{D20}$	
$L_{C513}$	$R^{D116}$	$R^{D22}$	
$L_{C514}$	$R^{D116}$	$R^{D37}$	
$L_{C515}$	$R^{D116}$	$R^{D40}$	60
$L_{C516}$	$R^{D116}$	$R^{D41}$	
$L_{C517}$	$R^{D116}$	$R^{D42}$	
$L_{C518}$	$R^{D116}$	$R^{D43}$	
$L_{C519}$	$R^{D116}$	$R^{D48}$	
$L_{C520}$	$R^{D116}$	$R^{D49}$	
$L_{C521}$	$R^{D116}$	$R^{D54}$	65
$L_{C522}$	$R^{D116}$	$R^{D58}$	

-continued

$L_{Cj}$	$R^1$	$R^2$
$L_{C523}$	$R^{D116}$	$R^{D59}$
$L_{C524}$	$R^{D116}$	$R^{D78}$
$L_{C525}$	$R^{D116}$	$R^{D79}$
$L_{C526}$	$R^{D116}$	$R^{D81}$
$L_{C527}$	$R^{D116}$	$R^{D87}$
$L_{C528}$	$R^{D116}$	$R^{D88}$
$L_{C529}$	$R^{D116}$	$R^{D89}$
$L_{C530}$	$R^{D116}$	$R^{D93}$
$L_{C531}$	$R^{D116}$	$R^{D117}$
$L_{C532}$	$R^{D116}$	$R^{D118}$
$L_{C533}$	$R^{D116}$	$R^{D119}$
$L_{C534}$	$R^{D116}$	$R^{D120}$
$L_{C535}$	$R^{D116}$	$R^{D133}$
$L_{C536}$	$R^{D116}$	$R^{D134}$
$L_{C537}$	$R^{D116}$	$R^{D135}$
$L_{C538}$	$R^{D116}$	$R^{D136}$
$L_{C539}$	$R^{D116}$	$R^{D143}$
$L_{C540}$	$R^{D116}$	$R^{D144}$
$L_{C541}$	$R^{D116}$	$R^{D145}$
$L_{C542}$	$R^{D116}$	$R^{D146}$
$L_{C543}$	$R^{D116}$	$R^{D147}$
$L_{C544}$	$R^{D116}$	$R^{D149}$
$L_{C545}$	$R^{D116}$	$R^{D151}$
$L_{C546}$	$R^{D116}$	$R^{D154}$
$L_{C547}$	$R^{D116}$	$R^{D155}$
$L_{C548}$	$R^{D116}$	$R^{D161}$
$L_{C549}$	$R^{D116}$	$R^{D175}$
$L_{C550}$	$R^{D143}$	$R^{D3}$
$L_{C551}$	$R^{D143}$	$R^5$
$L_{C552}$	$R^{D143}$	$R^{D17}$
$L_{C553}$	$R^{D143}$	$R^{D18}$
$L_{C554}$	$R^{D143}$	$R^{D20}$
$L_{C555}$	$R^{D143}$	$R^{D22}$
$L_{C556}$	$R^{D143}$	$R^{D37}$
$L_{C557}$	$R^{D143}$	$R^{D40}$
$L_{C558}$	$R^{D143}$	$R^{D41}$
$L_{C559}$	$R^{D143}$	$R^{D42}$
$L_{C560}$	$R^{D143}$	$R^{D43}$
$L_{C561}$	$R^{D143}$	$R^{D48}$
$L_{C562}$	$R^{D143}$	$R^{D49}$
$L_{C563}$	$R^{D143}$	$R^{D54}$
$L_{C564}$	$R^{D143}$	$R^{D58}$
$L_{C565}$	$R^{D143}$	$R^{D59}$
$L_{C566}$	$R^{D143}$	$R^{D78}$
$L_{C567}$	$R^{D143}$	$R^{D79}$
$L_{C568}$	$R^{D143}$	$R^{D81}$
$L_{C569}$	$R^{D143}$	$R^{D87}$
$L_{C570}$	$R^{D143}$	$R^{D88}$
$L_{C571}$	$R^{D143}$	$R^{D89}$
$L_{C572}$	$R^{D143}$	$R^{D93}$
$L_{C573}$	$R^{D143}$	$R^{D116}$
$L_{C574}$	$R^{D143}$	$R^{D117}$
$L_{C575}$	$R^{D143}$	$R^{D118}$
$L_{C576}$	$R^{D143}$	$R^{D119}$
$L_{C577}$	$R^{D143}$	$R^{D120}$
$L_{C578}$	$R^{D143}$	$R^{D133}$
$L_{C579}$	$R^{D143}$	$R^{D134}$
$L_{C580}$	$R^{D143}$	$R^{D135}$
$L_{C581}$	$R^{D143}$	$R^{D136}$
$L_{C582}$	$R^{D143}$	$R^{D144}$
$L_{C583}$	$R^{D143}$	$R^{D145}$
$L_{C584}$	$R^{D143}$	$R^{D146}$
$L_{C585}$	$R^{D143}$	$R^{D147}$
$L_{C586}$	$R^{D143}$	$R^{D149}$
$L_{C587}$	$R^{D143}$	$R^{D151}$
$L_{C588}$	$R^{D143}$	$R^{D154}$
$L_{C589}$	$R^{D143}$	$R^{D155}$
$L_{C590}$	$R^{D143}$	$R^{D161}$
$L_{C591}$	$R^{D143}$	$R^{D175}$
$L_{C592}$	$R^{D144}$	$R^3$
$L_{C593}$	$R^{D144}$	$R^5$
$L_{C594}$	$R^{D144}$	$R^{D17}$
$L_{C595}$	$R^{D144}$	$R^{D18}$
$L_{C596}$	$R^{D144}$	$R^{D20}$
$L_{C597}$	$R^{D144}$	$R^{D22}$
$L_{C598}$	$R^{D144}$	$R^{D37}$
$L_{C599}$	$R^{D144}$	$R^{D40}$

-continued

$L_{Cj}$	$R^1$	$R^2$	
$L_{C600}$	$R^{D144}$	$R^{D41}$	
$L_{C601}$	$R^{D144}$	$R^{D42}$	5
$L_{C602}$	$R^{D144}$	$R^{D43}$	
$L_{C603}$	$R^{D144}$	$R^{D48}$	
$L_{C604}$	$R^{D144}$	$R^{D49}$	
$L_{C605}$	$R^{D144}$	$R^{D54}$	
$L_{C606}$	$R^{D144}$	$R^{D58}$	
$L_{C607}$	$R^{D144}$	$R^{D59}$	10
$L_{C608}$	$R^{D144}$	$R^{D78}$	
$L_{C609}$	$R^{D144}$	$R^{D79}$	
$L_{C610}$	$R^{D144}$	$R^{D81}$	
$L_{C611}$	$R^{D144}$	$R^{D87}$	
$L_{C612}$	$R^{D144}$	$R^{D88}$	
$L_{C613}$	$R^{D144}$	$R^{D89}$	15
$L_{C614}$	$R^{D144}$	$R^{D93}$	
$L_{C615}$	$R^{D144}$	$R^{D116}$	
$L_{C616}$	$R^{D144}$	$R^{D117}$	
$L_{C617}$	$R^{D144}$	$R^{D118}$	
$L_{C618}$	$R^{D144}$	$R^{D119}$	
$L_{C619}$	$R^{D144}$	$R^{D120}$	
$L_{C620}$	$R^{D144}$	$R^{D133}$	20
$L_{C621}$	$R^{D144}$	$R^{D134}$	
$L_{C622}$	$R^{D144}$	$R^{D135}$	
$L_{C623}$	$R^{D144}$	$R^{D136}$	
$L_{C624}$	$R^{D144}$	$R^{D145}$	
$L_{C625}$	$R^{D144}$	$R^{D146}$	
$L_{C626}$	$R^{D144}$	$R^{D147}$	25
$L_{C627}$	$R^{D144}$	$R^{D149}$	
$L_{C628}$	$R^{D144}$	$R^{D151}$	
$L_{C629}$	$R^{D144}$	$R^{D154}$	
$L_{C630}$	$R^{D144}$	$R^{D155}$	
$L_{C631}$	$R^{D144}$	$R^{D161}$	
$L_{C632}$	$R^{D144}$	$R^{D175}$	30
$L_{C633}$	$R^{D145}$	$R^{D3}$	
$L_{C634}$	$R^{D145}$	$R^{D5}$	
$L_{C635}$	$R^{D145}$	$R^{D17}$	
$L_{C636}$	$R^{D145}$	$R^{D18}$	
$L_{C637}$	$R^{D145}$	$R^{D20}$	
$L_{C638}$	$R^{D145}$	$R^{D22}$	35
$L_{C639}$	$R^{D145}$	$R^{D37}$	
$L_{C640}$	$R^{D145}$	$R^{D40}$	
$L_{C641}$	$R^{D145}$	$R^{D41}$	
$L_{C642}$	$R^{D145}$	$R^{D42}$	
$L_{C643}$	$R^{D145}$	$R^{D43}$	
$L_{C644}$	$R^{D145}$	$R^{D48}$	40
$L_{C645}$	$R^{D145}$	$R^{D49}$	
$L_{C646}$	$R^{D145}$	$R^{D54}$	
$L_{C647}$	$R^{D145}$	$R^{D58}$	
$L_{C648}$	$R^{D145}$	$R^{D59}$	
$L_{C649}$	$R^{D145}$	$R^{D78}$	
$L_{C650}$	$R^{D145}$	$R^{D79}$	
$L_{C651}$	$R^{D145}$	$R^{D81}$	45
$L_{C652}$	$R^{D145}$	$R^{D87}$	
$L_{C653}$	$R^{D145}$	$R^{D88}$	
$L_{C654}$	$R^{D145}$	$R^{D89}$	
$L_{C655}$	$R^{D145}$	$R^{D93}$	
$L_{C656}$	$R^{D145}$	$R^{D116}$	
$L_{C657}$	$R^{D145}$	$R^{D117}$	50
$L_{C658}$	$R^{D145}$	$R^{D118}$	
$L_{C659}$	$R^{D145}$	$R^{D119}$	
$L_{C660}$	$R^{D145}$	$R^{D120}$	
$L_{C661}$	$R^{D145}$	$R^{D133}$	
$L_{C662}$	$R^{D145}$	$R^{D134}$	
$L_{C663}$	$R^{D145}$	$R^{D135}$	55
$L_{C664}$	$R^{D145}$	$R^{D136}$	
$L_{C665}$	$R^{D145}$	$R^{D146}$	
$L_{C666}$	$R^{D145}$	$R^{D147}$	
$L_{C667}$	$R^{D145}$	$R^{D149}$	
$L_{C668}$	$R^{D145}$	$R^{D151}$	
$L_{C669}$	$R^{D145}$	$R^{D154}$	60
$L_{C670}$	$R^{D145}$	$R^{D155}$	
$L_{C671}$	$R^{D145}$	$R^{D161}$	
$L_{C672}$	$R^{D145}$	$R^{D175}$	
$L_{C673}$	$R^{D146}$	$R^{D3}$	
$L_{C674}$	$R^{D146}$	$R^{D5}$	
$L_{C675}$	$R^{D146}$	$R^{D17}$	65
$L_{C676}$	$R^{D146}$	$R^{D18}$	


-continued

$L_{Cj}$	$R^1$	$R^2$
$L_{C677}$	$R^{D146}$	$R^{D20}$
$L_{C678}$	$R^{D146}$	$R^{D22}$
$L_{C679}$	$R^{D146}$	$R^{D37}$
$L_{C680}$	$R^{D146}$	$R^{D40}$
$L_{C681}$	$R^{D146}$	$R^{D41}$
$L_{C682}$	$R^{D146}$	$R^{D42}$
$L_{C683}$	$R^{D146}$	$R^{D43}$
$L_{C684}$	$R^{D146}$	$R^{D48}$
$L_{C685}$	$R^{D146}$	$R^{D49}$
$L_{C686}$	$R^{D146}$	$R^{D54}$
$L_{C687}$	$R^{D146}$	$R^{D58}$
$L_{C688}$	$R^{D146}$	$R^{D59}$
$L_{C689}$	$R^{D146}$	$R^{D78}$
$L_{C690}$	$R^{D146}$	$R^{D79}$
$L_{C691}$	$R^{D146}$	$R^{D81}$
$L_{C692}$	$R^{D146}$	$R^{D87}$
$L_{C693}$	$R^{D146}$	$R^{D88}$
$L_{C694}$	$R^{D146}$	$R^{D89}$
$L_{C695}$	$R^{D146}$	$R^{D93}$
$L_{C696}$	$R^{D146}$	$R^{D117}$
$L_{C697}$	$R^{D146}$	$R^{D118}$
$L_{C698}$	$R^{D146}$	$R^{D119}$
$L_{C699}$	$R^{D146}$	$R^{D120}$
$L_{C700}$	$R^{D146}$	$R^{D133}$
$L_{C701}$	$R^{D146}$	$R^{D134}$
$L_{C702}$	$R^{D146}$	$R^{D135}$
$L_{C703}$	$R^{D146}$	$R^{D136}$
$L_{C704}$	$R^{D146}$	$R^{D146}$
$L_{C705}$	$R^{D146}$	$R^{D147}$
$L_{C706}$	$R^{D146}$	$R^{D149}$
$L_{C707}$	$R^{D146}$	$R^{D151}$
$L_{C708}$	$R^{D146}$	$R^{D154}$
$L_{C709}$	$R^{D146}$	$R^{D155}$
$L_{C710}$	$R^{D146}$	$R^{D161}$
$L_{C711}$	$R^{D146}$	$R^{D175}$
$L_{C712}$	$R^{D133}$	$R^{D3}$
$L_{C713}$	$R^{D133}$	$R^{D5}$
$L_{C714}$	$R^{D133}$	$R^{D3}$
$L_{C715}$	$R^{D133}$	$R^{D18}$
$L_{C716}$	$R^{D133}$	$R^{D20}$
$L_{C717}$	$R^{D133}$	$R^{D22}$
$L_{C718}$	$R^{D133}$	$R^{D37}$
$L_{C719}$	$R^{D133}$	$R^{D40}$
$L_{C720}$	$R^{D133}$	$R^{D41}$
$L_{C721}$	$R^{D133}$	$R^{D42}$
$L_{C722}$	$R^{D133}$	$R^{D43}$
$L_{C723}$	$R^{D133}$	$R^{D48}$
$L_{C724}$	$R^{D133}$	$R^{D49}$
$L_{C725}$	$R^{D133}$	$R^{D54}$
$L_{C726}$	$R^{D133}$	$R^{D58}$
$L_{C727}$	$R^{D133}$	$R^{D59}$
$L_{C728}$	$R^{D133}$	$R^{D78}$
$L_{C729}$	$R^{D133}$	$R^{D79}$
$L_{C730}$	$R^{D133}$	$R^{D81}$
$L_{C731}$	$R^{D133}$	$R^{D87}$
$L_{C732}$	$R^{D133}$	$R^{D88}$
$L_{C733}$	$R^{D133}$	$R^{D89}$
$L_{C734}$	$R^{D133}$	$R^{D93}$
$L_{C735}$	$R^{D133}$	$R^{D117}$
$L_{C736}$	$R^{D133}$	$R^{D118}$
$L_{C737}$	$R^{D133}$	$R^{D119}$
$L_{C738}$	$R^{D133}$	$R^{D120}$
$L_{C739}$	$R^{D133}$	$R^{D133}$
$L_{C740}$	$R^{D133}$	$R^{D134}$
$L_{C741}$	$R^{D133}$	$R^{D135}$
$L_{C742}$	$R^{D133}$	$R^{D136}$
$L_{C743}$	$R^{D133}$	$R^{D146}$
$L_{C744}$	$R^{D133}$	$R^{D147}$
$L_{C745}$	$R^{D133}$	$R^{D149}$
$L_{C746}$	$R^{D133}$	$R^{D151}$
$L_{C747}$	$R^{D133}$	$R^{D154}$
$L_{C748}$	$R^{D133}$	$R^{D155}$
$L_{C749}$	$R^{D133}$	$R^{D161}$
$L_{C750}$	$R^{D133}$	$R^{D175}$
$L_{C751}$	$R^{D175}$	$R^{D3}$
$L_{C752}$	$R^{D175}$	$R^{D5}$
$L_{C753}$	$R^{D175}$	$R^{D18}$

**145**  
-continued


$L_{Cj}$	$R^{1'}$	$R^{2'}$
$L_{C754}$	$R^{D175}$	$R^{D220}$
$L_{C755}$	$R^{D175}$	$R^{D222}$
$L_{C756}$	$R^{D175}$	$R^{D237}$
$L_{C757}$	$R^{D175}$	$R^{D40}$
$L_{C758}$	$R^{D175}$	$R^{D41}$
$L_{C759}$	$R^{D175}$	$R^{D42}$
$L_{C760}$	$R^{D175}$	$R^{D43}$
$L_{C761}$	$R^{D175}$	$R^{D48}$
$L_{C762}$	$R^{D175}$	$R^{D49}$
$L_{C763}$	$R^{D175}$	$R^{D54}$
$L_{C764}$	$R^{D175}$	$R^{D58}$
$L_{C765}$	$R^{D175}$	$R^{D59}$
$L_{C766}$	$R^{D175}$	$R^{D78}$
$L_{C767}$	$R^{D175}$	$R^{D79}$
$L_{C768}$	$R^{D175}$	$R^{D81}$

wherein  $R^{D1}$  to  $R^{D192}$  have the following structures:



$R^{D1}$   
 $R^{D2}$  25  
 $R^{D3}$   
 $R^{D4}$  30  
 $R^{D5}$   
35  
 $R^{D6}$   
 $R^{D7}$  40  
 $R^{D8}$   
45  
 $R^{D9}$   
 $R^{D10}$  50  
 $R^{D11}$  55  
 $R^{D12}$  60  
 $R^{D13}$  65


**146**  
-continued



$R^{D14}$   
 $R^{D15}$   
 $R^{D16}$   
 $R^{D17}$   
 $R^{D18}$   
 $R^{D19}$   
 $R^{D20}$   
 $R^{D21}$   
 $R^{D22}$   
 $R^{D23}$   
 $R^{D24}$   
 $R^{D25}$   
 $R^{D26}$   
 $R^{D27}$


**147**

-continued














**148**

-continued



**149**

-continued



**150**

-continued

R<sup>D55</sup>

5

R<sup>D56</sup>

10

R<sup>D57</sup>

15

R<sup>D58</sup>

20

R<sup>D59</sup>

25

R<sup>D60</sup>

30

R<sup>D61</sup>

35

R<sup>D62</sup>

40

R<sup>D63</sup>

45

R<sup>D64</sup>

50












55

R<sup>D65</sup>

60

R<sup>D66</sup>

65



R<sup>D67</sup>

R<sup>D68</sup>

R<sup>D69</sup>

R<sup>D70</sup>

R<sup>D71</sup>

R<sup>D72</sup>

R<sup>D73</sup>

R<sup>D74</sup>

R<sup>D75</sup>

R<sup>D76</sup>


R<sup>D77</sup>

R<sup>D78</sup>


R<sup>D79</sup>

**151**


-continued




5




10




15




20




25




30




35




40




45



50



55




60




65

**152**


-continued




R<sup>D80</sup>




R<sup>D81</sup>




R<sup>D82</sup>



R<sup>D83</sup>



R<sup>D84</sup>




R<sup>D85</sup>




R<sup>D86</sup>




R<sup>D87</sup>




R<sup>D88</sup>




R<sup>D89</sup>




R<sup>D90</sup>



R<sup>D91</sup>



R<sup>D92</sup>



R<sup>D93</sup>



R<sup>D94</sup>



R<sup>D95</sup>



R<sup>D96</sup>



R<sup>D97</sup>



R<sup>D98</sup>



R<sup>D99</sup>



R<sup>D100</sup>



R<sup>D101</sup>



R<sup>D102</sup>




R<sup>D103</sup>



R<sup>D104</sup>


**153**

-continued




**154**

-continued




**155**

-continued




**156**

-continued




**157**

-continued




**158**

-continued




159

-continued



160

-continued



In some embodiments where the compound is Compound A, Compound B, or Compound C, where  $L_A$  can be any of the structures for  $L_A$  defined above,  $L_B$  is selected from the group consisting of:  $L_{B1}$ ,  $L_{B2}$ ,  $L_{B18}$ ,  $L_{B28}$ ,  $L_{B38}$ ,  $L_{B108}$ ,  $L_{B118}$ ,  $L_{B122}$ ,  $L_{B124}$ ,  $L_{B126}$ ,  $L_{B128}$ ,  $L_{B130}$ ,  $L_{B32}$ ,  $L_{B134}$ ,  $L_{B136}$ ,  $L_{B138}$ ,  $L_{B140}$ ,  $L_{B142}$ ,  $L_{B144}$ ,  $L_{B156}$ ,  $L_{B58}$ ,  $L_{B160}$ ,  $L_{B162}$ ,  $L_{B164}$ ,  $L_{B168}$ ,  $L_{B172}$ ,  $L_{B175}$ ,  $L_{B204}$ ,  $L_{B206}$ ,  $L_{B214}$ ,  $L_{B216}$ ,  $L_{B218}$ ,  $L_{B220}$ ,  $L_{B222}$ ,  $L_{B231}$ ,  $L_{B233}$ ,  $L_{B235}$ ,  $L_{B237}$ ,  $L_{B240}$ ,  $L_{B242}$ ,  $L_{B244}$ ,  $L_{B246}$ ,  $L_{B248}$ ,  $L_{B250}$ ,  $L_{B252}$ ,  $L_{B254}$ ,  $L_{B256}$ ,  $L_{B258}$ ,  $L_{B260}$ ,  $L_{B262}$ ,  $L_{B263}$ ,  $L_{B264}$ ,  $L_{B265}$ ,  $L_{B266}$ ,  $L_{B267}$ ,  $L_{B268}$ ,  $L_{B269}$ ,  $L_{B270}$ ,  $L_{B271}$ ,  $L_{B272}$ ,  $L_{B273}$ ,  $L_{B274}$ ,  $L_{B275}$ ,  $L_{B276}$ ,  $L_{B277}$ ,  $L_{B278}$ ,  $L_{B279}$ ,  $L_{B280}$ ,  $L_{B281}$ ,  $L_{B283}$ ,  $L_{B285}$ ,  $L_{B287}$ ,  $L_{B297}$ ,  $L_{B300}$ ,  $L_{B335}$ ,  $L_{B338}$ ,  $L_{B352}$ ,  $L_{B354}$ ,  $L_{B368}$ ,  $L_{B369}$ ,  $L_{B370}$ ,  $L_{B375}$ ,  $L_{B376}$ ,  $L_{B377}$ ,  $L_{B379}$ ,  $L_{B380}$ ,  $L_{B382}$ ,  $L_{B385}$ ,  $L_{B386}$ ,  $L_{B394}$ ,  $L_{B395}$ ,  $L_{B396}$ ,  $L_{B397}$ ,  $L_{B398}$ ,  $L_{B399}$ ,  $L_{B400}$ ,  $L_{B401}$ ,  $L_{B402}$ ,  $L_{B403}$ ,  $L_{B410}$ ,  $L_{B411}$ ,  $L_{B412}$ ,  $L_{B417}$ ,  $L_{B425}$ ,  $L_{B427}$ ,  $L_{B430}$ ,  $L_{B431}$ ,  $L_{B432}$ ,  $L_{B434}$ ,  $L_{B440}$ ,  $L_{B444}$ ,  $L_{B445}$ ,  $L_{B446}$ ,  $L_{B447}$ ,  $L_{B449}$ ,  $L_{B450}$ ,  $L_{B451}$ ,  $L_{B452}$ ,  $L_{B454}$ ,  $L_{B455}$ ,  $L_{B457}$ ,  $L_{B460}$ ,  $L_{B462}$ ,  $L_{B463}$ ,  $L_{B469}$ , and  $L_{B471}$ .

In some embodiments,  $L_B$  is selected from the group consisting of:  $L_{B1}$ ,  $L_{B2}$ ,  $L_{B18}$ ,  $L_{B28}$ ,  $L_{B38}$ ,  $L_{B108}$ ,  $L_{B118}$ ,  $L_{B122}$ ,  $L_{B124}$ ,  $L_{B126}$ ,  $L_{B128}$ ,  $L_{B132}$ ,  $L_{B136}$ ,  $L_{B138}$ ,  $L_{B142}$ ,  $L_{B156}$ ,  $L_{B162}$ ,  $L_{B204}$ ,  $L_{B206}$ ,  $L_{B214}$ ,  $L_{B216}$ ,  $L_{B218}$ ,  $L_{B220}$ ,  $L_{B231}$ ,  $L_{B233}$ ,  $L_{B237}$ ,  $L_{B266}$ ,  $L_{B268}$ ,  $L_{B275}$ ,  $L_{B276}$ ,  $L_{B277}$ ,  $L_{B285}$ ,  $L_{B287}$ ,  $L_{B297}$ ,  $L_{B300}$ ,  $L_{B335}$ ,  $L_{B338}$ ,  $L_{B376}$ ,  $L_{B379}$ ,  $L_{B380}$ ,  $L_{B385}$ ,  $L_{B386}$ ,  $L_{B398}$ ,  $L_{B400}$ ,  $L_{B401}$ ,  $L_{B403}$ ,  $L_{B412}$ ,  $L_{B417}$ ,  $L_{B427}$ ,  $L_{B430}$ ,  $L_{B444}$ ,  $L_{B445}$ ,  $L_{B446}$ ,  $L_{B447}$ ,  $L_{B452}$ ,  $L_{B460}$ ,  $L_{B462}$ , and  $L_{B463}$ .


In some embodiments,  $L_C$  is selected from the group consisting of only those  $L_{Cj-I}$  and  $L_{Cj-II}$  whose corresponding  $R^1$  and  $R^2$  are defined to be selected from the following structures:  $R^{D1}$ ,  $R^{D3}$ ,  $R^{D4}$ ,  $R^{D5}$ ,  $R^{D9}$ ,  $R^{D10}$ ,  $R^{D17}$ ,  $R^{D20}$ ,  $R^{D22}$ ,  $R^{D37}$ ,  $R^{D40}$ ,  $R^{D41}$ ,  $R^{D42}$ ,  $R^{D43}$ ,  $R^{D48}$ ,  $R^{D49}$ ,  $R^{D50}$ ,  $R^{D54}$ ,  $R^{D55}$ ,  $R^{D58}$ ,  $R^{D59}$ ,  $R^{D78}$ ,  $R^{D79}$ ,  $R^{D81}$ ,  $R^{D87}$ ,  $R^{D88}$ ,  $R^{D89}$ ,  $R^{D93}$ ,  $R^{D116}$ ,  $R^{D117}$ ,  $R^{D118}$ ,  $R^{D119}$ ,  $R^{D120}$ ,  $R^{D133}$ ,  $R^{D134}$ ,  $R^{D135}$ ,  $R^{D136}$ ,  $R^{D143}$ ,  $R^{D144}$ ,  $R^{D146}$ ,  $R^{D147}$ ,  $R^{D149}$ ,  $R^{D151}$ ,  $R^{D154}$ ,  $R^{D155}$ ,  $R^{D161}$ ,  $R^{D175}$  and  $R^{D190}$ .

In some embodiments,  $L_C$  is selected from the group consisting of only those  $L_{Cj-I}$  and  $L_{Cj-II}$  whose corresponding

161


R<sup>1</sup> and R<sup>2</sup> are defined to be selected from the following structures: R<sup>D1</sup>, R<sup>D3</sup>, R<sup>D4</sup>, R<sup>D5</sup>, R<sup>D9</sup>, R<sup>D17</sup>, R<sup>D22</sup>, R<sup>D43</sup>, R<sup>D50</sup>, R<sup>D78</sup>, R<sup>D116</sup>, R<sup>D118</sup>, R<sup>D133</sup>, R<sup>D134</sup>, R<sup>D135</sup>, R<sup>D136</sup>, R<sup>D143</sup>, R<sup>D144</sup>, R<sup>D145</sup>, R<sup>D146</sup>, R<sup>D149</sup>, R<sup>D151</sup>, R<sup>D154</sup>, R<sup>D155</sup>, and R<sup>D190</sup>.

In some embodiments, L<sub>C</sub> is selected from the group consisting of:




162

-continued




163

-continued




In some embodiments, the compound is selected from the group consisting of the compounds in LIST5 below:








164

-continued



**165**


-continued



**166**

-continued

5




10

15

20


25



30

35


40



45


50

55




60

65




167

-continued









168

-continued








169

-continued








170

-continued









171

-continued









172

-continued









173

-continued



174







-continued



65







175

-continued









176

-continued








177

-continued








178

-continued








**179**

-continued









**180**

-continued









**181**

-continued



**182**







-continued



65







183

-continued









184

-continued








**185**

-continued






**186**

-continued




187

-continued



In some embodiments, the compound has Formula II



wherein:  $M^1$  is Pd or Pt; rings C and D are each independently a 5-membered or 6-membered carbocyclic or heterocyclic ring;  $Z^3$  and  $Z^4$  are each independently C or N;  $K^1$ ,  $K^2$ ,  $K^3$ , and  $K^4$  are each independently selected from the group consisting of a direct bond, O, and S, with at least two of them being direct bonds;  $L^1$ ,  $L^2$ , and  $L^3$  are each independently selected from the group consisting of a single bond, absent a bond, O, S, CR'R'', SiR'R'', BR', and NR', at least

188

one of  $L^1$  and  $L^2$  is not absent a bond;  $X^4$ - $X^6$  are each independently C or N;  $R^C$  and  $R^D$  each independently represent zero, mono, or up to the maximum number of allowed substitutions to its associated ring; each R', R'',  $R^C$ , and  $R^D$  is independently a hydrogen or a substituent selected from the group consisting of the general substituents defined herein; two adjacent substituents can be joined or fused together to form a ring wherever chemically feasible; and  $X^1$ - $X^3$ , R,  $R^A$ ,  $R^B$ , X,  $Z^1$ ,  $Z^2$ , and ring A are all as defined above for Formula I.

In some embodiments where the compound has Formula II, ring C can be a 6-membered aromatic ring.

In some embodiments,  $L^1$  can be O, CR'R'', or NR'.

In some embodiments,  $L^2$  is a direct bond.



In some embodiments,  $L^2$  is NR'.

In some embodiments,  $K^1$ ,  $K^2$ ,  $K^3$ , and  $K^4$  are each direct bonds. In some embodiments, one of  $K^1$ ,  $K^2$ ,  $K^3$ , and  $K^4$  can be O. In some embodiments, one of  $K^3$  and  $K^4$  can be O.

In some embodiments,  $X^4$ - $X^5$  are both N, and  $X^6$  is C.


In some embodiments,  $L^3$  is absent a bond. In some embodiments,  $L^1$  is absent a bond.

In some embodiments, the compound is selected from the group consisting of compounds having the formula of Pt( $L_A^1$ )(Ly), Pt( $L_A''$ )(Ly), Pt( $L_A'''$ )(Ly), Pt( $L_A''''$ )(Ly), Pt( $L_A'''''$ )(Ly), or Pt( $L_A''''''$ )(Ly) having the following structures:






189

-continued



190

-continued



25

30

35

40

45

50

wherein L<sub>A</sub><sup>'</sup> is selected from the group consisting of L<sub>A</sub><sup>'</sup> 1-G to L<sub>A</sub><sup>'</sup> 8-G whose structures are defined in LIST7A below, L<sub>A</sub><sup>''</sup> is selected from the group consisting of L<sub>A</sub><sup>''</sup> 9-G to L<sub>A</sub><sup>''</sup> 16-G whose structures are defined in LIST7A below, L<sub>A</sub><sup>'''</sup> is selected from the group consisting of L<sub>A</sub><sup>'''</sup> 16-G whose structures are defined in LIST7A below, L<sub>A</sub><sup>''''</sup> is selected from the group consisting of L<sub>A</sub><sup>''''</sup> 17-G whose structures are defined in LIST7A below, and L<sub>A</sub><sup>'''''</sup> is selected from the group consisting of L<sub>A</sub><sup>'''''</sup> 18-G whose structures are defined in LIST7A below, and L<sub>A</sub><sup>''''''</sup> is selected from the group consisting of L<sub>A</sub><sup>''''''</sup> 19-G to L<sub>A</sub><sup>''''''</sup> 21-G whose structures are defined in LIST7A below:


55

60










65

## LIST7A


## Ligand naming convention and structure









-continued

LIST7A  
Ligand naming convention and structure $L_A$ '5-G having the structure $L_A$ '12-G having the structure $L_A$ '18-G having the structure $L_A$ '6-G having the structure $L_A$ '13-G having the structure $L_A$ '19-G having the structure $L_A$ '7-G having the structure $L_A$ '14-G having the structure $L_A$ '20-G having the structure

-continued













LIST7A  
Ligand naming convention and structure $L_A^{''''''21-G}$  having the structure

wherein  $i, j, k, l, z,$  and  $y$  are independently an integer from 1 to 55,  $R_i=B_i, R_j=B_j, R_k=B_k, R_l=B_l,$  and  $R_z=B_z,$  and  $B_1$  to  $B_{55}$  have the structures as defined above in connection with LIST1, wherein  $Ly$  is selected from the group consisting of the structures shown in LIST7B below

LIST7B  
 $L_y$  $L_{y1-G}$  having the structure $L_{y14-G}$  having the structure $L_{y27-G}$  having the structure $L_{y2-G}$  having the structure $L_{y15-G}$  having the structure $L_{y28-G}$  having the structure













-continued

LIST 7B

 $L_y$  $L_{y3}$ -G having the structure $L_{y16}$ -G having the structure $L_{y29}$ -G having the structure $L_{y4}$ -G having the structure $L_{y17}$ -G having the structure $L_{y30}$ -G having the structure $L_{y5}$ -G having the structure $L_{y18}$ -G having the structure $L_{y31}$ -G having the structure $L_{y6}$ -G having the structure $L_{y19}$ -G having the structure $L_{y32}$ -G having the structure










-continued

LIST7B

 $L_p$  $L_{p,7}$ -G having the structure $L_{p,20}$ -G having the structure $L_{p,33}$ -G having the structure $L_{p,8}$ -G having the structure $L_{p,21}$ -G having the structure $L_{p,34}$ -G having the structure $L_{p,9}$ -G having the structure $L_{p,22}$ -G having the structure $L_{p,35}$ -G having the structure $L_{p,10}$ -G having the structure $L_{p,23}$ -G having the structure $L_{p,36}$ -G having the structure

-continued

LIST7B

 $L_y$  $L_{y11}$ -G having the structure $L_{y24}$ -G having the structure $L_{y37}$ -G having the structure $L_{y12}$ -G having the structure $L_{y25}$ -G having the structure $L_{y38}$ -G having the structure $L_{y13}$ -G having the structure $L_{y26}$ -G having the structure $L_{y39}$ -G having the structure

wherein  $R$ ,  $R^C$ ,  $R^D$ , and  $R^E$  each represents zero, mono, or up to the maximum number of allowed substitutions to its associated ring; each  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^4$ ,  $R$ ,  $R^1$ ,  $R^A$ , and  $R^B$  are independently a hydrogen or a substituent selected from the group consisting of the general substituents defined herein; and two adjacent groups can be joined or fused to form a ring wherever chemically feasible.


In some embodiments of the compound selected from the group consisting of compounds having the formula of  $Pt(L_A')(Ly)$ ,  $Pt(L_A''')(Ly)$ ,  $Pt(L_A''''')(Ly)$ ,  $Pt(L_A''''''')(Ly)$ ,  $Pt(L_A''''''''')(Ly)$ , or  $Pt(L_A''''''''''')(Ly)$  defined above, wherein  $L_A'$  is selected from the group consisting of  $L_A' 1$ -(j)(k)(p)(z) to  $L_A' 5$ (j)(k) and  $L_A' 18$ -(j)(k)(p)(z) to  $L_A' 22$ -(j)(k) whose

structures are defined in LIST8 below,  $L_A''$  is selected from the group consisting of  $L_A'' 6$ -(j)(k)(P)(z) to  $L_A'' 10$ -(j) and  $L_A'' 23$ -(j)(k)(p)(z) to  $L_A'' 27$ -(j) whose structures are defined in LIST8 below,  $L_A'''$  is selected from the group consisting of  $L_A''' 11$ -(j)(k)(z) and  $L_A''' 28$ -(j)(k)(z) whose structures are defined in LIST8 below,  $L_A''''$  is selected from the group consisting of  $L_A'''' 12$ -(j)(k)(z) and  $L_A'''' 29$ -(j)(k)(z) whose structures are defined in LIST8 below,  $L_A'''''$  is selected from the group consisting of  $L_A''''' 13$ -(j)(k)(p)(z) and  $L_A''''' 30$ -(j)(k)(p)(z) whose structures are defined in LIST8 below, and  $L_A''''''$  is selected from the group consisting of  $L_A'''''' 14$ -(j)(k)(P)(z) to  $L_A'''''' 17$ -(j)(k)(p)(z) whose structures are defined in LIST8 below:


## Ligand naming convention

## Structure


$L_A'1-(j)(k)(p)(z)$ , wherein each of  $j$ ,  $k$ ,  $p$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_A'1-(1)(1)(1)(1)$  to  $L_A'1-(55)(55)(55)(55)$  having the structure




$L_A'2-(j)(k)(p)$ , wherein each of  $j$ ,  $k$ , and  $p$  is independently an integer from 1 to 55, wherein  $L_A'2-(1)(1)(1)$  to  $L_A'2-(55)(55)(55)$  having the structure




$L_A'3-(j)(z)$ , wherein each of  $j$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_A'3-(1)(1)$  to  $L_A'3-(55)(55)$  having the structure



$L_A'4-(j)$ , wherein  $j$  is an integer from 1 to 55, wherein  $L_A'4-(1)$  to  $L_A'4-(55)$  having the structure



$L_A'5-(j)(k)$ , wherein each of  $j$ , and  $k$  is independently an integer from 1 to 55, wherein  $L_A'5-(1)(1)$  to  $L_A'5-(55)(55)$  having the structure




-continued


Ligand naming convention

Structure


$L_A''6-(j)(k)(p)(z)$ , wherein each of  $j$ ,  $k$ ,  $p$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_A''6-(1)(1)(1)(1)$  to  $L_A''6-(55)(55)(55)(55)$  having the structure




$L_A''7-(j)(k)(p)$ , wherein each of  $j$ ,  $k$ , and  $p$  is independently an integer from 1 to 55, wherein  $L_A''7-(1)(1)(1)$  to  $L_A''7-(55)(55)(55)$  having the structure




$L_A''8-(j)(k)(z)$ , wherein each of  $j$ ,  $k$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_A''8-(1)(1)(1)$  to  $L_A''8-(55)(55)(55)$  having the structure



$L_A''9-(j)(k)$ , wherein each of  $j$ , and  $k$  is independently an integer from 1 to 55, wherein  $L_A''9-(1)(1)$  to  $L_A''9-(55)(55)$  having the structure



$L_A''10-(j)$ , wherein  $j$  is an integer from 1 to 55, wherein  $L_A''10-(1)$  to  $L_A''10-(55)$  having the structure




-continued


Ligand naming convention

Structure


$L_A^{(j)(k)(z)}$ , wherein each of  $j$ ,  $k$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_A^{(1)(1)(1)}$  to  $L_A^{(55)(55)(55)}$  having the structure




$L_A^{(j)(k)(z)}$ , wherein each of  $j$ ,  $k$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_A^{(1)(1)(1)}$  to  $L_A^{(55)(55)(55)}$  having the structure



$L_A^{(j)(k)(p)(z)}$ , wherein each of  $j$ ,  $k$ ,  $p$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_A^{(1)(1)(1)(1)}$  to  $L_A^{(55)(55)(55)(55)}$  having the structure



$L_A^{(j)(k)(p)(z)}$ , wherein each of  $j$ ,  $k$ ,  $p$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_A^{(1)(1)(1)(1)}$  to  $L_A^{(55)(55)(55)(55)}$  having the structure



-continued


Ligand naming convention	Structure
<p><math>L_{A'}^{''''15-(j)(k)(p)(z)}</math>, wherein each of <math>j</math>, <math>k</math>, <math>p</math>, and <math>z</math> is independently an integer from 1 to 55, wherein <math>L_{A'}^{''''15-(1)(1)(1)(1)}</math> to <math>L_{A'}^{''''15-(55)(55)(55)(55)}</math> having the structure</p>	
<p><math>L_{A'}^{''''16-(j)}</math>, wherein <math>j</math> is an integer from 1 to 55, wherein <math>L_{A'}^{''''16-(1)}</math> to <math>L_{A'}^{''''16-(55)}</math> having the structure</p>	
<p><math>L_{A'}^{''''17-(j)(k)(p)(z)}</math>, wherein each of <math>j</math>, <math>k</math>, <math>p</math>, and <math>z</math> is independently an integer from 1 to 55, wherein <math>L_{A'}^{''''17-(1)(1)(1)(1)}</math> to <math>L_{A'}^{''''17-(55)(55)(55)(55)}</math> having the structure</p>	
<p><math>L_{A'}^{''''18-(j)(k)(p)(z)}</math>, wherein each of <math>j</math>, <math>k</math>, <math>p</math>, and <math>z</math> is independently an integer from 1 to 55, wherein <math>L_{A'}^{''''18-(1)(1)(1)(1)}</math> to <math>L_{A'}^{''''18-(55)(55)(55)(55)}</math> having the structure</p>	

-continued


Ligand naming convention

Structure


$L_A'19-(j)(k)(p)$ , wherein each of  $j$ ,  $k$ , and  $p$  is independently an integer from 1 to 55, wherein  $L_A'19-(1)(1)(1)$  to  $L_A'19-(55)(55)(55)$  having the structure




$L_A'20-(j)(z)$ , wherein each of  $j$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_A'20-(1)(1)$  to  $L_A'20-(55)(55)$  having the structure




$L_A'21-(j)$ , wherein  $j$  is an integer from 1 to 55, wherein  $L_A'21-(1)$  to  $L_A'21-(55)$  having the structure



$L_A'22-(j)(k)$ , wherein each of  $j$ , and  $k$  is independently an integer from 1 to 55, wherein  $L_A'22-(1)(1)$  to  $L_A'22-(55)(55)$  having the structure



$L_A'23-(j)(k)(p)(z)$ , wherein each of  $j$ ,  $k$ ,  $p$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_A'23-(1)(1)(1)(1)$  to  $L_A'23-(55)(55)(55)(55)$  having the structure




-continued


Ligand naming convention

Structure


$L_A''24-(j)(k)(p)$ , wherein each of  $j$ ,  $k$ , and  $p$  is independently an integer from 1 to 55, wherein  $L_A''24-(1)(1)(1)$  to  $L_A''24-(55)(55)(55)$  having the structure




$L_A''25-(j)(k)(z)$ , wherein each of  $j$ ,  $k$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_A''25-(1)(1)(1)$  to  $L_A''25-(55)(55)(55)$  having the structure




$L_A''26-(j)(k)$ , wherein each of  $j$ , and  $k$  is independently an integer from 1 to 55, wherein  $L_A''26-(1)(1)$  to  $L_A''26-(55)(55)$  having the structure



$L_A''27-(j)$ , wherein  $j$  is an integer from 1 to 55, wherein  $L_A''27-(1)$  to  $L_A''27-(55)$  having the structure



$L_A''28-(j)(k)(z)$ , wherein each of  $j$ ,  $k$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_A''28-(1)(1)(1)$  to  $L_A''28-(55)(55)(55)$  having the structure








-continued

Ligand naming convention	Structure
$L_A^{''''29-(j)(k)(z)}$ , wherein each of j, k, and z is independently an integer from 1 to 55, wherein $L_A^{''''29-(1)(1)(1)}$ to $L_A^{''''29-(55)(55)(55)}$ having the structure	
$L_A^{''''30-(j)(k)(p)(z)}$ , wherein each of j, k, p, and z is independently an integer from 1 to 55, wherein $L_A^{''''30-(1)(1)(1)(1)}$ to $L_A^{''''30-(55)(55)(55)(55)}$ having the structure	

wherein  $R_j=B_j$ ,  $R_k=B_k$ ,  $R_p=B_p$ , and  $R_z=B_z$ , and B1 to B55 have the structures as defined above in connection with LIST1, and when  $L_A$  is  $L_A^{''18}$ ,  $L_A^{''19}$ ,  $L_A^{''20}$ ,  $L_A^{''21}$ ,  $L_A^{''22}$ ,  $L_A^{''23}$ ,  $L_A^{''24}$ ,  $L_A^{''25}$ ,  $L_A^{''26}$ ,  $L_A^{''27}$ ,  $L_A^{''28}$ ,  $L_A^{''29}$ , or  $L_A^{''''30}$ ,  $L_y=L_y44$  to  $L_y50$ , wherein  $L_y$  is selected from the group consisting of the structures shown in LIST9 below:

$L_y$	Structure of $L_y$	$R^{B1}$ - $R^{B17}$
$L_{y,1-(i)(j)(k)(o)}$ , wherein i, j, k, and o are each independently an integer from 1 to 330, wherein $L_{y,1-(1)(1)(1)(1)}$ to $L_{y,1-(330)(330)(330)(330)}$ , having the structure		wherein $R^{B1} = R_i$ , $R^{B6} = R_j$ , $R^{B7} = R_k$ , and $R^{B8} = R_o$ ,
$L_{y,2-(i)(j)(k)}$ , wherein i, j, and k are each independently an integer from 1 to 330, wherein $L_{y,2-(1)(1)(1)}$ to $L_{y,2-(330)(330)(330)}$ , having the structure		wherein $R^{B1} = R_i$ , $R^{B6} = R_j$ , and $R^{B7} = R_k$ ,





-continued

$L_y$	Structure of $L_y$	$R^{B1}$ - $R^{B17}$
<p><math>L_{y,3-(i)(j)(k)(o)}</math>, wherein <math>i</math>, <math>j</math>, <math>k</math>, and <math>o</math> are each an integer from 1 to 330, wherein <math>L_{y,3-(1)(1)(1)(1)}</math> to <math>L_{y,3-(330)(330)(330)(330)}</math>, having the structure</p>		<p>wherein <math>R^{B1} = R_i</math>, <math>R^{B7} = R_j</math>, <math>R^{B8} = R_k</math>, and <math>R^{B11} = R_o</math>,</p>
<p><math>L_{y,4-(i)(j)(k)}</math>, wherein <math>i</math>, <math>j</math>, and <math>k</math> are each an integer from 1 to 330, wherein <math>L_{y,4-(1)(1)(1)}</math> to <math>L_{y,4-(330)(330)(330)}</math>, having the structure</p>		<p>wherein <math>R^{B1} = R_i</math>, <math>R^{B6} = R_j</math>, and <math>R^{B7} = R_k</math>,</p>
<p><math>L_{y,5-(i)(j)(k)}</math>, wherein <math>i</math>, <math>j</math>, and <math>k</math> are each an integer from 1 to 330, wherein <math>L_{y,5-(1)(1)(1)}</math> to <math>L_{y,5-(330)(330)(330)}</math>, having the structure</p>		<p>wherein <math>R^{B6} = R_i</math>, <math>R^{B7} = R_j</math>, and <math>R^{B8} = R_k</math>,</p>
<p><math>L_{y,6-(i)(j)}</math>, wherein <math>i</math> and <math>j</math> are each an integer from 1 to 330, wherein <math>L_{y,6-(1)(1)}</math> to <math>L_{y,6-(330)(330)}</math>, having the structure</p>		<p>wherein <math>R^{B6} = R_i</math>, and <math>R^{B7} = R_j</math>,</p>
<p><math>L_{y,7-(i)(j)(k)}</math>, wherein <math>i</math>, <math>j</math>, and <math>k</math> are each an integer from 1 to 330, wherein <math>L_{y,7-(1)(1)(1)}</math> to <math>L_{y,7-(330)(330)(330)}</math>, having the structure</p>		<p>wherein <math>R^{B1} = R_i</math>, <math>R^{B6} = R_j</math>, and <math>R^{B7} = R_k</math>,</p>

-continued

$L_y$	Structure of $L_y$	$R^{B1}$ - $R^{B17}$
<p><math>L_{y,8-(i)(j)}</math>, wherein <math>i</math> and <math>j</math> are each an integer from 1 to 330, wherein <math>L_{y,8-(1)(1)}</math> to <math>L_{y,8-(330)(330)}</math>, having the structure</p>		<p>wherein <math>R^{B1} = R_i</math> and <math>R^{B6} = R_j</math>,</p>
<p><math>L_{y,9-(i)(j)(k)(o)}</math>, wherein <math>i</math>, <math>j</math>, <math>k</math>, and <math>o</math> are each an integer from 1 to 330, wherein <math>L_{y,9-(1)(1)(1)(1)}</math> to <math>L_{y,9-(330)(330)(330)(330)}</math>, having the structure</p>		<p>wherein <math>R^{B6} = R_i</math>, <math>R^{B7} = R_j</math>, <math>R^{B8} = R_k</math>, and <math>R^{B9} = R_o</math>,</p>
<p><math>L_{y,10-(i)(j)(k)}</math>, wherein <math>i</math>, <math>j</math>, and <math>k</math> each an integer from 1 to 330, wherein <math>L_{y,10-(1)(1)(1)}</math> to <math>L_{y,10-(330)(330)(330)}</math>, having the structure</p>		<p>wherein <math>R^{B6} = R_i</math>, <math>R^{B7} = R_j</math>, and <math>R^{B8} = R_k</math>,</p>
<p><math>L_{y,11-(i)(j)(k)}</math>, wherein <math>i</math>, <math>j</math>, and <math>k</math> are each an integer from 1 to 330, wherein <math>L_{y,11-(1)(1)(1)}</math> to <math>L_{y,11-(330)(330)(330)}</math>, having the structure</p>		<p>wherein <math>R^{B6} = R_i</math>, <math>R^{B7} = R_j</math>, and <math>R^{B8} = R_k</math>,</p>

-continued

$L_y$	Structure of $L_y$	$R^{B1}$ - $R^{B17}$
<p><math>L_{y,12}</math>-(i)(j)(k)(o), wherein i, j, k, and o are each an integer from 1 to 330, wherein <math>L_{y,12}</math>-(1)(1)(1)(1) to <math>L_{y,12}</math>-(330)(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B6}</math> = Ri,  <math>R^{B7}</math> = Rj, <math>R^{B8}</math> =  Rk, and <math>R^{B9}</math> = Ro,</p>
<p><math>L_{y,13}</math>-(i)(j)(k), wherein i, j, and k are each an integer from 1 to 330, wherein <math>L_{y,13}</math>-(1)(1)(1) to <math>L_{y,13}</math>-(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B6}</math> = Ri,  <math>R^{B7}</math> = Rj, and  <math>R^{B8}</math> = Rk,</p>
<p><math>L_{y,14}</math>-(i)(j)(k), wherein i, j, and k are each an integer from 1 to 330, wherein <math>L_{y,14}</math>-(1)(1)(1) to <math>L_{y,14}</math>-(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B6}</math> = Ri,  <math>R^{B7}</math> = Rj, and  <math>R^{B8}</math> = Rk,</p>
<p><math>L_{y,15}</math>-(i)(j)(k), wherein i, j, and k are each an integer from 1 to 330, wherein <math>L_{y,15}</math>-(1)(1)(1) to <math>L_{y,15}</math>-(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B6}</math> = Ri,  <math>R^{B7}</math> = Rj, and  <math>R^{B8}</math> = Rk,</p>

-continued

$L_y$	Structure of $L_y$	$R^{B1}$ - $R^{B17}$
<p><math>L_{y,16}</math>-(i)(j)(k)(o), wherein i, j, k, and o are each an integer from 1 to 330, wherein <math>L_{y,16}</math>-(1)(1)(1)(1) to <math>L_{y,16}</math>-(330)(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B6}</math> = Ri, <math>R^{B7}</math> = Rj, <math>R^{B8}</math> = Rk, and <math>R^{B9}</math> = Ro,</p>
<p><math>L_{y,17}</math>-(i)(j)(k), wherein i, j, and k are each an integer from 1 to 330, wherein <math>L_{y,17}</math>-(1)(1)(1) to <math>L_{y,17}</math>-(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri, <math>R^{B6}</math> = Rj, and <math>R^{B7}</math> = Rk,</p>
<p><math>L_{y,18}</math>-(i)(j), wherein i and j are each an integer from 1 to 330, wherein <math>L_{y,18}</math>-( 1)(1) to <math>L_{y,18}</math>-(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri and <math>R^{B6}</math> = Rj,</p>
<p><math>L_{y,19}</math>-(i)(j)(k), wherein i, j, and k are each an integer from 1 to 330, wherein <math>L_{y,19}</math>-(1)(1)(1) to <math>L_{y,19}</math>-(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri, <math>R^{B6}</math> = Rj, and <math>R^{B7}</math> = Rk,</p>
<p><math>L_{y,20}</math>-(i)(j)(k), wherein i, j, and k are each an integer from 1 to 330, wherein <math>L_{y,20}</math>-(1)(1)(1) to <math>L_{y,20}</math>-(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri, <math>R^{B6}</math> = Rj, and <math>R^{B7}</math> = Rk,</p>






-continued

$L_y$	Structure of $L_y$	$R^{B1}$ - $R^{B7}$
<p><math>L_{y,21}</math>-(i)(j)(k), wherein i, j, and k are each an integer from 1 to 330, wherein <math>L_{y,21}</math>-(1)(1)(1) to <math>L_{y,21}</math>-(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri,  <math>R^{B6}</math> = Rj, and  <math>R^{B7}</math> = Rk,</p>
<p><math>L_{y,22}</math>-(i)(j)(k), wherein i, j, and k are each an integer from 1 to 330, wherein <math>L_{y,22}</math>-(1)(1)(1) to <math>L_{y,22}</math>-(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri,  <math>R^{B6}</math> = Rj, and  <math>R^{B7}</math> = Rk,</p>
<p><math>L_{y,23}</math>-(i)(j)(k), wherein i, j, and k are each an integer from 1 to 330, wherein <math>L_{y,23}</math>-(1)(1)(1) to <math>L_{y,23}</math>-(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri,  <math>R^{B6}</math> = Rj, and  <math>R^{B7}</math> = Rk,</p>
<p><math>L_{y,24}</math>-(i)(j)(k), wherein i, j, and k are each an integer from 1 to 330, wherein <math>L_{y,24}</math>-(1)(1)(1) to <math>L_{y,24}</math>-(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri,  <math>R^{B6}</math> = Rj, and  <math>R^{B7}</math> = Rk,</p>
<p><math>L_{y,25}</math>-(i)(j)(k), wherein i, j, and k are each an integer from 1 to 330, wherein <math>L_{y,25}</math>-(1)(1)(1) to <math>L_{y,25}</math>-(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri,  <math>R^{B6}</math> = Rj, and  <math>R^{B7}</math> = Rk,</p>

-continued

$L_y$	Structure of $L_y$	$R^{B1}$ - $R^{B17}$
<p><math>L_{y,26}</math>-(i)(j)(k), wherein i, j, and k are each an integer from 1 to 330, wherein <math>L_{y,26}</math>-(1)(1)(1) to <math>L_{y,26}</math>-(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri,  <math>R^{B6}</math> = Rj, and  <math>R^{B7}</math> = Rk,</p>
<p><math>L_{y,27}</math>-(i)(j)(k)(o), wherein i, j, k, and o are each an integer from 1 to 330, wherein <math>L_{y,27}</math>-(1)(1)(1)(1) to <math>L_{y,27}</math>-(330)(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri,  <math>R^{B6}</math> = Rj, <math>R^{B7}</math> = Rk, and <math>R^{B8}</math> = Ro,</p>
<p><math>L_{y,28}</math>-(i)(j)(k)(o), wherein i, j, k, and o are each an integer from 1 to 330, wherein <math>L_{y,28}</math>-(1)(1)(1)(1) to <math>L_{y,28}</math>-(330)(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri,  <math>R^{B6}</math> = Rj, <math>R^{B7}</math> = Rk, and <math>R^{B8}</math> = Ro,</p>
<p><math>L_{y,29}</math>-(i)(j)(k), wherein i, j, and k are each an integer from 1 to 330, wherein <math>L_{y,29}</math>-(1)(1)(1) to <math>L_{y,29}</math>-(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B6}</math> = Ri,  <math>R^{B7}</math> = Rj, and  <math>R^{B8}</math> = Rk,</p>
<p><math>L_{y,30}</math>-(i)(j)(k)(o), wherein i, j, k, and o are each an integer from 1 to 330, wherein <math>L_{y,30}</math>-(1)(1)(1)(1) to <math>L_{y,30}</math>-(330)(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri,  <math>R^{B6}</math> = Rj, <math>R^{B7}</math> = Rk, and <math>R^{B8}</math> = Ro,</p>

-continued

$L_y$	Structure of $L_y$	$R^{B1}$ - $R^{B17}$
<p><math>L_{y,31}</math>-(i)(j)(k), wherein i, j, and k are each an integer from 1 to 330, wherein <math>L_{y,31}</math>-(1)(1)(1) to <math>L_{y,31}</math>-(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B6}</math> = Ri,  <math>R^{B7}</math> = Rj, and  <math>R^{B8}</math> = Rk,</p>
<p><math>L_{y,32}</math>-(i)(j)(k), wherein i, j, and k are each an integer from 1 to 330, wherein <math>L_{y,32}</math>-(1)(1)(1) to <math>L_{y,32}</math>-(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri,  <math>R^{B6}</math> = Rj, and  <math>R^{B7}</math> = Rk,</p>
<p><math>L_{y,33}</math>-(i)(j), wherein i and j are each an integer from 1 to 330, wherein <math>L_{y,33}</math>-(1)(1) to <math>L_{y,33}</math>-(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri  and <math>R^{B6}</math> = Rj,</p>
<p><math>L_{y,34}</math>-(i)(j), wherein i and j are each an integer from 1 to 330, wherein <math>L_{y,34}</math>-(1)(1) to <math>L_{y,34}</math>-(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri  and <math>R^{B6}</math> = Rj,</p>
<p><math>L_{y,35}</math>-(i)(j)(k)(o), wherein i, j, k, and o are each an integer from 1 to 330, wherein <math>L_{y,35}</math>-(1)(1)(1)(1) to <math>L_{y,35}</math>-(330)(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri,  <math>R^{B2}</math> = Rj, <math>R^{B6}</math> =  Rk, and <math>R^{B7}</math> = Ro,</p>

-continued

$L_y$	Structure of $L_y$	$R^{B1}$ - $R^{B17}$
$L_{y,36}$ -(i)(j), wherein i and j are each an integer from 1 to 330, wherein $L_{y,36}$ -(1)(1) to $L_{y,36}$ -(330)(330), having the structure		wherein $R^{B1} = R_i$ and $R^{B2} = R_j$ ,
$L_{y,37}$ -(i)(j)(k) wherein each of i, j, and k is independently an integer from 1 to 330, wherein $L_{y,37}$ -(1)(1)(1) to $L_{y,37}$ -(330)(330)(330) having the structure		wherein $R^1 = R_i$ , $R^2 = R_j$ , and $R^3 = R_k$ , and
$L_{y,38}$ -(i)(j) wherein each of i and j is independently an integer from 1 to 330, wherein $L_{y,38}$ -(1)(1) to $L_{y,38}$ -(330)(330) having the structure		wherein $R^1 = R_i$ and $R^2 = R_j$ , and
$L_{y,39}$ -(i)(j) wherein each of i and j is independently an integer from 1 to 330, wherein $L_{y,39}$ -(1)(1) to $L_{y,39}$ -(330)(330) having the structure		wherein $R^1 = R_i$ and $R^2 = R_j$ , and
$L_{y,40}$ -(i)(j) wherein each of i and j is independently an integer from 1 to 330, wherein $L_{y,40}$ -(1)(1) to $L_{y,40}$ -(330)(330) having the structure		wherein $R^1 = R_i$ and $R^2 = R_j$ , and

-continued

$L_y$	Structure of $L_y$	$R^{B1}$ - $R^{B17}$
<p><math>L_{y,41}</math>-(i)(j) wherein each of i and j is independently an integer from 1 to 330, wherein <math>L_{y,41}</math>-(1)(1) to <math>L_{y,41}</math>-(330)(330) having the structure</p>		<p>wherein <math>R^1</math> and <math>R_i</math> and <math>R^2 = R_j</math>, and</p>
<p><math>L_{y,42}</math>-(i)(j)(k)(l) wherein each of i, j, k, and l is independently an integer from 1 to 330, <math>L_{y,42}</math>-(1)(1)(1)(1) to <math>L_{y,42}</math>-(330)(330)(330)(330) having the structure</p>		<p>wherein <math>R^1 = R_i</math>, <math>R^2 = R_j</math>, <math>R^3 = R_k</math>, and <math>R^4 = R_l</math>, and</p>
<p><math>L_{y,43}</math>-(i)(j)(k)(l) wherein each of i, j, k, and l is independently an integer from 1 to 330, wherein <math>L_{y,43}</math>-(1)(1)(1)(1) to <math>L_{y,43}</math>-(330)(330)(330)(330) having the structure</p>		<p>wherein <math>R^1 = R_i</math>, <math>R^2 = R_j</math>, <math>R^3 = R_k</math>, and <math>R^4 = R_l</math>.</p>
<p><math>L_{y,44}</math>-(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 330, wherein <math>L_{y,44}</math>-(1)(1)(1)(1)(1) to <math>L_{y,44}</math>-(330)(330)(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1} = R_i</math>, <math>R^{B2} = R_j</math>, <math>R^{B3} = R_k</math>, <math>R^{B6} = R_l</math>, and <math>R^{B7} = R_m</math>,</p>

-continued


$L_y$	Structure of $L_y$	$R^{B1}$ - $R^{B17}$
<p><math>L_{y,45}</math>-(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 330, wherein <math>L_{y,45}</math>- (1)(1)(1)(1)(1) to <math>L_{y,45}</math>- (330)(330)(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri, <math>R^{B2}</math> = Rj, <math>R^{B3}</math> = Rk, <math>R^{B6}</math> = Rl, and <math>R^{B7}</math> = Rm,</p>
<p><math>L_{y,46}</math>-(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 330, wherein <math>L_{y,46}</math>- (1)(1)(1)(1)(1) to <math>L_{y,46}</math>- (330)(330)(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri, <math>R^{B2}</math> = Rj, <math>R^{B3}</math> = Rk, <math>R^{B4}</math> = Rl, and <math>R^{B5}</math> = Rm,</p>
<p><math>L_{y,47}</math>-(i)(j)(k)(l)(m), wherein i, j, k, l, and m are each independently an integer from 1 to 330, wherein <math>L_{y,47}</math>- (1)(1)(1)(1)(1) to <math>L_{y,47}</math>- (330)(330)(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri, <math>R^{B2}</math> = Rj, <math>R^{B3}</math> = Rk, <math>R^{B4}</math> = Rl, and <math>R^{B5}</math> = Rm,</p>
<p><math>L_{y,48}</math>-(i)(j)(k)(l) wherein i, j, k, and l are each independently an integer from 1 to 330, wherein <math>L_{y,48}</math>-(1)(1)(1)(1) to <math>L_{y,48}</math>- (330)(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = Ri, <math>R^{B2}</math> = Rj, <math>R^{B3}</math> = Rk, and <math>R^{B4}</math> = Rl,</p>

-continued

$L_y$	Structure of $L_y$	$R^{B1}$ - $R^{B17}$
<p><math>L_{y,49}</math>-(i)(j)(k)(l) wherein i, j, k, and l are each independently an integer from 1 to 330, wherein <math>L_{y,49}</math>-(1)(1)(1)(1) to <math>L_{y,49}</math>-(330)(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = R<sub>i</sub>, <math>R^{B2}</math> = R<sub>j</sub>, <math>R^{B3}</math> = R<sub>k</sub>, and <math>R^{B4}</math> = R<sub>l</sub>,</p>
<p><math>L_{y,50}</math>-(i)(j)(k)(l) wherein i, j, k, and l are each independently an integer from 1 to 330, wherein <math>L_{y,50}</math>-(1)(1)(1)(1) to <math>L_{y,50}</math>-(330)(330)(330)(330), having the structure</p>		<p>wherein <math>R^{B1}</math> = R<sub>i</sub>, <math>R^{B2}</math> = R<sub>j</sub>, <math>R^{B3}</math> = R<sub>k</sub>, and <math>R^{B4}</math> = R<sub>l</sub>,</p>

wherein R1 to R330 have the following structures:

35



R1

R2 40

R3

R4 45


R5 50

R5 55

R6 60

R6 65

-continued



R7

R8










R9

R10

R11

**239**

-continued




**240**

-continued

R12

5




R13

10


R14

20




R15

25




R16

30




R17

40




R18

45




R19

55



R20

60



65

R21

R22

R23

R24

R25








R26

R27

R28









241

-continued



242

-continued



R29

5

10

R30

15

20

R31

25

R32

30

R33

35

40

R34

45

50

55

R35

60

65

R36

R37

R38

R39

R40









R41

R42

R43

**243**

-continued




**244**

-continued

R44


5



R52

R45 10

15




R53

R46

20


25



R54

R47

30




R55

R48

35

40




R56

R49

45


50



R57

R50

55




R58

R51

60


65




R59

**245**


-continued



5




R61 10




R62 15

20




R63 25

30




R64 35

40




R65 45

50



R66 55

60




R67 65


65

**246**


-continued




R68




R69



R70



R71









R72



R73









247

-continued



248








-continued



65

**249**

-continued




**250**

-continued

R88

5




R89

10

15

R90


20



25


R91

30



R92


35




40

R93

45




50



55

R94

60



65

R95

R96

R97

R98







R99

R100

R101

**251**

-continued



**252**

-continued

R102

5

10

R103

15

20

R104

25

30

R105

35

40

R106

45

50


R107

55


60

65


R108




R109




R110



R111




R112



**253**

-continued



R113


5

10

15

**254**

-continued




R117

R114 20

25

30

35




R118

R115

40

45

50




R119


R116 55

60

65







R120



**255**

-continued



**256**


-continued

R121

5

10

15



R125

R122 20

25

30

R123 35

40


45

R124 50

55

60



65



R126





R127

R128



**257**

-continued



**258**

-continued

R129

5

10

15

R130

20

25

30

R131

35

40





45

R132

55

60

65



R133






R134

R135

R136

259

-continued



260

-continued

R137

5

10

15

20

R138

25

30

35

R139

45

R140

55

R141

60

65

R142







R143

R144

R145






R146

R147



**261**

-continued



**262**

-continued

R148

5

10

15

R149

20

25

R150

30

35

R151

45

50

R152

55

60

65

R153







R154

R155

R156


R157

R158




**263**

-continued




R159

5




R160

15




R161

25




R162

35



R163

50




R164

60

65


**264**

-continued




R165

10




R166

20




R167

30




R168

40



R169

55









R170

60

65

265




266

-continued

R167


5



10

R168


15



20

R169


25



30

R170

35




40

45

R171


50



55

R172

60



65

R173

R174

R175







R176

R177

R178

267

-continued




268

-continued


R179

5




R180

15




R181

30




R182

40




R183

50



R184

60



65

R185

R186

R187







R188

R189

R190

**269**

-continued



**270**

-continued

R191

5

10

R192

15

20

R193

30

R194

40

R195







50

R196

60

65

R197



R198

R199






R200

R201

R202

271

-continued



272

-continued

R203

5

10

R204

15

20

25

R205

30

35

R206

40

45








50

R207

55

60

65



R208

R209

R210

R211








R212

R213

R214

273

-continued



274

-continued

R215

5

10

R216

15

20

R217

25

R218

35

R219

45

R220

50

55

R221

60

65

R222







R223

R224

R225






R226

R227



275

-continued



276

-continued

R228

5

10

R229

15

20

R230

25

30

35

R231

40

45

50


R232

55


60

65


R233




R234




R235



R236




**277**  
-continued



R237

**278**  
-continued



R240

5


10

15

20

25

R238




R241

30

35


40

45



R239

R242




50

55




60

65



**279**

-continued



**280**

-continued


R243

5

10

15

20




R244

30

35

40

45




R245

50

55

60

65






R246

R247

R248




**281**

-continued



**282**

-continued



R249

R252

5

10

15

20

25

R250

R253

30

35

40

45

R251

R254

50




55

60

65

**283**

-continued



**284**

-continued

R255


R258

5

10

15

20



R256

R259


25

30

35

40

45



R257


R260

50

55




60

65



**285**

-continued



**286**

-continued

R261

R264

5

10

15

20

R262

R265

25

30

35

40

45

R263




R266

50

55




60

65






**287**

-continued








**288**

-continued



**289**

-continued



**290**

-continued

R273

5

10

15

R274

20

25

30

R275

35

40

R276

45

50








55

R277

60

65

R278



R279

R280

R281







R282

R283

R284







**291**

-continued



**292**

-continued



R285

5

10

R286

15

20

R287

25

30

35

R288

40

45

R289

50

55

R290

60

65

R291

R292

R293






R294

R295

R296






**293**

-continued



**294**

-continued



R297

5

10

15

R298

20

25

30

R299

35

40

R300

45

50

R301

55

60

65

R302

R303






R304

R305

R306







295

-continued



296

-continued



R307

5

10

15

R308

20

25

R309

30

35

R310

40

45

50

R311

55

60

65

R312

R313

R314






R315

R316

R317






297

-continued



298

-continued



R318

5

10

15

R319

20

25

R320

30

35

R321

40

45

50

R322

55

60

65

R323

R324




R325

R326

R327

299


-continued



In some embodiments of the compound, the compound is selected from the group consisting of those compounds from the compounds defined in LIST8 above, whose Ri, Rj, and Rk correspond to one of the following structures: B1, B2, B3, B9, B10, B16, B18, B20, B22, B23, B24, B25, B27, B29, B31, B32, B33, B34, B40, B44, B45, and B46.

In some embodiments of the compound, the compound is selected from the group consisting of only those compounds comprising ligand Ly defined in LIST9 above, whose R<sup>B</sup> corresponds to one of the following structures: R1, R2, R3, R10, R12, R20, R21, R22, R23, R27, R28, R29, R37, R38, R40, R41, R42, R52, R53, R54, R66, R67, R73, R74, R93, R94, R96, R101, R106, R130, R134, R135, R136, R137, R316, R317, R321, R322, R328, R329, R330, and R331.

In some embodiments, the compound is selected from the group consisting of the compounds in LIST10 below:



300

-continued

R328

5

10

R329

20

R330

30

35

40






45

50

55






60

65



301


-continued



302


-continued

5




10

15




20

25




30

35




40

45



50

55




60

65


**303**

-continued







**304**

-continued



**305**

-continued



**306**

-continued

5

10

15

20

25

30

35

40




45

50

55




60

65



**307**

-continued



**308**

-continued

5

10

15

20

25

30

35

40




45

50

55




60

65



**309**

-continued



**310**

-continued

5

10

15

20

25

30

35

40




45

50

55




60

65






**311**

-continued




**312**

-continued




**313**

-continued



5


10



15

20


25



30

35


40



45

50

55




60

65


**314**

-continued



5


10



15

20


25



30

35


40



45

50

55







60

65

**315**

-continued



**316**

-continued

5

10

15

20

25

30

35

40





45

50

55






60

65








**317**

-continued



**318**

-continued



5

10

15

20

25

30

35

40

45

50






55

60

65

**319**


-continued




**320**

-continued


5




10




15




20




25




30




35




40




45




50




55



60








65



321


-continued



322

-continued

5




10

15

20


25



30


35

40



45


50



55






60

65



323


-continued



324


-continued

5



10


15



20


25

30



35

40




45

50



55








60

65







325

-continued








326

-continued









327

-continued




328

-continued




329

-continued



330


-continued



5  
10  
15  
20  
25  
30  
35  
40  
45  
50  
55  
60  
65






**331**

-continued






**332**

-continued






333

-continued






334

-continued






335

-continued






336

-continued



**337**  
-continued



**338**  
-continued

5

10

15

20

25

30

35

40




45

50

55






60

65








**339**

-continued



**340**

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

**341**

-continued




5

10

15

**342**

-continued




15

20

25

30




35

40

45

50




35

40

45


50



55






60

65



**343**


-continued



**344**


-continued

5




10

15




20

25




30

35




40

45



50







55



65






**345**

-continued



**346**

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65

**347**

-continued



**348**

-continued

5

10

15

20

25

30

35

40




45

50

55


60

65







349

-continued






350

-continued



351

-continued



352

-continued

5

10

15

20

25

30

35

40




45

50

55


60

65



**353**

-continued



**354**

-continued

5

10

15

20

25

30

35

40





45

50

55


60

65




**355**

-continued



**356**

-continued



5

10

15

20

25

30

35

40




45

50

55


60

65




357

-continued




358

-continued



**359**

-continued



**360**

-continued

5

10

15

20

25

30

35

40





45



50

55

60

65






### C. The OLEDs and the Devices of the Present Disclosure

In another aspect, the present disclosure also provides an OLED device comprising a first organic layer that contains a compound as disclosed in the above compounds section of the present disclosure.

In some embodiments, the present disclosure also provides an OLED comprising: an anode; a cathode; and an organic layer disposed between the anode and the cathode, wherein the organic layer comprises a compound comprising a ligand  $L_A$  of Formula I




wherein A is a 5-membered or 6-membered carbocyclic or heterocyclic ring;  $Z^1$  and  $Z^2$  are each independently C or N;  $K^3$  and  $K^4$  are each independently a direct bond, O, or S;  $X^1$ ,  $X^2$ , and  $X^3$  are each independently C or N, at least one of  $X^1$ ,  $X^2$ , and  $X^3$  is C; X is O or  $NR^1$ ;  $R^A$  and  $R^B$  each represent zero, mono, or up to the maximum number of allowed substitutions to its associated ring; each R,  $R^1$ ,  $R^A$ , and  $R^B$  are independently a hydrogen or a substituent selected from the group consisting of the general substituents defined herein; and two adjacent groups can be joined or fused to form a ring wherever chemically feasible, wherein the ligand  $L_A$  is complexed to a metal M to form a chelate ring as indicated by the two dotted lines; wherein the metal M can be coordinated to other ligands; and wherein the ligand  $L_A$  can be linked with other ligands to form a tridentate, tetradentate, pentadentate, or hexadentate ligand.

In some embodiments, the organic layer may be an emissive layer and the compound as described herein may be an emissive dopant or a non-emissive dopant.

In some embodiments, the organic layer may further comprise a host, wherein the host comprises a triphenylene containing benzo-fused thiophene or benzo-fused furan, wherein any substituent in the host is an unfused substituent independently selected from the group consisting of  $C_nH_{2n+1}$ ,  $OC_nH_{2n+1}$ ,  $OAr_1$ ,  $N(C_nH_{2n+1})_2$ ,  $N(Ar_1)(Ar_2)$ ,  $CH=CH-C_nH_{2n+1}$ ,  $C\equiv CC_nH_{2n-1}$ ,  $Ar_1$ ,  $Ar_1-Ar_2$ ,  $C_nH_{2n-Ar_1}$ , or no substitution, wherein n is from 1 to 10; and wherein  $Ar_1$  and  $Ar_2$  are independently selected from the group consisting of benzene, biphenyl, naphthalene, triphenylene, carbazole, and heteroaromatic analogs thereof.

In some embodiments, the organic layer may further comprise a host, wherein host comprises at least one chemical group selected from the group consisting of triphenylene, carbazole, indolocarbazole, dibenzothiophene, dibenzofuran, dibenzoselenophene, 5,9-dioxa-13b-boranaphtho[3,2,1-de]anthracene, aza-triphenylene, aza-carbazole, aza-indolocarbazole, aza-dibenzothiophene, aza-dibenzofuran, aza-dibenzoselenophene, and aza-(5,9-dioxa-13b-boranaphtho[3,2,1-de]anthracene).

In some embodiments, the host may be selected from the HOST Group consisting of:




55

60

65


363

-continued








364

-continued









**365**

-continued








**366**

-continued






367

-continued



368

-continued




and combinations thereof.

In some embodiments, the organic layer may further comprise a host, wherein the host comprises a metal complex.

In some embodiments, the compound as described herein may be a sensitizer; wherein the device may further comprise an acceptor; and wherein the acceptor may be selected from the group consisting of fluorescent emitter, delayed fluorescence emitter, and combination thereof.

In yet another aspect, the OLED of the present disclosure may also comprise an emissive region containing a compound as disclosed in the above compounds section of the present disclosure.

In some embodiments, the emissive region can comprise a compound comprising a ligand  $L_A$  of Formula I




wherein A is a 5-membered or 6-membered carbocyclic or heterocyclic ring;  $Z^1$  and  $Z^2$  are each independently C or N;  $K^3$  and  $K^4$  are each independently a direct bond, O, or S;  $X^1$ ,  $X^2$ , and  $X^3$  are each independently C or N, at least one of  $X^1$ ,  $X^2$ , and  $X^3$  is C; X is O or NR';  $R^A$  and  $R^B$  each represent zero, mono, or up to the maximum number of allowed substituents to its associated ring; each R, R',  $R^A$ , and  $R^B$  are independently a hydrogen or a substituent selected from the group consisting of the general substituents defined herein; and two adjacent groups can be joined or fused to form a ring wherever chemically feasible, wherein the ligand  $L_A$  is complexed to a metal M to form a chelate ring as indicated by the two dotted lines; wherein the metal M can be coordinated to other ligands; and wherein the ligand  $L_A$  can be linked with other ligands to form a tridentate, tetradentate, pentadentate, or hexadentate ligand.

In some embodiments of the emissive region, the compound can be an emissive dopant or a non-emissive dopant.

In some embodiments, the emissive region further comprises a host, wherein the host contains at least one group selected from the group consisting of metal complex, triphenylene, carbazole, dibenzothiophene, dibenzofuran, dibenzoselenophene, aza-triphenylene, aza-carbazole, aza-dibenzothiophene, aza-dibenzofuran, and aza-dibenzoselenophene. In some embodiments, the emissive region further comprises a host, wherein the host is selected from the group consisting of the structures listed in the HOST Group defined herein.

In yet another aspect, the present disclosure also provides a consumer product comprising an organic light-emitting device (OLED) having an anode; a cathode; and an organic layer disposed between the anode and the cathode, wherein the organic layer may comprise a compound as disclosed in the above compounds section of the present disclosure.

In some embodiments, the consumer product comprises an OLED having an anode; a cathode; and an organic layer disposed between the anode and the cathode, wherein the organic layer can comprise a compound comprising a ligand  $L_A$  of Formula I



wherein A is a 5-membered or 6-membered carbocyclic or heterocyclic ring;  $Z^1$  and  $Z^2$  are each independently C or N;  $K^3$  and  $K^4$  are each independently a direct bond, O, or S;  $X^1$ ,  $X^2$ , and  $X^3$  are each independently C or N, at least one of  $X^1$ ,  $X^2$ , and  $X^3$  is C; X is O or NR';  $R^A$  and  $R^B$  each represent zero, mono, or up to the maximum number of allowed substituents to its associated ring; each R, R',  $R^A$ , and  $R^B$  are independently a hydrogen or a substituent selected from the group consisting of the general substituents defined herein; and two adjacent groups can be joined or fused to form a ring wherever chemically feasible, wherein the ligand  $L_A$  is complexed to a metal M to form a chelate ring as indicated by the two dotted lines; wherein the metal M can be coordinated to other ligands; and wherein the ligand  $L_A$  can be linked with other ligands to form a tridentate, tetradentate, pentadentate, or hexadentate ligand.

In some embodiments, the consumer product can be one of a flat panel display, a computer monitor, a medical monitor, a television, a billboard, a light for interior or exterior illumination and/or signaling, a heads-up display, a fully or partially transparent display, a flexible display, a laser printer, a telephone, a cell phone, tablet, a phablet, a personal digital assistant (PDA), a wearable device, a laptop computer, a digital camera, a camcorder, a viewfinder, a micro-display that is less than 2 inches diagonal, a 3-D display, a virtual reality or augmented reality display, a vehicle, a video wall comprising multiple displays tiled together, a theater or stadium screen, a light therapy device, and a sign.

Generally, an OLED comprises at least one organic layer disposed between and electrically connected to an anode and a cathode. When a current is applied, the anode injects holes and the cathode injects electrons into the organic layer(s). The injected holes and electrons each migrate toward the oppositely charged electrode. When an electron and hole localize on the same molecule, an "exciton," which is a localized electron-hole pair having an excited energy state, is formed. Light is emitted when the exciton relaxes via a photoemissive mechanism. In some cases, the exciton may be localized on an excimer or an exciplex. Non-radiative mechanisms, such as thermal relaxation, may also occur, but are generally considered undesirable.

Several OLED materials and configurations are described in U.S. Pat. Nos. 5,844,363, 6,303,238, and 5,707,745, which are incorporated herein by reference in their entirety.

The initial OLEDs used emissive molecules that emitted light from their singlet states ("fluorescence") as disclosed, for example, in U.S. Pat. No. 4,769,292, which is incorporated by reference in its entirety. Fluorescent emission generally occurs in a time frame of less than 10 nanoseconds.

More recently, OLEDs having emissive materials that emit light from triplet states ("phosphorescence") have been demonstrated. Baldo et al., "Highly Efficient Phosphorescent Emission from Organic Electroluminescent Devices," Nature, vol. 395, 151-154, 1998; ("Baldo-I") and Baldo et al., "Very high-efficiency green organic light-emitting devices based on electrophosphorescence," Appl. Phys. Lett., vol. 75, No. 3, 4-6 (1999) ("Baldo-II"), are incorporated by reference in their entireties. Phosphorescence is described in more detail in U.S. Pat. No. 7,279,704 at cols. 5-6, which are incorporated by reference.

FIG. 1 shows an organic light emitting device 100. The figures are not necessarily drawn to scale. Device 100 may include a substrate 110, an anode 115, a hole injection layer 120, a hole transport layer 125, an electron blocking layer 130, an emissive layer 135, a hole blocking layer 140, an

electron transport layer **145**, an electron injection layer **150**, a protective layer **155**, a cathode **160**, and a barrier layer **170**. Cathode **160** is a compound cathode having a first conductive layer **162** and a second conductive layer **164**. Device **100** may be fabricated by depositing the layers described, in order. The properties and functions of these various layers, as well as example materials, are described in more detail in U.S. Pat. No. 7,279,704 at cols. 6-10, which are incorporated by reference.

More examples for each of these layers are available. For example, a flexible and transparent substrate-anode combination is disclosed in U.S. Pat. No. 5,844,363, which is incorporated by reference in its entirety. An example of a p-doped hole transport layer is m-MTDATA doped with F<sub>4</sub>-TCNQ at a molar ratio of 50:1, as disclosed in U.S. Patent Application Publication No. 2003/0230980, which is incorporated by reference in its entirety. Examples of emissive and host materials are disclosed in U.S. Pat. No. 6,303,238 to Thompson et al., which is incorporated by reference in its entirety. An example of an n-doped electron transport layer is BPhen doped with Li at a molar ratio of 1:1, as disclosed in U.S. Patent Application Publication No. 2003/0230980, which is incorporated by reference in its entirety. U.S. Pat. Nos. 5,703,436 and 5,707,745, which are incorporated by reference in their entireties, disclose examples of cathodes including compound cathodes having a thin layer of metal such as Mg:Ag with an overlying transparent, electrically-conductive, sputter-deposited ITO layer. The theory and use of blocking layers is described in more detail in U.S. Pat. No. 6,097,147 and U.S. Patent Application Publication No. 2003/0230980, which are incorporated by reference in their entireties. Examples of injection layers are provided in U.S. Patent Application Publication No. 2004/0174116, which is incorporated by reference in its entirety. A description of protective layers may be found in U.S. Patent Application Publication No. 2004/0174116, which is incorporated by reference in its entirety.

FIG. 2 shows an inverted OLED **200**. The device includes a substrate **210**, a cathode **215**, an emissive layer **220**, a hole transport layer **225**, and an anode **230**. Device **200** may be fabricated by depositing the layers described, in order. Because the most common OLED configuration has a cathode disposed over the anode, and device **200** has cathode **215** disposed under anode **230**, device **200** may be referred to as an "inverted" OLED. Materials similar to those described with respect to device **100** may be used in the corresponding layers of device **200**. FIG. 2 provides one example of how some layers may be omitted from the structure of device **100**.

The simple layered structure illustrated in FIGS. 1 and 2 is provided by way of non-limiting example, and it is understood that embodiments of the present disclosure may be used in connection with a wide variety of other structures. The specific materials and structures described are exemplary in nature, and other materials and structures may be used. Functional OLEDs may be achieved by combining the various layers described in different ways, or layers may be omitted entirely, based on design, performance, and cost factors. Other layers not specifically described may also be included. Materials other than those specifically described may be used. Although many of the examples provided herein describe various layers as comprising a single material, it is understood that combinations of materials, such as a mixture of host and dopant, or more generally a mixture, may be used. Also, the layers may have various sublayers. The names given to the various layers herein are not intended to be strictly limiting. For example, in device **200**,

hole transport layer **225** transports holes and injects holes into emissive layer **220**, and may be described as a hole transport layer or a hole injection layer. In one embodiment, an OLED may be described as having an "organic layer" disposed between a cathode and an anode. This organic layer may comprise a single layer, or may further comprise multiple layers of different organic materials as described, for example, with respect to FIGS. 1 and 2.

Structures and materials not specifically described may also be used, such as OLEDs comprised of polymeric materials (PLEDs) such as disclosed in U.S. Pat. No. 5,247,190 to Friend et al., which is incorporated by reference in its entirety. By way of further example, OLEDs having a single organic layer may be used. OLEDs may be stacked, for example as described in U.S. Pat. No. 5,707,745 to Forrest et al, which is incorporated by reference in its entirety. The OLED structure may deviate from the simple layered structure illustrated in FIGS. 1 and 2. For example, the substrate may include an angled reflective surface to improve out-coupling, such as a mesa structure as described in U.S. Pat. No. 6,091,195 to Forrest et al., and/or a pit structure as described in U.S. Pat. No. 5,834,893 to Bulovic et al., which are incorporated by reference in their entireties.

Unless otherwise specified, any of the layers of the various embodiments may be deposited by any suitable method. For the organic layers, preferred methods include thermal evaporation, ink-jet, such as described in U.S. Pat. Nos. 6,013,982 and 6,087,196, which are incorporated by reference in their entireties, organic vapor phase deposition (OVPD), such as described in U.S. Pat. No. 6,337,102 to Forrest et al., which is incorporated by reference in its entirety, and deposition by organic vapor jet printing (OVJP), such as described in U.S. Pat. No. 7,431,968, which is incorporated by reference in its entirety. Other suitable deposition methods include spin coating and other solution based processes. Solution based processes are preferably carried out in nitrogen or an inert atmosphere. For the other layers, preferred methods include thermal evaporation. Preferred patterning methods include deposition through a mask, cold welding such as described in U.S. Pat. Nos. 6,294,398 and 6,468,819, which are incorporated by reference in their entireties, and patterning associated with some of the deposition methods such as ink jet and organic vapor jet printing (OVJP). Other methods may also be used. The materials to be deposited may be modified to make them compatible with a particular deposition method. For example, substituents such as alkyl and aryl groups, branched or unbranched, and preferably containing at least 3 carbons, may be used in small molecules to enhance their ability to undergo solution processing. Substituents having 20 carbons or more may be used, and 3-20 carbons are a preferred range. Materials with asymmetric structures may have better solution processability than those having symmetric structures, because asymmetric materials may have a lower tendency to recrystallize. Dendrimer substituents may be used to enhance the ability of small molecules to undergo solution processing.

Devices fabricated in accordance with embodiments of the present disclosure may further optionally comprise a barrier layer. One purpose of the barrier layer is to protect the electrodes and organic layers from damaging exposure to harmful species in the environment including moisture, vapor and/or gases, etc. The barrier layer may be deposited over, under or next to a substrate, an electrode, or over any other parts of a device including an edge. The barrier layer may comprise a single layer, or multiple layers. The barrier layer may be formed by various known chemical vapor

deposition techniques and may include compositions having a single phase as well as compositions having multiple phases. Any suitable material or combination of materials may be used for the barrier layer. The barrier layer may incorporate an inorganic or an organic compound or both. The preferred barrier layer comprises a mixture of a polymeric material and a non-polymeric material as described in U.S. Pat. No. 7,968,146, PCT Pat. Application Nos. PCT/US2007/023098 and PCT/US2009/042829, which are herein incorporated by reference in their entireties. To be considered a "mixture", the aforesaid polymeric and non-polymeric materials comprising the barrier layer should be deposited under the same reaction conditions and/or at the same time. The weight ratio of polymeric to non-polymeric material may be in the range of 95:5 to 5:95. The polymeric material and the non-polymeric material may be created from the same precursor material. In one example, the mixture of a polymeric material and a non-polymeric material consists essentially of polymeric silicon and inorganic silicon.

Devices fabricated in accordance with embodiments of the present disclosure can be incorporated into a wide variety of electronic component modules (or units) that can be incorporated into a variety of electronic products or intermediate components. Examples of such electronic products or intermediate components include display screens, lighting devices such as discrete light source devices or lighting panels, etc. that can be utilized by the end-user product manufacturers. Such electronic component modules can optionally include the driving electronics and/or power source(s). Devices fabricated in accordance with embodiments of the present disclosure can be incorporated into a wide variety of consumer products that have one or more of the electronic component modules (or units) incorporated therein. A consumer product comprising an OLED that includes the compound of the present disclosure in the organic layer in the OLED is disclosed. Such consumer products would include any kind of products that include one or more light source(s) and/or one or more of some type of visual displays. Some examples of such consumer products include flat panel displays, curved displays, computer monitors, medical monitors, televisions, billboards, lights for interior or exterior illumination and/or signaling, heads-up displays, fully or partially transparent displays, flexible displays, rollable displays, foldable displays, stretchable displays, laser printers, telephones, mobile phones, tablets, phablets, personal digital assistants (PDAs), wearable devices, laptop computers, digital cameras, camcorders, viewfinders, micro-displays (displays that are less than 2 inches diagonal), 3-D displays, virtual reality or augmented reality displays, vehicles, video walls comprising multiple displays tiled together, theater or stadium screen, a light therapy device, and a sign. Various control mechanisms may be used to control devices fabricated in accordance with the present disclosure, including passive matrix and active matrix. Many of the devices are intended for use in a temperature range comfortable to humans, such as 18 degrees C. to 30 degrees C., and more preferably at room temperature (20-25° C.), but could be used outside this temperature range, for example, from -40 degree C. to +80° C.

More details on OLEDs, and the definitions described above, can be found in U.S. Pat. No. 7,279,704, which is incorporated herein by reference in its entirety.

The materials and structures described herein may have applications in devices other than OLEDs. For example, other optoelectronic devices such as organic solar cells and

organic photodetectors may employ the materials and structures. More generally, organic devices, such as organic transistors, may employ the materials and structures.

In some embodiments, the OLED has one or more characteristics selected from the group consisting of being flexible, being rollable, being foldable, being stretchable, and being curved. In some embodiments, the OLED is transparent or semi-transparent. In some embodiments, the OLED further comprises a layer comprising carbon nanotubes.

In some embodiments, the OLED further comprises a layer comprising a delayed fluorescent emitter. In some embodiments, the OLED comprises a RGB pixel arrangement or white plus color filter pixel arrangement. In some embodiments, the OLED is a mobile device, a hand held device, or a wearable device. In some embodiments, the OLED is a display panel having less than 10 inch diagonal or 50 square inch area. In some embodiments, the OLED is a display panel having at least 10 inch diagonal or 50 square inch area. In some embodiments, the OLED is a lighting panel.

In some embodiments, the compound can be an emissive dopant. In some embodiments, the compound can produce emissions via phosphorescence, fluorescence, thermally activated delayed fluorescence, i.e., TADF (also referred to as E-type delayed fluorescence; see, e.g., U.S. application Ser. No. 15/700,352, which is hereby incorporated by reference in its entirety), triplet-triplet annihilation, or combinations of these processes. In some embodiments, the emissive dopant can be a racemic mixture, or can be enriched in one enantiomer. In some embodiments, the compound can be homoleptic (each ligand is the same). In some embodiments, the compound can be heteroleptic (at least one ligand is different from others). When there are more than one ligand coordinated to a metal, the ligands can all be the same in some embodiments. In some other embodiments, at least one ligand is different from the other ligands. In some embodiments, every ligand can be different from each other. This is also true in embodiments where a ligand being coordinated to a metal can be linked with other ligands being coordinated to that metal to form a tridentate, tetradentate, pentadentate, or hexadentate ligands. Thus, where the coordinating ligands are being linked together, all of the ligands can be the same in some embodiments, and at least one of the ligands being linked can be different from the other ligand(s) in some other embodiments.

In some embodiments, the compound can be used as a phosphorescent sensitizer in an OLED where one or multiple layers in the OLED contains an acceptor in the form of one or more fluorescent and/or delayed fluorescence emitters. In some embodiments, the compound can be used as one component of an exciplex to be used as a sensitizer. As a phosphorescent sensitizer, the compound must be capable of energy transfer to the acceptor and the acceptor will emit the energy or further transfer energy to a final emitter. The acceptor concentrations can range from 0.001% to 100%. The acceptor could be in either the same layer as the phosphorescent sensitizer or in one or more different layers. In some embodiments, the acceptor is a TADF emitter. In some embodiments, the acceptor is a fluorescent emitter. In some embodiments, the emission can arise from any or all of the sensitizer, acceptor, and final emitter.

According to another aspect, a formulation comprising the compound described herein is also disclosed.

The OLED disclosed herein can be incorporated into one or more of a consumer product, an electronic component module, and a lighting panel. The organic layer can be an

## 375

emissive layer and the compound can be an emissive dopant in some embodiments, while the compound can be a non-emissive dopant in other embodiments.

In yet another aspect of the present disclosure, a formulation that comprises the novel compound disclosed herein is described. The formulation can include one or more components selected from the group consisting of a solvent, a host, a hole injection material, hole transport material, electron blocking material, hole blocking material, and an electron transport material, disclosed herein.

The present disclosure encompasses any chemical structure comprising the novel compound of the present disclosure, or a monovalent or polyvalent variant thereof. In other words, the inventive compound, or a monovalent or polyvalent variant thereof, can be a part of a larger chemical structure. Such chemical structure can be selected from the group consisting of a monomer, a polymer, a macromolecule, and a supramolecule (also known as supermolecule). As used herein, a "monovalent variant of a compound" refers to a moiety that is identical to the compound except that one hydrogen has been removed and replaced with a bond to the rest of the chemical structure. As used herein, a "polyvalent variant of a compound" refers to a moiety that is identical to the compound except that more than one hydrogen has been removed and replaced with a bond or bonds to the rest of the chemical structure. In the instance of a supramolecule, the inventive compound can also be incorporated into the supramolecule complex without covalent bonds.

#### D. Combination of the Compounds of the Present Disclosure with Other Materials

The materials described herein as useful for a particular layer in an organic light emitting device may be used in combination with a wide variety of other materials present in the device. For example, emissive dopants disclosed herein may be used in conjunction with a wide variety of hosts, transport layers, blocking layers, injection layers, electrodes and other layers that may be present. The materials described or referred to below are non-limiting examples of materials that may be useful in combination with the compounds disclosed herein, and one of skill in the art can readily consult the literature to identify other materials that may be useful in combination.

More particularly, their combination with: a) Conductivity Dopants, and/or b) HIL/HTL (hole injecting/transporting layer), and/or c) EBL (electron blocking layer), and/or d) Hosts, and/or e) Additional Emitters, and/or f) HBL (hole blocking layer), and/or g) ETL (electron transporting layer), and/or h) CGL (charge generation layer) are also contemplated. The detailed descriptions of these combinations can be found in applicant's own application of U.S. 62/881,610 filed Aug. 1, 2019, and the contents of the application are hereby incorporated by reference in its entirety.


##### a) Conductivity Dopants:

A charge transport layer can be doped with conductivity dopants to substantially alter its density of charge carriers, which will in turn alter its conductivity. The conductivity is increased by generating charge carriers in the matrix material, and depending on the type of dopant, a change in the Fermi level of the semiconductor may also be achieved. Hole-transporting layer can be doped by p-type conductivity dopants and n-type conductivity dopants are used in the electron-transporting layer.

Non-limiting examples of the conductivity dopants that may be used in an OLED in combination with materials


## 376

disclosed herein are exemplified below together with references that disclose those materials: EP01617493, EP01968131, EP2020694, EP2684932, US20050139810, US20070160905, US20090167167, US2010288362, WO06081780, WO2009003455, WO2009008277, WO2009011327, WO2014009310, US2007252140, US2015060804, US20150123047, and US2012146012.




377

-continued



378

-continued



5

10 b) HIL/HTL:

A hole injecting/transporting material to be used in the present disclosure is not particularly limited, and any compound may be used as long as the compound is typically used as a hole injecting/transporting material. Examples of the material include, but are not limited to: a phthalocyanine or porphyrin derivative; an aromatic amine derivative; an indolocarbazole derivative; a polymer containing fluoro-hydrocarbon; a polymer with conductivity dopants; a conducting polymer, such as PEDOT/PSS; a self-assembly monomer derived from compounds such as phosphoric acid and silane derivatives; a metal oxide derivative, such as MoO<sub>3</sub>; a p-type semiconducting organic compound, such as 1,4,5,8,9,12-Hexaazatriphenylenehexacarbonitrile; a metal complex, and a cross-linkable compounds.

Examples of aromatic amine derivatives used in HIL or HTL include, but not limit to the following general structures:


30

35

40

45

50



55

60


65

Each of Ar<sup>1</sup> to Ar<sup>9</sup> is selected from the group consisting of aromatic hydrocarbon cyclic compounds such as benzene, biphenyl, triphenyl, triphenylene, naphthalene, anthracene, phenalene, phenanthrene, fluorene, pyrene, chrysene, perylene, and azulene; the group consisting of aromatic heterocyclic compounds such as dibenzothiophene, dibenzofuran, dibenzoselenophene, furan, thiophene, benzofuran, benzothiophene, benzoselenophene, carbazole, indolocarbazole, pyridylindole, pyrrolodipyridine, pyrazole, imidazole, triazole, oxazole, thiazole, oxadiazole, oxatriazole, dioxazole, thiadiazole, pyridine, pyridazine, pyrimidine, pyrazine, triazine, oxazine, oxathiazine, oxadiazine, indole, benzimidazole, indazole, indoxazine, benzoxazole, benzisoxazole, benzothiazole, quinoline, isoquinoline, cinnoline, quinoxaline, quinoxaline, naphthyridine, phthalazine, pteridine, xan-


379

there, acridine, phenazine, phenothiazine, phenoxazine, benzofurpyridine, furodipyridine, benzothienopyridine, thienodipyridine, benzoselenophenopyridine, and selenophenodipyridine; and the group consisting of 2 to 10 cyclic structural units which are groups of the same type or different types selected from the aromatic hydrocarbon cyclic group and the aromatic heterocyclic group and are bonded to each other directly or via at least one of oxygen atom, nitrogen atom, sulfur atom, silicon atom, phosphorus atom, boron atom, chain structural unit and the aliphatic cyclic group. Each Ar may be unsubstituted or may be substituted by a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acids, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof.

In one aspect, Ar<sup>1</sup> to Ar<sup>9</sup> is independently selected from the group consisting of:




wherein k is an integer from 1 to 20; X<sup>101</sup> to X<sup>108</sup> is C (including CH) or N; Z<sup>101</sup> is NAr<sup>1</sup>, O, or S; Ar<sup>1</sup> has the same group defined above.



380

Examples of metal complexes used in HIL or HTL include, but are not limited to the following general formula:



wherein Met is a metal, which can have an atomic weight greater than 40; (Y<sup>101</sup>-Y<sup>102</sup>) is a bidentate ligand, Y<sup>101</sup> and Y<sup>102</sup> are independently selected from C, N, O, P, and S; L<sup>101</sup> is an ancillary ligand; k' is an integer value from 1 to the maximum number of ligands that may be attached to the metal; and k'+k'' is the maximum number of ligands that may be attached to the metal.




In one aspect, (Y<sup>101</sup>-Y<sup>102</sup>) is a 2-phenylpyridine derivative. In another aspect, (Y<sup>101</sup>-Y<sup>102</sup>) is a carbene ligand. In another aspect, Met is selected from Ir, Pt, Os, and Zn. In a further aspect, the metal complex has a smallest oxidation potential in solution vs. Fc<sup>+</sup>/Fc couple less than about 0.6 V.

Non-limiting examples of the HIL and HTL materials that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: CN102702075, DE102012005215, EP01624500, EP01698613, EP01806334, EP01930964, EP01972613, EP01997799, EP02011790, EP02055700, EP02055701, EP1725079, EP2085382, EP2660300, EP650955, JP07-073529, JP2005112765, JP2007091719, JP2008021687, JP2014-009196, KR20110088898, KR20130077473, TW201139402, U.S. Ser. No. 06/517,957, US20020158242, US20030162053, US20050123751, US20060182993, US20060240279, US20070145888, US20070181874, US20070278938, US20080014464, US20080091025, US20080106190, US20080124572, US20080145707, US20080220265, US20080233434, US20080303417, US2008107919, US20090115320, US20090167161, US2009066235, US2011007385, US20110163302, US2011240968, US2011278551, US2012205642, US2013241401, US20140117329, US2014183517, U.S. Pat. Nos. 5,061,569, 5,639,914, WO05075451, WO07125714, WO08023550, WO08023759, WO2009145016, WO2010061824, WO2011075644, WO2012177006, WO2013018530, WO2013039073, WO2013087142, WO2013118812, WO2013120577, WO2013157367, WO2013175747, WO2014002873, WO2014015935, WO2014015937, WO2014030872, WO2014030921, WO2014034791, WO2014104514, WO2014157018.


381

382


-continued





383



-continued






384




385

386







387


-continued



388







389



390



-continued



391

392




-continued



393

394







-continued




395

-continued

396








-continued



399

-continued




400



401

402






-continued



403

404




-continued



405

406






-continued



407


-continued

408



and

-continued




## c) EBL:

An electron blocking layer (EBL) may be used to reduce the number of electrons and/or excitons that leave the emissive layer. The presence of such a blocking layer in a device may result in substantially higher efficiencies, and/or longer lifetime, as compared to a similar device lacking a blocking layer. Also, a blocking layer may be used to confine emission to a desired region of an OLED. In some embodiments, the EBL material has a higher LUMO (closer to the vacuum level) and/or higher triplet energy than the emitter closest to the EBL interface. In some embodiments, the EBL material has a higher LUMO (closer to the vacuum level) and/or higher triplet energy than one or more of the hosts closest to the EBL interface. In one aspect, the compound used in EBL contains the same molecule or the same functional groups used as one of the hosts described below.

## d) Hosts:


The light emitting layer of the organic EL device of the present disclosure preferably contains at least a metal complex as light emitting material, and may contain a host material using the metal complex as a dopant material. Examples of the host material are not particularly limited, and any metal complexes or organic compounds may be used as long as the triplet energy of the host is larger than that of the dopant. Any host material may be used with any dopant so long as the triplet criteria is satisfied.

Examples of metal complexes used as host are preferred to have the following general formula:



wherein Met is a metal; (Y<sup>103</sup>-Y<sup>104</sup>) is a bidentate ligand, Y<sup>103</sup> and Y<sup>104</sup> are independently selected from C, N, O, P, and S; L<sup>101</sup> is an another ligand; k' is an integer value from 1 to the maximum number of ligands that may be attached to the metal; and k'+k'' is the maximum number of ligands that may be attached to the metal.

In one aspect, the metal complexes are:



wherein (O—N) is a bidentate ligand, having metal coordinated to atoms O and N.


In another aspect, Met is selected from Ir and Pt. In a further aspect, (Y<sup>103</sup>-Y<sup>104</sup>) is a carbene ligand.

In one aspect, the host compound contains at least one of the following groups selected from the group consisting of aromatic hydrocarbon cyclic compounds such as benzene, biphenyl, triphenyl, triphenylene, tetraphenylene, naphthalene, anthracene, phenalene, phenanthrene, fluorene, pyrene, chrysene, perylene, and azulene; the group consisting of aromatic heterocyclic compounds such as dibenzothiophene, dibenzofuran, dibenzoselenophene, furan, thiophene, benzofuran, benzothiophene, benzoselenophene, carbazole, indolocarbazole, pyridylindole, pyrrolodipyridine, pyrazole, imidazole, triazole, oxazole, oxadiazole, oxatriazole, dioxazole, thiazole, pyridine, pyridazine, pyrimidine, pyrazine, triazine, oxazine, oxathiazine, oxadiazine, indole, benzimidazole, indazole, indoxazine, benzoxazole, benzisoxazole, benzothiazole, quinoline, isoquinoline, cinnoline, quinazoline, quinoxaline, naphthyridine, phthalazine, pteridine, xanthene, acridine, phenazine, phenothiazine, phenoxazine, benzofuopyridine, furodipyridine, benzothienopyridine, thienodipyridine, benzoselenophenopyridine, and selenophenodipyridine; and the group consisting of 2 to 10 cyclic structural units which are groups of the same type or different types selected from the aromatic hydrocarbon cyclic group and the aromatic heterocyclic group and are bonded to each other directly or via at least one of oxygen atom, nitrogen atom, sulfur atom, silicon atom, phosphorus atom, boron atom, chain structural unit and the aliphatic cyclic group. Each option within each group may be unsubstituted or may be substituted by a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbox-

## 411


ylic acids, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof.

In one aspect, the host compound contains at least one of the following groups in the molecule:



## 412


-continued










wherein  $R^{101}$  is selected from the group consisting of hydrogen, deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acids, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof, and when it is aryl or heteroaryl, it has the similar definition as Ar's mentioned above.  $k$  is an integer from 0 to 20 or 1 to 20.  $X^{101}$  to  $X^{108}$  are independently selected from C (including CH) or N.  $Z^{101}$  and  $Z^{102}$  are independently selected from  $NR^{101}$ , O, or S.

Non-limiting examples of the host materials that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: EP2034538, EP2034538A, EP2757608, JP2007254297, KR20100079458, KR20120088644, KR20120129733, KR20130115564, TW201329200, US20030175553, US20050238919, US20060280965, US20090017330, US20090030202, US20090167162, US20090302743, US20090309488, US20100012931, US20100084966, US20100187984, US2010187984, US2012075273, US2012126221, US2013009543, US2013105787, US2013175519, US2014001446, US20140183503, US20140225088, US2014034914, U.S. Pat. No. 7,154,114, WO2001039234, WO2004093207, WO2005014551, WO2005089025, WO2006072002, WO2006114966, WO2007063754, WO2008056746, WO2009003898, WO2009021126, WO2009063833, WO2009066778, WO2009066779, WO2009086028, WO2010056066, WO2010107244, WO2011081423, WO2011081431, WO2011086863, WO2012128298, WO2012133644, WO2012133649, WO2013024872, WO2013035275, WO2013081315, WO2013191404, WO2014142472, US20170263869, US20160163995, U.S. Pat. No. 9,466,803,

413




414



415

416


-continued



417

418


-continued



419

420







-continued



421

422






-continued



423

424





-continued



425

426







-continued



427

428




-continued



429

430





-continued



431

432







-continued



433

434


-continued



, and

435

436




## e) Additional Emitters:

One or more additional emitter dopants may be used in conjunction with the compound of the present disclosure. Examples of the additional emitter dopants are not particularly limited, and any compounds may be used as long as the compounds are typically used as emitter materials. Examples of suitable emitter materials include, but are not limited to, compounds which can produce emissions via phosphorescence, fluorescence, thermally activated delayed fluorescence, i.e., TADF (also referred to as E-type delayed fluorescence), triplet-triplet annihilation, or combinations of these processes.

Non-limiting examples of the emitter materials that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: CN103694277, CN1696137, EB01238981, EP01239526, EP01961743, EP1239526, EP1244155, EP1642951, EP1647554, EP1841834, EP1841834B, EP2062907, EP2730583, JP2012074444, JP2013110263, JP4478555, KR1020090133652, KR20120032054, KR20130043460, TW201332980, U.S. Ser. No. 06/699,599, U.S. Ser. No. 06/916,554, US20010019782, US20020034656, US20030068526, US20030072964, US20030138657, US20050123788, US20050244673, US2005123791, US2005260449, US20060008670, US20060065890, US20060127696, US20060134459, US20060134462, US20060202194, US20060251923, US20070034863, US20070087321, US20070103060, US20070111026, US20070190359, US20070231600, US2007034863, US2007104979,















US2007104980, US2007138437, US2007224450, US2007278936, US20080020237, US20080233410, US20080261076, US20080297033, US200805851, US2008161567, US2008210930, US20090039776, US20090108737, US20090115322, US20090179555, US2009085476, US2009104472, US20100090591, US20100148663, US20100244004, US20100295032, US2010102716, US2010105902, US2010244004, US2010270916, US20110057559, US20110108822, US20110204333, US2011215710, US2011227049, US2011285275, US2012292601, US20130146848, US2013033172, US2013165653, US2013181190, US2013334521, US20140246656, US2014103305, U.S. Pat. Nos. 6,303,238, 6,413,656, 6,653,654, 6,670,645, 6,687,266, 6,835,469, 6,921,915, 7,279,704, 7,332,232, 7,378,162, 7,534,505, 7,675,228, 7,728,137, 7,740,957, 7,759,489, 7,951,947, 8,067,099, 8,592,586, 8,871,361, WO06081973, WO06121811, WO07018067, WO07108362, WO07115970, WO07115981, WO08035571, WO2002015645, WO2003040257, WO2005019373, WO2006056418, WO2008054584, WO2008096609, WO2008078800, WO2008101842, WO2009000673, WO2009050281, WO2009100991, WO2010028151, WO2010054731, WO2010086089, WO2010118029, WO2011044988, WO2011051404, WO2011107491, WO2012020327, WO2012163471, WO2013094620, WO2013107487, WO2013174471, WO2014007565, WO2014008982, WO2014023377, WO2014024131, WO2014031977, WO2014038456, WO2014112450.



437

438


-continued



439

440


-continued




441

442

-continued











443



444





-continued





445

-continued




446



447














448



449

450





-continued



451

452





-continued



453

454















-continued




455

456

-continued




457



-continued

458




## f) HBL:

A hole blocking layer (HBL) may be used to reduce the number of holes and/or excitons that leave the emissive layer. The presence of such a blocking layer in a device may result in substantially higher efficiencies and/or longer lifetime as compared to a similar device lacking a blocking layer. Also, a blocking layer may be used to confine emission to a desired region of an OLED. In some embodiments, the HBL material has a lower HOMO (further from the vacuum level) and/or higher triplet energy than the emitter closest to the HBL interface. In some embodiments, the HBL material has a lower HOMO (further from the vacuum level) and/or higher triplet energy than one or more of the hosts closest to the HBL interface.

In one aspect, compound used in HBL contains the same molecule or the same functional groups used as host described above.

In another aspect, compound used in HBL contains at least one of the following groups in the molecule:




wherein  $k$  is an integer from 1 to 20;  $L^{101}$  is another ligand,  $k'$  is an integer from 1 to 3.

## g) ETL:

Electron transport layer (ETL) may include a material capable of transporting electrons. Electron transport layer may be intrinsic (undoped), or doped. Doping may be used to enhance conductivity. Examples of the ETL material are not particularly limited, and any metal complexes or organic compounds may be used as long as they are typically used to transport electrons.


In one aspect, compound used in ETL contains at least one of the following groups in the molecule:



wherein  $R^{101}$  is selected from the group consisting of hydrogen, deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acids, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof, when it is aryl or heteroaryl, it has the similar definition as  $Ar^1$  to  $Ar^3$  mentioned above.  $Ar^1$  to  $Ar^3$  has the similar definition as  $Ar^1$  to  $Ar^3$  mentioned above.  $k$  is an integer from 1 to 20.  $X^{101}$  to  $X^{108}$  is selected from C (including CH) or N.



## 459

In another aspect, the metal complexes used in ETL contains, but not limit to the following general formula:







wherein (O—N) or (N—N) is a bidentate ligand, having 15  
metal coordinated to atoms O, N or N, N;  $\text{L}^{101}$  is another  
ligand;  $k'$  is an integer value from 1 to the maximum number  
of ligands that may be attached to the metal.

Non-limiting examples of the ETL materials that may be 20  
used in an OLED in combination with materials disclosed  
herein are exemplified below together with references that  
disclose those materials: CN103508940, EP01602648,  
EP01734038, EP01956007, JP2004-022334,  
JP2005149918, JP2005-268199, KR0117693, 25  
KR20130108183, US20040036077, US20070104977,  
US2007018155, US20090101870, US20090115316,  
US20090140637, US20090179554, US2009218940,  
US2010108990, US2011156017, US2011210320,  
US2012193612, US2012214993, US2014014925, 30  
US2014014927, US20140284580, U.S. Pat. Nos. 6,656,612,  
8,415,031, WO2003060956, WO2007111263,  
WO2009148269, WO2010067894, WO2010072300,  
WO2011074770, WO2011105373, WO2013079217, 35  
WO2013145667, WO2013180376, WO2014104499,  
WO2014104535,







## 460

-continued







461

-continued




462

-continued








463

-continued







464

-continued







465

-continued







466

-continued





467

-continued



468

-continued



#### h) Charge Generation Layer (CGL)

In tandem or stacked OLEDs, the CGL plays an essential role in the performance, which is composed of an n-doped layer and a p-doped layer for injection of electrons and holes, respectively. Electrons and holes are supplied from the CGL and electrodes. The consumed electrons and holes in the CGL are refilled by the electrons and holes injected from the cathode and anode, respectively; then, the bipolar currents reach a steady state gradually. Typical CGL materials include n and p conductivity dopants used in the transport layers.


In any above-mentioned compounds used in each layer of the OLED device, the hydrogen atoms can be partially or fully deuterated. Thus, any specifically listed substituent, such as, without limitation, methyl, phenyl, pyridyl, etc. may be undeuterated, partially deuterated, and fully deuterated versions thereof. Similarly, classes of substituents such as, without limitation, alkyl, aryl, cycloalkyl, heteroaryl, etc. also may be undeuterated, partially deuterated, and fully deuterated versions thereof.

469

## E. Experimental Data


## A) Synthesis of Some Representative Compounds of the Present Disclosure

## 2-chloro-N-phenylpyridin-3-amine



2-chloro-3-iodopyridine (3 g, 12.53 mmol), anhydrous toluene (30 ml), diacetoxypalladium (0.084 g, 0.376 mmol), *rac*-BINAP (0.234 g, 0.376 mmol), aniline (1.1 ml, 12.05 mmol), cesium carbonate (20.36 g, 62.5 mmol), and triethylamine (0.1 ml, 0.717 mmol) were sequentially added to an oven-dried 100 mL round bottom flask with a stir bar. The flask was fitted with a reflux condenser, then degassed by quick, successive evacuate/refill cycles ( $\text{N}_2$ , 5X). Under  $\text{N}_2$  atmosphere, reaction was brought to reflux overnight. The reaction was cooled to room temperature, then loaded directly to column and purified by column chromatography to yield 2.05 g of 2-chloro-N-phenylpyridin-3-amine as a discolored oil that slowly solidified to a discolored solid.


## N2,N3-diphenylpyridine-2,3-diamine



470


2-chloro-N-phenylpyridin-3-amine (2.05 g, 10.0 mmol), anhydrous Toluene (40.1 ml),  $\text{Pd}_2(\text{dba})_3$  (0.138 g, 0.150 mmol), *rac*-BINAP (0.281 g, 0.451 mmol), Sodium tert-butoxide (1.348 g, 14.02 mmol), and aniline (1.1 ml, 12.05 mmol) were added sequentially to a 100 mL round bottom flask with a stir bar. The flask was then fitted with a reflux condenser, then degassed by quick, successive evacuate/refill cycles ( $\text{N}_2$ , 5X). Under  $\text{N}_2$ , the reaction was brought to reflux overnight, cooled to room temperature, then transferred to a separatory funnel with DCM and quenched with saturated  $\text{NH}_4\text{Cl}$  solution. Layers were separated, then aqueous layer was extracted with DCM (x 2). Organics were combined, washed with water, then washed with brine. The resulting product was dried ( $\text{Na}_2\text{SO}_4$ ), filtered, concentrated, and purified by column chromatography to yield 2.27 g of N2,N3-diphenylpyridine-2,3-diamine as a white solid.

## 2-(2,6-dimethylphenyl)-1,3-diphenyl-2,3-dihydro-1H-[1,3,2]diazaborolo[4,5-b]pyridine




N2,N3-diphenylpyridine-2,3-diamine (2.27 g, 8.69 mmol) and (2,6-dimethylphenyl)boronic acid (1.95 g, 13.0 mmol) were added to a 100 mL round bottom flask with a stir bar. Toluene (30 ml) was added, then the reaction was fitted with a Dean-Stark apparatus and a reflux condenser and brought to reflux under  $\text{N}_2$  atmosphere overnight. The reaction was cooled to room temperature, then concentrated and purified by column chromatography to yield 0.53 g of 2-(2,6-dimethylphenyl)-1,3-diphenyl-2,3-dihydro-1H-[1,3,2]diazaborolo[4,5-b]pyridine as a white solid.

## 2-(pyridin-2-ylamino)phenol




471

-continued



2-aminophenol (3.27 g, 30.0 mmol), copper(I) iodide (0.190 g, 1.000 mmol), and  $K_3PO_4$  (4.25 g, 20.00 mmol) were added to an oven-dried 50 mL Schlenk flask with a stir bar under  $N_2$ . The flask was evacuated and refilled three times with  $N_2$ . Then, 2-aminophenol (3.27 g, 30.0 mmol) and Dioxane (20.00 ml) were added via a syringe. The flask was then placed in a 110° C. oil bath and stirred for 24 hours. The reaction was cooled to room temperature, then diluted with ethyl acetate and water. Layers were separated and the aqueous layer was extracted twice (EtOAc). Combined organics were rinsed with brine, then dried ( $Na_2SO_4$ ), filtered, concentrated, and purified by column chromatography to yield 1.73 g of 2-(pyridin-2-ylamino)phenol as a brown solid.


Dimethyl (2,4,6-tri-tert-butylphenyl)boronate



2-bromo-1,3,5-tri-tert-butylbenzene (5.86 g, 18.0 mmol) was dissolved in THF (25 mL) under  $N_2$  atm and cooled to -78° C. n-Butyllithium (2 M in cyclohexane, 10 ml, 20 mmol) was added, then the resulting solution was stirred at -78° C. for 1 hour. Trimethyl borate (2.5 ml, 22.4 mmol) was added then the reaction was heated to 50° C. for 3 days. The reaction was quenched with saturated aqueous  $NH_4Cl$ , then transferred to a separatory funnel and diluted with DCM. Layers were separated, then aqueous was extracted with DCM. Combined organics were washed with brine, dried ( $Na_2SO_4$ ), filtered, concentrated, and purified by column chromatography to yield 3.34 g of dimethyl (2,4,6-tri-tert-butylphenyl)boronate as a colorless oil that slowly crystallized to a white solid.


472

3-(pyridin-2-yl)-2-(2,4,6-tri-tert-butylphenyl)-2,3-dihydrobenzo[d][1,3,2]oxazaborole



Dimethyl (2,4,6-tri-tert-butylphenyl)boronate (1.27 g, 3.99 mmol) was combined with iron(III) chloride (0.032 g, 0.199 mmol) under  $N_2$  atmosphere and dissolved in anhydrous Dichloromethane (15 ml). The resulting mixture was cooled to 0° C. Trichloroborane (1.0 M in heptane, 8.0 ml, 8.0 mmol) was added, then the reaction was stirred at 0° C. for 1 hour then warmed to room temperature and stirred for 3 hours. Volatile solvents and reagents were removed by vacuum distillation, then anhydrous toluene (20 ml) was added followed by 2-(pyridin-2-ylamino)phenol (0.743 g, 3.99 mmol) and 2,3,4,6,7,8,9,10-octahydropyrimido[1,2-a]azepine (1.80 ml, 12.0 mmol). The reaction mixture was then brought to reflux under  $N_2$  overnight. The reaction was cooled to room temperature, concentrated, and directly purified by column chromatography then further purified by sonication in heptanes and collection by vacuum filtration to yield 0.22 g of 3-(pyridin-2-yl)-2-(2,4,6-tri-tert-butylphenyl)-2,3-dihydrobenzo[d][1,3,2]oxazaborole as a white solid.

N1-phenyl-N2-(pyridin-2-yl)benzene-1,2-diamine





N1-phenylbenzene-1,2-diamine (1.09 g, 5.92 mmol) and 2-chloropyridine (2.239 ml, 23.66 mmol) were added to a 24

## 473

mL Schlenk tube with a stir bar. The flask was fitted with a septum, then evacuated and refilled ( $N_2$ , x3). The resulting neat solution was then heated to 170 C in a sand bath and refluxed for three days. The reaction was cooled to room temperature, then transferred to a separatory funnel with DCM and quenched with saturated  $NaHCO_3$ . Layers were separated, then aqueous was extracted with DCM (x 2). Organics were combined and washed with brine. Dried ( $Na_2SO_4$ ), filtered, concentrated, then purified by column chromatography to yield 1.06 g of  $N_1$ -phenyl- $N_2$ -(pyridin-2-yl)benzene-1,2-diamine as a white solid that slowly turned pink under air.


2-(2,6-dimethylphenyl)-1-phenyl-3-(pyridin-2-yl)-2,3-dihydro-1H-benzo[d][1,3,2]diazaborole



$N_1$ -phenyl- $N_2$ -(pyridin-2-yl)benzene-1,2-diamine (3.02 g, 11.56 mmol) and (2,6-dimethylphenyl)boronic acid (2.60 g, 17.33 mmol) were added to a 100 mL round bottom flask with a stir bar. Toluene (50 ml) was then added and the reaction flask was fitted with a Dean-Stark apparatus and a reflux condenser and brought to reflux under  $N_2$  atmosphere overnight. The reaction was cooled to room temperature, then directly loaded onto a column and purified by column chromatography to yield 2.54 g of 2-(2,6-dimethylphenyl)-1-phenyl-3-(pyridin-2-yl)-2,3-dihydro-1H-benzo[d][1,3,2]diazaborole as a white solid.


## 474

$N_1$ -(4-(tert-butyl)pyridin-2-yl)- $N_2$ -phenylbenzene-1,2-diamine




$N_1$ -phenylbenzene-1,2-diamine (2.1 g, 11.4 mmol) was combined with 4-(tert-butyl)-2-chloropyridine (4.25 g, 25.1 mmol) and the mixture was degassed by successive evacuate and refill ( $N_2$ ) cycles. Under  $N_2$ , the reaction vessel was heated to 200° C. for 3 days. The reaction was cooled to room temperature, then transferred to a separatory funnel using DCM and saturated aqueous  $NaHCO_3$ . Layers were separated, then aqueous was extracted with DCM. Combined organics were washed with brine, dried ( $Na_2SO_4$ ), filtered, concentrated, and purified by column chromatography to provide 2.12 g of  $N_1$ -(4-(tert-butyl)pyridin-2-yl)- $N_2$ -phenylbenzene-1,2-diamine as an off-white solid.

1-(4-(tert-butyl)pyridin-2-yl)-2-(2,6-dimethylphenyl)-3-phenyl-2,3-dihydro-1H-benzo[d][1,3,2]diazaborole





475

-continued




A toluene (50 mL) solution containing N1-(4-(tert-butyl)pyridin-2-yl)-N2-phenylbenzene-1,2-diamine (2.09 g, 6.58 mmol) and (2,6-dimethylphenyl)boronic acid (1.48 g, 9.88 mmol) in a round bottom flask fitted with a Dean-Stark apparatus and a condenser was brought to reflux and stirred overnight under  $N_2$ . The reaction mixture was cooled to room temperature then directly loaded to a column and purified by chromatography to give 1.20 g of 1-(4-(tert-butyl)pyridin-2-yl)-2-(2,6-dimethylphenyl)-3-phenyl-2,3-dihydro-1H-benzo[d][1,3,2]diazaborole as a pale yellow solid.


Representative Synthesis of  $Ir(SIP)_2(acac)$  Complex

476


-continued



4,4-dimethyl-3,3,7-tris(methyl-d3)-2-phenyl-3,4-dihydrobenzo[b,ij]imidazo[2,1,5-de]quinolizine (19.24 g, 48.2 mmol) in 1,2-dichlorobenzene (120 ml) was sparged with  $N_2$  for 10 minutes. Then,  $Ir_2(acac)_6$  (11.5 g, 11.75 mmol) was added and sparged with  $N_2$  for 10 more minutes. The reaction was heated at  $180^\circ C$ . for 24 hours. Column chromatography followed by trituration in MeOH yielded the product as a light yellow solid, 12 g.

Representative Synthesis of Solvento- $[IrL_2]OTf$  Complex

$IrL_2(acac)$  complex (10 g, 9.19 mmol) was suspended in acetonitrile (40 ml). Trifluoromethanesulfonic acid (1.784 ml, 20.21 mmol) dissolved in 5 mL of acetonitrile was added dropwise to the mixture at room temperature, resulting in a homogeneous solution which was stirred for 24 hours. The mixture was concentrated under reduced pressure and the precipitate was filtered off, washing with small portions of MTBE until filtrates were colorless, yielding 6.9 g of product as a colorless solid.



Solvento-[IrL<sub>2</sub>]OTf complex (1 g, 0.819 mmol) and 1-(4-(tert-butyl)pyridin-2-yl)-2-(2,6-dimethylphenyl)-3-phenyl-2,3-dihydro-1H-benzo[d][1,3,2]diazaborole (0.707 g, 1.639 mmol) were suspended in triethyl phosphate (10 ml) in a pressure tube and sparged with N<sub>2</sub> for 5 min. The tube was sealed and stirred at 160° C. for 16 hours. The reaction mixture was coated on Celite and purified by column chromatography on silica gel followed by reverse-phase chromatography to yield the above complex at >99% purity as a yellow solid.


TABLE 1

Properties of Some Representative Compounds:					
Compound	$\lambda_{max}$ (77K) (nm)	$\lambda_{max}$ (RT) (nm)	$\lambda_{max}$ (PMMA) (nm)	PLQY (PMMA) (%)	CIE <sub>(X,Y)</sub> (PMMA)
Ir[L <sub>B395</sub> ] <sub>2</sub> [L <sub>A1</sub> - (46)(46)(16)(34)]	478	562	521	50	(0.315, 0.519)
Ir[L <sub>B397</sub> ] <sub>2</sub> [L <sub>A1</sub> - (46)(46)(16)(34)]	455	546	468	76	(0.206, 0.357)
Ir[L <sub>B395</sub> ] <sub>2</sub> [L <sub>A1</sub> - (46)(3)(16)(34)]	457	551	496	54	(0.214, 0.384)
Ir[L <sub>B397</sub> ] <sub>2</sub> [L <sub>A1</sub> - (46)(3)(16)(34)]	456	465	465	100	(0.165, 0.289)


TABLE 1-continued

Properties of Some Representative Compounds:					
Compound	$\lambda_{max}$ (77K) (nm)	$\lambda_{max}$ (RT) (nm)	$\lambda_{max}$ (PMMA) (nm)	PLQY (PMMA) (%)	CIE <sub>(X,Y)</sub> (PMMA)
45 Ir[L <sub>B403</sub> ] <sub>2</sub> [L <sub>A1</sub> - (46)(3)(16)(34)]	455	464	465	79	(0.163, 0.285)
Ir[L <sub>B403</sub> ] <sub>2</sub> [L <sub>A6</sub> - (46)(46)(16)(34)]	454	466	467	73	(0.169, 0.317)





50 The structures of the compounds listed in Table 1 are shown below:



479

Ir[L<sub>B397</sub>]<sub>2</sub>[L<sub>A1</sub>-(46)(16)(34)]

480


Ir[L<sub>B403</sub>]<sub>2</sub>[L<sub>A6</sub>-(46)(16)(34)]Ir[L<sub>B395</sub>]<sub>2</sub>[L<sub>A1</sub>-(46)(3)(16)(34)]Ir[L<sub>B397</sub>]<sub>2</sub>[L<sub>A1</sub>-(46)(3)(16)(34)]Ir[L<sub>B403</sub>]<sub>2</sub>[L<sub>A1</sub>-(46)(3)(16)(34)]

## B) Device Related Examples

OLEDs were grown on a glass substrate pre-coated with an indium-tin-oxide (ITO) layer having a sheet resistance of 15-Ω/sq. Prior to any organic layer deposition or coating, the substrate was degreased with solvents and then treated with an oxygen plasma for 1.5 minutes with 50 W at 100 mTorr and with UV ozone for 5 minutes.

The devices were fabricated in high vacuum ( $<10^{-6}$  Torr) by thermal evaporation. The anode electrode was 750 Å of indium tin oxide (ITO). The device example had organic layers consisting of, sequentially, from the ITO surface, 100 Å thick Compound 1 (HIL), 250 Å layer of Compound 2 (HTL), 50 Å layer of Compound 3 (EBL), 300 Å of Compound 4 doped with 18% of Emitter (EML), 50 Å of Compound 5 (BL), 300 Å of Compound 6 (ETL), 10 Å of Compound 7 (EIL) followed by 1,000 Å of A1 (Cathode). All devices were encapsulated with a glass lid sealed with an epoxy resin in a nitrogen glove box ( $<1$  ppm of H<sub>2</sub>O and O<sub>2</sub>) immediately after fabrication with a moisture getter incorporated inside the package. Doping percentages are in volume percent.






The compounds used in the devices are shown below:



Compound 1

481

-continued



482

-continued





TABLE 2

Emitter	1931 CIE		at 10 mA/cm <sup>2</sup>			
	x	y	λ max [nm]	FWHM [nm]	Voltage [norm]	EQE [norm]
1	0.160	0.319	470	58	1.08	1.26
2	0.168	0.327	473	59	1.00	1.00

C) Calculation Related Examples

65 Provided are Ir and Pt complexes based on benzodiazaborole that possess high triplet energies. These complexes are believed to be useful as deep blue-emitting phosphorescent emitters in OLEDs. T<sub>1</sub> energies of two exemplary tetradentate Pt complexes were calculated for confirmation and provided in Table 3 below.

TABLE 3



Chemical Structure	Calculated $T_1$ (nm)
Compound Pt(L <sub>4</sub> '5-(46)(3))(L <sub>7</sub> 3-(10)(282)(282)(1)) 	442
Compound Pt(L <sub>4</sub> '5-(46)(3))(L <sub>7</sub> 3-(10)(282)(282)(3)) 	459

Table 3 shows calculated triplet energies ( $T_1$ ) for inventive Compound Pt(L51)(N—R2492)(L51) and Compound Pt(L51)(C—R' 72)(L51). Geometry optimization calculations were performed using density function theory (DFT) method. The calculations were performed within the Gaussian 09 software package using the B3LYP hybrid functional and CEP-31G basis set which includes effective core potentials. Both complexes give very high calculated  $T_1$  energy which is essential for obtaining deep blue emission.


The calculations obtained with the above-identified DFT functional set and basis set are theoretical. Computational composite protocols, such as the Gaussian09 with B3LYP and CEP-31G protocol used herein, rely on the assumption that electronic effects are additive and, therefore, larger basis sets can be used to extrapolate to the complete basis set (CBS) limit. However, when the goal of a study is to understand variations in HOMO, LUMO,  $S_1$ ,  $T_1$ , bond dissociation energies, etc. over a series of structurally-related compounds, the additive effects are expected to be similar. Accordingly, while absolute errors from using the B3LYP may be significant compared to other computational methods, the relative differences between the HOMO, LUMO,  $S_1$ ,  $T_1$ , and bond dissociation energy values calculated with B3LYP protocol are expected to reproduce experiment quite well. See, e.g., Hong et al., *Chem. Mater.* 2016, 28, 5791-98, 5792-93 and Supplemental Information (discussing the reliability of DFT calculations in the context of OLED materials). Moreover, with respect to iridium or platinum complexes that are useful in the OLED art, the data obtained from DFT calculations correlates very well to actual experimental data. See Tavasli et al., *J. Mater. Chem.* 2012, 22, 6419-29, 6422 (Table 3) (showing DFT calculations closely correlating with actual data for a variety of emissive complexes); Morello, G. R., *J. Mol. Model.* 2017,

23:174 (studying of a variety of DFT functional sets and basis sets and concluding the combination of B3LYP and CEP-31G is particularly accurate for emissive complexes).

It is understood that the various embodiments described herein are by way of example only and are not intended to limit the scope of the invention. For example, many of the materials and structures described herein may be substituted with other materials and structures without deviating from the spirit of the invention. The present invention as claimed may therefore include variations from the particular examples and preferred embodiments described herein, as will be apparent to one of skill in the art. It is understood that various theories as to why the invention works are not intended to be limiting.

What is claimed is:

1. A compound comprising a ligand L<sub>4</sub> of Formula I



wherein:

- A is a 5-membered or 6-membered carbocyclic or heterocyclic ring;
- Z<sup>3</sup> and Z<sup>2</sup> are each independently C or N;
- K<sup>3</sup> and Ware each independently a direct bond, O, or S;

## 485

$X^1$ ,  $X^2$ , and  $X^3$  are each independently C or N, at least one of  $X^1$ ,  $X^2$ , and  $X^3$  is C;

X is O or  $NR^1$ ;

$R^A$  and  $R^B$  each represents zero, mono, or up to the maximum number of allowed substitutions to its associated ring;

each of R,  $R^1$ ,  $R^A$ , and  $R^B$  is independently a hydrogen or a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof; and

two adjacent groups can be joined or fused to form a ring wherever chemically feasible,

wherein the ligand  $L_A$  is complexed to a metal M to form a chelate ring as indicated by the two dotted lines;

the metal M can be coordinated to other ligands;

the metal M is Ir; and

the ligand  $L_A$  can be linked with other ligands to form a tridentate, tetradentate, pentadentate, or hexadentate ligand.

2. The compound of claim 1, wherein each R,  $R^1$ ,  $R^A$  and  $R^B$  are independently selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, heteroalkyl, alkoxy, aryloxy, amino, silyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, aryl, heteroaryl, nitrile, isonitrile, sulfanyl, and combinations thereof.

3. The compound of claim 1, wherein  $Z^1$  is N, and  $Z^2$  is C.

4. The compound of claim 1, wherein  $Z^1$  is C, and  $Z^2$  is N.

5. The compound of claim 1, wherein  $X^1$ - $X^3$  are all C.

6. The compound of claim 1, wherein ring A is pyridine, pyrimidine, pyrazine, imidazole, pyrazole, oxazole, thiazole, or imidazole derived carbene.

7. The compound of claim 1, wherein X is  $NR^1$ .

8. The compound of claim 7, wherein  $R^1$  and R can be joined to form a ring wherever chemically feasible.

9. The compound of claim 1, wherein  $Z^2$  and  $X^1$ - $X^3$  are all C.







10. The compound of claim 1, wherein each of  $K^3$  and  $K^4$  is a direct bond.

11. The compound of claim 1, wherein one of  $K^3$  and  $K^4$  is O.

12. The compound of claim 1, wherein the ligand  $L_A$  is selected from the group consisting of:






## 486

-continued



**487**


-continued



**488**


-continued

5




10

15




20

25




30

35




40

45



50

55




60

65

489

-continued




5

10

490

-continued



15 wherein:

$R^G$  for each occurrence represents zero, mono, or up to the maximum number of allowed substitutions to its associated ring; and


each of  $R''$  and  $R^G$  is independently a hydrogen or a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof; and

two adjacent  $R^G$  groups can be joined together to form a ring wherever chemically feasible.

20

25


13. The compound of claim 1, wherein the ligand  $L_A$  is selected from the group consisting of the following structures:



Ligand naming convention


Structure

$L_{A1-(j)(k)(p)(z)}$ , wherein each of  $j$ ,  $k$ ,  $p$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_{A1-(1)(1)(1)(1)}$  to  $L_{A1-(55)(55)(55)(55)}$  having the structure



wherein  $R_j = B_j$ ,  $R_k = B_k$ ,  $R_p = B_p$ , and  $R_z = B_z$ , and

$L_{A2-(j)(k)(p)}$ , wherein each of  $j$ ,  $k$ , and  $p$  is independently an integer from 1 to 55, wherein  $L_{A2-(1)(1)(1)}$  to  $L_{A2-(55)(55)(55)}$  having the structure




wherein  $R_j = B_j$ ,  $R_k = B_k$ , and  $R_p = B_p$ , and

-continued

Ligand naming convention


Structure

$L_{A3}(j)(z)$ , wherein each of  $j$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_{A3}(1)(1)$  to  $L_{A3}(55)(55)$  having the structure




wherein  $R_j = B_j$ , and  $R_z = B_z$ , and

$L_{A4}(j)$ , wherein  $j$  is an integer from 1 to 55, wherein  $L_{A4}(1)$  to  $L_{A4}(55)$  having the structure




wherein  $R_j = B_j$ , and

$L_{A5}(j)(k)$ , wherein each of  $j$ , and  $k$  is independently an integer from 1 to 55, wherein  $L_{A5}(1)(1)$  to  $L_{A5}(55)(55)$  having the structure




wherein  $R_j = B_j$ , and  $R_k = B_k$ , and

$L_{A6}(j)(k)(p)(z)$ , wherein each of  $j$ ,  $k$ ,  $p$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_{A6}(1)(1)(1)(1)$  to  $L_{A6}(55)(55)(55)(55)$  having the structure



wherein  $R_j = B_j$ ,  $R_k = B_k$ ,  $R_p = B_p$ , and  $R_z = B_z$ , and

$L_{A7}(j)(k)(p)$ , wherein each of  $j$ ,  $k$ , and  $p$  is independently an integer from 1 to 55, wherein  $L_{A7}(1)(1)(1)$  to  $L_{A7}(55)(55)(55)$  having the structure




wherein  $R_j = B_j$ ,  $R_k = B_k$ , and  $R_p = B_p$ , and

-continued

Ligand naming convention


Structure

$L_{A8-(j)(k)(z)}$ , wherein each of  $j$ ,  $k$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_{A8-(1)(1)(1)}$  to  $L_{A8-(55)(55)(55)}$  having the structure




wherein  $R_j = B_j$ ,  $R_k = B_k$ , and  $R_z = B_z$ , and

$L_{A9-(j)(k)}$ , wherein each of  $j$ , and  $k$  is independently an integer from 1 to 55, wherein  $L_{A9-(1)(1)}$  to  $L_{A9-(55)(55)}$  having the structure




wherein  $R_j = B_j$ , and  $R_k = B_k$ , and

$L_{A10-(j)}$ , wherein  $j$  is an integer from 1 to 55, wherein  $L_{A10-(1)}$  to  $L_{A10-(55)}$  having the structure




wherein  $R_j = B_j$ , and

$L_{A11-(j)(k)(z)}$ , wherein each of  $j$ ,  $k$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_{A11-(1)(1)(1)}$  to  $L_{A11-(55)(55)(55)}$  having the structure



wherein  $R_j = B_j$ ,  $R_k = B_k$ , and  $R_z = B_z$ , and

$L_{A12-(j)(k)(z)}$ , wherein each of  $j$ ,  $k$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_{A12-(1)(1)(1)}$  to  $L_{A12-(55)(55)(55)}$  having the structure




wherein  $R_j = B_j$ ,  $R_k = B_k$ , and  $R_z = B_z$ , and

-continued

Ligand naming convention


Structure

$L_{413}(j)(k)(p)(z)$ , wherein each of  $j$ ,  $k$ ,  $p$ , and  $z$  is independently an integer from 1 to 55, wherein  $L_{413}(1)(1)(1)(1)$  to  $L_{413}(55)(55)(55)(55)$  having the structure











wherein  $R_j = B_j$ ,  $R_k = B_k$ ,  $R_p = B_p$ , and  $R_z = B_z$ , and

wherein B1 to B55 have the following structures:



497

-continued




498

-continued

B15

5




B23

B16 10

15

B17

20




B24

25

B18


30



B25

B19 35


40



B26

B20

45




B27

50

B21


55



B28

B22

60









B29

65

**499**

-continued




**500**

-continued

B30

5

10



B36


B31

15

20

B32


25



B37

30

35



B38


B33

40

45

B34

50



B39

B40

55


B35

60


65



B41











B42



501

-continued




502

-continued

B43

5



B44

10

15

B45

20

25

B46

30

B47

35

B48

40

45

B49

50

B50

55

60

65





B51

B52

B53

B54

B55



14. The compound of claim 13, wherein  $L_A$  is selected from the group consisting of only those ligands whose  $R_i$ ,  $R_j$ , and  $R_k$  are one of the following structures: B1, B2, B3, B9, B10, B16, B18, B20, B22, B24, B25, B27, B29, B31, B32, B33, B34, B34, B40, B44, B45, and B46.


15. The compound of claim 13, wherein the compound has a formula selected from the group consisting of  $Ir(L_A)_3$ ,  $Ir(L_A)(L_B)_2$ ,  $Ir(L_A)_2(L_B)$ ,  $Ir(L_A)_2(L_C)$ , and  $Ir(L_A)(L_B)(L_C)$ ; wherein  $L_A$ ,  $L_B$ , and  $L_C$  are different from each other, and  $L_B$  and  $L_C$  are each a bidentate ligand.

16. The compound of claim 15, wherein  $L_B$  and  $L_C$  are each independently selected from the group consisting of:




505

-continued




wherein T is selected from the group consisting of B, Al, Ga, and Ir; each of  $Y^1$  to  $Y^{13}$  is independently selected from the group consisting of C and N;  $Y'$  is selected from the group consisting of  $BR_e$ ,  $NR_e$ ,  $PR_e$ , O, S, Se,  $C=O$ ,  $S=O$ ,  $SO_2$ ,  $CR_eR_f$ ,  $SiR_eR_f$ , and  $GeR_eR_f$ ;  $R_e$  and  $R_f$  can be fused or joined to form a ring; each  $R_a$ ,  $R_b$ ,  $R_c$ , and  $R_d$  independently represents zero, mono, or up to the maximum number of allowed substitutions to its associated ring; each of  $R_{a1}$ ,  $R_{b1}$ ,  $R_{c1}$ ,  $R_{a1}$ ,  $R_a$ ,  $R_b$ ,  $R_c$ ,  $R_d$ ,  $R_e$  and  $R_f$  is independently a hydrogen or a substituent selected from the group consisting of the general substituents defined herein; and any two adjacent substituents can be fused or joined to form a ring or form a multidentate ligand.

17. The compound of claim 1, wherein the compound is selected from the group consisting of:



506






-continued



5  
10  
15  
20  
25  
30  
35  
40  
45  
50  
55  
60  
65







**507**

-continued








**508**

-continued









**509**

-continued









**510**

-continued








511

-continued




512

-continued




513

-continued




514

-continued




**515**

-continued








**516**

-continued









517

-continued








518

-continued







**519**

-continued




**520**

-continued




521

-continued









522

-continued









523

-continued









524

-continued








525

-continued








526

-continued










527

-continued




528


-continued



529



18. An organic light emitting device comprising:  
 an anode;  
 a cathode; and  
 an organic layer disposed between the anode and the cathode, wherein the organic layer comprises a compound comprising a ligand  $L_A$  of Formula I




wherein:

A is a 5-membered or 6-membered carbocyclic or heterocyclic ring;  
 $Z^1$  and  $Z^2$  are each independently C or N;  
 $K^3$  and  $K^4$  are each independently a direct bond, O, or S;  
 $X^1$ ,  $X^2$ , and  $X^3$  are each independently C or N, at least one of  $X^1$ ,  $X^2$ , and  $X^3$  is C;  
 X is O or  $NR^1$ ;  
 $R^A$  and  $R^B$  each represents zero, mono, or up to the maximum number of allowed substitutions to its associated ring;  
 each of R,  $R^1$ ,  $R^A$ , and  $R^B$  is independently a hydrogen or a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof; and  
 two adjacent groups can be joined or fused to form a ring wherever chemically feasible,  
 wherein the ligand  $L_A$  is complexed to a metal M to form a chelate ring as indicated by the two dotted lines;

530

the metal M can be coordinated to other ligands;  
 the metal M is Ir; and  
 the ligand  $L_A$  can be linked with other ligands to form a tridentate, tetradentate, pentadentate, or hexadentate ligand.

19. A consumer product comprising an organic light-emitting device (OLED) comprising:  
 an anode;  
 a cathode; and  
 an organic layer disposed between the anode and the cathode, wherein the organic layer comprises a compound comprising a ligand  $L_A$  of Formula I



wherein:

A is a 5-membered or 6-membered carbocyclic or heterocyclic ring;  
 $Z^1$  and  $Z^2$  are each independently C or N;  
 $K^3$  and  $K^4$  are each independently a direct bond, O, or S;  
 $X^1$ ,  $X^2$ , and  $X^3$  are each independently C or N, at least one of  $X^1$ ,  $X^2$ , and  $X^3$  is C;  
 X is O or  $NR^1$ ;  
 $R^A$  and  $R^B$  each represents zero, mono, or up to the maximum number of allowed substitutions to its associated ring;  
 each of R,  $R^1$ ,  $R^A$ , and  $R^B$  is independently a hydrogen or a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof; and  
 two adjacent groups can be joined or fused to form a ring wherever chemically feasible,  
 wherein the ligand  $L_A$  is complexed to a metal M to form a chelate ring as indicated by the two dotted lines;  
 the metal M can be coordinated to other ligands;  
 the metal M is Ir; and  
 the ligand  $L_A$  can be linked with other ligands to form a tridentate, tetradentate, pentadentate, or hexadentate ligand.

20. A formulation comprising a compound according to claim 1.

\* \* \* \* \*