



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C12N 15/12, C07K 14/47, C12Q 1/68, A61K 38/18, A01K 67/027, C12N 5/10, C07K 16/18	A1	(11) International Publication Number: WO 98/14568 (43) International Publication Date: 9 April 1998 (09.04.98)		
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top; padding: 5px;"> (21) International Application Number: PCT/EP97/05355 (22) International Filing Date: 29 September 1997 (29.09.97) (30) Priority Data: 027,633 1 October 1996 (01.10.96) US 97100583.0 16 January 1997 (16.01.97) EP (34) Countries for which the regional or international application was filed: AT et al. (71)(72) Applicant and Inventor: RAPPOLD-HOERBRAND, Gudrun [DE/DE]; Hausackerweg 14, D-69118 Heidelberg (DE). (72) Inventor; and (75) Inventor/Applicant (for US only): RAO, Ercole [IT/DE]; Odenwaldstrasse 11, D-64560 Riedstadt (DE). (74) Common Representative: RAPPOLD-HOERBRAND, Gudrun; Hausackerweg 14, D-69118 Heidelberg (DE). </td> <td style="width: 50%; vertical-align: top; padding: 5px;"> (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, DE, DK, EE, ES, FI, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i> </td> </tr> </table>			(21) International Application Number: PCT/EP97/05355 (22) International Filing Date: 29 September 1997 (29.09.97) (30) Priority Data: 027,633 1 October 1996 (01.10.96) US 97100583.0 16 January 1997 (16.01.97) EP (34) Countries for which the regional or international application was filed: AT et al. (71)(72) Applicant and Inventor: RAPPOLD-HOERBRAND, Gudrun [DE/DE]; Hausackerweg 14, D-69118 Heidelberg (DE). (72) Inventor; and (75) Inventor/Applicant (for US only): RAO, Ercole [IT/DE]; Odenwaldstrasse 11, D-64560 Riedstadt (DE). (74) Common Representative: RAPPOLD-HOERBRAND, Gudrun; Hausackerweg 14, D-69118 Heidelberg (DE).	(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, DE, DK, EE, ES, FI, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(21) International Application Number: PCT/EP97/05355 (22) International Filing Date: 29 September 1997 (29.09.97) (30) Priority Data: 027,633 1 October 1996 (01.10.96) US 97100583.0 16 January 1997 (16.01.97) EP (34) Countries for which the regional or international application was filed: AT et al. (71)(72) Applicant and Inventor: RAPPOLD-HOERBRAND, Gudrun [DE/DE]; Hausackerweg 14, D-69118 Heidelberg (DE). (72) Inventor; and (75) Inventor/Applicant (for US only): RAO, Ercole [IT/DE]; Odenwaldstrasse 11, D-64560 Riedstadt (DE). (74) Common Representative: RAPPOLD-HOERBRAND, Gudrun; Hausackerweg 14, D-69118 Heidelberg (DE).	(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, DE, DK, EE, ES, FI, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>			
(54) Title: HUMAN GROWTH GENE AND SHORT STATURE GENE REGION				
(57) Abstract Subject of the present invention is an isolated human nucleic acid molecule encoding polypeptides containing a homeobox domain of sixty amino acids having the amino acid sequence of SEQ ID NO:1 and having regulating activity on human growth. Three novel genes residing within the about 500 kb short stature critical region on the X and Y chromosome were identified. At least one of these genes is responsible for the short stature phenotype. The cDNA corresponding to this gene may be used in diagnostic tools, and to further characterize the molecular basis for the short stature-phenotype. In addition, the identification of the gene product of the gene provides new means and methods for the development of superior therapies for short stature.				

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

HUMAN GROWTH GENE AND SHORT STATURE GENE REGION

5

The present invention relates to the isolation, identification and characterization of newly identified human genes responsible for disorders relating to human growth, especially for short stature or Turner syndrome, as well as the diagnosis and therapy of such disorders.

10 The isolated genomic DNA or fragments thereof can be used for pharmaceutical purposes or as diagnostic tools or reagents for identification or characterization of the genetic defect involved in such disorders. Subject of the present invention are further human growth proteins (transcription factors A, B and C) which are expressed after transcription of said DNA into RNA or mRNA and which can be used in the therapeutic
15 treatment of disorders related to mutations in said genes. The invention further relates to appropriate cDNA sequences which can be used for the preparation of recombinant proteins suitable for the treatment of such disorders. Subject of the invention are further plasmid vectors for the expression of the DNA of these genes and appropriate cells containing such DNAs. It is a further subject of the present invention to provide means
20 and methods for the genetic treatment of such disorders in the area of molecular medicine using an expression plasmid prepared by incorporating the DNA of this invention downstream from an expression promotor which effects expression in a mammalian host cell.

25 Growth is one of the fundamental aspects in the development of an organism, regulated by a highly organised and complex system. Height is a multifactorial trait, influenced by both environmental and genetic factors. Developmental malformations concerning body height are common phenomena among humans of all races. With an incidence of 3 in 100, growth retardation resulting in short stature account for the large majority of inborn
30 deficiencies seen in humans.

With an incidence of 1:2500 life-born phenotypic females, Turner syndrome is a common chromosomal disorder (Rosenfeld et al., 1996). It has been estimated that 1-2% of all human conceptions are 45,X and that as many as 99 % of such fetuses do not come to
35 term (Hall and Gilchrist, 1990; Robins, 1990). Significant clinical variability exists in the phenotype of persons with Turner syndrome (or Ullrich-Turner syndrome) (Ullrich, 1930; Turner, 1938). Short stature, however, is a consistent finding and together with

gonadal dysgenesis considered as the lead symptoms of this disorder. Turner syndrome is a true multifactorial disorder. Both the embryonic lethality, the short stature, gonadal dysgenesis and the characteristic somatic features are thought to be due to monosomy of genes common to the X and Y chromosomes. The diploid dosis of those X-Y homologous genes are suggested to be requested for normal human development. Turner genes (or anti-Turner genes) are expected to be expressed in females from both the active and inactive X chromosomes or Y chromosome to ensure correct dosage of gene product. Haploinsufficiency (deficiency due to only one active copy), consequently would be the suggested genetic mechanism underlying the disease.

10

A variety of mechanisms underlying short stature have been elucidated so far. Growth hormone and growth hormone receptor deficiencies as well as skeletal disorders have been described as causes for the short stature phenotype (Martial et al., 1979; Phillips et al., 1981; Leung et al., 1987; Goddard et al., 1995). Recently, mutations in three human fibroblast growth factor receptor-encoding genes (FGFR 1-3) were identified as the cause of various skeletal disorders, including the most common form of dwarfism, achondroplasia (Shiang et al., 1994; Rousseau et al., 1994; Muenke and Schell, 1995). A well-known and frequent (1:2500 females) chromosomal disorder, Turner Syndrome (45,X), is also consistently associated with short stature. Taken together, however, all these different known causes account for only a small fraction of all short patients, leaving the vast majority of short stature cases unexplained to date.

20

The sex chromosomes X and Y are believed to harbor genes influencing height (Ogata and Matsuo, 1993). This could be deduced from genotype-phenotype correlations in patients with sex chromosome abnormalities. Cytogenetic studies have provided evidence that terminal deletions of the short arms of either the X or the Y chromosome consistently lead to short stature in the respective individuals (Zuffardi et al., 1982; Curry et al., 1984). More than 20 chromosomal rearrangements associated with terminal deletions of chromosome Xp and Yp have been reported that localize the gene(s) responsible for short stature to the pseudoautosomal region (PAR1) (Ballabio et al., 1989; Schaefer et al., 1993). This localisation has been narrowed down to the most distal 700 kb of DNA of the PAR1 region, with DXYS15 as the flanking marker (Ogata et al., 1992, 1995).

30
35

Mammalian growth regulation is organized as a complex system. It is conceivable that multiple growth promoting genes (proteins) interact with one another in a highly

organized way. One of those genes controlling height has tentatively been mapped to the pseudoautosomal region PAR1 (Ballabio et al., 1989), a region known to be freely exchanged between the X and Y chromosomes (for a review see Rappold, 1993). The entire PAR1 region is approximately 2.700kb.

5

The critical region for short stature has been defined with deletion patients. Short stature is the consequence when an entire 700kb region is deleted or when a specific gene within this critical region is present in haploid state, is interrupted or mutated (as is the case with idiopathic short stature or Turner syndrome). The frequency of Turner's syndrome is 1 in 2500 females worldwide; the frequency of this kind of idiopathic short stature can be estimated to be 1 in 4.000 - 5.000 persons. Turner females and some short stature individuals usually receive an unspecific treatment with growth hormone (GH) for many years to over a decade although it is well known that they have normal GH levels and GH deficiency is not the problem. The treatment of such patients is very expensive (estimated costs approximately 30.000 USD p.a.). Therefore, the problem existed to provide a method and means for distinguishing short stature patients on the one side who have a genetic defect in the respective gene and on the other side patients who do not have any genetic defect in this gene. Patients with a genetic defect in the respective gene - either a complete gene deletion (as in Turner syndrome) or a point mutation (as in idiopathic short stature) - should be susceptible for an alternative treatment without human GH, which now can be devised.

Genotype/phenotype correlations have supported the existence of a growth gene in the proximal part of Yq and in the distal part of Yp. Short stature is also consistently found in individuals with terminal deletions of Xp. Recently, an extensive search for male and female patients with partial monosomies of the pseudoautosomal region has been undertaken. On the basis of genotype-phenotype correlations, a minimal common region of deletion of 700 kb DNA adjacent to the telomere was determined (Ogata et al., 1992; Ogata et al., 1995). The region of interest was shown to lie between genetic markers DXYS20 (3cosPP) and DXYS15 (113D) and all candidate genes for growth control from within the PAR1 region (e.g., the hemopoietic growth factor receptor α , CSF2RA) (Gough et al., 1990) were excluded based on their physical location (Rappold et al., 1992). That is, the genes were within the 700 kb deletion region of the 2.700 kb PAR1 region.

35

Deletions of the pseudoautosomal region (PAR1) of the sex chromosomes were recently discovered in individuals with short stature and subsequently a minimal common deletion region of 700 kb within PAR1 was defined. Southern blot analysis on DNA of patients AK and SS using different pseudoautosomal markers has identified an Xp terminal
5 deletion of about 700 kb distal to DXYS15 (113D) (Ogata et al, 1992; Ogata et al, 1995).

The gene region corresponding to short stature has been identified as a region of approximately 500 kb, preferably approximately 170 kb in the PAR1 region of the X and
10 Y chromosomes. Three genes in this region have been identified as candidates for the short stature gene. These genes were designated SHOX (also referred to as SHOX93 or HOX93), (SHOX = short stature homeobox-containing gene), pET92 and SHOT (SHOX-like homeobox gene on chromosome three). The gene SHOX which has two separate splicing sites resulting in two variations (SHOX a and b) is of particular
15 importance. In preliminary investigations, essential parts of the nucleotide sequence of the short stature gene could be analysed (SEQ ID No. 8). Respective exons or parts thereof could be predicted and identified (e.g. exon I [G310]; exon II [ET93]; exon IV [G108]; pET92). The obtained sequence information could then be used for designing appropriate primers or nucleotide probes which hybridize to parts of the SHOX gene or
20 fragments thereof. By conventional methods, the SHOX gene can then be isolated. By further analysis of the DNA sequence of the genes responsible for short stature, the nucleotide sequence of exons I - V could be refined (v. fig. 1 - 3). The gene SHOX contains a homeobox sequence (SEQ ID NO. 1) of approximately 180 bp (v. fig. 2 and fig. 3), starting from the nucleotide coding for amino acid position 117 (Q) to the
25 nucleotide coding for amino acid position 176 (E), i.e. from CAG (440) to GAG (619). The homeobox sequence is identified as the homeobox-pET93 (SHOX) sequence and two point mutations have been found in individuals with short stature in a German (A1) and a Japanese patient by screening up to date 250 individuals with idiopathic short stature. Both point mutations were found at the identical position and leading to a
30 protein truncation at amino acid position 195, suggesting that there may exist a hot spot of mutation. Due to the fact that both mutations found, which lead to a protein truncation, are at the identical position, it is possible that a putative hot spot of recombination exists with exon 4 (G108). Exon specific primers can therefore be used as indicated below, e.g. GCA CAG CCA ACC ACC TAG (for) or TGG AAA GGC ATC
35 ATC CGT AAG (rev).

The above-mentioned novel homeobox-containing gene, SHOX, which is located within the 170 kb interval, is alternatively spliced generating two proteins with diverse function. Mutation analysis and DNA sequencing were used to demonstrate that short stature can be caused by mutations in SHOX.

5

The identification and cloning of the short stature critical region according to the present invention was performed as follows: Extensive physical mapping studies on 15 individuals with partial monosomy in the pseudoautosomal region (PAR1) were performed. By correlating the height of those individuals with their deletion breakpoints
10 a short stature (SS) critical region of approximately 700 kb was defined. This region was subsequently cloned as an overlapping cosmid contig using yeast artificial chromosomes (YACs) from PAR 1 (Ried et al., 1996) and by cosmid walking. To search for candidate genes for SS within this interval, a variety of techniques were applied to an approximately 600 kb region between the distal end of cosmid 56G10 and the proximal
15 end of 51D11. Using cDNA selection, exon trapping, and CpG island cloning, the two novel genes were identified.

The position of the short stature critical interval could be refined to a smaller interval of 170 kb of DNA by characterizing three further specific individuals (GA, AT and RY),
20 who were consistently short. To precisely localize the rearrangement breakpoints of those individuals, fluorescence *in situ* hybridization (FISH) on metaphase chromosomes was carried out using cosmids from the contig. Patient GA, with a terminal deletion and normal height, defined the distal boundary of the critical region (with the breakpoint on cosmid 110E3), and patient AT, with an X chromosome inversion and normal height, the
25 proximal boundary (with the breakpoint on cosmid 34F5). The Y-chromosomal breakpoint of patient RY, with a terminal deletion and short stature, was also found to be contained on cosmid 34F5, suggesting that this region contains sequences predisposing to chromosome rearrangements.

30 The entire region, bounded by the Xp/Yp telomere, has been cloned as a set of overlapping cosmids. Fluorescence in situ hybridization (FISH) with cosmids from this region was used to study six patients with X chromosomal rearrangements, three with normal height and three with short stature. Genotype-phenotype correlations narrowed down the critical short stature interval to 270 kb of DNA or even less as 170 kb,
35 containing the gene or genes with an important role in human growth. A minimal tiling path of six to eight cosmids bridging this interval is now available for interphase and

metaphase FISH providing a valuable tool for diagnostic investigations on patients with idiopathic short stature.

Brief Description of the Drawings

5

Figure 1 is a gene map of the SHOX gene including five exons which are identified as follows: exon I: G310, exon II: ET93, exon III: ET45, exon IV: G108 and exons Va and Vb, whereby exons Va and Vb result from two different splicing sites of the SHOX gene. Exon II and III contain the homeobox sequence of 180 nucleotides.

10

Figures 2 and 3 are the nucleotide and predicted amino acid sequences of *SHOXa* and *SHOXb*.

SHOXa: The predicted start of translation begins at nucleotide 92 with the first in-frame stop codon (TGA) at nucleotides 968 - 970, yielding an open reading frame of 876 bp that encodes a predicted protein of 292 amino acids (designated as transcription factor A or SHOXa protein, respectively). An in-frame, 5' stop codon at nucleotide 4, the start codon and the predicted termination stop codon are in bold. The homeobox is boxed (starting from amino acid position 117 (Q) to 176 (E), i.e. CAG thru GAG in the nucleotide sequence). The locations of introns are indicated with arrows. Two putative polyadenylation signals in the 3' untranslated region are underlined.

SHOX b: An open reading frame of 876 bp exists from A in the first methionin at nucleotide 92 to the in-frame stop codon at nucleotide 767-769, yielding an open reading frame of 675 bp that encodes a predicted protein of 225 amino acids (transcription factor B or SHOXb protein, respectively). The locations of introns are indicated with arrows. Exons I-IV are identical with SHOXa, exon V is specific for SHOX b. A putative polyadenylation signal in the 3' untranslated region is underlined.

Figure 4 are the nucleotide and predicted amino acid sequence of SHOT. The predicted start of translation begins at nucleotide 43 with the first in-frame stop codon (TGA) at nucleotides 613 - 615, yielding an open reading frame of 573 bp that encodes a predicted protein of 190 amino acids (designated as transcription factor C or SHOT protein, respectively). The homeobox is boxed (starting from amino acid position 11 (Q) to 70

35

(E), i.e. CAG thru GAG in the nucleotide sequence). The locations of introns are indicated with arrows. Two putative polyadenylation signals in the 3' untranslated region are underlined

- 5 Figure 5 gives the exon/intron organization of the human SHOX gene and the respective positions in the nucleotide sequence.

Brief Description of the SEQ ID:

- SEQ ID NO. 1: translated amino acid sequence of the homeobox domain (180 bp)
 10 SEQ ID NO. 2: exon II (ET93) of the SHOX gene
 SEQ ID NO. 3: exon I (G310) of the SHOX gene
 SEQ ID NO. 4: exon III (ET45) of the SHOX gene
 SEQ ID NO. 5: exon IV (G108) of the SHOX gene
 SEQ ID NO. 6: exon Va of the SHOX gene
 15 SEQ ID NO. 7: exon Vb of the SHOX gene
 SEQ ID NO. 8: preliminary nucleotide sequence of the SHOX gene
 SEQ ID NO. 9: ET92 gene
 SEQ ID NO. 10: SHOXa sequence (see also fig. 2)
 SEQ ID NO. 11: transcription factor A (see also fig. 2)
 20 SEQ ID NO. 12: SHOXb sequence (see also fig. 3)
 SEQ ID NO. 13: transcription factor B (see also fig. 3)
 SEQ ID NO. 14: SHOX gene
 SEQ ID NO. 15: SHOT sequence (see also fig. 4)
 SEQ ID NO. 16: transcription factor C (see also fig. 4)

25

- Since the target gene leading to disorders in human growth (e.g. short stature region) was unknown prior to the present invention, the biological and clinical association of patients with this deletion could give insights to the function of this gene. In the present study, fluorescence in situ hybridization (FISH) was used to examine metaphase and
 30 interphase lymphocyte nuclei of six patients. The aim was to test all cosmids of the overlapping set for their utility as FISH probes and to determine the breakpoint regions in all four cases, thereby determining the minimal critical region for the short stature gene.

- 35 Duplication and deletion of genomic DNA can be technically assessed by carefully controlled quantitative PCR or dose estimation on Southern blots or by using RFLPs.

However, a particularly reliable method for the accurate distinction between single and double dose of markers is FISH, the clinical application of is presently routine. Whereas in interphase FISH, the pure absence or presence of a molecular marker can be evaluated, FISH on metaphase chromosomes may provide a semi-quantitative measurement of inter-cosmid deletions. The present inventor has determined that deletions of about 10 kb (25% of signal reduction) can still be detected. This is of importance, as practically all disease genes on the human X chromosome have been associated with smaller and larger deletions in the range from a few kilobases to several megabases of DNA (Nelson et al., 1995).

Subject of the present invention are therefore DNA sequences or fragments thereof which are part of the genes responsible for human growth (or for short stature, respectively, in case of genetic defects in these genes). Three genes responsible for human growth were identified: SHOX, pET92 and SHOT. DNA sequences or fragments of these genes, as well as the respective full length DNA sequences of these genes can be transformed in an appropriate vector and transfected into cells. When such vectors are introduced into cells in an appropriate way as they are present in healthy humans, it is devisable to treat diseases involved with short stature, i.e. Turners syndrome, by modern means of gene therapy. For example, short stature can be treated by removing the respective mutated growth genes responsible for short stature. It is also possible to stimulate the respective genes which compensate the action of the genes responsible for short stature, i.e. by inserting DNA sequences before, after or within the growth/short stature genes in order to increase the expression of the healthy alleles. By such modifications of the genes, the growth/short stature genes become activated or silent, respectively. This can be accomplished by inserting DNA sequences at appropriate sites within or adjacent to the gene, so that these inserted DNA sequences interfere with the growth/short stature genes and thereby activate or prevent their transcription. It is also devisable to insert a regulatory element (e.g. a promotor sequence) before said growth genes to stimulate the genes to become active. It is further devisable to stimulate the respective promotor sequence in order to overexpress - in the case of Turner syndrome - the healthy functional allele and to compensate for the missing allele. The modification of genes can be generally achieved by inserting exogenous DNA sequences into the growth gene / short stature gene via homologous recombination.

The DNA sequences according to the present invention can also be used for transformation of said sequences into animals, such as mammals, via an appropriate

vector system. These transgenic animals can then be used for *in vivo* investigations for screening or identifying pharmaceutical agents which are useful in the treatment of diseases involved with short stature. If the animals positively respond to the administration of a candidate compound or agent, such agent or compound or derivatives thereof would be devisable as pharmaceutical agents. By appropriate means, the DNA sequences of the present invention can also be used in genetic experiments aiming at finding methods in order to compensate for the loss of genes responsible for short stature (knock-out animals).

10 In a further object of this invention, the DNA sequences can also be used to be transformed into cells. These cells can be used for identifying pharmaceutical agents useful for the treatment of diseases involved with short stature, or for screening of such compounds or library of compounds. In an appropriate test system, variations in the phenotype or in the expression pattern of these cells can be determined, thereby allowing
15 the identification of interesting candidate agents in the development of pharmaceutical drugs.

The DNA sequences of the present invention can also be used for the design of appropriate primers which hybridize with segments of the short stature genes or
20 fragments thereof under stringent conditions. Appropriate primer sequences can be constructed which are useful in the diagnosis of people who have a genetic defect causing short stature. In this respect it is noteworthy that the two mutations found occur at the identical position, suggesting that a mutational hot spot exists

25 In general, DNA sequences according to the present invention are understood to embrace also such DNA sequences which are degenerate to the specific sequences shown, based on the degeneracy of the genetic code, or which hybridize under stringent conditions with the specifically shown DNA sequences.

30 The present invention encompasses especially the following aspects:

- a) An isolated human nucleic acid molecule encoding polypeptides containing a homeobox domain of sixty amino acids having the amino acid sequence of SEQ ID NO: 1 and having regulating activity on human growth.

- b) An isolated DNA molecule comprising the nucleotide sequence essentially as indicated in fig. 2, fig. 3 or fig. 4, and especially as shown in SEQ ID NO: 10, SEQ ID NO: 12 or SEQ ID NO: 15.
 - c) DNA molecules capable of hybridizing to the DNA molecules of item b)
 - 5 d) DNA molecules of item c) above which are capable of hybridization with the DNA molecules of item 2. under a temperature of 60 - 70 °C and in the presence of a standard buffer solution.
 - e) DNA molecules comprising a nucleotide sequence having a homology of seventy percent or higher with the nucleotide sequence of SEQ ID NO: 10, SEQ ID NO: 12 or SEQ ID NO: 15 and encoding a polypeptide having regulating activity on human growth.
 - 10 f) Human growth proteins having the amino acid sequence of SEQ ID NO: 11, 13 or 16 or a functional fragment thereof.
 - g) Antibodies obtained from immunization of animals with human growth proteins of item f) or antigenic variants thereof.
 - 15 h) Pharmaceutical compositions comprising human growth proteins or functional fragments thereof for treating disorders caused by genetic mutations of the human growth gene.
 - i) A method of screening for a substance effective for the treatment of disorders mentioned above under item h) comprising detecting messenger RNA hybridizing to any of the DNA molecules described in a) - e) so as to measure any enhancement in the expression levels of the DNA molecule in response to treatment of the host cell with that substance.
 - 20 j) An expression vector or plasmid containing any of the nucleic acid molecules described in a) - e) above which enables the DNA molecules to be expressed in mammalian cells.
 - 25 k) A method for the determination of the gene or genes responsible for short stature in a biological sample of body tissues or body fluids.
- 30 In the method k) above, preferably nucleotide amplification techniques, e.g. PCR, are used for detecting specific nucleotide sequences known to persons skilled in the art, and described, for example, by Mullis et al. 1986, Cold Spring Harbor Symposium Quant. Biol. 51, 263-273, and Saiki et al., 1988, Science 239, 487-491, which are incorporated herein by reference. The short stature nucleotide sequences to be determined are mainly
- 35 those represented by sequences SEQ ID No. 2 to SEQ ID No. 7.

In principle, all oligonucleotide primers and probes for amplifying and detecting a genetic defect responsible for diminished human growth in a biological sample are suitable for amplifying a target short stature associated sequence. Especially, suitable exon specific primer pairs according to the invention are provided by table 1. Subsequently, a suitable detection, e.g. a radioactive or non-radioactive label is carried out.

Table 1:

Exon	Sense primer	Antisense primer	Product (bp)	Ta (°C)
5'-I (G310)	SP 1	ASP 1	194	58
3'-I (G310)	SP 2	ASP 2	295	58
II (ET93)	SP 3	ASP 3	262	76/72/68
III (ET45)	SP 4	ASP 4	120	65
IV (G108)	SP 5	ASP 5	154	62
Va (SHOXa)	SP 6	ASP 6	265	61

10 explanation of the abbreviations for the primers:

SP 1 : ATTTCCAATGGAAAGGCGTAAATAAC

SP2 : ACGGCTTTTGTATCCAAGTCTTTTG

SP3 : GCCCTGTGCCCTCCGCTCCC

SP4 : GGCTCTTCACATCTCTCTCTGCTTC

SP5 : CCACACTGACACCTGCTCCCTTTG

SP6 : CCCGCAGGTCCAGGCTCAGCTG

ASP1 : CGCCTCCGCCGTTACCGTCCTTG

ASP 2 : CCCTGGAGCCGGCGCGCAAAG

ASP 3 : CCCCCGCCCCCGCCCCCGG

ASP 4 : CTTCAGGTCCCCCCAGTCCCG

ASP 5 : CTAGGGATCTTCAGAGGAAGAAAAAG

ASP 6 : GCTGCGCGGCGGGTCAGAGCCCCAG

Also, a single stranded RNA can be used as target. Methods for reversed transcribing RNA into cDNA are also well known and described in Sambrook et al., Molecular Cloning: A Laboratory Manual, New York, Cold Spring Harbor Laboratory 1989. Alternatively, preferred methods for reversed transcription utilize thermostable DNA
5 polymerases having RT activity.

Further, the technique described before can be used for selecting those person from a group of persons being of short stature characterized by a genetic defect and which allows as a consequence a more specific medical treatment.

10

In another subject of the present invention, the transcription factors A, B and C can be used as pharmaceutical agents. These transcription factors initiate a still unknown cascade of biological effects on a molecular level involved with human growth. These proteins or functional fragments thereof have a mitogenic effect on various cells.
15 Especially, they have an osteogenic effect. They can be used in the treatment of bone diseases, such as e.g. osteoporosis, and especially all those diseases involved with disturbance in the bone calcium regulation.

As used herein, the term „isolated“ refers to the original derivation of the DNA molecule
20 by cloning. It is to be understood however, that this term is not intended to be so limiting and, in fact, the present invention relates to both naturally occurring and synthetically prepared sequences, as will be understood by the skilled person in the art.

The DNA molecules of this invention may be used in forms of gene therapy involving the
25 use of an expression plasmid prepared by incorporating an appropriate DNA sequence of this invention downstream from an expression promotor that effects expression in a mammalian host cell. Suitable host cells are procaryotic or eucaryotic cells. Procaryotic host cells are, for example, E. coli, Bacillus subtilis, and the like. By transfecting host cells with replicons originating from species adaptable to the host, that is, plasmid
30 vectors containing replication starting point and regulator sequences, these host cells can be transfected with the desired gene or cDNA. Such vectors are preferably those having a sequence that provides the transfected cells with a property (phenotype) by which they can be selected. For example, for E. coli hosts the strain E. coli K12 is typically used, and for the vector either pBR322 or pUC plasmids can be generally employed. Examples
35 for suitable promotors for E. coli hosts are trp promotor, lac promotor or lpp promotor. If desired, secretion of the expression product through the cell membrane can be effected

by connecting a DNA sequence coding for a signal peptide sequence at the 5' upstream side of the gene. Eucaryotic host cells include cells derived from vertebrates or yeast etc.. As a vertebrate host cell, COS cells can be used (Cell, 1981, 23: 175 - 182), or CHO cells. Preferably, promoters can be used which are positioned 5' upstream of the gene to be expressed and having RNA splicing positions, polyadenylation and transcription termination sequences.

The transcription factors A, B and C of the present invention can be used to treat disorders caused by mutations in the human growth genes and can be used as growth promoting agents. Due to the polymorphism known in the case of eukaryotic genes, one or more amino acids may be substituted. Also, one or more amino acids in the polypeptides can be deleted or inserted at one or more sites in the amino acid sequence of the polypeptides of SEQ ID NO: 11, 13 or 16. Such polypeptides are generally referred to equivalent polypeptides as long as the underlying biological activity of the unmodified polypeptide remains essentially unchanged.

The present invention is illustrated by the following examples.

Example 1

20

Patients

All six patients studied had de novo sex chromosome aberrations.

CC is a girl with a karyotype 45,X/46,X psu dic (X) (Xqter → Xp22.3::Xp22.3 → Xqter). At the last examination at 6 1/2 years of age, her height was 114 cm (25 - 50 the % percentile). Her mother's height was 155 cm, the father was not available for analysis. For details, see Henke et al., 1991.

GA is a girl with a karyotype 46,X der X (3pter → 3p23::Xp22.3 → Xqter). At the last examination at 17 years, normal stature (159 cm) was observed. Her mother's height is 160 cm and her father's height 182 cm. For details, see Kulharya et al, 1995.

SS is a girl with a karyotype 46,X rea (X) (Xqter → Xq26::Xp22.3 → Xq26). At 11 years her height remained below the 3rd percentile growth curve for Japanese girls; her predicted adult height (148.5 cm) was below her target height (163 cm) and target range (155 to 191 cm). For details, see Ogata et al, 1992.

AK is a girl with a karyotype 46,X rea (X) (Xqter → Xp22.3::Xp22.3 → Xp21.3). At 13 years her height remained below the 2nd percentile growth curve for Japanese girls, her predicted adult height (142.8 cm) was below her target height (155.5 cm) and target range (147.5 - 163.5 cm). For details, see Ogata et al., 1995.

5

RY: the karyotype of the ring Y patient is 46,X,r(Y)/46,Xdic r(Y)/45,X[95.3.2], as examined on 100 lymphocytes; at 16 years of age his final height was 148; the heights of his three brothers are all in the normal range with 170 cm (16 years, brother 1), 164 cm (14 years, brother 2) and 128 cm (9 years, brother 3), respectively. Growth retardation of this patient is so severe that it would also be compatible with an additional deletion of the GCY locus on Yq.

10

AT: boy with ataxia and inv(X); normal height of 116 cm at age 7, parents' heights are 156 cm and 190 cm, respectively

15

Patients for mutation analysis

250 individuals with idiopathic short stature were tested for mutations in SHOXa. The patients were selected on the following criteria: height for chronological age was below the 3rd centile of national height standards, minus 2 standard deviations (SDS); no causative disease was known, in particular: normal weight (length) for gestational age, normal body proportions, no chronic organic disorder, normal food intake, no psychiatric disorder, no skeletal dysplasia disorder, no thyroid or growth hormone deficiency.

20

Family A:

25 Cases 1 and 2 are short statured children of a German non-consanguineous family. The boy (case 1) was born at the 38th week of gestation by cesarian section. Birth weight was 2660 g, birth length 47 cm. He developed normally except for subnormal growth. On examination at the age of 6.4 years, he was proportionate small (106.8 cm, -2.6 SDS) and obese (22.7 kg), but otherwise normal. His bone age was not retarded (6 yrs) and bone dysplasia was excluded by X-ray analysis. IGF-1 and IGFBP-3 levels as well as thyroid parameters in serum rendered GH or thyroid hormone deficiency unlikely. The girl (case 2) was born at term by cesarian section. Birth weight was 2920 g, birth length 47 cm. Her developmental milestones were normal, but by the age of 12 months poor growth was apparent (length: 67 cm, -3.0 SDS). At 4 years she was 89.6 cm of height (-3.6 SDS). No dysmorphic features or dysproportions were apparent. She was not obese (13 kg). Her bone age was 3.5 years and bone dysplasia was excluded. Hormone

30

35

parameters were normal. It is interesting to note that both the girl and the boy grow on the 50 percentile growth curve for females with Turner syndrome. The mother is the smallest of the family and has a mild rhizomelic dysproportion (142.3 cm, -3.8 SDS). One of her two sisters (150 cm, -2.5 SDS) and the maternal grandmother (153 cm, -2.0 SDS) are all short without any dysproportion. One sister has normal stature (167 cm, +0.4 SDS). The father's height is 166 cm (-1.8 SDS) and the maternal grandfather's height is 165 cm (-1.9 SDS). The other patient was of Japanese origin and showed the identical mutation.

Example 2

Identification of the short stature gene

A. In situ hybridization

a) Florescence in situ hybridization (FISH)

Florescence in situ hybridization (FISH) using cosmids residing in the Xp/Yp pseudoautosomal region (PAR1) was carried out. FISH studies using cosmids 64/75cos (LLNLc110H032), E22cos (2e2), F1/14cos (110A7), M1/70cos (110E3), P99F2cos (43C11), P99cos (LLNLc110P2410), B6cosb (1CRFc104H0425), F20cos (34F5), F21cos (ICRFc104G0411), F3cos2 (9E3), F3cos1 (11E6), P117cos (29B11), P6cos1 (ICRFc104P0117), P6cos2 (LLNLc110E0625) and E4cos (15G7) was carried out according to published methods (Lichter and Cremer, 1992). In short, one microgram of the respective cosmid clone was labeled with biotin and hybridized to human metaphase chromosomes under conditions that suppress signals from repetitive DNA sequences. Detection of the hybridization signal was via FITC-conjugated avidin. Images of FITC were taken by using a cooled charge coupled device camera system (Photometrics, Tucson, AZ).

b) Physical mapping

Cosmids were derived from Lawrence Livermore National Laboratory X- and Y-chromosome libraries and the Imperial Cancer Research Fund London (now Max Planck Institute for Molecular Genetics Berlin) X chromosome library. Using cosmids distal to DXYS15, namely E4cos, P6cos2, P6cos1, P117cos and F3cos1 one can determine that two copies are still present of E4cos, P6cos2, P6cos1 and one copy of P117cos and F3cos1. Breakpoints of both patients AK and SS map on cosmid P6cos1, with a

maximum physical distance of 10 kb from each other. It was concluded that the abnormal X chromosomes of AK and SS have deleted about 630 kb of DNA.

Further cosmids were derived from the ICRF X chromosome specific cosmid library (ICRFc104), the Lawrence Livermore X chromosome specific cosmid library (LLNLc110) and the Y chromosome specific library (LLCO3'M'), as well as from a self-made cosmid library covering the entire genome. Cosmids were identified by hybridisation with all known probes mapping to this region and by using entire YACs as probes. To verify overlaps, end probes from several cosmids were used in cases in which overlaps could not be proven using known probes.

c) Southern Blot Hybridisation

Southern blot analysis using different pseudoautosomal markers has provided evidence that the breakpoint on the X chromosome of patient CC resides between DXYS20 (3cosPP) and DXYS60 (U7A) (Henke et al, 1991). In order to confirm this finding and to refine the breakpoint location, cosmids 64/75cos, E22cos, F1/14cos, M1/70cos, F2cos, P99F2cos and P99cos were used as FISH probes. The breakpoint location on the abnormal X of patient CC between cosmids 64/75cos (one copy) and F1/14cos (two copies) on the E22PAC could be determined. Patient CC with normal stature consequently has lost approximately 260-290 kb of DNA.

Southern blot hybridisations were carried out at high stringency conditions in Church buffer (0.5 M NaPi pH 7.2, 7% SDS, 1mM EDTA) at 65°C and washed in 40 mM NaPi, 1% SDS at 65°C.

d) FISH Analysis

Biotinylated cosmid DNA (insert size 32 - 45 kb) or cosmid fragments (10 - 16 kb) were hybridised to metaphase chromosomes from stimulated lymphocytes of patients under conditions as described previously (Lichter and Cremer, 1992). The hybridised probe was detected via avidin-conjugated FITC.

e) PCR Amplification

All PCRs were performed in 50 µl volumes containing 100 pg-200 ng template, 20 pmol of each primer, 200 µM dNTP's (Pharmacia), 1.5 mM MgCl₂, 75 mM Tris/HCl pH9, 20mM (NH₄)₂SO₄ 0.01% (w/v) Tween20 and 2 U of Goldstar DNA Polymerase (Eurogentec). Thermal cycling was carried out in a Thermocycler GeneE (Techné).

f) Exon Amplification

Four cosmid pools consisting of each four to five clones from the cosmid contigs were used for exon amplification experiments. The cosmids in each cosmid pool were partially digested with Sau3A. Gel purified fractions in the size range of 4-10 kb were cloned in the BamHI digested pSPL3B vector (Burn et al, 1995) and used for the exon amplification experiments as previously described (Church et al., 1994)

g) Genomic Sequencing

Sonificated fragments of the two cosmids LLOYNCO3'M'15D10 and LLOYNCO3'M'34F5 were subcloned separately into M13mp18 vectors. From each cosmid library at least 1000 plaques were picked, M13 DNA prepared and sequenced using dye-terminators, ThermoSequenase (Amersham) and universal M13-primer (MWG-BioTech). The gels were run on ABI-377 sequencers and data were assembled and edited with the GAP4 program (Staden)

15

Of all six patients, GA had the least well characterized chromosomal breakpoint. The most distal markers previously tested for their presence or absence on the X were DXS1060 and DXS996, which map approximately 6 Mb from the telomere (Nelson et al., 1995). Several cosmids containing different gene sequences from within PAR1 (MIC2, ANT3, CSF2RA, and XE7) were tested and all were present on the translocation chromosome. Cosmids from within the short stature critical region e.g., chromosome, thereby placing the translocation breakpoint on cosmid M1/70cos. A quantitative comparison of the signal intensities of M1/70cos between the normal and the rearranged X indicates that approximately 70% of this cosmid is deleted.

25

TABLE 2

	CC	GA	AK	SS
64/75cos	-	-		
E22cos	-	-		
F1/14cos	+	-		
M1/70cos	+	(+)		
F2cos	+	+		
P99F2cos	+	-		
P99cos	+	-		
B6cos		+		
F20cos				
F21cos				
F3cos2				
F3cos1			-	-
P117cos			-	-
P6cos1			+	+
P6cos2			+	+
E4cos			+	+

Table 2: This table summarizes the FISH data for the 16 cosmid tested on four patients.

- 5 [-] one copy; indicates that the respective cosmid was deleted on the rearranged X, but present on the normal X chromosome
- [+] two copies; indicates that the respective cosmid is present on the rearranged and on the normal X chromosome
- 10 [(+)] breakpoint region; indicates that the breakpoint occurs within the cosmid as shown by FISH

In summary, the molecular analysis on six patients with X chromosomal rearrangements using florescence-labeled cosmid probes and in situ hybridization indicates that the short

15 stature critical region can be narrowed down to a 270 kb interval, bounded by the

breakpoint of patient GA from its centromere distal side and by patients AK and SS on its centromere proximal side.

Genotype-phenotype correlations may be informative and have been chosen to delineate the short stature critical interval on the human X and Y chromosome. In the present study FISH analysis was used to study metaphase spreads and interphase nuclei of lymphocytes from patients carrying deletions and translocations on the X chromosome and breakpoints within Xp22.3. These breakpoints appear to be clustered in two of the four patients (AK and SS) presumably due to the presence of sequences predisposing to chromosome rearrangements. One additional patient Ring Y has been found with an interruption in the 270 kb critical region, thereby reducing the critical interval to a 170 kb region

By correlating the height of all six individuals with their deletion breakpoint, an interval of 170 kb was mapped to within the pseudoautosomal region, presence or absence of which has a significant effect on stature. This interval is bounded by the X chromosomal breakpoint of patient GA at 340 kb from the telomere (Xptel) distally and by the breakpoints of patients AT and RY at 510/520 kb Xptel proximally. This assignment constitutes a considerable reduction of the critical interval to almost one fourth of its previous size (Ogata et al., 1992; Ogata et al., 1995). A small set of six to eight cosmids are now available for FISH experiments to test for the prevalence and significance of this genomic locus on a large series of patients with idiopathic short stature

B. Identification of the Candidate Short Stature Gene

To search for transcription units within the smallest 170 kb critical region, exon trapping and cDNA selection on six cosmids (110E3, F2cos, 43C11, P2410, 15D10, 34F5) was carried out. Three different positive clones (ET93, ET45 and G108) were isolated by exon trapping, all of which mapped back to cosmid 34F5. Previous studies using cDNA selection protocols and an excess of 25 different cDNA libraries had proven unsuccessful, suggesting that genes in this interval are expressed at very low abundance.

To find out whether any gene in this interval was missed, the nucleotide sequence of about 140 kb from this region of the PAR1 was determined, using the random M13 method and dye terminator chemistry. The cosmids for sequence analysis were chosen to minimally overlap with each other and to collectively span the critical interval. DNA

sequence analysis and subsequent protein prediction by the "X Grail" program, version 1.3c as well as by the exon-trapping program FEXHB were carried out and confirmed all 3 previously cloned exons. No protein-coding genes other than the previously isolated one could be detected.

5

C. Isolation of the Short Stature Candidate Gene SHOX

Assuming that all three exon clones ET93, ET45 and G108 are part of the same gene, they were used collectively as probes to screen 14 different cDNA libraries from 12 different fetal (lung, liver, brain 1 and 2) and adult tissues (ovary, placenta 1 and 2, fibroblast, skeletal muscle, bone marrow, brain, brain stem, hypothalamus, pituitary). Not a single clone among approximately 14 million plated clones was detected. To isolate the full-length transcript, 3' and 5'RACE were carried out. For 3'RACE, primers from exon G108 were used on RNA from placenta, skeletal muscle and bone marrow fibroblasts, tissues where G108 was shown to be expressed in. Two different 3'RACE clones of 1173 and 652 bp were derived from all three tissues, suggesting that two different 3'exons a and b exist. The two different forms were termed SHOXa and SHOXb.

To increase chances to isolate the complete 5'portion of a gene known to be expressed at low abundancy, a Hela cell line was treated with retinoic acid and phorbol ester PMA. RNA from such an induced cell line and RNA from placenta and skeletal muscle were used for the construction of a 'Marathon cDNA library'. Identical 5'RACE cDNA clones were isolated from all three tissues.

25 Experimental procedure

RT-PCR and cDNA Library Construction

Human polyA⁺RNA of heart, pancreas, placenta, skeletal muscle, fetal kidney and liver was purchased from Clontech. Total RNA was isolated from a bone marrow fibroblast cell line with TRIZOL reagent (Gibco-BRL) as described by the manufacturer. First strand cDNA synthesis was performed with the Superscript first strand cDNA synthesis kit (Gibco-BRL) starting with 100 ng polyA⁺RNA or 10µg total RNA using oligo(dt)-adapter primer (GGCCACGCGTCGACTAGTAC[dT]₂₀N. After first strand cDNA synthesis the reaction mix was diluted 1/10. For further PCR experiments 5µl of this dilutions were used.

A 'Marathon cDNA library' was constructed from skeletal muscle and placenta polyA⁺RNA with the marathon cDNA amplification kit (Clontech) as described by the manufacturer.

- 5 Fetal brain (catalog # HL5015b), fetal lung (HL3022a), ovary (HL1098a), pituitary gland (HL1097v) and hypothalamus (HL1172b) cDNA libraries were purchased from Clontech. Brain, kidney, liver and lung cDNA libraries were part of the quick screen human cDNA library panel (Clontech). Fetal muscle cDNA library was obtained from the UK Human Genome Mapping Project Resource Center.

10

D. Sequence Analysis and Structure of SHOX Gene

- A consensus sequence of SHOXa and SHOXb (1349 and 1870 bp) was assembled by analysis of sequences from the 5' and 3'RACE derived clones. A single open reading
15 frame of 1870 bp (SHOXa) and 1349 bp (SHOXb) was identified, resulting in two proteins of 292 (SHOXa) and 225 amino acids (SHOXb). Both transcripts a and b share a common 5'end, but have a different last 3'exon, a finding suggestive of the use of alternative splicing signals. A complete alignment between the two cDNAs and the sequenced genomic DNA from cosmids LL0YNCO3'M'15D10 and
20 LL0YNC3'M'34F5 was achieved, allowing establishment of the exon-intron structure (Fig.4). The gene is composed of 6 exons ranging in size from 58 bp (exon III) to 1146 bp (exon Va). Exon I contains a CpG-island, the start codon and the 5' region. A stop codon as well as the 3'-noncoding region is located in each of the alternatively spliced exons Va and Vb.

25

Example 3

- Two cDNAs have been identified which map to the 160 kb region identified as critical
30 for short stature. These cDNAs correspond to the genes SHOX and pET92. The cDNAs were identified by the hybridization of subclones of the cosmids to cDNA libraries.

- Employing the set of cosmid clones with complete coverage of the critical region has now provided the genetic material to identify the causative gene. Positional cloning
35 projects aimed at the isolation of the genes from this region are done by exon trapping

and cDNA selection techniques. By virtue of their location within the pseudoautosomal region, these genes can be assumed to escape X-inactivation and to exert a dosage effect.

The cloning of the gene leading to short stature when absent (haploid) or deficient, represents a further step forward in diagnostic accuracy, providing the basis for mutational analysis within the gene by e.g. single strand conformation polymorphism (SSCP). In addition, cloning of this gene and its subsequent biochemical characterization has opened the way to a deeper understanding of biological processes involved in growth control.

The DNA sequences of the present invention provide a first molecular test to identify individuals with a specific genetic disorder within the complex heterogeneous group of patients with idiopathic short stature.

Example 4

Expression Pattern of SHOXa and SHOXb

Northern blot analysis using single exons as hybridisation probes revealed a different expression profile for every exon, strongly suggesting that the bands of different size and intensities represent cross-hybridisation products to other G.C rich gene sequences. To achieve a more realistic expression profile of both genes SHOXa and b, RT-PCR experiments on RNA from different tissues were carried out. Whereas expression of SHOXa was observed in skeletal muscle, placenta, pancreas, heart and bone marrow fibroblasts, expression of SHOXb was restricted to fetal kidney, skeletal muscle and bone marrow fibroblasts, with the far highest expression in bone marrow fibroblasts.

The expression of SHOXa in several cDNA libraries made of fetal brain, lung and muscle, of adult brain, lung and pituitary and of SHOXb in none of the tested libraries gives additional evidence that one spliced form (SHOXa) is more broadly expressed and the other (SHOXb) expressed in a predominantly tissue-specific manner.

To assess the transcriptional activity of SHOXa and SHOXb on the X and Y chromosome we used RT-PCR of RNA extracted from various cell lines containing the active X, the inactive X or the Y chromosome as the only human chromosomes. All cell lines revealed an amplification product of the expected length of 119 bp (SHOXa) and

541 bp (SHOXb), providing clear evidence that both SHOXa and b escape X-inactivation

SHOXa and SHOXb encode novel homeodomain proteins. SHOX is highly conserved across species from mammalian to fish and flies. The very 5' end and the very 3' end - besides the homeodomain- are likely conserved regions between man and mouse, indicating a functional significance. Differences in those amino acid regions have not been allowed to accumulate during evolution between man and mouse.

10 Experimental procedures:

a) 5' and 3'RACE

To clone the 5' end of the SHOXa and b transcripts, 5'RACE was performed using the constructed 'Marathon cDNA libraries'. The following oligonucleotide primers were used. SHOX B rev, GAAAGGCATCCGTAAGGCTCCC (position 697-718, reverse strand [r]) and the adaptor primer AP1. PCR was carried out using touchdown parameters: 94°C for 2 min, 94°C for 30 sec, 70°C for 30 sec, 72°C for 2 min for 5 cycles 94°C for 30 sec, 66°C for 30 sec, 72°C for 2 min for 5 cycles. 94°C for 30 sec, 62°C for 30 sec, 72°C for 2 min for 25 cycles. A second round of amplification was performed using 1/100 of the PCR product and the following nested oligonucleotide primers: SHOX A rev, GACGCCTTTATGCATCTGATTCTC (position 617-640 r) and the adaptor primer AP2. PCR was carried out for 35 cycles with an annealing temperature of 60°C.

25

To clone the 3' end of the SHOXa and b transcripts, 3'RACE was performed as previously described (Frohman et al., 1988) using oligo(dT)adaptor primed first strand cDNA. The following oligonucleotide primers were used: SHOX A for, GAATCAGATGCATAAAGGCGTC (position 619-640) and the oligo(dT)adaptor. PCR was carried out using following parameters: 94°C for 2 min, 94°C for 30 sec, 62°C for 30 sec, 72°C for 2 min for 35 cycles. A second round of amplification was performed using 1/100 of the PCR product and the following nested oligonucleotide primers: SHOX B for, GGGAGCCTTACGGATGCCTTTC (position 697-718) and the oligo(dT)adaptor. PCR was carried out for 35 cycles with annealing temperature of 62°C.

35

To validate the sequences of SHOXa and SHOXb transcripts, PCR was performed with a 5' oligonucleotide primer and a 3' oligonucleotide primer. For SHOXa the following primers were used: G310 for, AGCCCCGGCTGCTCGCCAGC (position 59-78) and SHOX D rev, CTGCGCGGCGGGTCAGAGCCCCAG (position 959-982 r). For SHOXb the following primers were used: G310 for, AGCCCCGGCTGCTCGCCAGC and SHOX2A rev, GCCTCAGCAGCAAAGCAAGATCCC (position 1215-1238 r). Both PCRs were carried out using touchdown parameters: 94°C for 2 min, 94°C for 30 sec, 70°C for 30 sec, 72°C for 2 min for 5 cycles. 94°C for 30 sec, 68°C for 30 sec, 72°C for 2 min for 5 cycles. 94°C for 30 sec, 65°C for 30 sec, 72°C for 2 min for 35 cycles. Products were gel-purified and cloned for sequencing analysis.

b) SSCP Analysis

SSCP analysis was performed on genomic amplified DNA from patients according to a previously described method (Orita et al., 1989). One to five µl of the PCR products were mixed with 5 µl of denaturation solution containing 95% Formamid and 10mM EDTA pH8 and denaturated at 95°C for 10 min. Samples were immediately chilled on ice and loaded on a 10% Polyacrylamidgel (Acrylamide:Bisacrylamide = 37.5:1 and 29:1; Multislotgel, TGGE base, Qiagen) containing 2% glycerol and 1xTBE. Gels were run at 15°C with 500V for 3 to 5 hours and silver stained as described in TGGE handbook (Qiagen, 1993).

c) Cloning and Sequencing of PCR Products

PCR products were cloned into pMOS*Blue* using the pMOS*Blue*T- Vector Kit from Amersham. Overnight cultures of single colonies were lysed in 100 µl H₂O by boiling for 10 min. The lysates were used as templates for PCRs with specific primers for the cloned PCR product. SSCP of PCR products allowed the identification of clones containing different alleles. The clones were sequenced with CY5 labelled vector primers Uni and T7 by the cycle sequencing method described by the manufacturer (ThermoSequenase Kit (Amersham)) on an ALF express automated sequencer (Pharmacia).

d) PCR Screening of cDNA Libraries

To detect expression of SHOXa and b, a PCR screening of several cDNA libraries and first strand cDNAs was carried out with SHOXa and b specific primers. For the cDNA libraries a DNA equivalent of 5x10⁸ pfu was used. For SHOXa, primers SHOX E rev, GCTGAGCCTGGACCTGTTGGAAAGG (position 713-737 r) and SHOX a for were used. For SHOXb, the following primers were used: SHOX B for and SHOX2A rev.

Both PCRs were carried out using touchdown parameters: 94°C for 2 min; 94°C for 30 sec, 68°C for 30 sec, 72°C for 40 sec for 5 cycles. 94°C for 30 sec, 65°C for 30 sec, 72°C for 40 sec for 5 cycles. 94°C for 30 sec, 62°C for 30 sec, 72°C for 40 sec for 35 cycles.

5

e) PCR Screening of cDNA Libraries

To detect expression of SHOXa and b, a PCR screening of several cDNA libraries and first strand cDNAs was carried out with SHOXa and b specific primers. For the cDNA libraries a DNA equivalent of 5×10^8 pfu was used. For SHOXa, primers SHOX E rev.

10 GCTGAGCCTGGACCTGTTGGAAAGG (position 713-737 r) and SHOX a for were used. For SHOXb, the following primers were used. SHOX B for and SHOX2A rev.

Both PCRs were carried out using touchdown parameters: 94°C for 2 min; 94°C for 30 sec, 68°C for 30 sec, 72°C for 40 sec for 5 cycles. 94°C for 30 sec, 65°C for 30 sec, 72°C for 40 sec for 5 cycles. 94°C for 30 sec, 62°C for 30 sec, 72°C for 40 sec for 35

15 cycles.

Example 5

Expression pattern of OG12, the putative mouse homolog of both SHOX and SHOT

20

In situ hybridisation on mouse embryos ranging from day 5 p.c. and day 18,5 p.c. , as well as on fetal and newborn animals was carried out to establish the expression pattern. Expression was seen in the developing limb buds, in the mesoderm of nasal processes which contribute to the formation of the nose and palate, in the eyelid, in the aorta, in the

25 developing female gonads, in the developing spinal cord (restricted to differentiating motor neurons) and brain. Based on this expression pattern and on the mapping position of its human homolog SHOT, SHOT represents a likely candidate for the Cornelia de Lange syndrome which includes short stature.

30

Example 6

Isolation of a novel SHOX-like homeobox gene on chromosome three, SHOT, being related to human growth / short stature

35 A new gene called SHOT (for SHOX-homolog on chromosome three) was isolated in human, sharing the most homology with the murine OG12 gene and the human SHOX

gene. The human SHOT gene and the murine OG12 genes are highly homologous, with 99 % identity at the protein level. Although not yet proven, due to the striking homology between SHOT and SHOX (identity within the homeodomain only), it is likely that SHOT is also a gene likely involved in short stature or human growth.

5

SHOT was isolated using primers from two new human ESTs (HS 1224703 and HS 126759) from the EMBL database, to amplify a reverse-transcribed RNA from a bone marrow fibroblast line (Rao et al, 1997). The 5' and 3' ends of SHOT were generated by RACE-PCR from a bone marrow fibroblast library that was constructed according to Rao et al., 1997. SHOT was mapped by FISH analysis to chromosome 3q25/q26 and the murine homolog to the syntenic region on mouse chromosome 3. Based on the expression pattern of OG12, its mouse homolog, SHOT represents a candidate for the Cornelia Lange syndrome (which shows short stature and other features, including craniofacial abnormalities) mapped to this chromosomal interval on 3q25/26.

15

Example 7

Searching for Mutations in Patients with Idiopathic Short Stature

The DNA sequences of the present invention are used in PCR, LCR, and other known technologies to determine if such individuals with short stature have small deletions or point mutations in the short stature gene.

20

A total of initially 91 (in total 250 individuals) unrelated male and female patients with idiopathic short stature (idiopathic short stature has an estimated incidence of 2 - 2.5 % in the general population) were tested for small rearrangements or point mutations in the SHOXa gene. Six sets of PCR primers were designed not only to amplify single exons but also sequences flanking the exon and a small part of the 5'UTR. For the largest exon, exon one, two additional internal-exon primers were generated. Primers used for PCR are shown in table 2.

25

Single strand conformation polymorphism (SSCP) of all amplified exons ranging from 120 to 295 bp in size was carried out. Band mobility shifts were identified in only 2 individuals with short stature (Y91 and A1). Fragments that gave altered SSCP patterns (unique SSCP conformers) were cloned and sequenced. To avoid PCR and sequencing artifacts, sequencing was performed on two strands using two independent PCR reactions. The mutation in patient Y91 resides 28bp 5' of the start codon in the 5'UTR

30

35

and involves a cytidine-to-guanine substitution. To find out if this mutation represents a rare polymorphism or is responsible for the phenotype by regulating gene expression e.g. though a weaker binding of translation initiation factors, his parents and a sister were tested. As both the sister and father with normal height also show the same SSCP variant
5 (data not shown), this base substitution represents a rare polymorphism unrelated to the phenotype.

Cloning and sequencing of a unique SSCP conformer for patient A1 revealed a cytidine-to-thymidine base transition (nucleotide 674) which introduces a termination codon at
10 amino-acid position 195 of the predicted 225 and 292 amino-acid sequences, respectively. To determine whether this nonsense mutation is genetically associated with the short stature in the family, pedigree analysis was carried out. It was found that all six short individuals (defined as height below 2 standard deviations) showed an aberrant SSCP shift and the cytidine-to-thymidine transition. Neither the father, nor one aunt and
15 maternal grandfather with normal height showed this mutation, indicating that the grandmother has transferred the mutated allele onto two of her daughters and her two grandchildren. Thus, there is concordance between the presence of the mutant allele and the short stature phenotype in this family.

20 The identical situation as indicated above was found in another short stature patient of Japanese origin.

Example 8

25 The DNA sequences of the present invention are used to characterize the function of the gene or genes. The DNA sequences can be used as search queries for data base searching of nucleic acid or amino acid databases to identify related genes or gene products. The partial amino acid sequence of SHOX93 has been used as a search query of amino acid databases. The search showed very high homology to many known homeobox proteins.
30 The cDNA sequences of the present invention can be used to recombinantly produce the peptide. Various expression systems known to those skilled in the art can be used for recombinant protein production.

By conventional peptide synthesis (protein synthesis according to the Merrifield method),
35 a peptide having the sequence CSKSFDQKSKDGNGG was synthesized and polyclonal antibodies were derived in both rabbits and chicken according to standard protocols.

References

The following references are herein incorporated by reference.

5

Ashworth A, Rastan S, Lovell-Badge R, Kay G (1991): X-chromosome inactivation may explain the difference in viability of XO humans and mice. *Nature* 351: 406-408.

10

Ballabio A, Bardoni A, Carrozzo R, Andria G, Bick D, Campbell L, Hamel B, Ferguson-Smith MA, Gimelli G, Fraccaro M, Maraschio P, Zuffardi O, Guilo S, Camerino G (1989): Contiguous gene syndromes due to deletions in the distal short arm of the human X chromosome. *Proc Natl Acad Sci USA* 86: 10001-10005.

15

Blagowidow N, Page DC, Huff D, Mennuti MT (1989): Ullrich-Turner syndrome in an XY female fetus with deletion of the sex-determining portion of the Y chromosome. *Am. J. med. Genet.* 34: 159-162.

20

Cantrell MA, Bicknell JN, Pagon RA et al. (1989): Molecular analysis of 46,XY females and regional assignment of a new Y-chromosome-specific probe. *Hum. Genet.* 83: 88-92.

25

Connor JM, Loughlin SAR (1989): Molecular genetics of Turner's syndrome. *Acta Paediatr. Scand. (Suppl.)* 356: 77-80.

Disteche CM, Casanova M, Saal H, Friedmen C, Sybert V, Graham J, Thuline H, Page DC, Fellous M (1986): Small deletions of the short arm of the Y-chromosome in 46,XY females. *Proc Natl Acad Sci USA* 83: 7841-7844.

30

Ferguson-Smith MA (1965): Karyotype-phenotype correlations in gonadal dysgenesis and their bearing on the pathogenesis of malformations. *J. med. Genet.* 2: 142-155.

35

Ferrari D, Kosher RA, Dealy CN (1994): Limb mesenchymal cells inhibited from undergoing cartilage differentiation by a tumor promoting phorbol ester maintain expression of the homeobox-containing gene *MSX1* and fail to exhibit gap junctional communication. *Biochemical and Biophysical Research Communications.* 205(1): 429-434.

Fischer M, Bur-Romero P, Brown LG et al. (1990): Homologous ribosomal protein genes in the human X- and Y-chromosomes escape from X-inactivation and possible implementation for Turner syndrome. *Cell* 63: 1205-1218.

5

Freund C, Horsford DJ, McInnes RR (1996): Transcription factor genes and the developing eye: a genetic perspective. *Hum Mol Genet* 5: 1471-1488.

Gehring WJ, Qian YQ, Billeter M, Furukubo-Tokunaga K, Schier A F, Resendez-Perez D, Affolter M, Otting G, Wüthrich K (1994): Homeodomain-DNA recognition. *Cell* 78: 211-223

Gough NM, Gearing DP, Nicola NA, Baker E, Pritchard M, Callen DF, Sutherland GR (1990) Localization of the human GM-CSF receptor gene to the X-Y pseudoautosomal region. *Nature* 345: 734736

15

Grumbach MM, Conte FA (1992): Disorders of sexual differentiation. In: Williams textbook of endocrinology, 8th edn., edited by Wilson JD, Foster DW, pp. 853-952, Philadelphia, WB Saunders.

20

Hall JG, Gilchrist DM (1990): Turner syndrome and its variants. *Pediatr. Clin. North Am.* 37: 1421-1436.

Henke A, Wapenaar M, van Ommen G-J, Maraschio P, Camerino O, Rappold GA (1991). Deletions within the pseudoautosomal region help map three new markers and indicate a possible role of this region in linear growth. *Am J Hum Genet* 49:811-819.

25

Hernandez D, Fisher EMC (1996): Down syndrome genetics: unravelling a multifactorial disorder. *Hum Mol Genet* 5:1411-1416.

30

Kenyon C (1994): If birds can fly, why can't we? Homeotic genes and evolution. *Cell* 78: 175-180.

Krumlauf R (1994): *Hox* genes in vertebrate development. *Cell* 78: 191-201.

35

- Kulharya AS, Roop H, Kukolich MK, Nachtman RG, Belmont JW, Garcia-Heras J (1995): Mild phenotypic effects of a de novo deletion Xpter → Xp22.3 and duplication 3pter → 3p23. *Am J Med Genet* 56:16-21.
- 5 Lawrence PA, Morata G (1994): Homeobox genes: their function in *Drosophila* segmentation and pattern formation. *Cell* 78: 181-189.
- Lehrach H, Drmnac R, Hoheisel JD, Larin Z, Lemon G, Monaco AP, Nizetic D, et al, Hybridization finger printing in genome mapping and sequencing. In Davies KE, Tilghman S, Eds. *Genome Analysis 1990*: 39-81 Cold Spring Harbor, NY
- 10 Levilliers J, Quack B, Weissenbach J, Petit C (1989): Exchange of terminal portions of X- and Y-chromosomal short arms in human XY females. *Proc Natl Acad Sci USA* 86:2296-2300.
- 15 Lichter P, Cremer T, Human Cytogenetics: A practical Approach, IRL Press 1992, Oxford, New York, Tokyo
- Lippe BM (1991): Turner Syndrome. *Endocrinol Metab Clin North Am* 20: 121-152.
- 20 Magenis RE, Tochen ML, Holahan KP, Carey T, Allen L, Brown MG (1984) Turner syndrome resulting from partial deletion of Y-chromosome short arm: localization of male determinants. *J Pediatr* 105: 916-919.
- Nelson DL, Ballabio A, Cremers F, Monaco AP, Schlessinger D (1995).- Report of the sixth international workshop on the X chromosome mapping. *Cytogenet. Cell Genet.* 71: 308-342
- 25 Ogata T, Goodfellow P, Petit C, Aya M, Matsuo N (1992): Short stature in a girl with a terminal Xp deletion distal to DXYS15: localization of a growth gene(s) in the pseudoautosomal region. *J Med Genet* 29:455-459.
- 30 Ogata T, Tyler-Smith C, Purvis-Smith S, Turner G (1993). Chromosomal localisation of a gene(s) for Turner stigmata on Yp. *J. Med. Genet.* 30: 918-922.
- 35 Ogata T, Yoshizawa A, Muroya K, Matsuo N, Fukushima Y, Rappold GA, Yokoya S (1995): Short stature in a girl with partial monosomy of the pseudoautosomal region

- distal to DXYS15: further evidence for the assignment of the critical region for a pseudoautosomal growth gene(s). *J Med Genet* 32:831-834.
- Ogata T, Matsuo N (1995): Turner syndrome and female sex chromosome aberrations: deduction of the principle factors involved in the development of clinical features. *Hum. Genet.* 95: 607-629.
- Orita M, Suzuki Y, Sekiya T and Hayashi K (1989): Rapid and sensitive detection of point mutations and polymorphisms using the polymerase chain reaction. *Genomics* 5: 874-879.
- Pohlschmidt M, Rappold GA, Krause M, Ahlert D, Hosenfeld D, Weissenbach J, Gal A (1991): Ring Y chromosome: Molecular characterization by DNA probes. *Cytogenet Cell Genet* 56:65-68.
- Qiagen (1993) TGGE Handbook, Diagen GmbH, TGMA 4112 3/93.
- Rao E, Weiss B, Mertz A et al. (1995): Construction of a cosmid contig spanning the short stature candidate region in the pseudoautosomal region PAR 1. in: Turner syndrome in a life span perspective: Research and clinical aspects. Proceedings of the 4th International Symposium on Turner Syndrome, Gothenburg, Sweden, 18 - 21 May, 1995., edited by Albertsson-Wikland K, Ranke MB, pp. 19 - 24. Elsevier.
- Rao E, Weiss B, Fukami M, Rump A, Niesler B, Mertz A, Muroya K, Binder G, Kirsch S, Winkelmann M, Nordsiek G, Heinrich U, Breuning MH, Ranke MB, Rosenthal A, Ogata T, Rappold GA (1997): Pseudoautosomal deletions encompassing a novel homeobox gene cause growth failure in idiopathic short stature and Turner syndrome. *Nature Genet* 15:54-62.
- Rappold GA (1993): The pseudoautosomal region of the human sex chromosomes. *Hum Genet* 92:315-324.
- Rappold GA, Willson TA, Henke A, Gough NM (1992): Arrangement and localization of the human GM-CSF receptor α chain gene CSF2RA within the X-Y pseudoautosomal region. *Genomics* 14:455-461.

- Ried K, Mertz A, Nagaraja R, Trusnich M, Riley J, Anand R, Page D, Lehrach H., Elliso J, Rappold GA (1995): Characterization of a yeast artificial chromosome contig spanning the pseudoautosomal region. *Genomics* 29:787-792.
- 5 Robinson A (1990): Demography and prevalence of Turner syndrome. In: *Turner Syndrome.*, edited by Rosenfeld RG, Grumbach MM, pp. 93 - 100, New York. Marcel Dekker
- 10 Rosenfeld RG (1992): *Turner syndrome: a guide for physicians*. Second edition. The Turner's Syndrome Society.
- 15 Rosenfeld RG, Tesch L-G, Rodriguez-Rigau LJ, McCauley E, Albertsson-Wikland K, Asch R, Cara J, Conte F, Hall JG, Lippe B, Nagel TC, Neely EK, Page DC, Ranke M, Saenger P, Watkins JM, Wilson DM (1994): Recommendations for diagnosis, treatment, and management of individuals with Turner syndrome. *The Endocrinologist* 4(5): 351-358
- 20 Rovescalli AC, Asoh S, Nirenberg M (1996): Cloning and characterization of four murine homeobox genes. *Proc Natl Acad Sci USA* 93: 10691-10696.
- Schaefer L, Ferrero GB, Grillo A, Bassi MT, Roth EJ, Wapenaar MC, van Ommen G-JB, Mohandas TK, Rocchi M, Zoghbi HY, Ballabio A (1993): A high resolution deletion map of human chromosome Xp22. *Nature genetics* 4: 272-279.
- 25 Shalet SM (1993): Leukemia in children treated with growth hormone. *Journal of Pediatric Endocrinology* 6: 109-111
- 30 Vimpani GV, Vimpani AF, Lidgard GP, Cameron EHD, Farquhar JW (1977) Prevalence of severe growth hormone deficiency. *Br Med J*. 2: 427-430
- Zinn AR, Page DC, Fisher EMC (1993): Turner syndrome: the case of the missing sex chromosome. *TIG* 9 (3): 90-93.

SEQUENCE LISTING

- (1) GENERAL INFORMATION:
- (i) APPLICANT:
- (A) NAME: Rappold-Hoerbrand, Gudrun, Dr.
 (B) STREET: Hausackerweg 14
 (C) CITY: Heidelberg
 (E) COUNTRY: Germany
 (F) POSTAL CODE (ZIP): 69118
- (A) NAME: Rao, Ercole
 (B) STREET: Odenwaldstrasse 11
 (C) CITY: Riedstadt-Erfelden
 (E) COUNTRY: Germany
 (F) POSTAL CODE (ZIP): 64560
- (ii) TITLE OF INVENTION: HUMAN GROWTH GENE AND SHORT STATURE GENE REGION
- (iii) NUMBER OF SEQUENCES: 16
- (iv) COMPUTER READABLE FORM:
- (A) MEDIUM TYPE: Floppy disk
 (B) COMPUTER: IBM PC compatible
 (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 (D) SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
- (vi) PRIOR APPLICATION DATA:
- (A) APPLICATION NUMBER: US 60/027,633
 (B) FILING DATE: 01-OCT-1996
- (vi) PRIOR APPLICATION DATA:
- (A) APPLICATION NUMBER: EP 97100583.0
 (B) FILING DATE: 16-JAN-1997
- (2) INFORMATION FOR SEQ ID NO: 1:
- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 60 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:
- Gln Arg Arg Ser Arg Thr Asn Phe Thr Leu Glu Gln Leu Asn Glu Leu
 1 5 10 15
- Glu Arg Leu Phe Asp Glu Thr His Tyr Pro Asp Ala Phe Met Arg Glu
 20 25 30
- Glu Leu Ser Gln Arg Leu Gly Leu Ser Glu Ala Arg Val Gln Val Trp
 35 40 45
- Phe Gln Asn Arg Arg Ala Lys Cys Arg Lys Gln Glu
 50 55 60
- (2) INFORMATION FOR SEQ ID NO: 2:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 209 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid
(A) DESCRIPTION: /desc = "exon II: ET93"

(v) FRAGMENT TYPE: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

GGATTTATGA	ATGCAAAGAG	AAGCGCGAGG	ACGTGAAGTC	GGAGGACGAG	GACGGGCAGA	60
CCAAGCTGAA	ACAGAGGCGC	AGCCGCACCA	ACTTCACGCT	GGAGCAGCTG	AACGAGCTCG	120
AGCGACTCTT	CGACGAGACC	CATTACCCCG	ACGCCTTCAT	GCGCGAGGAG	CTCAGCCAGC	180
GCCTGGGGCT	CTCCGAGGCG	CGCGTGCGAG				209

(2) INFORMATION FOR SEQ ID NO: 3:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 368 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid
(A) DESCRIPTION: /desc = "exon I: G310"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

GTGATCCACC	CGCGCGCACG	GGCCGTCTTC	TCCGCGCGGG	GAGACGCGCG	CATCCACCAG	60
CCCCGGCTGC	TCGCCAGCCC	CGGCCCCAGC	CATGGAAGAG	CTCACGGCTT	TTGTATCCAA	120
GTCTTTTGAC	CAGAAAAGCA	AGGACGGTAA	CGGCGGAGGC	GGAGGCGGCG	GAGGTAAGAA	180
GGATTCCATT	ACGTACCGGG	AAGTTTTGGA	GAGCGGACTG	GCGCGCTCCC	GGGAGCTGGG	240
GACGTCCGAT	TCCAGCCTCC	AGGACATCAC	GGAGGGCGGC	GGCCACTGCC	CGGTGCATTT	300
GTTCAAGGAC	CACGTAGACA	ATGACAAGGA	GAAACTGAAA	GAATTCGGCA	CCGCGAGAGT	360
GGCAGAAG						368

(2) INFORMATION FOR SEQ ID NO: 4:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 58 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid
(A) DESCRIPTION: /desc = "exon III: ET45"

35

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

58 GTTTGGTTCC AGAACCGGAG AGCCAAGTGC CGCAAACAAG AGAATCAGAT GCATAAAG

5 (2) INFORMATION FOR SEQ ID NO: 5:

(i) SEQUENCE CHARACTERISTICS:

10 (A) LENGTH: 89 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

15 (A) DESCRIPTION: /desc = "exon IV: G108"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

20 GCGTCATCTT GGGCACAGCC AACCACCTAG ACGCCTGCCG AGTGGCACCC TACGTCAACA 60

TGGGAGCCTT ACGGATGCCT TTCCAACAG 89

25 (2) INFORMATION FOR SEQ ID NO: 6:

(i) SEQUENCE CHARACTERISTICS:

30 (A) LENGTH: 1166 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

35 (A) DESCRIPTION: /desc = "exon : Va"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

40 GTCCAGGCTC AGCTGCAGCT GGAAGGCGTG GCCCACGCGC ACCCGCACCT GCACCCGCAC 60

CTGGCGGGCG ACGCGCCCTA CCTGATGTTC CCCCCGCCGC CCTTCGGGCT GCCCATCGCG 120

45 TCGTGCGCCG AGTCCGCCCTC GGCCGCCGCC GTGGTCGCCG CCGCCGCCAA AAGCAACAGC 180

AAGAATTCCA GCATCGCCGA CCTGCGGCTC AAGGCGCGGA AGCACGCGGA GGCCCTGGGG 240

50 CTCTGACCCG CCGCGCAGCC CCCCCGCGCG CCGGACTCCC GGGCTCCGCG CACCCCGCCT 300

GCACCGCGCG TCCTGCACTC AACCCCGCCT GGAGCTCCTT CCGCGGCCAC CGTGCTCCGG 360

GCACCCCGGG AGCTCCTGCA AGAGGCCTGA GGAGGGAGGC TCCCGGGACC GTCCACGCAC 420

55 GACCCAGCCA GACCCTCGCG GAGATGGTGC AGAAGGCGGA GCGGGTGAGC GGCCGTGCGT 480

CCAGCCCGGG CCTCTCCAAG GCTGCCCGTG CGTCTGGGA CCCTGGAGAA GGGTAAACCC 540

CCGCCTGGCT GCGTCTTCTT CTGCTATAACC CTATGCATGC GGTAACTAC ACACGTTTGG 600

60 AAGATCCTTA GAGTCTATTG AAAGTCAAA GATCCCGGAG CTGGTCTCCG ATGAAAATGC 660

CATTCTTCG TTGCCAACGA TTTTCTTTAC TACCATGCTC CTTCTTCAT CCCGAGAGGC 720

65 TGCGGAACGG GTGTGGATTG GAATGTGGAC TTCGGAATCC CAGGAGGCAG GGGCCGGGCT 780

CTCCTCCACC GCTCCCCCGG AGCCTCCCAG GCAGCAATAA GGAAATAGTT CTCTGGCTGA 840

GGCTGAGGAC GTGAACCGCG GGCTTTGGAA AGGGAGGGGA GGGAGACCCG AACCTCCCAC 900
5 GTTGGGACTC CCACGTTCCG GGGACCTGAA TGAGGACCGA CTTTATAACT TTTCCAGTGT 960
TTGATTCCCA AATTGGGTCT GGTTTTGTTC TGGATTGGTA TTTTTTTTTT TTTTTTTTTT 1020
TGCTGTGTTA CAGGATTCAG ACGCAAAAGA CTTGCATAAG AGACGGACGC GTGGTTGCAA 1080
10 GGTGTCATAC TGATATGCAG CATTAACTTT ACTGACATGG AGTGAAGTGC AATATTATAA 1140
ATATTATAGA TTAAAAAAA AATAGC 1166

15 (2) INFORMATION FOR SEQ ID NO: 7:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 625 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
20 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid
(A) DESCRIPTION: /desc = "exon Vb"

25

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

30 ATGGAGTTTT GCTCTGTCTG CCCAGGCTGG AGTATAATGG CATGATCTCG ACTCACTGCA 60
ACCTCCGCCT CCCGAGTTCA AGCGATTCTC CTGCCTCAGC CTCCCGAGTA GCTGGGATTA 120
35 CAGGTGCCCA CCACCATGTC AAGATAATGT TTGTATTTTC AGTAGAGATG GGGTTTGACC 180
ATGTTGGCCA GGCTGGTCTC GAACTCCTGA CCTCAGGTGA TCCACCCGCC TTAGCCTCCC 240
AAAGTGCTGG GATGACAGGC GTGAGCCCCT GCGCCCGGCC TTTGTAACCT TATTTTAAAT 300
40 TTTTTTTTTT TTTAAGAAA GACAGAGTCT TGCTCTGTCA CCCAGGCTGG AGCACACTGG 360
TGCGATCATA GCTCACTGCA GCCTCAAACCT CCTGGGCTCA AGCAATCCTC CCACCTCAGC 420
CTCCTGAGTA GCTGGGACTA CAGGCACCCA CCACCACACC CAGCTAATTT TTTTGATTTT 480
45 TACTAGAGAC GGGATCTTGC TTTGCTGCTG AGGCTGGTCT TGAGCTCCTG AGCTCCAAAG 540
ATCCTCTCAC CTCCACCTCC CAAAGTGTTA GAATTACAAG CATGAACCAC TGCCCGTGGT 600
50 CTCCAAAAAA AGGACTGTTA CGTGG 625

(2) INFORMATION FOR SEQ ID NO: 8:

55 (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 15577 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

60 (ii) MOLECULE TYPE: other nucleic acid
(A) DESCRIPTION: /desc = "HOX93"

65 (ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION: 1498..1807
(D) OTHER INFORMATION: /function= "part of exon I (G310)"

(ix) FEATURE:
 (A) NAME/KEY: misc_feature
 (B) LOCATION:3844..4068
 (D) OTHER INFORMATION:/function= "pET92 region (first part)"

(ix) FEATURE:
 (A) NAME/KEY: misc_feature
 (B) LOCATION:4326..4437
 (D) OTHER INFORMATION:/function= "pET92 region (second part)"

(ix) FEATURE:
 (A) NAME/KEY: misc_feature
 (B) LOCATION:4545..4619
 (D) OTHER INFORMATION:/function= "pET92 region (third part)"

(ix) FEATURE:
 (A) NAME/KEY: exon
 (B) LOCATION:5305..5512
 (D) OTHER INFORMATION:/function= "part of exon II (ET93)"

(ix) FEATURE:
 (A) NAME/KEY: exon
 (B) LOCATION:11620..11729
 (D) OTHER INFORMATION:/function= "part of exon IV (G108)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

CTCTCCCTGT	TGTGTCTCTC	TTTCTCTCTC	TCCATCTCTC	TCCGTCTTTC	CCCCTCTGTC	60
TCTTTCTCTG	TCTCCATCCC	TCTGTCTCTC	CCTTTCTCTC	TGTCTTTTCT	TGTCTCTCTC	120
TTTCTCTCTC	TCTCTCCATC	TCTCTCTCTC	CCGGTCTCTC	TCTCTCCATC	TCCCCGTCTC	180
TCCGTTTCTC	TCTCTGCCTC	TCCCTGTCTG	TCTCTCTCTT	TGTGTGTGTT	ACACACACCC	240
CAACCCACCG	TCATCATGT	CCCCCACTG	CTGTGCCATC	TCACACAAGT	TCACAGCTCA	300
GCTGTCATCC	TGGGTCCCCA	GGCCCCGCCG	GGGAGGAAGA	TGCGCCGTGG	GGTTACGGGA	360
GGAAGGGGAC	TCCGGGCCTC	CTGGTGCCCC	ACTTTATTTG	CAGAAGGTCC	TTGGCAGGAA	420
CCGTGACGCG	TTTGGTTTCC	AGGACTTGGA	AAACGAATTT	CAGGTCGCGA	TGGCGAGCAC	480
CGGCTTCCCC	TGAAGCACAT	TCAATAGCGA	GAGGCGGGAG	GGAGCGAGCA	GGAGCATCCC	540
ACCATGAAAA	CCAAAAACAC	AAGTATTTTT	TTCAACCGGT	AAATACCCCA	GACGCCAGGG	600
TGACAGCGCG	GCGCTAAGGG	AGGAGGCCTC	GCGCCGGGGT	CCGCCGGGAT	CTGGCGCGGG	660
CGGAAAGAAT	ATAGATCTTT	ACGAACCGGA	TCTCCCGGGG	ACCTGGGCTT	CTTTCTGCGG	720
GCGCTGGAAA	CCCGGGAGGC	GGCCCCGGGG	ATCCTCGGCC	TCCGCCGCCG	CCGCCTCCCA	780
AGCGCCCGCG	TCCCGGTTTG	GGGACACCCG	GCCCCTTCTT	CTCACTTTCG	GGGATTCTCC	840
AGCCGCGTTC	CATCTACCA	ACTCTCCATC	CAAGGGCGCG	CCGCCACCAA	CTTGGAGCTC	900
ATCTTCTCCC	AAAATCGTGC	GTCCCCGGGG	CGCCCGGGTC	CCCCCCTCG	CCATCTCAAC	960
CCCGGCGCGA	CCCGGGCGCT	TCCTGGAAAG	ATCCAGGCGC	CGGGCTCTGC	GCTCCTCCCG	1020
GGAGCGAGGG	CGGCCGGACA	ACTGGGACCC	TCCTCTCTCC	AGCCGTGAAC	TCCTTGCTCTC	1080

	TCTGTCTCTC	TCTGCAGGAA	AACTGGAGTT	TGCTTTTCCT	CCGGCCACGG	AAAGAACGCG	1140
5	GGTAACCTGT	GTGGGGGGCT	CGGGCGCCTG	CGCCCCCTC	CTGCGCGCGC	GCTCTCCCTT	1200
	CCAAAAATGG	GATCTTTCCC	CCTTCGCACC	AAGGTGTACG	GACGCCAAAC	AGTGATGAAA	1260
	TGAGAAGAAA	GCCAATTGCC	GGCCTGGGGG	GTGGGGGAGA	CACAGCGTCT	CTGCGTGCGT	1320
10	CCGCCGCGGA	GCCCCGAGAC	CAGTAATTGC	ACCAGACAGG	CAGCGCATGG	GGGGCTGGGC	1380
	GAGGTCGCCG	CGTATAAATA	GTGAGATTTC	CAATGGAAAG	GCGTAAATAA	CAGCGCTGGT	1440
15	GATCCACCCG	CGCGCACGGG	CCGTCTCTC	CGCGCGGGGA	GACGCGCGCA	TCCACCAGCC	1500
	CCGGCTGCTC	GCCAGCCCCG	GCCCCAGCCA	TGGAAGAGCT	CACGGCTTTT	GTATCCAAGT	1560
	CTTTTGACCA	GAAAAGCAAG	GACGGTAACG	GCGGAGGCGG	AGGCGGCGGA	GGTAAGAAGG	1620
20	ATTCCATTAC	GTACCGGGAA	GTTTTGGAGA	GCGGACTGGC	GCGCTCCCGG	GAGCTGGGGA	1680
	CGTCGGATTC	CAGCCTCCAG	GACATCACGG	AGGGCGGCGG	CCACTGCCCC	GTGCATTTGT	1740
25	TCAAGGACCA	CGTAGACAAT	GACAAGGAGA	AACTGAAAGA	ATTCCGGCACC	GCGAGAGTGG	1800
	CAGAAGGTAA	GTTCTTTTGC	GCGCCGGCTC	CAGGGGGGCC	CTCCTGGGGT	TCGGCGCCTC	1860
	CTCGCCACGG	AGTCGGCCCC	GCGCGCCCCCT	CGCTGTGCAC	ATTTGCAGCT	CCCGTCTCGC	1920
30	CAGGGTAAGG	CCCGGGCCGT	CAGGCTTTGC	CTAAGAAAGG	AAGGAAGGCA	GGAGTGGACC	1980
	CGACCGGAGA	CGCGGGTGGT	GGGTAGCGGG	GTGCGGGGGG	ACCCAGGGAG	GGTCGCAGCG	2040
35	GGGGCCGCGC	GCGTGGGCAC	CGACACGGGA	AGGTCCCGGG	CTGGGGTGA	TCCGGGTGGC	2100
	TGTGCCTGAA	GCCGTAGGGC	CTGAGATGTC	TTTTTCATTT	TCTTTTCTTT	TCCTTTCCTT	2160
	TTTTTGTTTG	TTTGTTTGTT	TGTTTGAGAC	AGAGTCTCGC	TCTGTCCCCC	AGGCTGGAGT	2220
40	GCAGTGGTGC	GATCTCGGCT	CAGTGAACC	TCCGCCTCCT	GGGTTCAAGC	GATTCTCCTG	2280
	CCTCAGCCTC	CCCAGTAGCT	GGGATTACAG	GCATGCACCA	CCACGCCTGG	CTAATTTTTG	2340
45	TGCTTTTAGT	AAAGACGGGG	ATTACCATG	TTGGCCAGGC	TGGTCTCGAA	CTCCTGACCT	2400
	CAGGTGATCC	ACCCGCCTCG	GCCTCCCAAA	GTGCTGGGAT	GACAGGCGTG	AGGCACCGCG	2460
	CCCGGCCTGG	GTCCTGACGG	CTTAGGATGT	GTGTTTCTGT	CTCTGCCTGT	CTGCCTTGTA	2520
50	TTTACGGTCA	CCCAGACGCA	CAGAGGAGCC	GTCTCCACGC	GCCTTCCCAG	CGCTCAGCGC	2580
	CTGCCGGGCC	CCCGGAGATC	ACGGGAAGAC	TCGAGGCTGC	GTGGTAGGAG	ACGGGAAGGC	2640
55	CCCGGGTCAG	CTCGGTCTTG	TTTCNCTTTA	AGGAACCTTT	CATTATTATT	TCATTGTTTT	2700
	CCTTTGAACG	TCGAGGCTTG	ATCTTGCGCA	AAGCTGTTGG	GTCCATAAAA	ACCACTCCCG	2760
	TGAGCGGAGG	TGGCCGGGAT	CTGGATGGGG	CGCGAGGGGC	CCCGGGGAAG	CTGGCGGCTT	2820
60	CGCGGGCGCG	TCCTAAGTCA	AGGTTGTCAG	AGCGCAGCCG	GTTGTGCGCG	GCCCCGGGGN	2880
	AGCTCCCCTC	TGGCCCTTCC	TCCTGAGACC	TCAGTGGTGG	GTCGTCCCGT	GGTGAAATC	2940
65	GGGGAGTAAG	AGGCTCAGAG	AGAGGGGCTG	GCCCCGGGGA	TCTCTGTGCA	CACACGACAA	3000
	CTGGGCGGCA	TACATCTTAA	GAATAAAATG	GGCTGGCTGT	GTCGGGGCAC	AGCTGGAGAC	3060

	GGCTATGGAC GCCTGTTATG TTTTCATTAC AAAGACGCAG AGAATCTAGC CTCGGCTTTT	3120
	GCTGATTTCGC AAAGTTGAGG TGCGAGGGTG AATGCCCCAA AGGTAATTCT TCCTAAGACT	3180
5	CTGGGGCTAC CTGCTCTCCG GGGCCCTGCA TTTGGGGTGT GGAGTGGCCC CGGGAAATAG	3240
	CCCTTGTATT CGTAGGAGGC ACCAGGCAGC TTCCCAAGGC CCTGACTTTG TCGAAGCAGA	3300
10	AAGCTGTGGC TACGGTTTAC AAAGCAGTCC CCGGTTTCTG ACCGTCTAAG AGGCAGGAGC	3360
	CCAGCCTGCC TTTGACAGTG AGAGGAGTTC CTCCCTACAC ACTGCTGCGG GCACCCGGCA	3420
	CTGTAATTCA TACACAGAGA GTTGGCCTTC CTGGACGCAA GGCTGGGAGC CGCTTGAGGG	3480
15	CCTGCGTGTA ATTTAAGAGG GTTCGCANGC GCCCGGCGGC CGCTTCTGNT GGGGTTGCTT	3540
	TTTGGTTGTC CTTGNGCAA CACCGTTTTG CTCTCTNGN AACTCTCTCT TNCTCCCCCN	3600
20	TGGCCNGTNG GACCCGGGNA NGAGCAAAGT GTCTTCCAGA CCNTTTTGAA ANGTGAGAGG	3660
	AAAATAAAGA CCAGGCCAAA NNGACCCAGG GCCACAGGAG AGGAGACAGA GAGTCCCCGT	3720
	TACATTTTNC CCCTTGGCTG GGTGCAGAAA GACCCCGGG CCAGGACTGC CACCCAGGCT	3780
25	ACTATTTATT CATCAGATCC AAGTTAAATC GAGGTTGGAG GGCAGGGGAG AGTCTGAGGT	3840
	TACCGTGGA GCCTGGAGTT TTTGGGNAAC AGCGTGTCCC CGCCGAGCCT GGGAGCCCGT	3900
30	GGGTCTGCA AAGCCTGCGG GTGTTTGAGG ACTTTGAAGA CCAGTTTGTC AGTTGGGCTC	3960
	AATTNCCTGG GGTTCAGACT TAGAGAAATG AAGGAGGGAG AGCTGGGGTC GTCTCCAGGA	4020
	AACGATTCAC TTGGGGGGAA GGAATGGAGT GTTCTTGCA GCACATGTCT GTTAGGAGGT	4080
35	GAAACAGAAT GTGAAATCCA CGTTGGAGTA AGCGTCCAGC GCTGAATGTA GCTCGGGGTG	4140
	GGGTGGGAGG GCCCTGGTGT GGATCGTGGA AGGNAAGAAA GACAGAACAG GGTGCTAGTA	4200
40	TTTACCCCGT TNCCCTGTAG ACACCCTGGA TTTGTCAGCT TTGCAAGCTT CTTGGTTGCA	4260
	GCGGCCTTGC CTGTGCCCCT TTGAGACTGT TTCCAGACTA AACTTCCAAA TGTCAGCCCC	4320
	TTACCCTTGA CAGCAAGGGA CATCTCATTG GGGCATCGCG TGCTTCTCAT CTGTGNCTCA	4380
45	GCAGGCCCNG AGATAGGAAN CANGAGGGGC NGTTGGNAGA TGCNCACTTC CACCAGCCCT	4440
	GGGNTTGAAG GGGANGCGAN GGGANGACNA CCTTTTANCT TAAACCCCTN GAGCTTGGTN	4500
50	CAGAGAGGNC TGAATGTCTA AAATGAGGAA GAAAAGGTTT TTCACCTGGA AACGCTTGAG	4560
	GGCTGAGTCT TCTGCCCNTT CTGACNTCCC CCAGCAAATA CAGACAGGTC ACCAANCTAC	4620
	TGGAGATGAG AAAGTGCCAT TTTTGGCACA CTCTGGTGGG GTAGGTGCCC GACCGCGTGT	4680
55	GAAAAANGTG GGAANNNGAG AGATTTCTGN CGCACGCGGT TCAGCCCCCA GGCGCGGNTG	4740
	GCNGCATTCTN AGGNTACTCA GACGCGGTTC TGCTGTTCTG CTGAGAAACA GGCTTCGGGT	4800
60	AGGGGCTCCT AGCTCCGCCA GATCGCGGAG GGACCCCGAG CCCTCCTGCG CTGCAGCGGT	4860
	GGGGATAGCG TCTCTCCGTA GGCCTAGAAT CTGCAACCCG CCCCGGGTCC TCCCCGTGTC	4920
	CTTCCCGGGC GTCCCGCCGG GGATCCCACA GTTGGCAGCT CTTCTCTCAA TTCTTTCCCT	4980
65	TAAAAATAGG ATTTGACACC CCACTCTCCT TAAAAAATAA AAATAAGAAA AAAAGGTTAG	5040
	GTTATGTCAA CAGAGGTGAA GTGGATAATT GAGGAAACGA TTCTGAGATG AGGCCAAGAA	5100

	AACAACGCTC GTGCAAAGCC CAGGTTTTTG GGAAAGCAGC GAGTATCCTC CTCGGCTTTT	5160
5	GCGTTATGGA CCCACGCAG TTTTTCGCTC AAAGCGCATT GGTTTTCGAG GGCCCCCTTT	5220
	CCACCGCGGG ATGCACGAAG GGGTTCGCCA CGTTGCGCAA AACCTCCCCG GCCTCAGCCC	5280
	TGTGCCCTCC GCTCCCCACG CAGGGATTTA TGAATGCAAA GAGAAGCGCG AGGACGTGAA	5340
10	GTCGGAGGAC GAGGACGGGC AGACCAAGCT GAAACAGAGG CGCAGCCGCA CCAACTTCAC	5400
	GCTGGAGCAG CTGAACGAGC TCGAGCGACT TTTTGACGAG ACCCATTACC CCGACGCCTT	5460
15	CATGCGCGAG GAGCTCAGCC AGCGCCTGGG GCTTTCGAG GCGCGCGTGC AGGTAGGAAC	5520
	CCGGGGGCGG GGGCGGGGGG CCCGGAGCCA TCGCCTGGTC CTCGGGAGCG CACAGCACGC	5580
	GTACAGCCAC CTGCGCCCGG GCCGCCGCCG TCCCCTTCCC GGAGCGCGGG GAGGTGGGT	5640
20	GAGGGACGGG CTGGGGTTCC TGGACTTTTG GAGACGCCTG AGGCCTGTAG GATGGGTTCA	5700
	TTGCGTTTGT TTTTCACCAA CAGCAAACAA ATATATATAC ATATATATTA TACAAATAAC	5760
25	AAATAAATAT ATATGTTATA CAGATGGGTA TATTGTATAT ATTATAGATA TTTGTTTCGTC	5820
	CTTGGTGCAA AGACACCCGG TGAACCCATA TATTGGCTCC TGA CTGCTT CGGTTCCCCT	5880
	GGGATTGGTT ATAGGGGCAA CACATGCAAA CAAAACCTTC CCTGGATTAT ACTTAGGAGA	5940
30	CGAAGCTACA GATGCGTTTG ATCCAGAGTG TTTTACAAGA TTTTTCATTT AAAAAAAAT	6000
	GTGTCTTTTG GCCCTGATT CCCCTCCGTC TTCCCGTGTG GCTGCATTGA AAAGGTTTCC	6060
35	TTAGGATGAA AGGAGAGGGG TGTCCTCTGT CCCTAGGTGG AGAGAAACAG GGTCTTCTCT	6120
	TTCCCTCCGTT TTTTCACCTA CCGTTTCTAT CTCCTCCTC CCCTCTCCAG CCCTGTCTCT	6180
	TGCTACAAAC CACCCCTCC TCCCTCCGGC TGTGGGGAGC GCAGGAGCAC GTTGGGCATC	6240
40	TGGATGAGCG GNAGACTATT AGCGGGGCAC GGGGGCTCCC CGAGGAGCGC GCGAATTTCAC	6300
	GCTGCCCCAT GAGACCAGGC ACCGGGGGGC GGAGGGGCCT TGGGTGTCCG CAGAGGGACG	6360
45	GGCGGGCAGA GCCTTCTCC GCATTCTAAA CATTCACTTA AAGGTATGAG TTTANTTTCA	6420
	GGGGTGCTGC TGGGAGAGCC TCCAAATGGC TTCTTCCAGC CCCTGCCTGA CAGTTCAGCT	6480
	CCCCTGGAAG GTCAACTCCT CTAGTCCTTT CTCCTGGTTC TGGGCAGGAC AGAAGTGGGG	6540
50	GGAGGGAGAG AGAGAGAGAG AGAGAGAGAG ACGGTCAGGA TCCCCGGACC CTGGGGAACC	6600
	CGTCAAAAAT AAATGAAATT AAGATTGCCG ACCAGAGAGA GAACCGTGAC AAAGCAAACG	6660
55	GCGTTCAAAG CAAAGAGACG AACTGAAAGC CCGTTCCCGT AGGACTGGTT ATGAGGTCAA	6720
	CACATTCAA CACAGCTTGC TCTGGATTTT GCTGAGCAGA GGAAGATACA GATGCATTTG	6780
	ATCCAAAGTG TGTTACATCT TTCATTATAT GTGTGTCTAT ATATATAAAC ATATATAAAT	6840
60	ATATAAACAT ACATAAATGT ATGTAATAT ATATAATCTA TATACATATA TAAATATATA	6900
	AACACATATA TAATATATAA ATCTATAAAC ATATATAATA TATAAACATA AATATATAAA	6960
65	CATATATAAT ATATAAATAT ATTAACATAT ATAAAATATG TATAAATATA TATAAACATA	7020
	TAAACATATA TAAATATATA AACATATAAA TATATAAACA TATATAAATA TATACAAACA	7080

	TATTGTATAT	ATATAAATAT	ATATAAAAAC	ATATATATAC	ATATAAAAAT	ATATATAAAC	7140
	ATATATACAT	ATAAAGAAAT	ATATATAAAC	ATATATACAT	ATAAATATAC	ATATATAAAC	7200
5	ATATATATAC	ATAAAATATA	TATAAACATA	TATACATATA	AAAATATATA	TATATTAACA	7260
	TATATATACA	TATAAAAATA	TATATATTAA	CATATATATA	CATATAAAAA	TATATATATA	7320
10	TTTTTGGCCC	CTGATTCCCT	TCGGTTCCTG	TGGGATGGGT	GATTGAGTCA	ACACATTCAA	7380
	ACACAACTTT	TCCATCGATG	TTGCTTAGGA	GATGAGGATA	CAGATGCGTT	TGATGGAGAG	7440
	GGTTTTACAA	GCTCTTTCAT	TTAAATATAT	ATATATATAT	ATATATATTT	TTTGCTCCT	7500
15	GATTCTCTTC	CGTCTTCCCA	TGTGGCTGCA	TTTTAAAAGG	CTTCCCTAAG	ATCGTTACGA	7560
	TTAAATCAAC	CCTCCCCAGG	CATCTTACC	GAGGGCTGTG	GTCCCCAAAG	CGATACAGCC	7620
	CAGGAGGGAG	AGAGGCTTTG	GTGACTTGGA	GGAAGGACTG	TGTCCCTCCT	TAGGGCGTCT	7680
20	GTGGCCTCAG	TGAGGGAAGG	AAGCTGCATC	AGACAGGGGT	TCCTCGCTG	TCCACCCCTC	7740
	TGGCAGAAGA	TGGATTGGGC	TGCCCCGNTA	TAAATTAATG	AAAAGATTAA	AGTTTCGCTA	7800
25	AAGGGGACAT	CGAGTTTATG	TGTCATCTCC	TGGTGNCTG	TGTGCCNTGG	GATNCTGCAA	7860
	TATATCCCAN	NGCCCTTGAT	GNNNTACTGT	TTNCTATAAA	AANNTAAATN	TACTTGTNNA	7920
	ATTTAANTTC	CNNNACACTA	TTTNCTTTC	NNGTNAGTCT	NATTANCCGA	NCGAGAGCAN	7980
30	CGNTTAGTTN	CAGCTNGCGG	AAAATTGGTT	GTGGGGTGTG	TGCGGACCCC	NGAGNAACGC	8040
	CCNNTAAAT	NAAAGACAAA	NTCNGGGGAC	AAGNCTNGGG	GGTTATCGNN	ATTGCNNAGG	8100
35	GGTCGNCATG	AAAANTTTAA	CGACGGTAAA	TAATAATAAA	AANNCAAACA	TGGGAATGNC	8160
	AATAAAAGAC	ATAATTCTCC	NNATCGCCGC	GGGGGGAAG	GATCCTATAG	TAAAGGCGAG	8220
	TGCGCTTTGA	GGGGTCATAA	AAATCAATTA	GTTCCAACAC	CCACGTCCCG	CGTTGAGGGG	8280
40	ACGGGGACGA	GCAGGGACAG	AAAAGAAAC	CATATTTGAA	TCCCATCTCT	CTGTGAATTC	8340
	TTGGGTCACA	TGCGTCTCAG	TACAGCCCGT	CCCGTGCTGT	GACCGGATAG	AGTTTCAATT	8400
45	TACTGTGGAA	ATTTGCTGTA	AATAAATTGA	GCATCCGATA	GAAGCTGTTG	CTGATTAACC	8460
	TTTTATTTTT	AGCGTGGCCC	TGCAAAGTCG	TATCACCCAG	CTGTCAGGCT	TCTAATCGAA	8520
	AGTTATGAGA	CCACGGTGAG	GGGCAGGCGG	TAATTTAATT	ACAACAAATA	TCTTTGGGTT	8580
50	TATGGCGCAG	AGCTAAATTA	AATGTCATTA	TTCAGTGTCT	GTNAATGGNA	AATCAAAANN	8640
	GGAAATCGCA	NTTACGGNCA	TTTGGGNNA	ANGAAAGCGG	GGNAGTGCTC	TTTAATNGAA	8700
55	NNGAAATAAC	TGTCTTAAGC	AGTGTCACAC	ACTTCACTTA	CCATATTCGN	GGCCTNAATT	8760
	GGAANNTGGA	TCGTNNGAAT	CACTCCNAAG	ACTNGATTTA	TTANGCGCTT	CACGNCAGCN	8820
	NGGCNTAATT	CATCNACTTN	NGTATTCTTC	ATCNNNNATT	TTTTTTTTTC	CTCTCNGGCC	8880
60	GTGTTNNGAA	GGGAGAGTGA	ATGAGGCTTT	CCACGTTTCA	GGAGGATTTT	CTTTTTTGAA	8940
	AAATGCCCTT	CCAGAGGCTT	TTGGGTGGCT	GGCTTGCTTT	CTGGGCCCTG	GAGGANGACA	9000
65	GGCGGANGAG	TCCAGGTGGG	CATGGAGAGG	CACAGTGGCA	GGTCACCTGG	ATGGTCAGTG	9060
	GAGGTGGAGG	TCTGAAGGCG	CCAGCTTTGG	AAATTATTGG	TGAATTTTCA	TGTCAGCACC	9120

	AGGNCAGGGG CCTTTTGGC GGGGGTGTGA GGGANGGATG ANCTTTGCTG GGAAANNCAG	9180
5	GATCAGGTTC TCCAGGCGCA CTGCAGCCCG GTAGGACCCA CTTTGGAAT GAAAAGCCAG	9240
	TTNCCGAAAG CTGGGCTGGA AGCTTCCGTG TTGGGTTCAA GAGCAAGTTC AC GTTGCGCT	9300
	GTGTAGACTC CTGGCTGCTC CCAAACCTCTG AGGGTTTTCT GAGGTTCCT TCATAGGGGC	9360
10	ACCGGCCCTG GGCCATGCAC AGTGCGTAAG GGTGGCTGTG GGCCGAGGGA CCCAGCACGT	9420
	GTTTTGCCCA CAACAGCCGG AGTGA CTGGT TCACTCACC GCTTGCGGA GGACGCCTGT	9480
15	TCTCTGGACG AATCATTTCT CTGGGTGGT GACTGCCTTG TGGTCAAGG TGCAGGTTTT	9540
	CTGCCACAGA AAACCTGTTA GGAGGAATTA AGCGACTAAG ACTGTCAGG AGGTGGTGGT	9600
	GGGGGANGAG GNAGGGGGTG GTGTCCAGAT TACCAGGCAT AGGCTAACT GCCTGCACTC	9660
20	TCCAGCTGGT CTGTCTGTGG AGGAGGGGAT TGTCAATACT GGGAGAGCAG AGGAGGCTCG	9720
	TAGGAGGTGA GAGGGGGTGG AATTTGCATG CAAATCTTCA CATGAGGCCT GTGTGAATTT	9780
25	CTCCAGCCTC CTGAGGGTCC CCTGCGCTAT TGCCTCAAC TTCTTGATAG TTTACCCCAA	9840
	GACTCAGAAG TCCTTAGAGG GGCAGAATGC CCCCACCACA AAGCCTGCTA TCCTTGGGCG	9900
	TCCTCAGGAC CCTTGGTCAT GAATGGGACC CTTTCATGTA TGGGGACCCT TGGAATATG	9960
30	AATGGGACGC CTTAGCTCC CCAGGGCTTC CGAGGAGGCC GAGAAGGGCA AAGACACTTC	10020
	CGAGGAGGCC GAGAAGGGCA AAGACATTTT CTGGGCTTGG TGTGTCAAGA GCTAGATTGG	10080
35	AGAAGGGGCT GGATTTGGAA CTCTTTAGCC ATCAGCTCAC CCTCTCCGT TGTGGCTAAA	10140
	GTCTGAAGGT GGAAACTTCG GTTCTCCTAC AGGGTCTACA GGAGTTGGG GCGGGGCGC	10200
	CCACACAGAA CGCTGGAAAG TTCGACAGTC CACTTCCACT GGCTCGGAAC TCACTTTTTTC	10260
40	ACCTTAAGTT CATCAGCGGT AACGCATAGG TCTCACTTAG GCAGGGCACG GATGATTTAA	10320
	CAATTTCTAC TTCTAGGTCA GGTGCGGTGG CTCACACCTC TAATCCCAGC ACTTTGGGAG	10380
45	GCCCAGGAGG GTGGATCGCT TGAGGTCAGG AGTTTGAGAC CAGCCTGGCC AACATGGTGA	10440
	AACCCCGTCT CTACTAAAAT ACGAAAATTA GCCAGGCATG GTGGTGAGCA CCTGTAATTC	10500
	CAGCTACTCG GGAGGCTGAG GCAGGAGAAT CGCTTGAACC TGGGAGGTGG ACGTTGCAGT	10560
50	GAGGTGAGAT CACACCACTG CACTCCAGCC TGGATGAGAG AGCAAGACTC TGTCTCAAAA	10620
	ACAAAATAAA AAAAAACAA AACAAAAATC AAAAAAGAAA ACCCAATTTC CAGTTCTAGG	10680
55	CCAGGTGCAG TGGCTCACGC CTGTCATCCC AGCACTTTGG GAGGCCAGG AGGGTGGATC	10740
	GCTTGAGGTC AGGAGTTCGA GACCAGCCTG GCCAACATGG TGAAACCCCA TCTTTACTAA	10800
	AAATACAAAC GTTAGCTGGG TGTGGTGGTG TGCGCCTGTA ATCCCAGCTA CTCGGGAAGC	10860
60	TGAGGCTGGA GAATTGCTTG AATCTGGGAG GTGGAGGTTG CAGGGAGGCG AGATAGTGCC	10920
	ACTGCAGTCC AGCCTGGACC AGAGAGCAAG ACTCCGTCTC AAAACAAAA GAAAGCAAAA	10980
65	ACAAAAACA AGAGACCAGC CTGGCCAACA TGGTGAAACC GCGTCTTTAC TAAAATACAA	11040
	AATTAGCCGG GCATGGTGGT GGGCACCTGT AGTCCCAGCT ACTCGGAGG CTGAGGCAGG	11100

	AGAATGGCTT	GAACCTGGGA	GGTGGAGCTT	GCAGTGAGCC	GAGATAGTGC	CACTGCACTC	11160
	CAGCCTGGGC	GACAGAGCGA	GACTTGATTT	CAGAACCACC	ACCACCACAA	CAAAACAAAA	11220
5	CAAAAAATCC	AAAAAAACCC	CAATTTCCAG	TACTAGGTAG	TCAGTGATGC	AGGGCTGGAG	11280
	ACAGAGGGGC	GGTAAGTGTC	TGGGCGCCCA	CCATCAGTCA	CCTCCCAGCT	CCCANGAGGT	11340
	GCAAAGTGCT	TGGTTCAGCC	TCATGGGAAG	GATGCTCCCT	GGGGAGGCTG	GGCTGGGTTC	11400
10	ACAGGGCTCT	TCACATCTCT	CTCTGCTTCT	NCCCCAAGGT	TTGGTTNCCA	GAACCGGAGA	11460
	GCCAAGTGCC	GNCAAACAAG	AGAATCAGAT	GCATAAAGGT	GGGTGTCGGG	ACTGGGGGGA	11520
15	CCTGAAGCTG	GGGGATCCTG	CTCCAGGAGG	GATGGGGTCG	ACAAGGTGCT	GGCTACACCC	11580
	AGGACCACCA	CACTGACACC	TGCTCCCTTT	GGACACAGGC	GTCATCTTGG	GCACAGCCAA	11640
	CCACCTAGAC	GCCTGCCNGA	GTGGCACCCT	ACGTCAACAT	GGGAGCCTTA	CGGATGCCTT	11700
20	TCCAACAGGT	AGCTCACTTT	TTCTTCCTCT	GNAAGATCCC	TAGGGACCTG	CTGCTCCCTT	11760
	CCCCTTTCCC	CTATTTGCTG	CCGCATCCTG	ACACTCCTAG	TCCCTCCCTG	CCCCTGCAGA	11820
25	CTTCTCAGCT	GGCCCTTAGA	AAAAAAGCCT	CTTTTCCGAG	GAGGCATTTA	CAGGCACCTT	11880
	GGCACCTATG	AAATCAGGCT	GGGCCAGGCG	GGGTGGGTCA	CACCTGTCAT	CCCAGCACTT	11940
	TGGGAGGCCA	AGGTTAGGAG	TTTGAGACCA	GCCTGGACAA	CATAGCAAAA	GCCTGTCTCT	12000
30	ACTAAAAATA	CAAAAAAAAA	TTAACAGGGA	GTGGTGGTGG	GCACCTGTAA	TCCCAGCTAC	12060
	TTGGGAGGCT	GAGGCAGGAG	AATCACTTGA	ACCCGGGAGG	CCGAGGTTGC	GGTGAGCCGA	12120
35	GATCGTGCCA	TTGCACTCCA	GGCTGGGCGA	CAGAGTGAGA	CTCTGTCTCA	AAAAATAAAT	12180
	AAATAAATAA	ATGTAAAAAA	ATAAAAATAG	GTCGGGCACG	GTGGCTCACG	TCTGTAATCC	12240
	CAGCACTTTG	GAAGGCCGAG	GTGGGTGGAT	GACAGGGTCA	AGAGATTGAG	ACCATCCTGG	12300
40	CCAACATGGC	AAAATGCCGT	CTCTACTAAA	AAATACAAAA	ATTAGGCGGG	CGTGGTGGCG	12360
	GGTGCCTGTA	ATCCCAGCTA	CTCGGGAGGC	TGAGGCAGGA	GAATCGGTTG	AACCCGGGAT	12420
45	GCGGAGGTTG	CAGTGAGCGG	AGATCACATC	ACTGCACTCC	AGGCTGGGCA	ACAAGAGCGA	12480
	AACTGCGTCT	TACAATAAAT	AAATAGATAA	ATAAATAAAC	AAATAAACTT	TACTTTAGAA	12540
	ACAAATCCCT	GTCCGTGTTT	GTCTTTTCAC	CTGTCTTGCA	GGGAAAACAA	AACATAAAAT	12600
50	GTCAAGGCAA	ATAGTAGTGA	TTTCATTCCG	GGAAAAAGAA	AGTGGATGTT	TGCCTTCACC	12660
	CTTTCTCGTC	CTTCCTCTGG	TGCTCCTCAN	GGCCANGGG	NAGAGGGTGG	AAAGTNCAGA	12720
55	GGAAGAAAGA	CGGGGCTGGG	GGGGGGGGTC	CGTGGGGACC	CAGGCAGGCA	TGTTCCCNAT	12780
	TTCCNTGTCT	TCACNTTCAA	AGNAGGGGCC	CCTCGNCTCT	GGAATGAGGC	CTACGGTTTC	12840
	CTTTCCCNCA	AGAGTTNCCC	CTTTGTGAGC	TTACGGCTTC	GGAGTGAACC	TCGGTGCAAC	12900
60	CTGTTATTAA	AACACACAGA	GGCTAATGCC	AGCAAAAACA	CGCCCCCGCG	TCCTGGTTTC	12960
	AGAGGGAAGA	AAAAAATTCA	TAAGCACGGC	CATGCTTTTC	TAATAAAAAT	TCATTAAATA	13020
65	ATCGTTATAA	GGGATGAAGC	CGGGAGGGGA	GAGGAGAGGA	ACACAATCAA	GAGACTTTCT	13080
	TTGAACTTTT	TCTCCCTGCT	TCAAATACAA	AGCAATCTTC	TGTGGGCCTG	GGCCTGGGGG	13140

	GTTTCCCCCT	TTCTCTGCAG	CCCATTGGGA	GGAAGAAAAT	GCTTCCCTGA	ANGTTGCTGC	13200
5	AAAATTGTTT	CTGTTTTTCT	TTTCTTTTTC	TTTTTTTTTT	TTTTTTGAGA	CGGAGTCTCG	13260
	CTCTGTCACC	AGGCTGGAGT	GCAATGGTAT	GATCTCAGCT	CACTGCAACC	TCCACGTTCC	13320
	TGTTTCAAGT	CATTCTCCTG	CCTCAGCCTC	CTGAGTAGCT	GGGACTACAG	GCGCCCGCCA	13380
10	CCACGCCCCG	CTAGTGTTTG	TATTTTTAGA	AAAGACAGGG	TTTCCCCATG	TTGGCCAGGC	13440
	TGGTCTTGAA	CTCCTGTCTT	CAAGTGATCT	GCCTGCCTCG	GCCTCCCAAA	GTGCTGTGTT	13500
15	TCTGTTTTTC	TTTCCCCGCT	TTCTTAGGAG	GCCATCGGGA	AGAATAAAAT	GCTTTCCTTG	13560
	AAGTTGATGC	AAAATTGTTT	CTGTTTTTCT	TTTCTCTTTT	CTTTCTTTTT	GAGATGGAGT	13620
	CTCGCTCTTT	CACCCAGGCT	GGAGGGCAGT	GGCGCGACCT	CGGCTCACTG	CAACCTCCGC	13680
20	CTCCCGGGTT	CAAGCGATTG	TCCTGCCTCA	GCCTCCGGAG	TAGCTGGGAT	TACAGGCACC	13740
	TGCCACTATG	CCTGGCTAAT	TTTATTATTT	TTAGTAGAGA	CGGGGTTTCA	CCATGTTGGC	13800
25	CAGGCTGGTC	TCAAACCTCT	GACCTCAGGT	GATCCGCCCG	CCTCGCCTCC	CAAAGTGATG	13860
	GGATGANACG	GNCATNGAGC	NCACCGTGCC	CGGCCCTCTA	ACTCTTTACC	AGACATAAAG	13920
	TCTCCNNTTC	CCCTTTCTAA	ATGTATATAT	TGTGTTTTTA	AAAGTTAACA	GCAGGGATCC	13980
30	CACCTCATTN	CCCCGCTNCT	CTCCCCAAGA	CCTGTCCTGC	ACGTTGCACA	CAGCAGGTGT	14040
	GCCCTGGACA	TATCCCAAAC	CCACGCTGAA	AGAAAGAGGG	TCTCACTACA	CGTATGATAT	14100
35	CTGTGNATCC	TTTAAACATC	TCCGTGGCTT	CCAGGCAACA	CAGCCATAAA	TAGGAATCTC	14160
	ATGTCTGACA	TGATACCGGG	ACCATGTATG	GGNAAATTCT	GGGTGTGAAG	TTCCAGCTAC	14220
	CCCCGCAGAG	GCANCCATTG	CATACCTTCC	AGAAACTCCC	CTGCCGTTNC	AAGCCAAAGA	14280
40	CACAACACAA	ACAGCNTCCG	AGAGAGGGTG	TCATTGAAAA	TCAATACCAT	CATAAGAGCA	14340
	CACAGCACCG	TCTTTCTCTT	CTGCCCCGTT	ATACACAATT	ATGAGCAATT	TGCTAACACT	14400
45	GACAACTCGT	GGCAAGAACA	GGTCGTGTTG	ATACGGTTGC	CTCGTGAGGA	CCCATCTGTC	14460
	TTCTGGGGTC	TTGCCTGGAA	CGGAGATCGG	AGTTCAGGGT	GGCTAATAGA	ATCATTACTC	14520
	ACCTAGGGAC	ACAGAATNAT	GAGGGTTACC	CCCAGTTAAG	TGCATACAGT	CAAACGGACG	14580
50	GCTGCTCTGG	AAGGTACAGT	GACGTGAACA	GCTTTTATGA	AATGCCTAGA	TCTGGACCTT	14640
	CCATACCTGA	GCCACCGTTC	CAAAGCACTG	GGCGTTTTTC	AGATACTTTC	ATGAGAAATG	14700
55	TTGTCAACAC	CGCAAGTTTG	CAGTACACAG	TCTGAAAGAT	ATTCTTGTAT	ATGTAGATGT	14760
	CTGTAGATGC	CCTGAAGGTG	TGTAGACTTT	AGACACCCAG	AAGGTGTGTA	GATGTCTGTA	14820
	GACACCTTCT	ATGTGTGTAG	ATGTCTGTAG	ACGCCCTGCA	GGTGTGTAGA	TATATCTAGA	14880
60	TGGTCTGCCT	GTGTATGATA	CAGGCTAAAA	AGACATTTGT	GGTGGACACT	AGTTGATTAT	14940
	TTAGGACTAT	GAGATGGGAA	AGGAAGNAGC	AACCAGCAGT	GAAAGGCATG	TGGTGGGTGG	15000
65	GGGGTTGGCA	TTGCAGTGGG	GTCTCNTGA	NGCAGGTGAC	ACCCACTATA	GGGCTGCCCT	15060
	TGGNATGGAC	GCTTTGTNGA	AGCTGTTTGA	TTTCAACCACA	CCAAGCCTGG	AGGCACGGAC	15120

ATTCCAGGAT GGTGAGGAGT CTGCAAAGGA GGAGATTGGA GGAGGTGCAA TATCCCTAGA 15180
 GTACGAGAGA TGAGATAGGA GAGCTGTATA AATAGCACTA CCAGCCGGAT GCGGTGGCTC 15240
 5 ACGCCTGTCA TCCCAGCACT TTAGGAGGCT GAGGCAGGCG GATCACCTGA GGTCAGGAGT 15300
 TCCAGAACAG CCTGGCCAAC ACAATGAAAC CCCATCTTTA CTAAAAATAC AAGATTAGCT 15360
 GGGCACGGTG TCTCACGCCT GTCATCCCTG CACTTTGGGA GGTCGAGGTG CGCAGATCAT 15420
 10 GAGGTCAGTT TGGCCAACGC GGCGAAACCC CGTCTCTACT AAAAATACAA AAAAGTAGCC 15480
 GGGCGTGGTG GTGGGCACCT GTAGTCCCAG CTACTAGGGA GGCTGAGGCA GGAGAATCGC 15540
 15 TTGAACCCGG ATGCGGACAT TGCAGTGAGC CGAGATC 15577

(2) INFORMATION FOR SEQ ID NO: 9:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 753 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear
 20
 (ii) MOLECULE TYPE: other nucleic acid
 (A) DESCRIPTION: /desc = "ET92 gene segment"
 25

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:
 30

CGTGGAAGCC TGGAGTTTTT GGGAACAGCG TGTCCCCGCC GAGCCTGGGA GCCCGTGGGT 60
 35 TCTGCAAAGC CTGCGGGTGT TTGAGGACTT TGAAGACCAG TTTGTCAGTT GGGCTCAATT 120
 CCTGGGGTTC AGACTTAGAG AAATGAAGGA GGGAGAGCTG GGGTCGTCTC CAGGAAACGA 180
 TTTACTTGGG GGGAAAGGAAT GGAGTGTCTT TGCAGGCACA TGTCTGTTAG GAGGTGAAAC 240
 40 AGAATGTGAA ATCCACGTTG GAGTAAGCGT CCAGCGCTGA ATGTAGCTCG GGGTGGGGTG 300
 GGAGGGCCCT GGTGTGGATC GTGGAAGGAA GAAAGACAGA ACAGGGTGCT AGTATTTACC 360
 45 CCGTTCCCTG TAGACACCCT GGATTTGTCA GCTTTGCAAG CTTCTTGATT GCAGCGGCCT 420
 TGCTGTGCC CTTTGAGAC TGTTTCCAGA CTAACTTCC AAATGTCAGC CCCTTACCCT 480
 TGACAGCAAG GGACATCTCA TTAGGGCATC GCGTGCTTCT CATCTGTGCT CAGCAGGCCC 540
 50 GAGATAGGAA CAGAGGGGCG TTGGAGATGC CACTTCCACC AGCCCTGGGT TGAAGGGGAG 600
 CGAGGGAGAC ACCTTTTACT TAAACCCCTG AGCTTGGTCA GAGAGGCTGA ATGTCTAAAA 660
 55 TGAGGAAGAA AAGGTTTTTC ACCTGGAAC GCTTGAGGGC TGAGTCTTCT GCCCTTCTGA 720
 CTCCCCCAGC AAATACAGAC AGGTCACCAA CTA 753

(2) INFORMATION FOR SEQ ID NO: 10:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1890 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear
 60
 (ii) MOLECULE TYPE: other nucleic acid
 65

(A) DESCRIPTION: /desc = "SHOXa"

(ix) FEATURE:

5

(A) NAME/KEY: CDS

(B) LOCATION: 91..968

10

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

```

GTGATCCACC CGCCGCACGG GCCGTCCTCT CCGCGCGGGG AGACGCGCGC ATCCACCAGC      60
CCCGGCTGCT CGCCAGCCCC GGCCCCAGCC ATG GAA GAG CTC ACG GCT TTT GTA      114
15      Met Glu Glu Leu Thr Ala Phe Val
           1           5

TCC AAG TCT TTT GAC CAG AAA AGC AAG GAC GGT AAC GGC GGA GGC GGA      162
Ser Lys Ser Phe Asp Gln Lys Ser Lys Asp Gly Asn Gly Gly Gly Gly
20      10           15           20

GGC GGC GGA GGT AAG AAG GAT TCC ATT ACG TAC CGG GAA GTT TTG GAG      210
Gly Gly Gly Gly Lys Lys Asp Ser Ile Thr Tyr Arg Glu Val Leu Glu
25      25           30           35           40

AGC GGA CTG GCG CGC TCC CGG GAG CTG GGG ACG TCG GAT TCC AGC CTC      258
Ser Gly Leu Ala Arg Ser Arg Glu Leu Gly Thr Ser Asp Ser Ser Leu
           45           50           55

CAG GAC ATC ACG GAG GGC GGC GGC CAC TGC CCG GTG CAT TTG TTC AAG      306
Gln Asp Ile Thr Glu Gly Gly Gly His Cys Pro Val His Leu Phe Lys
30      60           65           70

GAC CAC GTA GAC AAT GAC AAG GAG AAA CTG AAA GAA TTC GGC ACC GCG      354
Asp His Val Asp Asn Asp Lys Glu Lys Leu Lys Glu Phe Gly Thr Ala
35      75           80           85

AGA GTG GCA GAA GGG ATT TAT GAA TGC AAA GAG AAG CGC GAG GAC GTG      402
Arg Val Ala Glu Gly Ile Tyr Glu Cys Lys Glu Lys Arg Glu Asp Val
40      90           95           100

AAG TCG GAG GAC GAG GAC GGG CAG ACC AAG CTG AAA CAG AGG CGC AGC      450
Lys Ser Glu Asp Glu Asp Gly Gln Thr Lys Leu Lys Gln Arg Arg Ser
45      105           110           115           120

CGC ACC AAC TTC ACG CTG GAG CAG CTG AAC GAG CTC GAG CGA CTC TTC      498
Arg Thr Asn Phe Thr Leu Glu Gln Leu Asn Glu Leu Glu Arg Leu Phe
           125           130           135

GAC GAG ACC CAT TAC CCC GAC GCC TTC ATG CGC GAG GAG CTC AGC CAG      546
Asp Glu Thr His Tyr Pro Asp Ala Phe Met Arg Glu Glu Leu Ser Gln
50      140           145           150

CGC CTG GGG CTC TCC GAG GCG CGC GTG CAG GTT TGG TTC CAG AAC CGG      594
Arg Leu Gly Leu Ser Glu Ala Arg Val Gln Val Trp Phe Gln Asn Arg
55      155           160           165

AGA GCC AAG TGC CGC AAA CAA GAG AAT CAG ATG CAT AAA GGC GTC ATC      642
Arg Ala Lys Cys Arg Lys Lys Gln Glu Asn Gln Met His Lys Gly Val Ile
60      170           175           180

TTG GGC ACA GCC AAC CAC CTA GAC GCC TGC CGA GTG GCA CCC TAC GTC      690
Leu Gly Thr Ala Asn His Leu Asp Ala Cys Arg Val Ala Pro Tyr Val
65      185           190           195           200

AAC ATG GGA GCC TTA CGG ATG CCT TTC CAA CAG GTC CAG GCT CAG CTG      738
Asn Met Gly Ala Leu Arg Met Pro Phe Gln Gln Val Gln Ala Gln Leu

```

47

	205	210	215	
5	CAG CTG GAA GGC GTG GCC CAC GCG CAC CCG CAC CTG CAC CCG CAC CTG Gln Leu Glu Gly Val Ala His Ala His Pro His Leu His Pro His Leu 220 225 230	786		
10	GCG GCG CAC GCG CCC TAC CTG ATG TTC CCC CCG CCG CCC TTC GGG CTG Ala Ala His Ala Pro Tyr Leu Met Phe Pro Pro Pro Pro Phe Gly Leu 235 240 245	834		
15	CCC ATC GCG TCG CTG GCC GAG TCC GCC TCG GCC GCC GCC GTG GTC GCC Pro Ile Ala Ser Leu Ala Glu Ser Ala Ser Ala Ala Ala Val Val Ala 250 255 260	882		
20	GCC GCC GCC AAA AGC AAC AGC AAG AAT TCC AGC ATC GCC GAC CTG CGG Ala Ala Ala Lys Ser Asn Ser Lys Asn Ser Ser Ile Ala Asp Leu Arg 265 270 275 280	930		
25	CTC AAG GCG CGG AAG CAC GCG GAG GCC CTG GGG CTC TG ACCCGCCGCG Leu Lys Ala Arg Lys His Ala Glu Ala Leu Gly Leu 285 290	978		
30	CAGCCCCCGG CGCGCCCGGA CTCCCGGGCT CCGCGCACCC CGCCTGCACC GCGCGTCTCTG	1038		
35	CACTCAACCC CGCCTGGAGC TCCTTCCGCG GCCACCGTGC TCCGGGCACC CCGGGAGCTC	1098		
40	CTGCAAGAGG CCTGAGGAGG GAGGCTCCCG GGACCGTCCA CGCACGACCC AGCCAGACCC	1158		
45	TCGCGGAGAT GGTGCAGAAG GCGGAGCGGG TGAGCGGCCG TGCCTCCAGC CCGGGCCTCT	1218		
50	CCAAGGCTGC CCGTGCGTCC TGGGACCCTG GAGAAGGGTA AACCCCCGCC TGGCTGCGTC	1278		
55	TTCCTCTGCT ATACCCTATG CATGCGGTTA ACTACACACG TTTGGAAGAT CCTTAGAGTC	1338		
60	TATTGAAACT GCAAAGATCC CGGAGCTGGT CTCCGATGAA AATGCCATTT CTTCGTTGCC	1398		
65	AACGATTTTC TTTACTACCA TGCTCCTTCC TTCATCCCGA GAGGCTGCGG AACGGGTGTG	1458		
70	GATTTGAATG TGGACTTCGG AATCCCAGGA GGCAGGGGCC GGGCTCTCCT CCACCGCTCC	1518		
75	CCCGGAGCCT CCCAGGCAGC AATAAGGAAA TAGTTCTCTG GCTGAGGCTG AGGACGTGAA	1578		
80	CCGCGGGCTT TGGAAAGGGA GGGGAGGGAG ACCCGAACCT CCCACGTTGG GACTCCCACG	1638		
85	TTCCGGGGAC CTGAATGAGG ACCGACTTTA TAACTTTTCC AGTGTGTTGAT TCCCAAATTG	1698		
90	GGTCTGTTTT TGTTTTGGAT TGGTATTTTT TTTTTTTTTT TTTTTTGCTG TGTTACAGGA	1758		
95	TTCAGACGCA AAAGACTTGC ATAAGAGACG GACGCGTGGT TGCAAGGTGT CATACTGATA	1818		
100	TGCAGCATTA ACTTTACTGA CATGGAGTGA AGTGCAATAT TATAAATATT ATAGATTAAA	1878		
105	AAAAAAATAG CA	1890		
110	(2) INFORMATION FOR SEQ ID NO: 11:			
115	(i) SEQUENCE CHARACTERISTICS:			
120	(A) LENGTH: 292 amino acids			
125	(B) TYPE: amino acid			
130	(D) TOPOLOGY: linear			
135	(ii) MOLECULE TYPE: protein			
140	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:			
145	Met Glu Glu Leu Thr Ala Phe Val Ser Lys Ser Phe Asp Gln Lys Ser			
150	1 5 10 15			

Lys Asp Gly Asn Gly Gly Gly Gly Gly Gly Gly Lys Lys Asp Ser
 20 25 30
 5 Ile Thr Tyr Arg Glu Val Leu Glu Ser Gly Leu Ala Arg Ser Arg Glu
 35 40 45
 Leu Gly Thr Ser Asp Ser Ser Leu Gln Asp Ile Thr Glu Gly Gly Gly
 50 55 60
 10 His Cys Pro Val His Leu Phe Lys Asp His Val Asp Asn Asp Lys Glu
 65 70 75 80
 Lys Leu Lys Glu Phe Gly Thr Ala Arg Val Ala Glu Gly Ile Tyr Glu
 85 90 95
 15 Cys Lys Glu Lys Arg Glu Asp Val Lys Ser Glu Asp Glu Asp Gly Gln
 100 105 110
 20 Thr Lys Leu Lys Gln Arg Arg Ser Arg Thr Asn Phe Thr Leu Glu Gln
 115 120 125
 Leu Asn Glu Leu Glu Arg Leu Phe Asp Glu Thr His Tyr Pro Asp Ala
 130 135 140
 25 Phe Met Arg Glu Glu Leu Ser Gln Arg Leu Gly Leu Ser Glu Ala Arg
 145 150 155 160
 Val Gln Val Trp Phe Gln Asn Arg Arg Ala Lys Cys Arg Lys Gln Glu
 165 170 175
 30 Asn Gln Met His Lys Gly Val Ile Leu Gly Thr Ala Asn His Leu Asp
 180 185 190
 35 Ala Cys Arg Val Ala Pro Tyr Val Asn Met Gly Ala Leu Arg Met Pro
 195 200 205
 Phe Gln Gln Val Gln Ala Gln Leu Gln Leu Glu Gly Val Ala His Ala
 210 215 220
 40 His Pro His Leu His Pro His Leu Ala Ala His Ala Pro Tyr Leu Met
 225 230 235 240
 Phe Pro Pro Pro Pro Phe Gly Leu Pro Ile Ala Ser Leu Ala Glu Ser
 245 250 255
 45 Ala Ser Ala Ala Ala Val Val Ala Ala Ala Lys Ser Asn Ser Lys
 260 265 270
 50 Asn Ser Ser Ile Ala Asp Leu Arg Leu Lys Ala Arg Lys His Ala Glu
 275 280 285
 Ala Leu Gly Leu
 290

55

(2) INFORMATION FOR SEQ ID NO: 12:

- (i) SEQUENCE CHARACTERISTICS:
 60 (A) LENGTH: 1354 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear
 (ii) MOLECULE TYPE: other nucleic acid
 65 (A) DESCRIPTION: /desc = "SHOXb"

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 91..768

5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

	GTGATCCACC CGCCGCACGG GCCGTCCTCT CCGCGCGGGG AGACGCGCGC ATCCACCAGC	60
10	CCCGGCTGCT CGCCAGCCCC GGGCCAGGCC ATG GAA GAG CTC ACG GCT TTT GTA Met Glu Glu Leu Thr Ala Phe Val 295 300	114
15	TCC AAG TCT TTT GAC CAG AAA AGC AAG GAC GGT AAC GGC GGA GGC GGA Ser Lys Ser Phe Asp Gln Lys Ser Lys Asp Gly Asn Gly Gly Gly Gly 305 310 315	162
20	GGC GGC GGA GGT AAG AAG GAT TCC ATT ACG TAC CGG GAA GTT TTG GAG Gly Gly Gly Gly Lys Lys Asp Ser Ile Thr Tyr Arg Glu Val Leu Glu 320 325 330	210
	AGC GGA CTG GCG CGC TCC CGG GAG CTG GGG ACG TCG GAT TCC AGC CTC Ser Gly Leu Ala Arg Ser Arg Glu Leu Gly Thr Ser Asp Ser Ser Leu 335 340 345	258
25	CAG GAC ATC ACG GAG GGC GGC GGC CAC TGC CCG GTG CAT TTG TTC AAG Gln Asp Ile Thr Glu Gly Gly Gly His Cys Pro Val His Leu Phe Lys 350 355 360	306
30	GAC CAC GTA GAC AAT GAC AAG GAG AAA CTG AAA GAA TTC GGC ACC GCG Asp His Val Asp Asn Asp Lys Glu Lys Leu Lys Glu Phe Gly Thr Ala 365 370 375 380	354
35	AGA GTG GCA GAA GGG ATT TAT GAA TGC AAA GAG AAG CGC GAG GAC GTG Arg Val Ala Glu Gly Ile Tyr Glu Cys Lys Glu Lys Arg Glu Asp Val 385 390 395	402
40	AAG TCG GAG GAC GAG GAC GGG CAG ACC AAG CTG AAA CAG AGG CGC AGC Lys Ser Glu Asp Glu Asp Gly Gln Thr Lys Leu Lys Gln Arg Arg Ser 400 405 410	450
	CGC ACC AAC TTC ACG CTG GAG CAG CTG AAC GAG CTC GAG CGA CTC TTC Arg Thr Asn Phe Thr Leu Glu Gln Leu Asn Glu Leu Glu Arg Leu Phe 415 420 425	498
45	GAC GAG ACC CAT TAC CCC GAC GCC TTC ATG CGC GAG GAG CTC AGC CAG Asp Glu Thr His Tyr Pro Asp Ala Phe Met Arg Glu Glu Leu Ser Gln 430 435 440	546
50	CGC CTG GGG CTC TCC GAG GCG CGC GTG CAG GTT TGG TTC CAG AAC CGG Arg Leu Gly Leu Ser Glu Ala Arg Val Gln Val Trp Phe Gln Asn Arg 445 450 455 460	594
55	AGA GCC AAG TGC CGC AAA CAA GAG AAT CAG ATG CAT AAA GGC GTC ATC Arg Ala Lys Cys Arg Lys Gln Glu Asn Gln Met His Lys Gly Val Ile 465 470 475	642
60	TTG GGC ACA GCC AAC CAC CTA GAC GCC TGC CGA GTG GCA CCC TAC GTC Leu Gly Thr Ala Asn His Leu Asp Ala Cys Arg Val Ala Pro Tyr Val 480 485 490	690
	AAC ATG GGA GCC TTA CGG ATG CCT TTC CAA CAG ATG GAG TTT TGC TCT Asn Met Gly Ala Leu Arg Met Pro Phe Gln Gln Met Glu Phe Cys Ser 495 500 505	738
65	TGT CGC CCA GGC TGG AGT ATA ATG GCA TGA TCTCGACTCA CTGCAACCTC Cys Arg Pro Gly Trp Ser Ile Met Ala *	788

510 515

CGCCTCCCGA GTTCAAGCGA TTCTCCTGCC TCAGCCTCCC GAGTAGCTGG GATTACAGGT 848

5 GCCCACCACC ATGTCAAGAT AATGTTTGTA TTTTCAGTAG AGATGGGGTT TGACCATGTT 908

GGCCAGGCTG GTCTCGAACT CCTGACCTCA GGTGATCCAC CCGCCTTAGC CTCCCAAAGT 968

10 GCTGGGATGA CAGGCGTGAG CCCCTGCGCC CGGCCTTTGT AACTTTATTT TTAATTTTTT 1028

TTTTTTTTTTA AGAAAGACAG AGTCTTGCTC TGTCACCCAG GCTGGAGCAC ACTGGTGCGA 1088

TCATAGCTCA CTGCAGCCTC AAACCTCTGG GCTCAAGCAA TCCTCCCACC TCAGCCTCCT 1148

15 GAGTAGCTGG GACTACAGGC ACCCACCACC ACACCCAGCT AATTTTTTTTG ATTTTACTA 1208

GAGACGGGAT CTTGCTTTGC TGCTGAGGCT GGTCTTGAGC TCCTGAGCTC CAAAGATCCT 1268

20 CTCACCTCCA CCTCCCAAAG TGTTAGAATT ACAAGCATGA ACCACTGCCC GTGGTCTCCA 1328

AAAAAAGGAC TGTTACGTGG AAAAAA 1354

25 (2) INFORMATION FOR SEQ ID NO: 13:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 226 amino acids
 (B) TYPE: amino acid
 (D) TOPOLOGY: linear

30

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

35 Met Glu Glu Leu Thr Ala Phe Val Ser Lys Ser Phe Asp Gln Lys Ser
 1 5 10 15

Lys Asp Gly Asn Gly Gly Gly Gly Gly Gly Gly Lys Lys Asp Ser
 20 25 30

40 Ile Thr Tyr Arg Glu Val Leu Glu Ser Gly Leu Ala Arg Ser Arg Glu
 35 40 45

Leu Gly Thr Ser Asp Ser Ser Leu Gln Asp Ile Thr Glu Gly Gly Gly
 50 55 60

45 His Cys Pro Val His Leu Phe Lys Asp His Val Asp Asn Asp Lys Glu
 65 70 75 80

50 Lys Leu Lys Glu Phe Gly Thr Ala Arg Val Ala Glu Gly Ile Tyr Glu
 85 90 95

Cys Lys Glu Lys Arg Glu Asp Val Lys Ser Glu Asp Glu Asp Gly Gln
 100 105 110

55 Thr Lys Leu Lys Gln Arg Arg Ser Arg Thr Asn Phe Thr Leu Glu Gln
 115 120 125

Leu Asn Glu Leu Glu Arg Leu Phe Asp Glu Thr His Tyr Pro Asp Ala
 130 135 140

60 Phe Met Arg Glu Glu Leu Ser Gln Arg Leu Gly Leu Ser Glu Ala Arg
 145 150 155 160

65 Val Gln Val Trp Phe Gln Asn Arg Arg Ala Lys Cys Arg Lys Gln Glu
 165 170 175

Asn Gln Met His Lys Gly Val Ile Leu Gly Thr Ala Asn His Leu Asp

180 185 190

Ala Cys Arg Val Ala Pro Tyr Val Asn Met Gly Ala Leu Arg Met Pro
195 200 205

5 Phe Gln Gln Met Glu Phe Cys Ser Cys Arg Pro Gly Trp Ser Ile Met
210 215 220

10 Ala *
225

(2) INFORMATION FOR SEQ ID NO: 14:

15 (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 32367 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

20 (ii) MOLECULE TYPE: other nucleic acid
(A) DESCRIPTION: /desc = "COSMID: LLNOYCO3'M'34F5"

25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:

TTTCTCTGTC TCCATCCCTC TGTCTCTCCC TTTCTCTCTG TCTTTCCTTG TCTCTCTCTT 60

30 TCTCTCTCTC TCTCCATCTC TCTCTCTCCC TGTCTCTCTC TCTCCATCTC CCCGTCTCTC 120

CGTTTCTCTC TCTGCCTCTC CCTGTCTGTC TCTCTCTTTC TGTGTCTTAC ACACACCCCA 180

ACCCACCGTC ACTCATGTCC CCCCCTGCT GTGCCATCTC ACACAAGTTC ACAGCTCAGC 240

35 TGTCATCCTG GGTCCCCAGG CCCC GCCGGG GAGGAAGATG CGCCGTGGGG TTACGGGAGG 300

AAGGGGACTC CGGGCCTCCT GGTGCCCCAC TTTATTTGCA GAAGTCCTT GGCAGGAACC 360

40 GTGACGCGTT TGGTTTCCAG GACTTGAAA ACGAATTTCA GGTCGCGATG GCGAGCACCG 420

GCTTCCCCTG AAGCACATTC AATAGCGAGA GCGGGGAGG AGCGAGCAGG AGCATCCCAC 480

CATGAAAACC AAAAACACAA GTATTTTTTT CACCCGGTAA ATACCCAGA CGCCAGGGTG 540

45 ACAGCGCGGC GCTAAGGGAG GAGGCCTCGC GCCGGGGTCC GCCGGGATCT GGCGCGGGCG 600

GAAAGAATAT AGATCTTTAC GAACCGGATC TCCCGGGGAC CTGGGCTTCT TTCTGCGGGC 660

50 GCTGGAGACC CGGGAGGCGG CCCC GGGGAT CCTCGGCCTC CGCCGCCGCC GCCTCCCAAG 720

CGCCCGCGTC CCGGTTTGGG GACACCCGGC CCCTTCTTCT CACTTTCGGG GATTCTCCAG 780

CCGCGTTCCA TCTACCAAC TCTCCATCCA AGGGCGCGCC GCCACCAACT TGGAGTCAT 840

55 CTTCTCCCAA GATCGTGCCT CCCC GGGGCG CCGGGTCCC CCCCCTCGCC ATCTCAACCC 900

CGGCGCGACC CGGGCGCTTC CTGGAAAGAT CCAGGCGCCG GGCTCTGCGC TCCTCCCGGG 960

60 AGCGAGGGCG GCCGGACGAC TGGGACCCTC CTCTCTCCAG CCGTGAAGTC CTTGTCTCTC 1020

TGTCTCTCTC TGCAGGAAAA CTGGAGTTTG CTTTCTCTCC GGCCACGGAG AGAACGCGGG 1080

TAACCTGTGT GGGGGGCTCG GGCGCCTGCG CCCCCTCCT GCGCGCGCGC TCTCCCTTCC 1140

65 AAAAATGGGA TCTTTCCTCC TTCGCACCAA GGTGTACGGA CGCCAAACAG TGATGAAATG 1200

	AGAAGAAAGC CAATTGCCGG CCTGGGGGGT GGGGGAGACA CAGCGTCTCT GCGTGCGTCC	1260
	GCCGCGGAGC CCGGAGACCA GTAATTGCAC CAGACAGGCA GCGCATGGGG GGCTGGGCGA	1320
5	GGTCGCCGCG TATAAATAGT GAGATTTCCA ATGGAAAGGC GTAAATAACA GCGCTGGTGA	1380
	TCCACCCGCG CGCACGGGCC GTCCTCTCCG CGCGGGGAGA CGCGCGCATC CACCAGCCCC	1440
10	GGCTGCTCGC CAGCCCCGGC CCCAGCCATG GAAGAGCTCA CGGCTTTTGT ATCCAAGTCT	1500
	TTTGACCAGA AAAGCAAGGA CGGTAACGGC GGAGGCGGAG GCGGCGGAGG TAAGAAGGAT	1560
	TCCATTACGT ACCGGGAAGT TTTGGAGAGC GGAAGTGGCG GCTCCCGGGA GCTGGGGACG	1620
15	TCGGATTCCA GCCTCCAGGA CATCACGGAG GGCGGCGGCC ACTGCCCGGT GCATTGTGTC	1680
	AAGGACCACG TAGACAATGA CAAGGAGAAA CTGAAAGAAT TCGGCACCGC GAGAGTGGCA	1740
20	GAAGGTAAGT TCCTTTGCGC GCCGGCTCCA GGGGGGCCCT CCTGGGGTTC GGCGCCTCCT	1800
	CGCCACGGAG TCGGCCCGCG GCGCCCCTCG CTGTGCACAT TTGCAGCTCC CGTCTCGCCA	1860
	GGGTAAGGCC CGGGCCGTCA GGCTTTGCCT AAGAAAGGAA GGAAGGCAGG AGTGGACCCG	1920
25	ACCGGAGACG CGGGTGGTGG GTAGCGGGGT GCGGGGGGAC CCAGGGAGGG TCGCAGCGGG	1980
	GGCCGCGCGC GTGGGCACCG ACACGGGAAG GTCCCGGGCT GGGGTGGATC CGGGTGGCTG	2040
30	TGCCTGAAGC CGTAGGGCCT GAGATGTCTT TTTCAATTTT TTTTCTTTC CTTTCCTTTT	2100
	TTTGTTTGTG TGTTTGTTTG TTTGAGACAG AGTCTCGCTC TGTCCCCAG GCTGGAGTGC	2160
	AGTGGTGCGA TCTCGGCTCA CTGCAACCTC CGCCTCCTGG GTTCAAGCGA TTCTCCTGCC	2220
35	TCAGCCTCCC CAGTAGCTGG GATTACAGGC ATGCACCACC ACGCCTGGCT AATTTTTGTG	2280
	CTTTTAGTAA AGACGGGGAT TCACCATGTT GGCCAGGCTG GTCTCGAACT CCTGACCTCA	2340
40	GGTGATCCAC CCGCCTCGGC CTCCCAAAGT GCTGGGATGA CAGGCGTGAG GCACCGCGCC	2400
	CGGCCTGGGT CCTGACGGCT TAGGATGTGT GTTTCTGTCT CTGCCTGTCT GCCTTGATT	2460
	TACGGTCACC CAGACGCACA GAGGAGCCGT CTCCACGCGC CTTCCCAGCG CTCAGCGCCT	2520
45	GCCGGGCCCC CGGAGATCAC GGAAGACTC GAGGCTGCGT GGTAGGAGAC GGAAGGCC	2580
	CGGGTCAGCT CGGTTCTGTT TCCTTTAAGG AACCCTTCAT TATTATTTCA TTGTTTTCT	2640
50	TTGAACGTCG AGGCTTGATC TTGGCGAAAG CTGTTGGGTC CATAAAAACC ACTCCCGTGA	2700
	GCGGAGGTGG CCGGGATCTG GATGGGGCGC GAGGGGCCCC GGGGAAGCTG GCGGCTTCGC	2760
	GGGCGCGTCC TAAGTCAAGG TTGTCAGAGC GCAGCCGGTT GTGCGCGGCC CGGGGGAGCT	2820
55	CCCCTCTGGC CCTTCCTCCT GAGACCTCAG TGGTGGGTCG TCCCGTGGTG GAAATCGGGG	2880
	AGTAAGAGGC TCAGAGAGAG GGGCTGGCCC CGGGGATCTC TGTGCACACA CGACAACTGG	2940
60	GCGGCATACA TCTTAAGAAT AAAATGGGCT GGCTGTGTG GGGCACAGCT GGAGACGGCT	3000
	ATGGACGCCT GTTATGTTTT CATTACAAAG ACGCAGAGAA TCTAGCCTCG GCTTTTGCTG	3060
	ATTGCGCAGG TTGAGGTGCG AGGGTGAATG CCCCAAAGGT AATTCTTCCT AAGACTCTGG	3120
65	GGCTACCTGC TCTCCGGGGC CCTGCATTTG GGGTGTGGAG TGGCCCCGGG AAATAGCCCT	3180
	TGTATTCGTA GGAGGCACCA GGCAGCTTCC CAAGGCCCTG ACTTTGTGCA AGCAGAAAGC	3240

	TGTGGCTACG	GTTTACAAAG	CAGTCCCCGG	TTTCTGACCG	TCTAAGAGGC	AGGAGCCCAG	3300
5	CCTGCCTTTG	ACAGTGAGAG	GAGTTCCTCC	CTACACACTG	CTGCGGGCAC	CCGGCACTGT	3360
	AATTCATACA	CAGAGAGTTG	GCCTTCCTGG	ACGCAAGGCT	GGGAGCCGCT	TGAGGGCCTG	3420
	CGTGTAATTT	AAGAGGGTTC	GCAGCGCCCC	GCGGCCGCTT	CTGTGGGGTT	GCTTTTTTGGT	3480
10	TGTCCTTCGC	AGACACCGTT	TTGCTCCTCT	GAAGTCTCTC	TTCTCCCCCT	GGCCGTGGAC	3540
	CCGGGAGAGC	AAAGTGTCCT	CCAGACCTTT	TGAAAGTGAG	AGGAAAATAA	AGACCAGGCC	3600
15	AAAGACCCAG	GGCCACAGGA	GAGGAGACAG	AGAGTCCCCG	TTACATTTTC	CCCTTGGCTG	3660
	GGTGCAGAAA	GACCCCCGGG	CCAGGACTGC	CACCCAGGCT	ACTATTTATT	CATCAGATCC	3720
	AAGTTAAATC	GAGGTTGGAG	GGCAGGGGAG	AGTCTGAGGT	TACCGTGGAA	GCCTGGAGTT	3780
20	TTTGGGAACA	GCGTGTCCCC	GCCGAGCCTG	GGAGCCCGTG	GGTTCGTCAA	AGCCTGCGGG	3840
	TGTTTGAGGA	CTTTGAAGAC	CAGTTTGTCA	GTTGGGCTCA	ATTCTGGGG	TTCAGACTTA	3900
25	GAGAAATGAA	GGAGGGAGAG	CTGGGGTCGT	CTCCAGGAAA	CGATTCACTT	GGGGGGAAGG	3960
	AATGGAGTGT	TCTTGCAGGC	ACATGTCTGT	TAGGAGGTGA	AACAGAATGT	GAAATCCACG	4020
	TTGGAGTAAG	CGTCCAGCGC	TGAATGTAGC	TCGGGGTGGG	GTGGGAGGGC	CCTGGTGTGG	4080
30	ATCGTGGAAG	GAAGAAAGAC	AGAACAGGGT	GCTAGTATTT	ACCCCGTTCC	CTGTAGACAC	4140
	CCTGGATTTG	TCAGCTTTGC	AAGCTTCTTG	GTTGCAGCGG	CCTTGCCCTG	GCCCCCTTGA	4200
35	GACTGTTTCC	AGACTAAACT	TCCAAATGTC	AGCCCCCTAC	CCTTGACAGC	AAGGGACATC	4260
	TCATTAGGGC	ATCGCGTGCT	TCTCATCTGT	GCTCAGCAGG	CCCGAGATAG	GAACAGAGGG	4320
	GCGTTGGAGA	TGCCACTTCC	ACCAGCCCTG	GGTTGAAGGG	GAGCGAGGGA	GACACCTTTT	4380
40	ACTTAAACCC	CTGAGCTTGG	TCAGAGAGGC	TGAATGTCTA	AAATGAGGAA	GAAAAGGTTT	4440
	TTCACCTGGA	AACGCTTGAG	GGCTGAGTCT	TCTGCCCTTC	TGACTCCCCC	AGCAAATACA	4500
45	GACAGGTCAC	CAACTACTGG	AGATGAGAAA	GTGCCATTTT	TGGCACACTC	TGGTGGGGTA	4560
	GGTGCCCGAC	CGCGTGTGAA	AAAGTGGGAA	GGAGAGATTT	CTGCGCACGC	GGTTCAGCCC	4620
	CCAGGCGCGG	TGGCGCATTC	AGTACTCAG	ACGCGGTTCT	GCTGTTCTGC	TGAGAAACAG	4680
50	GCTTCGGGTA	GGGGCTCCTA	GCTCCGCCAG	ATCGCGGAGG	GACCCCCAGC	CCTCCTGCGC	4740
	TGCAGCGGTG	GGGATAGCGT	CTCTCCGTAG	GCCTAGAATC	TGCAACCCGC	CCCGGGTCCT	4800
55	CCCCGTGTCC	TTCCCGGGCG	TCCCGCCGGG	GATCCCACAG	TTGGCAGCTC	TTCCTCAAAT	4860
	TCTTTCCTT	AAAAATAGGA	TTTGACACCC	CACTCTCCTT	AAAAAAAAAA	AATAAGAAAA	4920
	AAAGGTTAGG	TTATGTCAAC	AGAGGTGAAG	TGGATAATTG	AGGAAACGAT	TCTGAGATGA	4980
60	GGCCAAGAAA	ACAACGCTCG	TGCAAAGCCC	AGGTTTTTGG	GAAAGCAGCG	AGTATCCTCC	5040
	TCGGCTTTTG	CGTTATGGAC	CCCACGCAGT	TTTTGCGTCA	AAGCGCATTG	GTTTTTCGAGG	5100
65	GCCCCCTTTC	CACCGCGGGA	TGCACGAAGG	GGTTCGCCAC	GTTGCGCAAA	ACCTCCCCGG	5160
	CCTCAGCCCT	GTGCCCTCCG	CTCCCCACGC	AGGGATTAT	GAATGCAAAG	AGAAGCGCGA	5220

	GGACGTGAAG TCGGAGGACG AGGACGGGCA GACCAAGCTG AAACAGAGGC GCAGCCGCAC	5280
	CAACTTCACG CTGGAGCAGC TGAACGAGCT CGAGCGACTC TTCGACGAGA CCCATTACCC	5340
5	CGACGCCTTC ATGCGCGAGG AGCTCAGCCA GCGCCTGGGG CTCTCCGAGG CGCGCGTGCA	5400
	GGTAGGAACC CGGGGGCGGG GCGGGGGGGC CCGGAGCCAT CGCCTGGTCC TCGGGAGCGC	5460
10	ACAGCACGCG TACAGCCACC TGCGCCCGGG CCGCCGCCGT CCCCTTCCCG GAGCGCGGGG	5520
	AGGTTGGGTG AGGGACGGGC TGGGGTTCCT GGACTTTTGG AGACGCCTGA GGCCTGTAGG	5580
	ATGGGTTCAT TGC GTTTGTT TTTCACCAAC AGCAAACAAA TATATATACA TATATATTAT	5640
15	ACAAATAACA AATAAATATA TATGTTATAC AGATGGGTAT ATTGTATATA TTATAGATAT	5700
	TTGTTTCGTCC TTGGTGCAAA GACACCCGGT GAACCCATAT ATTGGCTCCT GACTGCCTTC	5760
20	GGTTCCTCTG GGATTGGTTA TAGGGGCAAC ACATGCAAAC AAAACTTTCC CTGGATTATA	5820
	CTTAGGAGAC GAAGCTACAG ATGCGTTTGA TCCAGAGTGT TTTACAAGAT TTTTCATTTA	5880
	AAAAAAATG TGTCTTTTGG CCCCTGATTC CCCTCCGTCT TCCCGTGTGG CTGCATTGAA	5940
25	AAGGTTTCCT TAGGATGAAA GGAGAGGGGT GTCCTCTGTC CCTAGGTGGA GAGAAACAGG	6000
	GTCTTCTCTT TCCTCCGTTT TTTCACCTAC CGTTTCTATC TCCCTCCTCC CCTCTCCAGC	6060
30	CCTGTCCTCT GCTACAAACC ACCCCCTCCT CCCTCCGGCT GTGGGGAGCG CAGGAGCACG	6120
	TTGGGCATCT GGATGAGCGG AGACTATTAG CGGGGCACGG GGGCTCCCG AGGAGCGCGC	6180
	GAATTCACGC TGCCCCATGA GACCAGGCAC CGGGGGCGG AGGGGCCTTG GGTGTCCGCA	6240
35	GAGGGACGGG CGGGCAGAGC CTTCTCCGC ATTCTAAACA TTCACTTAAA GGTATGAGTT	6300
	TATTTACAGG GTGCTGCTGG GAGAGCCTCC AAATGGCTTC TTCCAGCCCC TGCCTGACAG	6360
40	TTCAGCTCCC CTGGAAGGTC AACTCCTCTA GTCCTTTCTC CTGGTTCTGG GCAGGACAGA	6420
	AGTGGGGGGA GGGAGAGAGA GAGAGAGAGA GAGAGAGACG GTCAGGATCC CCGGACCCTG	6480
	GGGAACCCGT CAAAAATAAA TGAAATTAAG ATTGCCGACC AGAGAGAGAA CCGTGACAAA	6540
45	GCAAACGGCG TTCAAAGCAA AGAGACGAAC TGAAAGCCCG TTCCCGTAGG ACTGGTTATG	6600
	AGGTCAACAC ATTCAAACAC AGCTTGCTCT GGATTTTGCT GAGCAGAGGA AGATACAGAT	6660
50	GCATTTGATC CAAAGTGTGT TACATCTTTC ATTATATGTG TGTCTATATA TATAAACATA	6720
	TATAAATATA TAAACATACA TAAATGTATG TAAATATATA TAATCTATAT ACATATATAA	6780
	ATATATAAAC ACATATATAA TATATAAATC TATAAACATA TATAATATAT AAACATAAAT	6840
55	ATATAACAT ATATAATATA TAAATATATT AACATATATA AAATATGTAT AAATATATAT	6900
	AAACATATAA ACATATATAA ATATATAAAC ATATAAATAT ATAAACATAT ATAAATATAT	6960
60	ACAAACATAT TGTATATATA TAAATATATA TAAAAACATA TATATACATA TAAAAATATA	7020
	TATAAACATA TATACATATA AAGAAATATA TATAACATA TATACATATA AATATACATA	7080
	TATAACATA TATATACATA AAATATATAT AAACATATAT ACATATAAAA ATATATATAT	7140
65	ATTAACATAT ATATACATAT AAAAATATAT ATATTAACAT ATATATACAT ATAAAAATAT	7200
	ATATATATTT TTGGCCCTG ATTCCCTTCG GTTCTGTGG GATGGGTGAT TGAGTCAACA	7260

	CATTCAAACA	CAACTTTTCC	ATCGATGTTG	CTTAGGAGAT	GAGGATACAG	ATGCGTTTGA	7320
	TGGAGAGGGT	TTTACAAGCT	CTTTCATTTA	AATATATATA	TATATATATA	TATATTTTTT	7380
5	GGCTCCTGAT	TCTCTTCCGT	CTTCCCATGT	GGCTGCATTT	TAAAAGGCTT	CCCTAAGATC	7440
	GTTACGATTA	AATCAACCCT	CCCCAGGCAT	CTTTACCGAG	GGCTGTGGTC	CCCAAAGCGA	7500
10	TACAGCCCAG	GAGGGAGAGA	GGCTTTGGTG	ACTTGGAGGA	AGGACTGTGT	CCCTCCTTAG	7560
	GGCGTCTGTG	GCCTCAGTGA	GGGAAGGAAG	CTGCATCAGA	CAGGGGTTTC	CTCGCTGTCC	7620
	ACCCCTCTGG	CAGAAGATGG	ATTGGGCTGC	CCCGTATAAA	TTAATGAAAA	GATTAAAGTT	7680
15	TCGCTAAAGG	GGACATCGAG	TTTATGTGTC	ATCTCCTGGT	GTCTGTGTGC	CTGGGATCTG	7740
	CAATATATCC	CAGCCCTTGA	TGTACTGTTT	CTATAAAAAAT	AAATTACTTG	TAATTTAATT	7800
20	CCACACTATT	TCTTTCCGTA	GTCTATTACC	GACGAGAGCA	CGTTAGTTCA	GCTGCGGAAA	7860
	ATTGGTTGTG	GGGTGTGTGC	GGACCCCGAG	AACGCCCTAA	AATAAAGACA	AATCGGGGAC	7920
	AAGCTGGGGG	TTATCGATTG	CAGGGGTCGC	ATGAAAATTT	AACGACGGTA	AATAATAATA	7980
25	AAAACAAACA	TGGGAATGCA	ATAAAAGACA	TAATTCTCCA	TCGCCGCGGG	GGGAAAGGAT	8040
	CCTATAGTAA	AGGCGAGTGC	GCTTTGAGGG	GTCATAAAAA	TCAATTAGTT	CCAACACCCA	8100
30	CGTCCCGCGT	TGAGGGGACG	GGGACGAGCA	GGGACAGAAA	AAGAAACCAT	ATTTGAATCC	8160
	CATCTCTCTG	TGAATTCTTG	GGTCACATGC	GTCTCAGTAC	AGCCCGTCCC	GTGCTGTGAC	8220
	CGGATAGAGT	TTCAATTTAC	TGTGGAAATT	TGCTGTAAAT	AAATTGAGCA	TCCGATAGAA	8280
35	GCTGTTGCTG	ATTAACCTTT	TATTTTtagc	GTGGCCCTGC	AAAGTCGTAT	CACCCAGCTG	8340
	TCAGGCTTCT	AATCGAAAGT	TATGAGACCA	CGGTGAGGGG	CAGGCGGTAA	TTAATTACA	8400
40	ACAAATATCT	TTGGGTTTAT	GGCGCAGAGC	TAAATTAAAT	GTCATTATTC	ACTGTCTGTA	8460
	ATGGAAATCA	AAAGGAAATC	GCATTACGGC	ATTTGGGAAA	GAAAGCGGGG	AGTGCTCTTT	8520
	AATGAAGAAA	TAAGTGTCTT	AAGCAGTGTC	ACACACTTCA	CTTACCATAT	TCGGGCCTAA	8580
45	TTGGAATGGA	TCGTGAATCA	CTCCAAGACT	GATTTATTAG	CGCTTCACGC	AGCGGCTAAT	8640
	TCATCACTTG	TATCTTCAT	CATTTTTTTT	TTTCCTCTCG	CCGTGTTGAA	GGGAGAGTGA	8700
50	ATGAGGCTTT	CCACGTTTCA	GGAGGATTTT	CTTTTTTGAA	AAATGCCCTT	CCAGAGGCTT	8760
	TTGGGTGGCT	GGCTTGCTTT	CTGGGCCCTG	GAGGAGACAG	GCGGAGAGTC	CAGGTGGGCA	8820
	TGGAGAGGCA	CAGTGGCAGG	TCACCTGGAT	GGTCAGTGGA	GGTGGAGGTC	TGAAGGCGCC	8880
55	AGCTTTGGAA	ATTATTGGTG	AATTCGATG	TCAGCACCAG	GCAGGGGCCT	TTTTGGCGGG	8940
	GGTGTGAGGG	AGGATGACTT	TGCTGGGAAA	CAGGATCAGG	TTCTCCAGGC	GCACTGCAGC	9000
60	CCGGTAGGAC	CCACTTTGGA	AATGAAAAGC	CAGTTCCGAA	AGCTGGGCTG	GAAGCTTCCG	9060
	TGTTGGGTTC	AAGAGCAAGT	TCACGTTGCG	CTGTGTAGAC	TCCTGGCTGC	TCCCAAACCTC	9120
	TGAGGGTTTT	CTGAGGTTCC	CTTCATAGGG	GCACCGGCCC	TGGGCCATGC	ACAGTGC GTA	9180
65	AGGGTGGCTG	TGGGCCGAGG	GACCCAGCAC	GTGTTTTGCC	CACAACAGCC	GGAGTGACTG	9240

	GTTCACTCAC	CGCCTTGGCG	GAGGACGCCT	GTTCTCTGGA	CGAATCATTT	CTCTTGGGTG	9300
	GTGACTGCCT	TGTGGGTCAA	GGTGCAGGTT	TTCTGCCACA	GAAAACCTGT	TAGGAGGAAT	9360
5	TAAGCGACTA	AGACTGTCAG	GGAGGTGGTG	GTGGGGGAGA	GGAGGGGGTG	GTGTCCAGAT	9420
	TACCAGGCAT	AGGCTAAACT	GCCTGCACTC	TCCAGCTGGT	CTGTCTGTGG	AGGAGGGGAT	9480
10	TGTCAATACT	GGGAGAGCAG	AGGAGGCTCG	TAGGAGGTGA	GAGGGGGTGG	AATTTGCATG	9540
	CAAATCTTCA	CATGAGGCCT	GTGTGAATTT	CTCCAGCCTC	CTGAGGGTCC	CCTGCGCTAT	9600
	TGCACTCAAC	TTCTTGATAG	TTTACCCCAA	GA CTCAGAAG	TCCTTAGAGG	GGCAGAATGC	9660
15	CCCCACCACA	AAGCCTGCTA	TCCTTGGGCG	TCCTCAGGAC	CCTTGGTCAT	GAATGGGACC	9720
	CTTTTCATGTA	TGGGGACCCT	TGGTAATATG	AATGGGACGC	CTTCAGCTCC	CCAGGGCTTC	9780
20	CGAGGAGGCC	GAGAAGGGCA	AAGACACTTC	CGAGGAGGCC	GAGAAGGGCA	AAGACATTTT	9840
	CTGGGCTTGG	TGTGTCAAGA	GCTAGATTGG	AGAAGGGGCT	GGATTTGGAA	CTCTTTAGCC	9900
	ATCAGCTCAC	CCTCTCCGTT	TGTGGCTAAA	GTCTGAAGGT	GGAAACTTCG	GTTCTCCTAC	9960
25	AGGGTCTACA	GGAGTTGGGG	GGCGGGGCGC	CCACACAGAA	CGCTGGAAAG	TTGACAGTC	10020
	CACTTCCACT	GGCTCGGAAC	TCCTTTTTTC	ACCTTAAGTT	CATCAGCGGT	AACGCATAGG	10080
30	TCTCACTTAG	GCAGGGCACG	GATGATTTAA	CAATTTCTAC	TTCTAGGTCA	GGTGCGGTGG	10140
	CTCACACCTC	TAATCCCAGC	ACTTTGGGAG	GCCCAGGAGG	GTGGATCGCT	TGAGGTGAGG	10200
	AGTTTGAGAC	CAGCCTGGCC	AACATGGTGA	AACCCCGTCT	CTACTAAAAT	ACGAAAATTA	10260
35	GCCAGGCATG	GTGGTGAGCA	CCTGTAATTC	CAGCTACTCG	GGAGGCTGAG	GCAGGAGAAT	10320
	CGCTTGAACC	TGGGAGGTGG	ACGTTGCAGT	GAGGTGAGAT	CACACCACTG	CACTCCAGCC	10380
40	TGGATGAGAG	AGCAAGACTC	TGTCTCAAAA	ACAAAATAAA	ACAAAACAA	AACAAAATC	10440
	AAAAAAGAAA	ACCCAATTTT	CAGTTCTAGG	CCAGGTGCAG	TGGCTCACGC	CTGTCATCCC	10500
	AGCACTTTGG	GAGGCCCAGG	AGGGTGGATC	GCTTGAGGTC	AGGAGTTCGA	GACCAGCCTG	10560
45	GCCAACATGG	TGAAACCCCA	TCTCTACTAA	AAATACAAAC	GTTAGCTGGG	TGTGGTGGTG	10620
	TGCGCCTGTA	ATCCCAGCTA	CTCGGGAAGC	TGAGGCTGGA	GAATTGCTTG	AATCTGGGAG	10680
50	GTGGAGGTTG	CAGGGAGGCG	AGATAGTGCC	ACTGCAGTCC	AGCCTGGACC	AGAGAGCAAG	10740
	ACTCCGTCTC	AAAAACAAAA	GAAAGCAAAA	ACAAAAACA	AGAGACCAGC	CTGGCCAACA	10800
	TGGTGAAACC	GCGTCTCTAC	TAAAATACAA	AATTAGCCGG	GCATGGTGGT	GGGCACCTGT	10860
55	AGTCCCAGCT	ACTCGGGAGG	CTGAGGCAGG	AGAATGGCTT	GAACCTGGGA	GGTGGAGCTT	10920
	GCAGTGAGCC	GAGATAGTGC	CACTGCACTC	CAGCCTGGGC	GACAGAGCGA	GA CTTGATTT	10980
60	CAGAACCACC	ACCACCACAA	CAAAACAAAA	CAAAAAATCC	AAAAAAACCC	CAATTTCCAG	11040
	TACTAGGTAG	TCAGTGATGC	AGGGCTGGAG	ACAGAGGGGC	GGTAAGTGTC	TGGGCGCCCA	11100
	CCATCAGTCA	CCTCCCAGCT	CCCAGAGGTG	CAAAGTGCTT	GGTTCAGCCT	CATGGGAAGG	11160
65	ATGCTCCCTG	GGGAGGCTGG	GCTGGGTTCA	CAGGGCTCTT	CACATCTCTC	TCTGCTTCTC	11220
	CCCAAGGTTT	GGTTCCAGAA	CCGGAGAGCC	AAGTGCCGCA	AACAAGAGAA	TCAGATGCAT	11280

	AAAGGTGGGT	GTCGGGACTG	GGGGGACCTG	AAGCTGGGGG	ATCCTGCTCC	AGGAGGGATG	11340
	GGGTGACGA	GGTGCTGGCT	ACACCCAGGA	CCACCACACT	GACACCTGCT	CCCTTTGGAC	11400
5	ACAGGCGTCA	TCTTGGGCAC	AGCCAACCAC	CTAGACGCCT	GCCGAGTGGC	ACCCTACGTC	11460
	AACATGGGAG	CCTTACGGAT	GCCTTTCCAA	CAGGTAGCTC	ACTTTTTCTT	CCTCTGAAGA	11520
10	TCCCTAGGGA	CCTGCTGCTC	CCTTCCCCTT	TCCCCTATTT	GCTGCCGCAT	CCTGACACTC	11580
	CTAGTCCCTC	CCTGCCCCTG	CAGACTTCTC	AGCTGGCCCT	TAGAAAAAAA	GCCTCTTTTC	11640
	CGAGGAGGCA	TTTACAGGCA	CCTTGGCACC	TATGAAATCA	GGCTGGGCCA	GGCGGGGTGG	11700
15	CTCACACCTG	TCATCCCAGC	ACTTTGGGAG	GCTGAGGAGG	GTGCATCACC	TGAGATCAGG	11760
	AGTTCAAGAC	CAGCCTGGCC	AACCTAACGA	AACCCCGTCT	ATTAAAAATA	CAAAATGGGT	11820
20	GTGGTGGCTC	ACGCCTGTCA	TCCCAGCACT	TTGGGAGGCC	GAGGCAGGTG	GATCACCTGA	11880
	GGTCAGGAAT	TCGAGACCAG	CCTGACCAAC	ATGCTGAAAC	CCCGTCTCTA	CTGAAAACAC	11940
	AAAGCTTAGC	CGGGCGTGGT	GGTGCACACC	TGTGATCCCA	GGTACTTGGG	AGGGAGAATC	12000
25	ACTTGAACCT	GGGAGGTGGA	GGTTGCCGTG	AGCCAATATC	GCGCCACTGC	ACTCCACTCT	12060
	GGGTGACAGA	GTGAGACTCC	AAGACTCCAT	CTCAAAAAAA	AAAAAAAAAA	TCAGGCTGTA	12120
30	AAAATCCACT	TTTGGGAAGG	TGAACACACA	CAAGCCCAAA	CAGAAATCTG	ACAAAAACCA	12180
	GAGGGGTGAA	AAGTCCACAC	AGTCAGGCAC	CCCCACCTGG	CTTGCTGCCT	GGTTAAGAAG	12240
	GGCGCAGATG	CCTGTGCCTG	GATACCAGAG	ATGGGACAGA	CACCCATTCC	CTTTTCATCA	12300
35	CCACCCCCGA	GTGCCCAGAG	GCCTGGGGCG	TCTGCCTGGC	CCCTGGCCCC	TGGCTTGGGC	12360
	TCTGCACCTC	TGAACTGGAG	ACACCCTACT	CAGCTCCCCA	CTTACTTTGG	AGTGAGCAGC	12420
40	GCTTGGGTGC	CCAGCGTGA	TTTGGGGCTT	CCAGGGAGTC	GGGGTTCGGT	CGCGGAGCCC	12480
	AAGCTTCCCA	AGGGCGCCCC	CGCCCTGCCC	TGGCTTAGTG	GTGGGGATGG	GATGGGGGGA	12540
	AACGGGGAGC	TGCGTGGAAG	GAGGTGAAGG	GTCACAGGAG	GAGAGAGCGC	AGCGCCACG	12600
45	TGCGCCCTGC	CTGAACGCGC	AGCGCAGCGC	CCGGCTGCGG	TGCCCCTTGC	CCCTTCGGTC	12660
	CCTAATTTGG	GGATCGGGAG	TGCATGCGCG	GGCGGAACGG	GCTTGGGGGG	GGGGCTCTGG	12720
50	CAGGGCGGAC	GCGTGGCCTC	CCTTCTTCAC	CGTTTTATTC	CAAGGGGACA	GGCTGGGGAT	12780
	TGTATTTGGG	CGCGTGTTTG	GCTGAGGGTG	CAGGGACTTG	GGGGGTGGCG	GTGGGGAGCG	12840
	CGGAAGGTAT	AAACGTATAA	ATCATAAGTA	AACAACCTCAG	AAATGGACCC	CGAGCGCTGG	12900
55	TCGCCGCTAG	CTCTCCAGCT	CTCCCTGGCC	CAGGCCCGAA	GGAGAGGGGT	CCGCATCCCT	12960
	CCGCGGTTCT	CCTCTCCTGG	GTACCTGGCC	TTGAGGTGGG	GGAACGAGCC	TACTTCTTGT	13020
60	ACCGTCTTTT	GCCGACGGCG	GGACCCAGTG	AAATTAGGCC	GTTGGAGCCC	GCAGGCCTGC	13080
	CTGGCTTTGC	GCACCGGAGT	CTTGGGGACC	TGGTGTCCCC	GGGAAAAACT	TGGGGACCTG	13140
	GTATCCCCGG	GAGAGGCTTG	GGGACCTGGT	GTCCCGGGAG	AGGCTTGGGT	ACCTGGTTTC	13200
65	TCTGGAAGAG	GCTTGGACAC	CTGGTGTCTT	GGGAGGGCCT	TTGGGACCTG	GTGTCCTGGG	13260

	AGAGGCTTGG AGATCTGTTG TCCTGGGAGA GGCTTGGGGA CCTGGTGTCC CTGGAGAGGC	13320
	TTGGGGACCT GGTGACCTTG GAGAGGCTTG GAGACCTGGT GTTCTGGGAG AGGCTTGGGG	13380
5	ACCTGGTGTT CTGGGAGAGG CTTGGGGACC TGGTGTCTCT GGAAGAGGCT TGGACACCTG	13440
	GTGACCCGGG AGGGCCTTGG GGATCTGGTG TCCCGGGAGA GCCTTGGGGA CCTGGTGTCC	13500
10	TGGGAGAGGC TTGGGGACCT GGTGACCTTG GAGAGGCTTG GGGACCTGGT GTCCTGAGAG	13560
	AGCCTTGGGG ATCTGGTGTC CCAGGAGAGG CTTGGGGACC TGGTGTCTCT GGAAGAGGCT	13620
	TGGACACCTG GTGTCCTGGG GAGAGGCTTG GGGACCTGGT GTCCTGGGAG AGGCTTGGGG	13680
15	ACCTGGTGTC CTGGGAGAGG CTTGGAGATC TGGTGAGCCG GGAGAGGCTT GGGGACCTGG	13740
	TGTCCCGGGA GAGGCTTGGG GACTTGGTGT CCCGGGAGAG GCTTGAACAC CTGGTGTCCC	13800
20	AGGAGAGGCT TGGGGACCTG GTGACCTTGG AGAGGCCTGG GGACCTGGTG ACCCGGGAGA	13860
	GCCTTGGGGA CCTGGTGTCC TGGGGAGAGC CTTGGGGACC TGGTGACCTT GGAGAGGCTT	13920
	GGGGACCTGG TGTCTCGGGA GTGCCTTGGG GACCTAGTGA CCCGGGAGAG GCTTGGGGAC	13980
25	CTGGTGTCCC GGGAGAGGCT TGGGGACCTG GTGTCCTGGG AGAGCCTTGG GGATCTGGTG	14040
	TCCTGGGGAG AGGCTGGGGG ACCTGGTGTC TCGGGAGAGA GCCTTGGGGA CCTGGTGACC	14100
30	CGGGAGAGGC TTGGACACCT GGTGTCCCGG GAGAGGCTTG GGGACCTGGT GACCCGGGAG	14160
	AGCCTTGGGG ACCTGGTGTC CTGGGGAGAG GCTGGGGGAC CTGGTGTCTC GGGAGAGAGC	14220
	CTTGGGGACC TGGTGACCCG GGAGAGGCTT GGACACCTGG TGTCCCGGGA GAGGCTTGGG	14280
35	AGCCTGGTGT CCCGGGAGAG CTTGGGGAC CAGGTGACCT TGGAGAGGCT TGGGGACCTG	14340
	GTGATCTTGG AGAGGCTTGG GGACCTGGTG TCTCGGGAGA GGTACGGGG GCTGGTTGGG	14400
40	GGAGAGAACG TTGTGAGCCA AAGTCCCTGA ATCCCTGCGA AAAGAGCGCA TCGGGAGCTC	14460
	CCCCTGAGGG CGTTCCATTT GTGGACCCCC CTCCCATGCG CTTTGCAGGG AGCTGTTCGG	14520
	ATTCCCCTGG CCCGGCTCCC GCGGATGCAT CCAGTGGCAG CGCCAATTCT GGGCCAGGGG	14580
45	GAAGGAGGAA AGGCGGGTGT GGGGTGGTCT CCACGGCTGG AGAAGGGGCG ACGCTCCCTA	14640
	GGGGAGAAGA GGCACGTTGG GGGTTTCCGG GGGCGCGGGG CGGAGCAGGC CCCCCAGTCC	14700
50	CCATCCTGCG CCCTCACCCC GCCGGGTCCG CTCCCGCAGG TCCAGGCTCA GCTGCAGCTG	14760
	GAAGGCGTGG CCCACGCGCA CCCGCACCTG CACCCGCACC TGGCGGCGCA CGCGCCCTAC	14820
	CTGATGTTCC CCCC GCCGCC CTTCGGGCTG CCCATCGCGT CGCTGGCCGA GTCCGCCTCG	14880
55	GCCGCCGCCG TGGTCGCCGC CGCCGCCAAA AGCAACAGCA AGAATTCCAG CATCGCCGAC	14940
	CTGCGGCTCA AGGCGCGGAA GCACGCGGAG GCCCTGGGGC TCTGACCCGC CGCGCAGCCC	15000
60	CCCGCGCGCC CGGACTCCCG GGCTCCGCGC ACCCGCCTG CACCGCGCGT CCTGCACTCA	15060
	ACCCCGCCTG GAGCTCCTTC CGCGGCCACC GTGCTCCGGG CACCCCGGGA GTCCTGCAA	15120
	GAGGCCTGAG GAGGGAGGCT CCCGGGACCG TCCACGCACG ACCCAGCCAG ACCCTCGCGG	15180
65	AGATGGTGCA GAAGGCGGAG CGGGTGAGCG GCCGTGCGTC CAGCCCGGGC CTCTCCAAGG	15240
	CTGCCCCGTGC GTCCTGGGAC CCTGGAGAAG GGTAACCCCC CGCCTGGCTG CGTCTTCCTC	15300

	TGCTATACCC	TATGCATGCG	GTAACTACA	CACGTTTGGA	AGATCCTTAG	AGTCTATTGA	15360
	AACTGCAAAG	ATCCCGGAGC	TGGTCTCCGA	TGAAAATGCC	ATTTCTTCGT	TGCCAACGAT	15420
5	TTTCTTTACT	ACCATGCTCC	TTCTTCATC	CCGAGAGGCT	GCGGAACGGG	TGTGGATTG	15480
	AATGTGGACT	TCGGAATCCC	AGGAGGCAGG	GGCCGGGCTC	TCCTCCACCG	CTCCCCCGGA	15540
10	GCCTCCCAGG	CAGCAATAAG	GAAATAGTTC	TCTGGCTGAG	GCTGAGGACG	TGAACCGCGG	15600
	GCTTTGGAAA	GGGAGGGGAG	GGAGACCCGA	ACCTCCCACG	TTGGGACTCC	CACGTTCCGG	15660
	GGACCTGAAT	GAGGACCGAC	TTTATAACTT	TTCCAGTGTT	TGATTCCCAA	ATTGGGTCTG	15720
15	GTTTTGTTTT	GGATTGGTAT	TTTTTTTTTT	TTTTTTTTTT	GCTGTGTTAC	AGGATTCAGA	15780
	CGCAAAAGAC	TTGCATAAGA	GACGGACGCG	TGGTTGCAAG	GTGTCATACT	GATATGCAGC	15840
20	ATTAACCTTA	CTGACATGGA	GTGAAGTGCA	ATATTATAAA	TATTATAGAT	TAAAAAATAA	15900
	ATAGCCGTGC	ACTCTTGACC	CCGTCAACGT	CCAACGTGGA	AAAGGCGTTA	CCTCTTCTCC	15960
	CAGCGCTGGC	CGCCTGGCCA	CTGAGGGCCC	TTTGCAAAAA	TCACGGGTGT	AGAGATGGCC	16020
25	CTGGGCGCGC	TGGGAGTGTG	GTTGTGTTTC	TGAAGGGGAT	AAAAGAGGGC	ACGGTGGTGC	16080
	CAAGATATCA	GTTTGGTACC	TGAGCTGTTT	CTGGTTGGGA	AGCGTAAAAG	CCAGGGAGAG	16140
30	ATCCAGAGAG	TTTTCAAGTT	TTTGCAGATG	TAGGTGGTTC	CAGCTTTTCT	TTCTCCCCTA	16200
	CTCCATCTTC	TGCGTTCCCC	CAGTTCTTTT	ATTTCTTTGT	TTTTTATTTT	TGAGACAGAG	16260
	ACTTGCTTTG	TCGCCCAGGC	TGGAGTGCA	TGGCGCAATG	TCAGCTCACT	GCCACCTCCA	16320
35	CCTCCCGGGT	TCAAGCGATG	CTCCTGCCTC	AGCCTCCCGA	GTAGCTGGGA	CTACAGGCAC	16380
	CTGCCACCAC	CCCCGGCTAA	TTTTTTGTAT	TTATAGTAGA	GACGGGGTTT	CACCGTGTTG	16440
40	GCCAGGCTCG	TCTCGAACTC	CTGACCTCAG	GTGATCTGCC	CGCCTCGGCC	TCCCAACGTG	16500
	CCCCCAGTTT	TATAAACAGC	AGATAGCAAC	TTGTCGTAC	AGCTGGCATG	GGCTGGACAG	16560
	TTGCTTGAAA	TGACCTAACC	AAAAACATTC	AAGGGTTCTG	CCCCCAGATT	TCGGGAGATC	16620
45	CACGTTCCAT	GTTCTGATTG	GTTTTCTGGG	AACACAGCAA	GGGGTTTGGT	GACCTCCGAG	16680
	AAGATCCATC	TGCATGATTG	GCATTAGTTA	CCACAGCCTG	CCCAGAGAGA	AACTATCTTC	16740
50	TCCCAACATT	TACTAACATC	CACTGGTCAA	CTCTCTTATT	TCCATAACAC	ATTTGCATCT	16800
	TTCTGGATTG	AAGCTTGGTG	GTTTTCTTTC	CTAACTTCTG	ATTTAGATAC	TTCTCCCTGA	16860
	GGTGGGGATA	AAAGAAAAAA	AAAAACAAC	TTCTTTTTTT	CTTCCGCATA	ACACTTTCTA	16920
55	TCTTGTCACT	GAGCTGAACT	GTAGATCCAT	TTGGACCCGT	CTCATTTGTA	TCTTCTGATA	16980
	TTCTTTATAC	AAACCAAAAG	TCCCCTTCAA	CATTTTTTTAT	GTCAAAATGT	TACAACCGCT	17040
60	GTAAAATGAC	GGAGAGAGAG	AGAAAGAATC	CCAGACATTA	ACGGTATTAG	AGAGTTTGCC	17100
	TCATTATCC	ATTTTCTTA	AAAGCTGGAA	ATTAAAAAAA	AAAAAGAGAG	AGAGAGGCTT	17160
	TAATAGTTAA	GCTGAAATTT	TTATCGAAAA	GAAGAATTGC	ATTTTGAATC	TTTGGGAAGT	17220
65	AGGTTTATTC	ATCAGAGTAT	GTAACCCCTT	GGAAAAGTGG	TTGGTAAGAT	ATGTACAGCC	17280

	CTAGATTTTT TTTTTTTTAA CCAAAAAGGC TGAGTAATTT TGAAAAATCG AAACATAACA	17340
	GTGTGTCATC ATTTCTCCC AAGAAAAAGC TCACTCCACG TGAGTAGAAA GACATCTACC	17400
5	TGGTCCCTGT AGAATCTGAA CGTTTCTCTT TAGAGACGGA ATTTCAATCT TGTTGCCCGAG	17460
	GCTGGAGTGC AGTGGCACAA TCTCGGCTCA CCGCAACCTC CGCCTCCCGG GTTCAAGCCA	17520
10	TTCTCTGCC TCAGTCTCCC GAGTAGCTGG GATTACAGGC ACCTGCCACC AGGCCTGGGT	17580
	AACTTTCTGG TATTTTTAGT AGAGACAGGG TTTCAGCCTC CCGAGTAGCT GGGATTACAG	17640
	GCACCTGCCA CCAGGCCTGG GTAACCTTCT GGTATTTTTA GTAGAGACAG GGTTCAGCC	17700
15	TCCCAGTAG CTGGGATTAC AGGCACCTGC CACCAGGCCT GGGTAACTTT CTGGTAGTTT	17760
	TAGTAGAGAC AGGGTTTCGG CCTCCCGAGT AGCTGGGATT ACAGGCACCT GCCACCAGGC	17820
20	CTGGGTAAC TTTCTGGTATT TTTAGTAGAG ACAGGGTTTC GGCCTCCCGA GTAGCTGGGA	17880
	TTACAGGCAC CTGCCACCAG GCCTGGGTAA CTTTCTGGTA TTTTAGTAGTAC AGACAGGGTT	17940
	TCGGCCTCCT GAGTAGCTGG GATTACAGGC ACCTGCCACC AGGCCTGGGT AACTTTCTGG	18000
25	TAGTTTTAGT AGAGACAGGG TTTCAGCCTC CCGAGTAGCT GGGATTACAG GCACCTGCCA	18060
	CCAGGCCTGG GTAATTTTTT TGCATTTTTG GTAGAGACAG GTTTTTGCCG TGTGGCCCG	18120
30	GCTGGTCTCA AACTCCTGAC CTCAGGTGA CCTGCCCGCT TTGTCCCTCG CAAAGTGCTG	18180
	GGATTACAGG CGTGAGCCAC CACACCTGGC CTGAATCTGA ACTTTTAAAA GGGAGTTACT	18240
	GA CTCTCAAC TGTGCGGGGA CGGTTTCACT TTGATTAAAT ATGGAAAGAG GGCCAAGTGT	18300
35	CATCCTCACA AATGGGTCCC CGAAGCAGAT CAAACGCAGA GAACTGTGAG GGTGGGACAC	18360
	GAGTGTCTGT GGACACTGGC TGCCTTTGGC TTTTCTCCTG CGAGAGAAGT TGGGTGACTT	18420
40	TCTGTAGGTG GATGAGTGAT CCCTGAATGA GTGTGGGGTA CGTGATGCT AGCTGCTTCT	18480
	TTCTCCCTGA AACTCTCGGA TGGAAGGAAG TAAGAAATTC AGCTGGGCT GTGACCAGTT	18540
	CTCACCACCA ACGCCCTCTT CTCTCTCCCT TCTCCTTCCT TCCTTCCTTC CTTCCTTTCT	18600
45	TTCTTTTTCT TTCTTTCTCT CTTTCTTCT TTTCTTTCT TCTGTTTCT TCCTTTTTAT	18660
	CTTTCTCTCT TTTTCTTTCT CTTTCTCTT TTTGTTTCT TCTTTCTTT TCTTTCTTTC	18720
50	TTTTTCTTTT TTCTTTCTTT CTTCGATGAA GTCTCACTCT GTCACCCAGG CTGGAGTGCA	18780
	GTGGTGCAAT CCCAGCTCAC TGCATCCTCT ACCTCCTGGC TTCAAGAAAT TCTCCTGCCT	18840
	CAGCCTCCCA AGTAGCTGGG ATGACAGGCA CCCACCACCA TTCCCGGATA ATTTTTGTAT	18900
55	TTTTTAGTAG AGACTGGGT TCGCCATGTT GGCCAGGCTG GTCTTGAACCT CCTGACCTCA	18960
	CATGATCCAC CCGCCTCAGC CTCCCAGAGT GCTGGGATTA CGGGGTGAGG CACCGCGCCC	19020
60	GGCCTCCTCT CTCTTTTTCT GAGATGTTTA GGAAGGACTG GGCTGATGGG GACCCTCTGT	19080
	ATGTGATGTG CGTGGGTTTG GTTTCCCGGA AGGCCCTCCA GAGACACGTT TGCGTGAACA	19140
	TTCAGCATGG AAACAACATA CGTCTCTCCA CAGGAGGTGA GAAATTGAAT TTATGGGGTG	19200
65	GGTGTACGCT GGCGATTCTT GGTGCTTTTT GCTCAAAACA AGGTTCTTTT GAAAGTCACG	19260
	TTCCTGCTTT CCCTGTGGCT TCCCGGTGAG CTCGCTCGCA GAGCAAGGAA TACCACCCAG	19320

	AGAGCAACGT	GGGCTGTGTT	CCGTTGTAAC	GCCGTTGCAG	AGAGAGGATT	TGGTGTGTGA	19380
	GATCCGTACC	AGCTCCAGCA	CACTGATAGG	AACACGTTGC	TGGCCGAAC	GAACGATGCT	19440
5	GGGTTGGGTC	CTGATTGATA	CGTATTTTCT	TCCCTCCTCT	CCCCAAAAC	TGGCCAAATA	19500
	GTCCGTGGAG	GTTTGTTCAGT	CGCCGCAGTT	GAGCAAAAAA	CACTTCTTCC	TTTGAGTGGC	19560
10	TGTTCTGGTG	AAATCTGTTT	CTGACATATC	CACTTTTCTC	TCTCTTTTCT	CTCTCTCTGA	19620
	CTGCCAAGCA	CCCACAGGGA	GAAGGAATTG	GATGTATCGG	ATGTTGGTAT	TAGATTTTCT	19680
	TTCTCCGTTT	GAGTCTCTGA	CTGGTGCATA	CTTTGCAAAG	GTGTGTTTCT	GGCAATTGCC	19740
15	AAGAGTTAGA	AAAATGCACC	TTCTCTGGTG	GCCGTTGGGG	TGTTGTTTCA	CAGGCAGTGG	19800
	TGACAGGGCC	CCTTGGCTGT	GGCTGTCTTC	TCCAGCGCCG	TGGATAAAGA	GACGGGACAG	19860
20	ATTCTGTGCC	TCTGTACGAT	TTAGAGCGTA	ACTGACCGCG	TCCAACACCC	GTTTTTCCAC	19920
	TTACAAAGCT	GGTGGTGCGA	CGGGCTTGGT	GTCTCCCGTA	CGGGAAGGAG	GCCTTTGGGC	19980
	CGCTCCAAAG	ACGCCCTGTC	GTAGGAATGG	CCTCTCCATC	CCGCCAAAGT	CCAGCCAGGC	20040
25	CCCCGAAATG	GTCCCATTTT	CTTGGAAGCC	TGAGTTTCTG	TTCTGGTCTT	GCTGCTGTCC	20100
	TTGGCCACGT	CAGCACGTGG	GAGCATCTGT	GGATACCGCA	GAGTCTGGGG	ACAGCTGGGC	20160
30	GTTTAACCGA	AATGAAGCCG	AGACGGGTTT	CAGGTTTTGG	TGCCAAGCTC	TGGTCAGGAT	20220
	GAAAGGGAAA	TACCAGAGTC	CTCTGTCTCT	GCCTCTGGGT	TTCATGCTGA	CCTTTCTAAC	20280
	ATTTGTTTTT	CCCTAAGAAC	AAGCAGAAGC	CTCCAGCTCC	CTTTAGCTCC	ACAGTTTTCC	20340
35	CGGGGACATA	GCGAGGATGG	CACACGGCAG	CCACTCCAC	GACACACATT	TCGGAGGCAC	20400
	TTTGCTGGAA	GCCGCTTGTC	TCCTCCAGCT	TTGGGAGGTC	TGGGGAGGAG	AGAGGCTTTC	20460
40	GGTGGACACG	TTTGACATTA	AAAAAAAAAA	AAAAAAAAAA	AAAAAACTG	GTGCCTAATT	20520
	TATTAAAGAG	AATTAGCTTA	GCGAGTATAT	GCTGATATTC	TTCGACACAC	GTGGGTAAGT	20580
	TGATGCCATT	TATAAATGTT	TTATTGAAAT	TTGATATTTA	ATGAGAAGCC	GGTTAAGGAA	20640
45	TGTAGACAAT	ATCCCGTTTC	AAAGCTATGA	AATGTGCTAT	TTATTGAAAG	GGGATGTGGC	20700
	TTCACGAGTT	CAGCCCATTT	TACGTGCAGG	TCCCGTGGGA	AGGAGGCAAA	AGCCCTGCT	20760
50	TCTTACTTTG	TGATGTATGT	GCATTTGTTA	TTTATTTTTT	TTTCCTTGGT	CGGACGTTCA	20820
	TAAATATGTA	CTATTTTAAT	TATGTCGAGT	GTAAATTTGA	CATCGCGTTG	CATTTATTTT	20880
	TATATTTCTG	AAACTGTTG	CTTTTCTTTT	TTCCCTCCCC	CATTGACGAC	ATAGCGGCCC	20940
55	CCGCGTCCGG	GTTACAAATA	CATCTACAGA	TATTTTCAGG	GATTGCTTCA	GATGAAAACA	21000
	AATCACACAC	CGTTTCCCAA	ACCAACAGTC	TTCACATTTT	TATCCCTCTG	TTATTGTCGG	21060
60	CAGGCGGTGA	GGGGTAGAAA	AAAAACAAAC	AAACAAACAG	AAAAAAAAC	CAAAAAAAC	21120
	CACCCTGAGT	TTCTCTGGTG	ACGCCCTCAT	TCTCCTAACG	TTCAATAATC	TCAATGTTGA	21180
	GTTGCAGCAA	CAGACTGTAT	TTTTGTGACG	CCCCGTAGTA	TGAATGTACA	TCTTGTAATA	21240
65	CTGAGATATA	AATAAACTTA	TAAATATTTG	TATTCAAGTG	TTAAAAAAA	AAAAATCTC	21300

	AACCTCTCCC	CTGAGGACAG	GCTTATTGGA	AAAAAAAAAA	AAAAAAAAAA	ATCCTGAGTC	21360
	GGCCGTGGCT	GAACACAGAG	TGTTGTTCTG	CTCCGTGCAT	TTCCAGGGTG	GGTACCCAGT	21420
5	GTTGCCCCC	AGCCTTAGAT	CGGGAGGTAC	CATTGACTTT	TGCTTGTATC	CCATCCCCTT	21480
	CCTTTACTGA	AACCTACCTC	CCCGCTTCTC	AGCCAACGTC	CCCCCAGAAG	GTGGCAAAAA	21540
10	AAACAGAGGA	AAAAGCCCTG	ATTTGAATCA	AGTCAGAGCT	GCTAATTCTC	CACTTTCTTT	21600
	AATTAATTAA	TTTATTTTTT	TTTTTGAGAC	TGAGTCTCGC	TCTGTCGCCC	AGGCCGGAGG	21660
	AGTGCAGGGG	CGCGATCTCG	GCTCACC GCG	ACCTCCGCCT	CCCGGGTTCA	AGCGACTCTC	21720
15	CTGCCTCAGC	CTCCCAGTA	GCTGGGATGA	CAGTCACCTG	CACCACCGCG	CCCGGCTCAT	21780
	TTTTGTATTT	TTAGTAGCAA	TGGGGTTTCA	CCGTGTTGGT	CAGGCTGGTC	TCGAACTCCT	21840
20	GACCTCGTGA	TCCACCCGCG	TCTGGGCCCC	GCCGGTGATG	TGTGTGCTTT	TAACTTTAT	21900
	TTTGTTCAG	TTTTCGACAG	TGGCACGGAT	TTTCCAGCAC	GGTCTTGCAA	GGATGATTGA	21960
	GTCATTTTTG	AGACAAAAAA	TATAATAATA	ATAAATGGAA	AAAGAAATCG	ACTTTTAAAA	22020
25	ATGACAAATT	TTTTTTTTTT	TTTTTGCAT	AGATTTTTCT	CTCTTTATGT	AAAGGAAAGT	22080
	TCATGATTGG	ATTTGGCCGG	CCTGACTGCT	TCCCGGCTGT	GATAAAAAAC	ACATGTGAGC	22140
30	TGGGAGGGAA	GTGGGGGAGG	GACACAGCTG	CCCACACAGG	GTTCCCACCG	CGGTTACAGG	22200
	GTGGGCAGTG	CTGGGGGAGC	TTTCTCTGTG	GGGGGCTCAG	AGCCTGAGGA	CAGGTGAGCC	22260
	TCTCCGACAC	CTCCCCAGTT	GCCTGGAGTC	TAAACCGTCC	GTTGTCTGTA	CCGTCCGTTC	22320
35	TTCCTGCTGA	CTCCTGGTAG	TTCTGAAAG	CTTCTCTTGG	CCAGAGAAGG	GTTTCAGAG	22380
	GCCGTGTGTC	CAGGCCATTC	TGCAAAGTGC	AACTTGACCG	TTCTTTCTCT	TTTCTGGCCT	22440
40	GCGTGGTCTG	AAGCTCAGAG	CCCTCTCTTC	ACCCAGCCTG	TGTGTGTCTT	GCCGGACAGA	22500
	AGAAAAATGG	TGCTTTTTTG	GTGTTAGCAG	AGGTGCTTTT	CATGGCTGAC	CTCAACGCGT	22560
	CCATCTCCAG	CCTTGACCAA	GCTGTTTTTT	AGGGGCAAAC	GCAGGCAAGT	TCTGAATGCA	22620
45	CACAGTTATT	TCATGGTTAA	ACTATTCAGC	TTTGGCCGGG	CGCAGTGTGG	CTCTCACGCC	22680
	TGTCATCCCA	GCACTTTGGG	AGGCCGAGGC	GGGTGGATCA	CCTGAGGTCA	GGAGTTTCAG	22740
50	ACCAGCCTGG	CCAACACGGT	GAAACTCTAT	CTCTACTAAA	AATACAAAAA	TTAGCCGGGC	22800
	GTGGTGGTGT	GTATCTGTAA	TCCCAGCTAC	TCAGGAAGCT	GAGGCAGGAG	AATCGCTTGG	22860
	ACCCAGGAGG	CGGAGGTTGC	ACTGAGCCGA	GATCGCGCCA	TTGCACTCCA	GCCTGGGCGA	22920
55	CAGAGCCAGA	CGCTGTCTCA	AAAAAATGAA	TAATAAAATA	AAATAACAGG	AACTAAATAA	22980
	AATAAAACGT	TCAGCTTTGT	TCTGCAAATC	CACTCCTATT	GTTTTACGTG	GTTTGAGAGA	23040
60	CTCTGTCCCT	TAGAAATAGA	TGTTTGTTGC	CAATTGTAAT	GAATCTGTTT	CAAAAATGAA	23100
	CAGAATATTC	AAATGGTTTG	AGAGATCTTT	TCCCTTAGAA	ATAGCTTGTT	GCCAATCACA	23160
	AAGAATGTTT	TTCAAAAATG	AATGGAATCT	TCCTGGATAT	CGCTTCCAGA	TCTTCATTTT	23220
65	TTTTGCATAG	TTCAACCTGA	AAAGTAAGTG	TCTCAGCCCT	GAATTTCTTT	CTGATTTTTTC	23280
	CATGGGTTGT	CTTGCAGACT	TCTCTGGACT	TGACCACATT	TAAAAAAA	AAAATTAAC	23340

	TTTTCACACG	GACACGGTTT	CAATAGGAAT	GAGATCTTTG	AGTTTTTATG	TAACAGATTG	23400
5	TTACCATCAG	TTCTCAGATT	CCCAAATTAC	ACACAAAAAG	CCACGGACTT	CGCCTCCTGC	23460
	TAACATGTCC	TTCTGTTTCT	GAGGCTTCTG	TTGGTGTTAG	ACTTTCATGT	TTAATAGCAG	23520
	ACAATGTAGG	GATTTAAAGA	AAAATGCAGA	GAAAGCAAAA	ACACTGACCA	AACACACGGA	23580
10	GATAAGCTTT	CTAAAGCCTT	TGTTCTTGGA	GTTGTCGTTA	AAAAAAAAAA	GTTGTTTTAA	23640
	ACTTTGCAAG	CATGCCTATA	TTGAACTCAT	AAGCAAGAGA	GCCAAGAAAA	ATAGTGTCGG	23700
15	TCGTCTACTC	TACACGTTTT	CCCAAAACAG	ACGTATTTTA	ATTTCTTTTG	TTTGAACTCA	23760
	CAGATGCTGA	GAGTTAAAAG	TTAAATTTTT	GTCATGAACA	ATAGTGGCCA	AAACCACAGT	23820
	TACTTTTGCA	CTATAGCATA	ATAAGAAAAA	TACAGGCTGG	GCTCGGTGGC	TCACACCTGT	23880
20	AATCAAAGCA	CTTTTGAGG	CGAAACAGCC	AGATCCCTTG	AGCCCAGGAG	ATTGAGACCA	23940
	GCCTGGGCAA	CATAGCGAGA	CCCTCATCTC	TACAAAAAAG	GTTTGTTACA	TATGTAACAA	24000
25	ACCTGCACAT	TGTGCACATG	TACCTAAAAA	CTTAAAGTAT	AATAATAAAA	AAATTAAAAA	24060
	AAAATTCAAC	AATCAACTGC	CTGCTGGTGC	CTTCAAGAGA	CTCACCTAAC	ACATAAGGAC	24120
	TTGCATAAAC	TTATAAAACA	ATTCAATGGA	AGAATCCTTG	AAAGTATTCT	GAGAAGACAG	24180
30	TATAATAAAC	TGATTTCTAA	AAAGGCTATA	AAAAATTGAA	TAAATCATTG	TTGGGCATCC	24240
	TGTGCTGAAA	TATAATGCAG	CCAATAAAAA	TTACAAAATG	AATAAACATT	TTATAACAAT	24300
35	AAAAAAAAGT	CAAATAATTA	GGCAGGCATG	GTGGTGCTCT	CCTACGGTTG	AAGCTATTCA	24360
	GCAGGCAAGA	GGATACTTTG	TTTTTGTTTT	TTAATTTTTT	TTGAGACAGA	GTCTCGCTCT	24420
	GTTGCCAGGC	TGGAGTGCAG	TGGCGTGATC	TCAGCTCACT	GTAATTTCTG	CCTCCCGGGT	24480
40	TCAAGCGATT	TTCCTGCCCC	AGCCTCCCGA	GTAGCTGGGA	TTACAGGTGC	CCGCCACCAC	24540
	ACCTGGCTAA	TTTCTTTTGT	ATTTTATAGT	GAGACGAGGT	TTCCCATGTG	TGGCCAGGCT	24600
45	GGTTTTGAGC	TCCCGACCTC	GGGTGATCCA	CCCGCTCAG	CCTCCCAAAG	TGCTGGGATG	24660
	ACAGGCGTGA	GCCACCGCGC	CTGGCCCAGG	AGGATTATTT	GATCCCAGGA	GGTGGAGGCT	24720
	GCAGGAAGCC	ATGATTGCAC	CACCTGCACTC	CAGCCTGGCT	GACAGAGTGA	GACCACATCT	24780
50	CTAAATAAAT	GAATAAATAC	AGGCAGAAAC	TTTTTTTGTT	TTGTTTTGAT	GGAGTCTTGC	24840
	TCTGTCACCA	GGCAGGAGTG	CAGTGGTGCC	ATCTCAGCTC	ACTGCAACCT	CCACCTCCTG	24900
55	GGTTCAAGCA	ATCCTCCTGC	CTCAGCCTCC	CGAGTAGCTG	GGATTACAGG	TGCCC GCCAC	24960
	CACGCCCCGC	TAATTTTTTG	TATGTTTAGT	AGAGACGGGA	TTTCACCGTG	TTAGCCAGGA	25020
	TGGTCTTGAT	CTCTTGACTT	TGTGATCTGC	CTGCCTCAGC	CTCCCAAAGT	GCTGGGATTA	25080
60	CAGGCATGAG	CCCAGGAGTT	CAAGACCAGC	CTCAGCAACA	AAGTGAGACC	TTTTCTCTCC	25140
	AAAAAATCAA	AAATTTAGCC	AGCTGTGGTG	GCTCCTGCCC	GTGATCCCAG	TACTGTGGGA	25200
	GGCTGAGGCA	GAATTGCTTG	AGCCCAGGAG	TTGAGACCA	ACCTCAGCAA	AAAGGACTCT	25260
65	CTCTCTCTCT	CTCTCTCTCT	CTCTCTCTCT	CTCTCTATAT	ATATATATAT	ATATATATAT	25320

	GAGTTTCAAA AATTGCTGGG TGACCAGCTC ATCTACTGGT TTTCCCTTG GGAAAGTGAA	25380
	ATTGTCATGT ATTGAAGATT TCCAAGGAAG TTGTATTGAA TGAGAAACAA ACTCAATCTG	25440
5	TTCGTGTTTA AAGAGCTGCA GTGCGTTTGC TGTGTTTCCC ATAAAACTGC ACTTCCAAAA	25500
	GACACGCTGA GAAAGGAGAC CAGGATTTGT AATTCAGAAA TTGGAAAGCA AGTTAGGCTG	25560
10	GACGTGGTAG CTCATGCTTG TTGTAATCTC AGCACTCTGG GAGGCTGAGG CAGGAGGATC	25620
	ACTTGAGCCC AGGAGTTCAA GACCAGCCCG TGCCACATGG TGAAACCTG TCTCTCCAAA	25680
	AAATAAAACA TTTAGCCAGA TGTGGTGACT CATGCCTGTA ATCCCGGTAT TCTGGGAGGC	25740
15	TGAGGCAGAG TTGCTTGAGC CCAGGAGTTC AAGACCAGCC TCGGCAACAA AGTGAGACCC	25800
	TGTCTCTCCA AAAAATAAAA CATTTAGCCA GCTGTGGTGA CTCATGCCTG TAATCTCAGT	25860
20	ACTCTGGGAG GCTGGGGCAG AATGGCTTGA GCCCAGGAGT TCGAGACCAA CCTCAGCAAC	25920
	AAAGTGAGAT CTTGTTTCTC CAAAAAATCA AAAATTTAGC CAGCTGTGCT GGCTCATGCC	25980
	TGTAATCCCG GTACTCTGGG AGGCTGAGGC AGAATCGTTT GAGCCCAGGA GTTCGAGACC	26040
25	AACCTCAGCA ACAAAGTGAG ATCTTGTTTC TCCAAAAAAA TCAAAAATTT AGCCAGCTGT	26100
	GCTGGCTGGT GCCTGTAATC CCGGTACTCT GGGAGGCTGA GCGGAATTG CTTGAGCCCA	26160
30	GGAGTTCAAG ACCAGCCTCA GCAACAAAGT GAGATCTTGT TTCTCCAAAA AATAAACAT	26220
	TTAGTCAGCT GTGGTGGCTC AAGCCTGTGA TCCCAGCATT TTGGGAGGCC GAGGCGGGCG	26280
	GATCACGAGG TCATGAGATC GAGACCATCC TGGCTAACAC GGTGAAACCC CGTCTCTACT	26340
35	AAAAATACAA AGAAAATTAG CCGGGCGTGG TGGCGGGCGC CTGTAGTCCC AGCTACTCAG	26400
	GAGGCTGAGG CAGGAGAATG CCGTGAGCCT GGGAGGCGGA CCATGCAGTG AGTCAAGATC	26460
40	GCGCCACTGC CCTCCAGCCT GGGCCACAGA GCAAGACTCC GTCTCAAAAA AAAAAAAAAA	26520
	AAAAGTGCTG CCCAACCTGT GTTTGCACCA CTGCCCTCCA GCCTGGGCAA CAGAGCAAGA	26580
	CTCCGTCTCA AAAAAAAAAA AATGCTGCCC AAGCTGTGTT TGCACCACTG CCCTCCAGCC	26640
45	TGGGCAACAG AGCAAGACTC CGTCTCAAAA AAAAAAAAAA AAAATGCTGC CCAAGCTGTG	26700
	TTTGCACCAC TGCCCTCCAG CCTGGGCAAC AGAGCAAGAC TCTGTCTCAA AAAAAAAAAA	26760
50	AATGCTGCCC AAGCTGTGTT TGCACCACTG CCCTCCGGCC TGGGCAACAG AGCAAGACTC	26820
	CGTCTCAAAA AAAAAAAAAA AATGCTGCCC AAGCTGTGTT TGCACCACTG CCCTCCAGCC	26880
	TGGGCAACAA AGCAAGCCTC AGCTTTCTGC CATCTCCACA ACCAAGAAAG CAATTCACAC	26940
55	AGAAATCAGT GCATCGTGCA GTGACCTCTT CAGAAAACCA ATGAGTTTTT CACCTGAGGA	27000
	ACTGTTTCTG AGCCCCATTC AGAAAAACAC ATCCCTGTAA CTGCAGGGCA GATTTACTCA	27060
60	CTGTATGCCT GTTTAAATAA AGCTTCCAGC CTCTGCATGG GGTCTGTCTG GAAGCTCCTG	27120
	TATCTGTCCC ACATTCTTGG AATCACAATG CACCCTTGGG AGGAAGATAT GTATTTAAAG	27180
	GGAGTGGATG TTATGGTGAG AAAATGCTGC CCATCCTTCT AGAAGACAAA AGCCACACAA	27240
65	AATACATCAC AAGAACCAGT TTTTTCAGA GAAGAACCTG CACAAAGAAC CTGCTCCCCC	27300
	CACACCCCCA CACACAGGTG AATTAACAGG ATGTATGTTT TATCATAAAA GCACAGGTTT	27360

	GTTTCCTATG	CACTCTCTGA	GGATTTGGCC	ATATGCAAAG	ATGTACAAAA	ACCTTCTCTT	27420
	TCCCCAGGGA	ACCGTAACCC	GTCTGAAAAG	ATGCCCTTCT	CAGAAGCGAG	TTGAACGATT	27480
5	GTTGGAAAAG	ATAAAATACG	ACGTGCACAC	ACACAGTAGA	GAAATGTCAC	CCATGCAAAT	27540
	TATGTGTTTG	AATGGAACAC	ATTCAGGAAG	CTAAATGGGG	TATGACCACA	CATTTGGGTT	27600
10	GATTTATTTG	ACGAGTGGAA	GGGGCAGATG	GAAATGAATA	CTGCTGTTTT	CCTTTGGAAG	27660
	GCCATATATG	GGAATACCAA	GAGGATTACT	TTGGAAGTTT	AGCTTCTCCA	GGTGGTCTCT	27720
	CTCTCTCTCT	CTTTTTTTGA	GACAGAGTCT	CACTCTGTCA	CCCAGGCTGC	AGTGCAATGG	27780
15	CGTGCTCTCG	GCTCACTGCA	ACCTCAGCCT	CCCAGGTACA	AGCGATTCTC	CTGCCTCAGC	27840
	CTCCCGAGTA	GCTGGGATCA	CAGGTGTGCA	CCACCACGCC	TGGCTAATGT	TTGTATTTTC	27900
20	AGTAGAGATG	AGGTTTTACC	ATGTTGGCCA	GGCTGGTCTT	GAACCTCTGA	CCTCAGGTGA	27960
	TCCGCCTGCC	TCGGCCTCCC	AAAGTGCTGG	GATGACAGAC	ATGAGCTAGC	ACGCCCCGCC	28020
	CCAGGTGGTC	TTTTTAGCGG	GTATTAAAGC	AGCTTCTCT	CTGAGCCTTA	AACCATGAAG	28080
25	ATAGACAGAC	TCAGTGTATG	GGTTTTAGAG	TTGTAATTTT	ATAAAAATAA	GAAAAAGTCG	28140
	ACCTATCATT	GATGGTTAGT	ATTTTTTGTA	GCAGTTGCAT	GCAATATTAG	GATAAGGCAT	28200
30	GTTCTCAAAA	AGAACTCTTT	TTTTTTTTTT	TTGAGACGG	AGTCTCGCTC	TGTCACCCAG	28260
	GCTGGAGTGC	AGTGGCACGA	TCTCCGCTCA	CTGCAAGCTC	CTCTTCCCGG	GTTACGCCA	28320
	TTCTCCTGCC	TCAGCCTCCC	CAGTAGCTGG	GACTACAGGC	GCCCGCCACC	ACGCCCCGGT	28380
35	AATTTTTTGT	ATTTTTAGTA	GAGACGGGGT	TTCACCATGT	TAGCCAGGAA	GGTCTCGATC	28440
	TCCTGACCTC	ATGATCCGTC	CGCCTCAGCC	TCCCAAAGTG	CTGGGACTAC	AGGCGTGAGC	28500
40	CACTGCACTT	GGCCTTTTTT	TTTTTTTAGA	TGGAGTTTGT	CTCTTGTCGC	CCAGGCTGGA	28560
	GTATAATGGC	ATGATCTCGA	CTCACTGCAA	CCTCCGCCTC	CCGAGTTCAA	GCGATTCTCC	28620
	TGCCTCAGCC	TCCCAGTAG	CTGGGATTAC	AGGTGCCCAC	CACCATGTCA	AGATAATGTT	28680
45	TGTATTTTCA	GTAGAGATGG	GGTTTGACCA	TGTTGGCCAG	GCTGGTCTCG	AACTCCTGAC	28740
	CTCAGGTGAT	CCACCCGCCT	TAGCCTCCCA	AAGTGCTGGG	ATGACAGGCG	TGAGCCCCTG	28800
50	CGCCCGGCCT	TTGTAACCTT	ATTTTAAATT	TTTTTTTTTT	TTTAAGAAAG	ACAGAGTCTT	28860
	GCTCTGTCAC	CCAGGCTGGA	GCACACTGGT	GCGATCATAG	CTCACTGCAG	CCTCAAATC	28920
	CTGGGCTCAA	GCAATCCTCC	CACCTCAGCC	TCCTGAGTAG	CTGGGACTAC	AGGCACCCAC	28980
55	CACCACACCC	AGCTAATTTT	TTTGATTTTT	ACTAGAGACG	GGATCTTGCT	TTGCTGCTGA	29040
	GGCTGGTCTT	GAGCTCCTGA	GCTCCAAAGA	TCCTCTCACC	TCCACCTCCC	AAAGTGTTAG	29100
60	AATTACAAGC	ATGAACCACT	GCCCGTGGTC	TCCAAAAAAA	GGACTGTTAC	GTGGATGTTT	29160
	TAGCTTCCTG	TTCTCGTCTT	TTCTTTGTGA	ATTGTACAGT	TTGAGGGTGT	GTGTGCGTGT	29220
	GCGCACGTGT	GTGTGTGCAG	TCTCCTGATT	TCATGTATTT	AATTGTTATT	ACCACCACCT	29280
65	CCATCTCTCA	TTCCTTCTTA	CCCTCACTGT	GTAAAGATAC	ATGTTGTTTT	TAAATTTTAT	29340

	GTATTTATAT TTATTTATTT GTATTTCTGA GACAGAGTCT CACTCTGTTG CCCAGGCTAG	29400
	TGGCATGATC TCAGCTCACA GCAACCTTTG CCTCCTGGGT TCAAGCGATT CTCCTGCCTC	29460
5	AGCCTCCCGA GTAGCTGAGA TTACAGGCAC ACACCACCAC ACCCGGCTAG TTTTGTTTTG	29520
	AGACGGAGTC TCGCTCTGTT GCAGGCTGCA GTGCAGTGGC GTGATCCTGG CTCACTGCAA	29580
10	CCTCTGCCTC CTGGATTCAA GCGATTCTCC TGCCTCAGCC TCCCAAGTAG CTGGGATTAC	29640
	AGGCGCCAC CGCCACACCT GGCTAATTTT TTATTGGTAG TAGAGACGGG GTTTCTCCAT	29700
	GTTGACCAGA CTGGTCTTGA ACTCCCAACC TCGGGTGATC CACCACCTG GGCCTCCCAA	29760
15	AGTGCTGGGA TGACAGGCGA GGGCCACCGC GTCCAGCCTT CTTCTTCTTC TTCTTTTTTT	29820
	TTTTTTTAAG ATGGAGTTTC ACTCTGTTGC CCAGGCTGGA GTGCAGTGGT GCAATCTCGG	29880
20	CTCCCTGCAA CCTCCACCTC CCAGGTTCAA GAAATTCTTT TGCCTCAGCC TCCCGAGTAG	29940
	CTGGGACTAC AGGTGCCCCG CACCACACCC ACCTAATGTT TGTATTTTTT TGGTAGAGAC	30000
	GGGGCTTCAC CACATTGGCC AGGCTGGTCT TGAACCTCTG ACTTCAGATG ATCCTCCTGC	30060
25	CTCAGCCTCC CAGAGTGTG GGATTACAGG CGTGAGCCAC GGTGCCCCGC CAGACGTCAT	30120
	GTCTTAGGAA ATCAGAAAGT GGGTAGTTTC CGCACTCTGA GGAGAAAAAG AGACGTCCGG	30180
30	CGAAGAGAAA GGAGAGTGAA AGGATGTCTC CTCTTGCTG TAGCCTGTTC TCAATCGTGA	30240
	GTGAGCCAAT TGCCAGAAAC TGAGGGTGCT TCATTTGGCC AGGCAAGCTT CTCAACAGAA	30300
	TGTCTAAGTA CTTGTTAATG CTGAGAAGCT CTCCAAGCTA CTGCACTCCA GCCTGGGTGA	30360
35	CAGAGCACGA CCTTGTCTGA AAACAATTAA TTAATCAATT AATTAATATA ATGAAATCAT	30420
	ACTGAACTCA GGAGACCATT GGGGTGGGCA GGGCTGGGGT TGGAAAGGAA CATAAAATAT	30480
40	GGTGCAATGG ACTTTGCTCC AGTCTCCCTC CCCATCTCTT CTCGCCAAGA GTCTCTGGAG	30540
	GGAGCATGGG GAAGATGCTT TGGGAATCTG TAACTTCTTG TCTTGTAAC AGAATATCTA	30600
	AGTAATTGTT AATGCTGAGA AGTTATAGAT TTCCAAAGCC TTTCTCCAGG CTACGGACAA	30660
45	GGGTCATGGG TTA CTAGTG TTACAGAAAG AATGACATGG AGATGTTTGT TACATCTTAA	30720
	GGAACCATGA GGGGCCAGAG TATTTTACTC TAAGTGTA TAGGTACATTG GCCACGCCTG	30780
50	TCCCAACACC ACCAATGGTG GCACCTAACT TTTGTGTTTG TGCCCCACAT TTCTTCTTCT	30840
	TTTCTGACGT AAATGCAAGT GATATTCTTT GGAAACCATG CTGCAGCAAG AGGCCATCTG	30900
	ACTACTAGTG ATACCCTGTA GCTCACCTAC AGCAGCTCAC TTGAAGCAGC TCACCCATAG	30960
55	CTCAGGTATA GCTCACCTGC AGCGGCTCAC CTGTAGCTCA CGTGTAGCTC ACTTGTAGCA	31020
	GCTCACTGGT AGCTCACCTG CAGCAGCTCA CCTGTACCTC ACCTGTACCT CACCTGCAGC	31080
60	AGCTCACCTG TAGCTCACCT GTACGTGAGC CACCGTACCC GGCCAGCAAG ACCCCATTTC	31140
	TAAAAATAAT ACACAAAAAT TAGCCGGACG CGGTGGCGCG TGTCTGTAGT TGTAGCTACT	31200
	CAGGAGGCTG AGGTGGGAGG ATTGCTGGAG GCTGGGAGGT AGAGGCTGCA GTGAACCGTG	31260
65	ATCCAGCCAC TGTACTCTAG CCTGGATGAC ATAGCAAAAC CTTGTCTCAA AAAACAAAAA	31320
	CAAAAAACAA AACAAAGAAA CAAACAAAAA ACCCAGACAC ACCGAAAAAC AAAACAAAAA	31380

5 GCAAAAAGGA AAGAAAAGAG AGCCAGGTCC CAAATATATA TTTCCTTGGA GAACCATTG 31440
CAAAGAGCAC ACTTAAGGCC GGGCGCGGTG GCTCACGCCT GTCATCCCGG CACTTTGGGA 31500
GGCCGAGGTG GGTGGATCAC GAGGTTGGGA GATCGAGACC ATCCTGGCCA ACATGGCGAA 31560
ACCCCATCTC TACTAAAAAT ACAAAAAATC AGCCAGGTGC TGAGGCAGGT GCCTGTAGTC 31620
10 CCAGCCACTC AGGAGGCTGA GGCAGGAGAA TGGCATGAAC CTGGGAGGTG GAGGTTGCAG 31680
TGAGCCGAGA TCGCGCCCCCT GCACTCCAGC CTGGGCGACA GAGCGAGACT CCTTCTCAA 31740
TAAATAAATA AATAAATAAC AAAGAGCAAA CTTAAAATTG TCTCAGAAAT CCCACGGGAT 31800
15 ATTGGATCTC CCTCATGCCT ATCTGATGAC ACTTTGAGTG TCTGGGGCCC CGTGCCATT 31860
TTCTGGGGTT CCCAGAAGCT GCCGTCTGA AAGTGTGGCT CTCGGGGACG TGGCACAGGT 31920
20 GTGGATGTCT GTTTTAAATG TCAGGCGTTT GGACGTTGAG GAACGTGAGG CTGAAGGTCG 31980
CCTTCGCCGA CCCCTGAGT TTAGGGTCCT GCCTTTTAAA ATCTTCCCAG CACTCTGTTG 32040
TTCACGCAAG CGTCCCATCT GTTTGGGTGG CCGTGCCGTC TGCATCTGTC TCGAACCTTC 32100
25 ACAGCTTTGC AGAATATCCT GTTCTCAAT ACGGATGGAG AAACACGAGA CGCGTTTTCT 32160
GGGTTATTTT AGCCGTCACG GAGAACCCCA GACTCATGTG TGCTAATGAC CTCATTAATG 32220
30 ATACTCTGAG GCAGACAGCC CTGCCTGATC TTAACAACAT TTTTAAATT TCTTTTTTTG 32280
TTGTTGTTGT TACAGCATCA TTCATATAAC GTAGGAAACC GTGATCAGTA GCTTTTAGGA 32340
TATTTGCAAC AGGGTGTAAC ADAAABD 32367

35 (2) INFORMATION FOR SEQ ID NO: 15:
(i) SEQUENCE CHARACTERISTICS:
40 (A) LENGTH: 806 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear
(ii) MOLECULE TYPE: other nucleic acid
45 (A) DESCRIPTION: /desc = "SHOT"
(ix) FEATURE:
50 (A) NAME/KEY: CDS
(B) LOCATION: 43..615

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15:
55 GTGTCCCCGG AGCTGAAAGA TCGCAAAGAG GATGCGAAAG GGATGGAGGA CGAAGGCCAG 60
ACCAAAATCA AGCAGAGGCG AAGTCGACC AATTTACCC TGAACAACCT CAATGAGCTG 120
GAGAGGCTTT TTGACGAGAC CCACTATCCC GACGCCTTCA TGCGAGAGGA ACTGAGCCAG 180
60 CGACTGGGCC TGTCGGAGGC CCGAGTGCAG GTTTGGTTTC AAAATCGAAG AGCTAAATGT 240
AGAAAACAAG AAAATCAACT CCATAAAGGT GTTCTCATAG GGGCCGCCAG CCAGTTTGAA 300
65 GCTTGTAGAG TCGCACCTTA TGTC AACGTA GGTGCTTTAA GGATGCCATT TCAGCAGGTT 360
CAGGCGCAGC TGCAGCTGGA CAGCGCTGTG GCGCACGCGC ACCACCACCT GCATCCGCAC 420

68

CTGGCCGCGC ACGCGCCCTA CATGATGTTC CCAGCACCGC CCTTCGGACT GCCGCTCGCC 480
 5 ACGCTGGCCG CGGATTCGGC TTCCGCCGCC TCGGTAGTGG CGGCCGCAGC AGCCGCCAAG 540
 ACCACCAGCA AGGACTCCAG CATCGCCGAT CTCAGACTGA AAGCCAAAAA GCACGCCGCA 600
 GCCCTGGGTC TGTGACVCCA ACGCCAGCAC CAATGTCGCG CCTGTCCCGC GGCACCTCAGC 660
 10 CTGCASNCCC TNDDKANMCG TTRCTYHTCM ATTACACTTT GGGACCYCGG GDBAGVCCTT 720
 TTNNAGACTT YVATKGGSCW CSCTGGBCCC TBRKGAVVAC TTGSGHYCGR GAACCGAKHT 780
 GCCCABAYGA GGACCRGTTT GGA KDG 806
 15

(2) INFORMATION FOR SEQ ID NO: 16:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 190 amino acids
 20 (B) TYPE: amino acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide
 25

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 16:
 30

Met Glu Asp Glu Gly Gln Thr Lys Ile Lys Gln Arg Arg Ser Arg Thr
 1 5 10 15
 Asn Phe Thr Leu Glu Gln Leu Asn Glu Leu Glu Arg Leu Phe Asp Glu
 20 25 30
 Thr His Tyr Pro Asp Ala Phe Met Arg Glu Glu Leu Ser Gln Arg Leu
 35 40 45
 Gly Leu Ser Glu Ala Arg Val Gln Val Trp Phe Gln Asn Arg Arg Ala
 50 55 60
 Lys Cys Arg Lys Gln Glu Asn Gln Leu His Lys Gly Val Leu Ile Gly
 65 70 75 80
 Ala Ala Ser Gln Phe Glu Ala Cys Arg Val Ala Pro Tyr Val Asn Val
 85 90 95
 Gly Ala Leu Arg Met Pro Phe Gln Gln Val Gln Ala Gln Leu Gln Leu
 100 105 110
 Asp Ser Ala Val Ala His Ala His His His Leu His Pro His Leu Ala
 115 120 125
 Ala His Ala Pro Tyr Met Met Phe Pro Ala Pro Pro Phe Gly Leu Pro
 130 135 140
 Leu Ala Thr Leu Ala Ala Asp Ser Ala Ser Ala Ala Ser Val Val Ala
 145 150 155 160
 Ala Ala Ala Ala Ala Lys Thr Thr Ser Lys Asp Ser Ser Ile Ala Asp
 165 170 175
 Leu Arg Leu Lys Ala Lys Lys His Ala Ala Ala Leu Gly Leu
 180 185 190
 65

Claims

1. An isolated human nucleic acid molecule encoding polypeptides containing a homeobox domain of sixty amino acids having the amino acid sequence of SEQ ID NO: 1 and having regulating activity on human growth.
2. A nucleic acid molecule according to claim 1 which is selected from the following group:
 - a) an isolated DNA molecule comprising a nucleotide sequence (i) encoding a polypeptide containing a homeobox domain of sixty amino acids having the amino acid sequence of SEQ ID NO: 1 and which has the biological activity to regulate human growth, or (ii) encoding a polypeptide containing a homeobox domain of sixty amino acids having the amino acid sequence of SEQ ID NO: 1 except that one or more amino acid residues have been deleted, added or substituted but which retains the same biological activity of regulating human growth;
 - b) an isolated DNA molecule comprising the nucleotide sequence of SHOX ET93 [SEQ ID NO: 2] and the nucleotide sequence of SHOX ET45 [SEQ ID NO: 4] or fragments thereof;
 - c) nucleic acid molecules capable of hybridizing to the DNA molecules of a) or b); and
 - d) DNA molecules comprising a nucleotide sequence having a homology of seventy percent or higher with the DNA molecules of a) or b).
3. A DNA molecule according to claim 2 which encodes a polypeptide having an N-terminal and/or C-terminal amino acid extension to the homeobox domain of sixty amino acids of SEQ ID NO: 1.
4. A DNA molecule according to claim 3 which encodes a polypeptide having a length of 150 to 350 amino acids.
5. A DNA molecule according to any of claims 2 - 4 further comprising the nucleotide sequence of SHOX G310 [SEQ ID NO: 3].
6. A DNA molecule according to any of claims 2 - 5 further comprising the nucleotide sequence of SHOX G108 [SEQ ID NO: 5].

7. A DNA molecule according to any of claims 2 - 6 further comprising the nucleotide sequence of SHOX Va [SEQ ID NO: 6] or SHOX Vb [SEQ ID NO: 7].
- 5 8. A DNA molecule according to any of claims 1 - 4 which encodes a polypeptide which is selected from the following group:
 - a) transcription factor A having essentially the amino acid sequence of [SEQ ID NO: 11];
 - b) transcription factor B having essentially the amino acid sequence of [SEQ ID NO: 13]; and
 - 10 c) transcription factor C having essentially the amino acid sequence of [SEQ ID NO: 15].
- 15 9. DNA sequence comprising the nucleotide sequence of SHOX ET93 [SEQ ID No. 2].
10. A DNA sequence according to claim 9 further comprising the nucleotide sequence of SHOX G310 [SEQ. ID NO. 3].
- 20 11. A DNA sequence according to claim 9 or 10 further comprising the nucleotide sequence of SHOX ET45 [SEQ ID NO. 4].
12. A DNA sequence according to any of claims 9 - 12 further comprising the nucleotide sequence of SHOX G108 [SEQ ID 5].
- 25 13. A DNA sequence according to any of claims 9 - 12 further comprising either the nucleotide sequence of SHOX Va [SEQ ID 6] or SHOX Vb [SEQ ID 7].
14. A DNA sequence according to claim 9 comprising the nucleotide sequence of SHOX ET93 [SEQ ID No. 2] and the nucleotide sequence of SHOX ET45 [SEQ. ID. No. 4].
- 30 15. A DNA sequence according to claim 9 comprising the nucleotide sequence of SHOX ET93 [SEQ ID NO 2], the nucleotide sequence of SHOX ET45 [SEQ. ID. No. 4] and the nucleotide sequence of SHOX G108 [SEQ ID 5].
- 35


16. A DNA sequence according to any of claims 9 - 15 comprising the nucleotide sequences of SHOX G310 [SEQ ID NO. 3], SHOX ET93 [SEQ ID NO 2], SHOX ET45 [SEQ ID No. 4] and SHOX G108 [SEQ ID 5].
- 5 17. A DNA sequence according to claim 17 further comprising the nucleotide sequence of SHOX Va [SEQ ID No 6].
18. A DNA sequence according to claim 16 further comprising the nucleotide sequence of SHOX Vb [SEQ ID No. 7].
- 10 19. A DNA sequence according to claim 9 consisting essentially of the isolated genomic sequence of the PAR1 region identified in [SEQ ID No. 14].
20. A DNA sequence comprising the nucleotide sequence of SHOX ET92 [SEQ. ID No. 9].
- 15 21. A DNA sequence according to any of claims 9 - 20 whereby the DNA is a genomic or isolated DNA responsible for regulating human growth.
22. A DNA sequence according to any of claims 9 - 21 whereby the DNA is a cDNA.
- 20 23. A cDNA according to claim 22 consisting essentially of the nucleotide sequence of SHOXa [SEQ ID No. 10] or SHOXb [SEQ ID NO. 12].
24. A cDNA according to claim 22 consisting essentially of the nucleotide sequence of SHOT [SEQ ID No. 14].
- 25 25. A human growth protein (transcription factor SHOXa) having the amino acid sequence given in [SEQ ID No. 11] or a functional fragment thereof.
- 30 26. A human growth protein (transcription factor SHOXb) having the amino acid sequence given in [SEQ ID No. 13] or a functional fragment thereof.
27. A human growth protein (transcription factor SHOT) having the amino acid sequence give in [SEQ ID NO: 15] or a functional fragment thereof.
- 35 28. A cDNA encoding for a protein according to claim 25, 26 or 27.

29. A pharmaceutical composition comprising a protein according to any of claims 25 to 27.
30. A method for the treatment of short stature comprising administering to a subject in need thereof a therapeutically effective amount of a protein according to claim 25 to 27.
31. Use of a protein according to claim 25 to 27 for the preparation of a pharmaceutical composition for the treatment of short stature.
32. Use of a DNA sequence according to claims 1 - 24 for the preparation of a pharmaceutical composition for the treatment of disorders relating to mutations of the short stature gene.
33. Use of a DNA sequence according to any of claims 1 - 24 for the preparation of a kit for the identification of individuals having a genetic defect responsible for diminished human growth.
34. Use of a DNA sequence according to claim 33 for the identification of a gene responsible for short human stature.
35. Method for the determination of short stature on the basis of RNA or DNA molecules, wherein the biological sample molecule to be examined is amplified in the presence of two nucleotide probes completely or in part complementary to any of the DNA sequences mentioned in SEQ ID No. 2 to SEQ ID No. 7 and subsequently determined by a suitable detection system.
36. Use of the method according to claim 35 for the identification of persons having a genetic defect responsible for short stature.
37. Transgenic animal transformed with a gene responsible for short stature containing a DNA sequence according to any one of claims 1 - 24.
38. Cells transformed with a DNA sequence according to any one of claims 1 - 24.
39. Test system for identifying or screening pharmaceutical agents useful for the treatment of human short stature comprising a cell according to claim 38.

- 5 40. Method for identifying or screening of candidates for pharmaceutical agents useful for the treatment of disorders relating to mutations in the short stature gene comprising providing a test system according to claim 39 and determining variations in the phenotype of said cells or variations in the expression products of said cells after contacting said cells with said candidate pharmaceutical agents.
- 10 41. An expression vector comprising a DNA molecule according to claims 1 - 8 which is capable of effecting the expression of the encoded polypeptide.
- 15 42. A method for the *in vivo* treatment of human growth disorders related to at least one mutation in the SHOX or SHOT gene by gene therapy, comprising introducing into human cells an expression plasmid in which a DNA molecule according to any of claims 1 - 8 is incorporated downstream from the expression promotor that effects expression in a human host cell.
43. A method according to claim 42 for the treatment of Turner syndrome or short stature.
- 20 44. Antibodies obtained by immunization of mammals using the transcription factors A, B or C or antigenic fragments thereof and isolating such antibodies from such mammals.

1/5

Fig. 1



SHOXa

2/5

Fig. 2

1 GTGATCCACCCGCGCGCACGGGCGCTCCTCTCCGCGCGGGGAGACGCGCGCATCCACCAG
61 CCCC GGCTGCTCGCCAGCCCCGGCCCCAGCCATGGAAGAGCTCACGGCTTTTGTATCCAA
M E E L T A F V S K
121 GTCTTTTGACCAGAAAAGCAAGGACGGTAACGGCGGAGGCGGAGGCGGCGGAGGTAAGAA
S F D Q K S K D G N G G G G G G G G K K
181 GGATTCCATTACGTACCGGGAAGTTTTTGGAGAGCGGACTGGCGCGCTCCCGGGAGCTGGG
D S I T Y R E V L E S G L A R S R E L G
241 GACGTCGGATTCCAGCCTCCAGGACATCACGGAGGGCGGCGGCCACTGCCCCGGTGCATTT
T S D S S L Q D I T E G G G H C P V H L
301 GTTCAAGGACCACGTAGACAATGACAAGGAGAACTGAAAGAATTCGGCACC GCGAGAGT
F K D H V D N D K E K L K E F G T A R V
361 GGCAGAAGGGATTTATGAATGCAAAGAGAAGCGCGAGGACGTGAAGTCGGAGGACGAGGA
A E G I Y E C K E K R E D V K S E D E D
421 CGGGCAGACCAAGCTGAAACAGAGGCGCAGCCGACCAACTTCACGCTGGAGCAGCTGAA
G Q T K L K Q R R S R T N F T L E Q L N
481 CGAGCTCGAGCGACTTTTTGACGAGACCCATTACCCCGACGCCTTCATGCGCGAGGAGCT
E L E R L F D E T H Y P D A F M R E E L
541 CAGCCAGCGCCTGGGGCTTTCCGAGGCGCGCGTGCAGGTTTGTTCCAGAACC G GAGAGC
S Q R L G L S E A R V Q V W F Q N R R A
601 CAAGTGCCGCAAACAAGAGATCAGATGCATAAAGCGTCATCTTGCGCACAGCCAACCA
K C R K Q E N Q M H K G V I L G T A N H
661 CCTAGACGCCTGCGAGTGGCACCCCTACGTCAACATGGGAGCCTTACGGATGCCTTTCCA
L D A C R V A P Y V N M G A L R M P F Q
721 ACAGGTCCAGGCTCAGCTGCAGCTGGAAGGCGTGGCCCCACGCGCACCCGACCTGCACCC
Q V Q A Q L Q L E G V A H A H P H L H P
781 GCACCTGGCGGCGCACGCGCCCTACCTGATGTTCCCCCGCGCCCTTCGGGCTGCCCAT
H L A A H A P Y L M F P P P P F G L P I
841 CGCGTCGCTGGCCGAGTCCGCCTCGGCCGCGCGCTGGTCCGCCCGCGCCAAAAGCAA
A L S A E S A S A A A V V A A A A K S N
901 CAGCAAGAATTCCAGCATCGCCGACCTGCGGCTCAAGGCGCGGAAGCACGCGGAGGCCCT
S K N S S I A D L R L K A R K H A E A L
961 GGGGCTCTGACCCGCGCGCAGCCCCCGCGCGCCCGGACTCCCGGGCTCCGCGCACCCC
G L *
1021 GCCTGCACCCGCGCGCTCCTGCACTCAACCCCGCCTGGAGCTCCTTCCGCGGCCACCGTGCT
1081 CCGGCCACCCCGGGAGCTCCTGCAAGAGGCCTGAGGAGGGAGGCTCCCGGGACCGTCCAC
1141 GCACGACCCAGCCAGACCCTCGCGGAGATGGTGCAGAAGGCGGAGCGGGTGAGCGGCCGT
1201 GCGTCCAGCCCGGGCCTCTCCAAGGCTGCCCGTGCCTCCTGGGACCCTGGAGAAGGGTAA
1261 ACCCCGCGCTGGCTGCGTCTTCTCTGCTATACCCTATGCATGCGGTTAACTACACACGT
1321 TTGGAAGATCCTTAGAGTCTATTGAAACTGCAAAGATCCCGGAGCTGGTCTCCGATGAAA
1381 ATGCCATTTCTTCGTTGCCAACGATTTTCTTTACTACCATGCTCCTTCCTTCATCCCCGAG
1441 AGGCTGCGGAACGGGTGTGGATTTGAATGTGGACTTCGGAATCCGAGGAGGAGGGGCCG
1501 GGCTCTCCTCCACCGCTCCCCCGGAGCCTCCGAGGAGCAATAAGGAAATAGTTCTCTGG
1561 CTGAGGCTGAGGACGTGAACCGCGGGCTTTGGAAAGGGAGGGGAGGGAGACCCGAACCTC
1621 CCACGTTGGGACTCCACGTTCCGGGGACCTGAATGAGGACCGACTTTTATAACTTTTCCA
1681 GTGTTTGATTCCCAAATTGGGTCTGGTTTTGTTTTGGATTGGTATTTTTTTTTTTTTTTT
1741 TTTTGTCTGTGTACAGGATTGAGACGCAAAAGACTTGACATAAGAGACGGACGCGTGGTT
1801 GCAAGGTGTCATACTGATATGCAGCATTAACCTTTACTGACATGGAGTGAAGTGAATATT
1841 ATAAATATTATAGATTAAAAAAAATAGC [A]

SHOXb

3/5

Fig. 3

1 GTGATCCACCCGCGCGCACGGGCGCTCCTCTCCGCGCGGGGAGACGCGCGCATCCACCAG
61 CCCCCGGCTGCTCGCCAGCCCCGGCCCCAGCCATGGAAGAGCTCACGGCTTTTGTATCCAA
1 M E E L T A F V S K
121 GTCTTTTGACCAGAAAAGCAAGGACGGTAACGGCGGAGGCGGAGGCGGCGGAGGTAAGAA
11 S F D Q K S K D G N G G G G G G G G G K K
181 GGATTCCATTACGTACCGGGAAGTTTTGGAGAGCGGACTGGCGCGCTCCCGGGAGCTGGG
31 D S I T Y R E V L E S G L A R S R E L G
241 GACGTCCGATTCCAGCCTCCAGGACATCACGGAGGGCGGCGGCCACTGCCCCGTGCATTT
51 T S D S S L Q D I T E G G G H C P V H L
301 GTTCAAGGACCACGTAGACAATGACAAGGAGAACTGAAAGAATTCGGCACCGCGAGAGT
71 F K D H V D N D K E K L K E F G T A R V
361 GGCAGAAGGGATTTATGAATGCAAAGAGAAGCGCGAGGACGTGAAGTCGGAGGACGAGGA
91 A E G I Y E C K E K R E D V K S E D E D
421 CGGGCAGACCAAGCTGAAACAGAGGCGCAGCCGCACCAACTTCACGCTGGAGCAGCTGAA
111 G Q T K L K Q R R S R T N F T L E Q L N
481 CGAGCTCGAGCGACTTTTTGACGAGACCCATTACCCGACGCCTTCATGCGCGAGGAGCT
131 E L E R L F D E T H Y P D A F M R E E L
541 CAGCCAGCGCCTGGGGCTTTCCGAGGCGCGCTGCAGTTTGGTTCCAGAACC GGAGAGC
151 S Q R L G L S E A R V Q V W F Q N R R A
601 CAAGTGCCGCAAACAAGAGATCAGATGCATAAAGGCGTCATCTTGGGCACAGCCAACCA
171 K C R K Q E N Q M H K G V I L G T A N H
661 CCTAGACGCCTGCCGAGTGGCACCCCTACGTCAACATGGGAGCCTTACGGATGCCTTTCCA
191 L D A C R V A P Y V N M G A L R M P F Q
721 ACAGATGGAGTTTTGCTCTTGTCGCCCAGGCTGGAGTATAATGGCATGATCTCGACTCAC
211 Q M E F C S C R P G W S I M A *
781 TGCAACCTCCGCCTCCCGAGTTCAAGCGATTCTCCTGCCTCAGCCTCCCGAGTAGCTGGG
841 ATTACAGGTGCCCCACCACCATGTCAAGATAATGTTTGTATTTTCAGTAGAGATGGGGTTT
901 GACCATGTTGGCCAGGCTGGTCTCGAACTCCTGACCTCAGGTGATCCACCCGCCTTAGCC
961 TCCCAAAGTGCTGGGATGACAGGCGTGAGCCCCTGCGCCCGGCCTTTGTAACCTTTATTTT
1021 TAATTTTTTTTTTTTTTTTAAAGAAAGACAGAGTCTTGCTCTGTCACCCAGGCTGGAGCACA
1081 CTGGTGCGATCATACTCCTGACGCTCAAACCTCCTGGGCTCAAGCAATCCTCCCACCT
1141 CAGCCTCCTGAGTAGCTGGGACTACAGGCACCCACCACACCCAGCTAATTTTTTTGA
1201 TTTTACTAGAGACGGATCTTGCTTTGCTGCTGAGGCTGGTCTTGAGCTCCTGAGCTCC
1261 AAAGATCCTCTCACCTCCACCTCCCAAAGTGTTAGAATTACAAGCATGAACCACTGCCCG
1321 TGGTCTCCAAAAAAGGACTGTTACGTGG [A].

GTGTCCCCGAGCTGAAAGATCGCAAAGAGGATGCGAAAGGGATGGAGGACGAAGGCCAG
M E D E G Q
ACCAAAATCAAGCAGAGGCGAAGTCGGACCAATTTACCCTGGAACAACCTCAATGAGCTG
T K I K DERRSRTNFTLEQLNEL
GAGAGGCTTTTTGACGAGACCCACTATCCCGACGCCTTCATGCGAGAGGAACTGAGCCAG
ERLEDETHYPDAFMR EELS O
CGACTGGGCCTGTCTGGAGGCCCGAGTGCAGGTTTGGTTTCAAAATCGAAGAGCTAAATGT
R L G L S E A R V Q V W E Q N R R A K T C
AGAAAAACAAGAAATCAACTCCATAAAGGTGTTCTCATAGGGGCGCCAGCCAGTTTGAA
R K O E N Q L H K G V L I G A A S Q F E
GCTTGTAGAGTCGCACCTTATGTCAACGTAGGTGCTTTAAGGATGCCATTTACAGCAGGAT
A C R V A P Y V N V G A L R M P F Q Q D
AGTCATTGCAACGTGACGCCCTTGCCCTTTACAGGTTACAGGCGCAGCTGCAGCTGGACAGC
S H C N V T P L P F Q V Q A Q L Q L D S
GCTGTGGCGCACGCGCACCAACCTGCATCCGCACCTGGCCGCGCACGCGCCCTACATG
A V A H A H H H L H P H L A A H A P Y M
ATGTTCCACGACCGCCCTTCGGACTGCCGCTCGCCACGCTGGCCGCGGATTCTGGCTTCC
M F P A P P F G L P L A T L A A D S A S
GCCGCCCTCGGTAGTGGCGGCCGACGAGCCGCCAAGACCACCAGCAAGGACTCCAGCATC
A A S V V A A A A A A A K T T S K D S S I
GCCGATCTCAGACTGAAAGCCAAAAAGCACGCCGAGCCCTGGGTCTGTGACGCCAACGC
A D L R L K A K K H A A A L G L *
CAGCACCAATGTCTCGGCCTGTCCCGCGGCACTCAGCCTGCACGCCCTCCGCGCCCCGCTG
CTTCTCCGTTACCCCTTTGAGACCTCGGGAGCCGGCCCTCTTCCCGCCTCACTGACCATC
CCTCGTCCCCTATCGCATCTTGGACTCGGAAAGCCAGACTCCACGCAGGACCAGGGATCT
CACGAGGCACGCAGGCTCCGTGGCTCCTGCCCCTTTTCTACTCGAGGGCCTAGAATTGG
GTTTTGTAGGAGCGGGTTTGGGGGAGTCTGGAGAGAGACTGGACAGGGTAGTGCTGGAAC
CGCGGAGTTTGGCTCACCGCAAAGCTACAACGATGGACTCTTGATAGAAAAAAAATC
TTGTTAACAATGAAAAATGAGCAAACAAAAAATCGAAAGACAAACGGGAGAGAAAAAG
AGGAAGGCAACTTATTTCTTAAGTCTATTTGGCAGAAGCTGAAATTGGAGAACCAAGGA
GCAAAAACAAATTTTAAATTAAGTATTTTATACATTTAAAAATATGGAACCAACCC
AGACGATTCTCGAGAGACTGGGGGGAGTTACCAACTTAAATGTGTGTTTTAAAAATGCG
CTAAGAAGGCAAAGCAGAAAGAAGAGGTATACTTATTTAAAAAACTAAGATGAAAAAGT
GCGCAGGTGGGAAGTTCACAGTTTTGAACTGACCTTTTTCTGCGAAGTTCACGTTAAT
ACGAGAAATTTGATGAGAGAGGCGGCCCTCCTTTTACGTTGAATCAGATGCTTTGAGTTT
AAACCCACCATGTATGGAAGAGCAAGAAAAGAGAAAATATTAACGAGGAGAGAGAAAA
ATAATGGCAAAACTGTCTGGACTGCTGACAGTAAATTCGGTTTGCATGGAAAAAAA
AAAAAAAAAAAAAAAA

Fig. 5

Exon/Intron Organization of the human SHOX gene					
Exon	cDNA-a	cDNA-b	genomic DNA	Exon Size	Intron/Exon
I	UTR-368	UTR-368	1-368	368	GTGGCAGAAAGgtaagttcct
II	369-577	369-577	3817-4025	209	ccccacgcagGGATTATGA
III	578-635	578-635	9851-9908	58	tcctccccaagGTTTGGTTCC
IV	636-724	636-724	10029-10117	89	ttggacacacagGCGTCATCTT
Va	725-1890	---	13364-14529	1166	gctcccgccagGTCCAGGCTC
Vb	---	725-1349	27154-27778	625	tttttttttagATGGAGTTT
polyA	≥ 1891	≥ 1350	----		TGTTACGTGG

Sizes of exons are given in basepairs; exon sequences are shown in capital letters; donor and acceptor splice sites are underlined. Genomic and cDNA sequences are available via GenBank accession no. AY7

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP 97/05355

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 C12N15/12 C07K14/47 C12Q1/68 A61K38/18 A01K67/027
C12N5/10 C07K16/18

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 C07K C12Q C12N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	M. MARRA ET AL: "mj75d03.r1 Soares mouse p3NMF19.5 Mus musculus cDNA clone 481925 5' similar to TR:G1002494 G1002494 AR1X1." EMBL DATABASE ENTRY MMA59929, ACCESSION NUMBER AA059929, 24 September 1996, XP002052953	1,2
A	see abstract	27
X	M. MARRA ET AL: "mb68b03.r1 Soares mouse p3NMF19.5 Mus musculus cDNA clone 334541 5' similar to SW: HPR1-chick q05437 homeobox protein PRX-1." EMBL DATABASE ENTRY MM3349, ACCESSION NUMBER W1818334, 4 May 1996, XP002052954 see abstract	1,2

☒ Further documents are listed in the continuation of box C.

☐ Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

22 January 1998

Date of mailing of the international search report

11.02.98

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Le Cornec, N

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 97/05355

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	E. RAO ET AL: "Construction of a cosmid contig spanning the short stature candidate region in the pseudoautosomal region PAR 1. " TURNER SYNDROME IN A LIFE SPAN PERSPECTIVE: RESEARCH AND CLINICAL ASPECTS. PROCEEDINGS OF THE 4TH INTERNATIONAL SYMPOSIUM ON TURNER SYNDROME, GOTHENBURG, SWEDEN,, 18 - 21 May 1995, EDITED BY ALBERTSO-WIKLAND K, RANKE MB, pages 19-24, XP002052955 cited in the application see the whole document ---	
A	L. HILLIER ET AL: "zb81a08.s1 Homo sapiens cDNA clone 309974 3' similar to PIR:S29087 S29087 homeotic protein Otx1-mouse" EMBL DATABASE ENTRY HS100314, ACCESSION NUMBER N99100, 19 April 1996, XP002052956 see abstract ---	27
A	T. OGATA ET AL: "short stature in a girl with partial monosomy of the pseudoautosomal region distal to DXYS15: further evidence for the assignment of the critical region for a pseudoautosomal growth gene(s)." JOURNAL OF MEDICAL GENETICS, vol. 32, no. 10, October 1995, pages 831-834, XP002052957 cited in the application ---	
A	A. HENKE ET AL: "Deletions within the pseudoautosomal region help map three new markers and indicate a possible role of this region in linear growth" AMERICAN JOURNAL OF HUMAN GENETICS, vol. 49, no. 4, October 1991, pages 811-819, XP002052958 cited in the application ---	
A	B.W. SCHÄFER ET AL: "Molecular cloning and characterization of a human PAX-7 cDNA expressed in normal and neoplastic myocytes." NUCLEIC ACIDS RESEARCH., vol. 22, no. 22, 1994, OXFORD GB, pages 4574-4582, XP002052959 see figure 1A --- -/--	1,2

INTERNATIONAL SEARCH REPORT

Intern 1al Application No

PCT/EP 97/05355

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	E. RAO ET AL: "Pseudoautosomal deletions encompassing a novel homeobox gene cause growth failure in idiopathic short stature and Turner syndrome." NATURE GENETICS, vol. 16, no. 1, April 1997, pages 54-63, XP002052960 cited in the application see the whole document ---	1-28
P,X	J.W. ELLISON ET AL: "PHOG, a candidate gene for involvement in the short stature of Turner Syndrome." HUMAN MOLECULAR GENETICS, vol. 6, no. 8, August 1997, pages 1341-1347, XP002052961 see the whole document ---	1-28
P,A	A.C. ROVESCALLI ET AL: "Cloning and characterization of four murine homeobox genes" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA., vol. 93, 1 October 1996, WASHINGTON US, pages 10691-10696, XP002052968 see figures 3,4,6 -----	1,2,8,27

INTERNATIONAL SEARCH REPORT

Int. l. application No.
PCT/EP 97/05355

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
see FURTHER INFORMATION sheet PCT/ISA/210
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6 4(a)

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Remark : Although claims 30, 42-43 are directed to a method of treatment of the human/animal body (rule 39.1 IV PCT) , the search has been carried out and based on the alleged effects of the compound/composition.