

(19) 日本国特許庁(JP)

(12) 公表特許公報(A)

(11) 特許出願公表番号

特表2004-534922
(P2004-534922A)

(43) 公表日 平成16年11月18日(2004.11.18)

(51) Int.Cl.⁷

F O 1 D 9/02

F 1

F O 1 D 9/02

1 O 1

テーマコード(参考)

3 G 002

審査請求 未請求 予備審査請求 未請求 (全 124 頁)


(21) 出願番号	特願2003-512538 (P2003-512538)	(71) 出願人	390041542 ゼネラル・エレクトリック・カンパニー GENERAL ELECTRIC COMPANY アメリカ合衆国、ニューヨーク州、スケネクタディ、リバーロード、1番
(86) (22) 出願日	平成14年7月10日 (2002.7.10)	(74) 代理人	100093908 弁理士 松本 研一
(85) 翻訳文提出日	平成16年1月9日 (2004.1.9)	(74) 代理人	100105588 弁理士 小倉 博
(86) 國際出願番号	PCT/US2002/022343	(74) 代理人	100106541 弁理士 伊藤 信和
(87) 國際公開番号	W02003/006798		
(87) 國際公開日	平成15年1月23日 (2003.1.23)		
(31) 優先権主張番号	09/903,874		
(32) 優先日	平成13年7月13日 (2001.7.13)		
(33) 優先権主張國	米国(US)		
(81) 指定国	EP(AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), CN, JP, KR		

最終頁に続く

(54) 【発明の名称】第3段タービンノズル翼形部

(57) 【要約】

本発明は、第3段タービンノズルの翼形部輪郭に関する。第3段ノズルは、表1にインチ単位で記載したX、Y及びZのデカルト座標値に実質的に従った翼形部輪郭を含むベーンを有し、表1において、Zが、タービン中心線の半径に対して垂直でありかつX及びY値を含む平面からの垂直方向距離であり、該Z値は、翼形部の半径方向最内側の空気力学的セクションにおけるX、Y平面内のゼロから始まり、またX及びYが、各距離Zにおける翼形部輪郭を定める座標値である。X、Y及びZ値は、拡大又は縮小されたノズル翼形部を得るために、同一の定数又は数値の関数として拡大縮小されることがある。



【特許請求の範囲】**【請求項 1】**

任意の翼形部表面位置に対して垂直な方向に $\pm 0 . 100$ インチの範囲内にあるエンベロープの翼形部の形状をしたノズルベーン(14)を有するタービンノズルであって、前記翼形部が、表1にインチ単位で記載したX、Y及びZのデカルト座標値に実質的に従った被覆されていない基準輪郭を有し、前記表1において、Zが、タービン中心線の半径に対して垂直でありかつX及びY値を含む平面からの垂直方向距離であり、該Z値は、前記翼形部の半径方向最内側の空気力学的セクションにおけるX、Y平面内のゼロから始まり、またX及びYが、各距離Zにおける前記翼形部輪郭を定める座標値であり、前記Z距離における輪郭が、互いに滑らかに結合されて完全な翼形部形状を形成するようになっている、ことを特徴とするタービンノズル。

【請求項 2】

タービンの第3段(12)の一部を形成することを特徴とする、請求項1に記載のタービンノズル。

【請求項 3】

翼形部の形状をしたノズルベーン(14)を有するタービンノズルであって、前記翼形部が、表1にインチ単位で記載したX、Y及びZのデカルト座標値に実質的に従った被覆されていない基準輪郭を有し、前記表1において、Zが、タービン中心線の半径に対して垂直でありかつX及びY値を含む平面からの垂直方向距離であり、該Z値は、前記翼形部の半径方向最内側の空気力学的セクションにおけるX、Y平面内のゼロから始まり、またX及びYが、各距離Zにおける前記翼形部輪郭を定める座標値であり、前記Z距離における輪郭が、互いに滑らかに結合されて完全な翼形部形状を形成し、前記X、Y及びZ値が、拡大又は縮小されたノズル翼形部を得るために、同一の定数又は数値の関数として拡大縮小されるようになっている、ことを特徴とするタービンノズル。

【請求項 4】

タービンの第3段(12)の一部を形成することを特徴とする、請求項3に記載のタービンノズル。

【請求項 5】

複数のベーン(14)を有するタービンノズルを含むタービンであって、前記ベーンの各々が、任意の翼形部表面位置に対して垂直な方向に $\pm 0 . 100$ インチの範囲内にあるエンベロープの翼形部の形状をしており、前記翼形部が、表1にインチ単位で記載したX、Y及びZのデカルト座標値に実質的に従った被覆されていない基準輪郭を有し、前記表1において、Zが、タービン中心線の半径に対して垂直でありかつX及びY値を含む平面からの垂直方向距離であり、該Z値は、前記翼形部の半径方向最内側の空気力学的セクションにおけるX、Y平面内のゼロから始まり、またX及びYが、各距離Zにおける前記翼形部輪郭を定める座標値であり、前記Z距離における輪郭が、互いに滑らかに結合されて完全な翼形部形状を形成するようになっている、ことを特徴とするタービン。

【請求項 6】

前記タービンノズルが、該タービンの第3段(12)を含むことを特徴とする、請求項5に記載のタービン。

【請求項 7】

前記タービンノズルが、60枚のベーン(14)を有しており、またXが、該タービンの回転軸線に平行な距離を表していることを特徴とする、請求項5に記載のタービン。

【請求項 8】

複数のベーンを有するタービンノズルを含むタービンであって、前記ベーンの各々が、表1にインチ単位で記載したX、Y及びZのデカルト座標値に実質

10

20

30

40

50

的に従つた被覆されていない基準輪郭を有する翼形部の形状をしており、前記表1において、Zが、タービン中心線の半径に対して垂直でありかつX及びY値を含む平面からの垂直方向距離であり、該Z値は、前記翼形部の半径方向最内側の空気力学的セクションにおけるX、Y平面内のゼロから始まり、またX及びYが、各距離Zにおける前記翼形部輪郭を定める座標値であり、

前記Z距離における輪郭が、互いに滑らかに結合されて完全な翼形部形状を形成し、前記X、Y及びZ値が、拡大又は縮小されたノズル翼形部を得るために、同一の定数又は数値の関数として拡大縮小されるようになっている、ことを特徴とするタービン。

【請求項9】

前記タービンノズルが、該タービンの第3段(12)を含むことを特徴とする、請求項8に記載のタービン。

【請求項10】

前記タービンノズルが、60枚のペーンを有しており、またXが、タービンの回転軸線に平行な距離を表していることを特徴とする、請求項8に記載のタービン。

【発明の詳細な説明】

【技術分野】

【0001】

本発明は、ガスタービン段用のタービンノズルに関し、より具体的には、第3段タービンノズルの翼形部輪郭に関する。

【背景技術】

【0002】

近年、最新式のガスタービンは、燃焼温度が高くなる傾向があり、様々なタービン部品の冷却を改善する努力がなされている。本出願人の特定のガスタービン設計においては、空気冷却を使用する高出力タービンを目下開発中である。タービンバケット及びノズルの設計及び構造には、最適化された空気力学的効率と同時に空気力学的及び機械的な耐負荷性が要求されることがわかるであろう。

【発明の開示】

【発明が解決しようとする課題】

【0003】

本発明の好ましい実施形態によると、タービン段、好ましくは第3段用の固有のタービンノズル翼形部輪郭が提供され、この翼形部輪郭は、負荷要件における必要な効率を達成し、それによって改良されたタービン性能が得られるような、固有の点の軌跡によって定められる。以下に示す表1のX、Y及びZ座標によって与えられる基準輪郭は、この固有の点の軌跡を定めていることを理解されたい。表1においてインチ単位で与えられた座標値は、ノズルペーンの各断面に対する低温すなわち室温輪郭のためのものである。各々の定められた断面は、隣接する断面と滑らかに結合されて、完全な翼形部形状を形成する。ノズルは使用中に高温になるので、応力及び温度の結果として、ノズルペーンの輪郭が変化することになることも分かるであろう。従って、低温すなわち室温輪郭は、製造目的のためにX、Y及びZ座標値によって与えられる。製造されたノズル翼形部輪郭は、以下の表に示した基準翼形部輪郭とは異なる可能性があるために、基準輪郭に沿った任意の表面位置に対して垂直な方向でありまた任意の皮膜を含む、該基準輪郭から±0.100インチの距離により、この設計のための輪郭エンベロープが形成される。この設計は、このようなばらつきに対して強く、機械的及び空気力学的機能を損なうこともない。

【0004】

翼形部は、他の類似のタービン設計に取り入れるために幾何学的に拡大又は縮小することが可能であることも理解されたい。その場合、下に与えられた基準翼形部輪郭のX、Y及びZ座標値は、同一の定数又は数値の関数となる。すなわち、表に示したX、Y及びZ座標値を、同一の定数又は数値により乗算又は除算して、翼形部断面形状を維持しながらノズル翼形部輪郭の拡大又は縮小バージョンを得ることができる。

10

20

30

40

50

【課題を解決するための手段】**【0005】**

本発明の好ましい実施形態においては、任意の翼形部表面位置に対して垂直な方向に±0.100インチの範囲内にあるエンベロープの翼形部の形状をしたノズルペーンを有するタービンノズルが提供され、該タービンノズルにおいて、翼形部が、表1にインチ単位で記載したX、Y及びZのデカルト座標値に実質的に従った被覆されていない基準輪郭を有し、該表1において、Zが、タービン中心線の半径に対して垂直でありかつX及びY値を含む平面からの垂直方向距離であり、該Z値は、翼形部の半径方向最内側の空気力学的セクションにおけるX、Y平面内のゼロから始まり、またX及びYが、各距離Zにおける翼形部輪郭を定める座標値であり、Z距離における輪郭が、互いに滑らかに結合されて完全な翼形部形状を形成するようになっている。

10

【0006】

本発明の別の好ましい実施形態においては、翼形部の形状をしたノズルペーンを有するタービンノズルが提供され、該タービンノズルにおいて、翼形部が、表1にインチ単位で記載したX、Y及びZのデカルト座標値に実質的に従った被覆されていない基準輪郭を有し、該表1において、Zが、タービン中心線の半径に対して垂直でありかつX及びY値を含む平面からの垂直方向距離であり、該Z値は、翼形部の半径方向最内側の空気力学的セクションにおけるX、Y平面内のゼロから始まり、またX及びYが、各距離Zにおける翼形部輪郭を定める座標値であり、Z距離における輪郭が、互いに滑らかに結合されて完全な翼形部形状を形成し、X、Y及びZ値が、拡大又は縮小されたノズル翼形部を得るために、同一の定数又は数値の関数として拡大縮小されるようになっている。

20

【0007】

本発明の更に別の好ましい実施形態においては、複数のペーンを有するタービンノズルを含むタービンが提供され、該タービンにおいて、ペーンの各々が、任意の翼形部表面位置に対して垂直な方向に±0.100インチの範囲内にあるエンベロープの翼形部の形状をしており、該翼形部が、表1にインチ単位で記載したX、Y及びZのデカルト座標値に実質的に従った被覆されていない基準輪郭を有し、該表1において、Zが、タービン中心線の半径に対して垂直でありかつX及びY値を含む平面からの垂直方向距離であり、該Z値は、翼形部の半径方向最内側の空気力学的セクションにおけるX、Y平面内のゼロから始まり、またX及びYが、各距離Zにおける翼形部輪郭を定める座標値であり、Z距離における輪郭が、互いに滑らかに結合されて完全な翼形部形状を形成するようになっている。

30

【0008】

本発明の更に別の好ましい実施形態においては、複数のペーンを有するタービンノズルを含むタービンが提供され、該タービンにおいて、ペーンの各々が、表1にインチ単位で記載したX、Y及びZのデカルト座標値に実質的に従った被覆されていない基準輪郭を有する翼形部の形状をしており、該表1において、Zが、タービン中心線の半径に対して垂直でありかつX及びY値を含む平面からの垂直方向距離であり、該Z値は、翼形部の半径方向最内側の空気力学的セクションにおけるX、Y平面内のゼロから始まり、またX及びYが、各距離Zにおける翼形部輪郭を定める座標値であり、Z距離における輪郭が、互いに滑らかに結合されて完全な翼形部形状を形成し、X、Y及びZ値が、拡大又は縮小されたノズル翼形部を得るために、同一の定数又は数値の関数として拡大縮小されるようになっている。

40

【発明を実施するための最良の形態】**【0009】**

次に図1を参照すると、ここには全体を符号10で示すタービンの一部分が示されており、該タービンは、全体を符号12で示す第3段を含む複数の段を有する。第3段12は、複数のノズルを含み、該ノズルは、互いに円周方向に間隔を置いて配置された翼形部形状又は輪郭を有するペーン14を含む。図示したタービン10は、3つの段、すなわち、複数の円周方向に間隔を置いて配置されたノズルペーン18と回転可能なタービンホイール22の周りに円周方向に間隔を置いて配置されたバケット20とを有する第1段16と、

50

複数の円周方向に間隔を置いて配置されたノズルベーン 26 と第 2 段ホイール 30 上に取付けられた複数の円周方向に間隔を置いて配置されたバケット 28 とを含む第 2 段 24 と、複数の円周方向に間隔を置いて配置されたノズルベーン 14 と第 3 段ホイール 34 上に取付けられた複数の円周方向に間隔を置いて配置されたバケット 32 とを含む第 3 段 12 とを備える。ノズルベーン及びバケットは、ガスがタービンを通って矢印 36 の方向へ流れる、該タービン内の高温ガス通路内に位置していることが分かるであろう。図示するように、第 3 段 12 のノズルベーン 14 は、それぞれ内側及び外側バンド 38 及び 40 間に配置され、該内側及び外側バンドによってノズルには、ロータ軸線の周りに環状空間が形成される。

【0010】

10

図 2 を参照すると、ノズルベーン 14 は、前縁 42 と後縁 44 とを有し、またノズルベーンセグメントは、該ノズルベーンセグメントをタービンの非回転ケーシングに固定するためのフック 46、48 を有する。ノズルベーンは、該ベーンを冷却するための、該ベーンを貫通した様々な通路を有することが分かるであろう。この特定タービンの第 3 段ノズルの図示した好ましい実施形態においては、該第 3 段を形成する 60 枚のノズルベーンがある。

【0011】

20

更に図 2 を参照すると、ここには第 3 段用のノズルベーン 14 が示されており、この第 3 段用のノズルベーンは、X、Y 及び Z 値のデカルト座標系によって定められた翼形部輪郭を有する。座標値は、以下の表 1 においてインチ単位で記載されている。デカルト座標系は、Z 軸が、タービンロータの中心線からの半径に対して垂直な平面に垂直な方向に、つまり X 及び Y 値を含む平面に対して垂直に延びている、直交関係の X、Y 及び Z 軸を有する。Z 距離は、半径方向最内側の空気力学的セクションにおける X、Y 平面内のゼロから始まる。X 軸は、タービンロータの中心線つまり回転軸線に平行に位置している。X、Y 平面上に垂直な Z 方向の選ばれた位置における X 及び Y 座標値を定めることによって、翼形部 14 の輪郭を確定することができる。X 及び Y 値を滑らかな連続した円弧で接続することにより、各距離 Z における各輪郭断面が決定される。距離 Z 間の様々な表面位置における表面輪郭が、互いに滑らかに接続されて翼形部を形成する。下表 1 に示した表の値は、インチ単位で記載されており、周囲温度、非作動又は非高温状態における翼形部輪郭を表示しており、また被覆されていない翼形部のためのものである。符号規則により、デカルト座標系で一般的に使用されるように、Z 値に対して正の値が割当てられ、また X 及び Y 座標値に対しては正及び負の値が割当てられる。

30

【0012】

40

表 1 の値は、翼形部の輪郭を決定するために生成され、小数点以下第 4 位まで示されている。小数点以下第 4 位まで示されていない値は、第 4 位まで表そうとするならば、表示された数値の右側に 0 を加えればよい。更に、翼形部の実際の輪郭には、考慮しなければならない一般的な製造公差と皮膜とが存在する。従って表 1 に示した輪郭の値は、基準翼形部のためのものである。それ故、一般的な製造公差つまりプラス又はマイナス値と皮膜厚さとが下表 1 に示した X 及び Y 値に加算されることが分かるであろう。従って、翼形部輪郭に沿った任意の表面位置に対して垂直な方向に ± 0.100 インチの距離が、この特定のノズルベーン設計及びタービンに対する翼形部輪郭エンベロープを形成する。好ましい実施形態においては、下表 1 に示したノズルベーンの輪郭は、タービンの第 3 段用のものである。そのような輪郭を有する 60 枚のノズルベーンが、ロータ軸線の周りに互いに等しい間隔を置いて配置されて、第 3 段を構成する。

【0013】

表 1 にインチ単位で示した座標値は、好ましい基準輪郭エンベロープを提供する。

【0014】

【表 1 - 1】

表 1

X 座標	Y 座標	Z 座標
-5.3141	10.0979	18.1342
-5.0139	9.5505	18.1342
-6.7466	9.2005	18.1342
-5.1074	10.0329	18.1342
-5.2692	10.0963	18.1342
-5.4679	10.092	18.1342
-6.8847	8.6041	18.1342
-5.9787	9.9584	18.1342
-5.3404	10.0975	18.1342
-5.0935	9.0127	18.1342
-5.2816	10.0976	18.1342
-4.9998	9.8073	18.1342
-5.8385	10.0001	18.1342
-5.195	10.0792	18.1342
-6.8322	8.9151	18.1342
-6.479	9.6519	18.1342
-5.09	8.2923	18.1342
-5.0383	9.3924	18.1342
-5.5356	10.0809	18.1342
-5.0585	9.9819	18.1342
-5.2533	10.0949	18.1342
-5.2763	10.0971	18.1342
-5.7202	10.0366	18.1342
-6.31	9.7995	18.1342
-5.1092	8.7893	18.1342
-5.0009	9.6884	18.1342
-5.3732	10.0977	18.1342
-5.1544	10.0622	18.1342
-5.2763	10.0971	18.1342
-6.6276	9.4501	18.1342
-5.0489	8.0288	15.1342
-5.2936	10.099	18.1342
-5.0657	9.2134	18.1342
-5.6196	10.0638	18.1342
-5.4147	10.0976	18.1342
-5.0181	9.9071	18.1342
-5.2271	10.0894	18.1342
-6.9111	8.2769	18.1342
-6.1383	9.8972	18.1342
-5.1094	8.5475	18.1342
-6.7764	6.8429	18.1342
-4.9856	7.7589	18.1342
-6.8502	7.2166	18.1342
-4.675	6.9198	18.1342

-4.3907	6.3509	18.1342
-6.8942	7.5816	18.1342
-4.9012	7.4836	18.1342
-6.5218	6.1025	18.1342
-6.9134	7.9355	18.1342
-4.5382	6.6347	18.1342
-4.236	6.071	18.1342
-6.6679	6.4686	18.1342
-4.7973	7.2037	18.1342
-3.1955	4.4604	18.1342
-4.0756	5.7945	18.1342
-4.3751	3.8528	18.1342
-5.6097	4.8269	18.1342
-2.5934	3.7185	18.1342
-3.5639	4.9832	18.1342
-4.7007	4.0742	18.1342
-5.8791	5.1145	18.1342
-3.0015	4.2062	18.1342
-3.9099	5.521	18.1342
-5.0168	4.309	18.1342
-6.1237	5.4233	18.1342
-5.3209	4.5592	18.1342
-3.3827	4.7197	18.1342
-6.3394	5.753	18.1342
-2.8002	3.9578	18.1342
-3.7394	5.2504	18.1342
-3.7085	3.4421	18.1342
-0.0411	1.6954	18.1342
-0.4628	1.7853	18.1342
-0.4094	1.9153	18.1342
-0.1781	1.6542	18.1342
-1.161	2.4207	18.1342
0.0274	1.5822	18.1342
-2.174	3.279	18.1342
-0.9282	2.0021	18.1342
-2.7438	2.9088	18.1342
0.0454	1.6382	18.1342
-0.1493	1.7585	18.1342
-0.6612	2.0753	18.1342
-0.0673	1.6033	18.1342
-1.5543	2.725	18.1342
-1.6023	2.3263	18.1342
0.041	1.5994	18.1342
-1.8688	2.4584	18.1342
-3.3779	3.2536	18.1342
-0.004	1.673	18.1342
-0.5954	1.8465	18.1342
-0.3081	1.8535	18.1342

10

20

30

40

-0.2559	1.69	18.1342
-0.9791	2.2902	18.1342
0.0012	1.5727	18.1342
-1.9652	3.0809	18.1342
-1.1298	2.0976	18.1342
-2.4417	2.7504	18.1342
0.0477	1.6159	18.1342
-4.0426	3.6419	18.1342
-0.0894	1.7232	18.1342
-0.5268	1.9888	18.1342
-0.1159	1.6254	18.1342
-1.3541	2.5659	18.1342
0.0378	1.5937	18.1342
-2.3837	3.4914	18.1342
-0.75	1.9185	18.1342
-3.0562	3.076	18.1342
0.0261	1.6581	18.1342
-0.2218	1.8018	18.1342
-0.3502	1.7338	18.1342
-0.8122	2.1755	18.1342
-0.0305	1.5858	18.1342
-1.7585	2.8964	18.1342
-1.3546	2.2056	18.1342
-2.1499	2.6004	18.1342
0.0436	1.604	18.1342
-5.052	9.1157	17.6211
-5.0201	9.8027	17.6211
-5.2174	9.9929	17.6211
-5.3008	10.0057	17.6211
-5.5171	9.9966	17.6211
-6.1102	9.817	17.6211
-5.0816	8.4569	17.6211
-6.8039	8.8435	17.6211
-5.011	9.4503	17.6211
-5.1023	9.9308	17.6211
-5.2586	10.0019	17.6211
-5.3593	10.0078	17.6211
-5.7002	9.9583	17.6211
-6.4403	9.5681	17.6211
-5.0732	8.9167	17.6211
-6.8989	8.2146	17.6211
-5.0029	9.7042	17.6211
-5.1862	9.9815	17.6211
-5.2813	10.0049	17.6211
-5.4501	10.005	17.6211
-5.9545	9.8826	17.6211
-5.0615	8.2048	17.6211
-6.7106	9.1272	17.6211

-5.03	9.2934	17.6211
-5.0567	9.8786	17.6211
-5.243	9.9997	17.6211
-5.3267	10.0065	17.6211
-5.6003	9.982	17.6211
-6.2764	9.7157	17.6211
-5.0843	8.6957	17.6211
-6.8651	8.5377	17.6211
-5.0013	9.5868	17.6211
-5.147	9.9629	17.6211
-5.2656	10.0029	17.6211
-5.2656	10.0029	17.6211
-5.3982	10.0084	17.6211
-5.2813	10.0049	17.6211
-5.818	9.9257	17.6211
-6.588	9.3707	17.6211
-6.9075	7.8768	17.6211
-6.5081	6.0631	17.6211
-4.7862	7.1252	17.6211
-6.8473	7.1651	17.6211
-4.4023	6.2743	17.6211
-4.9624	7.677	17.6211
-6.6578	6.4231	17.6211
-4.6715	6.8421	17.6211
-6.8912	7.5263	17.6211
-4.2542	5.9952	17.6211
-4.5835	7.4037	17.6211
-6.7712	6.796	17.6211
-4.5424	6.5575	17.6211
-5.022	7.9444	17.6211
-3.2286	4.4027	17.6211
-5.309	4.5434	17.6211
-4.0992	5.7199	17.6211
-6.1067	5.3958	17.6211
-3.5964	4.9165	17.6211
-4.6962	4.0614	17.6211
-3.034	4.1538	17.6211
-5.5951	4.8084	17.6211
-3.9378	5.4483	17.6211
-6.3234	5.7199	17.6211
-3.416	4.6572	17.6211
-5.0084	4.2951	17.6211
-2.8316	3.9112	17.6211
-5.8625	5.092	17.6211
-3.7702	5.1804	17.6211
-4.3749	3.8404	17.6211
-1.1927	2.4126	17.6211
-0.4969	1.7837	17.6211

10

20

30

40

-2.203	3.2498	17.6211
-0.1075	1.6047	17.6211
0.0006	1.6415	17.6211
-3.7133	3.4276	17.6211
-0.1913	1.761	17.6211
-2.1719	2.5893	17.6211
-0.6973	2.0737	17.6211
-0.9566	1.9972	17.6211
-1.5839	2.71	17.6211
-0.2927	1.6898	17.6211
-2.6238	3.6778	17.6211
-0.0411	1.5802	17.6211
-0.004	1.6031	17.6211
-0.048	1.6762	17.6211
-3.069	3.0619	17.6211
-0.004	1.6031	17.6211
-0.3481	1.8549	17.6211
-1.6251	2.3169	17.6211
-1.0122	2.2848	17.6211
-0.6267	1.8435	17.6211
-1.994	3.0569	17.6211
-0.1547	1.6264	17.6211
-0.004	1.6031	17.6211
0.0026	1.6194	17.6211
-4.0468	3.6297	17.6211
-0.1321	1.7259	17.6211
-2.461	2.7379	17.6211
-0.5643	1.9885	17.6211
-1.1565	2.0915	17.6211
-1.3846	2.5546	17.6211
-0.3858	1.7328	17.6211
-2.4132	3.4566	17.6211
-0.0721	1.5885	17.6211
-0.0182	1.6613	17.6211
-3.3869	3.239	17.6211
-0.2629	1.8038	17.6211
-1.8932	2.4491	17.6211
-0.8469	2.1722	17.6211
-0.78	1.9146	17.6211
-1.7875	2.8771	17.6211
-0.216	1.6546	17.6211
-0.0169	1.5888	17.6211
-0.0014	1.6077	17.6211
-0.0845	1.6984	17.6211
-2.7601	2.8952	17.6211
-0.4482	1.916	17.6211
-1.3794	2.1979	17.6211
-6.2049	9.4384	15.9099

-6.8255	8.3099	15.9099
-5.0022	8.6028	15.9099
-5.009	9.3629	15.9099
-5.235	9.69	15.9099
-5.1592	9.6532	15.9099
-5.3597	9.7172	15.9099
-5.7736	9.6737	15.9099
-6.5035	9.0969	15.9099
-4.9966	8.9672	15.9099
-5.0561	9.5323	15.9099
-5.2649	9.6987	15.9099
-5.2097	9.6806	15.9099
-5.4768	9.7226	15.9099
-6.0511	9.5492	15.9099
-6.7424	8.6011	15.9099
-4.9995	8.3902	15.9099
-4.9985	9.2506	15.9099
-5.2303	9.6883	15.9099
-5.1265	9.6282	15.9099
-5.3203	9.7112	15.9099
-5.2303	9.6883	15.9099
-5.658	9.7024	15.9099
-6.3584	9.2881	15.9099
-6.8808	7.9993	15.9099
-5	8.7951	15.9099
-5.0276	9.4567	15.9099
-5.2458	9.6935	15.9099
-5.1868	9.6697	15.9099
-5.4109	9.7216	15.9099
-5.9055	9.6252	15.9099
-6.6338	8.8659	15.9099
-4.9886	8.1609	15.9099
-4.9951	9.119	15.9099
-5.0905	9.5887	15.9099
-5.2894	9.7047	15.9099
-5.2239	9.6861	15.9099
-5.559	9.7175	15.9099
-4.8876	7.4087	15.9099
-6.7751	6.6242	15.9099
-4.6643	6.5886	15.9099
-4.9672	7.9189	15.9099
-6.9067	7.6722	15.9099
-6.4904	5.9282	15.9099
-4.8276	7.142	15.9099
-6.8575	6.9809	15.9099
-4.5612	6.3064	15.9099
-4.9839	7.6679	15.9099
-6.6519	6.2706	15.9099

10

20

30

40

-4.7533	6.8684	15.9099
-6.9001	7.3316	15.9099
-4.4452	6.0257	15.9099
-5.829	5.0088	15.9099
-3.1371	3.9894	15.9099
-4.3841	3.7951	15.9099
-4.0306	5.2147	15.9099
-5.2856	4.4829	15.9099
-3.5227	4.4587	15.9099
-4.3179	5.7499	15.9099
-6.074	5.297	15.9099
-2.9317	3.7656	15.9099
-4.6931	4.013	15.9099
-3.8713	4.9561	15.9099
-5.5649	4.7379	15.9099
-3.3343	4.2204	15.9099
-4.1796	5.4794	15.9099
-6.2961	5.6034	15.9099
-4.9942	4.2418	15.9099
-3.7018	4.704	15.9099
-1.9927	2.4294	15.9099
-0.4822	1.8599	15.9099
-0.9144	1.9189	15.9099
-1.1238	2.2682	15.9099
-0.3644	1.6664	15.9099
-2.0884	2.9835	15.9099
-0.1668	1.5991	15.9099
-0.1473	1.6312	15.9099
-2.8333	2.8618	15.9099
-0.2749	1.7353	15.9099
-1.4967	2.191	15.9099
-0.6903	1.9878	15.9099
-0.6381	1.7917	15.9099
-1.4869	2.5203	15.9099
-0.2578	1.618	15.9099
-2.5082	3.3493	15.9099
-0.1537	1.6156	15.9099
-3.752	3.3876	15.9099
-0.166	1.6722	15.9099
-2.2634	2.5645	15.9099
-0.4003	1.8107	15.9099
-1.0858	1.9986	15.9099
-0.9634	2.1621	15.9099
-0.4392	1.7006	15.9099
-1.8834	2.8184	15.9099
-0.1917	1.5895	15.9099
-0.1512	1.62	15.9099
-3.1316	3.0254	15.9099

-0.2293	1.7085	15.9099
-1.7357	2.3048	15.9099
-0.5784	1.9185	15.9099
-0.7656	1.8503	15.9099
-1.2994	2.388	15.9099
-0.3046	1.639	15.9099
-2.2971	3.1601	15.9099
-0.1568	1.6102	15.9099
-4.0688	3.5863	15.9099
-0.1487	1.6524	15.9099
-2.5438	2.7081	15.9099
-0.3316	1.7692	15.9099
-1.28	2.0892	15.9099
-0.8187	2.0689	15.9099
-0.53	1.7423	15.9099
-1.6825	2.6644	15.9099
-0.2225	1.6009	15.9099
-2.721	3.5516	15.9099
-0.1537	1.6156	15.9099
-3.438	3.2005	15.9099
-0.1943	1.687	15.9099
-5.4238	9.4637	14.1997
-5.9705	9.2816	14.1997
-6.6675	8.3738	14.1997
-4.9338	8.1182	14.1997
-4.9806	8.9451	14.1997
-5.1956	9.388	14.1997
-5.1087	9.312	14.1997
-5.2761	9.4279	14.1997
-5.1956	9.388	14.1997
-5.6001	9.4528	14.1997
-6.2602	9.0195	14.1997
-4.9477	8.5078	14.1997
-5.0225	9.141	14.1997
-5.2092	9.3961	14.1997
-5.1583	9.3619	14.1997
-5.3606	9.4539	14.1997
-5.8353	9.3654	14.1997
-6.5439	8.6219	14.1997
-4.9664	8.8191	14.1997
-5.0791	9.2701	14.1997
-5.248	9.416	14.1997
-5.1901	9.3846	14.1997
-5.5038	9.4653	14.1997
-6.1136	9.1669	14.1997
-6.7689	8.0984	14.1997
-4.9411	8.3227	14.1997
-4.9993	9.052	14.1997

10

20

30

40

-5.1997	9.3906	14.1997
-5.1353	9.3412	14.1997
-5.3125	9.4409	14.1997
-5.7111	9.4212	14.1997
-6.4054	8.8381	14.1997
-4.9557	8.6733	14.1997
-5.0498	9.2135	14.1997
-5.2261	9.4052	14.1997
-5.1779	9.3766	14.1997
-4.8064	6.9108	14.1997
-6.8365	6.8156	14.1997
-4.5864	6.0957	14.1997
-4.8841	7.4215	14.1997
-6.8413	7.8014	14.1997
-6.6206	6.1327	14.1997
-4.7484	6.6441	14.1997
-4.9234	7.8975	14.4997
-6.879	7.1554	14.1997
-4.4823	5.8224	14.1997
-4.851	7.1702	14.1997
-6.7499	6.4717	14.1997
-4.6753	6.371	14.1997
-4.9075	7.6641	14.1997
-6.8794	7.4856	14.1997
-6.4536	5.8062	14.1997
-4.3643	5.5547	14.1997
-6.0341	5.2056	14.1997
-3.0034	3.6658	14.1997
-4.6891	3.9682	14.1997
-3.9333	4.7912	14.1997
-5.5335	4.6708	14.1997
-3.4022	4.0935	14.1997
-4.2331	5.2933	14.1997
-6.2562	5.4971	14.1997
-4.9797	4.1913	14.1997
-3.7663	4.5511	14.1997
-5.792	4.9305	14.1997
-3.2067	3.876	14.1997
-4.3913	3.755	14.1997
-4.0892	5.0387	14.1997
-5.2619	4.4249	14.1997
-3.589	4.3186	14.1997
-3.7825	3.3549	14.1997
-0.3131	1.6837	14.1997
-2.3445	2.5504	14.1997
-0.5389	1.8168	14.1997
-1.2047	2	14.1997
-1.0826	2.1525	14.1997

-0.5792	1.7096	14.1997
-1.9749	2.7754	14.1997
-0.3392	1.6025	14.1997
-0.3005	1.6328	14.1997
-3.1842	2.9995	14.1997
-0.3741	1.7187	14.1997
-1.8336	2.2981	14.1997
-0.7108	1.92	14.1997
-0.895	1.8554	14.1997
-1.4078	2.3676	14.1997
-0.4489	1.6496	14.1997
-2.379	3.0972	14.1997
-0.3059	1.6233	14.1997
-4.0877	3.55	14.1997
-0.2975	1.6638	14.1997
-2.6159	2.6899	14.1997
-0.4727	1.7771	14.1997
-1.3926	2.0882	14.1997
-0.9428	2.0636	14.1997
-0.6671	1.7501	14.1997
-1.7795	2.6297	14.1997
-0.3695	1.6124	14.1997
-2.7954	3.4648	14.1997
-0.3029	1.6285	14.1997
-3.4798	3.1711	14.1997
-0.3403	1.6983	14.1997
-2.0825	2.4192	14.1997
-0.6179	1.8639	14.1997
-1.0389	1.9224	14.1997
-1.2378	2.2536	14.1997
-0.5068	1.6764	14.1997
-2.1748	2.931	14.1997
-0.3155	1.6124	14.1997
-0.2966	1.6435	14.1997
-2.8959	2.8396	14.1997
-0.418	1.7445	14.1997
-1.6024	2.1873	14.1997
-0.8188	1.9862	14.1997
-0.7717	1.7983	14.1997
-1.5895	2.4932	14.1997
-0.4035	1.6294	14.1997
-2.586	3.275	14.1997
-0.3029	1.6285	14.1997
-5.1746	9.1661	12.4885
-5.1221	9.1381	12.4885
-5.325	9.2073	12.4885
-5.7747	9.0844	12.4885
-6.4543	8.3629	12.4885

10

20

30

40

-4.9176	8.6257	12.4885
-5.0343	9.0593	12.4885
-5.2137	9.1813	12.4885
-5.155	9.1568	12.4885
-5.4632	9.204	12.4885
-6.037	8.8855	12.4885
-4.9191	8.1425	12.4885
-4.9442	8.8528	12.4885
-5.165	9.1616	12.4885
-5.0975	9.1206	12.4885
-5.2776	9.2001	12.4885
-5.6586	9.1449	12.4885
-6.318	8.5691	12.4885
-4.9145	8.4836	12.4885
-4.9999	9.0076	12.4885
-5.1916	9.1732	12.4885
-5.1423	9.1504	12.4885
-5.3865	9.2104	12.4885
-5.9016	8.9988	12.4885
-6.5778	8.1263	12.4885
-4.922	7.9435	12.4885
-4.927	8.7486	12.4885
-5.1607	9.1596	12.4885
-5.068	9.096	12.4885
-5.2416	9.1907	12.4885
-5.1607	9.1596	12.4885
-5.5545	9.1836	12.4885
-6.1773	8.7428	12.4885
-4.9158	8.3225	12.4885
-4.9689	8.9388	12.4885
-4.7801	6.5069	12.4885
-4.9212	7.7287	12.4885
-6.8002	6.9571	12.4885
-4.8721	7.02	12.4885
-6.6807	7.8632	12.4885
-6.6757	6.2988	12.4885
-4.7114	6.2408	12.4885
-4.9141	7.5014	12.4885
-6.7973	7.2751	12.4885
-4.8332	6.767	12.4885
-6.7603	6.6297	12.4885
-4.6264	5.9727	12.4885
-4.8984	7.265	12.4885
-6.7558	7.5785	12.4885
-6.5481	5.9737	12.4885
-5.4846	4.5786	12.4885
-3.4727	4.0281	12.4885
-4.2839	5.1922	12.4885

-6.1894	5.3663	12.4885
-4.9486	4.1202	12.4885
-3.8234	4.4717	12.4885
-4.526	5.7067	12.4885
-5.7358	4.8263	12.4885
-3.2816	3.8176	12.4885
-4.3809	3.7017	12.4885
-4.1436	4.9449	12.4885
-6.3834	5.6613	12.4885
-5.2214	4.3438	12.4885
-3.6552	4.2462	12.4885
-4.4116	5.4463	12.4885
-5.9719	5.0885	12.4885
-3.0829	3.6143	12.4885
-4.668	3.9065	12.4885
-3.9915	4.7046	12.4885
-0.4549	1.6363	12.4885
-4.0884	3.5047	12.4885
-0.4462	1.6756	12.4885
-2.6725	2.6747	12.4885
-0.6154	1.7868	12.4885
-1.498	2.0886	12.4885
-1.0725	2.0653	12.4885
-0.8017	1.7584	12.4885
-1.8875	2.6134	12.4885
-0.516	1.6237	12.4885
-2.8796	3.4201	12.4885
-0.452	1.6414	12.4885
-3.5083	3.1397	12.4385
-0.4867	1.7103	12.4885
-2.16	2.4117	12.4885
-0.7565	1.8713	12.4885
-1.1585	1.9265	12.4885
-1.3596	2.2495	12.4885
-0.6477	1.6865	12.4885
-2.2733	2.9045	12.4885
-0.4639	1.6258	12.4885
-0.4458	1.6559	12.4885
-2.9415	2.8197	12.4885
-0.5623	1.7552	12.4885
-1.6993	2.1854	12.4885
-0.9519	1.9902	12.4885
-0.902	1.8054	12.4885
-1.7023	2.4814	12.4885
-0.5485	1.6409	12.4885
-2.6749	3.2367	12.4885
-0.452	1.6414	12.4885
-3.7946	3.3168	12.4885

10

20

30

40

-0.4604	1.6956	12.4885
-2.4116	2.5393	12.4885
-0.6798	1.8255	12.4885
-1.3177	2.0024	12.4885
-1.2086	2.1515	12.4885
-0.7173	1.7189	12.4885
-2.0781	2.7542	12.4885
-0.4865	1.6157	12.4885
-0.4497	1.6455	12.4885
-3.2188	2.9741	12.4885
-0.5196	1.73	12.4885
-1.9212	2.2936	12.4885
-0.8468	1.9258	12.4885
-1.0204	1.8612	12.4885
-1.5252	2.3599	12.4885
-0.5922	1.6603	12.4885
-2.4726	3.065	12.4885
-4.8893	7.9317	10.7783
-4.9065	8.6178	10.7783
-5.124	8.9138	10.7783
-5.0589	8.8741	10.7783
-5.2323	8.9509	10.7783
-5.5966	8.8878	10.7783
-6.2195	8.3211	10.7783
-4.8794	8.2611	10.7783
-4.9628	8.7665	10.7783
-5.1497	8.9248	10.7783
-5.1021	8.9029	10.7783
-5.3372	8.9591	10.7783
-5.8266	8.7415	10.7783
-6.4654	7.8932	10.7783
-4.8897	8.5172	10.7783
-5.1199	8.9118	10.7783
-5.03	8.8507	10.7783
-5.1977	8.9416	10.7783
-5.1199	8.9118	10.7783
-5.4977	8.9281	10.7783
-6.0867	8.4902	10.7783
-4.8829	8.1055	10.7783
-4.9315	8.7006	10.7783
-5.1334	8.9181	10.7783
-5.0825	8.8911	10.7783
-5.278	8.9572	10.7783
-5.7067	8.8267	10.7783
-6.3482	8.1214	10.7783
-4.881	8.3984	10.7783
-4.997	8.8157	10.7783
-5.171	8.9326	10.7783

-5.1144	8.9092	10.7783
-5.4107	8.9508	10.7783
-5.9545	8.6299	10.7783
-6.5638	7.6401	10.7783
-6.5781	6.1349	10.7783
-4.7202	6.0918	10.7783
-4.8969	7.3123	10.7783
-6.6798	7.0754	10.7783
-4.8314	6.6016	10.7783
-4.8958	7.7395	10.7783
-6.6536	6.4545	10.7783
-4.6404	5.832	10.7783
-4.8861	7.0837	10.7783
-6.6371	7.3667	10.7783
-6.4607	5.8203	10.7783
-4.7837	6.3496	10.7783
-4.8993	7.5321	10.7783
-6.6867	6.7698	10.7783
-4.865	6.8465	10.7783
-5.6879	4.7121	10.7783
-3.3362	3.7547	10.7783
-4.3739	3.6453	10.7783
-4.1757	4.8384	10.7783
-6.3065	5.5177	10.7783
-5.1902	4.2516	10.7783
-3.7001	4.1661	10.7783
-4.4351	5.3226	10.7783
-5.9149	4.9641	10.7783
-4.6529	3.8879	10.7783
-4.0277	4.607	10.7783
-5.4453	4.4751	10.7783
-3.5222	3.9568	10.7783
-4.3117	5.0771	10.7783
-6.1228	5.2323	10.7783
-4.9254	4.0397	10.7783
-3.8688	4.3829	10.7783
-4.5449	5.5744	10.7783
-1.2767	1.9339	10.7783
-1.4723	2.2481	10.7783
-0.7882	1.6976	10.7783
-2.3567	2.8784	10.7783
-0.6123	1.639	10.7783
-0.5948	1.668	10.7783
-2.9824	2.8095	10.7783
-0.7047	1.7661	10.7783
-1.7936	2.1889	10.7783
-1.0792	1.9962	10.7783
-1.0314	1.8148	10.7783

10

20

30

40

-1.8036	2.4718	10.7783
-0.6934	1.6527	10.7783
-2.7464	3.1972	10.7783
-0.6009	1.654	10.7783
-3.8051	3.283	10.7783
-0.6069	1.7072	10.7783
-2.4745	2.537	10.7783
-0.8176	1.835	10.7783
-1.4289	2.0085	10.7783
-1.3265	2.1533	10.7783
-0.8547	1.7295	10.7783
-2.1676	2.734	10.7783
-0.6338	1.6289	10.7783
-3.1428	3.5596	10.7783
-0.5986	1.6579	10.7783
-3.249	2.9578	10.7783
-0.6637	1.7413	10.7783
-2.0056	2.2956	10.7783
-0.9781	1.9334	10.7783
-1.1446	1.8696	10.7783
-1.6322	2.3547	10.7783
-0.7352	1.6716	10.7783
-2.5501	3.0324	10.7783
-0.6037	1.6491	10.7783
-4.0899	3.46	10.7783
-0.5947	1.6868	10.7783
-2.7242	2.6692	10.7783
-0.7557	1.7971	10.7783
-1.6013	2.0934	10.7783
-1.1953	2.0694	10.7783
-0.9354	1.7685	10.7783
-1.9829	2.5988	10.7783
-0.6625	1.635	10.7783
-2.9452	3.3732	10.7783
-0.6009	1.654	10.7783
-3.5234	3.1155	10.7783
-0.6322	1.722	10.7783
-2.2338	2.4119	10.7783
-0.8913	1.88	10.7783
-5.7463	8.506	9.0671
-4.8671	8.2419	9.0671
-5.0727	8.6361	9.0671
-4.9943	8.5675	9.0671
-5.1433	8.6741	9.0671
-5.0727	8.6361	9.0671
-5.4307	8.6856	9.0671
-5.9895	8.2576	9.0671
-4.9094	8.4174	9.0671

-5.0847	8.6438	9.0671
-5.0397	8.6119	9.0671
-5.2183	8.6976	9.0671
-5.6324	8.5899	9.0671
-6.2313	7.8965	9.0671
-4.8548	8.1284	9.0671
-4.9663	8.5308	9.0671
-5.1186	8.6626	9.0671
-5.0678	8.6329	9.0671
-5.346	8.7028	9.0671
-5.8664	8.3955	9.0671
-4.8854	8.338	9.0671
-5.0764	8.6386	9.0671
-5.0189	8.5933	9.0671
-5.1755	8.6861	9.0671
-5.5267	8.6492	9.0671
-6.1124	8.0915	9.0671
-4.8485	7.9969	9.0671
-4.9372	8.4814	9.0671
-5.0994	8.6524	9.0671
-5.057	8.6254	9.0671
-5.2749	8.705	9.0671
-4.7993	6.4045	9.0671
-6.3397	7.6751	9.0671
-4.8532	7.4965	9.0671
-6.5346	6.2912	9.0671
-4.845	6.8675	9.0671
-6.5017	7.168	9.0671
-4.8474	7.8476	9.0671
-4.758	6.1621	9.0671
-4.8554	7.2975	9.0671
-6.5578	6.595	9.0671
-4.8276	6.6399	9.0671
-6.4317	7.4308	9.0671
-4.8497	7.6808	9.0671
-6.4724	5.9818	9.0671
-4.7018	5.9137	9.0671
-4.8535	7.0868	9.0671
-6.5453	6.8885	9.0671
-4.6296	5.6633	9.0671
-6.3704	5.6755	9.0671
-6.2312	5.3802	9.0671
-5.8649	4.841	9.0671
-4.645	3.7674	9.0671
-4.0501	4.4852	9.0671
-5.4142	4.3702	9.0671
-3.5597	3.8662	9.0671
-4.3224	4.9361	9.0671

10

20

30

40

-6.061	5.1017	9.0671
-4.91	3.9572	9.0671
-3.8964	4.2712	9.0671
-4.5416	5.415	9.0671
-5.6481	4.5975	9.0671
-3.8787	3.6748	9.0671
-4.1925	4.7069	9.0671
-5.1672	4.1575	9.0671
-3.7326	4.0649	9.0671
-4.439	5.1723	9.0671
-2.5424	2.5303	9.0671
-0.9543	1.8434	9.0671
-1.5419	2.0134	9.0671
-1.4397	2.1525	9.0671
-0.9926	1.7398	9.0671
-2.2465	2.7092	9.0671
-0.781	1.6421	9.0671
-3.1907	3.4903	9.0671
-0.7477	1.6706	9.0671
-3.2856	2.9372	9.0671
-0.8075	1.7522	9.0671
-2.0937	2.2944	9.0671
-1.1073	1.9391	9.0671
-1.2699	1.8773	9.0671
-1.7322	2.3469	9.0671
-0.8784	1.6829	9.0671
-2.6158	2.9922	9.0671
-0.7525	1.662	9.0671
-4.0982	3.4127	9.0671
-0.7435	1.698	9.0671
-2.7815	2.659	9.0671
-0.8952	1.8065	9.0671
-1.7068	2.0965	9.0671
-1.3145	2.0713	9.0671
-1.0697	1.7782	9.0671
-2.0687	2.5805	9.0671
-0.8088	1.647	9.0671
-2.9987	3.3143	9.0671
-0.7498	1.6667	9.0671
-3.55	3.0876	9.0671
-0.7774	1.7336	9.0671
-2.312	2.4082	9.0671
-1.0245	1.8872	9.0671
-1.3962	1.9403	9.0671
-1.5791	2.2442	9.0671
-0.9291	1.7084	9.0671
-2.4289	2.8464	9.0671
-0.7607	1.6523	9.0671

-4.3738	3.5866	9.0671
-0.7439	1.6802	9.0671
-3.0293	2.7946	9.0671
-0.8466	1.7763	9.0671
-1.8908	2.1901	9.0671
-1.2037	2.0003	9.0671
-1.1615	1.8236	9.0671
-1.8965	2.4592	9.0671
-0.8385	1.664	9.0671
-2.8059	3.1481	9.0671
-0.7498	1.6667	9.0671
-3.8223	3.2461	9.0671
-0.7534	1.7187	9.0671
-5.1618	8.4428	7.3559
-5.5567	8.3304	7.3559
-6.1298	7.6615	7.3559
-4.8191	7.0932	7.3559
-4.8201	7.8924	7.3559
-4.9196	8.2811	7.3559
-5.0666	8.4077	7.3559
-5.0185	8.378	7.3559
-5.2846	8.4463	7.3559
-5.7788	8.1407	7.3559
-6.3272	7.2164	7.3559
-4.8164	7.4619	7.3559
-4.8447	8.0946	7.3559
-5.0266	8.3836	7.3559
-4.9711	8.3403	7.3559
-5.1209	8.4313	7.3559
-5.4566	8.3896	7.3559
-6.0147	7.8482	7.3559
-4.8156	7.7658	7.3559
-4.8914	8.2336	7.3559
-5.0484	8.3975	7.3559
-5.0082	8.3707	7.3559
-5.2162	8.4497	7.3559
-5.6647	8.248	7.3559
-6.2359	7.4499	7.3559
-4.8185	7.2846	7.3559
-4.8294	8.0018	7.3559
-5.0231	8.3812	7.3559
-4.9471	8.3159	7.3559
-5.0901	8.4191	7.3559
-5.0231	8.3812	7.3559
-5.3654	8.4273	7.3559
-5.8965	8.0076	7.3559
-4.8149	7.6223	7.3559
-4.8657	8.1715	7.3559

10

20

30

40

-5.0345	8.3889	7.3559
-4.9914	8.3579	7.3559
-4.7324	6.0002	7.3559
-6.4616	6.4156	7.3559
-4.7923	6.4607	7.3559
-6.3892	5.8253	7.3559
-4.684	5.7601	7.3559
-4.8162	6.8906	7.3559
-6.4447	6.6973	7.3559
-4.7678	6.234	7.3559
-6.4444	6.1234	7.3559
-4.8078	6.6797	7.3559
-6.3983	6.965	7.3559
-4.3445	4.8105	7.3559
-6.001	4.977	7.3559
-4.8941	3.8792	7.3559
-3.9415	4.167	7.3559
-4.5435	5.2764	7.3559
-5.6046	4.4923	7.3559
-4.2235	4.5879	7.3559
-6.1632	5.2452	7.3559
-5.1418	4.0708	7.3559
-3.783	3.9694	7.3559
-4.4513	5.0403	7.3559
-5.8131	4.7262	7.3559
-4.6392	3.6974	7.3559
-4.0888	4.3733	7.3559
-4.6212	5.5176	7.3559
-6.2945	5.53	7.3559
-5.3797	4.2745	7.3559
-3.6146	3.7802	7.3559
-4.1135	3.3575	7.3559
-0.8925	1.7097	7.3559
-2.8486	2.6339	7.3559
-1.0366	1.8156	7.3559
-1.8158	2.0945	7.3559
-1.4383	2.0727	7.3559
-1.2052	1.7861	7.3559
-2.1617	2.5653	7.3559
-0.9552	1.6588	7.3559
-3.0653	3.2596	7.3559
-0.8988	1.6797	7.3559
-3.587	3.0452	7.3559
-0.9234	1.7454	7.3559
-2.3973	2.3936	7.3559
-1.1606	1.8937	7.3559
-1.518	1.9435	7.3559
-1.6916	2.2406	7.3559

-1.0705	1.7182	7.3559
-2.5099	2.8186	7.3559
-0.9092	1.6657	7.3559
-3.4375	3.599	7.3559
-4.3784	3.5243	7.3559
-0.8932	1.6927	7.3559
-3.0867	2.7639	7.3559
-0.9899	1.7865	7.3559
-1.9925	2.1844	7.3559
-1.3322	2.0036	7.3559
-1.2931	1.8302	7.3559
-1.996	2.4487	7.3559
-0.9838	1.675	7.3559
-2.8767	3.1033	7.3559
-0.8988	1.6797	7.3559
-3.8484	3.1975	7.3559
-0.9005	1.7304	7.3559
-2.6187	2.5106	7.3559
-1.0933	1.8512	7.3559
-1.6576	2.0142	7.3559
-1.5582	2.1516	7.3559
-1.1314	1.7488	7.3559
-2.3332	2.6883	7.3559
-0.9283	1.6554	7.3559
-3.2532	3.4251	7.3559
-0.8968	1.6834	7.3559
-3.333	2.9008	7.3559
-0.9524	1.763	7.3559
-2.1874	2.2845	7.3559
-1.2399	1.9442	7.3559
-1.3969	1.8824	7.3559
-1.8384	2.3402	7.3559
-1.0219	1.6935	7.3559
-2.6914	2.9565	7.3559
-0.9014	1.6751	7.3559
-4.9682	8.1312	5.6457
-4.9146	8.0901	5.6457
-5.0586	8.1774	5.6457
-5.3816	8.1404	5.6457
-5.9227	7.626	5.6457
-4.7728	7.5394	5.6457
-4.836	7.9892	5.6457
-4.9891	8.1445	5.6457
-4.9505	8.1189	5.6457
-5.15	8.1955	5.6457
-5.5832	8.0071	5.6457
-6.137	7.2445	5.6457
-4.7874	7.0778	5.6457

10

20

30

40

-4.7799	7.7661	5.6457
-4.9649	8.1289	5.6457
-4.891	8.0672	5.6457
-5.0291	8.1655	5.6457
-4.9649	8.1289	5.6457
-5.2936	8.1754	5.6457
-5.8081	7.7784	5.6457
-4.776	7.4017	5.6457
-4.8114	7.9296	5.6457
-4.9758	8.1362	5.6457
-4.9343	8.1066	5.6457
-5.0978	8.1885	5.6457
-5.4786	8.0849	5.6457
-6.0342	7.4473	5.6457
-4.7736	7.6609	5.6457
-4.8638	8.0345	5.6457
-5.0066	8.1544	5.6457
-4.9604	8.1259	5.6457
-5.2158	8.1928	5.6457
-5.694	7.9052	5.6457
-4.7815	7.2478	5.6457
-4.7923	7.8555	5.6457
-4.7924	6.6997	5.6457
-6.343	6.5231	5.6457
-4.7544	6.069	5.6457
-6.3505	5.9719	5.6457
-4.7876	6.4971	5.6457
-6.2959	6.7798	5.6457
-4.7224	5.8443	5.6457
-4.7917	6.8941	5.6457
-6.3627	6.2528	5.6457
-4.7755	6.2868	5.6457
-6.2259	7.0207	5.6457
-6.3023	5.6848	5.6457
-5.5654	4.3958	5.6457
-4.2365	4.4885	5.6457
-4.6776	5.6136	5.6457
-6.0947	5.1241	5.6457
-5.1219	3.9897	5.6457
-3.811	3.8969	5.6457
-4.4559	4.9222	5.6457
-5.7641	4.6217	5.6457
-4.6394	3.6309	5.6457
-4.1065	4.283	5.6457
-4.6183	5.3805	5.6457
-6.2164	5.3996	5.6457
-5.3501	4.1857	5.6457
-3.6484	3.7161	5.6457

-4.3532	4.7018	5.6457
-5.9423	4.8644	5.6457
-4.8842	3.8055	5.6457
-3.9642	4.0857	5.6457
-4.5443	5.1488	5.6457
-1.0579	1.6788	5.6457
-3.4775	3.5431	5.6457
-4.3889	3.4646	5.6457
-1.0425	1.7048	5.6457
-3.1479	2.7349	5.6457
-1.1331	1.7964	5.6457
-2.0965	2.1792	5.6457
-1.4601	2.0072	5.6457
-1.4259	1.8367	5.6457
-2.0941	2.4389	5.6457
-1.1296	1.6861	5.6457
-2.9379	3.0691	5.6457
-1.048	1.6923	5.6457
-3.8799	3.1507	5.6457
-1.0484	1.7411	5.6457
-2.698	2.4923	5.6457
-1.2319	1.8592	5.6457
-1.7752	2.015	5.6457
-1.676	2.1508	5.6457
-1.2709	1.7577	5.6457
-2.4167	2.6703	5.6457
-1.076	1.6686	5.6457
-3.3	3.377	5.6457
-1.046	1.6959	5.6457
-3.3846	2.866	5.6457
-1.0974	1.7735	5.6457
-2.2836	2.2756	5.6457
-1.3719	1.9495	5.6457
-1.5253	1.8873	5.6457
-1.9435	2.3337	5.6457
-1.166	1.7042	5.6457
-2.76	2.9283	5.6457
-1.0505	1.6879	5.6457
-4.1344	3.3044	5.6457
-1.0415	1.721	5.6457
-2.9191	2.6103	5.6457
-1.1778	1.8246	5.6457
-1.9269	2.0926	5.6457
-1.5615	2.0742	5.6457
-1.3417	1.7938	5.6457
-2.2526	2.5515	5.6457
-1.1019	1.6708	5.6457
-3.1191	3.2187	5.6457

10

20

30

40

-1.048	1.6923	5.6457
-3.6387	3.0045	5.6457
-1.0693	1.7569	5.6457
-2.4852	2.3801	5.6457
-1.2962	1.9005	5.6457
-1.6414	1.9465	5.6457
-1.8034	2.2372	5.6457
-1.2126	1.7281	5.6457
-2.5859	2.7958	5.6457
-4.7213	7.5254	3.9345
-4.8997	7.8728	3.9345
-4.8303	7.8124	3.9345
-4.9606	7.9091	3.9345
-4.8997	7.8728	3.9345
-5.2146	7.9313	3.9345
-5.7224	7.571	3.9345
-4.7282	7.1771	3.9345
-4.7527	7.6815	3.9345
-4.91	7.8799	3.9345
-4.871	7.8508	3.9345
-5.0261	7.9329	3.9345
-5.3973	7.8555	3.9345
-5.9411	7.2542	3.9345
-4.717	7.4248	3.9345
-4.8044	7.7809	3.9345
-4.9394	7.8978	3.9345
-4.8955	7.8698	3.9345
-5.1389	7.9428	3.9345
-5.6104	7.6906	3.9345
-4.7333	7.611	3.9345
-4.9029	7.875	3.9345
-4.8526	7.8345	3.9345
-4.9887	7.9212	3.9345
-5.3012	7.9033	3.9345
-5.8337	7.4256	3.9345
-4.7197	7.3086	3.9345
-4.7774	7.738	3.9345
-4.9228	7.8881	3.9345
-4.8861	7.8629	3.9345
-5.0758	7.9418	3.9345
-5.501	7.785	3.9345
-6.0395	7.0592	3.9345
-6.2506	5.8372	3.9345
-4.7743	6.3136	3.9345
-6.1911	6.6127	3.9345
-4.7182	5.689	3.9345
-4.7653	6.6931	3.9345
-6.2583	6.107	3.9345

-4.7669	6.1123	3.9345
-6.1242	6.8441	3.9345
-4.7402	7.0304	3.9345
-4.7731	6.5073	3.9345
-6.237	6.3664	3.9345
-4.7489	5.9038	3.9345
-4.7535	6.8683	3.9345
-5.7163	4.5288	3.9345
-4.1	4.2085	3.9345
-4.6127	5.247	3.9345
-6.1343	5.2849	3.9345
-5.3238	4.1054	3.9345
-3.66	3.6682	3.9345
-4.3434	4.6045	3.9345
-5.8831	4.7649	3.9345
-4.8784	3.7379	3.9345
-3.9621	4.0214	3.9345
-4.5368	5.0272	3.9345
-6.2101	5.5606	3.9345
-5.5285	4.3092	3.9345
-4.2274	4.403	3.9345
-4.6732	5.4688	3.9345
-6.0239	5.0175	3.9345
-5.106	3.9157	3.9345
-3.8149	3.8415	3.9345
-4.4469	4.8127	3.9345
-1.4114	1.7666	3.9345
-2.496	2.6523	3.9345
-1.2242	1.6818	3.9345
-3.3302	3.3406	3.9345
-4.6438	3.5696	3.9345
-1.1955	1.708	3.9345
-3.4389	2.8352	3.9345
-1.2425	1.7836	3.9345
-2.3818	2.2679	3.9345
-1.5032	1.9545	3.9345
-1.6552	1.8921	3.9345
-2.0469	2.3259	3.9345
-1.3108	1.715	3.9345
-2.8207	2.9036	3.9345
-1.1999	1.7005	3.9345
-4.1592	3.2556	3.9345
-1.1908	1.732	3.9345
-2.9916	2.5901	3.9345
-1.3187	1.8334	3.9345
-2.04	2.0908	3.9345
-1.6835	2.0752	3.9345
-1.4793	1.8015	3.9345

10

20

30

40

【 0 0 2 6 】

【 表 1 - 1 3 】

50

-2.3405	2.5369	3.9345
-1.2492	1.6829	3.9345
-3.1596	3.1867	3.9345
-1.1975	1.7047	3.9345
-3.6734	2.9679	3.9345
-1.2154	1.7678	3.9345
-2.5751	2.3689	3.9345
-1.4312	1.9071	3.9345
-1.7664	1.9494	3.9345
-1.9136	2.2327	3.9345
-1.3555	1.738	3.9345
-2.6562	2.7744	3.9345
-1.2071	1.6917	3.9345
-3.498	3.5015	3.9345
-4.4035	3.4095	3.9345
-1.1921	1.7165	3.9345
-3.2114	2.7096	3.9345
-1.2762	1.8061	3.9345
-2.2024	2.1748	3.9345
-1.587	2.0103	3.9345
-1.5599	1.843	3.9345
-2.19	2.4277	3.9345
-1.276	1.6974	3.9345
-2.9886	3.0409	3.9345
-1.1975	1.7047	3.9345
-3.9147	3.1081	3.9345
-1.1966	1.7513	3.9345
-2.7793	2.4768	3.9345
-1.3701	1.867	3.9345
-1.8946	2.0157	3.9345
-1.7924	2.1492	3.9345
-5.8514	7.0584	2.2243
-4.6618	7.1776	2.2243
-4.7523	7.5151	2.2243
-4.8732	7.6352	2.2243
-4.834	7.6045	2.2243
-5.0612	7.6907	2.2243
-5.522	7.467	2.2243
-4.6823	7.3542	2.2243
-4.8405	7.61	2.2243
-4.7955	7.5683	2.2243
-4.919	7.6605	2.2243
-5.2184	7.6602	2.2243
-5.7439	7.2199	2.2243
-4.6635	7.0671	2.2243
-4.7271	7.474	2.2243
-4.8582	7.6244	2.2243
-4.8257	7.5972	2.2243

-5.0009	7.6862	2.2243
-5.4141	7.554	2.2243
-4.6681	7.2733	2.2243
-4.8377	7.6076	2.2243
-4.7757	7.5459	2.2243
-4.893	7.647	2.2243
-4.8377	7.6076	2.2243
-5.1343	7.6834	2.2243
-5.633	7.3559	2.2243
-4.7028	7.4207	2.2243
-4.8469	7.6153	2.2243
-4.812	7.5848	2.2243
-4.9538	7.6746	2.2243
-5.3122	7.6177	2.2243
-4.7172	6.4827	2.2243
-6.1707	5.9638	2.2243
-4.7299	5.9305	2.2243
-6.0351	6.6689	2.2243
-4.6857	6.8028	2.2243
-4.7289	6.3062	2.2243
-6.1488	6.2123	2.2243
-4.7146	5.7321	2.2243
-5.9501	6.8737	2.2243
-4.7018	6.6489	2.2243
-6.1645	5.705	2.2243
-4.7339	6.122	2.2243
-6.1024	6.448	2.2243
-4.6721	6.9421	2.2243
-5.8189	4.6744	2.2243
-4.8686	3.6773	2.2243
-3.9505	3.9493	2.2243
-4.5078	4.9	2.2243
-6.1267	5.4397	2.2243
-5.4844	4.2333	2.2243
-4.205	4.3107	2.2243
-4.6423	5.3184	2.2243
-5.9515	4.9179	2.2243
-5.0846	3.8505	2.2243
-3.8109	3.7779	2.2243
-4.4191	4.6974	2.2243
-5.6617	4.4462	2.2243
-4.0823	4.1268	2.2243
-4.5827	5.108	2.2243
-6.0555	5.1749	2.2243
-5.2909	4.0352	2.2243
-3.6647	3.6121	2.2243
-4.3177	4.5009	2.2243
-4.686	5.5277	2.2243

10

20

30

40

-2.1542	2.087	2.2243
-1.8048	2.0737	2.2243
-1.6172	1.8086	2.2243
-2.4265	2.5171	2.2243
-1.3965	1.695	2.2243
-3.1957	3.1471	2.2243
-1.347	1.717	2.2243
-3.7187	2.9309	2.2243
-1.3618	1.7782	2.2243
-2.6664	2.3554	2.2243
-1.5659	1.9124	2.2243
-1.8923	1.9508	2.2243
-2.0228	2.2247	2.2243
-1.4986	1.7477	2.2243
-2.7239	2.7468	2.2243
-1.3562	1.7046	2.2243
-3.5126	3.4517	2.2243
-4.4165	3.3578	2.2243
-1.3417	1.7282	2.2243
-3.276	2.6828	2.2243
-1.4193	1.8151	2.2243
-2.3097	2.168	2.2243
-1.7134	2.0115	2.2243
-1.6945	1.8485	2.2243
-2.2845	2.4118	2.2243
-1.4224	1.7087	2.2243
-3.0357	3.0054	2.2243
-1.347	1.717	2.2243
-3.9497	3.0659	2.2243
-1.3449	1.7614	2.2243
-2.862	2.4592	2.2243
-1.5081	1.8739	2.2243
-2.0151	2.0146	2.2243
-1.9079	2.1447	2.2243
-1.5522	1.7752	2.2243
-2.5732	2.6285	2.2243
-1.3725	1.6951	2.2243
-3.3554	3.2963	2.2243
-4.6455	3.5134	2.2243
-1.3451	1.7202	2.2243
-3.4941	2.8033	2.2243
-1.3875	1.7933	2.2243
-2.4813	2.258	2.2243
-1.6341	1.9579	2.2243
-1.7858	1.8956	2.2243
-2.149	2.3142	2.2243
-1.4557	1.7256	2.2243
-2.8783	2.8721	2.2243

-1.3493	1.713	2.2243
-4.1834	3.2085	2.2243
-1.3401	1.7428	2.2243
-3.0653	2.5681	2.2243
-1.4595	1.8414	2.2243
-5.1338	7.4055	0.5131
-4.7135	7.2347	0.5131
-4.7801	7.3279	0.5131
-4.8004	7.3498	0.5131
-4.9261	7.4283	0.5131
-4.6454	7.0831	0.5131
-5.3198	7.3017	0.5131
-4.7496	7.2884	0.5131
-4.7832	7.3313	0.5131
-4.8288	7.3775	0.5131
-5.0587	7.4294	0.5131
-4.6912	7.195	0.5131
-5.5349	7.1184	0.5131
-4.7731	7.3201	0.5131
-4.7907	7.3397	0.5131
-4.8825	7.4119	0.5131
-4.6265	7.0079	0.5131
-5.2228	7.3633	0.5131
-4.733	7.2655	0.5131
-4.7832	7.3313	0.5131
-4.8133	7.3618	0.5131
-4.7902	7.3391	0.5131
-4.9837	7.4359	0.5131
-4.7902	7.3391	0.5131
-4.6678	7.1449	0.5131
-5.4245	7.2203	0.5131
-4.7629	7.306	0.5131
-4.7855	7.3339	0.5131
-4.8512	7.3946	0.5131
-5.6488	6.9949	0.5131
-6.0946	6.058	0.5131
-4.641	5.7382	0.5131
-4.6142	6.5634	0.5131
-5.8705	6.6793	0.5131
-4.6418	6.0932	0.5131
-4.6073	6.8139	0.5131
-6.0421	6.282	0.5131
-4.6287	6.4176	0.5131
-5.7626	6.8483	0.5131
-6.1182	5.8202	0.5131
-4.6449	5.9192	0.5131
-4.6081	6.6956	0.5131
-5.9657	6.4896	0.5131

10

20

30

40

-4.6339	6.2601	0.5131
-4.6136	6.9182	0.5131
-3.9445	3.8499	0.5131
-4.4494	4.7602	0.5131
-5.8809	4.8262	0.5131
-5.0531	3.7999	0.5131
-4.1782	4.196	0.5131
-6.1093	5.5725	0.5131
-4.5661	5.1587	0.5131
-3.8149	3.686	0.5131
-4.371	4.5665	0.5131
-5.9884	5.0687	0.5131
-4.6278	5.5507	0.5131
-5.2461	3.9815	0.5131
-4.066	4.0198	0.5131
-4.5147	4.9586	0.5131
-5.7488	4.5961	0.5131
-4.851	3.6284	0.5131
-4.2803	4.3783	0.5131
-6.0658	5.3195	0.5131
-4.6034	5.3572	0.5131
-5.428	4.1743	0.5131
-3.3433	2.6515	0.5131
-3.2386	3.0854	0.5131
-2.4194	2.1566	0.5131
-1.4965	1.7297	0.5131
-1.8297	1.8526	0.5131
-1.5086	1.7883	0.5131
-1.5688	1.7197	0.5131
-1.7014	1.9152	0.5131
-1.4965	1.7297	0.5131
-2.1328	2.2108	0.5131
-3.9851	3.0234	0.5131
-1.4965	1.7297	0.5131
-2.7941	2.0756	0.5131
-2.9476	2.4363	0.5131
-1.4965	1.7297	0.5131
-3.5362	3.375	0.5131
-2.1373	2.0101	0.5131
-1.4915	1.7403	0.5131
-1.6931	1.783	0.5131
-1.5628	1.8234	0.5131
-1.5206	1.7085	0.5131
-1.8408	2.0089	0.5131
-4.6419	3.4656	0.5131
-2.3796	2.3882	0.5131
-3.5514	2.7679	0.5131
-3.088	2.9509	0.5131

-2.5836	2.2429	0.5131
-1.9173	1.8972	0.5131
-1.4935	1.7717	0.5131
-1.6006	1.7358	0.5131
-1.6468	1.8788	0.5131
-1.4987	1.7259	0.5131
-2.0244	2.135	0.5131
-4.2065	3.1636	0.5131
-2.6519	2.5935	0.5131
-3.1419	2.5411	0.5131
-3.3887	3.2272	0.5131
-2.2706	2.0791	0.5131
-1.4947	1.7327	0.5131
-1.7555	1.8148	0.5131
-1.5326	1.8031	0.5131
-1.5436	1.7069	0.5131
-1.7658	1.9583	0.5131
-2.2519	2.2956	0.5131
-3.7655	2.8917	0.5131
-2.9397	2.8244	0.5131
-2.7606	2.3364	0.5131
-3.6786	3.5278	0.5131
-2.0195	1.9495	0.5131
-1.4897	1.754	0.5131
-1.6418	1.7568	0.5131
-1.6008	1.8483	0.5131
-1.5053	1.7177	0.5131
-1.927	2.0678	0.5131
-4.4266	3.3111	0.5131
-2.5136	2.4879	0.5131
-4.7367	7.2041	0
-4.767	7.2481	0
-4.8283	7.312	0
-5.1022	7.3286	0
-4.6814	7.1111	0
-4.7572	7.2369	0
-4.7824	7.2656	0
-4.8996	7.3476	0
-5.2847	7.2277	0
-4.7209	7.1812	0
-4.767	7.2481	0
-4.8088	7.2946	0
-5.0237	7.3515	0
-4.6579	7.0621	0
-5.4991	7.0497	0
-4.7488	7.222	0
-4.7736	7.2559	0
-4.8578	7.3302	0

10

20

30

40

-5.1888	7.2878	0
-4.7027	7.1503	0
-4.764	7.2447	0
-4.7946	7.2781	0
-4.9554	7.3568	0
-4.6346	7.0018	0
-5.3887	7.1484	0
-5.9407	6.4384	0
-4.6131	6.0299	0
-4.59	6.7384	0
-5.614	6.9304	0
-6.0748	6.0158	0
-4.5986	6.3488	0
-4.6142	6.9284	0
-5.8422	6.6228	0
-4.6154	5.8589	0
-4.5881	6.6221	0
-6.0202	6.2356	0
-4.6067	6.194	0
-4.5991	6.8407	0
-5.7299	6.7888	0
-6.0992	5.7819	0
-4.6112	5.6811	0
-4.5914	6.4922	0
-4.1704	4.1611	0
-6.0445	5.2898	0
-4.5406	5.1113	0
-3.8173	3.6573	0
-4.3557	4.5272	0
-5.8563	4.8032	0
-4.5987	5.4968	0
-5.0423	3.7884	0
-4.0617	3.987	0
-6.0897	5.5382	0
-4.4922	4.9142	0
-4.2687	4.3413	0
-5.9646	5.041	0
-4.5758	5.3066	0
-5.2308	3.9696	0
-3.9436	3.8191	0
-4.4304	4.7185	0
-5.7247	4.5773	0
-4.8449	3.6169	0
-2.787	2.3292	0
-3.5445	3.3508	0
-2.0527	1.9463	0
-1.5364	1.7439	0
-1.6814	1.7578	0

-1.6059	1.8258	0
-1.5495	1.7233	0
-1.8792	2.0079	0
-4.4295	3.2993	0
-2.4086	2.3806	0
-3.3616	2.6409	0
-3.1046	2.9336	0
-2.4477	2.1503	0
-1.8662	1.8516	0
-1.5381	1.7749	0
-1.61	1.7216	0
-1.6885	1.8802	0
-2.0596	2.1318	0
-3.9936	3.0105	0
-2.6761	2.5824	0
-2.9714	2.4279	0
-3.3998	3.2053	0
-2.1691	2.0059	0
-1.5396	1.7365	0
-1.7318	1.7834	0
-1.5762	1.806	0
-1.5643	1.7144	0
-1.8055	1.9582	0
-4.6403	3.454	0
-2.2831	2.2896	0
-3.5667	2.7564	0
-2.9589	2.8092	0
-2.6098	2.2354	0
-3.684	3.5013	0
-1.9518	1.8949	0
-1.5346	1.7574	0
-1.641	1.7373	0
-1.6433	1.8503	0
-1.5413	1.7335	0
-1.964	2.0657	0
-4.2136	3.1518	0
-2.5403	2.4786	0
-3.1631	2.5317	0
-3.2524	3.0658	0
-2.3008	2.0738	0
-1.5413	1.7335	0
-1.7932	1.8146	0
-1.5526	1.7914	0
-1.5857	1.7123	0
-1.7422	1.9159	0
-2.1661	2.2062	0
-3.7776	2.8793	0
-2.8158	2.6925	0

10

20

30

40

【 0 0 3 0 】

上記の表に開示した翼形部は、他の類似のタービン設計において使用するために、幾何学 50

的に拡大又は縮小することができることも理解されたい。その結果、表1に記載した座標値は、翼形部断面形状が変化しない状態に維持されるように、率に応じて拡大又は縮小することができる。表1の座標の拡大又は縮小バージョンは、同一の定数又は数値により乗算又は除算されたX、Y及びZ座標値によって表されることになる。

【0031】

図3及び図4には、半径方向最外側及び最内側の輪郭50及び52が示され、また翼形部の長手方向に沿ったその他の様々な輪郭断面も示されている。図5の斜視図には様々な輪郭も示されており、また図6においては輪郭が互いに重ね合わされている。

【0032】

現在最も実用的かつ好ましい実施形態であると考えられるものに関して本発明を説明してきたが、本発明は、開示した実施形態に限定されるものではなく、逆に、特許請求の範囲の技術思想及び技術的範囲内に含まれる様々な変更及び等価な構成を保護しようとするものであることを理解されたい。10

【図面の簡単な説明】

【0033】

【図1】本発明の翼形部又はベーン輪郭を採用した第3段ノズルを有するタービンの概略図。

【図2】そのノズルベーンを示す、ノズルセグメントの斜視図。

【図3】図2に示すノズルベーンを半径方向外端部から見た端面図。

【図4】図2に示すノズルベーンを半径方向内端部から見た端面図。

【図5】ベーンの長手方向に沿った様々な翼形部輪郭を示す、ノズルベーンの斜視図。

【図6】ベーンに沿った様々な半径方向位置における輪郭断面を示す、図3と同様な図。

【符号の説明】

【0034】

10 タービン

12 第3段タービン

14 第3段ノズルベーン

38 内側バンド

40 外側バンド

42 前縁

44 後縁

46、48 フック

10

20

30

【国際公開パンフレット】

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
23 January 2003 (23.01.2003)

PCT

(10) International Publication Number
WO 03/006798 A1(51) International Patent Classification⁵: F01D 5/14

F01D 5/14

(74) Agents: MITCHELL, James, W. et al.; General Electric Company, 3135 Easton Turnpike (W3C), Fairfield, CT 06438 (US)

(21) International Application Number: PCT/US02/22343

(22) International Filing Date: 10 July 2002 (10.07.2002)

(25) Filing Language: English

English

(26) Publication Language: English

English

(30) Priority Data:

(09/903,874 13 July 2001 (13.07.2001) US

(71) Applicant: GENERAL ELECTRIC COMPANY [US/US]; 1 River Road, Schenectady, NY 12345 (US).

(72) Inventors: WEDLAKE, Raymond, Allan; 703 Creekview Drive, Greenville, SC 29607 (US); VO, Thanh; 818 Palomino Court, Simpsonville, SC 29681 (US); BRUNNER, Frederick, James; 11 Hunterdon Court, Simpsonville, SC 29680 (US).

(74) Agents: MITCHELL, James, W. et al.; General Electric Company, 3135 Easton Turnpike (W3C), Fairfield, CT 06438 (US)

(81) Designated States (national): CN, JP, KR.

(84) Designated States (regional): European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR).

Published:


*with international search report
before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: THIRD-STAGE TURBINE NOZZLE AIRFOIL



WO 03/006798 A1



(57) Abstract: The third-stage nozzles have vanes comprising airfoil profiles substantially in accordance with Cartesian coordinate values of X, Y and Z set forth in inches in Table I wherein Z is a perpendicular distance from a plane normal to a radius of the turbine centerline and containing the X and Y values with the Z value commencing at zero in the X, Y plane at the radially innermost aerodynamic section of the airfoil and X and Y are coordinate values defining the airfoil profile at each distance Z. The X, Y and Z values may be scaled as a function of the same constant or number to provide a scaled-up or scaled-down airfoil section for each nozzle vane.

WO 03/006798

PCT/US02/22343

THIRD-STAGE TURBINE NOZZLE AIRFOIL

BACKGROUND OF THE INVENTION

The present invention relates to a turbine nozzle for a gas turbine stage and particularly relates to a third-stage turbine nozzle airfoil profile.

In recent years, advanced gas turbines have trended toward increasing firing temperatures and efforts to improve cooling of the various turbine components. In a particular gas turbine design of the assignee, a high output turbine that uses air cooling is undergoing development. It will be appreciated that the design and construction of the turbine buckets and nozzles require optimized aerodynamic efficiency, as well as aerodynamic and mechanical loading.

BRIEF SUMMARY OF THE INVENTION

In accordance with an embodiment of the present invention, there is provided a unique turbine nozzle airfoil profile for a turbine stage, preferably the third stage, which may be defined by a unique loci of points to achieve the necessary efficiency in loading requirements whereby improved turbine performance is obtained. It will be appreciated that the nominal profile given by the X, Y, Z coordinates of Table I, which follows, define this unique loci of points. The coordinates given in inches in Table I are for a cold, i.e., room-temperature profile for each cross-section of the nozzle vane. Each defined cross-section is joined smoothly with adjacent cross-sections to form the complete airfoil shape. It will also be appreciated that as the nozzle heats up in use, the profile of the nozzle vane will change as a result of stress and temperature. Thus, the cold or room-temperature profile is given by the X, Y and Z coordinates for manufacturing purposes. Because a manufactured nozzle airfoil profile may be different than the nominal airfoil profile given in the following table, a distance of ± 0.100 inches from the nominal profile in a direction normal to any surface location along the nominal profile and which includes any coating,

WO 03/006798

PCT/US02/22343

defines the profile envelope for this design. The design is robust to this variation without impairment of the mechanical and aerodynamic functions.

It will also be appreciated that the airfoil can be scaled-up or scaled-down geometrically for introduction into other similar turbine designs. Consequently, the X, Y and Z coordinates of the nominal airfoil profile given below are a function of the same constant or number. That is, the X, Y and Z coordinate values given in the Table may be multiplied or divided by the same constant or number to provide a scaled-up or scaled-down version of the nozzle airfoil profile, while retaining the airfoil section shape.

In a preferred embodiment according to the present invention, there is provided a turbine nozzle having a nozzle vane in the shape of an airfoil in an envelope within ± 0.100 inches in a direction normal to any airfoil surface location wherein the airfoil has an uncoated nominal profile substantially in accordance with Cartesian coordinate values of X, Y and Z set forth in inches in Table I wherein Z is a perpendicular distance from a plane normal to a radius of the turbine centerline and containing the X and Y values with the Z value commencing at zero in the X, Y plane at a radially innermost aerodynamic section of the airfoil and X and Y are coordinate values defining the airfoil profile at each distance Z, the profiles at the Z distances being joined smoothly with one another to form the complete airfoil shape.

In a further preferred embodiment according to the present invention, there is provided a turbine nozzle having a nozzle vane in the shape of an airfoil having an uncoated nominal airfoil profile substantially in accordance with Cartesian coordinate values of X, Y and Z set forth in inches in Table I wherein Z is a perpendicular distance from a plane normal to a radius of the turbine centerline and containing the X and Y values with the Z value commencing at zero in the X, Y plane at a radially innermost aerodynamic section of the airfoil and X and Y are coordinate values defining the airfoil profile at each distance Z, the profiles at the Z distances being joined smoothly with one another to form the complete airfoil profile, the X, Y and Z values being scaled as a function of the same constant or number to provide a scaled-up or scaled-down nozzle airfoil.

WO 03/006798

PCT/US02/22343

In a further preferred embodiment according to the present invention, there is provided a turbine comprising a turbine nozzle having a plurality of vanes, each of said vanes being in the shape of an airfoil in an envelope within ± 0.100 inches in a direction normal to any nozzle airfoil surface location wherein the airfoil has an uncoated nominal profile substantially in accordance with Cartesian coordinate values of X, Y and Z set forth in inches in Table I wherein Z is a perpendicular distance from a plane normal to a radius of the turbine centerline and containing the X and Y values with the Z value commencing at zero in the X, Y plane at a radially innermost aerodynamic section of the airfoil and X and Y are coordinate values defining the airfoil profile at each distance Z, the profiles at the Z distances being joined smoothly with one another to form the complete airfoil shape.

In a further preferred embodiment according to the present invention, there is provided a turbine comprising a turbine nozzle having a plurality of vanes, each of said vanes being in the shape of an airfoil having an uncoated nominal airfoil profile substantially in accordance with Cartesian coordinate values of X, Y and Z set forth in inches in Table I wherein Z is a perpendicular distance from a plane normal to a radius of the turbine centerline and containing the X and Y values with the Z value commencing at zero in the X, Y plane at the radially innermost aerodynamic section of the airfoil and X and Y are coordinate values defining the airfoil profile at each distance Z, the profiles at the Z distances being joined smoothly with one another to form the complete airfoil shape, the X, Y and Z values being scaled as a function of the same constant or number to provide a scaled-up or scaled-down nozzle airfoil.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGURE 1 is a schematic illustration of a turbine having a third-stage nozzle employing the airfoil or vane profile hereof;

FIGURE 2 is a perspective view of a nozzle segment illustrating the vanes thereof;

FIGURES 3 and 4 are end views from respective radially outer and inner portions of the nozzle vanes illustrated in Figure 2;

WO 03/006798

PCT/US02/22343

FIGURE 5 is a perspective view of a nozzle vane illustrating various airfoil profiles along the length of the vane; and

FIGURE 6 is a view similar to Figure 3 illustrating the profile sections at various radial locations along the vane.

DETAILED DESCRIPTION OF THE INVENTION

Referring now to Figure 1, there is illustrated a portion of a turbine, generally designated 10, having multiple stages including a third-stage, generally designated 12. Third-stage 12 includes a plurality of nozzles comprising vanes 14 having an airfoil shape or profile spaced circumferentially one from the other. The illustrated turbine 10 includes three stages, a first stage 16 having a plurality of circumferentially spaced nozzle vanes 18 and buckets 20 circumferentially spaced about a rotatable turbine wheel 22; a second stage 24 comprising a plurality of circumferentially spaced nozzle vanes 26 and a plurality of circumferentially spaced buckets 28 mounted on a second-stage wheel 30 and the third-stage 12 comprising a plurality of circumferentially spaced nozzle vanes 14 and a plurality of circumferentially spaced buckets 32 mounted on a third-stage wheel 34. It will be appreciated that the nozzle vanes and buckets lie in the hot gas path of the turbine and which gases flow through the turbine in the direction of the arrow 36. As illustrated, the nozzle vanes 14 of the third stage 12 are disposed between inner and outer bands 38 and 40, respectively, by which the nozzles form an annulus about the rotor axis.

Referring to Figure 2, the nozzle vanes 14 have leading and trailing edges 42 and 44, respectively, with hooks 46 and 48 for securing the nozzle vane segments to the non-rotatable casing of the turbine. As will be appreciated, the nozzle vanes have various passages therethrough for cooling the vanes. In the preferred and illustrated embodiment of the third-stage nozzle for this particular turbine, there are sixty nozzle vanes forming the third stage.

Referring now to drawing Figure 2, there is illustrated a nozzle vane 14 for the third stage having airfoil profiles defined by a Cartesian coordinate system for X, Y and Z values. The coordinate values are set forth in inches in Table I which follows. The

WO 03/006798

PCT/US02/22343

Cartesian coordinate system has orthogonally-related X, Y and Z axes with the Z axis extending perpendicular to a plane normal to a radius from the centerline of the turbine rotor, i.e., normal to a plane containing the X and Y values. The Z distance commences at zero in the X, Y plane at the radially innermost aerodynamic section. The X axis lies parallel to the turbine rotor centerline, i.e., the rotary axis. By defining X and Y coordinate values at selected locations in a Z direction normal to the X, Y plane, the profile of airfoil 14 can be ascertained. By connecting the X and Y values with smooth, continuing arcs, each profile section at each distance Z is fixed. The surface profiles at the various surface locations between the distances Z are connected smoothly to one another to form the airfoil. The tabular values given in Table I below are in inches and represent airfoil profiles at ambient, non-operating or non-hot conditions and are for an uncoated airfoil. The sign convention assigns a positive value to the value Z and positive and negative values for the X and Y coordinate values, as typically used in a Cartesian coordinate system.

The Table I values are generated and shown to four decimal places for determining the profiles of the airfoil. Where the values are carried out to less than four decimal places, zeros are added to the right to complete the value to four decimal places. Further, there are typical manufacturing tolerances as well as coatings which must be accounted for in the actual profile of the airfoil. Accordingly, the values for the profile given in Table I are for a nominal airfoil. It will therefore be appreciated that typical manufacturing tolerances, i.e., plus or minus values and coating thicknesses, are additive to the X and Y values given in Table I below. Accordingly, a distance of ± 0.100 inches in a direction normal to any surface location along the airfoil profile defines an airfoil profile envelope for this particular nozzle vane design and turbine. In a preferred embodiment, the nozzle vane profiles given in Table I below are for the third stage of the turbine. Sixty nozzle vanes having such profiles are equally spaced from one another about the rotor axis and thus comprise the third stage.

The coordinate values given in Table I below in inches provide the preferred nominal profile envelope.

TABLE I

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-5.3141	10.0979	18.1342
-5.0139	9.5505	18.1342
-6.7466	9.2005	18.1342
-5.1074	10.0329	18.1342
-5.2692	10.0963	18.1342
-5.4679	10.092	18.1342
-6.8847	8.6041	18.1342
-5.9787	9.9584	18.1342
-5.3404	10.0975	18.1342
-5.0935	9.0127	18.1342
-5.2816	10.0976	18.1342
-4.9998	9.8073	18.1342
-5.8385	10.0001	18.1342
-5.195	10.0792	18.1342
-6.8322	8.9151	18.1342
-6.479	9.6519	18.1342
-5.09	8.2923	18.1342
-5.0383	9.3924	18.1342
-5.5356	10.0809	18.1342

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-5.0585	9.9819	18.1342
-5.2533	10.0949	18.1342
-5.2763	10.0971	18.1342
-5.7202	10.0366	18.1342
-6.31	9.7995	18.1342
-5.1092	8.7893	18.1342
-5.0009	9.6884	18.1342
-5.3732	10.0977	18.1342
-5.1544	10.0622	18.1342
-5.2763	10.0971	18.1342
-6.6276	9.4501	18.1342
-5.0489	8.0288	18.1342
-5.2936	10.099	18.1342
-5.0657	9.2134	18.1342
-5.6196	10.0638	18.1342
-5.4147	10.0976	18.1342
-5.0181	9.9071	18.1342
-5.2271	10.0894	18.1342
-6.9111	8.2769	18.1342

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-6.1383	9.8972	18.1342
-5.1094	8.5475	18.1342
-6.7764	6.8429	18.1342
-4.9856	7.7589	18.1342
-6.8502	7.2166	18.1342
-4.675	6.9198	18.1342
-4.3907	6.3509	18.1342
-6.8942	7.5816	18.1342
-4.9012	7.4836	18.1342
-6.5218	6.1025	18.1342
-6.9134	7.9355	18.1342
-4.5382	6.6347	18.1342
-4.236	6.071	18.1342
-6.6679	6.4686	18.1342
-4.7973	7.2037	18.1342
-3.1955	4.4604	18.1342
-4.0756	5.7945	18.1342
-4.3751	3.8528	18.1342
-5.6097	4.8269	18.1342

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-2.5934	3.7185	18.1342
-3.5639	4.9832	18.1342
-4.7007	4.0742	18.1342
-5.8791	5.1145	18.1342
-3.0015	4.2062	18.1342
-3.9099	5.521	18.1342
-5.0168	4.309	18.1342
-6.1237	5.4233	18.1342
-5.3209	4.5592	18.1342
-3.3827	4.7197	18.1342
-6.3394	5.753	18.1342
-2.8002	3.9578	18.1342
-3.7394	5.2504	18.1342
-3.7085	3.4421	18.1342
-0.0411	1.6954	18.1342
-0.4628	1.7853	18.1342
-0.4094	1.9153	18.1342
-0.1781	1.6542	18.1342
-1.161	2.4207	18.1342

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
0.0274	1.5822	18.1342
-2.174	3.279	18.1342
-0.9282	2.0021	18.1342
-2.7438	2.9088	18.1342
0.0454	1.6382	18.1342
-0.1493	1.7585	18.1342
-0.6612	2.0753	18.1342
-0.0673	1.6033	18.1342
-1.5543	2.725	18.1342
-1.6023	2.3263	18.1342
0.041	1.5994	18.1342
-1.8688	2.4584	18.1342
-3.3779	3.2536	18.1342
-0.004	1.673	18.1342
-0.5954	1.8465	18.1342
-0.3081	1.8535	18.1342
-0.2559	1.69	18.1342
-0.9791	2.2902	18.1342
0.0012	1.5727	18.1342

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-1.9652	3.0809	18.1342
-1.1298	2.0976	18.1342
-2.4417	2.7504	18.1342
0.0477	1.6159	18.1342
-4.0426	3.6419	18.1342
-0.0894	1.7232	18.1342
-0.5268	1.9888	18.1342
-0.1159	1.6254	18.1342
-1.3541	2.5659	18.1342
0.0378	1.5937	18.1342
-2.3837	3.4914	18.1342
-0.75	1.9185	18.1342
-3.0562	3.076	18.1342
0.0261	1.6581	18.1342
-0.2218	1.8018	18.1342
-0.3502	1.7338	18.1342
-0.8122	2.1755	18.1342
-0.0305	1.5858	18.1342
-1.7585	2.8964	18.1342

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-1.3546	2.2056	18.1342
-2.1499	2.6004	18.1342
0.0436	1.604	18.1342
-5.052	9.1157	17.6211
-5.0201	9.8027	17.6211
-5.2174	9.9929	17.6211
-5.3008	10.0057	17.6211
-5.5171	9.9966	17.6211
-6.1102	9.817	17.6211
-5.0816	8.4569	17.6211
-6.8039	8.8435	17.6211
-5.011	9.4503	17.6211
-5.1023	9.9308	17.6211
-5.2586	10.0019	17.6211
-5.3593	10.0078	17.6211
-5.7002	9.9583	17.6211
-6.4403	9.5681	17.6211
-5.0732	8.9167	17.6211
-6.8989	8.2146	17.6211

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-5.0029	9.7042	17.6211
-5.1862	9.9815	17.6211
-5.2813	10.0049	17.6211
-5.4501	10.005	17.6211
-5.9545	9.8826	17.6211
-5.0615	8.2048	17.6211
-6.7106	9.1272	17.6211
-5.03	9.2934	17.6211
-5.0567	9.8786	17.6211
-5.243	9.9997	17.6211
-5.3267	10.0065	17.6211
-5.6003	9.982	17.6211
-6.2764	9.7157	17.6211
-5.0843	8.6957	17.6211
-6.8651	8.5377	17.6211
-5.0013	9.5868	17.6211
-5.147	9.9629	17.6211
-5.2656	10.0029	17.6211
-5.2656	10.0029	17.6211

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-5.3982	10.0084	17.6211
-5.2813	10.0049	17.6211
-5.818	9.9257	17.6211
-6.588	9.3707	17.6211
-6.9075	7.8768	17.6211
-6.5081	6.0631	17.6211
-4.7862	7.1252	17.6211
-6.8473	7.1651	17.6211
-4.4023	6.2743	17.6211
-4.9624	7.677	17.6211
-6.6578	6.4231	17.6211
-4.6715	6.8421	17.6211
-6.8912	7.5263	17.6211
-4.2542	5.9952	17.6211
-4.8835	7.4037	17.6211
-6.7712	6.796	17.6211
-4.5424	6.5575	17.6211
-5.022	7.9444	17.6211
-3.2286	4.4027	17.6211

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-5.309	4.5434	17.6211
-4.0992	5.7199	17.6211
-6.1067	5.3958	17.6211
-3.5964	4.9165	17.6211
-4.6962	4.0614	17.6211
-3.034	4.1538	17.6211
-5.5951	4.8084	17.6211
-3.9378	5.4483	17.6211
-6.3234	5.7199	17.6211
-3.416	4.6572	17.6211
-5.0084	4.2951	17.6211
-2.8316	3.9112	17.6211
-5.8625	5.092	17.6211
-3.7702	5.1804	17.6211
-4.3749	3.8404	17.6211
-1.1927	2.4126	17.6211
-0.4969	1.7837	17.6211
-2.203	3.2498	17.6211
-0.1075	1.6047	17.6211

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
0.0006	1.6415	17.6211
-3.7133	3.4276	17.6211
-0.1913	1.761	17.6211
-2.1719	2.5893	17.6211
-0.6973	2.0737	17.6211
-0.9566	1.9972	17.6211
-1.5839	2.71	17.6211
-0.2927	1.6898	17.6211
-2.6238	3.6778	17.6211
-0.0411	1.5802	17.6211
-0.004	1.6031	17.6211
-0.048	1.6762	17.6211
-3.069	3.0619	17.6211
-0.004	1.6031	17.6211
-0.3481	1.8549	17.6211
-1.6251	2.3169	17.6211
-1.0122	2.2848	17.6211
-0.6267	1.8435	17.6211
-1.994	3.0569	17.6211

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-0.1547	1.6264	17.6211
-0.004	1.6031	17.6211
0.0026	1.6194	17.6211
-4.0468	3.6297	17.6211
-0.1321	1.7259	17.6211
-2.461	2.7379	17.6211
-0.5643	1.9885	17.6211
-1.1565	2.0915	17.6211
-1.3846	2.5546	17.6211
-0.3858	1.7328	17.6211
-2.4132	3.4566	17.6211
-0.0721	1.5885	17.6211
-0.0182	1.6613	17.6211
-3.3869	3.239	17.6211
-0.2629	1.8038	17.6211
-1.8932	2.4491	17.6211
-0.8469	2.1722	17.6211
-0.78	1.9146	17.6211
-1.7875	2.8771	17.6211

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-0.216	1.6546	17.6211
-0.0169	1.5888	17.6211
-0.0014	1.6077	17.6211
-0.0845	1.6984	17.6211
-2.7601	2.8952	17.6211
-0.4482	1.916	17.6211
-1.3794	2.1979	17.6211
-6.2049	9.4384	15.9099
-6.8255	8.3099	15.9099
-5.0022	8.6028	15.9099
-5.009	9.3629	15.9099
-5.235	9.69	15.9099
-5.1592	9.6532	15.9099
-5.3597	9.7172	15.9099
-5.7736	9.6737	15.9099
-6.5035	9.0969	15.9099
-4.9966	8.9672	15.9099
-5.0561	9.5323	15.9099
-5.2649	9.6987	15.9099

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-5.2097	9.6806	15.9099
-5.4768	9.7226	15.9099
-6.0511	9.5492	15.9099
-6.7424	8.6011	15.9099
-4.9995	8.3902	15.9099
-4.9985	9.2506	15.9099
-5.2303	9.6883	15.9099
-5.1265	9.6282	15.9099
-5.3203	9.7112	15.9099
-5.2303	9.6883	15.9099
-5.658	9.7024	15.9099
-6.3584	9.2881	15.9099
-6.8808	7.9993	15.9099
-5	8.7951	15.9099
-5.0276	9.4567	15.9099
-5.2458	9.6935	15.9099
-5.1868	9.6697	15.9099
-5.4109	9.7216	15.9099
-5.9055	9.6252	15.9099

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-6.6338	8.8659	15.9099
-4.9886	8.1609	15.9099
-4.9951	9.119	15.9099
-5.0905	9.5887	15.9099
-5.2894	9.7047	15.9099
-5.2239	9.6861	15.9099
-5.559	9.7175	15.9099
-4.8876	7.4087	15.9099
-6.7751	6.6242	15.9099
-4.6643	6.5886	15.9099
-4.9672	7.9189	15.9099
-6.9067	7.6722	15.9099
-6.4904	5.9282	15.9099
-4.8276	7.142	15.9099
-6.8575	6.9809	15.9099
-4.5612	6.3064	15.9099
-4.9339	7.6679	15.9099
-6.6519	6.2706	15.9099
-4.7533	6.8684	15.9099

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-6.9001	7.3316	15.9099
-4.4452	6.0257	15.9099
-5.829	5.0088	15.9099
-3.1371	3.9894	15.9099
-4.3841	3.7951	15.9099
-4.0306	5.2147	15.9099
-5.2856	4.4829	15.9099
-3.5227	4.4587	15.9099
-4.3179	5.7499	15.9099
-6.074	5.297	15.9099
-2.9317	3.7656	15.9099
-4.6931	4.013	15.9099
-3.8713	4.9561	15.9099
-5.5649	4.7379	15.9099
-3.3343	4.2204	15.9099
-4.1796	5.4794	15.9099
-6.2961	5.6034	15.9099
-4.9942	4.2418	15.9099
-3.7018	4.704	15.9099

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-1.9927	2.4294	15.9099
-0.4822	1.8599	15.9099
-0.9144	1.9189	15.9099
-1.1238	2.2682	15.9099
-0.3644	1.6664	15.9099
-2.0884	2.9835	15.9099
-0.1668	1.5991	15.9099
-0.1473	1.6312	15.9099
-2.8333	2.8618	15.9099
-0.2749	1.7353	15.9099
-1.4967	2.191	15.9099
-0.6903	1.9878	15.9099
-0.6381	1.7917	15.9099
-1.4869	2.5203	15.9099
-0.2578	1.618	15.9099
-2.5082	3.3493	15.9099
-0.1537	1.6156	15.9099
-3.752	3.3876	15.9099
-0.166	1.6722	15.9099

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-2.2634	2.5645	15.9099
-0.4003	1.8107	15.9099
-1.0858	1.9986	15.9099
-0.9634	2.1621	15.9099
-0.4392	1.7006	15.9099
-1.8834	2.8184	15.9099
-0.1917	1.5895	15.9099
-0.1512	1.62	15.9099
-3.1316	3.0254	15.9099
-0.2293	1.7085	15.9099
-1.7357	2.3048	15.9099
-0.5784	1.9185	15.9099
-0.7656	1.8503	15.9099
-1.2994	2.388	15.9099
-0.3046	1.639	15.9099
-2.2971	3.1601	15.9099
-0.1568	1.6102	15.9099
-4.0688	3.5863	15.9099
-0.1487	1.6524	15.9099

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-2.5438	2.7081	15.9099
-0.3316	1.7692	15.9099
-1.28	2.0892	15.9099
-0.8187	2.0689	15.9099
-0.53	1.7423	15.9099
-1.6825	2.6644	15.9099
-0.2225	1.6009	15.9099
-2.721	3.5516	15.9099
-0.1537	1.6156	15.9099
-3.438	3.2005	15.9099
-0.1943	1.687	15.9099
-5.4238	9.4637	14.1997
-5.9705	9.2816	14.1997
-6.6675	8.3738	14.1997
-4.9338	8.1182	14.1997
-4.9806	8.9451	14.1997
-5.1956	9.388	14.1997
-5.1087	9.312	14.1997
-5.2761	9.4279	14.1997

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-5.1956	9.388	14.1997
-5.6001	9.4528	14.1997
-6.2602	9.0195	14.1997
-4.9477	8.5078	14.1997
-5.0225	9.141	14.1997
-5.2092	9.3961	14.1997
-5.1583	9.3619	14.1997
-5.3606	9.4539	14.1997
-5.8353	9.3654	14.1997
-6.5439	8.6219	14.1997
-4.9664	8.8191	14.1997
-5.0791	9.2701	14.1997
-5.248	9.416	14.1997
-5.1901	9.3846	14.1997
-5.5038	9.4653	14.1997
-6.1136	9.1669	14.1997
-6.7689	8.0984	14.1997
-4.9411	8.3227	14.1997
-4.9993	9.052	14.1997

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-5.1997	9.3906	14.1997
-5.1353	9.3412	14.1997
-5.3125	9.4409	14.1997
-5.7111	9.4212	14.1997
-6.4054	8.8381	14.1997
-4.9557	8.6733	14.1997
-5.0498	9.2135	14.1997
-5.2261	9.4052	14.1997
-5.1779	9.3766	14.1997
-4.8064	6.9108	14.1997
-6.8365	6.8156	14.1997
-4.5864	6.0957	14.1997
-4.8841	7.4215	14.1997
-6.8413	7.8014	14.1997
-6.6206	6.1327	14.1997
-4.7484	6.6441	14.1997
-4.9234	7.8975	14.1997
-6.879	7.1554	14.1997
-4.4823	5.8224	14.1997

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-4.851	7.1702	14.1997
-6.7499	6.4717	14.1997
-4.6753	6.371	14.1997
-4.9075	7.6641	14.1997
-6.8794	7.4856	14.1997
-6.4536	5.8062	14.1997
-4.3643	5.5547	14.1997
-6.0341	5.2056	14.1997
-3.0034	3.6658	14.1997
-4.6891	3.9682	14.1997
-3.9333	4.7912	14.1997
-5.5335	4.6708	14.1997
-3.4022	4.0935	14.1997
-4.2331	5.2933	14.1997
-6.2562	5.4971	14.1997
-4.9797	4.1913	14.1997
-3.7663	4.5511	14.1997
-5.792	4.9305	14.1997
-3.2067	3.876	14.1997

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-4.3913	3.755	14.1997
-4.0892	5.0387	14.1997
-5.2619	4.4249	14.1997
-3.589	4.3186	14.1997
-3.7825	3.3549	14.1997
-0.3131	1.6837	14.1997
-2.3445	2.5504	14.1997
-0.5389	1.8168	14.1997
-1.2047	2	14.1997
-1.0826	2.1525	14.1997
-0.5792	1.7096	14.1997
-1.9749	2.7754	14.1997
-0.3392	1.6025	14.1997
-0.3005	1.6328	14.1997
-3.1842	2.9995	14.1997
-0.3741	1.7187	14.1997
-1.8336	2.2981	14.1997
-0.7108	1.92	14.1997
-0.895	1.8554	14.1997

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-1.4078	2.3676	14.1997
-0.4489	1.6496	14.1997
-2.379	3.0972	14.1997
-0.3059	1.6233	14.1997
-4.0877	3.55	14.1997
-0.2975	1.6638	14.1997
-2.6159	2.6899	14.1997
-0.4727	1.7771	14.1997
-1.3926	2.0882	14.1997
-0.9428	2.0636	14.1997
-0.6671	1.7501	14.1997
-1.7795	2.6297	14.1997
-0.3695	1.6124	14.1997
-2.7954	3.4648	14.1997
-0.3029	1.6285	14.1997
-3.4798	3.1711	14.1997
-0.3403	1.6983	14.1997
-2.0825	2.4192	14.1997
-0.6179	1.8639	14.1997

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-1.0389	1.9224	14.1997
-1.2378	2.2536	14.1997
-0.5068	1.6764	14.1997
-2.1748	2.931	14.1997
-0.3155	1.6124	14.1997
-0.2966	1.6435	14.1997
-2.8959	2.8396	14.1997
-0.418	1.7445	14.1997
-1.6024	2.1873	14.1997
-0.8188	1.9862	14.1997
-0.7717	1.7983	14.1997
-1.5895	2.4932	14.1997
-0.4035	1.6294	14.1997
-2.586	3.275	14.1997
-0.3029	1.6285	14.1997
-5.1746	9.1661	12.4885
-5.1221	9.1381	12.4885
-5.325	9.2073	12.4885
-5.7747	9.0844	12.4885

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-6.4543	8.3629	12.4885
-4.9176	8.6257	12.4885
-5.0343	9.0593	12.4885
-5.2137	9.1813	12.4885
-5.155	9.1568	12.4885
-5.4632	9.204	12.4885
-6.037	8.8855	12.4885
-4.9191	8.1425	12.4885
-4.9442	8.8528	12.4885
-5.165	9.1616	12.4885
-5.0975	9.1206	12.4885
-5.2776	9.2001	12.4885
-5.6586	9.1449	12.4885
-6.318	8.5691	12.4885
-4.9145	8.4836	12.4885
-4.9999	9.0076	12.4885
-5.1916	9.1732	12.4885
-5.1423	9.1504	12.4885
-5.3865	9.2104	12.4885

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-5.9016	8.9988	12.4885
-6.5778	8.1263	12.4885
-4.922	7.9435	12.4885
-4.927	8.7486	12.4885
-5.1607	9.1596	12.4885
-5.068	9.096	12.4885
-5.2416	9.1907	12.4885
-5.1607	9.1596	12.4885
-5.5545	9.1836	12.4885
-6.1773	8.7428	12.4885
-4.9158	8.3225	12.4885
-4.9689	8.9388	12.4885
-4.7801	6.5069	12.4885
-4.9212	7.7287	12.4885
-6.8002	6.9571	12.4885
-4.8721	7.02	12.4885
-6.6807	7.8632	12.4885
-6.6757	6.2988	12.4885
-4.7114	6.2408	12.4885

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-4.9141	7.5014	12.4885
-6.7973	7.2751	12.4885
-4.8332	6.767	12.4885
-6.7603	6.6297	12.4885
-4.6264	5.9727	12.4885
-4.8984	7.265	12.4885
-6.7558	7.5785	12.4885
-6.5481	5.9737	12.4885
-5.4846	4.5786	12.4885
-3.4727	4.0281	12.4885
-4.2839	5.1922	12.4885
-6.1894	5.3663	12.4885
-4.9486	4.1202	12.4885
-3.8284	4.4717	12.4885
-4.526	5.7067	12.4885
-5.7358	4.8263	12.4885
-3.2816	3.8176	12.4885
-4.3809	3.7017	12.4885
-4.1436	4.9449	12.4885

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-6.3834	5.6613	12.4885
-5.2214	4.3438	12.4885
-3.6552	4.2462	12.4885
-4.4116	5.4463	12.4885
-5.9719	5.0885	12.4885
-3.0829	3.6143	12.4885
-4.668	3.9065	12.4885
-3.9915	4.7046	12.4885
-0.4549	1.6363	12.4885
-4.0884	3.5047	12.4885
-0.4462	1.6756	12.4885
-2.6725	2.6747	12.4885
-0.6154	1.7868	12.4885
-1.498	2.0886	12.4885
-1.0725	2.0653	12.4885
-0.8017	1.7584	12.4885
-1.8875	2.6134	12.4885
-0.516	1.6237	12.4885
-2.8796	3.4201	12.4885

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-0.452	1.6414	12.4885
-3.5033	3.1397	12.4885
-0.4867	1.7103	12.4885
-2.16	2.4117	12.4885
-0.7565	1.8713	12.4885
-1.1585	1.9265	12.4885
-1.3596	2.2495	12.4885
-0.6477	1.6865	12.4885
-2.2733	2.9045	12.4885
-0.4639	1.6258	12.4885
-0.4458	1.6559	12.4885
-2.9415	2.8197	12.4885
-0.5623	1.7552	12.4885
-1.6993	2.1854	12.4885
-0.9519	1.9902	12.4885
-0.902	1.8054	12.4885
-1.7023	2.4814	12.4885
-0.5485	1.6409	12.4885
-2.6749	3.2367	12.4885

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-0.452	1.6414	12.4885
-3.7946	3.3168	12.4885
-0.4604	1.6956	12.4885
-2.4116	2.5393	12.4885
-0.6798	1.8255	12.4885
-1.3177	2.0024	12.4885
-1.2086	2.1515	12.4885
-0.7173	1.7189	12.4885
-2.0781	2.7542	12.4885
-0.4865	1.6157	12.4885
-0.4497	1.6455	12.4885
-3.2188	2.9741	12.4885
-0.5196	1.73	12.4885
-1.9212	2.2936	12.4885
-0.8468	1.9258	12.4885
-1.0204	1.8612	12.4885
-1.5252	2.3599	12.4885
-0.5922	1.6603	12.4885
-2.4726	3.065	12.4885

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-4.8893	7.9317	10.7783
-4.9065	8.6178	10.7783
-5.124	8.9138	10.7783
-5.0589	8.8741	10.7783
-5.2323	8.9509	10.7783
-5.5966	8.8878	10.7783
-6.2195	8.3211	10.7783
-4.8794	8.2611	10.7783
-4.9628	8.7665	10.7783
-5.1497	8.9248	10.7783
-5.1021	8.9029	10.7783
-5.3372	8.9591	10.7783
-5.8266	8.7415	10.7783
-6.4654	7.8932	10.7783
-4.8897	8.5172	10.7783
-5.1199	8.9118	10.7783
-5.03	8.8507	10.7783
-5.1977	8.9416	10.7783
-5.1199	8.9118	10.7783

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-5.4977	8.9281	10.7783
-6.0867	8.4902	10.7783
-4.8829	8.1055	10.7783
-4.9315	8.7006	10.7783
-5.1334	8.9181	10.7783
-5.0825	8.8911	10.7783
-5.278	8.9572	10.7783
-5.7067	8.8267	10.7783
-6.3482	8.1214	10.7783
-4.881	8.3984	10.7783
-4.997	8.8157	10.7783
-5.171	8.9326	10.7783
-5.1144	8.9092	10.7783
-5.4107	8.9508	10.7783
-5.9545	8.6299	10.7783
-6.5638	7.6401	10.7783
-6.5781	6.1349	10.7783
-4.7202	6.0918	10.7783
-4.8969	7.3123	10.7783

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-6.6798	7.0754	10.7783
-4.8314	6.6016	10.7783
-4.8958	7.7395	10.7783
-6.6536	6.4545	10.7783
-4.6404	5.832	10.7783
-4.8861	7.0837	10.7783
-6.6371	7.3667	10.7783
-6.4607	5.8203	10.7783
-4.7837	6.3496	10.7783
-4.8993	7.5321	10.7783
-6.6867	6.7698	10.7783
-4.865	6.8465	10.7783
-5.6879	4.7121	10.7783
-3.3362	3.7547	10.7783
-4.3739	3.6453	10.7783
-4.1757	4.8384	10.7783
-6.3065	5.5177	10.7783
-5.1902	4.2516	10.7783
-3.7001	4.1661	10.7783

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-4.4351	5.3226	10.7783
-5.9149	4.9641	10.7783
-4.6529	3.8379	10.7783
-4.0277	4.607	10.7783
-5.4453	4.4751	10.7783
-3.5222	3.9568	10.7783
-4.3117	5.0771	10.7783
-6.1228	5.2323	10.7783
-4.9254	4.0397	10.7783
-3.8688	4.3829	10.7783
-4.5449	5.5744	10.7783
-1.2767	1.9339	10.7783
-1.4723	2.2481	10.7783
-0.7882	1.6976	10.7783
-2.3567	2.8784	10.7783
-0.6123	1.639	10.7783
-0.5948	1.668	10.7783
-2.9824	2.8095	10.7783
-0.7047	1.7661	10.7783

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-1.7936	2.1889	10.7783
-1.0792	1.9962	10.7783
-1.0314	1.8148	10.7783
-1.8036	2.4718	10.7783
-0.6934	1.6527	10.7783
-2.7464	3.1972	10.7783
-0.6009	1.654	10.7783
-3.8051	3.283	10.7783
-0.6069	1.7072	10.7783
-2.4745	2.537	10.7783
-0.8176	1.835	10.7783
-1.4289	2.0085	10.7783
-1.3265	2.1533	10.7783
-0.8547	1.7295	10.7783
-2.1676	2.734	10.7783
-0.6338	1.6289	10.7783
-3.1428	3.5596	10.7783
-0.5986	1.6579	10.7783
-3.249	2.9578	10.7783

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-0.6637	1.7413	10.7783
-2.0056	2.2956	10.7783
-0.9781	1.9334	10.7783
-1.1446	1.8696	10.7783
-1.6322	2.3547	10.7783
-0.7352	1.6716	10.7783
-2.5501	3.0324	10.7783
-0.6037	1.6491	10.7783
-4.0899	3.46	10.7783
-0.5947	1.6868	10.7783
-2.7242	2.6692	10.7783
-0.7557	1.7971	10.7783
-1.6013	2.0934	10.7783
-1.1953	2.0694	10.7783
-0.9354	1.7685	10.7783
-1.9829	2.5988	10.7783
-0.6625	1.635	10.7783
-2.9452	3.3732	10.7783
-0.6009	1.654	10.7783

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-3.5234	3.1155	10.7783
-0.6322	1.722	10.7783
-2.2338	2.4119	10.7783
-0.8913	1.88	10.7783
-5.7463	8.506	9.0671
-4.8671	8.2419	9.0671
-5.0727	8.6361	9.0671
-4.9943	8.5675	9.0671
-5.1433	8.6741	9.0671
-5.0727	8.6361	9.0671
-5.4307	8.6856	9.0671
-5.9895	8.2576	9.0671
-4.9094	8.4174	9.0671
-5.0847	8.6438	9.0671
-5.0397	8.6119	9.0671
-5.2183	8.6976	9.0671
-5.6324	8.5899	9.0671
-6.2313	7.8965	9.0671
-4.8548	8.1284	9.0671

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-4.9663	8.5308	9.0671
-5.1186	8.6626	9.0671
-5.0678	8.6329	9.0671
-5.346	8.7028	9.0671
-5.8664	8.3955	9.0671
-4.8854	8.338	9.0671
-5.0764	8.6386	9.0671
-5.0189	8.5933	9.0671
-5.1755	8.6861	9.0671
-5.5267	8.6492	9.0671
-6.1124	8.0915	9.0671
-4.8485	7.9969	9.0671
-4.9372	8.4814	9.0671
-5.0994	8.6524	9.0671
-5.057	8.6254	9.0671
-5.2749	8.705	9.0671
-4.7993	6.4045	9.0671
-6.3397	7.6751	9.0671
-4.8532	7.4965	9.0671

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-6.5346	6.2912	9.0671
-4.845	6.8675	9.0671
-6.5017	7.168	9.0671
-4.8474	7.8476	9.0671
-4.758	6.1621	9.0671
-4.8554	7.2975	9.0671
-6.5578	6.595	9.0671
-4.8276	6.6399	9.0671
-6.4317	7.4308	9.0671
-4.8497	7.6808	9.0671
-6.4724	5.9818	9.0671
-4.7018	5.9137	9.0671
-4.8535	7.0868	9.0671
-6.5453	6.8885	9.0671
-4.6296	5.6633	9.0671
-6.3704	5.6755	9.0671
-6.2312	5.3802	9.0671
-5.8649	4.841	9.0671
-4.645	3.7674	9.0671

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-4.0501	4.4852	9.0671
-5.4142	4.3702	9.0671
-3.5597	3.8662	9.0671
-4.3224	4.9361	9.0671
-6.061	5.1017	9.0671
-4.91	3.9572	9.0671
-3.8964	4.2712	9.0671
-4.5416	5.415	9.0671
-5.6481	4.5975	9.0671
-3.3787	3.6748	9.0671
-4.1925	4.7069	9.0671
-5.1672	4.1575	9.0671
-3.7326	4.0649	9.0671
-4.439	5.1723	9.0671
-2.5424	2.5303	9.0671
-0.9543	1.8434	9.0671
-1.5419	2.0134	9.0671
-1.4397	2.1525	9.0671
-0.9926	1.7398	9.0671

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-2.2465	2.7092	9.0671
-0.781	1.6421	9.0671
-3.1907	3.4903	9.0671
-0.7477	1.6706	9.0671
-3.2856	2.9372	9.0671
-0.8075	1.7522	9.0671
-2.0937	2.2944	9.0671
-1.1073	1.9391	9.0671
-1.2699	1.8773	9.0671
-1.7322	2.3469	9.0671
-0.8784	1.6829	9.0671
-2.6158	2.9922	9.0671
-0.7525	1.662	9.0671
-4.0982	3.4127	9.0671
-0.7435	1.698	9.0671
-2.7815	2.659	9.0671
-0.8952	1.8065	9.0671
-1.7068	2.0965	9.0671
-1.3145	2.0713	9.0671

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-1.0697	1.7782	9.0671
-2.0687	2.5805	9.0671
-0.8088	1.647	9.0671
-2.9987	3.3143	9.0671
-0.7498	1.6667	9.0671
-3.55	3.0876	9.0671
-0.7774	1.7336	9.0671
-2.312	2.4082	9.0671
-1.0245	1.8872	9.0671
-1.3962	1.9403	9.0671
-1.5791	2.2442	9.0671
-0.9291	1.7084	9.0671
-2.4289	2.8464	9.0671
-0.7607	1.6523	9.0671
-4.3738	3.5866	9.0671
-0.7439	1.6802	9.0671
-3.0293	2.7946	9.0671
-0.8466	1.7763	9.0671
-1.8908	2.1901	9.0671

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-1.2037	2.0003	9.0671
-1.1615	1.8236	9.0671
-1.8965	2.4592	9.0671
-0.8385	1.664	9.0671
-2.8059	3.1481	9.0671
-0.7498	1.6667	9.0671
-3.8223	3.2461	9.0671
-0.7534	1.7187	9.0671
-5.1618	8.4428	7.3559
-5.5567	8.3304	7.3559
-6.1298	7.6615	7.3559
-4.8191	7.0932	7.3559
-4.8201	7.8924	7.3559
-4.9196	8.2811	7.3559
-5.0666	8.4077	7.3559
-5.0185	8.378	7.3559
-5.2846	8.4463	7.3559
-5.7788	8.1407	7.3559
-6.3272	7.2164	7.3559

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-4.8164	7.4619	7.3559
-4.8447	8.0946	7.3559
-5.0266	8.3836	7.3559
-4.9711	8.3403	7.3559
-5.1209	8.4313	7.3559
-5.4566	8.3896	7.3559
-6.0147	7.8482	7.3559
-4.8156	7.7658	7.3559
-4.8914	8.2336	7.3559
-5.0484	8.3975	7.3559
-5.0082	8.3707	7.3559
-5.2162	8.4497	7.3559
-5.6647	8.248	7.3559
-6.2359	7.4499	7.3559
-4.8185	7.2846	7.3559
-4.8294	8.0018	7.3559
-5.0231	8.3812	7.3559
-4.9471	8.3159	7.3559
-5.0901	8.4191	7.3559

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-5.0231	8.3812	7.3559
-5.3654	8.4273	7.3559
-5.8965	8.0076	7.3559
-4.8149	7.6223	7.3559
-4.8657	8.1715	7.3559
-5.0345	8.3889	7.3559
-4.9914	8.3579	7.3559
-4.7324	6.0002	7.3559
-6.4616	6.4156	7.3559
-4.7923	6.4607	7.3559
-6.3892	5.8253	7.3559
-4.684	5.7601	7.3559
-4.8162	6.8906	7.3559
-6.4447	6.6973	7.3559
-4.7678	6.234	7.3559
-6.4444	6.1234	7.3559
-4.8078	6.6797	7.3559
-6.3983	6.965	7.3559
-4.3445	4.8105	7.3559

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-6.001	4.977	7.3559
-4.8941	3.8792	7.3559
-3.9415	4.167	7.3559
-4.5435	5.2764	7.3559
-5.6046	4.4923	7.3559
-4.2235	4.5879	7.3559
-6.1632	5.2452	7.3559
-5.1418	4.0708	7.3559
-3.783	3.9694	7.3559
-4.4513	5.0403	7.3559
-5.8131	4.7262	7.3559
-4.6392	3.6974	7.3559
-4.0888	4.3733	7.3559
-4.6212	5.5176	7.3559
-6.2945	5.53	7.3559
-5.3797	4.2745	7.3559
-3.6146	3.7802	7.3559
-4.1135	3.3575	7.3559
-0.8925	1.7097	7.3559

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-2.8486	2.6339	7.3559
-1.0366	1.8156	7.3559
-1.8158	2.0945	7.3559
-1.4383	2.0727	7.3559
-1.2052	1.7861	7.3559
-2.1617	2.5653	7.3559
-0.9552	1.6588	7.3559
-3.0653	3.2596	7.3559
-0.8988	1.6797	7.3559
-3.587	3.0452	7.3559
-0.9234	1.7454	7.3559
-2.3973	2.3936	7.3559
-1.1606	1.8937	7.3559
-1.518	1.9435	7.3559
-1.6916	2.2406	7.3559
-1.0705	1.7182	7.3559
-2.5099	2.8186	7.3559
-0.9092	1.6657	7.3559
-3.4375	3.599	7.3559

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-4.3784	3.5243	7.3559
-0.8932	1.6927	7.3559
-3.0867	2.7639	7.3559
-0.9899	1.7865	7.3559
-1.9925	2.1844	7.3559
-1.3322	2.0036	7.3559
-1.2931	1.8302	7.3559
-1.996	2.4487	7.3559
-0.9838	1.675	7.3559
-2.8767	3.1033	7.3559
-0.8988	1.6797	7.3559
-3.8484	3.1975	7.3559
-0.9005	1.7304	7.3559
-2.6187	2.5106	7.3559
-1.0933	1.8512	7.3559
-1.6576	2.0142	7.3559
-1.5582	2.1516	7.3559
-1.1314	1.7488	7.3559
-2.3332	2.6883	7.3559

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-0.9283	1.6554	7.3559
-3.2532	3.4251	7.3559
-0.8968	1.6834	7.3559
-3.333	2.9008	7.3559
-0.9524	1.763	7.3559
-2.1874	2.2845	7.3559
-1.2399	1.9442	7.3559
-1.3969	1.8824	7.3559
-1.8384	2.3402	7.3559
-1.0219	1.6935	7.3559
-2.6914	2.9565	7.3559
-0.9014	1.6751	7.3559
-4.9682	8.1312	5.6457
-4.9146	8.0901	5.6457
-5.0586	8.1774	5.6457
-5.3816	8.1404	5.6457
-5.9227	7.626	5.6457
-4.7728	7.5394	5.6457
-4.836	7.9892	5.6457

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-4.9891	8.1445	5.6457
-4.9505	8.1189	5.6457
-5.15	8.1955	5.6457
-5.5832	8.0071	5.6457
-6.137	7.2445	5.6457
-4.7874	7.0778	5.6457
-4.7799	7.7661	5.6457
-4.9649	8.1289	5.6457
-4.891	8.0672	5.6457
-5.0291	8.1655	5.6457
-4.9649	8.1289	5.6457
-5.2936	8.1754	5.6457
-5.8081	7.7784	5.6457
-4.776	7.4017	5.6457
-4.8114	7.9296	5.6457
-4.9758	8.1362	5.6457
-4.9343	8.1066	5.6457
-5.0978	8.1885	5.6457
-5.4786	8.0849	5.6457

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-6.0342	7.4473	5.6457
-4.7736	7.6609	5.6457
-4.8638	8.0345	5.6457
-5.0066	8.1544	5.6457
-4.9604	8.1259	5.6457
-5.2158	8.1928	5.6457
-5.694	7.9052	5.6457
-4.7815	7.2478	5.6457
-4.7923	7.8555	5.6457
-4.7924	6.6997	5.6457
-6.343	6.5231	5.6457
-4.7544	6.069	5.6457
-6.3505	5.9719	5.6457
-4.7876	6.4971	5.6457
-6.2959	6.7798	5.6457
-4.7224	5.8443	5.6457
-4.7917	6.8941	5.6457
-6.3627	6.2528	5.6457
-4.7755	6.2868	5.6457

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-6.2259	7.0207	5.6457
-6.3023	5.6848	5.6457
-5.5654	4.3958	5.6457
-4.2365	4.4885	5.6457
-4.6776	5.6136	5.6457
-6.0947	5.1241	5.6457
-5.1219	3.9897	5.6457
-3.811	3.8969	5.6457
-4.4559	4.9222	5.6457
-5.7641	4.6217	5.6457
-4.6394	3.6309	5.6457
-4.1065	4.283	5.6457
-4.6183	5.3805	5.6457
-6.2164	5.3996	5.6457
-5.3501	4.1857	5.6457
-3.6484	3.7161	5.6457
-4.3532	4.7018	5.6457
-5.9423	4.8644	5.6457
-4.8842	3.8055	5.6457

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-3.9642	4.0857	5.6457
-4.5443	5.1488	5.6457
-1.0579	1.6788	5.6457
-3.4775	3.5431	5.6457
-4.3889	3.4646	5.6457
-1.0425	1.7048	5.6457
-3.1479	2.7349	5.6457
-1.1331	1.7964	5.6457
-2.0965	2.1792	5.6457
-1.4601	2.0072	5.6457
-1.4259	1.8367	5.6457
-2.0941	2.4389	5.6457
-1.1296	1.6861	5.6457
-2.9379	3.0691	5.6457
-1.048	1.6923	5.6457
-3.8799	3.1507	5.6457
-1.0484	1.7411	5.6457
-2.698	2.4923	5.6457
-1.2319	1.8592	5.6457

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-1.7752	2.015	5.6457
-1.676	2.1508	5.6457
-1.2709	1.7577	5.6457
-2.4167	2.6703	5.6457
-1.076	1.6686	5.6457
-3.3	3.377	5.6457
-1.046	1.6959	5.6457
-3.3846	2.866	5.6457
-1.0974	1.7735	5.6457
-2.2836	2.2756	5.6457
-1.3719	1.9495	5.6457
-1.5253	1.8873	5.6457
-1.9435	2.3337	5.6457
-1.166	1.7042	5.6457
-2.76	2.9283	5.6457
-1.0505	1.6879	5.6457
-4.1344	3.3044	5.6457
-1.0415	1.721	5.6457
-2.9191	2.6103	5.6457

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-1.1778	1.8246	5.6457
-1.9269	2.0926	5.6457
-1.5615	2.0742	5.6457
-1.3417	1.7938	5.6457
-2.2526	2.5515	5.6457
-1.1019	1.6708	5.6457
-3.1191	3.2187	5.6457
-1.048	1.6923	5.6457
-3.6287	3.0045	5.6457
-1.0693	1.7569	5.6457
-2.4852	2.3801	5.6457
-1.2962	1.9005	5.6457
-1.6414	1.9465	5.6457
-1.8034	2.2372	5.6457
-1.2126	1.7281	5.6457
-2.5859	2.7958	5.6457
-4.7213	7.5254	3.9345
-4.8997	7.8728	3.9345
-4.8303	7.8124	3.9345

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-4.9606	7.9091	3.9345
-4.8997	7.8728	3.9345
-5.2146	7.9313	3.9345
-5.7224	7.571	3.9345
-4.7282	7.1771	3.9345
-4.7527	7.6815	3.9345
-4.91	7.8799	3.9345
-4.871	7.8508	3.9345
-5.0261	7.9329	3.9345
-5.3973	7.8555	3.9345
-5.9411	7.2542	3.9345
-4.717	7.4248	3.9345
-4.8044	7.7809	3.9345
-4.9394	7.8978	3.9345
-4.8955	7.8698	3.9345
-5.1389	7.9428	3.9345
-5.6104	7.6906	3.9345
-4.7333	7.611	3.9345
-4.9029	7.875	3.9345

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-4.8526	7.8345	3.9345
-4.9887	7.9212	3.9345
-5.3012	7.9033	3.9345
-5.8337	7.4256	3.9345
-4.7197	7.3086	3.9345
-4.7774	7.738	3.9345
-4.9228	7.8881	3.9345
-4.8861	7.8629	3.9345
-5.0758	7.9418	3.9345
-5.501	7.785	3.9345
-6.0395	7.0592	3.9345
-6.2506	5.8372	3.9345
-4.7743	6.3136	3.9345
-6.1911	6.6127	3.9345
-4.7182	5.689	3.9345
-4.7653	6.6931	3.9345
-6.2583	6.107	3.9345
-4.7669	6.1123	3.9345
-6.1242	6.8441	3.9345

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-4.7402	7.0304	3.9345
-4.7731	6.5073	3.9345
-6.237	6.3664	3.9345
-4.7489	5.9038	3.9345
-4.7535	6.8683	3.9345
-5.7163	4.5288	3.9345
-4.1	4.2085	3.9345
-4.6127	5.247	3.9345
-6.1343	5.2849	3.9345
-5.3238	4.1054	3.9345
-3.66	3.6682	3.9345
-4.3434	4.6045	3.9345
-5.8831	4.7649	3.9345
-4.8784	3.7379	3.9345
-3.9621	4.0214	3.9345
-4.5368	5.0272	3.9345
-6.2101	5.5606	3.9345
-5.5285	4.3092	3.9345
-4.2274	4.403	3.9345

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-4.6732	5.4688	3.9345
-6.0239	5.0175	3.9345
-5.106	3.9157	3.9345
-3.8149	3.8415	3.9345
-4.4469	4.8127	3.9345
-1.4114	1.7666	3.9345
-2.496	2.6523	3.9345
-1.2242	1.6818	3.9345
-3.3302	3.3406	3.9345
-4.6438	3.5696	3.9345
-1.1955	1.708	3.9345
-3.4389	2.8352	3.9345
-1.2425	1.7836	3.9345
-2.3818	2.2679	3.9345
-1.5032	1.9545	3.9345
-1.6552	1.8921	3.9345
-2.0469	2.3259	3.9345
-1.3108	1.715	3.9345
-2.8207	2.9036	3.9345

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-1.1999	1.7005	3.9345
-4.1592	3.2556	3.9345
-1.1908	1.732	3.9345
-2.9916	2.5901	3.9345
-1.3187	1.8334	3.9345
-2.04	2.0908	3.9345
-1.6835	2.0752	3.9345
-1.4793	1.8015	3.9345
-2.3405	2.5369	3.9345
-1.2492	1.6829	3.9345
-3.1596	3.1867	3.9345
-1.1975	1.7047	3.9345
-3.6734	2.9679	3.9345
-1.2154	1.7678	3.9345
-2.5751	2.3689	3.9345
-1.4312	1.9071	3.9345
-1.7664	1.9494	3.9345
-1.9136	2.2327	3.9345
-1.3555	1.738	3.9345

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-2.6562	2.7744	3.9345
-1.2071	1.6917	3.9345
-3.498	3.5015	3.9345
-4.4035	3.4095	3.9345
-1.1921	1.7165	3.9345
-3.2114	2.7096	3.9345
-1.2762	1.8061	3.9345
-2.2024	2.1748	3.9345
-1.587	2.0103	3.9345
-1.5599	1.843	3.9345
-2.19	2.4277	3.9345
-1.276	1.6974	3.9345
-2.9886	3.0409	3.9345
-1.1975	1.7047	3.9345
-3.9147	3.1081	3.9345
-1.1966	1.7513	3.9345
-2.7793	2.4768	3.9345
-1.3701	1.867	3.9345
-1.8946	2.0157	3.9345

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-1.7924	2.1492	3.9345
-5.8514	7.0584	2.2243
-4.6618	7.1776	2.2243
-4.7523	7.5151	2.2243
-4.8732	7.6352	2.2243
-4.834	7.6045	2.2243
-5.0612	7.6907	2.2243
-5.522	7.467	2.2243
-4.6823	7.3542	2.2243
-4.8405	7.61	2.2243
-4.7955	7.5683	2.2243
-4.919	7.6605	2.2243
-5.2184	7.6602	2.2243
-5.7439	7.2199	2.2243
-4.6635	7.0671	2.2243
-4.7271	7.474	2.2243
-4.8582	7.6244	2.2243
-4.8257	7.5972	2.2243
-5.0009	7.6862	2.2243

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-5.4141	7.554	2.2243
-4.6681	7.2733	2.2243
-4.8377	7.6076	2.2243
-4.7757	7.5459	2.2243
-4.893	7.647	2.2243
-4.8377	7.6076	2.2243
-5.1343	7.6834	2.2243
-5.633	7.3559	2.2243
-4.7028	7.4207	2.2243
-4.8469	7.6153	2.2243
-4.812	7.5848	2.2243
-4.9538	7.6746	2.2243
-5.3122	7.6177	2.2243
-4.7172	6.4827	2.2243
-6.1707	5.9638	2.2243
-4.7299	5.9305	2.2243
-6.0351	6.6689	2.2243
-4.6857	6.8028	2.2243
-4.7289	6.3062	2.2243

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-6.1488	6.2123	2.2243
-4.7146	5.7321	2.2243
-5.9501	6.8737	2.2243
-4.7018	6.6489	2.2243
-6.1645	5.705	2.2243
-4.7339	6.122	2.2243
-6.1024	6.448	2.2243
-4.6721	6.9421	2.2243
-5.8189	4.6744	2.2243
-4.8686	3.6773	2.2243
-3.9505	3.9493	2.2243
-4.5078	4.9	2.2243
-6.1267	5.4397	2.2243
-5.4844	4.2333	2.2243
-4.205	4.3107	2.2243
-4.6423	5.3184	2.2243
-5.9515	4.9179	2.2243
-5.0846	3.8505	2.2243
-3.8109	3.7779	2.2243

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-4.4191	4.6974	2.2243
-5.6617	4.4462	2.2243
-4.0823	4.1268	2.2243
-4.5827	5.108	2.2243
-6.0555	5.1749	2.2243
-5.2909	4.0352	2.2243
-3.6647	3.6121	2.2243
-4.3177	4.5009	2.2243
-4.686	5.5277	2.2243
-2.1542	2.087	2.2243
-1.8048	2.0737	2.2243
-1.6172	1.8086	2.2243
-2.4265	2.5171	2.2243
-1.3965	1.695	2.2243
-3.1957	3.1471	2.2243
-1.347	1.717	2.2243
-3.7187	2.9309	2.2243
-1.3618	1.7782	2.2243
-2.6664	2.3554	2.2243

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-1.5659	1.9124	2.2243
-1.8923	1.9508	2.2243
-2.0228	2.2247	2.2243
-1.4986	1.7477	2.2243
-2.7239	2.7468	2.2243
-1.3562	1.7046	2.2243
-3.5126	3.4517	2.2243
-4.4165	3.3578	2.2243
-1.3417	1.7282	2.2243
-3.276	2.6828	2.2243
-1.4193	1.8151	2.2243
-2.3097	2.168	2.2243
-1.7134	2.0115	2.2243
-1.6945	1.8485	2.2243
-2.2845	2.4118	2.2243
-1.4224	1.7087	2.2243
-3.0357	3.0054	2.2243
-1.347	1.717	2.2243
-3.9497	3.0659	2.2243

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-1.3449	1.7614	2.2243
-2.862	2.4592	2.2243
-1.5081	1.8739	2.2243
-2.0151	2.0146	2.2243
-1.9079	2.1447	2.2243
-1.5522	1.7752	2.2243
-2.5732	2.6285	2.2243
-1.3725	1.6951	2.2243
-3.3554	3.2963	2.2243
-4.6455	3.5134	2.2243
-1.3451	1.7202	2.2243
-3.4941	2.8033	2.2243
-1.3875	1.7933	2.2243
-2.4813	2.258	2.2243
-1.6341	1.9579	2.2243
-1.7858	1.8956	2.2243
-2.149	2.3142	2.2243
-1.4557	1.7256	2.2243
-2.8783	2.8721	2.2243

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-1.3493	1.713	2.2243
-4.1834	3.2085	2.2243
-1.3401	1.7428	2.2243
-3.0653	2.5681	2.2243
-1.4595	1.8414	2.2243
-5.1338	7.4055	0.5131
-4.7135	7.2347	0.5131
-4.7801	7.3279	0.5131
-4.8004	7.3498	0.5131
-4.9261	7.4283	0.5131
-4.6454	7.0831	0.5131
-5.3198	7.3017	0.5131
-4.7496	7.2884	0.5131
-4.7832	7.3313	0.5131
-4.8288	7.3775	0.5131
-5.0537	7.4294	0.5131
-4.6912	7.195	0.5131
-5.5349	7.1184	0.5131
-4.7731	7.3201	0.5131

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-4.7907	7.3397	0.5131
-4.8825	7.4119	0.5131
-4.6265	7.0079	0.5131
-5.2228	7.3633	0.5131
-4.733	7.2655	0.5131
-4.7832	7.3313	0.5131
-4.8133	7.3618	0.5131
-4.7902	7.3391	0.5131
-4.9837	7.4359	0.5131
-4.7902	7.3391	0.5131
-4.6678	7.1449	0.5131
-5.4245	7.2203	0.5131
-4.7629	7.306	0.5131
-4.7855	7.3339	0.5131
-4.8512	7.3946	0.5131
-5.6488	6.9949	0.5131
-6.0946	6.058	0.5131
-4.641	5.7382	0.5131
-4.6142	6.5634	0.5131

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-5.8705	6.6793	0.5131
-4.6418	6.0932	0.5131
-4.6073	6.8139	0.5131
-6.0421	6.282	0.5131
-4.6237	6.4176	0.5131
-5.7626	6.8483	0.5131
-6.1182	5.8202	0.5131
-4.6449	5.9192	0.5131
-4.6081	6.6956	0.5131
-5.9657	6.4896	0.5131
-4.6339	6.2601	0.5131
-4.6136	6.9182	0.5131
-3.9445	3.8499	0.5131
-4.4494	4.7602	0.5131
-5.8809	4.8262	0.5131
-5.0531	3.7999	0.5131
-4.1782	4.196	0.5131
-6.1093	5.5725	0.5131
-4.5661	5.1587	0.5131

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-3.8149	3.686	0.5131
-4.371	4.5665	0.5131
-5.9884	5.0687	0.5131
-4.6278	5.5507	0.5131
-5.2461	3.9815	0.5131
-4.066	4.0198	0.5131
-4.5147	4.9586	0.5131
-5.7488	4.5961	0.5131
-4.851	3.6284	0.5131
-4.2803	4.3783	0.5131
-6.0658	5.3195	0.5131
-4.6034	5.3572	0.5131
-5.428	4.1743	0.5131
-3.3433	2.6515	0.5131
-3.2386	3.0854	0.5131
-2.4194	2.1566	0.5131
-1.4965	1.7297	0.5131
-1.8297	1.8526	0.5131
-1.5086	1.7883	0.5131

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-1.5688	1.7197	0.5131
-1.7014	1.9152	0.5131
-1.4965	1.7297	0.5131
-2.1328	2.2108	0.5131
-3.9851	3.0234	0.5131
-1.4965	1.7297	0.5131
-2.7941	2.7056	0.5131
-2.9476	2.4363	0.5131
-1.4965	1.7297	0.5131
-3.5362	3.375	0.5131
-2.1373	2.0101	0.5131
-1.4915	1.7403	0.5131
-1.6931	1.783	0.5131
-1.5628	1.8234	0.5131
-1.5206	1.7085	0.5131
-1.8408	2.0089	0.5131
-4.6419	3.4656	0.5131
-2.3796	2.3882	0.5131
-3.5514	2.7679	0.5131

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-3.088	2.9509	0.5131
-2.5836	2.2429	0.5131
-1.9173	1.8972	0.5131
-1.4935	1.7717	0.5131
-1.6006	1.7358	0.5131
-1.6468	1.8788	0.5131
-1.4987	1.7259	0.5131
-2.0244	2.135	0.5131
-4.2065	3.1636	0.5131
-2.6519	2.5935	0.5131
-3.1419	2.5411	0.5131
-3.3887	3.2272	0.5131
-2.2706	2.0791	0.5131
-1.4947	1.7327	0.5131
-1.7555	1.8148	0.5131
-1.5326	1.8031	0.5131
-1.5436	1.7069	0.5131
-1.7658	1.9583	0.5131
-2.2519	2.2956	0.5131

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-3.7655	2.8917	0.5131
-2.9397	2.8244	0.5131
-2.7606	2.3364	0.5131
-3.6786	3.5278	0.5131
-2.0195	1.9495	0.5131
-1.4897	1.754	0.5131
-1.6418	1.7568	0.5131
-1.6008	1.8483	0.5131
-1.5053	1.7177	0.5131
-1.927	2.0678	0.5131
-4.4266	3.3111	0.5131
-2.5136	2.4879	0.5131
-4.7367	7.2041	0
-4.767	7.2481	0
-4.8283	7.312	0
-5.1022	7.3286	0
-4.6814	7.1111	0
-4.7572	7.2369	0
-4.7824	7.2656	0

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-4.8996	7.3476	0
-5.2847	7.2277	0
-4.7209	7.1812	0
-4.767	7.2481	0
-4.8088	7.2946	0
-5.0237	7.3515	0
-4.6579	7.0621	0
-5.4991	7.0497	0
-4.7488	7.222	0
-4.7736	7.2559	0
-4.8578	7.3302	0
-5.1888	7.2878	0
-4.7027	7.1503	0
-4.764	7.2447	0
-4.7946	7.2781	0
-4.9554	7.3568	0
-4.6346	7.0018	0
-5.3887	7.1484	0
-5.9407	6.4384	0

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-4.6131	6.0299	0
-4.59	6.7384	0
-5.614	6.9304	0
-6.0748	6.0158	0
-4.5986	6.3488	0
-4.6142	6.9284	0
-5.8422	6.6228	0
-4.6154	5.8589	0
-4.5881	6.6221	0
-6.0202	6.2356	0
-4.6067	6.194	0
-4.5991	6.8407	0
-5.7299	6.7888	0
-6.0992	5.7819	0
-4.6112	5.6811	0
-4.5914	6.4922	0
-4.1704	4.1611	0
-6.0445	5.2898	0
-4.5406	5.1113	0

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-3.8173	3.6573	0
-4.3557	4.5272	0
-5.8563	4.8032	0
-4.5987	5.4968	0
-5.0423	3.7884	0
-4.0617	3.987	0
-6.0897	5.5382	0
-4.4922	4.9142	0
-4.2687	4.3413	0
-5.9646	5.041	0
-4.5758	5.3066	0
-5.2308	3.9696	0
-3.9436	3.8191	0
-4.4304	4.7185	0
-5.7247	4.5773	0
-4.8449	3.6169	0
-2.787	2.3292	0
-3.5445	3.3508	0
-2.0527	1.9463	0

WO 03/006798

PCT/US02/22343

<u>X_Coordinate</u>	<u>Y_Coordinate</u>	<u>Z_Coordinate</u>
-1.5364	1.7439	0
-1.6814	1.7578	0
-1.6059	1.8258	0
-1.5495	1.7233	0
-1.8792	2.0079	0
-4.4295	3.2993	0
-2.4086	2.3806	0
-3.3616	2.6409	0
-3.1046	2.9336	0
-2.4477	2.1503	0
-1.8662	1.8516	0
-1.5381	1.7749	0
-1.61	1.7216	0
-1.6885	1.8802	0
-2.0596	2.1318	0
-3.9936	3.0105	0
-2.6761	2.5824	0
-2.9714	2.4279	0
-3.3998	3.2053	0

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-2.1691	2.0059	0
-1.5396	1.7365	0
-1.7318	1.7834	0
-1.5762	1.806	0
-1.5643	1.7144	0
-1.8055	1.9582	0
-4.6403	3.454	0
-2.2831	2.2896	0
-3.5667	2.7564	0
-2.9589	2.8092	0
-2.6098	2.2354	0
-3.684	3.5013	0
-1.9518	1.8949	0
-1.5346	1.7574	0
-1.641	1.7373	0
-1.6433	1.8503	0
-1.5413	1.7335	0
-1.964	2.0657	0
-4.2136	3.1518	0

WO 03/006798

PCT/US02/22343

<u>X Coordinate</u>	<u>Y Coordinate</u>	<u>Z Coordinate</u>
-2.5403	2.4786	0
-3.1631	2.5317	0
-3.2524	3.0658	0
-2.3008	2.0738	0
-1.5413	1.7335	0
-1.7932	1.8146	0
-1.5526	1.7914	0
-1.5857	1.7123	0
-1.7422	1.9159	0
-2.1661	2.2062	0
-3.7776	2.8793	0
-2.8158	2.6925	0

It will also be appreciated that the airfoil disclosed in the above Table may be scaled up or down geometrically for use in other similar turbine designs. Consequently, the coordinate values set forth in Table I may be scaled upwardly or downwardly such that the airfoil section shape remains unchanged. A scaled version of the coordinates in Table I would be represented by X, Y and Z coordinate values multiplied or divided by the same constant or number.

In Figures 3 and 4, the radially outermost and innermost profiles 50 and 52 are illustrated with various other profile sections also illustrated along the length of the airfoil. The various profiles are also illustrated in the perspective view of Figure 5 with the profiles being superposed one over the other in Figure 6.

WO 03/006798

PCT/US02/22343

While the invention has been described in connection with what is presently considered to be the most practical and preferred embodiment, it is to be understood that the invention is not to be limited to the disclosed embodiment, but on the contrary, is intended to cover various modifications and equivalent arrangements included within the spirit and scope of the appended claims.

WO 03/006798

PCT/US02/22343

WHAT IS CLAIMED IS:

1. A turbine nozzle having a nozzle vane (14) in the shape of an airfoil in an envelope within ± 0.100 inches in a direction normal to any airfoil surface location wherein the airfoil has an uncoated nominal profile substantially in accordance with Cartesian coordinate values of X, Y and Z set forth in inches in Table I wherein Z is a perpendicular distance from a plane normal to a radius of the turbine centerline and containing the X and Y values with the Z value commencing at zero in the X, Y plane at a radially innermost aerodynamic section of the airfoil and X and Y are coordinate values defining the airfoil profile at each distance Z, the profiles at the Z distances being joined smoothly with one another to form the complete airfoil shape.
2. A turbine nozzle according to Claim 1 forming part of a third stage (12) of a turbine.
3. A turbine nozzle having a nozzle vane (14) in the shape of an airfoil having an uncoated nominal airfoil profile substantially in accordance with Cartesian coordinate values of X, Y and Z set forth in inches in Table I wherein Z is a perpendicular distance from a plane normal to a radius of the turbine centerline and containing the X and Y values with the Z value commencing at zero in the X, Y plane at a radially innermost aerodynamic section of the airfoil and X and Y are coordinate values defining the airfoil profile at each distance Z, the profiles at the Z distances being joined smoothly with one another to form the complete airfoil profile;
the X, Y and Z values being scaled as a function of the same constant or number to provide a scaled-up or scaled-down nozzle airfoil.
4. A turbine nozzle according to Claim 3 forming part of a third stage (12) of a turbine.
5. A turbine comprising a turbine nozzle having a plurality of vanes (14), each of said vanes being in the shape of an airfoil in an envelope within ± 0.100 inches in a direction normal to any nozzle airfoil surface location wherein the airfoil has an uncoated nominal profile substantially in accordance with Cartesian coordinate values

WO 03/006798

PCT/US02/22343

of X, Y and Z set forth in inches in Table I wherein Z is a perpendicular distance from a plane normal to a radius of the turbine centerline and containing the X and Y values with the Z value commencing at zero in the X, Y plane at a radially innermost aerodynamic section of the airfoil and X and Y are coordinate values defining the airfoil profile at each distance Z, the profiles at the Z distances being joined smoothly with one another to form the complete airfoil shape.

6. A turbine according to Claim 5 wherein the turbine nozzle comprises a third stage (12) of the turbine.

7. A turbine according to Claim 5 wherein the turbine nozzle has sixty vanes (14) and X represents a distance parallel to a rotary axis of the turbine.

8. A turbine comprising a turbine nozzle having a plurality of vanes, each of said vanes being in the shape of an airfoil having an uncoated nominal airfoil profile substantially in accordance with Cartesian coordinate values of X, Y and Z set forth in inches in Table I wherein Z is a perpendicular distance from a plane normal to a radius of the turbine centerline and containing the X and Y values with the Z value commencing at zero in the X, Y plane at the radially innermost aerodynamic section of the airfoil and X and Y are coordinate values defining the airfoil profile at each distance Z, the profiles at the Z distances being joined smoothly with one another to form the complete airfoil shape;

the X, Y and Z values being scaled as a function of the same constant or number to provide a scaled-up or scaled-down nozzle airfoil.

9. A turbine according to Claim 8 wherein the turbine nozzle comprises a third stage (12) of the turbine.

10. A turbine according to Claim 8 wherein the turbine nozzle has sixty vanes and X represents a distance parallel to a rotary axis of the turbine.

WO 03/006798

PCT/US02/22343

1/4





Fig.1

Fig.2



WO 03/006798

3/4

PCT/US02/22343




Fig.3






Fig.4



【国際調査報告】

INTERNATIONAL SEARCH REPORT		Inte rial Application No PCT/US 02/22343
A. CLASSIFICATION OF SUBJECT MATTER IPC 7 F01D/14		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 7 F01D		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, WPI Data, PAJ		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
E	US 6 450 770 B1 (SIMS CALVIN L ET AL) 17 September 2002 (2002-09-17) the whole document	3,4,8-10
E	US 6 461 110 B1 (JACALA ARIEL CAESAR-PREPENA ET AL) 8 October 2002 (2002-10-08) the whole document	3,4,8-10
E	US 6 461 109 B1 (BRUNNER FREDERICK JAMES ET AL) 8 October 2002 (2002-10-08) the whole document	3,4,8-10
P,X	US 6 398 489 B1 (BURDGICK STEVEN SEBASTIAN ET AL) 4 June 2002 (2002-06-04) the whole document	3,4,8-10
	-----	-/-
<input checked="" type="checkbox"/> Further documents are listed in the continuation of box C.		<input checked="" type="checkbox"/> Patent family members are listed in annex.
* Special categories of cited documents:		
A document defining the general state of the art which is not considered to be of particular relevance		
E earlier document but published on or after the international filing date		
L document which may throw doubts on priority (claims) or which is cited to establish the publication date of another citation or other special reason (as specified)		
O document referring to an oral disclosure, use, exhibition or document published prior to the international filing date but later than the priority date claimed		
P later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention		
X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is combined with one or more other such documents, unless their combination being obvious to a person skilled in this art.		
A document member of the same patent family		
Date of the actual completion of the international search	Date of mailing of the international search report	
25 October 2002	11/11/2002	
Name and mailing address of the ISA European Patent Office, P.O. Box 5010 Patenttaan 2 NL - 2200 HV Rijswijk Tel (+31-70) 340-2040, Tx. 31 651 epo nl, Fax (+31-70) 340-3015	Authorized officer Argentini, A	

Form PCT/ISA210 (second sheet) (July 1998)

INTERNATIONAL SEARCH REPORT		Int'l Application No PCT/US 02/22343
C(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 887 513 A (GEN ELECTRIC) 30 December 1998 (1998-12-30) the whole document ----	3,4,8-10
X	US 5 286 168 A (SMITH M LAWRENCE) 15 February 1994 (1994-02-15) the whole document ----	3,4,8-10
X	WO 01 27443 A (TAKASUMI MASAKAZU ;YAMAZAKI YOSHIAKI (JP); HITACHI LTD (JP); IKEUC) 19 April 2001 (2001-04-19) page 19 -page 0N; figures ----	3,4,8-10
X	US 5 354 178 A (FERLEGER JUREK ET AL) 11 October 1994 (1994-10-11) tables I-IV ----	3,4,8-10
X	US 5 299 915 A (DINH CUONG V ET AL) 5 April 1994 (1994-04-05) table I ----	3,4,8-10
X	US 5 267 834 A (DINH CUONG V ET AL) 7 December 1993 (1993-12-07) table I ----	3,4,8-10
X	US 5 160 242 A (BROWN WILMOTT G) 3 November 1992 (1992-11-03) tables I,II ----	3,4,8-10
X	EP 0 112 003 A (WESTINGHOUSE ELECTRIC CORP) 27 June 1984 (1984-06-27) page 10 -page 11 page 13 ----	3,4,8-10
A	US 4 411 940 A (FETHEROFF CHARLES W ET AL) 25 October 1983 (1983-10-25) figure 1 ----	3,4,8-10 -/-

Form PCT/ISA210 (continuation of second sheet) (July 1999)

INTERNATIONAL SEARCH REPORT		Intc Application No PCT/US 02/22343
C(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No:
X	<p>GENERAL ELECTRIC POWER SYSTEM: "Utility Advanced Turbine Systems (ATS) Technology Readiness Testing - Phase 3 Restructured (3R): Program Plan Including Technical Approach/Statement of Work and Project Schedule for Budget Period 4, DE-FC2-95MC31176--26"</p> <p>WEBSITE OF THE U.S. DEPARTMENT OF ENERGY'S OFFICE OF SCIENTIFIC AND TECHNICAL INFORMATION (OSTI), 'Online! 17 March 2001 (2001-03-17), XP002218212 Sheneectady, NY12345 Retrieved from the Internet: <URL: http://www.osti.gov/gpo/servlets/purl /766360-jj8vEG/webviewable/766360.pdf> 'retrieved on 2002-10-24! page 18, paragraph 1 page 21, paragraph 1</p> <p>-----</p>	3,4,8-10
X	<p>POWER GENERATION SYSTEM, GENERAL ELECTRIC COMPANY: "Utility Advanced Turbine Systems (ATS) Technology Readiness Testing and Pre-Commercial Demonstration - Phase 3: Quarterly Report October 1 - December 31, 1995, DOE/MC/31176-5340"</p> <p>WEBSITE OF THE U.S. DEPARTMENT OF ENERGY'S OFFICE OF SCIENTIFIC AND TECHNICAL INFORMATION (OSTI), 'Online! 1 May 1997 (1997-05-01), pages 1-29, XP002218213 Sheneectady, NY12345 Retrieved from the Internet: <URL: http://www.osti.gov/gpo/servlets/purl /486029-yokOxU/webviewable/486029.pdf> 'retrieved on 2002-10-24! page 2, paragraph 2.2.1 page 5, paragraph 2.2.2.4</p> <p>-----</p>	3,4,8-10

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

International Application No. PCT/US 02/22343

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: 1 2 5-7

P.C.T. rule 6.2.a

The claims refer to the shape of aerodynamic profiles by the only mean of a numeric coordinate table. Due to the tolerances claimed the description includes most the aerofoil profiles usable in a gas turbine. Therefore, an accurate anteriority search became impossible.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

INTERNATIONAL SEARCH REPORT	ational application No. PCT/US 02/22343
Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)		
<p>This International Search Report has not been established in respect of certain claims under Article 17(2)(e) for the following reasons:</p> <p>1. <input type="checkbox"/> Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:</p> <p>2. <input checked="" type="checkbox"/> Claims Nos.: 1 2 5-7 because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically: see FURTHER INFORMATION sheet PCT/ISA/210</p> <p>3. <input type="checkbox"/> Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).</p>		
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)		
<p>This International Searching Authority found multiple inventions in this international application, as follows:</p> <p>1. <input type="checkbox"/> As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.</p> <p>2. <input type="checkbox"/> As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.</p> <p>3. <input type="checkbox"/> As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:</p> <p>4. <input type="checkbox"/> No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:</p>		
<p>Remark on Protest</p> <p><input type="checkbox"/> The additional search fees were accompanied by the applicant's protest. <input type="checkbox"/> No protest accompanied the payment of additional search fees.</p>		

Form PCT/ISA210 (continuation of first sheet (1)) (July 1992)

INTERNATIONAL SEARCH REPORT			
Information on patent family members			
Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 6450770	B1 17-09-2002	NONE	
US 6461110	B1 08-10-2002	NONE	
US 6461109	B1 08-10-2002	NONE	
US 6398489	B1 04-06-2002	EP 1231358 A2 JP 2002276303 A	14-08-2002 25-09-2002
EP 0887513	A 30-12-1998	US 5980209 A CZ 9801599 A3 EP 0887513 A2	09-11-1999 13-01-1999 30-12-1998
US 5286168	A 15-02-1994	JP 5256102 A	05-10-1993
WO 0127443	A 19-04-2001	WO 0127443 A1 AU 6123799 A	19-04-2001 23-04-2001
US 5354178	A 11-10-1994	US 5352092 A SE 509299 C2 SE 9404004 A DE 69423180 D1 DE 69423180 T2 EP 0654585 A1	04-10-1994 11-01-1999 10-06-1995 06-04-2000 17-08-2000 24-05-1995
US 5299915	A 05-04-1994	NONE	
US 5267834	A 07-12-1993	NONE	
US 5160242	A 03-11-1992	CA 2070099 A1 JP 5149104 A KR 227052 B1	01-12-1992 15-06-1993 15-10-1999
EP 0112003	A 27-06-1984	AU 568313 B2 AU 1996383 A BR 8305902 A CA 1210334 A1 DE 3377925 D1 EP 0112003 A1 ES 526667 D0 ES 8504330 A1 IE 54653 B1 IL 69920 A IN 158893 A1 JP 1656156 C JP 3012641 B JP 59131704 A KR 9110034 B1 MX 157076 A	24-12-1987 03-05-1984 29-05-1984 26-08-1986 13-10-1988 27-06-1984 16-04-1985 01-07-1985 20-12-1989 31-10-1988 14-02-1987 13-04-1992 20-02-1991 28-07-1984 10-12-1991 26-10-1988
US 4411940	A 25-10-1983	US 4334495 A AU 534262 B2 AU 4845179 A CA 1123345 A1 DE 2967523 D1 EP 0007207 A1 EP 0077476 A2 IL 57529 A	15-06-1982 12-01-1984 17-01-1980 11-05-1982 07-11-1985 23-01-1980 27-04-1983 31-03-1983

Form PCT/ISA/210 (patent family annex) (July 1992)

INTERNATIONAL SEARCH REPORT Information on patent family members			Int'l Application No. PCT/US 02/22343
Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4411940	A	IL 64517 A JP 1431569 C JP 55015694 A JP 62040072 B US 4358471 A	29-04-1988 24-03-1988 02-02-1980 26-08-1987 09-11-1982

Form PCT/ISA210 (patent family search) (July 1992)

page 2 of 2

フロントページの続き

(72)発明者 ウエッドレイク, レイモンド・アラン

アメリカ合衆国、29607、サウス・カロライナ州、グリーンビル、クリークビュー・ドライブ
、703番

(72)発明者 ヴォー, タン

アメリカ合衆国、29681、サウス・カロライナ州、シンプソンビル、パロミノ・コート、81
8番

(72)発明者 ブルンナー, フレデリック・ジェームズ

アメリカ合衆国、29680、サウス・カロライナ州、シンプソンビル、ハンタードン・コート、
11番

F ターム(参考) 3G002 GA07 GB05