



US00D701634S

(12) **United States Design Patent**
Tomlinson et al.

(10) **Patent No.:** **US D701,634 S**

(45) **Date of Patent:** **** Mar. 25, 2014**

(54) **LIGHTING FIXTURE**

Hinkley Lighting, Inc.'s 2011-2012 Catalog, Published Jan. 2011.

(75) Inventors: **Joel Tomlinson**, Westlake, OH (US);
Rick Wiedemer, Rocky River, OH (US);
Sergio Orozco, New York, NY (US);
David W. Landis, New York, NY (US)

* cited by examiner

Primary Examiner — Clare E Hefflin
(74) *Attorney, Agent, or Firm* — Pearne & Gordon LLP

(73) Assignee: **Hinkley Lighting, Inc.**, Avon Lake, OH (US)

(57) **CLAIM**

The ornamental design for a lighting fixture, as shown and described.

(**) Term: **14 Years**

(21) Appl. No.: **29/425,491**

(22) Filed: **Jun. 22, 2012**

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**

USPC **D26/85**; D26/82; D26/87

(58) **Field of Classification Search**

USPC D26/72, 85-87, 92, 118; 362/147, 432
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D152,889	S	*	3/1949	Kuhler	D26/85
D303,849	S	*	10/1989	Nugent	D26/85
D324,742	S	*	3/1992	von Kluck	D26/85
D379,549	S	*	5/1997	Vargas, Jr.	D26/128
D415,305	S	*	10/1999	Putman	D26/87
D422,107	S	*	3/2000	Meier	D26/87
D430,327	S	*	8/2000	Rockwell et al.	D26/87
D448,106	S	*	9/2001	Lin	D26/87
D557,442	S	*	12/2007	Niemier	D26/85
D570,524	S	*	6/2008	Chandler	D26/87
D606,700	S	*	12/2009	Sabernig	D26/85
D608,488	S	*	1/2010	Miranda	D26/87
D609,388	S	*	2/2010	Sabernig	D26/85
D611,182	S	*	3/2010	Allen	
D629,954	S	*	12/2010	Compton	D26/85
D646,424	S	*	10/2011	Ho	D26/85
D662,253	S	*	6/2012	Wauters	D26/85

OTHER PUBLICATIONS

Hinkley Lighting, Inc.'s 2009-2010 Catalog, Published Dec. 2008.

DESCRIPTION

FIG. 1 is a perspective view of the first embodiment of the lighting fixture.

FIG. 2 is a right-hand view of the first embodiment of the lighting fixture. The left-hand view would be a mirror image of the right-hand view.

FIG. 3 is a top view of the first embodiment of the lighting fixture.

FIG. 4 is a bottom view of the first embodiment of the lighting fixture.

FIG. 5 is a front view of the first embodiment of the lighting fixture.

FIG. 6 is a perspective view of the second embodiment of the lighting fixture.

FIG. 7 is a left-hand view of the second embodiment of the lighting fixture. The right-hand view would be a mirror image of the left-hand view.

FIG. 8 is a top view of the second embodiment of the lighting fixture.

FIG. 9 is a bottom view of the second embodiment of the lighting fixture.

FIG. 10 is a front view of the second embodiment of the lighting fixture.

FIG. 11 is a perspective view of the third embodiment of the lighting fixture.

FIG. 12 is a left-hand view of the third embodiment of the lighting fixture. The right-hand view would be a mirror image of the left-hand view.

FIG. 13 is a top view of the third embodiment of the lighting fixture.

FIG. 14 is a bottom view of the third embodiment of the lighting fixture.





FIG. 15 is a front view of the third embodiment of the lighting fixture.

FIG. 16 is a perspective view of the fourth embodiment of the lighting fixture.

FIG. 17 is a right-hand view of the fourth embodiment of the lighting fixture. The left-hand view would be a mirror image of the right-hand view.

FIG. 18 is a top view of the fourth embodiment of the lighting fixture.

FIG. 19 is a bottom view of the fourth embodiment of the lighting fixture.

FIG. 20 is a front view of the fourth embodiment of the lighting fixture.

FIG. 21 is a perspective view of the fifth embodiment of the lighting fixture.

FIG. 22 is a left-hand view of the fifth embodiment of the lighting fixture. The right-hand view would be a mirror image of the left-hand view.

FIG. 23 is a top view of the fifth embodiment of the lighting fixture.

FIG. 24 is a bottom view of the fifth embodiment of the lighting fixture.

FIG. 25 is a front view of the fifth embodiment of the lighting fixture.

FIG. 26 is a perspective view of the sixth embodiment of the lighting fixture.

FIG. 27 is a left-hand view of the sixth embodiment of the lighting fixture. The right-hand view would be a mirror image of the left-hand view.

FIG. 28 is a top view of the sixth embodiment of the lighting fixture.

FIG. 29 is a bottom view of the sixth embodiment of the lighting fixture; and,

FIG. 30 is a front view of the sixth embodiment of the lighting fixture.

The broken lines immediately adjacent the edges of the rectangular lens in FIGS. 16-30 define the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 16 Drawing Sheets




Fig. 1




Fig. 2




Fig. 5




Fig. 3




Fig. 4




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 17




Fig. 16




Fig. 20




Fig. 18




Fig. 19




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D701,634 S
APPLICATION NO. : 29/425491
DATED : March 25, 2014
INVENTOR(S) : Joel Tomlinson et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE:

At lines 3, 4 and 5 of Item (75), delete Inventors “Rick Wiedemer, Rocky River, OH (US); Sergio Orozco, New York, NY (US); and David W. Landis, New York, NY (US)”.

ITEM (57) DESCRIPTION:

In the Description insert the paragraph before the paragraph that begins “FIG. 1 ...”:

--Figs. 1-5 illustrate a first embodiment of the lighting fixture. This fixture has left-to-right mirror-image symmetry.--

In the Description insert the paragraph before the paragraph that begins “FIG. 6 ...”:

--Figs. 6-10 illustrate a second embodiment of the lighting fixture. This fixture has left-to-right mirror-image symmetry.--

In the Description insert the paragraph before the paragraph that begins “FIG. 11 ...” :

--Figs. 11-15 illustrate a third embodiment of the lighting fixture. This fixture has left-to-right mirror-image symmetry.--

In the Description insert the paragraph before the paragraph that begins “FIG. 16 ...”:

--Figs. 16-20 illustrate a fourth embodiment of the lighting fixture. This fixture has left-to-right mirror-image symmetry.--

In the Description insert the paragraph before the paragraph that begins “FIG. 21 ...”:

--Figs. 21-25 illustrate a fifth embodiment of the lighting fixture. This fixture has left-to-right mirror-image symmetry.--

Signed and Sealed this
Fifteenth Day of July, 2014



Michelle K. Lee

Deputy Director of the United States Patent and Trademark Office

CERTIFICATE OF CORRECTION (continued)

Page 2 of 2

U.S. Pat. No. D701,634 S

In the Description insert the paragraph before the paragraph that begins "FIG. 26 ...":

--Figs. 26-30 illustrate a sixth embodiment of the lighting fixture. This fixture has left-to-right mirror-image symmetry.--