



US00D412110S

**United States Patent** [19]  
**Cornwell**

[11] **Patent Number: Des. 412,110**  
[45] **Date of Patent: \*\* Jul. 20, 1999**

[54] **FISHING RIG HOLDER**

**OTHER PUBLICATIONS**

[75] Inventor: **Paul D. Cornwell**, San Angelo, Tex.

Techform Inc. Nov. 1982.

[73] Assignee: **Coverlay Manufacturing, Inc.**, San Angelo, Tex.

*Primary Examiner*—Prabhakar Deshmukh  
*Attorney, Agent, or Firm*—Pittenger & Smith, P.C.

[\*\*] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/089,094**

The ornamental design for the fishing rig holder, as shown and described.

[22] Filed: **Jun. 8, 1998**

**DESCRIPTION**

[51] **LOC (6) Cl.** ..... **09-07**

[52] **U.S. Cl.** ..... **D9/415**

[58] **Field of Search** ..... D9/415, 414, 341,  
D9/432, 337; 206/315.11, 461-471, 495,  
806; D22/134, 199

FIG. 1 is a perspective view of our new fishing rig holder design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a side elevation view thereof with the opposite side a mirror image thereof;

FIG. 4 is an end view as seen from the upper portion of FIG. 2;

FIG. 5 is an opposite end view from FIG. 4 with the item turned over;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a perspective view showing a fishing rig wrapped around one of the pair of extensions and the central retainer strip having the ends drawn back.


The broken lines in FIG. 7 are for illustrative purpose only and forms no part of the claim.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 290,584	6/1987	Lotterer	.....	D9/415 X
D. 342,031	12/1993	Richardson	.....	D9/341 X
D. 370,174	5/1996	Bergstedt	.....	D9/415
5,095,645	3/1992	Borawski	.....	206/315.11 X
5,246,103	9/1993	Hicks	.....	206/806 X
5,249,683	10/1993	Baucom	.....	206/462
5,257,694	11/1993	Wallach	.....	206/806 X
5,785,174	7/1998	Chow	.....	206/461 X
5,829,185	11/1998	Myers	.....	206/315.11 X

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2



FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7