

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 2012201435 B2**

(54) Title
Meat-based semi-moist animal food product and method for production thereof

(51) International Patent Classification(s)
A23P 1/12 (2006.01) **A23K 1/10** (2006.01)

(21) Application No: **2012201435** (22) Date of Filing: **2012.03.09**

(30) Priority Data

(31) Number	(32) Date	(33) Country
11002117.7	2011.03.15	EP

(43) Publication Date: **2012.10.04**

(43) Publication Journal Date: **2012.10.04**

(44) Accepted Journal Date: **2015.04.02**

(71) Applicant(s)
Vitakraft-Werke Wuhmann & Sohn GmbH & Co. KG

(72) Inventor(s)
Gardewin, Heinz Johannes

(74) Agent / Attorney
Fisher Adams Kelly Pty Ltd, GPO Box 1413, BRISBANE, QLD, 4001

(56) Related Art
US 4910038
US 5456933
US 2010/0068368
EP 0121813
US 3622353

Abstract

A nutritionally suitable, semi-moist animal foodstuff
5 which is similar to natural animal food meats and
having a very high meat content is provided, which has
good acceptance with the animal food animal and a
corresponding structure. The semi-moist animal food
product does not need cereal contents, cereal products
10 and binders. The novel semi-moist animal food product
is produced by extrusion cooking, wherein the extruder
is charged at least with the following ingredients:

- a) at least one component of the group dry meat, meat
15 meal, dry fish, fish meal,
- b) meat and/or fish,
- c) optionally water or steam, where not introduced by
or in combination with a) or b).

20 Components a), b) and c) together make up at least 80%
by weight of the ingredient mass. In addition,
additives, such as flavourings, probiotics and the like
can be present.

2012201435 09 Mar 2012

P/00/011
Regulation 3.2

AUSTRALIA

Patents Act 1990

**ORIGINAL
COMPLETE SPECIFICATION
STANDARD PATENT**

Invention Title:

**"MEAT-BASED SEMI-MOIST ANIMAL FOOD PRODUCT AND METHOD FOR
PRODUCTION THEREOF"**

The following statement is a full description of this invention, including the best method of performing it known to me/us:

**Meat-based semi-moist animal food product and method
for production thereof**

5 The invention relates to a method for producing a
meat-based, cereal-free semi-moist animal food product
by extrusion, a semi-moist animal food product that is
obtainable by the method and has a content of at least
80% by weight of fresh or pretreated meat, and the use
10 of this animal foodstuff for cats, dogs and other
meat-eating pets, in the form of complete food or
snacks.

15 Semi-moist animal food is taken to mean an animal
food, the moisture of which is between that of dry
animal food and moist animal food. Dry animal food
generally contains between 6 and 10% by weight water
(residual moisture 6 to 10%). In contrast, semi-moist
products contain between 15 and 50% by weight of
water.

20
Cats and dogs are carnivorous species which naturally
feed principally on meat, i.e. on prey species
including stomach contents. Meat and also fish, that
is to say animal proteins, in addition provide high
25 acceptance based on the feeding behaviour of the
animals. Therefore, it is nutritionally logical to
develop an animal foodstuff having a high meat
content, possibly enriched with fish, and therefore
having a high content of animal protein, which at the
30 same time does not need cereals or cereal products,
and therefore has a very low content of carbohydrates.

35 Customary pet food, in contrast, in the case of the
dry and semi-moist products, has a not inconsiderable
content of cereals or cereal ingredients, in
particular starch, although these components for the
most part are not part of the natural diet of the
animals fed in this manner. In addition, it has now

been recognized that for carnivorous animals, pure meat meals are important for health. In addition to fresh animal food and tinned animal food, there is therefore a requirement for complete animal food and
5 snacks having a very high meat content that do not contain cereal products, and preferably also no sugar.

Semi-moist animal food products are frequently obtained by extrusion cooking. Such methods have long
10 been used for various food products, and so methods and apparatuses that have been proven in practice are available. One example of an extrusion-cooking method is specified by DE 36 36 867.

15 Texture, elasticity and appearance of the extruded products depend not only on the ingredients but also on the extrusion conditions. Thermal and mechanical energy are introduced via the extruder. Shear forces act on the extruded material which is mixed, kneaded
20 and transported in one step. In the course of extrusion cooking, frequently an expansion occurs, but this can be counteracted by the build up of a compression pressure in the extruder.

25 The semi-moist animal food product can be pressed at the exit of the extruder through a die to form an extrudate which can then be sliced and optionally dried. What is desired is a consistency in which the product has good cohesion, without being too hard,
30 brittle, dry or friable. What is sought is a soft, moist, elastic and nevertheless firm, non-melting or disintegrating product which comes close in consistency thereof to natural fresh meat pieces.

35 US 4,190,679 discloses a soft elastic animal food product made of meat-like pieces, which is produced by an extrusion-cooking method. For establishing the

desired texture, cereal flours are used in combination with a plasticizing polyol.

5 US 3,380,832 specifies an extrusion cooking method in which the starch can be omitted, if the cohesion within the product is ensured by a casein adhesive such as sodium casein. However, for a natural-like animal food product for carnivores, the presence of casein and other binders is undesirable.

10 The object of the invention is therefore to provide a nutritionally suitable, natural animal food-meat-like, semi-moist animal foodstuff having a very high meat content, good acceptance and corresponding structure
15 which does not contain cereal fractions or cereal products. In addition, the semi-moist animal foodstuff should be as free as possible from binders.

The object is achieved by a method for production of a
20 meat-based, semi-moist animal food product by extrusion, in which an extruder is charged with at least the following ingredients:

- 25 a) at least one component of the group dry meat, meat meal, dry fish, fish meal,
b) meat and/or fish,
c) optionally water or steam, if a sufficient water content is not already provided by meat and/or fish,

30 with the exclusion of cereals, cereal products and concentrated vegetable protein, wherein the components a), b) and c) together make up at least 80% by weight of the mass of ingredients,

35 and in that the ingredients are mixed with supply of thermal and mechanical energy and are pressed through an extrusion die to form an extrudate, wherein in at least one zone of the extruder a pressure of 20 to 40

bar is built up and the mass is subjected to a temperature between 80 and 130°C, preferably between 80 and 110°C, for a time that is sufficient to comply with food-processing requirements.

5

The extrusion here is, in particular, what is termed "extrusion cooking". In this case, generally heatable extruders are used. Since the temperatures can also be entirely below 100°C, this method can also be termed relatively low-temperature extrusion cooking. With respect to the temperature profile, various treatment modes for the extrusion material are conceivable. Depending on the extrusion time and heat profile along the extruder, the extrusion can be performed, for example at overall mild temperatures, preferably then over a relatively long treatment time. Treatment can also be performed for a short time at relatively high temperatures, and, moreover, at relatively low temperatures. In a preferred treatment form, in at least one section of the extruder, a core temperature of the extrusion material of at least 90°C is established.

Even without the presence of starch, other processed carbohydrates or binders, the thermal and mechanical energy introduction via the extruder plasticises the mass and forms a homogeneous, inherently cohesive, elastic product. This is achieved according to the invention by the interaction of the dry and fresh meat components with the water and/or steam under the extrusion conditions.

Meat and meat meal can each, and independently of one another, originate from different animal species. Mixtures of a plurality of species of meat and meat meal or of fresh and dry components can also be used.

Suitable types are, for example, poultry, beef, lamb, game, pork.

5 "Meat" here means: all parts which are permitted for animal food processing, inter alia warm-blooded animals, with the following exceptions being made: hide, claws, hair, horn, feathers, teeth, hoofs, beaks, gastrointestinal contents, added fat, added blood, added bones and bone meals.

10 "Fish" here means: whole fish, fresh or dry, or parts thereof.

15 The ingredients "meat" and "fish" of group b) in each case have a higher moisture content than the dry ingredients of group a), more precisely preferably a moisture content typical for moist animal feedstuffs which, in particular, is a natural or approximately natural moisture content. Preferably, the ingredients
20 of group b) are fresh meat and/or fresh fish (alternatively frozen).

"Dry meat" means: meat (chunked) dried by removal of water, also in heat, or in the air, "dry fish" is
25 understood correspondingly. Dry meat and dry fish are optionally comminuted in prepared steps. This can be omitted if the material is so brittle and friable that it disintegrates sufficiently on being transported and supplied into the extruder.

30 "Meat meal" and "fish meal" are finely ground dry meat and dry fish products.

35 "Cereals" here means: all components of cereal plants, in particular grains, that are suitable for animal food.

"Cereal products" here means: any form of ground, coarsely comminuted, processed cereals such as coarse meal, bran, flours, and all types of extracts, including starch and starch products.

5 "Concentrated vegetable protein" comprises all vegetable ingredients having a high protein content, from approximately 40% dry matter, in particular soy and soy protein, other isolated proteins and protein hydrolysates.

10

The ingredients a) and/or b), in a development of the invention, can be premixed with water or preconditioned with steam. Other preparation measures are not excluded. The meat used or the fish can first
15 be cut into pieces, mixed with water, emulsified and/or preplasticized. Depending on the starting material, alternatively, water can also be removed.

The meat, or the fish or fish meat as appropriate, can
20 be used completely or in part in the frozen state, i.e. frozen and fresh meat can be mixed in such a manner that a chilled mixture results. However, it is also possible to proceed using exclusively frozen or exclusively non-frozen meat.

25

The weight ratio of a) to b), without taking into account the added water, is preferably greater than 0.8, further preferably greater than 1, further preferably 3:1 to 1:1, particularly preferably 2.5:1
30 to 1.5:1. Preferably, at least 4% fish is present in a fish-containing animal food product.

In addition, additives that are customary in the animal foodstuff industry can be added, in particular
35 flavourings, natural or synthetic dyes, inactivated yeast or yeast extracts, plant extracts and/or plant concentrates, in particular vegetable extracts, such

as paprika extract, beetroot extract, celery extract, carrot extract, tomato extract, etc., tomato puree, thickened vegetable juice.

5 Preservatives can be added.

Alternatively thereto, the method is carried out without preservatives. Via the extrusion (cooking), the product, as it leaves the extruder, is thus first safe from the hygiene aspect and can safely be
10 packaged from the food aspect under production conditions oriented thereto. In order to achieve a relatively long shelf life, the product can then be gas-treated in the package.

15 Sugars can also be added to the ingredient mass or the extrusion material. Alternatively, and currently preferably, no sugar is added, further preferably no sweetener and no sugar replacers.

20 In further advantageous embodiments, functional ingredients such as probiotics, for example, can be added. These are taken to include, inter alia, vitamins, minerals, omega-3 fatty acids, probiotic fibres and probiotic microorganisms.

25 In addition, it is preferred to use no binders such as carrageenan, gelatin, agar-agar, caseinates or casein-based production aids or pectin.

30 According to a further embodiment of the invention, as additive, no isolated celluloses and no microbial polysaccharides are used.

35 Preferably, no milk products and no milk protein are added.

In addition, no emulsifiers should be added to the semi-moist animal food product; such emulsifiers are not necessary in the method. Likewise, preferably, fermentatively acting acidulates are dispensed with, since they modify the structure or the structure of the product.

The freshly generated semi-moist animal food product preferably has a moisture content of 15 to 45% by weight.

The semi-moist animal food product can be shaped on exiting from the extruder. Using specially shaped dies (die plates) special extrudate cross sections can be achieved.

The product can be further processed after exit from the extruder. Preferably, it is provided that the extruded animal food product extrudate is chopped or sliced. The resultant extrudate sections can be directly packaged. Drying can be dispensed with.

The sliced, elastically moist product can, in addition, if desired, be thermally reshaped. In this manner, pieces, e.g. cushions, transformed using appropriate shaping tools are obtained. Also, shapes can be stamped out from the extrudate sections.

According to a particularly preferred procedure, the extrusion is carried out using a 2-shaft extruder or else 2-screw extruder, also called a double-screw extruder. The screws can be constructed so as to engage with one another and can be constructed to be co-rotary or counter-rotary.

The method is preferably operated using an extruder on which zones that are brought to and maintained at different temperatures are established during the

extrusion. Further preferably, at least one working zone and at least one compression zone are present.

5 Steam or water can be taken off from the extruder, more precisely, particularly preferably in or immediately upstream of the end zone (if present the compression zone). Also, if required, steam can be fed at one or more addition sites along the extruder. Both
10 measures serve for establishing the desired moisture content.

It is currently considered to be particularly advantageous if the specific mechanical energy (SME) input which is introduced during the extrusion is
15 between 10 and 150 Wh/kg, further preferably 30 to 80 Wh/kg. The SME is a good measure of the effect of the extrusion conditions on the structure or texture of the product.

20 In particular, using the above described method, a novel semi-moist animal food product is obtained which consists virtually exclusively of meat components, that is to say fresh or moist-preserved (e.g. frozen) and dried, optionally ground to meal, meat (optionally
25 including fish) and water. In the preferred embodiments, the animal food product, as is obtained from the extruder, or fresh after an aftertreatment - has a content of at least 80% by weight of meat components, namely fresh or pretreated meat. In
30 particularly preferred examples, the product contains at least 90% by weight of meat components, wherein in each case fresh fish components can be counted as the meat components. The animal food product can be present or generated in chunk form, for example in
35 ready-to-eat pieces.

The semi-moist animal food product can be coloured in one colour or be multicoloured using natural dyes.

Preferably, it is enclosed in a film package, in particular a flexible pouch package, or a deep-tray package and is further preferably gas treated.

- 5 The novel semi-moist animal food product can, in addition, be enclosed with other animal food products in retail units, or be offered in mixed animal foodstuffs.

10 The semi-moist animal food product according to this invention can particularly advantageously be used as cat food, dog food, or animal food for other carnivorous pets in the form of a complete animal food or snacks.

- 15 The invention further comprises packaging units which, in addition to the semi-moist animal food product itself, within a packaging volume contains a sauce (gravy) together with the animal foodstuff, or separately in an additional compartment of the
20 package.

Hereinafter, the invention will be described in more detail with reference to example methods and formulas which are intended to illustrate in more detail the
25 field of application and the possible embodiment variants of the invention. On the basis of the above considerations, those skilled in the art can find further possible embodiments using their specialist knowledge.

FORMULA EXAMPLES

(all data in % by weight)

Example 1

Meat meals (e.g. beef, pork, poultry)	55.00
Meat and animal by-products (fresh and frozen), (e.g. beef, lamb, game, poultry)	35.00
Fish and fish by-products (frozen or fish meal)	4.00
Yeast (inactivated)	3.00
Mixture of natural flavourings	2.00
Plant extracts (e.g. paprika extract)	1.00

5

Example 2

Meat meals (e.g. beef, pork, poultry)	58.00
Meat and animal by-products (fresh and frozen), (e.g. beef, lamb, game, poultry)	37.00
Plant extracts (e.g. beetroot extract)	2.00
Mixture of natural flavourings	2.00
Yeast (inactivated)	1.00

Example 3

Meat meals (e.g. beef, pork, poultry)	69.00
Meat and animal by-products (fresh and frozen), (e.g. beef, lamb, game, poultry)	28.00
Mixture of natural flavourings	2.00
Yeast (inactivated)	1.00

10 Figure 1 shows a schematic presentation of the
 15 extrusion method according to this invention.

The semi-moist animal food product is produced on a
 2-shaft relatively low-temperature extruder cooker 10
 15 having a drive 12 and a die plate 14 arranged at the
 exit, which die plate is equipped with a plurality of
 zones which can be brought to and maintained at
 different temperatures, which are not shown here in

detail. The transport direction runs in the figure from left to right. Along the operating route, first the meat components are applied. The fresh meat ingredients are situated in container 20 and are fed
5 from there to the extruder 10. The transport proceeds using a pump 22 (peristaltic pump or screw pump) which is not shown in more detail. Instead of the container 20, a conditioner, e.g. a cutting agitator or an emulsifying apparatus can also be provided. In this
10 case the fresh meat, together with frozen fresh meat is finely comminuted and pre-emulsified in order to reduce the particle size and to harmonize the consistency, especially if bone fragments and cartilage are present. The container 20 or the
15 conditioner can be cooled, but this can be omitted if frozen meat is added to the fresh meat, or if only frozen meat is being used.

Fine ground meat meal is fed to the extruder 10 from a
20 bulk goods container 30 or a sack, via the transport path 32. The meat meal can either be fed to the extruder separately or it is mixed in advance with the fresh meat component, as is indicated using a connecting line 34 shown dashed.

25 If a plurality of fresh meat ingredients and/or a plurality of meat meals or fish meals are used, in each case a plurality of containers 20 and 30 can be provided in parallel.

30 Via feed sites 40, water can be fed. Alternatively, water is introduced into the method or the extruder 10 via the fresh meat emulsion, which can be produced with additionally added water. The components a), b)
35 and c) of the starting mixture for the animal foodstuff are therefore added in closely adjacent feed sites, or else already premixed. They then pass through the working section of the extruder 10

together and are mixed. The mechanical energy using shear forces is fed to the resultant mass, mediated by processing with a screw or double screw. Downstream of the feed points there are situated one or more zones of the extruder which can be brought to and maintained at a temperature. There, thermal energy is additionally introduced. The extrusion material is cooked during the mixing and mechanical treatment, and the proteins are denatured in this case. If flavourings and further ingredients have not been added to the fresh meat container 20, they can be fed from the container 50 to the extruder 10 downstream of the main ingredient addition. Depending on the temperature profile, this can be expedient, especially to safeguard flavourings. In a compression region 16 of the extruder 10, a compression takes place and the pressure is increased just before the exit die plate 14. In this example, in the extruder end zone, a pressure of 25 to 35 bar is set just before the exit of the extrudate. For the pressure regulation, a steam valve 60 can be provided in the compression region 16, or directly upstream thereof. Steam is taken off; no expansion of the product takes place.

Using selected die plates 14, shaping of the extrudate is possible, in such a manner that, for example, a heart-shaped or star-shaped cross section results. Subsequently to the die plate 14, rotary blades are arranged which cut the extruded product extrudate to give animal food bodies of any desired length. The size of the animal food bodies is set in such a manner that they can be consumed optimally by the animal.

The end product, that is to say the semi-moist animal foodstuff, after it leaves the extruder, is fed to post-processing and/or packaging units, here designated collectively 70.

Process parameters:

- Screw drive: 500 rpm;
Pressure during the mixing phase: 20 to 30 bar;
5 Pressure during the compression phase: 25 to 35 bar;
Process temperature in zone close to the end: 80 to 95°C

ML/Fr-dk

Claims

1. Method for production of a meat-based, semi-moist animal food product by extrusion, wherein an extruder is charged with at least the following ingredients:

- a) at least one component of the group dry meat, meat meal, dry fish, fish meal,
- b) meat and/or fish,
- c) optionally water or steam, where not introduced by or in combination with a) or b),

with the exclusion of cereals, cereal products, binders and concentrated vegetable protein, wherein the components a), b) and c) together make up at least 80% by weight of the mass of ingredients, and in that the ingredients are mixed with supply of thermal and mechanical energy and are pressed through a die to form an extrudate, wherein in at least one zone of the extruder a pressure of 20 to 40 bar is built up and the mass is subjected to a temperature between 80 and 130°C for a time that is sufficient to comply with food-processing requirements.

2. Method according to Claim 1, wherein the ingredients a) and/or b) are premixed with water or preconditioned with steam.

3. Method according to Claim 1 or 2, wherein the meat is used completely or in part in the frozen state.

4. Method according to any one of Claims 1 to 3, wherein the weight ratio of a) to b) without taking into account added water is greater than 0.8.

5. Method according to any one of Claims 1 to 4, wherein additives that are customary in the animal foodstuff industry are added, in particular flavourings, natural or synthetic dyes, inactivated yeast or yeast extracts, plant extracts and/or plant concentrates, preservatives, sugars, functional ingredients but no binders such as carrageenan, gelatin, agar-agar, pectin, and no emulsifiers.
6. Method according to any one of Claims 1 to 5, wherein the end product has a moisture content of 15 to 45% by weight.
7. Method according to any one of Claims 1 to 6, wherein the extruded animal food product extrudate is sliced.
8. Method according to Claim 7, wherein the sliced, elastically moist product is thermally reshaped.
9. Method according to any one of Claims 1 to 8, wherein, at the extruder during the extrusion, zones that are brought to and maintained at different temperatures are established, and in that at least one working zone and at least one compression zone are present.
10. Method according to any one of Claims 1 to 9, wherein the specific mechanical energy (SME) input which is introduced during the extrusion is between 10 and 150 Wh/kg.
11. Semi-moist piece-form animal food product, in particular obtainable by a method according to any one of Claims 1 to 10 as extruded and sliced animal food product extrudate, wherein the animal food product has a content of at least 80% by weight of meat components, with the exclusion of cereals,

cereal products, and concentrated vegetable protein, starch, and other binders.

12. Semi-moist animal food product according to Claim 11, wherein the animal food product is coloured in one colour or is multicoloured using natural dyes.
13. Semi-moist animal food product according to Claim 11 or 12, wherein the animal food product is enclosed in a film package, in particular a flexible pouch package, a deep-tray package or a tin.
14. Use of the semi-moist animal food product according to any one of Claims 11 to 13 as cat food, dog food (complete animal food or snacks), or animal food for other carnivorous pets.
15. Packing unit for a semi-moist animal food product according to any one of Claims 11 to 13, also in the use according to Claim 14, wherein the packaging unit, within a package volume contains a sauce (gravy) together with the semi-moist animal foodstuff, or separately in an additional compartment of the package.




FIG. 1