



(22) Date de dépôt/Filing Date: 1996/04/04

(41) Mise à la disp. pub./Open to Public Insp.: 1996/10/14

(45) Date de délivrance/Issue Date: 2002/09/17

(30) Priorité/Priority: 1995/04/13 (08/420874) US

(51) Cl.Int.⁶/Int.Cl.⁶ A01K 1/015

(72) Inventeurs/Inventors:

Toole, Robert D., CA;
Rose, Anne-Melissa, CA


(73) Propriétaires/Owners:

Toole, Robert D., CA;
Rose, Anne-Melissa, CA

(74) Agent: BAKER MCLACHLEN

(54) Titre : BAC A LITIERE POUR CHAT

(54) Title: IMPROVED CAT LITTER BOX



(57) Abrégé/Abstract:

A cat litter box has a solid bottom, vertical sides and a top with an opening to admit a cat. The height of the vertical sides is such that a cat can reach the top by standing on its hindpaws. The box is low enough that a cat would have easy access to the box, yet is deep enough to prevent the escape of litter or excreta from the box during use by a cat.

ABSTRACT OF THE DISCLOSURE

A cat litter box has a solid bottom, vertical sides and a top with an opening to admit a cat. The height of the vertical sides is such that a cat can reach the top by standing on its hindpaws. The box is low enough that a cat would have easy access to the box, yet is deep enough to prevent the escape of litter or excreta from the box during use by a cat.

IMPROVED CAT LITTER BOX

FIELD OF THE INVENTION

The present invention relates to an improved cat litter box. Many patents have been issued for a wide range of containers for cat litter. Almost without exception, these litter boxes have had structures that facilitated entry by the cat, requiring the cat to exert a minimum of effort to enter and use the box. As a result, these litter boxes have not been able to retain the litter in the box when the cat seeks to bury its excreta. As all cat owners know it is an instinctive reaction for cats to scratch the litter after relieving themselves. frequently the litter is thrown out of the box by vigorous scratching. Moreover, male cats particularly are prone to spray their urine out of conventional litter boxes.

What is required for a clean and efficient litter box is one that cats cannot throw the litter from and from which no urine or faeces escapes. Preferably such a litter box should also prevent litter from being tracked out of the box on the cat's feet.

DISCUSSION OF THE PRIOR ART

As mentioned above, there are many patents extant for cat litter boxes. Searches of the prior art have produced dozens of such patents. In the United States Patent Office Classifications/ system, Class 119 and its various subclasses seem to be entirely devoted to cat litter boxes. These patent documents extend over a period of many years with

many attempts made to come up with the ideal litter box. Such efforts range from Lowe. Jr. USP 3,310,031 of March 21, 1967, to McCauley USP 5,329,878 of July 19, 1994. Lowe Jr. recognized that the box should be rectangular, and that the walls at the ends of the box should project upwardly from the side walls "to a substantial height thereabove", (col.2 lines 58 and 59).

Unfortunately, cats do not conform to the wishes of designers of litter boxes. A box with low sides and high ends, and no shelf as defined above, will not retain litter or urine. Litter will be sent flying by vigorous scratching, and male cats will urinate over the low sides.

Similarly, McCauley USP 5,329,878 provides a box for a pot belly pig, a creature not known for its ability to jump. Thus an inclined ramp is provided in one end of the box. Here again this design would not meet the criteria for a cat litter box. Litter and urine would not be retained in such a box if used by a cat. Other United States Patents which have been studied in order to assess the patentability of the present invention include the following:

Patent No.	Date	Inventor	Title
5,211,133	05/18/93	Foley	Litter Saver Device
5,167,204	12/01/92	Nussle	Litter Box
5,272,999	12/28/93	Nussle	Litter Box
5,218,930	06/15/93	Casmira	Litter Tray
		Apparatus	

3

5,220,885	06/22/93	Goetz	Litter Box
5,195,464	03/23/93	Mutter Station	Animal litter
4,972,800	11/27/90	Bennett et al	Pet Litter Box
4,852,518	08/01/89	Yananton	Odorless Animal Litter Unit
4,858,561	08/22/89	Springer	Pet litter Enclosure
4,848,274	07/18/89	Yananton	Odorless Animal Litter Unit
4,766,845	08/30/88	Bavas	Cat Litter Pan System
4,838,202	06/13/89	Neu Container	Animal Litter
4,813,376	03/21/89	Kaufman	Cat Litter Tray
4,771,731	09/20/88	Derx et al	Litter Box
4,696,257	09/29/87	Neary et al	Self Drying Pet Litter Box
4,646,684	03/03/87	Embry Container	Animal Waste
4,640,225	02/03/87	Yananton	Odorless Animal Litter Unit
4,627,382	12/09/86	Muzzey Box	Disposable Litter
4,553,671	11/19/85	Cheesman Compartmented Cat Litter	Tear-open Container
4,541,360	09/17/85	Higgins	Disposable Animal Litter Box
4,548,160	10/22/85	Feitelson	Cat Litter Box
3,831,557	08/27/74	Elesh	Cat Litter Box

3,990,397	11/09/76	Lowe, Jr.	Sanitary Pet Box Structure
3,771,493	11/13/73	Chandor	Litter And Waste Receptacle For Small Pet Animals
4,271,544	06/09/81	Hammond	Animal Commode
4,279,217	07/21/81	Behringer	Liner For a Litter Box
3,793,989	02/26/74	Clark	Deodorized Pet Relief Station
3,085,550	04/16/63	Crawford	Cat Sanitary Container Enclosure

SUMMARY OF THE INVENTION

All of the above desirable characteristics are provided by the litter box of the present invention. This improved litter box requires cats to enter by using their natural jumping abilities, entering through the top of the box, which has no side openings, and no doors or flaps to admit cats, except by entry from above. The walls of the litter box of the invention are sufficiently tall that a cat standing inside on the litter is surrounded by an unbroken wall, as high as the cat's shoulder when standing.

It will be appreciated by cat owners that cats are cautious creatures. Accordingly, no cat will jump into a box if it cannot first see into the box to determine the safety, and cleanliness of the interior of the litter box. It has been determined that if the cat can stand on its back legs with its forepaws on the top edge of the box, so that it can inspect the interior of the box before entry, that the cat

will enter once it is satisfied that the box is acceptable to it. The necessity of jumping over the wall of the box is no impediment to cats. Even elderly cats of 20 plus years readily use the litter box of the invention.

Thus the present invention is directed to an improved litter box in which the exterior wall is approximately the height of the shoulder of the average cat when standing on its back legs, and the interior height above the normal bed of litter is greater than the height of a cat's shoulder when standing on all four legs. A shelf or ledge around the top of the walls is highly desirable for assisting the cat to enter and exit the box. Typical dimensions of a box meeting these criteria are; overall height of box 14.5 inches (36.8 cm.), length 22 inches (56 cm.), width 16 inches (40.6 cm.) and the shelf around the top of the box 1.5 inches (3.8 cm.), leaving an opening of 13 by 19 inches (33 cm. by 48 cm.) in the top of the box. The depth of the litter bed would typically be 3 inches (7.6 cm.).

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a perspective view of the improved cat litter box of the present invention;

Figure 2 is a top plan view of the litter box of Figure 1;

Figure 3 is a side elevation of the litter box of Figure 1;

Figure 4 is an end elevation of the litter box of Figure 1;

Figure 5 is a longitudinal section of the litter box of Figure 1 on

Figure 7 is a partial section of the left hand side wall of Figure 6;

Figure 8 is an enlarged fragmentary view of the joint of Figure 7;

Figure 9 is a section through the joining clip holding the upper and lower sections of the litter box together; and

Figure 10 is a side elevation of a second embodiment of the present invention in which the proportions of the upper and lower portions of the litter box are different than in Figure 3.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The litter box of the present invention represents a simple yet elegant solution to the problems associated with conventional litter box designs. As shown in Figure 1, the litter box 10 includes a solid bottom 11 (Fig. 2), upright sides 12,13,14, and 15 and a shelf 16 forming an opening 17 in the top of the box 10.

Preferably the box 10 is formed of upper and lower portions U and L which can for example be moulded from a suitable translucent plastic polymer. The upper and lower portions are of identical size and shape, except for the opening 17 in the upper portion, and the solid bottom 11 of the lower portion. Thus it would be possible to mould both portions from the same mould by inserting a plate in the mould for forming the opening 17 when moulding the upper portion U. The two halves of the litter box 10 are joined by a series of clips 18 which are formed of resilient material that clamps the halves of the litter box together.

From the top view of Fig. 2 the shelf or rim 16 can be clearly seen. Also raised panels 19, 20 and 21 are shown in this view, which serve to strengthen the bottom of the box 11, in a technique well known to those skilled in the plastic moulding art. Figures 2, 3 and 4 are three views of the basically rectangular box 11, the specific shape being chosen for mouldability and strength, while permitting the completed box to be moulded in two halves from a single mould. Since the upper and lower sections are of identical, but inverted shape they may be nested for shipment by inverting the upper half into the lower half.

Obviously several complete boxes can be nested together for shipping, and assembled at the point of sale.

The cross-sections of Figures 5 and 6, show the assembled components of the litter box 11 held together by clips 18. Litter 22 is shown in the box to a depth ,for example, of 3 inches(7.5 cm.).

As will be evident to those skilled in the art of plastic moulding, the litter box of the invention may also be moulded as a solid box having a top opening, and formed for example by blow moulding from polyethylene. Such a manufacturing process could form the box without the opening 17 in the box as moulded and the opening 17 would then be cut in the top of the box to complete the litter box.

A further advantage of the two part litter box is the possibility of removing the upper half so that the box may be used for an injured cat which could not enter the assembled box by jumping over the tall

wall of the assembly. Similarly, the top may be removed for training a kitten to use the box. Kittens quickly learn to jump and the top could be reattached once the kitten had grown to a size to enter over the top of the assembled box. The owner of the box will also find it convenient to remove the upper portion from the lower portion when replacing the litter in the box. It is much easier to pour litter from the box once the upper portion has been removed.

A suitable litter is placed in the box typically to a depth of 3 inches(7.5 cm.), when the litter box is put into use, as shown in Figures 5 and 6. Experience has shown that the best type of litter to use in a cat litter box is the clumping type of material, which has the property of the particles adhering to each other when moistened. Such litter is easy to maintain in clean condition by regular removal of clumped material, and can be obtained in either odorless or scented forms.

Figure 9 shows the clip 18 as extruded for example from a suitable resilient plastic material. When applied to the upper and lower halves of the litter box, they are held securely together to prevent the escape of litter or urine from the joint between the halves. obviously these clips would not be required for a one piece box.

Figure 10 illustrates an alternative embodiment of the two piece litter box, which for aesthetic reasons has the lower portion L formed as taller than the upper portion U. The overall height of the box is the same as the first embodiment. The joint between the two portions is

above the median height of the assembled box, for example $8\frac{1}{4}$ " (21 cm.) above the base, and the upper portion is therefor $6\frac{1}{4}$ " (16 cm.), so the total height is still $14\frac{1}{2}$ " (37 cm.). It is important however that the overall height of the box be such that a cat standing on its hind legs can just reach the shelf 16 with its forepaws, and see into the box before jumping inside. If the box is lower than this, then when litter is added there is a risk that the cat when standing inside may urinate over the shelf, or may be able to scatter litter over the shelf while burying its excreta in the litter. The design of this litter box is predicated on the facts that cats are inherent jumpers and climbers, cats are also naturally curious, and can't resist jumping into boxes, cats often have a need for privacy when eliminating, and finally a tall box provides a sense of security for the cat while in the box.

These considerations led to the design of a litter box with entry and exit achieved through an opening in the top of a tall four sided box. All prior art litter boxes assume that the cat must enter the box by stepping over the side, just as a human would enter a room through a door. the litter box of the present invention has been designed around the way in which cats think, rather than imposing anthropomorphic limitations in the design. The top only entry of a tall box is entirely unknown in the prior art. All previous cat litter box designs in which the box was open at the top were of shallow proportions, none of the prior inventors recognized the benefits of a tall box which the cat jumps into, and from which no excreta and litter escapes. Incredibly,

no one prior to the present inventors has recognized the importance of the dimensions of a cat litter box as well as the necessity for top entry. If any litter should be stuck to the cat's paws after using the box, the act of jumping from the box contributes to removal of litter from the paws, leaving almost all of it in the litter box.

WE CLAIM:

1. A cat litter box comprising:

a solid bottom wall molded with continuous side walls extending generally vertically upwardly from side edges of said bottom wall,

5 a peripheral lip projecting generally horizontally inwardly from the top edge of said side walls to define an opening for providing access to an interior of the box defined by said side walls and said bottom wall,

10 said side walls defining a width, a length, and a height of the box, said height of the box being more than one-half of the length of the box and being more than three-quarters of the width of the box, the height of the box being at least about 12 inches whereby an adult domestic cat can enter the interior of the box
15 substantially only by jumping thereinto over said lip, and litter and excreta are retained in the box.

2. A litter box as in claim 1, formed from upper and lower molded portions, said lower portion comprising said bottom wall and a portion of a vertical extent of said side walls, the upper portion comprising the remainder of
5 the vertical extent of said side walls and said lip.

3. A litter box as in claim 2, wherein each of said upper and lower portions define about half the height of the box.

4. A litter box as in claim 2, further comprising fastening means for securing said upper and lower portions together, said fastening means being selectively removable

5 whereby the upper and lower portions may be fully
disengaged.

5. A litter box as in claim 4, wherein said fastening means comprise a plurality of resilient plastic clips.

6. A litter box as in claim 2, wherein said upper and lower portions are formed so as to have complimentary shapes whereby said upper and lower portions may be nested together for shipping, with said upper section within said
5 lower section.

7. A litter box as in claim 1, wherein the height of the box is at least about 14", wherein a width of said box is 16", wherein a length of said box is 22", and wherein the width of said lip is at least 1.5".

8. A litter box as in claim 1, wherein at least said side walls are formed from a translucent material whereby a cat can observe the interior of the box in advance of entry.

9. A cat litter box comprising:

5 a lower section molded as a unit having a solid bottom wall integral with continuous side walls extending generally vertically upwardly from side edges of said bottom wall, and

an upper section removably fixed to said lower section and including side wall extensions and a peripheral lip projecting generally horizontally inwardly at least 1.5" from the top edges of said side wall
10 extensions to define an opening for providing access to

the interior of said box defined by said side walls, said side wall extensions, and said bottom wall,

15 said side walls and said wall extensions, defining a width, a length, and a height of the box, said height of said box being more than one-half of the length of said box and being more than three-quarters of the width of said box, the height of said box being at least about three times a usual and customary depth of kitty litter disposed within the interior of said box whereby an adult
20 domestic cat can enter the interior of said box substantially only by jumping thereinto over said lip, and litter and excreta are retained in said box.

10. A litter box as in claim 9, wherein each of said upper and lower sections defines about half the height of the box.

11. A litter box as in claim 9, further comprising a plurality of resilient plastic clips for securing said upper and lower sections together, said plastic clips being selectively removable whereby the upper and lower
5 sections may be fully disengaged.

12. A litter box as in claim 9, wherein said upper and lower sections are formed so as to have complimentary shapes whereby said upper and lower sections may be nested together for shipping, with said upper section within said
5 lower section.

13. A litter box as in claim 9, wherein the height of the box is at least about 14", wherein a width of said box is 16", and wherein a length of said box is 22".

14. A litter box as in claim 9, wherein at least said side walls are formed from a translucent material whereby a cat can observe the interior of the box in advance of entry.






FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG. 7

FIG. 8




FIG. 9




FIG. 10

