



US00D753300S

(12) **United States Design Patent**  
**Di Spiezio Sardo et al.**

(10) **Patent No.:** **US D753,300 S**

(45) **Date of Patent:** **\*\* Apr. 5, 2016**

(54) **GRASPING FORCEPS**

(71) Applicant: **KARL STORZ GmbH & Co. KG,**  
Tuttlingen (DE)

(72) Inventors: **Attilio Di Spiezio Sardo,** Naples (IT);  
**Yann Thouement,** Les Essarts le Roi  
(FR)

(73) Assignee: **KARL STORZ GmbH & Co. KG,**  
Tuttlingen (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/517,921**

(22) Filed: **Feb. 18, 2015**

(30) **Foreign Application Priority Data**

Aug. 14, 2014 (EM) ..... 002519959-0001  
Aug. 14, 2014 (EM) ..... 002519959-0002  
Aug. 14, 2014 (EM) ..... 002519959-0003  
Aug. 14, 2014 (EM) ..... 002519959-0004

(51) **LOC (10) Cl.** ..... **24-02**

(52) **U.S. Cl.**  
USPC ..... **D24/143; D24/146**

(58) **Field of Classification Search**  
USPC ..... D24/143–144, 145–146, 133; 606/167,  
606/174, 205–206, 208  
CPC .. A61B 17/28; A61B 17/282; A61B 17/2841;  
A61B 17/29; A61B 17/2901; A61B 17/2909  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D338,065 S \* 8/1993 Rose ..... D24/143  
D348,103 S \* 6/1994 Brancel ..... D24/143  
5,336,238 A \* 8/1994 Holmes ..... A61B 17/28  
606/170  
D354,563 S \* 1/1995 Holmes ..... D24/143  
5,618,308 A \* 4/1997 Holmes ..... A61B 17/28  
606/170  
6,096,058 A \* 8/2000 Boche ..... A61B 17/29  
600/564  
D641,874 S \* 7/2011 Solingen ..... D24/133

8,114,107 B2 \* 2/2012 Ahlberg ..... A61B 17/320016  
606/174

8,277,475 B2 \* 10/2012 Kessler ..... A61B 17/320016  
606/174

2013/0158593 A1 \* 6/2013 Kiapour ..... A61B 17/29  
606/205

2014/0171999 A1 \* 6/2014 Goldsmith ..... A61B 17/29  
606/174

\* cited by examiner

*Primary Examiner* — Wan Laymon

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds &  
Lowe, P.C.

(57) **CLAIM**

The ornamental design for grasping forceps, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a top front perspective view of a grasping forceps  
according to the present invention.

FIG. 2 is a left side view of the grasping forceps of FIG. 1.

FIG. 3 is a right side view of the grasping forceps of FIG. 1.

FIG. 4 is a rear view of the grasping forceps of FIG. 1.

FIG. 5 is a front view of the grasping forceps of FIG. 1.

FIG. 6 is a top view of the grasping forceps of FIG. 1.

FIG. 7 is a bottom view of the grasping forceps of FIG. 1.

FIG. 8 is an enlarged top view of the grasp illustrated in FIG.  
1 in an open position.

FIG. 9 is an enlarged left side view of the grasp illustrated in  
FIG. 1 in an open position.

FIG. 10 is an enlarged perspective view of the grasp illus-  
trated in FIG. 1 in an open position.

FIG. 11 is an enlarged top view of the grasp illustrated in FIG.  
1 in a closed position.


FIG. 12 is an enlarged left side view of the grasp illustrated in  
FIG. 1 in a closed position; and,

FIG. 13 is an enlarged perspective view of the grasp illus-  
trated in FIG. 1 in a closed position.

The dashed lines illustrate environment that does not form a  
part of the present invention, and no claim is made to the  
material illustrated with dashed lines.

The grasping forceps is shown with a symbolic break in its  
length. The appearance of any portion of the article between  
the break lines forms no part of the claimed design.

**1 Claim, 12 Drawing Sheets**






FIG. 1




FIG.2




FIG. 3




FIG.4



FIG.5




FIG.6



FIG. 7




FIG.8






FIG. 9




FIG.10




FIG.11




FIG.12




FIG.13