



US00D766658S

(12) **United States Design Patent** (10) **Patent No.:** **US D766,658 S**
Strömmer et al. (45) **Date of Patent:** **** Sep. 20, 2016**

(54) **IMPELLER FOR MIXER**
(71) Applicant: **Outotec (Finland) Oy**, Espoo (FI)
(72) Inventors: **Ville Strömmer**, Helsinki (FI); **Markus Lehtonen**, Lepsämä (FI); **Tuomas Hirsi**, Helsinki (FI); **Marko Latva-Kokko**, Pori (FI)
(73) Assignee: **OUTOTEC (FINLAND) OY**, Espoo (FI)
(**) Term: **14 Years**
(21) Appl. No.: **29/526,084**
(22) Filed: **May 6, 2015**
(30) **Foreign Application Priority Data**

Nov. 6, 2014 (EM) 001425243
(51) **LOC (10) Cl.** **31-00**
(52) **U.S. Cl.**
USPC **D7/412**; D7/376; D7/378; D7/384
(58) **Field of Classification Search**
USPC D7/372, 376-386, 412-413, 602, 629, D7/665-666, 669, 679, 693-694; D15/21, D15/138; D24/220
CPC A21C 1/02; A21C 1/04; A23N 1/00; A23N 1/02; A47J 43/04; A47J 43/25; A47J 43/27; A47J 43/042; A47J 43/044; A47J 43/046; A47J 43/075; A47J 43/0722; A47J 43/0727; B01F 3/00; B01F 3/0478; B01F 3/04241; B01F 3/04531; B01F 3/04539; B01F 3/0807; B01F 3/0853; B01F 7/001; B01F 7/00341; B01F 7/00358; B01F 7/00475; B01F 7/00633; B01F 13/0059; B01F 13/0064; B02C 1/08; B02C 2/04; B02C 4/42; B02C 4/142; B02C 4/143; B02C 4/423; B02C 13/1835; B28C 5/10; B28C 5/12; B28C 5/14; B28C 5/16; F01P 5/02; F04D 29/384
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
1,473,066 A * 11/1923 Wells F01P 5/02 416/235
2,238,749 A * 4/1941 Peltier F04D 29/384 415/119
(Continued)
FOREIGN PATENT DOCUMENTS
EM 001103311-001 3/2009
OTHER PUBLICATIONS
Strömmer, U.S. Appl. No. 29/526,089, entitled "Impeller for Mixer", filed May 6, 2015, pp. 9.
(Continued)


Primary Examiner — Ricky Pham
(74) *Attorney, Agent, or Firm* — Chernoff, Vilhauer, McClung & Stenzel, LLP

(57) **CLAIM**
The ornamental design for an impeller for mixer, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the impeller; FIG. 2 is a bottom perspective view of the impeller; FIG. 3 is a top plan view of the impeller; FIG. 4 is a bottom view of the impeller while inverted; FIG. 5 is a side view of the impeller; FIG. 6 is a side view of the impeller; and, FIG. 7 is a side view of the impeller. The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,260,267 A * 4/1981 Walton B01F 7/00475
 366/129
 D267,405 S * 12/1982 Wilson D15/21
 4,721,394 A * 1/1988 Casto B01F 7/00341
 366/330.2
 4,896,971 A * 1/1990 Weetman B01F 3/04531
 261/77
 D328,905 S * 8/1992 Triano D15/138
 5,158,434 A * 10/1992 Weetman B01F 7/00341
 366/330.5
 5,226,783 A * 7/1993 Mita F04D 29/384
 416/223 R
 5,326,168 A * 7/1994 Miura B01F 7/00358
 366/343
 6,250,797 B1 * 6/2001 Weetman B01F 3/04531
 261/93
 6,334,705 B1 * 1/2002 Weetman B01F 7/00341
 366/330.1
 6,866,414 B2 * 3/2005 Kupidowski B01F 7/001
 366/330.3
 6,877,959 B2 * 4/2005 McWhirter F04D 29/384
 366/265

6,896,246 B2 * 5/2005 Weetman B01F 3/0478
 261/84
 7,114,844 B2 * 10/2006 Weetman B01F 3/0478
 366/328.3
 D566,143 S * 4/2008 Rosso D15/138
 D576,186 S * 9/2008 Rosso D15/138
 D601,850 S * 10/2009 Ikuta D7/376
 7,887,230 B2 * 2/2011 Rosso B01F 7/001
 366/129
 D664,262 S * 7/2012 Khan D15/29
 8,277,114 B2 * 10/2012 Higbee B01F 3/04539
 366/270
 D681,690 S 5/2013 Xia et al.
 9,138,698 B2 * 9/2015 Lilja B01F 7/00341
 D746,883 S * 1/2016 Strommer D15/138
 2009/0134173 A1 * 5/2009 Liang B01F 7/00633
 220/563
 2011/0207218 A1 * 8/2011 Staheli B01F 3/04241
 435/394

OTHER PUBLICATIONS

Strömmer, U.S. Appl. No. 29/492,954, entitled: "Mixer", filed Jun. 4, 2014, pp. 9.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7