



US00D378587S

United States Patent [19]

[11] Patent Number: **Des. 378,587**

Kanno et al.

[45] Date of Patent: ****Mar. 25, 1997**

[54] **RECEIVER FOR BAR CODE READER**

[75] Inventors: **Tsutomu Kanno; Takashi Kondo; Hisashi Murata**, all of Miyagi-ken, Japan

[73] Assignee: **Alps Electric Co., Ltd.**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **43,963**

[22] Filed: **Sep. 14, 1995**

[52] **U.S. Cl.** **D14/116**

[58] **Field of Search** D14/114, 116; D26/28-35; 235/375, 378, 385, 454, 462, 472, 486; 250/203.1, 216, 566, 568

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 302,321 7/1989 Charet et al. D26/29 X
- D. 327,953 7/1992 Jordan D26/28
- D. 348,260 6/1994 Allgeier D14/116

- D. 351,150 10/1994 Bontly et al. D14/116
- D. 351,243 10/1994 Williams et al. D26/28
- D. 355,270 2/1995 Spencer D26/28
- D. 359,483 6/1995 Saunders et al. D14/116

Primary Examiner—M. H. Tung
Attorney, Agent, or Firm—Guy W. Shoup; Patrick T. Bever

[57] **CLAIM**

The ornamental design for receiver for bar code reader, as shown.

DESCRIPTION

FIG. 1 is a perspective view of the receiver for bar code reader;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

