



US00D722635S

(12) **United States Design Patent**
Richardson et al.

(10) **Patent No.:** **US D722,635 S**

(45) **Date of Patent:** **** Feb. 17, 2015**

(54) **CAMERA**

(71) Applicant: **FLIR Systems, Inc.**, Wilsonville, OR
(US)

(72) Inventors: **Patrick B. Richardson**, Santa Barbara,
CA (US); **Marcel Tremblay**, Goleta, CA
(US); **Jace Dispenza**, Santa Barbara, CA
(US)

(73) Assignee: **FLIR Systems, Inc.**, Wilsonville, OR
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/444,975**

(22) Filed: **Feb. 6, 2013**

(51) **LOC (10) Cl.** **16-01**

(52) **U.S. Cl.**
USPC **D16/203**

(58) **Field of Classification Search**
CPC G03B 17/02; G03B 19/04; G03B 17/56;
G03B 17/04; G03B 15/03; H04N 5/2251;
H04N 5/2252; H04N 5/2253; H04N 5/2254;
H04N 7/181; H04N 7/183; H04N 7/18;
G08B 13/1963; G08B 13/19619; G08B
13/19632; F16M 11/04; F16M 13/00
USPC D16/200, 202–206, 218, 219, 242;
348/143, 148, 151, 164, 373–376;
396/419, 427, 535, 539–541
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D388,450 S * 12/1997 Hamano et al. D16/203
D399,517 S * 10/1998 Hasegawa D16/203
D402,677 S * 12/1998 Hiraguchi D16/203
6,525,766 B1 2/2003 Ikoma et al.

D473,888 S * 4/2003 Jones et al. D16/203
D489,742 S * 5/2004 Nagai D16/203
D502,196 S 2/2005 Miyazaki
D517,585 S 3/2006 Iino et al.
D518,080 S 3/2006 Uehara
D536,357 S 2/2007 Koby
D542,319 S 5/2007 Ishida et al.
D545,860 S 7/2007 Miyazaki
D550,738 S * 9/2007 Hsia D16/203
D552,148 S * 10/2007 Yamakawa et al. D16/219
D552,650 S * 10/2007 Yamakawa et al. D16/203
D556,803 S * 12/2007 Ishida D16/203
D562,870 S * 2/2008 Komatsu et al. D16/203
D574,870 S 8/2008 Takahashi
7,435,019 B2 * 10/2008 Lee 396/427
7,446,813 B2 11/2008 Nakamoto et al.
D608,811 S 1/2010 Frank et al.
D609,732 S 2/2010 Frank et al.
2008/0267611 A1 * 10/2008 Huang 396/427

* cited by examiner


Primary Examiner — Adir Aronovich
Assistant Examiner — Ramzi Almatrahi
(74) *Attorney, Agent, or Firm* — Haynes and Boone, LLP

(57) **CLAIM**
The ornamental design for a camera, as shown and described.

DESCRIPTION

FIG. 1 is a top-right-front perspective view of a camera embodying our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken line portions of the design embodied in the camera are shown for illustration only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7