



US0D1069584S

(12) **United States Design Patent**
Conaway et al.

(10) **Patent No.:** **US D1,069,584 S**

(45) **Date of Patent:** **** Apr. 8, 2025**

(54) **BOTTLE FOR DISPOSER FLUID INJECTION ASSEMBLY**

(71) Applicant: **INSINKERATOR LLC**, Benton Harbor, MI (US)

(72) Inventors: **Sean E. Conaway**, Benton Harbor, MI (US); **Rico Taylor**, Benton Harbor, MI (US); **Nathan J. Wicker**, Rockville, MD (US); **Aaron B. Eiger**, Chicago, IL (US); **Mark F. Kurth**, La Porte, IN (US); **Peter P. Muller**, Chicago, IL (US)

(73) Assignee: **INSINKERATOR LLC**, Benton Harbor, MI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/883,426**

(22) Filed: **Jan. 27, 2023**

(51) **LOC (15) Cl.** **07-01**

(52) **U.S. Cl.**
USPC **D9/520; D9/521; D9/575**

(58) **Field of Classification Search**
USPC D7/602, 605, 608, 703; D9/500, 504, D9/520, 529, 544, 545, 548, 549, 558, D9/562, 574, 575, 716, 719, 738, 739, D9/741, 744, 502, 521, 522, 557, 767, D9/768; D24/117, 121
CPC B65D 1/0223; B65D 1/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | |
|-------------|--------|---------------------|
| D195,192 S | 5/1963 | Shore |
| D279,063 S | 6/1985 | Haskell, III et al. |
| D302,916 S | 8/1989 | Williamson |
| 4,910,808 A | 3/1990 | Roth |
| D332,544 S | 1/1993 | Steiner et al. |

| | | |
|-------------|---------|-----------------|
| D342,176 S | 12/1993 | Steiner et al. |
| 5,335,866 A | 8/1994 | Narao |
| 5,370,323 A | 12/1994 | Narao |
| 5,577,673 A | 11/1996 | McMurphy et al. |
| 5,676,319 A | 10/1997 | Stiggins et al. |
| 5,856,173 A | 1/1999 | Riley et al. |
| 5,940,894 A | 8/1999 | Cruz |

(Continued)

FOREIGN PATENT DOCUMENTS

| | | |
|----|-------------|--------|
| CN | 110747952 | 2/2020 |
| CN | 215694707 U | 2/2022 |

(Continued)

Primary Examiner — W. A. Teddy Falloway
Assistant Examiner — Amanda Kay Birdwell
(74) *Attorney, Agent, or Firm* — Amundsen Davis, LLC


(57) **CLAIM**

The ornamental design for a bottle for disposer fluid injection assembly, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the bottle for disposer fluid injection assembly;
FIG. 2 is a front elevational view of the bottle for disposer fluid injection assembly;
FIG. 3 is a rear elevational view of the bottle for disposer fluid injection assembly;
FIG. 4 is a right side elevational view of the bottle for disposer fluid injection assembly;
FIG. 5 is a left side elevational view of the bottle for disposer fluid injection assembly;
FIG. 6 is a bottom plan view of the bottle for disposer fluid injection assembly; and,
FIG. 7 is a top plan view of the bottle for disposer fluid injection assembly.
The broken lines illustrate environment and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | |
|--------------|---------|-------------------|---------|
| D414,359 S | 9/1999 | Scholey et al. | |
| D441,998 S | 5/2001 | Kauzlarich et al. | |
| D441,999 S | 5/2001 | Kauzlarich et al. | |
| D443,453 S | 6/2001 | Kauzlarich et al. | |
| D443,454 S | 6/2001 | Kauzlarich et al. | |
| D443,780 S | 6/2001 | Kauzlarich et al. | |
| D471,047 S | 3/2003 | Gordon et al. | |
| D475,876 S | 6/2003 | Chen | |
| D479,804 S | 9/2003 | Wolpert et al. | |
| D503,621 S * | 4/2005 | Heater | D9/575 |
| D505,330 S * | 5/2005 | Wolpert | D23/366 |
| D536,979 S * | 2/2007 | Caserta | D9/523 |
| D537,351 S * | 2/2007 | Caserta | D9/523 |
| D544,797 S | 6/2007 | Wilson, II et al. | |
| D612,649 S | 3/2010 | Pattberg | |
| D614,958 S * | 5/2010 | Smith | D9/516 |
| D618,550 S * | 6/2010 | De Haan | D9/543 |
| D622,598 S | 8/2010 | Smith et al. | |
| D626,845 S * | 11/2010 | De Haan | D9/543 |
| D628,896 S * | 12/2010 | Smith | D9/542 |
| D650,285 S * | 12/2011 | Smith | D9/542 |
| D687,653 S | 8/2013 | Giovannoni | |
| 8,819,872 B2 | 9/2014 | Bradley et al. | |
| D726,443 S | 4/2015 | Giovannoni | |
| D726,444 S | 4/2015 | Giovannoni | |
| D799,977 S | 10/2017 | King et al. | |

| | | |
|-----------------|---------|----------------|
| D799,978 S | 10/2017 | King et al. |
| D799,979 S | 10/2017 | King et al. |
| D811,120 S | 2/2018 | Johnson |
| D820,685 S | 6/2018 | Schriner |
| 10,035,150 B2 | 7/2018 | Gormley et al. |
| D862,239 S | 10/2019 | Schriner |
| D887,171 S | 6/2020 | Goldfarb |
| 2013/0206187 A1 | 8/2013 | Dombrowski |
| 2015/0102056 A1 | 4/2015 | Sage-Passant |
| 2016/0075574 A1 | 3/2016 | Hammer et al. |

FOREIGN PATENT DOCUMENTS

| | | |
|----|-------------|----------|
| DE | 2659910 | 4/1978 |
| FR | 2600691 | 12/1987 |
| GB | 1549954 | 8/1979 |
| GB | 6299437 | * 9/2023 |
| KR | 200410491 | 3/2006 |
| KR | 200431031 | 11/2006 |
| KR | 20090011670 | 11/2009 |
| KR | 200448312 | 3/2010 |
| KR | 20110001323 | 1/2011 |
| KR | 200456183 | 10/2011 |
| KR | 20140057003 | 5/2014 |
| KR | 20140060609 | 5/2014 |
| KR | 102421231 | 7/2022 |
| WO | 200867014 | 6/2008 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7