



(22) Date de dépôt/Filing Date: 1999/01/11

(41) Mise à la disp. pub./Open to Public Insp.: 1999/08/12

(45) Date de délivrance/Issue Date: 2002/01/08

(30) Priorité/Priority: 1998/02/12 (09/022,959) US

(51) Cl.Int.⁶/Int.Cl.⁶ H04Q 3/64


(72) Inventeurs/Inventors:
MATHEWS, Eugene P., US;
KOHLE, Joylee E., US;
FLOCKHART, Andrew D., US;
JENSEN, Roy A., US;
FOSTER, Robin H., US

(73) Propriétaire/Owner:
LUCENT TECHNOLOGIES, INC., US

(74) Agent: KIRBY EADES GALE BAKER

(54) Titre : SELECTION D'AGENT DE CENTRE D'APPELS OPTIMISANT LES TEMPS D'ATTENTE D'APPEL

(54) Title: CALL CENTER AGENT SELECTION THAT OPTIMIZES CALL WAIT TIMES



(57) Abrégé/Abstract:

Selection of a suitable call-center agent (106-108) to handle a call is based on which available suitable agent's handling of the call will tend to optimize call wait times. When a call needing a particular skill becomes available (200)) all skills of agents in the



(57) Abrégé(suite)/Abstract(continued):

agent queue (131-139) corresponding to the particular skill are determined (202, 204). The agent queues corresponding to the determined skills are checked (206) to determine which ones identify only one agent. For each available agent having the particular skill, the number of agent queues which identify this agent as their only agent is computed (208). The available agent having the lowest computed number is selected (210) to handle the call. This minimizes the number of skills that will be left without an available agent to handle subsequent calls, and thus tends to maximize the probability that a next call will also have a suitable agent already available and not have to wait for one to become available, thereby optimizing call wait times.

CALL CENTER AGENT SELECTION THAT OPTIMIZES CALL WAIT TIMES

Abstract

5 Selection of a suitable call-center agent (106-108) to handle a
call is based on which available suitable agent's handling of the call will
tend to optimize call wait times. When a call needing a particular skill
becomes available (200), all skills of agents in the agent queue (131-139)
corresponding to the particular skill are determined (202, 204). The agent
10 queues corresponding to the determined skills are checked (206) to
determine which ones identify only one agent. For each available agent
having the particular skill, the number of agent queues which identify this
agent as their only agent is computed (208). The available agent having
the lowest computed number is selected (210) to handle the call. This
15 minimizes the number of skills that will be left without an available agent
to handle subsequent calls, and thus tends to maximize the probability
that a next call will also have a suitable agent already available and not
have to wait for one to become available, thereby optimizing call wait
times.

CALL CENTER AGENT SELECTION THAT OPTIMIZES CALL WAIT TIMES

Technical Field

This invention relates to automatic call distribution (ACD)
5 systems, also variously referred to as call centers or telemarketing
systems.

Background of the Invention

ACD systems distribute calls -- whether inbound or outbound
-- for handling to any suitable ones of available call-handling agents
10 according to some predefined criteria. In many existing systems, such as
the Lucent Technologies Definity® ACD system, the criteria for handling
the call from the moment that the ACD system becomes aware of the call
until the call is connected to an agent are customer specifiable (i.e.,
programmable by the operator of the ACD system) via a capability called
15 call vectoring. Normally in present-day ACD systems, when the ACD
system's controller detects that an agent has become available to handle
a call, the controller identifies all predefined call-handling skills of the
agent (usually in some order of priority) and delivers to the agent the
highest-priority oldest-waiting call that matches the agent's highest-priority
20 skill. Generally the only condition that results in a call not being delivered
to an available agent is that there are no calls matching any of the agent
skills waiting to be handled.

When a plurality of agents are available to handle a call, any
one of a number of agent-selection algorithms are presently employed to
25 select one of the available agents. "Uniform call distribution", "most idle
agent", and "least occupied agent" algorithms seek to optimize agent
fairness. And an "expert agent distribution" algorithm seeks to optimize
quality of service. None of these algorithms, however, attempt to select
an available agent in such a way that maximizes probability that a next

(future) call will also find a suitable agent already available and not have to wait for one to become available.

Summary of the Invention

This invention is directed to solving this and other problems
5 and disadvantages of the prior art. According to the invention, selection of
a handler (e.g., a call center agent) having a skill to handle a
communication (e.g., a call center call) needing the skill is effected as
follows. A determination is made of which ones of a plurality of handlers
both have at least the skill that's needed by the communication and are
10 available (e.g., idle) to handle the communication. All skills that the
determined handlers have are then determined. For each determined
skill, it is determined whether only one available handler has that skill.
Finally, a determined handler who is the only available handler for fewest -
- preferably none -- of the determined skills is selected to handle the
15 communication.

While a method according to the invention comprises the
steps of the just-characterized procedure, an apparatus according to the
invention effects the method steps. The apparatus preferably includes an
effector -- any entity that effects the corresponding step, unlike a means --
20 for each step. Further, there is preferably provided a computer-readable
medium containing software which, when executed on a computer,
causes the computer to perform the method steps.

The selection procedure characterized above minimizes the
number of skills that will be left without an available handler with that skill
25 to handle subsequent communications. It thus tends to maximize the
probability that a next communication will also have a suitable handler
already available and not have to wait for one to become available,
thereby tending to optimize wait times of communications for handlers.

These and other advantages and features of the invention will become more apparent from the following description of an illustrative embodiment of the invention considered with the drawing.

Brief Description of the Drawing

5 FIG. 1 is a block diagram of a call center that includes an illustrative embodiment of the invention; and

 FIG. 2 is a flow diagram of an agent-selection procedure performed by an agent and call selector of the call center of FIG. 1.

Detailed Description

10 FIG. 1 shows an illustrative call center. As is conventional, the call center comprises a plurality of telephone lines and/or trunks 100 selectively interconnected with a plurality of agent positions 102-104 via an ACD system 101. Each agent position 102-104 includes a voice-and-
15 data terminal 105 for use by a corresponding agent 106-108 in handling calls. Terminals 105 are connected to ACD system 101 by a voice-and-
 data transmission medium 109. Also, included in ACD system 101 is a conventional basic call management system (BCMS) and connected to
 ACD system 101 is a conventional call management system (CMS) 110 that gather call records and call-center statistics for use in managing the
20 call center and in generating call-center reports. CMS and BCMS will hereafter be referred to jointly as CMS 110.

 ACD system 101 is illustratively the Lucent Technologies Definity® private-branch exchange (PBX)-based ACD system. It is a
25 stored-program-controlled system that conventionally includes interfaces to external communications links, a communications switching fabric,
 service circuits (e.g., tone generators, announcement circuits, etc.), memory for storing control programs and data, and a processor (i.e., a
 computer) for executing the stored control programs to control the interfaces and the fabric and to provide automatic call-distribution
30 functionality. Included among the data stored in ACD system 101 are a

set of call queues 120 and a set of agent queues 130. Each call queue 121-129 corresponds to a different agent skill, as does each agent queue 131-139. Conventionally, calls are prioritized, and either are enqueued in individual ones of call queues 120 in their order of priority or
5 are enqueued in different ones of a plurality of call queues that correspond to a skill and each one of which corresponds to a different priority. Likewise, each agent's skills are prioritized according to his or her level of expertise in that skill, and either agents are enqueued in individual ones of agent queues 130 in their order of expertise level or are enqueued
10 in different ones of a plurality of agent queues that correspond to a skill and each one of which corresponds to a different expertise level. Included among the control programs in ACD system 101 is a call vector 140. Calls incoming to the call center on lines or trunks 100 are assigned by call vector 140 to different call queues 121-129 based upon
15 the agent skill that they require for their proper handling. Agents 106-108 who are available for handling calls are assigned to agent queues 131-139 based upon the skills which they possess. An agent may have multiple skills, and hence may be assigned to multiple agent queues 131-139 simultaneously. Furthermore, an agent may have different levels of
20 skill expertise (e.g., skill levels 1-16 in one known system or merely primary (P) skills and secondary (S) skills in another known system), and hence may be assigned to different agent queues 131-139 at different expertise levels. Call vectoring is described in DEFINITY® Communications System Generic 3 Call Vectoring/Expert Agent Selection
25 (EAS) Guide, AT&T publication no. 555-230-520 (Issue 3, Nov. 1993). Skills-based ACD is described in further detail in U. S. Patent no. 5,206,903.

According to the invention, included among the programs executing on ACD system 101 is an agent and call selector 150.
30 Selector 150 is stored either in the main memory or in a peripheral

- 5 -

memory (e.g., disk, CD ROM, etc.) or some other computer-readable medium of ACD system 101. Selector 150 effects an assignment between calls and available agents in a way that tends to maximize the probability that a next call will also have a suitable agent already available and not have to wait for one to become available. Selector 150 thus tends to optimize wait times for calls.

The functionality implemented by an illustrative embodiment of selector 150 is shown in FIG. 2, which shows the agent-selection procedure that is performed by selector 150 when a call that is determined to require a skill x for its handling becomes available (i.e., arrives at the head of skill x queue in call queues 120, for purposes of this example), at step 200. In response, selector 150 selects the best idle agent with skill x to handle the call, as follows. For all idle agents with skill x (i.e., for each agent in skill x queue), selector 150 determines all of their skills, at step 202. Each agent's full complement of skills is retrieved from that agent's stored record which contains information describing the agent. Then, for each of the skills determined at step 202, selector 150 checks the corresponding skill queue in agent queues 130 to determine if it contains only one agent, at step 204. If an agent queue 131-139 contains only one agent, it means that assignment of that agent to handle a call would leave the queue's corresponding skill queue empty, and hence would leave other calls requiring this queue's corresponding skill without an available agent to handle the call. Alternatively, instead of checking the agent queues for each of the agents' skills, selector 150 checks the agent queues of only those skills that are not duplicated among the idle agents in skill x queue. Then, for each of the agents in skill x queue, the number of the agent's skills whose corresponding agent queue contains only one agent is counted (added up), at step 206. This is the number of skills that would lose their last available agent if this agent handled the presently-available call requiring skill x. The agent with the lowest count is

- 6 -

then selected to handle the call, at step 208. If a plurality of agents have the same lowest count, any one of them is selected -- for example, the "most idle" agent. In this way, the number of skills with an available agent is maximized, whereby the next available call has the best chance of finding an agent available to immediately service it. The agent-selection procedure then ends, at step 210, until a next call becomes available for handling.

With this new agent selection procedure, a call center can improve call-service times without increasing staff (i.e., the number of agents). This is illustrated by the following example, even though it is simplified and exaggerated. Assume that a call center has two skills -- x and y -- and two agents -- Fred and Joe. Fred has only skill x. Joe has both skills x and y, and has been available the longest. The average call-handling (talk time plus any after-call work) time for skills x and y is 180 seconds. A call arrives for skill x, followed by arrival of a call for skill y. If the traditional "most idle agent" selection algorithm were used, Joe would take the first arriving call, and the second arriving call would have to wait 180 seconds before Joe would become available again to take the second call. But with the agent selection made according to this invention, Fred is selected to take the first arriving call and Joe is selected to take the second arriving call. Neither call has to wait for an agent to become available. The average speed of answer for skill y is thus improved without adding additional staff.

Of course, various changes and modifications to the illustrative embodiment described above will be apparent to those skilled in the art. For example, use of the invention is not limited to use with ACD systems and agents, but may be used in any situations where communications are handled by a staff of handlers. Nor do those handlers have to be in queues; one could just count all the available agents. Also it may be used to select only from among the most-skilled

- 7 -

available handlers. Or, the basic idea of selecting agents so as to deplete the agent queues for as few skills as possible may be expanded to take into consideration a ranking or a weighting of skills, derived from acceptable service-level targets that have been set for the skills. One

5 variation is to compare a weighted total of skills for individual agents -- one or more types of calls may be much more important than others, so that the call center may be willing to let many agent queues for less important skills to be emptied for the sake of keeping staffed the skills for these important kinds of calls. A second variation is to rank-order the

10 skills in terms of importance in preserving their agent queues non-empty. Then the available agent who empties the least important of the skill queues in that rank order is assigned to handle a call. Both of these variations can be automatically effected through the service levels that a call has defined for each skill. For example, consider the "yellow" service

15 levels. Divide all of the yellow levels by the smallest (tightest) threshold and take the inverse to get a weighting.

	Skill A	Yellow 10 sec	Weight = 1	Rank = 1
	Skill B	Yellow 15 sec	Weight = .66	Rank = 2
	Skill C	Yellow 50 sec	Weight = .20	Rank = 3
20	Skill D	Yellow 50 sec	Weight = .20	Rank = 3
	Skill E	Yellow 100 sec	Weight = .10	Rank = 4

If Jane has skill B, C, and D, her weighted skill factor is $.66 + .2 + .2 = 1.16$. Jane's Rank order skill factor is 2.

If Tim has skill A, his weighted skill factor is 1. Tim's skill rank is 1.1.

25 Now assume that a call needing skill E arrives. If the first variation that was outlined above is used, based on a weighting of the skills, Tim is selected to handle the call because his weighting is lower (1.1 compared to 1.16). If the second variation is used, Jane is selected to handle the call because her rank-order skill factor is 2, compared to Tim's 1. Yet

30 another variation is to use the call center's data on the revenue generated

- 8 -

per call for each skill as the weighting or ranking factor. This information is either obtained via administration by the call center manager or is periodically determined and updated through real-time analysis effected outside of the ACD. If the numbers in terms of sales start to rise for one skill relative to other skills, the importance of having someone around to answer that one skill increases. Cost-centered service calls can be accounted for relative to revenue-generating calls by being given a fixed position in the ranking, and the revenue calls are allowed to float in real-time based on real-time data. Such changes and modifications can be made without departing from the spirit and the scope of the invention and without diminishing its attendant advantages. It is therefore intended that such changes and modifications be covered by the following claims.

Claims:

1. A method of selecting a handler having a skill to handle a communication needing the skill, comprising the steps of:

5 determining which ones of a plurality of handlers have at least the skill needed by the communication and are available to handle the communication;

determining all skills that the determined handlers have;

for each determined skill, determining whether only one available handler of the plurality of handlers has the determined skill; and

10 selecting a determined handler who is the only available handler for fewest of the determined skills to handle the communication.

2. The method of claim 1 wherein:

the step of determining all skills comprises the step of

15 for each said determined handler, determining all skills of said determined handler; and

the step of determining whether only one available handler has the determined skill comprises the step of

20 for each determined skill of each said determined handler, determining whether said determined handler is an only available handler who has the determined skill.

3. The method of claim 1 in an apparatus having a plurality of queues each corresponding to a different skill and each for identifying
25 available handlers who have the corresponding skill, wherein:

the step of determining whether only one available handler has the determined skill comprises the step of

determining queues corresponding to any of the determined skills that identify only one handler; and

30 the step of selecting comprises the step of

selecting a determined handler who is identified by fewest of the determined queues.

4. The method of claim 3 wherein:

5 the plurality of handlers comprise call center agents.

5. The method of claim 4 wherein:

the communication comprises a call.

10 6. An apparatus that performs the method of claim 1 or 2 or 3 or 4 or 5.

7. A computer-readable medium containing software which, when executed in a computer, causes the computer to perform the steps of
15 claim 1 or 2 or 3 or 4 or 5.

8. An apparatus for selecting a handler having a skill to handle a communication needing the skill, comprising:

20 a first effector of determining which ones of a plurality of handlers have at least the skill needed by the communication and are available to handle the communication;

a second effector, cooperative with the first effector, of determining all skills that the determined handlers have;

25 a third effector, cooperative with the second effector, of determining, for each determined skill, whether only one available handler of the plurality of handlers has the determined skill; and

a fourth effector, cooperative with the third effector, of selecting a determined handler who is the only available handler for fewest of the determined skills to handle the communication.




FIG. 1

2/2

FIG. 2