

(19)
(12)

(KR)
(B1)

(51) 。 Int. Cl.⁷
G11B 11/24

(45)
(11)
(24)

2003 12 01
10-0408024
2003 11 20

(21) 10-2001-0018611
(22) 2001 04 09

(65)
(43)

2002-0078296
2002 10 18

(73)

20

(72)

141-92

49 - 8

(74)

•

(54)

가

가

가

가

가

1, 2

가

4

1		-
2	1	
3		
4		
5	4	

6 5 가 -
7 5

가 .

*** ***

31: 32:
33: 34: 1
35: 2 36:

, - (land-groove)

(1) , - 1
, 가 ,

coil motor : VCM, 11) , 2 (12) (13) (14) 가 (voice
(13)가 (14) (13) 가 가
(13) (14) 가

, - , 가 , 가

1, 2 ; , 가 ;

3 2 (2
1,22) (21,22) , 1 가 .
, (21,22)

$$\frac{dC}{C} = - \frac{dX}{X}$$

, (21,22) (, (L)) 2

$$dC = u \frac{W}{X} dL$$

(permittivity) .

가 (31) ; (31) (32)

(33) 1 1 (34) ; (31) 2 (35) ; 1 (34) (31)

(36) (35) . (hemisphere) (solid immersion lens : SIL) .

(31) (37) ; (37)

(36A 36C) (31)가 - (38) 가

(39) 3 (36A 36C) (38) (38) 가

(36B) (38) (39) 1

(31) (38) (39) 2 (38) (31)

(38) , (31)

가 (31) (41) (42) ; (31) (41) ,

(43) (39) (31) - (rigid arm, 44) . (4)

1) (31) ,

(57)

1.

1 1 1 1 가 2

가 ; ;

2.

3.

1 , 2

4.

1 ,




5.

1 4 , 가 3 , 가


가

6.


1 , - 가




4



5



6



7

