



(43) International Publication Date  
17 December 2015 (17.12.2015)

(51) International Patent Classification:  
*A61B 3/12* (2006.01)

(21) International Application Number:  
PCT/CA2015/000371

(22) International Filing Date:  
11 June 2015 (11.06.2015)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
62/010,689 11 June 2014 (11.06.2014) US

(71) Applicant: **L&R MEDICAL INC.** [CA/CA]; 101 York-  
minster Road, Toronto, Ontario M2P 1M5 (CA).

(72) Inventors: **HATHAWAY, Mark**; 13 New Town Street,  
Charthan Hatch, Canterbury, Kent CT4LT (GB). **WEITZ,**  
**Rishard**; 101 Yorkminster Road, Toronto, Ontario M2P  
1M5 (CA).

(74) Agent: **BUDD, Mark**; c/o Marks & Clerk Canada, 180  
Kent Street, Suite 1900, Ottawa, Ontario K1P 0B6 (CA).


(81) Designated States (unless otherwise indicated, for every  
kind of national protection available): AE, AG, AL, AM,  
AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY,  
BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM,  
DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT,  
HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR,  
KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG,  
MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM,  
PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC,  
SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN,  
TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every  
kind of regional protection available): ARIPO (BW, GH,  
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ,  
TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU,  
TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE,  
DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU,  
LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK,  
SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,  
GW, KM, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: ANGULAR SEPARATION OF SCAN CHANNELS



(57) Abstract: Chromatic separation in ophthalmologic systems is achieved by introducing a small angle between each beam incident on the scanner. The multiple channels are emitted from multiple emitters positioned such that their respective beams reach an X-Y scanner with small angular separations between the beams. This removes the need for dichroic components to combine the multiple channels into a single beam. This also allows the emitters to use the same wavelength if desired, such as in a combined SLO and OCT system in which it may be desirable to use the same light source in order to reduce the cost and complexity of the system.

## ANGULAR SEPARATION OF SCAN CHANNELS

### FIELD OF INVENTION

[1] This invention relates to ophthalmology, and in particular to the use of multiple scan channels.

### BACKGROUND

[2] This idea relates to an issue that arises frequently in both scanning laser ophthalmoscopy (SLO) systems and optical coherence tomography (OCT) systems. There is usually a need to combine multiple scan channels before they enter a patient's eye. Examples of multiple channels could be different wavelength SLO channels, or an SLO channel combined with an OCT channel.

[3] The various scan channels are typically combined before entering the patient's eye. The light returning from the patient's eye is then separated again into the channels such that it can be processed in a manner appropriate to that channel. To reduce system costs a single X-Y scanner is used for all the channels.

[4] A commonly used technique when the channels use different wavelengths is illustrated in FIG. 1. The different wavelengths are combined with dichroic beam splitters, then the collimated beam is launched at a scanning mechanism. This collimated beam is reflected from the patient's eye and re-enter the scanner and directed back towards to dichroic splitters. The dichroic splitters are then re-used to separate the returned light from the patient, and direct beams of particular frequencies back to the respective emitters. The beams shown in FIG. 1 are shown separated for clarity, but in reality they

would be collinear. However there are a number of issues with the chromatic combination and separation of each channel.

[5] First, each channel must use a separate wavelength. This is not such an issue for a purely SLO system employing multiple wavelengths. But in the case of a combined OCT/SLO system it may be desirable to use a single source for both the SLO and OCT systems to reduce both system cost and complexity.

[6] Second, OCT systems require careful control of both the dispersion and the differential group delay. This inevitably results in more complex optical coatings and an increase in component cost.

[7] Third, there is the additional cost of the dichroic components, and the additional manufacturing steps needed to mount and align them.

## SUMMARY

[8] The issues with chromatic separation are solved by introducing a small angle between each beam incident on the scanner. The multiple channels are emitted from multiple emitters, but there are no dichroic mirrors to combine the multiple channels into a single beam. Rather the different beams reach the X-Y scanner with small angular separations between the beams.

## BRIEF DESCRIPTION OF THE DRAWINGS

[9] The features and advantages of embodiments of the invention will become more apparent from the following detailed description of the preferred embodiment(s) with reference to the attached figures, wherein:

FIG. 1 shows an arrangement of multiple emitters; and

FIG. 2 shows an arrangement of multiple emitters according to one embodiment of the invention.

[10] It is noted that in the attached figures, like features bear similar labels.

### **DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS**

[11] Referring to FIG. 2, an arrangement of multiple emitters according to one embodiment of the invention is shown. Emitters for two SLO wavelengths and for one OCT wavelength, which may of course be the same as one of the two SLO wavelengths, are shown. More generally there are at least two emitters, any number of which or none of which is used in an SLO system, and any number of which or none of which is used in an OCT system. In one embodiment, all of the emitters are for an SLO system. The emitters are positioned such that their respective beams reach an X-Y scanner at a slight angular separation.

[12] The X-Y scanner reflects the beams towards a patient's eye. As the beams are not collimated as they enter the X-Y scanner, there remains an angular separation of the beams from the X-Y scanner to the patient's eye.

[13] The beams reflected from the eye will reverse their path to a respective detector alongside the respective emitter. The angular separation of the beams upon reaching the eye will of course lead to a displacement in the scanned images of the eye, but because the angular separation of the beams is fixed the images can be realigned so they can be overlaid. In one embodiment, the system of the invention includes a processing module configured to compensate for any displacement of the scanned images. Alternatively, the rotation offset for the scanner required for each channel to image the same point in the retina can be calculated in advance. With this method and system, there is no restriction on the wavelengths used for the channels. If one of the emitted channels is used for OCT purposes, there are no additional dispersion issues for an OCT channel.

[14] Since there are no dichroic mirrors and since the beams from each emitter are not collimated, beams may have similar wavelengths, and one or more of the emitters may emit tunable wavelengths.

[15] In operation, according to one embodiment, a beam of light is emitted from each of at least two emitters, each of emitters being positioned such that each beam is transmitted at a different angle from each other beam. Each beam thereby reaches the X-Y scanner at a different angle from each other beam. The X-Y scanner reflects the beams towards a patient's eye in order to scan the eye with the beams. The eye reflects beams back towards the X-Y scanner, each reflected beam reaching the X-Y scanner at a different angle. The X-Y scanner reflects the reflected light beams towards at least two receivers, one receiver associated with each emitter, each light beam reflected by the X-Y scanner towards a receiver being reflected at a different angle from each other light beam being reflected by the X-Y scanner towards a receiver.

[16] For each reflected beam received by a receiver, an image is formed. The images are processed in order to compensate for displacement of the images due to the different angles at which the emitted beams reach the patient's eye.

[17] The embodiments presented are exemplary only and persons skilled in the art would appreciate that variations to the embodiments described above may be made without departing from the spirit of the invention. The scope of the invention is solely defined by the appended claims.

**I/WE CLAIM:**

1. A system for observing a patient's retina using multiple light beams, comprising:
  - an X-Y scanner; and
  - at least two emitters, each emitter transmitting a beam of light towards the X-Y scanner, each of emitters being positioned such that each beam is transmitted at a different angle from each other beam, each beam thereby reaching the X-Y scanner at a different angle from each other beam.
2. The system of claim 1, wherein the X-Y scanner is positioned such that the beams of light reach a patient's eye.
3. The system of claim 2 wherein the X-Y scanner scans the patient's eye.
4. The system of claim 3 further comprising at least two receivers, one receiver associated with each emitter, positioned such that when the X-Y scanner reflects light beams reflected by the patient's eye towards the receivers, the light beam received by each receiver leaves the X-Y scanner at a different angle from each other beam received by one of the receivers.
5. The system of claim 4 further comprising a processing module configured to compensate for displacement of scanned images formed from the light received by the receivers due to the different angles at which the beams reach the patient's eye.
6. The system of claim 1, where at least two of the at least two emitters transmit light beams having substantially the same wavelength.
7. A method of scanning a patient's retina using multiple light beams, comprising:

emitting a beam of light from each of at least two emitters, each emitter being positioned such that each beam is transmitted at a different angle from each other beam, each beam thereby reaching an X-Y scanner at a different angle from each other beam; and

reflecting the beams by the X-Y scanner towards a patient's eye.

8. The method of claim 7 further comprising scanning the patient's eye.

9. The method of claim 8 further comprising:

receiving at the X-Y scanner light beams reflected by the patient's eye;

at the X-Y scanner, reflecting the light beams reflected by the patient's eye towards at least two receivers, one receiver associated with each emitter, each light beam reflected by the X-Y scanner towards a receiver being reflected at a different angle from each other light beam being reflected by the X-Y scanner towards a receiver.

10. The method of claim 9, further comprising:

forming at least two images, each image being formed from information in the light beam received by one of the receivers; and

processing the images in order to compensate for displacement of the images due to the different angles at which beams reach the patient's eye.

1/2




FIG. 1

2/2




FIG. 2

## INTERNATIONAL SEARCH REPORT

International application No.

**PCT/CA2015/000371**

A. CLASSIFICATION OF SUBJECT MATTER  
IPC: **A61B 3/12** (2006.01)

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
A61B (all keywords and subgroups)

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic database(s) consulted during the international search (name of database(s) and, where practicable, search terms used)  
Canadian Patent Database, Google, Orbit

C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category* | Citation of document, with indication, where appropriate, of the relevant passages                                                                    | Relevant to claim No. |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| Y         | US 8593637 (Folkenberg et al.) 26 November 2013 (26-11-2013)<br>col. 2, lines 35-50, col. 3, lines 8-14, col. 5, lines 57- col. 6, line 9<br>Figure 1 | 1-10                  |
| Y         | CA2881936 (Brown et al.) 10 April 2014 (10.04.2014)<br>pp. 9, lines 23-32                                                                             | 1-10                  |

|                                                                                     |                                                   |
|-------------------------------------------------------------------------------------|---------------------------------------------------|
| <input type="checkbox"/> Further documents are listed in the continuation of Box C. | <input type="checkbox"/> See patent family annex. |
|-------------------------------------------------------------------------------------|---------------------------------------------------|

|                                                                                                                                                                         |                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| * Special categories of cited documents:                                                                                                                                | "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention                                              |
| "A" document defining the general state of the art which is not considered to be of particular relevance                                                                | "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone                                                                     |
| "E" earlier application or patent but published on or after the international filing date                                                                               | "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art |
| "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) | "&" document member of the same patent family                                                                                                                                                                                                    |
| "O" document referring to an oral disclosure, use, exhibition or other means                                                                                            |                                                                                                                                                                                                                                                  |
| "P" document published prior to the international filing date but later than the priority date claimed                                                                  |                                                                                                                                                                                                                                                  |

|                                                                                                 |                                                                                   |
|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| Date of the actual completion of the international search<br><b>05 August 2015 (05.08.2015)</b> | Date of mailing of the international search report<br>26 August 2015 (26-08-2015) |
|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|

|                                                                                                                                                                                                                       |                                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
| Name and mailing address of the ISA/CA<br>Canadian Intellectual Property Office<br>Place du Portage I, C114 - 1st Floor, Box PCT<br>50 Victoria Street<br>Gatineau, Quebec K1A 0C9<br>Facsimile No.: 001-819-953-2476 | Authorized officer<br><br><b>Laila Khalid (819) 994-1639</b> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|

**INTERNATIONAL SEARCH REPORT**  
Information on patent family members

International application No.

**PCT/CA2015/000371**

| Patent Document<br>Cited in Search Report | Publication<br>Date           | Patent Family<br>Member(s)                                                                                                                                                                                                                                                                                     | Publication<br>Date                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| US8593637B2                               | 26 November 2013 (26-11-2013) | US2013188192A1<br>AR089921A1<br>AU2012241106A1<br>AU2012241106B2<br>AU2012241106C1<br>CA2791411A1<br>CN102906535A<br>DK2564154T3<br>EP2564154A1<br>EP2564154B1<br>ES2436363T3<br>JP2014523517A<br>JP5714773B2<br>KR20140022715A<br>MX2013000643A<br>NZ602603A<br>PT2564154E<br>RU2012142137A<br>WO2012150172A1 | 25 July 2013 (25-07-2013)<br>01 October 2014 (01-10-2014)<br>22 November 2012 (22-11-2012)<br>18 July 2013 (18-07-2013)<br>16 January 2014 (16-01-2014)<br>02 November 2012 (02-11-2012)<br>30 January 2013 (30-01-2013)<br>18 November 2013 (18-11-2013)<br>06 March 2013 (06-03-2013)<br>28 August 2013 (28-08-2013)<br>30 December 2013 (30-12-2013)<br>11 September 2014 (11-09-2014)<br>07 May 2015 (07-05-2015)<br>25 February 2014 (25-02-2014)<br>22 March 2013 (22-03-2013)<br>27 June 2014 (27-06-2014)<br>05 December 2013 (05-12-2013)<br>10 October 2014 (10-10-2014)<br>08 November 2012 (08-11-2012) |

| Patent Document<br>Cited in Search Report | Publication<br>Date        | Patent Family<br>Member(s)                                                                         | Publication<br>Date                                                                                                                                                              |
|-------------------------------------------|----------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CA2881936A1                               | 10 April 2014 (10-04-2014) | CA2881936A1<br>AU2013326300A1<br>CN104640497A<br>GB201217538D0<br>KR20150063377A<br>WO2014053824A1 | 10 April 2014 (10-04-2014)<br>05 March 2015 (05-03-2015)<br>20 May 2015 (20-05-2015)<br>14 November 2012 (14-11-2012)<br>09 June 2015 (09-06-2015)<br>10 April 2014 (10-04-2014) |