



US00D876278S

(12) **United States Design Patent** (10) **Patent No.:** **US D876,278 S**
Sokuza et al. (45) **Date of Patent:** **** Feb. 25, 2020**

(54) **AUTOMATIC GUIDED VEHICLE**
(71) Applicant: **NIDEC-SHIMPO CORPORATION,**
Kyoto (JP)
(72) Inventors: **Masashi Sokuza,** Kyoto (JP);
Masahiro Akamatsu, Kyoto (JP)
(73) Assignee: **NIDEC-SHIMPO CORPORATION,**
Kyoto (JP)
(**) Term: **15 Years**
(21) Appl. No.: **29/649,174**
(22) Filed: **May 28, 2018**
(30) **Foreign Application Priority Data**

Nov. 28, 2017 (JP) 2017-026469
(51) **LOC (12) Cl.** **12-06**
(52) **U.S. Cl.**
USPC **D12/16.1**
(58) **Field of Classification Search**
USPC D12/319-345, 1-4, 16.1, 214;
D21/436-454; D30/160; D15/199
CPC B64C 29/0025; B64C 2201/108; B64C
2201/048; B64C 2201/088; B64C 29/00;
B64C 29/0058; B64C 39/001; B64C
39/024; B64C 39/062; B64C 2201/141;
B64C 27/12
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D90,805 S * 10/1933 Fehrenbach D12/333
D130,013 S * 10/1941 Abemethy 244/63
D136,664 S * 11/1943 White 244/35 R
D138,469 S * 8/1944 Eichman 244/35 R
D151,327 S * 10/1948 Coates 244/74
D158,132 S * 4/1950 Salisbury 296/181.5

D158,133 S * 4/1950 Salisbury D12/108
D169,862 S * 6/1953 Myser 244/117 R
D169,863 S * 6/1953 Myser 244/117 R
D169,864 S * 6/1953 Myser 244/117 R
D171,569 S * 3/1954 Apostolescu D12/328
D177,445 S * 4/1956 Trautmann D12/333
D183,108 S * 6/1958 Postelson D12/333
3,090,580 A * 5/1963 Kehlet B64D 17/78
244/113
D197,748 S * 3/1964 Postelson D12/325
D200,184 S * 1/1965 Thomas D12/333
D200,941 S * 4/1965 Fiedler D12/308
D213,731 S * 4/1969 Hsi D12/323
D217,744 S * 6/1970 Peterson D12/308
D219,648 S * 1/1971 Weaver D12/325
D231,976 S * 7/1974 Torelli D12/325
D243,520 S * 3/1977 Brown D12/218
D304,575 S * 11/1989 Batzel D34/31
D326,082 S * 5/1992 Finlay D12/345

(Continued)

Primary Examiner — Marissa J Cash
(74) *Attorney, Agent, or Firm* — JCIPRNET

(57) **CLAIM**


The ornamental design for an automatic guided vehicle, as shown.

DESCRIPTION

FIG. 1 is a perspective view of an automatic guided vehicle showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

The part of the photograph shown in coarse dot pattern, along with the broken-line perimeter illustrates portions of the automatic guided vehicle that form no part of the claimed design.

1 Claim, 5 Drawing Sheets



US D876,278 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D328,872	S *	8/1992	Sutton		D10/59	D743,647	S *	11/2015	Heck		D32/21
5,203,521	A *	4/1993	Day		B64C 39/064	D748,878	S *	2/2016	Dooley		D32/21
					244/12.2	D778,515	S *	2/2017	Choi		D32/21
5,312,069	A *	5/1994	Bollinger		F02K 3/068	D785,878	S *	5/2017	Kjaergaard		D32/21
					244/12.3	9,682,772	B2 *	6/2017	Yoon		B60F 5/02
5,351,911	A *	10/1994	Neumayr		B64C 39/001	D810,653	S *	2/2018	Hu		D12/327
					244/12.2	D810,799	S *	2/2018	Sokuza		D15/199
D365,545	S *	12/1995	Wainfan		D12/331	D812,663	S *	3/2018	Waters		D15/199
D371,536	S *	7/1996	Jones		D12/333	D818,872	S *	5/2018	Ho		D12/16.1
D396,685	S *	8/1998	Baumgartner		D12/320	D818,873	S *	5/2018	Tian		D12/16.1
D476,943	S *	7/2003	Reinhard		D12/319	D821,264	S *	6/2018	Choo		D12/16.1
D564,042	S *	3/2008	Roy		D21/443	D821,287	S *	6/2018	Lichter		D12/308
7,353,089	B1 *	4/2008	McEvoy		G05D 1/028	D837,852	S *	1/2019	Nilsson		D15/199
					701/2	D839,331	S *	1/2019	Nilsson		D15/199
D575,915	S *	8/2008	Dreyer		D32/21	10,202,189	B2 *	2/2019	Zhao		B64C 39/024
D663,255	S *	7/2012	Pasternak		D12/319	D843,888	S *	3/2019	Wang		D12/16.1
D691,337	S *	10/2013	Kim		D32/21	D846,441	S *	4/2019	Kim		D12/16.1
D697,019	S *	1/2014	Friesel		D12/319	D846,443	S *	4/2019	Kim		D12/16.1
						2013/0340201	A1 *	12/2013	Jang		A47L 9/009
											15/319

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7