



(19) REPUBLIKA HRVATSKA
DRŽAVNI ZAVOD ZA
INTELEKTUALNO VLASNIŠTVO

(10) Identifikator
dokumenta:

HR P20210935 T1



HR P20210935 T1

(12) **PRIJEVOD PATENTNIH ZAHTEJEVA
EUROPSKOG PATENTA**

(51) MKP:

C07D 487/04 (2006.01)
A61K 31/519 (2006.01)
A61P 11/06 (2006.01)
A61P 29/00 (2006.01)

(46) Datum objave prijevoda patentnih zahtjeva: 06.08.2021.

(21) Broj predmeta: P20210935T

(22) Datum podnošenja zahtjeva u HR: 10.06.2021.

(86) Broj međunarodne prijave: PCT/EP2015061350
Datum podnošenja međunarodne prijave: 22.05.2015.

(96) Broj europske prijave patenta: EP 15726064.7
Datum podnošenja europske prijave patenta: 22.05.2015.

(87) Broj međunarodne objave: WO 2015177326
Datum međunarodne objave: 26.11.2015.

(97) Broj objave europske prijave patenta: EP 3145929 A1
Datum objave europske prijave patenta: 29.03.2017.

(97) Broj objave europskog patenta: EP 3145929 B1
Datum objave europskog patenta: 13.01.2021.

(31) Broj prve prijave: 201462002547 P (32) Datum podnošenja prve prijave: 23.05.2014. (33) Država ili organizacija podnošenja prve prijave: US
201562101234 P 08.01.2015. US
201562130098 P 09.03.2015. US
PCT/CN2015/077176 22.04.2015. WO

(73) Nositelj patenta:

(72) Izumitelji:

F. Hoffmann - La Roche AG, Grenzacherstrasse 124, 4070 Basel, CH
Mark Edward Zak, c/o Genentech Inc., 1 DNA Way, 94080 South San Francisco, CA, US
Nicholas Charles Ray, 8/9 Spire Green Centre, Flex Meadow, CM19 5TR Harlow, Essex, GB
Simon Charles Goodacre, 8/9 Spire Green Centre, Flex Meadow, CM19 5TR Harlow, Essex, GB
Rohan Mendonca, c/o Genentech Inc., 1 DNA Way, 94080 South San Francisco, CA, US
Terry Kellar, c/o Genentech Inc., 1 DNA Way, 94080 South San Francisco, CA, US
Yun-Xing Cheng, 6 Taihe Road, BDA, 100176 Beijing, CN
Wei Li, 6 Taihe Road, BDA, 100176 Beijing, CN
Po-wai Yuen, 6 Taihe Road, BDA, 100176 Beijing, CN

(74) Zastupnik:

CPZ - CENTAR ZA PATENTE d.o.o., 10000 Zagreb, HR

(54) Naziv izuma:

**SPOJEVI 5-KLORO-2-DIFLUOROMETOKSIFENIL PIRAZOLOPIRIMIDINA KOJI
PREDSTAVLJAJU INHIBITORE JAK**

HR P20210935 T1

PATENTNI ZAHTEVI

1. Spoj, naznačen time da je odabran iz skupine koju čine:

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(4-piperidil)pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(4-piperidil)pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aS,6aR)-2-metil-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aR,6aS)-2,3,3a,4,6,6a-heksahidro-1H-pirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aS,6aR)-2-etil-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aS,6aR)-2-(ciklopropilmetil)-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aS,6aR)-2-metil-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]-5-amino-pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aR,6aS)-2-metil-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]-6-metil-pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(2-metil-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-(2,3,3a,4,6,6a-heksahidro-1H-pirol[3,4-c]pirol-5-il)-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]-2-amino-pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(2-etil-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aS,6aR)-2-izopropil-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aS,6aR)-2-(2-feniletil)-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aR,6aS)-2-(3-hidroksipropil)-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 3-hidroksipropil (3aR,6aS)-2-[2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-(pirazolo[1,5-a]pirimidin-3-karbonilamino)pirazol-1-il]acetil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-karboksilat,
 N-[1-[2-[(3aR,6aR)-2-metil-3a-fenil-3,4,6,6a-tetrahidro-1H-pirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 benzil 4-[[[(3aR,6aS)-5-[2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-(pirazolo[1,5-a]pirimidin-3-karbonilamino)pirazol-1-il]acetil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-2-il]metil]piperidin-1-karboksilat,
 N-[1-[2-[(3aR,6aS)-2-[3-(2-oksopirolidin-1-il)propil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aR,6aS)-2-(3-morfolinopropil)-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aR,7aS)-2,3,3a,4,5,6,7,7a-oktahidropirol[3,2-c]piridin-1-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aS,7aR)-1,2,3,3a,4,6,7,7a-oktahidropirol[3,4-c]piridin-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aS,6aR)-2-[(1-acetil-4-piperidil)metil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 etil 4-[[[(3aS,6aR)-5-[2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-(pirazolo[1,5-a]pirimidin-3-karbonilamino)pirazol-1-il]acetil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-2-il]metil]piperidin-1-karboksilat,
 N-[1-[2-[(3aS,7aR)-5-metil-3,3a,4,6,7,7a-heksahidro-2H-pirol[3,2-c]piridin-1-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aR,7aS)-2-metil-3,3a,4,6,7,7a-heksahidro-1H-pirol[3,4-c]piridin-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aR,6aS)-2-(tetrahidropiran-4-ilmetil)-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aS,6aR)-2-(3-metilsulfonilpropil)-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aS,6aR)-2-izobutil-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(1-metil-3,3a,4,6,7,7a-heksahidro-2H-pirol[3,2-c]piridin-5-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(5-metil-3,3a,4,6,7,7a-heksahidro-1H-pirol[3,4-c]piridin-2-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aS,6aR)-2-(2-metilsulfoniletil)-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aS,6aR)-2-[3-(2-oksooksazolidin-3-il)propil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,6aS)-2-[(4,4-difluorocikloheksil)metil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,6aS)-2-[(1-metilsulfonil-4-piperidil)metil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,6aS)-2-[[1-(tetrahidropiran-4-karbonil)-4-piperidil]metil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,6aS)-2-[[1-(dimetilkarbamoi)-4-piperidil]metil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aS,4S,6R,6aR)-6-(hidroksimetil)-2-metil-4-fenil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,6aS)-2-(3-metoksipropil)-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,6aS)-2-[(3-metiloksetan-3-il)metil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,6aS)-2-(ciklobutilmetil)-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,7aS)-1-metil-3,3a,4,6,7,7a-heksahidro-2H-pirol[3,2-c]piridin-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aS,7aR)-1-metil-3,3a,4,6,7,7a-heksahidro-2H-pirol[3,2-c]piridin-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aS,6aS)-2-metil-3a-fenil-3,4,6,6a-tetrahidro-1H-pirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,6aR)-2-metil-3a-fenil-3,4,6,6a-tetrahidro-1H-pirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aS,7aR)-5-metil-3,3a,4,6,7,7a-heksahidro-2H-pirol[3,2-c]piridin-1-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aS,6aR)-2-[(1-hidroksicikloheksil)metil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aS,6aR)-2-[(1-cijanocikloheksil)metil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,7aS)-5-metil-3,3a,4,6,7,7a-heksahidro-2H-pirol[3,2-c]piridin-1-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aS,7aS)-5-metil-3,3a,4,6,7,7a-heksahidro-1H-pirol[3,4-c]piridin-2-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,6aS)-2-(3-hidroksi-3-metil-butil)-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

3-[(3aR,6aS)-5-[2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-(pirazolo[1,5-a]pirimidin-3-karbonilamino)pirazol-1-il]acetil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-2-il]propil morfolin-4-karboksilat,

N-[1-[2-[(3aR,6aS)-2-(cikloheksilmetil)-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,7aR)-5-metil-3,3a,4,6,7,7a-heksahidro-1H-pirol[3,4-c]piridin-2-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,6aS)-2-[3-(2-oksoindolin-1-il)propil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

3-[(3aS,6aR)-5-[2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-(pirazolo[1,5-a]pirimidin-3-karbonilamino)pirazol-1-il]acetil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-2-il]propil ciklobutankarboksilat,

2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(1-metil-3,3a,4,6,7,7a-heksahidro-2H-pirol[3,2-c]piridin-5-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aS,6aR)-2-(ciklopropilmetil)-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]-2-amino-pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aS,6aR)-2-[(4,4-difluorocikloheksil)metil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]-2-amino-pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,6aS)-2-(2,2,2-trifluoroetil)-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,6aS)-2-[2-[(4-klorofenil)metoksi]etil]-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,7aR)-5-metil-3,3a,4,6,7,7a-heksahidro-2H-pirol[3,2-c]piridin-1-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[(3aS,7aS)-5-metil-3,3a,4,6,7,7a-heksahidro-2H-pirol[3,2-c]piridin-1-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 5 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-cijanoetil(metil)amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[3-(dimetilamino)azetidin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[3-(dimetilamino)pirolidin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 10 N-[1-[2-(4-amino-1-piperidil)-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(dimetilamino)-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 15 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-metoksietil(metil)amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-(4-pirolidin-1-il-1-piperidil)etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[(dimetilamino)metil]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 20 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(3R)-3-[(dimetilamino)metil]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(3S)-3-[(dimetilamino)metil]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 25 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-(dimetilamino)etoksi]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[(dimetilamino)metil]-4-hidroksi-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(etilamino)-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 30 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[(3R)-3-hidroksi-pirolidin-1-il]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[(3S)-3-hidroksi-pirolidin-1-il]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 35 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(2R)-2-[(dimetilamino)metil]pirolidin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(2S)-2-[(dimetilamino)metil]pirolidin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[(dimetilamino)metil]-4-fenil-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 40 N-[1-[2-[(2S)-2-(aminometil)pirolidin-1-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(3S)-3-[(dimetilamino)metil]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 45 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(metilamino)-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(ciklobutilamino)-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[metil(2-feniletil)amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 50 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[metil-[2-(2-piridil)etil]amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(2-cijanoetilamino)-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 55 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[[4-(dimetilamino)-4-okso-butil]-metil-amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-[4-(2-feniletilamino)-1-piperidil]etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-(4-hidroksifenil)etil-metil-amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 60 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-(4-hidroksifenil)etilamino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-(4-klorofenil)etilamino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-[4-[2-[4-(trifluorometil)fenil]etilamino]-1-piperidil]etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-(4-klorofenil)etilmetil-amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-(4-metoksifenil)etilmetil-amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[metil-[(3-metiloksetan-3-il)metil]amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[metil-[2-[4-(trifluorometil)fenil]etil]amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[4-[benzil(metil)amino]-1-piperidil]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[metil(2,2,2-trifluoroetil)amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[metil(2-fenoksietil)amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-cikloheksiletal(metil)amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[(2,2-difluoro-2-fenil-etil)-metil-amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-[4-[2-feniletal(2,2,2-trifluoroetil)amino]-1-piperidil]etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[4-[2-(4-bromofenoksi)etil-metil-amino]-1-piperidil]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[4-[2-(2-bromofenoksi)etil-metil-amino]-1-piperidil]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-(2-klorofenoksi)etil-metil-amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-(4-klorofenoksi)etil-metil-amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[4-[butil-[2-(4-metilfenoksi)etil]amino]-1-piperidil]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[4-[alil-[2-(4-metilfenoksi)etil]amino]-1-piperidil]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[metil-[2-(4-metilfenoksi)etil]amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[(4,4-difluoro-1-piperidil)metil]-4-fenil-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[4-[1,3-benzodioksol-2-ilmetil(metil)amino]-1-piperidil]-2-oksoetil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[metil-[(3-fenoksifenil)metil]amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[(1-cijanocikloheksil)metil-metil-amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[4-[butil(2,2,2-trifluoroetil)amino]-1-piperidil]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[4-[benzil(2,2,2-trifluoroetil)amino]-1-piperidil]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[(3-metiloksetan-3-il)metil-(3,3,3-trifluoropropil)amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[4-[benzil(3,3,3-trifluoropropil)amino]-1-piperidil]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[4-[(4-bromofenil)metil-metil-amino]-1-piperidil]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[4-[(4-terc-butilfenil)metil-metil-amino]-1-piperidil]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[(3,4-diklorofenil)metil-metil-amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[4-[(3-bromofenil)metil-metil-amino]-1-piperidil]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[metil(3-fenilpropil)amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[(4-izopropoksifenil)metil-metil-amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 5 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[(4-klorofenil)metil-metil-amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[4-[(4-butoksifenil)metil-metil-amino]-1-piperidil]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 10 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[metil-[[3-(trifluorometil)fenil]metil]amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[(2,4-dimetilfenil)metil-metil-amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[metil(2-naftilmetil)amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 15 N-[1-[2-[4-[(3-bromo-4-fluoro-fenil)metil-metil-amino]-1-piperidil]-2-oksoetil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-[4-[(2,2,2-trifluoro-1-fenil-etil)amino]-1-piperidil]etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-[4-[(1-benzil-2,2,2-trifluoro-etil)-metil-amino]-1-piperidil]-2-oksoetil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 20 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[(2,2-difluoropropil(metil)amino)-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(5-kloroizindolin-2-il)-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 25 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[3-(dimetilamino)pirolidin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-(dimetilamino)etoksi]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[3-(dimetilamino)azetidin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 30 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(dimetilamino)-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-hidroksietil(metil)amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 35 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-metoksietil(metil)amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[1-(3-acetamidopropil)-4-piperidil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-[4-okso-4-(1-piperidil)butil]-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 40 N-[1-[1-(1-acetil-4-piperidil)-4-piperidil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]-2-amino-pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[1-[1-(3-benzamidopropil)-4-piperidil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 45 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-[3-(2-oksopirolidin-1-il)propil]-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-(4-morfolino-4-oksobutil)-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-[4-(dimetilamino)-4-okso-butil]-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 50 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-[4-(metilamino)-4-okso-butil]-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[1-(3-acetamidopropil)-4-piperidil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]-2-amino-pirazolo[1,5-a]pirimidin-3-karboksamid,
 55 2-amino-N-[1-[1-[3-[benzoi(metil)amino]propil]-4-piperidil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-[4-okso-4-(tetrahidropiran-4-ilamino)butil]-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-[4-(oksetan-3-ilamino)-4-oksobutil]-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 60 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-[3-(3-metil-2-okso-imidazolidin-1-il)propil]-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-[3-(2-okspiroolidin-1-il)propil]-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-[4-(etilamino)-4-okso-butil]-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 5 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-[2-(metilamino)-2-okso-etil]-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-(3-morfolinopropil)-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 10 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-(3-tiomorfolinopropil)-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-[3-(metilamino)-3-okso-propil]-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-[3-(1,1-diokso-1,4-tiazinan-4-il)propil]-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 15 2-amino-N-[1-[1-(4-amino-4-okso-butil)-4-piperidil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-[3-(2-oksoimidazolidin-1-il)propil]-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-[3-(3-metil-2-okso-imidazolidin-1-il)propil]-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 20 2-amino-N-[1-[1-(3-amino-3-okso-propil)-4-piperidil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[1-[1-[3-(3-benzil-2-okso-imidazolidin-1-il)propil]-4-piperidil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 25 2-amino-N-[1-[1-[4-(benzilamino)-4-okso-butil]-4-piperidil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-[4-(metilamino)-4-okso-butil]-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-(4-morfolino-4-okso-butil)-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 30 N-[1-[1-(4-amino-4-okso-butil)-4-piperidil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[1-(azepan-4-il)-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 35 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(1-metilazepan-4-il)pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[1-[(1-acetil-4-piperidil)metil]-4-piperidil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]-2-amino-pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(1-izobutil-4-piperidil)pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 40 etil 4-[4-[4-[(2-aminopirazolo[1,5-a]pirimidin-3-karbonil)amino]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-1-il]-1-piperidil]butanoat,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-(3-hidroksipropil)-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 45 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-(3-metilsulfonilpropil)-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[1-(1-benzil-4-piperidil)-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-(4-fenilbutil)-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 50 2-amino-N-[1-[1-(2-benziloksietil)-4-piperidil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[1-[4-(2-feniletoksi)butil]-4-piperidil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 55 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(3S)-1-metilpirolidin-3-il]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(3R)-1-metilpirolidin-3-il]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(1-metil-4-piperidil)pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 60 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(3R)-pirolidin-3-il]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(3S)-pirolidin-3-il]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[4-[4-[(1-cijanocikloheksil)metil-metil-amino]piperidin-1-karbonil]fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

5 N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-(dimetilamino)-1-piperidil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[2-cijanoetil(metil)amino]-1-piperidil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

10 N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[(dimetilamino)metil]-1-piperidil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[2-(dimetilamino)etil]-1-piperidil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[metil(2-feniletil)amino]-1-piperidil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

15 N-[2-[4-[(4-amino-4-okso-butil)-metil-amino]-1-piperidil]-4-[5-kloro-2-(difluorometoksi)fenil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-(3-fluoroazetidin-1-il)-1-piperidil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[3-(1-piperidil)azetidin-1-il]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

20 N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-(3,3-difluoroazetidin-1-il)-1-piperidil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[4-(dimetilamino)piperidin-1-karbonil]-1-piperidil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

25 N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[metil(2,2,2-trifluoroetil)amino]-1-piperidil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[2-[4-[butil(metil)amino]-1-piperidil]-4-[5-kloro-2-(difluorometoksi)fenil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[metil-[(3-metiloksetan-3-il)metil]amino]-1-piperidil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

30 N-[2-[4-[benzil(metil)amino]-1-piperidil]-4-[5-kloro-2-(difluorometoksi)fenil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[4-[metil(2,2,2-trifluoroetil)amino]piperidin-1-karbonil]-1-piperidil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

35 N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[(1-cijanocikloheksil)metil-metil-amino]-1-piperidil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[4-[(1-cijanocikloheksil)metil-metil-amino]piperidin-1-karbonil]-1-piperidil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-(4-metilpiperazin-1-il)tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

40 N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-(2-feniletil)piperazin-1-il]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-(ciklopropilmetil)piperazin-1-il]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

45 N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-(2,2,2-trifluoroetil)piperazin-1-il]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[3-(dimetilamino)prop-1-inil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[2-[3-[butil(metil)amino]prop-1-inil]-4-[5-kloro-2-(difluorometoksi)fenil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

50 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(7-metil-2,7-diazaspiro[3,4]oktan-2-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(7-metil-2,7-diazaspiro[4,4]nonan-2-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

55 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(9-metil-1-oksa-4,9-diazaspiro[5,5]undekan-4-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(6-metil-2,6-diazaspiro[3,3]heptan-2-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(9-metil-1-oksa-4,9-diazaspiro[5,5]undekan-4-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

60 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(7-metil-2,7-diazaspiro[3,5]nonan-2-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(2,7-diazaspiro[3,5]nonan-2-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(2-metil-2,7-diazaspiro[3,5]nonan-7-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 5 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(2,6-diazaspiro[3,4]oktan-6-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(2,7-diazaspiro[3,4]oktan-2-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 10 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(2-metil-2,6-diazaspiro[3,4]oktan-6-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(8-metil-2,8-diazaspiro[4,5]dekan-2-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(2,8-diazaspiro[4,5]dekan-8-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 15 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(2-metil-2,8-diazaspiro[4,5]dekan-8-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(2-izobutil-2,8-diazaspiro[4,5]dekan-8-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 20 benzil 4-[[8-[2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-(pirazolo[1,5-a]pirimidin-3-karbonilamino)pirazol-1-il]acetil]-2,8-diazaspiro[4,5]dekan-2-il]metil]piperidin-1-karboksilat,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-metilpiperazin-1-il)-2-oksoetil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(2-hidroksietil)piperazin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 25 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(2-metoksietil)piperazin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(3-hidroksipropil)piperazin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 30 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-(2-hidroksietoksi)etil]piperazin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(2-metilsulfonietil)piperazin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-etilpiperazin-1-il)-2-oksoetil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 35 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(3R)-3-(hidroksimetil)-4-metil-piperazin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(3S)-3-(hidroksimetil)-4-metil-piperazin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-(4-fenilpiperazin-1-il)etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 40 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(4-cijanofenil)piperazin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[(4-cijanofenil)metil]piperazin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 45 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-metil-1,4-diazepan-1-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(2-hidroksietil)-1,4-diazepan-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 50 N-[1-[2-(1,3,4,6,7,8,9a-oktahidropirido[1,2-a]pirazin-2-il)-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(1S,5R)-8-metil-3,8-diazabicyklo[3.2.1]oktan-3-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-metilpiperazin-1-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 55 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(2-hidroksietil)piperazin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(2-metoksietil)piperazin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-metil-1,4-diazepan-1-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 60 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-etilpiperazin-1-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(ciklopropilmetil)piperazin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-okso-2-piperazin-1-il-etil)pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(1S,4S)-5-metil-2,5-diazabiciklo[2,2,1]heptan-2-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(3R,5S)-3,5-dimetilpiperazin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(1R,4R)-5-metil-2,5-diazabiciklo[2,2,1]heptan-2-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[4-(dimetilamino)piperidin-1-karbonil]fenil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-(4-piridil)tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[(dimetilamino)metil]fenil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[(3-fluoroazetidin-1-il)metil]fenil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[(3,3-difluoroazetidin-1-il)metil]fenil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-(4-metilpiperazin-1-il)fenil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-(4-metilpiperazin-1-karbonil)fenil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[[4-(dimetilamino)-1-piperidil]metil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[[metil(2-feniletil)amino]metil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[2-[[[(3aR,6aS)-2-metil-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]metil]-4-[5-kloro-2-(difluorometoksi)fenil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-(1-piperidilmetil)tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[2-[(3aR,6aS)-2-metil-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-karbonil]-4-[5-kloro-2-(difluorometoksi)fenil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-(dimetilamino)piperidin-1-karbonil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(hidroksimetil)-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(2S)-2-(1,2-dihidroksietil)pirolidin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(2S)-2-(hidroksimetil)pirolidin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(3-hidroksi-3-metil-pirolidin-1-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(3S)-3-hidroksipirolidin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(3R)-3-hidroksipirolidin-1-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-hidroksi-4-(hidroksimetil)-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[2-(hidroksimetil)morfolin-4-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(hidroksimetil)-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(2-hidroksietoksi)-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-hidroksi-4-(4-piridil)-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[2-(hidroksimetil)morfolin-4-il]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-hidroksi-1-piperidil)-2-oksoetil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

2-amino-N-[1-[2-(4-benzil-4-hidroksi-1-piperidil)-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-hidroksi-4-metil-1-piperidil)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-cijano-4-fenil-1-piperidil)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(3,3-difluoropirolidin-1-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-cijano-4-fenil-1-piperidil)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(3,6-dihidro-2H-piridin-1-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-(4-fenoksi-1-piperidil)etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-hidroksi-4-fenil-1-piperidil)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(3,3-difluoropirolidin-1-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-morfolino-2-oksoetil)pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-hidroksi-4-fenil-1-piperidil)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-morfolino-2-oksoetil)pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[[1-(hidroksimetil)ciklopropil]metilamino]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(1-hidroksiciklopentil)metil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[[1-(hidroksimetil)ciklopropil]-metil-amino]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(2-metoksietilamino)etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[1-(2-aminoetil)-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(1S,3R)-3-(metilamino)cikloheksil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[1-(3-aminociklobutil)-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[3-(metilamino)ciklobutil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[etil-[(2-metil-4-piridil)metil]amino]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(2-kloro-4-piridil)metiletil-amino]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[etil(3-piridilmetil)amino]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[4-[4-(dimetilamino)piperidin-1-karbonil]fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[4-[4-[metil(2,2,2-trifluoroetil)amino]piperidin-1-karbonil]fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-(3-amino-3-imino-propil)-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-(4-amino-4-imino-butil)-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 etil 2-[2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-(pirazolo[1,5-a]pirimidin-3-karbonilamino)pirazol-1-il]etilamino] acetat,
 ciklopentil 2-[2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-(pirazolo[1,5-a]pirimidin-3-karbonilamino)pirazol-1-il]etilamino] acetat,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-(1-piperidil)etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 etil (2S)-2-amino-4-[3-[5-kloro-2-(difluorometoksi)fenil]-4-(pirazolo[1,5-a]pirimidin-3-karbonilamino)pirazol-1-il]butanoat,
 2-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il] octena kiselina,

2-[[1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]etil)piperidin-4-il]amino] octena kiselina,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[[2-(metilsulfanil)etil]amino]etil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 5 N-[1-[2-(benzilamino)etil]-3-[5-kloro-2-(difluorometoksi)fenil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(piridin-2-ilmetil)amino]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(piridin-4-ilmetil)amino]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 10 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-[4-(1-feniletil)piperazin-1-il]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(2-metilpropil)piperazin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 15 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[4-[(3-metiloksetan-3-il)metil]piperazin-1-il]-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-(4-propilpiperazin-1-il)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[1-[2-(4-benzilpiperazin-1-il)-2-oksoetil]-3-[5-kloro-2-(difluorometoksi)fenil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 20 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[4-[2-(morfolin-4-il)etil] piperazin-1-il]-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 metil 2-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]acetat,
 25 N-[3-[5-kloro-2-(difluorometoksi)piridin-3-il]-1-(5-oksooksolan-2-il)metil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-(piperazin-1-il)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[4-[(dimetilkarbamoi)metil]piperazin-1-il]-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 30 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[[2-hidroksifenil)metil]amino]etil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[[3-hidroksifenil)metil]amino]etil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 35 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[[4-hidroksifenil)metil]amino]etil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 metil 2-[[1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a] pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-il]amino]acetat,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(5-hidroksi-2-oksopiperidin-1-il)piperidin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 40 metil 3-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]propanoat,
 3-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]propanoat,
 45 metil 1-[2-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]etil]piperidin-4-karboksilat,
 etil 1-[2-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a] pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]etil]piperidin-4-karboksilat,
 metil 1-[2-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]etil]-4-metilpiperidin-4-karboksilat,
 50 2-(morfolin-4-il)etil 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-karboksilat,
 etil 1-[2-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]etil]-4-metilpiperidin-4-karboksilat,
 55 2-(dimetilamino)etil 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo [1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-karboksilat,
 2-(morfolin-4-il)etil 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo [1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)-4-metilpiperidin-4-karboksilat,
 2-(dimetilamino)etil 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)-4-metilpiperidin-4-karboksilat,
 60 piperidin-4-ilmetil 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-karboksilat,

1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-karboksilna kiselina,
1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)-4-metilpiperidin-4-karboksilna kiselina,
5 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-[metil[(5-oksooksolan-2-il)metil]amino)piperidin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
metil 3-[[1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-il](metil)amino]propanoat,
10 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-([4-(metilsulfanil)fenil]metil)amino]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-[4-(2-oksooksan-4-il)piperazin-1-il]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(morfolin-4-ilmetil)piperidin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
15 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(4-metilpiperazin-1-il)piperidin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[4-[(4-metilpiperazin-1-il)metil]piperidin-1-il]-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-okso-2-[4-[(5-okso-2,5-dihidrofuran-3-il)metil]piperazin-1-il]etil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
20 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-[metil[(5-okso-2,5-dihidrofuran-3-il)metil]amino)piperidin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
3-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]propanska kiselina,
25 terc-butil (3R,4R)-4-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]-3-hidroksipiperidin-1-karboksilat,
(3S,4S)-4-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]-3-hidroksipiperidin-1-karboksilat,
(3R,4R)-3-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]-4-hidroksipiperidin-1-karboksilat,
30 terc-butil (3S,4S)-3-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]-4-hidroksipiperidin-1-karboksilat,
N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(3R,4R)-3-hidroksipiperidin-4-il]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
35 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(3S,4S)-3-hidroksipiperidin-4-il]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(3R,4R)-4-hidroksipiperidin-3-il]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(3S,4S)-4-hidroksipiperidin-3-il]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
40 etil 2-[(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]etil)(piridin-3-ilmetil)amino]acetat,
2-[(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]etil)(piridin-3-ilmetil)amino]octena kiselina,
45 etil 2-[[1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-il]amino]acetat,
2-[[1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-il]amino]octena kiselina,
etil 2-(4-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]piperidin-1-il)acetat,
50 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(1,3-oksazol-2-ilmetil)amino]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(piridin-3-ilmetil)amino]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
55 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(2S)-2-(metilamino)propil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(2S)-2-(dimetilamino)propil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(2S)-2-(etilamino)propil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
60 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[4-[2-(metilsulfanil)etil]piperazin-1-il]-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-[4-(propan-2-il)piperazin-1-il]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(ciklopropilmetil)piperazin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 5 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(2,4-dimetilpiperazin-1-il)-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(3,4-dimetilpiperazin-1-il)-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 10 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-(2,2,4-trimetilpiperazin-1-il)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-(3,3,4-trimetilpiperazin-1-il)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[4-[2-(dimetilamino)etil]piperazin-1-il]-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 15 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(1,3-oksazol-2-ilmetil)piperazin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[(5-oksooksolan-2-il)metil]amino)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-okso-2-[4-[(5-oksooksolan-2-il)metil]piperazin-1-il]etil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 20 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[4-[(metilkarbamoi)metil]piperazin-1-il]-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[(1R)-1-feniletil]amino)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 25 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[(1S)-1-feniletil]amino)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 metil 2-[(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]etil]amino)acetat,
 metil (2S)-2-amino-4-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]butanoat,
 30 (1-metilpiperidin-4-il)metil 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-karboksilat,
 (1-metilpiperidin-4-il)metil 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)-4-metilpiperidin-4-karboksilat,
 35 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[metil[(5-oksooksolan-2-il)metil]amino)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 etil 3-[[1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-il](metil)amino]propanoat,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-[4-(5-oksooksolan-3-il)piperazin-1-il]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 40 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(morfolin-4-il)piperidin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(2E)-4-(morfolin-4-il)but-2-en-1-il]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 45 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(2E)-4-(4-metilpiperazin-1-il)but-2-en-1-il]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-(metiltio)etil 2-(2-(3-(5-kloro-2-(difluorometoksi)fenil)-4-(pirazolo[1,5-a]pirimidin-3-karboksamido)-1H-pirazol-1-il)etilamino)acetat,
 etil 2-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il] acetat,
 50 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(4-metilpiperazin-1-karbonil)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-((S)-tetrahidrofuran-3-ilamino)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 55 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-((2-(dimetilamino)-2-oksoetil)(metil)amino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(2-(dimetilamino)-2-oksoetilamino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-((R)-tetrahidrofuran-3-ilamino)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 60 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-hidroksi-3-morfolinopropil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,

N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(3-(dimetilamino)-2-hidroksipropil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-hidroksi-3-(piperidin-1-il)propil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 5 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(2-cijanoetil)piperazin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-okso-2-(4-(3-oksopiperazin-1-il)piperidin-1-il)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 10 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-okso-2-(4-(piperazin-1-karbonil)piperidin-1-il)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(3-cijanopirolidin-1-il)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-metil-4-morfolinopiperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 15 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(3-(dimetilamino)-2-oksopropil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(3-morfolino-2-oksopropil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-((2-cijanopropil)(metil)amino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 20 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-((S)-3-cijano-1,4'-bipiperidin-1'-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(1-metilpiperidin-4-iliden)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 25 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(4-metil-3-oksopiperazin-1-il)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(2-oksopiperazin-1-il)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-okso-3-(piperidin-1-il)propil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 30 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(2-cijanopropilamino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-((2-cijanoetil)(metil)amino)cikloheksiliden)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 35 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(2-cijanoetilamino)cikloheksiliden)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(1-(2-(4-aminocikloheksiliden)etil)-3-(5-kloro-2-(difluorometoksi)fenil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(((S)-2-(dimetilkarbamoil)pirolidin-1-il)metil)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 40 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-((S)-2-(dimetilkarbamoil)pirolidin-1-il)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(((S)-2-(metilkarbamoil)pirolidin-1-il)metil)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 45 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-((S)-2-(metilkarbamoil)pirolidin-1-il)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-((4-(2-(dimetilamino)-2-oksoetil)piperazin-1-il)metil)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 50 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-((1-(2-(dimetilamino)-2-oksoetil)piperidin-4-il)metil)piperazin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-okso-2-(4-(tetrahidro-2H-piran-4-il)piperazin-1-il)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(1-metil-heksahidropirol[3,4-b]pirol-5(1H)-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 55 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-((1-cijanociklopropil)(metil)amino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(metil((R)-tetrahidrofuran-3-il)amino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(1-(2-(4-(((1,3-dioksolan-2-il)metil)(metil)amino)piperidin-1-il)-2-oksoetil)-3-(5-kloro-2-(difluorometoksi)fenil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 60 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-okso-2-(4-tiomorfolinopiperidin-1-il)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,

N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(((1-(cijanometil)ciklopropil)metil)(metil)amino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(1-(cijanociklopropilamino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 5 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-okso-2-(4-(tetrahidrofuran-3-il)piperazin-1-il)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(metil((2-metil-1,3-dioksolan-2-il)metil)amino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 10 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(oktahidropirol[3,4-b]piridin-6-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(1-metil-oktahidropirol[3,4-b]piridin-6-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(1-(2-(4-(1,4-oksazepan-4-il)piperidin-1-il)-2-oksoetil)-3-(5-kloro-2-(difluorometoksi)fenil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 15 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(metil((S)-tetrahidrofuran-3-il)amino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-okso-2-(4-tiomorfolinopiperidin-1-il)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-((3aS,6aS)-heksahidropirol[3,4-b]pirol-5(1H)-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 20 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-okso-2-(4-(2-oksopiperazin-1-il)piperidin-1-il)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(3-cijanoazetidin-1-il)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 25 N-(1-(2-(4-((1S,4S)-5-oks-2-aza-biciklo[2,2,1]heptan-2-il)piperidin-1-il)-2-oksoetil)-3-(5-kloro-2-(difluorometoksi)fenil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(4-metil-2-oksopiperazin-1-il)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-((R)-3-metilmorfolino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 30 N-(1-(2-(4-(6-oks-3-aza-biciklo[3,1,1]heptan-3-il)piperidin-1-il)-2-oksoetil)-3-(5-kloro-2-(difluorometoksi)fenil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-((S)-3-metilmorfolino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 35 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-((1-(piperidin-4-il)-1H-1,2,3-triazol-4-il)metil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(2-morfolino-2-oksoetoksi)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-((1-(1-metilpiperidin-4-il)-1H-1,2,3-triazol-4-il)metil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 40 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-((1-(1-(tetrahidrofuran-3-il)piperidin-4-il)-1H-1,2,3-triazol-4-il)metil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(3-cijanopropilamino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 45 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-((1-(1-(tetrahidro-2H-piran-4-il)piperidin-4-il)-1H-1,2,3-triazol-4-il)metil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-okso-2-(4-((tetrahidro-2H-piran-4-il)metil)piperazin-1-il)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(metil(oksetan-3-il)amino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 50 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-okso-2-(4-(2-tiomorfolinoetil)piperazin-1-il)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(3-cijanopropil)piperazin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 55 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-cijano-1,4'-bipiperidin-1'-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(2,2-difluoropropilamino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-((3-cijanopropil)(metil)amino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 60 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-((2-cijano-2-metilpropil)(metil)amino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,

N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(2-cijano-2-metilpropilamino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,

N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(((1-cijanociklopropil)metil)(metil)amino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid, i

N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(((1-cijanociklopropil)metil)amino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid

ili njegova farmaceutski prihvatljiva sol.

2. Spoj prema patentnom zahtjevu 1, naznačen time, da odabran iz skupine koja se sastoji od:

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(4-piperidil)pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid, 2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(4-piperidil)pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aS,6aR)-2-metil-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,6aS)-2,3,3a,4,6,6a-heksahidro-1H-pirol[3,4-c]pirol-5-il]-2-oksoetil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aS,6aR)-2-etil-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-oksoetil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aS,6aR)-2-(ciklopropilmetil)-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aS,6aR)-2-metil-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]-5-amino-pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,6aS)-2-metil-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]-6-metil-pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-cijanoetil(metil)amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[1-(3-acetamidopropil)-4-piperidil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-(dimetilamino)-1-piperidil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[2-cijanoetil(metil)amino]-1-piperidil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-(4-metilpiperazin-1-il)tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[3-(dimetilamino)prop-1-inil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(7-metil-2,7-diazaspiro[3,4]oktan-2-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-metilpiperazin-1-il)-2-oksoetil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-etilpiperazin-1-il)-2-oksoetil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[4-(dimetilamino)piperidin-1-karbonil]fenil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-(dimetilamino)-1-piperidil]metil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[2-[(3aR,6aS)-2-metil-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-karbonil]-4-[5-kloro-2-(difluorometoksi)fenil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

2-amino-N-[1-(3-aminociklobutil)-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[4-[4-(dimetilamino)piperidin-1-karbonil]fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-(3-amino-3-imino-propil)-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

etil 2-[2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-(pirazolo[1,5-a]pirimidin-3-karbonilamino)pirazol-1-il]etilamino]acetat,

2-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]octena kiselina,

2-[1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]etil)piperidin-4-il]amino]octena kiselina,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[2-(metilsulfanil)etil]amino)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-(benzilamino)etil]-3-[5-kloro-2-(difluorometoksi)fenil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(piridin-2-ilmetil)amino]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

5 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(piridin-4-ilmetil)amino]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-[4-(1-feniletil)piperazin-1-il]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

10 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(2-metilpropil)piperazin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[4-[(3-metiloksetan-3-il)metil]piperazin-1-il]-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-(4-propilpiperazin-1-il)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

15 N-[1-[2-(4-benzilpiperazin-1-il)-2-oksoetil]-3-[5-kloro-2-(difluorometoksi)fenil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[4-[2-(morfolin-4-il)etil]piperazin-1-il]-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

20 metil 2-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]acetat,

N-[3-[5-kloro-2-(difluorometoksi)piridin-3-il]-1-(5-oksooksolan-2-il)metil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-(piperazin-1-il)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

25 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[4-[(dimetilkarbamoi)metil]piperazin-1-il]-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[(2-hidroksifenil)metil]amino)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

30 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[(3-hidroksifenil)metil]amino)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[(4-hidroksifenil)metil]amino)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

metil 2-[[1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-il]amino]acetat,

35 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(5-hidroksi-2-oksopiperidin-1-il)piperidin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

metil 3-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]propanoat,

3-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]propanoat,

40 metil 1-[2-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]etil]piperidin-4-karboksilat,

etil 1-[2-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]etil]piperidin-4-karboksilat,

45 metil 1-[2-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]etil]-4-metilpiperidin-4-karboksilat,

2-(morfolin-4-il)etil 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-karboksilat,

etil 1-[2-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]etil]-4-metilpiperidin-4-karboksilat,

50 2-(dimetilamino)etil 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-karboksilat,

2-(morfolin-4-il)etil 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)-4-metilpiperidin-4-karboksilat,

55 2-(dimetilamino)etil 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)-4-metilpiperidin-4-karboksilat,

piperidin-4-ilmetil 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-karboksilat,

1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-karboksilna kiselina,

60 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)-4-metilpiperidin-4-karboksilna kiselina,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-[metil[(5-oksooksolan-2-il)metil]amino]piperidin-1-il)-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 metil 3-[[1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-il](metil)amino]propanoat,
 5 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-([4-(metilsulfanil)fenil]metil)amino]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-[4-(2-oksooksan-4-il)piperazin-1-il]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(morfolin-4-ilmetil)piperidin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 10 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(4-metilpiperazin-1-il)piperidin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[4-[(4-metilpiperazin-1-il)metil]piperidin-1-il]-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 15 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-okso-2-[4-[(5-okso-2,5-dihidrofuran-3-il)metil]piperazin-1-il]etil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-[metil[(5-okso-2,5-dihidrofuran-3-il)metil]amino]piperidin-1-il)-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 20 3-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]propanska kiselina,
 terc-butil (3R,4R)-4-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]-3-hidroksipiperidin-1-karboksilat,
 (3S,4S)-4-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]-3-hidroksipiperidin-1-karboksilat,
 25 (3R,4R)-3-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]-4-hidroksipiperidin-1-karboksilat,
 terc-butil (3S,4S)-3-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]-4-hidroksipiperidin-1-karboksilat,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(3R,4R)-3-hidroksipiperidin-4-il]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 30 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(3S,4S)-3-hidroksipiperidin-4-il]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(3R,4R)-4-hidroksipiperidin-3-il]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 35 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(3S,4S)-4-hidroksipiperidin-3-il]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 etil 2-[(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]etil)(piridin-3-ilmetil)amino]acetat, 2-[(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]etil)(piridin-3-ilmetil)amino]octena kiselina,
 40 etil 2-[[1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-il]amino]acetat,
 2-[[1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-il]amino]octena kiselina,
 etil 2-(4-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]piperidin-1-il)acetat,
 45 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(1,3-oksazol-2-ilmetil)amino]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[(piridin-3-ilmetil)amino]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 50 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(2S)-2-(metilamino)propil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(2S)-2-(dimetilamino)propil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(2S)-2-(etilamino)propil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 55 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[4-[2-(metilsulfanil)etil]piperazin-1-il]-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-[4-(propan-2-il)piperazin-1-il]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 60 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(ciklopropilmetil)piperazin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(2,4-dimetilpiperazin-1-il)-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(3,4-dimetilpiperazin-1-il)-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 5 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-(2,2,4-trimetilpiperazin-1-il)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-(3,3,4-trimetilpiperazin-1-il)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 10 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[4-[2-(dimetilamino)etil]piperazin-1-il]-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(1,3-oksazol-2-ilmetil)piperazin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[(5-oksooksolan-2-il)metil]amino)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 15 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-okso-2-[4-[(5-oksooksolan-2-il)metil]piperazin-1-il)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[4-[(metilkarbamoi)metil]piperazin-1-il]-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[(1R)-1-feniletil]amino)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 20 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[(1S)-1-feniletil]amino)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 metil 2-[(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]etil)amino]acetat,
 25 metil (2S)-2-amino-4-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]butanoat,
 (1-metilpiperidin-4-il)metil 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-karboksilat,
 (1-metilpiperidin-4-il)metil 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)-4-metilpiperidin-4-karboksilat,
 30 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[metil[(5-oksooksolan-2-il)metil]amino)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid, etil 3-[1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-il](metil)amino]propanoat,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-okso-2-[4-(5-oksooksolan-3-il)piperazin-1-il]etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 35 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(morfolin-4-il)piperidin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(2E)-4-(morfolin-4-il)but-2-en-1-il]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 40 N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[(2E)-4-(4-metilpiperazin-1-il)but-2-en-1-il]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,
 2-(metiltio)etil 2-(2-(3-(5-kloro-2-(difluorometoksi)fenil)-4-(pirazolo[1,5-a]pirimidin-3-karboksamido)-1H-pirazol-1-il)etilamino)acetat,
 etil 2-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]acetat,
 45 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-hidroksi-3-morfolinopropil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-((S)-3-cijano-1,4'-bipiperidin-1'-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 50 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(1-metilpiperidin-4-iliden)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-((2-cijanoetil)(metil)amino)cikloheksiliden)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(2-cijanoetilamino)cikloheksiliden)etil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 55 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-((1-(piperidin-4-il)-1H-1,2,3-triazol-4-il)metil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-((1-(1-(tetrahidro-2H-piran-4-il)piperidin-4-il)-1H-1,2,3-triazol-4-il)metil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,
 60 i
 N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(((1-cijanociklopropil)metil)amino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid,

ili njegova farmaceutska prihvatljiva sol.

3. Spoj prema patentnom zahtjevu 1, naznačen time da je odabran iz skupine koja se sastoji od:

2-amino-N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(4-piperidil)pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aS,6aR)-2-metil-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[(3aR,6aS)-2-(2,2,2-trifluoroetil)-1,3,3a,4,6,6a-heksahidropirol[3,4-c]pirol-5-il]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-cijanoetil(metil)amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(dimetilamino)-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[metil(2-feniletil)amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-[4-[benzil(metil)amino]-1-piperidil]-2-okso-etil]-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[metil(2,2,2-trifluoroetil)amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[(2,2-difluoro-2-fenil-etil)-metil-amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2,2-difluoropropil(metil)amino]-1-piperidil]-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[4-[metil(2,2,2-trifluoroetil)amino]-1-piperidil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-(4-metilpiperazin-1-il)tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[4-[5-kloro-2-(difluorometoksi)fenil]-2-[3-(dimetilamino)prop-1-inil]tiazol-5-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-etilpiperazin-1-il)-2-oksoetil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-hidroksi-1-piperidil)-2-oksoetil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(3,6-dihidro-2H-piridin-1-il)-2-okso-etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(2-metoksietilamino)etil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[1-[2-(benzilamino)etil]-3-[5-kloro-2-(difluorometoksi)fenil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

2-(dimetilamino)etil 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-karboksilat,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(morfolin-4-ilmetil)piperidin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[4-[2-(metilsulfanil)etil]piperazin-1-il]-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

etil 2-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]acetat,

N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-(2-cijano-2-metilpropilamino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid, i

N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-(2-(4-((1-cijanociklopropil)metil)amino)piperidin-1-il)-2-oksoetil)-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid,

ili njegova farmaceutska prihvatljiva sol.

4. Spoj prema patentnom zahtjevu 1, naznačen time, da je N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-[2-cijanoetil(metil)amino]-1-piperidil]-2-oksoetil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid ili njegova farmaceutska prihvatljiva sol.

5. Spoj prema patentnom zahtjevu 1, naznačen time, da je 2-amino-N-[1-(3-aminociklobutil)-3-[5-kloro-2-(difluorometoksi)fenil]pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid ili njegova farmaceutska prihvatljiva sol.

6. Spoj prema patentnom zahtjevu 1, naznačen time, da je N-[1-[2-(benzilamino)etil]-3-[5-kloro-2-(difluorometoksi)fenil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid ili njegova farmaceutska prihvatljiva sol.

7. Spoj prema patentnom zahtjevu 1, naznačen time, da je N-[1-[2-(4-benzilpiperazin-1-il)-2-oksoetil]-3-[5-kloro-2-(difluorometoksi)fenil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid ili njegova farmaceutski prihvatljiva sol.
8. Spoj prema patentnom zahtjevu 1, naznačen time, da je N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-(2-[(3-hidroksifenil)metil]amino)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid ili njegova farmaceutski prihvatljiva sol.
9. Spoj prema patentnom zahtjevu 1, naznačen time, da je metil 2-[[1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il] acetil)piperidin-4-il] amino] acetat ili njegova farmaceutski prihvatljiva sol.
10. Spoj prema patentnom zahtjevu 1, naznačen time, da je N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(5-hidroksi-2-oksopiperidin-1-il)piperidin-1-il]-2-oksoetil]-1H-pirazol-4-il] pirazolo[1,5-a]pirimidin-3-karboksamid ili njegova farmaceutski prihvatljiva sol.
11. Spoj prema patentnom zahtjevu 1, naznačen time, da je 2-(dimetilamino)etil 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-karboksilat ili njegova farmaceutski prihvatljiva sol.
12. Spoj prema patentnom zahtjevu 1, naznačen time, da je 1-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperidin-4-karboksilna kiselina ili njena sol.
13. Spoj prema patentnom zahtjevu 1, naznačen time, da je N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[[4-(metilsulfanil)fenil]metil]amino)etil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid ili njegova farmaceutski prihvatljiva sol.
14. Spoj prema patentnom zahtjevu 1, naznačen time, da je N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-(4-[metil[(5-okso-2,5-dihidrofuran-3-il)metil]amino]piperidin-1-il)-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid ili njegova farmaceutski prihvatljiva sol.
15. Spoj prema patentnom zahtjevu 1, naznačen time, da je N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(morfolin-4-il)piperidin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid ili njegova farmaceutski prihvatljiva sol.
16. Spoj prema patentnom zahtjevu 1, naznačen time, da je etil 2-[4-(2-[3-[5-kloro-2-(difluorometoksi)fenil]-4-[pirazolo[1,5-a]pirimidin-3-amido]-1H-pirazol-1-il]acetil)piperazin-1-il]acetat ili njegova farmaceutski prihvatljiva sol.
17. Spoj prema patentnom zahtjevu 1, naznačen time, da je N-(3-(5-kloro-2-(difluorometoksi)fenil)-1-((1-(1-(tetrahidrofuran-3-il)piperidin-4-il)-1H-1,2,3-triazol-4-il)metil)-1H-pirazol-4-il)pirazolo[1,5-a]pirimidin-3-karboksamid ili njegova farmaceutski prihvatljiva sol.
18. Spoj prema patentnom zahtjevu 1, naznačen time, da je N-[3-[5-kloro-2-(difluorometoksi)fenil]-1-[2-[4-(4-metilpiperazin-1-il)piperidin-1-il]-2-oksoetil]-1H-pirazol-4-il]pirazolo[1,5-a]pirimidin-3-karboksamid ili njegova farmaceutski prihvatljiva sol.
19. Farmaceutski pripravak, naznačen time, da se sastoji od spoja prema bilo kojem od patentnih zahtjeva 1 do 18 te farmaceutski prihvatljivog nosača, diluenta ili pomoćne tvari.
20. Spoj prema bilo kojem od patentnih zahtjeva 1 do 18, naznačen time, da je za primjenu u liječenju upalne bolesti.
21. Spoj za primjenu prema patentnom zahtjevu 20, naznačen time, da je upalna bolest astma.