



US010845959B2

(12) **United States Patent**
Eye et al.

(10) **Patent No.:** **US 10,845,959 B2**

(45) **Date of Patent:** **Nov. 24, 2020**

(54) **GESTURE-BASED WORKFLOW PROGRESSION**

(56) **References Cited**

(71) Applicant: **Boxer, Inc.**, Austin, TX (US)

(72) Inventors: **Andrew Eye**, Buda, TX (US); **Adam Cianfichi**, Newark, DE (US)

(73) Assignee: **VMWARE, INC.**, Palo Alto, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 4 days.

U.S. PATENT DOCUMENTS

6,728,947 B1	4/2004	Bengston
D597,101 S	7/2009	Chaudhri et al.
D633,920 S	3/2011	Luke et al.
D648,344 S	11/2011	Arnold
D658,678 S	5/2012	Gleasant et al.
D681,044 S	4/2013	Sakata
D690,317 S	9/2013	Hemeon et al.
D695,781 S	12/2013	Edwards et al.

(Continued)

OTHER PUBLICATIONS

(21) Appl. No.: **16/036,046**

Office Action mailed for U.S. Appl. No. 15/148,679.

(22) Filed: **Jul. 16, 2018**

(Continued)

(65) **Prior Publication Data**

US 2018/0321802 A1 Nov. 8, 2018

Related U.S. Application Data

(63) Continuation of application No. 14/199,630, filed on Mar. 6, 2014, now Pat. No. 10,025,459, and a continuation of application No. 15/597,716, filed on May 17, 2017, now Pat. No. 10,649,626.

(60) Provisional application No. 61/781,688, filed on Mar. 14, 2013.

(51) **Int. Cl.**

G06F 3/0482 (2013.01)

G06F 3/0488 (2013.01)

(52) **U.S. Cl.**

CPC **G06F 3/0482** (2013.01); **G06F 3/04883** (2013.01); **G06F 3/0488** (2013.01); **G06F 3/04886** (2013.01)

(58) **Field of Classification Search**


CPC .. **G06F 3/0482**; **G06F 3/04883**; **G06F 3/0488**; **G06F 3/04886**

See application file for complete search history.

(57) **ABSTRACT**

Methods, systems, and apparatus, including computer programs encoded on a computer storage medium, for displaying, by the one or more processors, at least one graphical representation associated with an electronic document on a touchscreen display; and receiving, by the one or more processors, user input to the at least one graphical representation, the user input indicating a touchscreen gesture to the touchscreen display, and in response: determining a type of the touchscreen gesture; determining a degree of the touchscreen gesture; identifying one or more actions based on the type and the degree, each action of the one or more actions being executable to progress through a workflow; and displaying one or more action elements on the touchscreen display, each action element representing an action of the one or more actions.

20 Claims, 10 Drawing Sheets



(56)	References Cited	2010/0299599 A1*	11/2010	Shin	G06F 3/0482 715/702
	U.S. PATENT DOCUMENTS	2011/0187660 A1	8/2011	Hirata et al.	
	D699,743 S	2/2014	Arnold et al.		
	D699,744 S	2/2014	Ho et al.		
	D703,691 S	4/2014	Brinda et al.		
	8,687,023 B2	4/2014	Markiewicz et al.		
	D709,901 S	7/2014	Landis et al.		
	D710,878 S	8/2014	Jung		
	D716,338 S	10/2014	Lee		
	D717,817 S	11/2014	Yu et al.		
	D719,582 S	12/2014	Frew et al.		
	8,935,631 B2	1/2015	Leonard et al.		
	D729,271 S	5/2015	Zhang et al.		
	D730,382 S	5/2015	Brinda et al.		
	D731,524 S	6/2015	Brinda et al.		
	D732,073 S	6/2015	Adams		
	9,063,563 B1	6/2015	Gray et al.		
	D736,246 S	8/2015	Zhang et al.		
	D738,394 S	9/2015	Chaudhri et al.		
	D738,908 S	9/2015	Herold et al.		
	D741,897 S	10/2015	Wilkinson et al.		
	D745,020 S	12/2015	Mariet et al.		
	D745,038 S	12/2015	Abbas		
	D745,531 S	12/2015	Lee		
	9,223,483 B2*	12/2015	Thorsander	G06F 3/04817	
	D746,858 S	1/2016	Vogt		
	D749,622 S	2/2016	Chaudhri et al.		
	D750,097 S	2/2016	Kim et al.		
	D753,135 S	4/2016	Vazquez		
	D753,140 S	4/2016	Kouvas et al.		
	D753,699 S	4/2016	Tsukamoto		
	D754,169 S	4/2016	Kaplan		
	D757,044 S	5/2016	Ostrowski et al.		
	D757,086 S	5/2016	Kang		
	D758,420 S	6/2016	Zhou		
	D758,446 S	6/2016	Lv et al.		
	D759,687 S	6/2016	Chang et al.		
	D760,732 S	7/2016	Sakai et al.		
	D762,671 S	8/2016	Chan et al.		
	D762,683 S	8/2016	Eom et al.		
	D762,685 S	8/2016	Eom et al.		
	D768,180 S	10/2016	Chaudhri et al.		
	D769,280 S	10/2016	Bae et al.		
	D771,701 S	11/2016	Ostrowski et al.		
	D771,702 S	11/2016	Ostrowski et al.		
	D772,292 S	11/2016	Ostrowski et al.		
	D773,481 S	12/2016	Everette et al.		
	D776,692 S	1/2017	Armstrong		
	D778,939 S	2/2017	Caro et al.		
	D780,801 S	3/2017	Jann et al.		
	D783,648 S	4/2017	Vazquez et al.		
	D793,424 S	8/2017	Bao et al.		
	D794,045 S	8/2017	Akana et al.		
	D795,281 S	8/2017	Kim et al.		
	D797,133 S	9/2017	Marcolongo et al.		
	D801,362 S	10/2017	Wang et al.		
	D804,521 S	12/2017	Deets		
	D804,522 S	12/2017	Sachtleben et al.		
	D806,717 S	1/2018	Bae et al.		
	D807,916 S	1/2018	Kim		
	D808,413 S	1/2018	Wu et al.		
	D809,003 S	1/2018	Sowden et al.		
	D816,110 S	4/2018	Choi et al.		
	D817,975 S	5/2018	Kim et al.		
	D820,880 S	6/2018	Vairamohan		
	10,025,459 B2	7/2018	Eye et al.		
	D827,657 S	9/2018	Cuebas et al.		
	D830,373 S	10/2018	Gupta et al.		
	D847,831 S	5/2019	Alvarez et al.		
	D847,855 S	5/2019	Majernik et al.		
	D848,458 S	5/2019	Rocha et al.		
	2004/0075695 A1	4/2004	Chew et al.		
	2005/0052458 A1	3/2005	Lambert		
	2008/0155480 A1	6/2008	Van et al.		
	2010/0192102 A1	7/2010	Chmielewski et al.		
	2010/0295805 A1	11/2010	Shin et al.		
		2011/0252349 A1	10/2011	Chaudhri	
		2011/0320978 A1	12/2011	Horodezky et al.	
		2012/0126940 A1	5/2012	Coggill	
		2012/0133677 A1	5/2012	Suzuki et al.	
		2012/0159336 A1	6/2012	Norwood	
		2012/0284673 A1	11/2012	Lamb et al.	
		2012/0293456 A1	11/2012	Ikeda et al.	
		2012/0327122 A1	12/2012	Imamura	
		2013/0002578 A1	1/2013	Ito et al.	
		2013/0019173 A1	1/2013	Kotler et al.	
		2013/0019182 A1	1/2013	Gil et al.	
		2013/0019205 A1	1/2013	Gil et al.	
		2013/0033525 A1	2/2013	Markiewicz et al.	
		2013/0055170 A1	2/2013	Langlois et al.	
		2013/0067420 A1	3/2013	Pittappilly et al.	
		2013/0086056 A1	4/2013	Dyor et al.	
		2013/0145366 A1	6/2013	Newell et al.	
		2013/0159941 A1	6/2013	Langlois et al.	
		2013/0182016 A1	7/2013	Gan	
		2013/0185650 A1	7/2013	Gutowitz	
		2013/0241852 A1	9/2013	McCormack et al.	
		2013/0267310 A1	10/2013	Sakaguchi et al.	
		2014/0033032 A1*	1/2014	Reynolds	G06F 3/048 715/702
		2014/0068493 A1	3/2014	Moon et al.	
		2014/0071063 A1*	3/2014	Kuscher	G06F 3/041 345/173
		2014/0082534 A1*	3/2014	Cleron	G06F 3/048 715/764
		2014/0115455 A1	4/2014	Kim	
		2014/0143683 A1	5/2014	Underwood et al.	
		2014/0223347 A1*	8/2014	Seo	G06F 3/0482 715/769
		2014/0280616 A1	9/2014	Ramanathan et al.	
		2014/0282243 A1	9/2014	Eye et al.	
		2015/0046828 A1	2/2015	Desai et al.	
		2015/0067582 A1	3/2015	Donnelly et al.	
		2015/0339373 A1	11/2015	Carlson et al.	
		2017/0277382 A1	9/2017	Guo	
		2017/0278069 A1	9/2017	Guo	
		2017/0364213 A1	12/2017	Vairamohan	
				OTHER PUBLICATIONS	
				Office Action mailed for U.S. Appl. No. 15/184,679.	
				Office Action mailed for U.S. Appl. No 15/597,716.	
				Notice of Allowance mailed for U.S. Appl. No. 15/597,716.	
				“Campus Payment-Time.” dribbble.com. Dec. 22, 2013. Accessed Feb. 6, 2018. Available online at URL: https://dribbble.com/shots/1355637-Campus-payment-Time .	
				“iOS UI Kit Calendar.” sketchappsources.com, accessed and retrieved via Internet Archive Wayback Machine. Available Jul. 7, 2014 Accessed Feb. 6, 2018. Available online via URL: https://web.archive.org/web/20140707164908/https://www.sketchappsources.com/free-source/602-ios-ui-kit-calendar-sketch-freebie-resource.html .	
				“Learn Future Events.” mobilemonitor.com, accessed and date retrieved via Internet Archive Wayback Machine. Available Jan. 24, 2012. Accessed Oct. 25, 2017. Available online via URL: https://web.archive.org/web/20120124061621/http://www.mobilemonitor.com/features/events-calendar .	
				Chalvet, Barthelemy. “Calendar Modal.” dribbble.com. Sep. 30, 2013. Accessed Oct. 25, 2017. Available online at URL: https://dribbble.com/shots/1254349-Calendar-Modal .	
				Craven, Kyle. “iOS 7 Calendar App Redesign.” dribbble.com. Jun. 25, 2013. Accessed Feb. 6, 2018. Available online at URL: https://dribbble.com/shots/1129981-iOS-7-Calendar-App-Redesign .	
				Pier Francesco Piccolomini “Mailbox not your average iOS mail client” p. 9 (Year. 2014).	
				Riley, Kaylee. “Procrastinators Seek Help Before the Last Minute.” theviso.org. Feb. 12, 2013. Accessed Oct. 25, 2017. Available	

(56)

References Cited

OTHER PUBLICATIONS

online at URL: <http://theaviso.org/2013/02/12/procrastinators-seek-help-before-the-last-minute/>.

* cited by examiner




FIG. 1




FIG. 2B

FIG. 2A




FIG. 3A




FIG. 3B




FIG. 3C




FIG. 4B

FIG. 4A




FIG. 4C




FIG. 5




FIG. 6




FIG. 7




FIG. 8

GESTURE-BASED WORKFLOW PROGRESSION

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of and claims the benefit of U.S. patent application Ser. No. 14/199,630, entitled "GESTURE-BASED WORKFLOW PROGRESSION," and filed Mar. 6, 2014. This application is a continuation of and claims the benefit of U.S. patent application Ser. No. 15/597,716, entitled "GESTURE-BASED WORKFLOW PROGRESSION," filed May 17, 2017. This application claims the benefit of U.S. Provisional Application Ser. No. 61/781,688, filed on Mar. 14, 2013. All of the above applications are expressly incorporated herein by reference in their entireties.

BACKGROUND

Mobile computing continues to grow quickly as mobile computing devices, such as smart phones, add more power and more features. Users of such devices launch various applications, including task-based or task-centric applications, through the mobile computing devices. The task-based applications can assist a user of the mobile computing device in organizing tasks that the user is interested in.

SUMMARY

Innovative aspects of the subject matter described in this specification may be embodied in methods that include actions of displaying, by the one or more processors, at least one graphical representation associated with an electronic document on a touchscreen display; and receiving, by the one or more processors, user input to the at least one graphical representation, the user input indicating a touchscreen gesture to the touchscreen display, and in response: determining a type of the touchscreen gesture; determining a degree of the touchscreen gesture; identifying one or more actions based on the type and the degree, each action of the one or more actions being executable to progress through a workflow; and displaying one or more action elements on the touchscreen display, each action element representing an action of the one or more actions.

Other implementations of these aspects include corresponding systems, apparatus, and computer programs, configured to perform the actions of the methods, encoded on computer storage devices.

These and other implementations may each optionally include one or more of the following features: receiving user input to an action element and, in response, executing a respective action to progress through the workflow; the type is based on a direction of the touchscreen gesture relative to the touchscreen display; determining the type of the touchscreen gesture includes: determining a direction of the touchscreen gesture relative to the touchscreen display, in response to determining a first direction of the touchscreen gesture, determining that the touchscreen gesture is a positive touchscreen gesture type, and in response to determining a second direction of the touchscreen gesture, determining that the touchscreen gesture is a negative touchscreen gesture type; the second direction is opposite to the first direction; the first direction is a left-to-right direction relative to the touchscreen display, and the second direction is a right-to-left direction relative to the touchscreen display; the degree is based on a length of the touchscreen gesture relative to the touchscreen display; determining the degree

of the touchscreen gesture includes: in response to determining that the touchscreen gesture is the positive touchscreen gesture type: determining a length of the touchscreen gesture, comparing the length to a first threshold, in response to determining that the length is greater than the first threshold: comparing the length to a second threshold, in response to determining that the length is less than the second threshold, displaying a first action element on the touchscreen display, and in response to determining that the length is greater than the second threshold, displaying a second action element on the touchscreen display; the second threshold is greater than the first threshold; determining that the length is less than the second threshold further includes: creating a task associated with the electronic document in response to completion of receiving the user input; the task is associated with a task data record, the task data record including one or more fields, with data of the one or more fields populated with data associated with one or more fields of a document data record associated with the electronic document; the task data record includes a title field, an assignee field, and an assignor field, the title field populated with data associated with a subject field of the document data record, the assignee field populated with data associated with a recipient field of the document data record, and the assignor field populated with data associated with a sender field of the document data record; the title field is populated with user-generated data; creating the task further includes adding one or more fields to a document data record associated with the electronic document, the one or more fields based on the task; the one or more fields include a priority field, a due date field, and an assignee field; the task data record is associated with a task data record, the method further including: synchronizing one or more fields of the document data record with one or more fields of the task data record; in response to creating the task: displaying one or more additional action elements on the touchscreen display, each additional action element representing an additional action of the one or more additional actions; the one or more additional action elements include a more action element and an undo action element; in response to receiving user input selecting the more action element, displaying one or more secondary action elements on the touchscreen display, the one or more secondary action elements including a task action element, a due date action element, and an assignee action element; determining the degree of the touchscreen gesture includes: in response to determining the that the touchscreen gesture is the negative touchscreen gesture type: determining a length of the touchscreen gesture, comparing the length to a third threshold, in response to determining that the length is greater than the third threshold: comparing the length to a fourth threshold, in response to determining that the length is less than the fourth threshold, displaying a third action element on the touchscreen display, and in response to determining that the length is greater than the fourth threshold, displaying a fourth action element on the touchscreen display; the fourth threshold is greater than the third threshold; the workflow includes a plurality of events for generating a task based on the electronic document; the third action element is an archive action element, and the fourth action element is a delete action element.

The details of one or more implementations of the subject matter described in this specification are set forth in the accompanying drawings and the description below. Other potential features, aspects, and advantages of the subject matter will become apparent from the description, the drawings, and the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 depicts an example system that can execute implementations of the present disclosure.

FIGS. 2A and 2B graphically depict a first gesture-based workflow progression

FIGS. 3A and 3B graphically depict a continuation of the first gesture-based workflow progress.

FIG. 3C graphically depicts a graphical representation of a task inbox associated with a user of the mobile computing device.

FIGS. 4A, 4B and 4C graphically depict a second gesture-based workflow progression.

FIG. 5 graphically depicts a workflow graph for a gesture-based workflow progression.

FIG. 6 graphically depicts a document data record and a task data record.

FIG. 7 depicts an example process that can be executed in accordance with implementations of the present disclosure.

FIG. 8 depicts a graphical representation of a task inbox.

Like reference numbers represent corresponding parts throughout.

DETAILED DESCRIPTION

Implementations of the present disclosure are generally directed to gesture-based workflow progressions. Specifically, a user provides input through a touchscreen interface of a mobile computing device, e.g., a smartphone. The touchscreen interface can provide graphical representations of electronic documents, e.g., tasks or e-mails, for display. The user input can include touchscreen gestures to the graphical representations, including swiping the graphical representations across the touchscreen interface. By providing the touchscreen gesture, e.g., swiping, to the graphical representation, action elements are presented on the touchscreen interface and/or actions associated with the action elements are performed based on a type and a degree of the touchscreen gesture.

FIG. 1 depicts an example system 100 that can execute implementations of the present disclosure. In general, the system 100 includes a mobile computing device 102, e.g., a smartphone, a tablet computing device, a touchscreen laptop, a touchscreen desktop, with a touchscreen display 104. It is appreciated, however, that implementations of the present disclosure can be used with other computing devices having touchscreen displays. In some examples, the touchscreen display 104 can provide one or more graphical user interfaces (GUIs) for the mobile computing device 102. In some examples, and as discussed in further detail below, the touchscreen display 104 can provide one or more screens on which graphical representations, e.g., of an electronic document, can be displayed to a user. A number of components within the mobile computing device 102 provide for interaction with the mobile computing device 102. For purposes of clarity, FIG. 1 shows certain example components of the mobile computing device 102. A user 105 can be a user of the mobile computing device 102.

In some implementations, the mobile computing device 102 can communicate with a server system 106 through a network 108, e.g., using a wireless interface 110. The network 108 can be the Internet and/or a cellular network. For example, the mobile computing device 102 can direct telephone calls through a telephone network or through a data network using voice over internet protocol (VOIP). In some examples, the mobile computing device 102 can transmit other forms of data over the Internet, for example,

data in the form of Hypertext Transfer Protocol (HTTP) requests that are directed at particular web sites. The mobile computing device 102 may receive responses, for example, in forms that can include, but are not limited to, a markup code for generating web pages, media files, and electronic messages.

A number of components executed by one or more processors included in the mobile computing device 102 enable the user 105 to interact with the touchscreen display 104 to provide input and to receive visual and/or audible output. For example, an interface manager 112 can manage interaction with the touchscreen display 104, and includes a display manager 114 and an input manager 116. The display manager 114 can manage the information displayed to the user 105 using the touchscreen display 104. For example, an operating system running on the mobile computing device 102 can use the display manager 114 to arbitrate access to the touchscreen display 104 for a number of applications 118 running on the mobile computing device 102. The mobile device 102 can provide visual feedback. For example, visual feedback can be provided using the display manager 114 to display graphical representations on the touchscreen display 104.

FIGS. 2A and 2B graphically depict a first gesture-based workflow progression. Specifically, the touchscreen display 104 displays a graphical representation of an electronic document inbox 202 associated with the user 105, the electronic document inbox 202 including, or being associated with, one or more electronic documents. In some examples, the electronic documents can include e-mails or tasks and the electronic document inbox 202 can include an e-mail inbox or a task inbox. In some examples, the electronic document inbox 202 is associated with an application 118.

The touchscreen display 104 can display one or more graphical representations 204, 206, 208 each associated with an electronic document. In some examples, one of the graphical representations 204, 206, 208 can be associated with two or more electronic documents, e.g., an e-mail conversation thread. Each of the graphical representations 204, 206, 208 can include a title portion 210, a body portion 212, an associated entity 214, and date 216. However, for simplicity of illustration, the title portion 210, the body portion 212, the associated entity 214, and the date 216 are shown only for the graphical representation 204. The title portion 210 includes at least a portion of a title of the associated electronic document, e.g., the subject field of an e-mail; the body portion 212 includes at least a portion of a body of the associated electronic document, e.g., the content of the e-mail; the associated entity 214 includes data associated with a person associated with the associated electronic document, e.g., the sender of the e-mail; and the date 216 includes a date of the electronic document, e.g., the date the e-mail was sent.

The user 105 can provide input to at least one of the graphical representations 204, 206, 208. The input can include a touchscreen gesture, e.g., a gesture provided by the user 105 with the touchscreen display 104. In some examples, the user 105 selects one of the graphical representations 204, 206, 208, for example, by providing a “press and hold” user input. For example, the user 105 selects the graphical representation 206. The touchscreen gesture can be associated with a type, and a degree. For example, the user 105 provides a positive touchscreen gesture type to the graphical representation 206 by selecting the graphical representation 206, e.g., providing a “press” gesture. Further, the positive touchscreen gesture type includes providing a

continuous, sliding contact with the graphical representation **206** in a first direction such that a “sliding” animation of the graphical representation **206** is provided. For example, the graphical representation **206** is slid from a first side **218** of the touchscreen display **104** towards a second side **220** of the touchscreen display. In some examples, the first direction is a “left-to-right” direction relative to the touchscreen display **104**, e.g., relative to a normal viewing position of the touchscreen display **104** by the user **105**. In some examples, the first direction is a “right-to-left” direction relative to the touchscreen display **104**, e.g., relative to a normal viewing position of the touchscreen display **104** by the user **105**.

In some examples, as the graphical representation **206** is slid from the first side **218** to the second side **220**, portions of the graphical representation **206** disappear from display. For example, displayed data of the graphical representation **206** adjacent the second side **220** disappears from display. That is, data associated with the title portion **210**, the body portion **212**, the associated entity **214**, and the date **216** of the graphical representation **206** can be removed from display, or truncated.

In some implementations, the degree associated with the touchscreen gesture is based on a length of the touchscreen gesture relative to the touchscreen display **104**. In some examples, the length of the touchscreen gesture is an absolute measure of the length of the touchscreen gesture. For example, the length of the touchscreen gesture is the length of the user input from initial contact with the graphical representation **206** to a cessation of contact with the graphical representation **206**, e.g., a length of the “press, slide, and release” user input.

The degree of the positive touchscreen gesture can be compared to a first threshold. Specifically, the length of the positive touchscreen gesture can be compared to the first threshold. In some examples, the first threshold can be a threshold length, e.g., one inch. In some examples, the first threshold can be based on a percentage length of a dimension of the touchscreen display **104**, e.g., 20% of a length defined between the first side **218** and the second side **220**.

To that end, the user **105** provides a positive touchscreen gesture to the graphical representation **206** having a degree greater than the first threshold. In response, in some examples, the touchscreen display **104** displays an Add Task action element **222**. The Add Task action element **222** represents an action that can be performed. For example, the Add Task action element **222** is associated with a creation of a task action, described further below. In some examples, the action associated with the Add Task action element **222** is automatically performed when the Add Task action element **222** is displayed, and the user ceases contact with the graphical representation **206**. In some examples, the user **105** selects the Add Task action element **222** to perform the action associated with the Add Task action element **222**.

Referring to FIG. 2B, the user **105** can provide further, e.g., additional, input by providing additional touchscreen gestures, and specifically, further providing continuous, sliding contact with the graphical representation **206** in the first direction. Particularly, the positive touchscreen gesture provided by the user **105**, e.g., as in FIG. 2A, is extended such that a degree of the positive touchscreen gesture is greater than a second threshold.

In response to the degree of the positive touchscreen gesture being greater than the second threshold, the touchscreen display **104** displays a Complete action element **224**. The Complete action element **224** represents an action. For example, the Complete action element **224** is associated with a completion of a task action, described further below.

In some examples, the action associated with the Complete action element **224** is automatically performed when the Complete action element **224** is displayed, and the user **105** ceases contact with the graphical representation **206**. In some examples, the user **105** selects the Complete action element **224** to perform the action associated with the Complete action element **224**.

In some implementations, as the user **105** is providing further input such that the degree of the positive touchscreen gesture is greater than the second threshold, the Add Task action element **222** is faded, e.g., faded from its original, or full, intensity, to a lesser intensity, or transparent. In some examples, the Add Task action element **222** is faded concurrently with the user **105** providing the positive touchscreen gesture greater than the second threshold. In some implementations, as the user **105** is providing further input such that the degree of the positive touchscreen gesture is greater than the second threshold, the Complete action element **224** can be animated across the touchscreen display **104** from the second side **220** to the first side **218**.

It should be appreciated that other types of action elements, e.g., the action elements **222**, **224** can be presented, e.g., based on a type of workflow. In some examples, the types of action elements can be contextual action elements, e.g., based on the type of workflow. For example, the action elements **222**, **224** can be based on a purchase order workflow. In some examples, the action element **222** can include an Approval action element **222** and the action element **2224** can include a Reject action element **224**.

FIGS. 3A and 3B graphically depict a continuation of the first gesture-based workflow progress. Specifically, in response to the positive touchscreen gesture being greater than the first threshold, as well as less than the second threshold, and completion of the user input, a task is created that is associated with the electronic document represented by the graphical representation **206**. In some examples, creating the task can further include appending additional metadata to the electronic document represented by the graphical representation **206**, described further below.

Additionally, in response to the positive touchscreen gesture being greater than the first threshold, as well as less than the second threshold, and completion of the user input, the touchscreen display **104** displays one or more additional action elements **302**, **304**. Each of the additional action elements **302**, **304** represents an additional action. Specifically, the More action element **302** and the Undo action element **304** are displayed. For example, the More action element **302** is associated with adjusting properties associated with the task; and the Undo action element **304** is associated with returning the task, or electronic document represented by the graphical representation **206**, to a previous state. Furthermore, the touchscreen display **104** can display a notification **306**, the notification **306** representing a confirmation of the action of creating a task associated with the Complete action element **224**.

In some implementations, in response to the positive touchscreen gesture being greater than the second threshold, and completion of the user input, a task is marked, e.g., tagged, as completed that is associated with the electronic document that is represented by the graphical representation **206**. In some examples, completing the task can further include updating metadata of the electronic document represented by the graphical representation **206**, described further below.

Additionally, in response to the positive touchscreen gesture being greater than the second threshold, and completion of the user input, the touchscreen display **104** displays

one or more additional action elements similar to the action elements **302**, **304**. Furthermore, the touchscreen display **104** can display a notification similar to the notification **306**, the notification representing a confirmation of the completion of the task associated with the Complete action element **224**.

Referring to FIG. 3B, after selection by the user **105** of the More action element **302**, the touchscreen display **104** displays secondary action elements **308**, **310**, **312** that are each associated with a property of the task that is associated with the electronic document that is represented with the graphical representation **206**. Specifically, the Task Priority action element **308** represents a Task Priority property associated with the task; the Due Date action element **310** represents a Due Date property associated with the task; and the Assignee action element **312** represents an Assignee property associated with the task.

The user **105** can provide input to one or more of the secondary action elements **308**, **310**, **312** to adjust the values of the properties associated with the respective secondary action element **308**, **310**, **312**. For example, the user **105** can provide input to the Task Priority action element **308**, including, adjusting a task priority associated with the task, e.g., assigning a priority of two. Additionally, for example, the user **105** can provide input to the Due Date action element **310**, including, selecting a desired completion date to be associated with the task, e.g., February 23. Additionally, for example, the user **105** can provide input to the Assignee action element **312**, including, assigning, or delegating, the task.

In some examples, with respect to the Assignee action element **312**, the user **105** selects one or more entities, or persons, to be assigned the task. For example, the user **105** selects the entity **314** to be assigned the task, that is, the Assignee property is updated to be associated with data associated with the entity **314**, e.g., a name associated with the entity **314**. In some examples, the user **105** can select two or more entities, or persons, to be assigned the task. In some examples, the user **105** can assign the task to himself. In some examples, the user **105** can assign the task to two or more entities, one of the entities including the user **105**.

In some implementations, the Assignee action element **312** includes for display suggested entities **316** to assign the task to. For example, the mobile computing device **102**, the server system **106**, or both, determine the suggested entities **316**. In some examples, the suggested entities **316** are based on entities associated with the electronic document that is associated with the task. For example, the suggested entities **316** can include a sender or receiver of the electronic document, e.g., an e-mail, or entities that are associated with a carbon copy or blind carbon copy field of the e-mail. In some examples, the suggested entities **316** are based on historical assignments of tasks by the user **105**. For example, the suggested entities **316** can include entities that the user **105** has assigned to the most historically, e.g., the top three assignees by the user **105**.

FIG. 3C graphically depicts a graphical representation of a task inbox **318** associated with the user **105**. Specifically, the task inbox **318** includes a graphically depiction of tasks that are associated with the user **105**. For example, as mentioned above, in response to creating the task that is associated with the electronic document represented by the graphical representation **206**, and with the Assignee property of the task associated with the user **105**, a graphical representation **320** of the task is displayed within the task inbox

318. The user can navigate to the task inbox **318** by any number of methods, including selecting the task inbox **318** from a pull down menu.

The graphical representation **320** can include a title portion **322**, a body portion **324**, an assignee portion **326**, a due date **328**, and a priority **330**. The title portion **322** includes at least a portion of the title of the associated task; the body portion **322** includes at least a portion of the body of the associated task; the assignee portion **326** includes an entity that is assigned to the task; the due date **328** includes a due date of the task; and the priority **330** includes a propriety of the task. In some implementations, data associated with the title portion **322**, the body portion **324**, the assignee portion **326**, the due date **328**, the task **330** can be populated with data associated with the electronic document represented by the graphical representation **206**, described further below.

In some implementations, the tasks of the task inbox **318** can be sorted by any appropriate metric, including the assignee of the task, the priority of the task, and the due date of the task. In some implementations, the touchscreen interface **104** can further display similar graphical representations of an assigned, or delegated, task inbox and a completed task inbox.

FIGS. 4A, 4B and 4C graphically depict a second gesture-based workflow progression. Specifically, the user **105** provides a negative touchscreen gesture type to the graphical representation **206** by selecting the graphical representation **206**, e.g., providing a “press” gesture. Further, the negative touchscreen gesture type includes providing a continuous, sliding contact with the graphical representation **206** in a second direction such that a “sliding” animation of the graphical representation **206** is provided. For example, the graphical representation **206** is slid from the second side **220** of the touchscreen display **104** towards the first side **218** of the touchscreen display **104**. In some examples, the second direction is opposite to the first direction. In some examples, the second direction is a “right-to-left” direction relative to the touchscreen display **104**, e.g., relative to a normal viewing position of the touchscreen display **104** by the user **105**. In some examples, the second direction is a “left-to-right” direction relative to the touchscreen display **104**, e.g., relative to a normal viewing position of the touchscreen display **104** by the user **105**. In some examples, the second direction is opposite the first direction.

In some examples, as the graphical representation **206** is slid from the second side **220** to the first side **218**, portions of the graphical representation **206** disappear from display. For example, displayed data of the graphical representation **206** adjacent the first side **218** disappears from display. That is, data associated with the title portion **210**, the body portion **212**, the associated entity **214**, and the date **216** of the graphical representation **206** can be removed from display, or truncated.

The degree of the negative touchscreen gesture can be compared to a third threshold. Specifically, the length of the negative touchscreen gesture can be compared to the third threshold. In some examples, the third threshold can be a threshold length, e.g., one inch. In some examples, the third threshold can be based on a percentage length of a dimension of the touchscreen display **104**, e.g., 20% of a length defined between the first side **218** and the second side **220**. In some examples, the third threshold is substantially the same as the first threshold.

To that end, the user **105** provides a negative touchscreen gesture to the graphical representation **206** having a degree greater than the third threshold. In response, the touchscreen display **104** displays an Archive action element **402**. The

Archive action element **402** represents an action that can be performed. For example, the Archive action element **402** is associated with archiving of the electronic document represented by the graphical representation **206**, e.g., updating the metadata of the electronic document to include an archive status. In some examples, the action associated with the Archive action element **402** is automatically performed when the Archive action element **402** is displayed, and the user **105** ceases contact with the graphical representation **206**. In some examples, the user **105** selects the Archive action element **402** to perform the action associated with the Archive action element **402**.

Referring to FIG. 4B, the user **105** can provide further input by providing additional touchscreen gestures, and specifically, further providing continuous, sliding contact with the graphical representation **206** in the second direction. Particularly, the negative touchscreen gesture provided by the user, e.g., as in FIG. 4A, is extended such that a degree of the negative touchscreen gesture is greater than a fourth threshold.

In response to the degree of the negative touchscreen gesture being greater than the fourth threshold, the touchscreen display **104** displays a Delete action element **404**. The Delete action element **404** represents an action that can be performed. For example, the Delete action element **404** is associated with a deletion of the electronic document represented by the graphical representation **206**, e.g., updating the metadata of the electronic document to include a delete status. In some examples, the action associated with the Delete action element **404** is automatically performed when the Delete action element **404** is displayed, and the user **105** ceases contact with the graphical representation **206**. In some examples, the user **105** selects the Delete action element **404** to perform the action associated with the Delete action element **404**.

In some implementations, as the user **105** is providing further input such that the degree of the negative touchscreen gesture is greater than the fourth threshold, the Archive action element **402** is faded, e.g., faded from its original, or full, intensity, to a lesser intensity, or transparent. In some examples, the Archive action element **402** is faded concurrently with the user **105** providing the negative touchscreen gesture greater than the fourth threshold. In some implementations, as the user **105** is providing further input such that the degree of the negative touchscreen gesture is greater than the fourth threshold, the Delete action element **402** can be animated across the touchscreen display **104** from the first side **218** to the second side **220**.

FIG. 4C graphically depicts a continuation of the second gesture-based workflow progress. Specifically, in response to the negative touchscreen gesture being greater than the fourth threshold, and completion of the user input, the touchscreen display **104** displays one or more additional action elements **406**, **408**. Each of the additional action elements **406**, **408** represents an additional action. Specifically, the Spam action element **406** and the Undo action element **408** are displayed. For example, the Spam action element **406** is associated with marking the electronic document represented by the graphical representation **206** as “spam”, e.g., updating the metadata of the electronic document to include a “spam” status; and the Undo action element **408** is associated with returning the task, or electronic document represented by the graphical representation **206**, to a previous state. Furthermore, the touchscreen display **104** can further display a notification **410**, the notifi-

cation **410** representing a confirmation of the action of deleting the electronic document represented by the graphical representation **206**.

In some implementations, in response to the negative touchscreen gesture being greater than the third threshold, as well as less than the fourth threshold, and completion of the user input, the touchscreen display **104** displays one or more additional action elements similar to the action elements **406**, **408**. Furthermore, the touchscreen display **104** can further display a notification similar to the notification **410**, the notification representing a confirmation of the archiving of the task associated with the Archive action element **402**.

FIG. 5 graphically depicts a workflow graph **500** for a gesture-based workflow progression. Specifically, the workflow graph **500** can include nodes that represent events and edges that represent gestures between the events. For example, node **502** represents reception of an electronic document, e.g., an e-mail. Reception of the electronic document can include identification of the electronic document, e.g., by a task-based application, of applications **118**, executing on the mobile computing device **102**. A user, e.g., the user **105**, can provide user input to the event, including providing touchscreen gestures with respect to a graphical representation, e.g., the graphical representations **206**, of the electronic document. In some examples, the touchscreen gestures can be associated with a type, e.g., a positive touchscreen gesture **504** and a negative touchscreen gesture **506**.

To that end, a type of the touchscreen gesture is determined. That is, based on the type of the touchscreen gesture, e.g., whether the gesture is a positive touchscreen gesture **504** or a negative touchscreen gesture **506**, the workflow proceeds to an appropriate event. For example, for a positive touchscreen gesture **504**, the workflow progresses to an Add Task event **508** or a Complete event **510**. Additionally, for example, for a negative touchscreen gesture **506**, the workflow progresses to an Archive event **512** or a Delete event **514**.

Furthermore, a degree of the touchscreen gesture is determined. That is, based on the degree of the touchscreen gesture, e.g., a length of the touchscreen gesture, the workflow proceeds to an appropriate event. In some examples, the length of the edge is representative of the degree of the touchscreen gesture. That is, the greater the degree of the touchscreen gesture, the greater the length of the edge between the nodes representing the events. For example, for a positive touchscreen gesture **504** of a degree greater than the first threshold, and less than the second threshold, the workflow progresses to the Add Task event **508**. For example, for a positive touchscreen **504** of a degree greater than the second threshold, the workflow progresses to the Complete event **510**. Additionally, for example, for a negative touchscreen gesture **506** of a degree greater than the third threshold, and less than the fourth threshold, the workflow progresses to the Archive event **512**. Additionally, for example, for a negative touchscreen gesture **506** of a degree greater than the fourth threshold, the workflow progresses to the Delete event **514**.

To that end, from either of events **508** and **510**, the workflow can precede to one of events **516**, **518**, **520**. Specifically, a Priority event **516** includes initializing, or updating, by the user **105** a priority status, e.g., priority metadata, associated with the electronic document **502**. A Due Date event **518** includes initializing, or updating, by the user **105** a due date, e.g., due date metadata, associated with the electronic document **502**. An Assignee event **520** includes initializing, or updating, by the user **105** the

assignee, e.g., assignee metadata, associated with the electronic document **502**. In some implementations, the workflow can progress between any of the events **516**, **518**, **520**. For example, from the Priority event **516**, the workflow can progress to the Due Date event **518** or the Assignee event **520**; from the Due Date event **518**, the workflow can progress to the Priority event **516** or the Assignee event **520**; and from the Assignee event **520**, the workflow can progress to the Priority event **516** or the Due Date event **518**.

FIG. 6 graphically depicts a document data record (DDR) **600** and a task data record (TDR) **602**. Specifically, the DDR **600** is associated with an electronic document, e.g., the electronic document represented by the graphical representation **206** or the electronic document **502**; and the TDR **602** is associated with a task, e.g., the task represented by the graphical representation **320**.

The DDR **600** includes fields **604a**, **604b**, **604c**, **604d**, **604e** referred to as fields **604**. The fields **604** are associated with electronic document metadata. For example, a sender field **604a** includes data associated with a sender of the electronic document; a receipt field **604b** includes data associated with a recipient of the electronic document; a date and time field **604c** includes data associated with a date and time that the electronic document was transmitted; a subject field **604d** includes data associated with a subject of the electronic document; and a content field **604e** includes data associated with content, e.g., a body, of the electronic document.

The TDR **602** includes fields **606a**, **606b**, **606c**, **606d**, **606e** referred to as fields **606**. The fields **606** are associated with task metadata. For example, a title field **606a** includes data associated with a title of the task; an assignee field **606b** includes data associated with an assignee of the task; an assignor field **606c** includes data associated with an assignor of the task; a priority field **606d** includes data associated with a priority of the task; and a due date field **606e** includes data associated with a due date of the task.

In some implementations, one or more of the fields **606** of the TDR **602** is populated with data associated with one or more fields **604** of the DDR **600**. For example, the title field **606a** can be populated with data associated with the subject field **604d** of the DDR **600**; the assignee field **606b** can be populated with data associated with the recipient field **604b** of the DDR **600**; and the assignor field **606c** can be populated with data associated with the sender field **604a** of the DDR **600**. In some examples, the title field **606a** of the TDR **602** can be populated by the user **105**, e.g., the title field **606a** is "user-editable."

In some implementations, in response to creating the task, e.g., as described above, fields **608** can be added, e.g., appended, to the DDR **600**. In some examples, the fields **608** are associated with the task, and the TDR **602**. Specifically, a priority field **608a**, a due date field **608b**, and an assignee field **608c** are added to the DDR **600**. In some implementations, the fields **608** are populated with data associated with the fields **606** of the TDR **602**. For example, the priority field **608a** can be populated with data associated with the priority field **606d** of the TDR **602**; the due date field **608b** can be populated with data associated with the due date field **606e** of the TDR **602**; and the assignee field **608c** can be populated with data associated with the assignee field **606b** of the TDR **602**.

In some implementations, one or more of the fields **608** of the DDR **600** can be synchronized with one or more fields **606** of the TDR **602**, e.g., by the server system **106** through the network **108**. In some examples, synchronization between the fields **608** of the DDR **600** and the fields **606** of

the TDR **602** can include updating one of the fields **606** or **608** based on changes in the corresponding field. For example, the priority fields **608a** and **606d** can be synchronized; the due dates fields **608b** and **606e** can be synchronized; and the assignee fields **608c** and **606b** can be synchronized.

FIG. 7 depicts an example process **700** that can be executed in accordance with implementations of the present disclosure. The example process **700** can be provided as one or more computer-executable programs executed using one or more computing devices. For example, the mobile computing device **102**, the server system **106**, or both can be used to execute the example process **700**.

Graphical representations associated with an electronic document are displayed on a touchscreen display (**702**). For example, the graphical presentations **204**, **206**, **208** are displayed on the touchscreen display **104**. User input to at least one graphical presentation is received (**704**). For example, a touchscreen gesture to the graphical presentation **206** is received. A type of the touchscreen gesture is determined (**706**). Specifically, a direction of the touchscreen gesture is determined relative to the touchscreen display. It is determined whether the gesture is a positive gesture (**708**). Specifically, it is determined whether the gesture is in a first direction, e.g., the touchscreen gesture from the first side **218** of the touchscreen display **104** towards the second side **220** of the touchscreen display **104**.

In response to determining that the touchscreen gesture is a positive touchscreen gesture, the degree of the positive touchscreen gesture is determined (**710**). Specifically, a length of the positive touchscreen gesture is determined. It is determined whether the degree of the positive touchscreen gesture is greater than a first threshold (**712**). Specifically, the length of the positive touchscreen gesture is compared to the first threshold. In response to determining that the degree of the positive touchscreen gesture is less than the first threshold, the degree of the positive touchscreen gesture is determined again, at (**710**).

In response to determining that the degree of the positive touchscreen gesture is greater than the first threshold, it is determined whether the degree of the positive touchscreen gesture is greater than a second threshold (**714**). Specifically, the length of the positive touchscreen gesture is compared to the second threshold. In some examples, the second threshold is greater than the first threshold. In response to determining that the degree of the positive touchscreen gesture is less than the second threshold, an Add Task action element is displayed on the touchscreen display (**716**). For example, the Add Task action element **222** is displayed on the touchscreen display **104**. In response to determining that the degree of the positive touchscreen gesture is greater than the second threshold, a Complete action element is displayed on the touchscreen display (**718**). For example, the Complete action element **224** is displayed on the touchscreen display **104**.

In response to determining that the touchscreen gesture is a non-positive touchscreen gesture, it is determined whether the gesture is a negative touchscreen gesture (**720**). Specifically, it is determined whether the gesture is in a second direction, e.g., the touchscreen gesture from the second side **220** of the touchscreen display **104** towards the first side **218** of the touchscreen display **104**. In some examples, the second direction is opposite to the first direction.

In response to determining that the touchscreen gesture is a negative touchscreen gesture, the degree of the negative touchscreen gesture is determined (**722**). Specifically, a length of the negative touchscreen gesture is determined. It

is determined whether the degree of the negative touchscreen gesture is greater than a third threshold (724). Specifically, the length of the negative touchscreen gesture is compared to the third threshold. In response to determining that the degree of the negative touchscreen gesture is less than the third threshold, the degree of the negative touchscreen gesture is determined again, at (722).

In response to determining that the degree of the negative touchscreen gesture is greater than the third threshold, it is determined whether the degree of the negative touchscreen gesture is greater than a fourth threshold (726). Specifically, the length of the negative touchscreen gesture is compared to the fourth threshold. In some examples, the fourth threshold is greater than the third threshold. In response to determining that the degree of the negative touchscreen gesture is less than the fourth threshold, an Archive action element is displayed on the touchscreen display (728). For example, the Archive action element 402 is displayed on the touchscreen display 104. In response to determining that the degree of the negative touchscreen gesture is greater than the fourth threshold, a Delete action element is displayed on the touchscreen display (730). For example, the Delete action element 402 is displayed on the touchscreen display 104.

In response to determining that touchscreen gesture is non-negative touchscreen gesture, an other action is performed (732).

FIG. 8 depicts a graphical representation of a task inbox 800, similar to the task inbox 318 of FIG. 3C. Specifically, graphical representations 802, 804 of respective tasks, similar to the graphical representation 320, are displayed within the task inbox 800. Task sections 806, 808 can further be displayed within the task inbox 800. The task sections 806, 808 can be associated with section properties, e.g., metadata, that can include, for example, priority, due data and assignee. For example, the task section 806 is associated with the priority property having a magnitude of two, and the task section 808 is associated with the priority property having a magnitude of one. That is, for any task associated with the user 105, based on the priority associated with the tasks, the graphical representations 802, 804 of the tasks are displayed within an appropriate task section 806, 808. For example, the task associated with the graphical representation 802 is associated with a priority of two, and thus, is displayed within the priority task section 806; and the task associated with the graphical representation 804 is associated with a priority of one, and thus, is displayed within the priority task section 808.

In some implementations, properties of the tasks associated with graphical representation 802, 804 can be updated based on associating the graphical representations 802, 804 with a differing tasks section 806, 808 than what the graphical representation 802, 804 is currently associated with. For example, the user 105 can select one of the graphical representations 802, 804, e.g., providing a “press and hold” user input, and moved, e.g., by a “drag” user input, to a differing task section 806, 808, and subsequently completing the user input, e.g., providing a “release” user input. For example, the priority property associated with the task associated with the graphical representation 808 can be updated to a value of two by the user 105 providing input to associate the graphical representation 808 with the task section 806.

In some implementations, based on a type of event associated with the user input, a quick response user interface can be provided for display on the touchscreen display 104. For example, when the workflow proceeds to the Add Task event 508 of FIG. 5, the quick response user interface

can be provided for display on the touchscreen display 104 based on the Add Task event 508. The quick response user interface includes one or more pre-populated responses that the user 105 can select for transmission to an entity. Additionally, in some examples, the pre-populated responses are state-specific context-aware quick responses. That is, the pre-populated responses are further based on a state of the event, e.g., the Add task event 508.

In some further implementations, two or more entities, can update the properties e.g., the properties of the DDR 600, the TDR 602, or both. For example, the TDR 602 can be stored by one or more remote repositories through the network 108, e.g., in the “cloud.” Thus, the state of the TDR 602 can be considered a “shared” state, that is, any of the two or more entities can access the TDR 602 and adjust one or more properties of the TDR 602.

Implementations of the present disclosure and all of the functional operations provided herein can be realized in digital electronic circuitry, or in computer software, firmware, or hardware, including the structures disclosed in this specification and their structural equivalents, or in combinations of one or more of them. Implementations of the present disclosure can be realized as one or more computer program products, i.e., one or more modules of computer program instructions encoded on a computer readable medium for execution by, or to control the operation of, data processing apparatus. The computer readable medium can be a machine-readable storage device, a machine-readable storage substrate, a memory device, a composition of matter effecting a machine-readable propagated signal, or a combination of one or more of them. The term “data processing apparatus” encompasses all apparatus, devices, and machines for processing data, including by way of example a programmable processor, a computer, or multiple processors or computers. The apparatus can include, in addition to hardware, code that creates an execution environment for the computer program in question, e.g., code that constitutes processor firmware, a protocol stack, a database management system, an operating system, or a combination of one or more of them.

A computer program (also known as a program, software, software application, script, or code) can be written in any form of programming language, including compiled or interpreted languages, and it can be deployed in any form, including as a stand-alone program or as a module, component, subroutine, or other unit suitable for use in a computing environment. A computer program does not necessarily correspond to a file in a file system. A program can be stored in a portion of a file that holds other programs or data (e.g., one or more scripts stored in a markup language document), in a single file dedicated to the program in question, or in multiple coordinated files (e.g., files that store one or more modules, sub programs, or portions of code). A computer program can be deployed to be executed on one computer or on multiple computers that are located at one site or distributed across multiple sites and interconnected by a communication network.

The processes and logic flows described in this disclosure can be performed by one or more programmable processors executing one or more computer programs to perform functions by operating on input data and generating output. The processes and logic flows can also be performed by, and apparatus can also be implemented as, special purpose logic circuitry, e.g., an FPGA (field programmable gate array) or an ASIC (application specific integrated circuit).

Processors suitable for the execution of a computer program include, by way of example, both general and special

purpose microprocessors, and any one or more processors of any kind of digital computer. Generally, a processor will receive instructions and data from a read only memory or a random access memory or both. Elements of a computer can include a processor for performing instructions and one or more memory devices for storing instructions and data. Generally, a computer will also include, or be operatively coupled to receive data from or transfer data to, or both, one or more mass storage devices for storing data, e.g., magnetic, magneto optical disks, or optical disks. However, a computer need not have such devices. Moreover, a computer can be embedded in another device, e.g., a mobile telephone, a personal digital assistant (PDA), a mobile audio player, a Global Positioning System (GPS) receiver, to name just a few. Computer readable media suitable for storing computer program instructions and data include all forms of non-volatile memory, media and memory devices, including by way of example semiconductor memory devices, e.g., EPROM, EEPROM, and flash memory devices; magnetic disks, e.g., internal hard disks or removable disks; magneto optical disks; and CD ROM and DVD-ROM disks. The processor and the memory can be supplemented by, or incorporated in, special purpose logic circuitry.

To provide for interaction with a user, implementations of the present disclosure can be implemented on a computer having a display device, e.g., a CRT (cathode ray tube) or LCD (liquid crystal display) monitor, for displaying information to the user and a keyboard and a pointing device, e.g., a mouse or a trackball, by which the user can provide input to the computer. Other kinds of devices can be used to provide for interaction with a user as well; for example, feedback provided to the user can be any form of sensory feedback, e.g., visual feedback, auditory feedback, or tactile feedback; and input from the user can be received in any form, including acoustic, speech, or tactile input.

While this disclosure includes some specifics, these should not be construed as limitations on the scope of the disclosure or of what may be claimed, but rather as descriptions of features of example implementations of the disclosure. Certain features that are described in this disclosure in the context of separate implementations can also be provided in combination in a single implementation. Conversely, various features that are described in the context of a single implementation can also be provided in multiple implementations separately or in any suitable subcombination. Moreover, although features may be described above as acting in certain combinations and even initially claimed as such, one or more features from a claimed combination can in some cases be excised from the combination, and the claimed combination may be directed to a subcombination or variation of a subcombination.

Similarly, while operations are depicted in the drawings in a particular order, this should not be understood as requiring that such operations be performed in the particular order shown or in sequential order, or that all illustrated operations be performed, to achieve desirable results. In certain circumstances, multitasking and parallel processing may be advantageous. Moreover, the separation of various system components in the implementations described above should not be understood as requiring such separation in all implementations, and it should be understood that the described program components and systems can generally be integrated together in a single software product or packaged into multiple software products.

Thus, particular implementations of the present disclosure have been described. Other implementations are within the scope of the following claims. For example, the actions

recited in the claims can be performed in a different order and still achieve desirable results. A number of implementations have been described. Nevertheless, it will be understood that various modifications may be made without departing from the spirit and scope of the disclosure. For example, various forms of the flows shown above may be used, with steps re-ordered, added, or removed. Accordingly, other implementations are within the scope of the following claims.

The invention claimed is:

1. A method for taking at least one action on an email message among a plurality of email messages in a user interface comprising:

rendering, by a computing device, the plurality of email messages associated with a mailbox in the user interface;

detecting, by the computing device, user input on the email message;

determining, by the computing device, that the user input is a first sliding gesture in a first direction;

rendering, by the computing device, a depiction of a first action when a length of the first sliding gesture is less than a first threshold percentage of a dimension of a touchscreen display in which the user interface is displayed;

rendering, by the computing device, an indication that the first action is performed upon completion of the user input when the length of the first sliding gesture is less than the first threshold percentage, wherein

the first action on the email message is performed upon completion of the user input when the length of the first sliding gesture is less than the first threshold percentage; and

fading, by the computing device, the graphical depiction of the first action when the length of the particular gesture is greater than or equal to the threshold percentage and the user input occurs in the first direction, wherein the second action is taken with respect to the email message in response to the user input being released from the representation of the email message when the length of the particular gesture is greater than or equal to the threshold percentage.

2. The method of claim **1**, wherein the depiction of the first action is rendered within the email message.

3. The method of claim **1**, further comprising rendering, a depiction of at least one second action within the email message when the length of the first sliding gesture is greater than or equal to the first threshold.

4. The method of claim **3**, wherein the at least one second action comprises an additional action element and an undo action element.

5. The method of claim **3**, further comprising:

detecting, by the computing device, selection of the at least one second action upon completion of the user input on the email message; and

performing, by the computing device, the at least one second action in response to selection of the at least one second action.

6. The method of claim **1**, further comprising:

determining, by the computing device, that the user input is a second sliding gesture in a second direction;

rendering, by the computing device, a depiction of a third action when a length of the second sliding gesture is less than a second threshold;

rendering, by the computing device, an indication that the third action is performed upon completion of the user

17

input when the length of the second sliding gesture is less than the second threshold; and
 performing, by the computing device, the third action on the email message upon completion of the user input when the length of the second sliding gesture is less than the second threshold. 5

7. The method of claim 6, further comprising:
 rendering a fourth action within the email message when the length of the second sliding gesture is greater than or equal to than the second threshold, wherein the fourth action is taken on the email message in response to the user input being released from the email message when the length of the second sliding gesture is greater than the second threshold.

8. A system for taking at least one action on an email message among a plurality of email messages in a user interface comprising:
 a mobile computing device; and
 an application executed by the mobile computing device, the application configured to cause the mobile computing device to at least:
 render the plurality of email messages associated with a mailbox in the user interface;
 detect user input on the email message;
 determine that the user input is a first sliding gesture in a first direction;
 render a depiction of a first action when a length of the first sliding gesture is less than a first threshold percentage of a dimension of a touchscreen display in which the user interface is displayed;
 render an indication that the first action is performed upon completion of the user input when the length of the first sliding gesture is less than the first threshold percentage, wherein
 the first action is performed on the email message upon completion of the user input when the length of the first sliding gesture is less than the first threshold percentage; and
 fade the graphical depiction of the first action when the length of the particular gesture is greater than or equal to the threshold percentage and the user input occurs in the first direction, wherein the second action is taken with respect to the email message in response to the user input being released from the representation of the email message when the length of the particular gesture is greater than or equal to the threshold percentage.

9. The system of claim 8, wherein the depiction of the first action is rendered within the email message.

10. The system of claim 8, wherein the application further causes the mobile computing device to at least render a depiction of at least one second action within the email message when the length of the first sliding gesture is greater than or equal to the first threshold.

11. The system of claim 10, wherein the at least one second action comprises an additional action element and an undo action element.

12. The system of claim 10, wherein the application further causes the mobile computing device to at least:
 detect selection of the at least one second action upon completion of the user input on the email message; and
 perform the at least one second action in response to selection of the at least one second action.

13. The system of claim 8, wherein the application further causes the mobile computing device to at least:
 determine that the user input is a second sliding gesture in a second direction;

18

render a depiction of a third action when a length of the second sliding gesture is less than a second threshold;
 render an indication that the third action is completed upon completion of the user input when the length of the second sliding gesture is less than the second threshold; and
 perform the third action on the email message upon completion of the user input when the length of the second sliding gesture is less than the second threshold.

14. The system of claim 13, wherein the application further causes the mobile computing device to at least:
 render a fourth action within the email message when the length of the second sliding gesture is greater than or equal to the second threshold, wherein the fourth action is taken on the email message in response to the user input being released from the email message when the length of the second sliding gesture is greater than the second threshold.

15. A non-transitory computer-readable medium embodying instructions for taking at least one action on an email message among a plurality of email messages in a user interface that, when executed by a mobile computing device, cause the mobile computing device to at least:
 render the plurality of email messages associated with a mailbox in the user interface;
 detect user input on the email message;
 determine that the user input is a first sliding gesture in a first direction;
 render a depiction of a first action when a length of the first sliding gesture is less than a first threshold percentage of a dimension of a touchscreen display in which the user interface is displayed;
 render an indication that the first action is performed upon completion of the user input when the length of the first sliding gesture is less than the first threshold percentage wherein
 the first action is performed on the email message upon completion of the user input when the length of the first sliding gesture is less than the first threshold percentage and
 fade the graphical depiction of the first action when the length of the particular gesture is greater than or equal to the threshold percentage and the user input occurs in the first direction, wherein the second action is taken with respect to the email message in response to the user input being released from the representation of the email message when the length of the particular gesture is greater than or equal to the threshold percentage.

16. The non-transitory computer-readable medium of claim 15, wherein the depiction of the first action is rendered within the email message.

17. The non-transitory computer-readable medium of claim 15, wherein the instructions further cause the mobile computing device to at least render a depiction of at least one second action within the email message when the length of the first sliding gesture is greater than or equal to the first threshold.

18. The non-transitory computer-readable medium of claim 17, wherein the at least one second action comprises an additional action element and an undo action element.

19. The non-transitory computer-readable medium of claim 17, wherein the instructions further cause the mobile computing device to at least:
 detect selection of the at least one second action upon completion of the user input on the email message; and
 perform the at least one second element in response to selection of the at least one second action.

20. The non-transitory computer-readable medium of claim 15, wherein the instructions further cause the mobile computing device to at least:

determine that the user input is a second sliding gesture in a second direction; 5
render a depiction of a third action when a length of the second sliding gesture is less than a second threshold;
render an indication that the third action is completed upon completion of the user input when the length of the second sliding gesture is less than the second 10
threshold; and
perform the third action on the email message upon completion of the user input when the length of the second sliding gesture is less than the second threshold.

* * * * *

15