



US00D802406S

(12) **United States Design Patent**
Milner et al.

(10) **Patent No.:** **US D802,406 S**

(45) **Date of Patent:** **** Nov. 14, 2017**

- (54) **CONNECTION FIXTURE**
- (71) Applicants: **Wayne Milner**, Burnside Heights (AU);
Rudy Diener, Doonside (AU)
- (72) Inventors: **Wayne Milner**, Burnside Heights (AU);
Rudy Diener, Doonside (AU)
- (73) Assignee: **Phillips Ormonde & Fitzpatrick**,
Melbourne (AU)

- 3,092,407 A * 6/1963 Blonder E04G 7/02
256/65.05
- 3,131,444 A * 5/1964 Manning F16L 33/03
235/95 R
- 3,142,881 A * 8/1964 Johnston F16L 33/04
24/279
- 4,059,872 A * 11/1977 Delesandri F16L 3/1008
24/279
- 4,373,235 A * 2/1983 Korgaonkar F16L 23/04
24/282
- D269,155 S * 5/1983 Rose D8/356
- 4,624,374 A 11/1986 Murtaugh

(**) Term: **15 Years**

(21) Appl. No.: **29/547,595**

(22) Filed: **Dec. 4, 2015**

(30) **Foreign Application Priority Data**

Jun. 5, 2015 (AU) 201512840

(51) **LOC (10) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/382**

(58) **Field of Classification Search**
USPC D8/14, 71, 72, 106, 349, 354, 355, 363,
D8/373, 380, 382, 394, 396, 398, 499;
D23/359, 262, 265, 303, 386
CPC F16L 3/00; F16L 3/1033; F16L 3/1016;
F16L 3/105; F16L 3/1075; F16L 3/1083;
F16L 3/1091; E04H 17/24
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,205,926 A * 11/1916 Palmer F16L 33/04
24/275
- 1,669,934 A * 5/1928 Goldwyn F16L 3/12
24/1
- 3,021,585 A * 2/1962 Castle F16B 2/08
24/279

FOREIGN PATENT DOCUMENTS

- AU 4063589 A 3/1990
- AU 618398 B2 12/1991

(Continued)

Primary Examiner — Sandra Snapp

Assistant Examiner — Ieisha Price

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.


(57) **CLAIM**

The ornamental design for a connection fixture, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right perspective view of a connection fixture showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is an alternate top view thereof;
FIG. 8 is a cross-sectional view at 8-8 in FIG. 6 thereof;
FIG. 9 is a cross-sectional view at 9-9 in FIG. 6 thereof; and,
FIG. 10 is a cross-sectional view at 10-10 in FIG. 6 thereof.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D317,352	S *	6/1991	Takeuchi	D23/265
5,211,502	A	5/1993	Upham-Hill	
D386,397	S *	11/1997	Adriaenssens	D8/396
D411,440	S *	6/1999	Stahel	D8/396
6,155,743	A *	12/2000	Chen	F16B 7/1418 248/161
D456,234	S *	4/2002	Keller	D8/396
D482,956	S *	12/2003	Pyron	D8/382
7,062,836	B1	6/2006	Sorgi	
2016/0131281	A1 *	5/2016	Juzak	F16B 35/06 248/74.3

FOREIGN PATENT DOCUMENTS

AU	1428901	A	10/2001
AU	2002245233	A1	7/2002
EP	0428589	A1	5/1991
EP	0428589	B1	11/1993
EP	1272792	A1	1/2003
EP	1272792	B1	6/2004
EP	2447549	A1	5/2012
EP	2636815	A2	9/2013
NO	20024790	A	12/2002
WO	9001594	A1	2/1990
WO	0177573	A1	10/2001
WO	02055916	A2	7/2002

* cited by examiner




FIG 1




FIG 2




FIG 3




FIG 4




FIG 5




FIG 7

