AU9522152

(12) PATENT ABRIDGMENT (11) Document No. AU-B-22152/95
(19) AUSTRALIAN PATENT OFFICE (10) Acceptance No. 691911

(54) Title
**INSECTICIDE FERTILISER MIXTURES**

International Patent Classification(s)
(51)[6] **C05G 003/02** **A01N 025/12** **A01N 025/34** **A01N 051/00**
**A01N 061/00** **C05G 005/00**

(21) Application No. : **22152/95** (22) Application Date : **03.04.95**

(87) PCT Publication Number : **WO95/28370**

(30) Priority Data

| (31) Number | (32) Date | (33) Country |
|---|---|---|
| **4412833** | **14.04.94** | **DE GERMANY** |

(43) Publication Date : **10.11.95**

(44) Publication Date of Accepted Application : **28.05.98**

(71) Applicant(s)
**BAYER AKTIENGESELLSCHAFT**


(72) Inventor(s)
**MANFRED-HEINRICH SCHUTTE; GERHARD BARON**


(74) Attorney or Agent
**DAVIES COLLISON CAVE , GPO Box 3876, SYDNEY NSW 2001**


(56) Prior Art Documents
**EP 555931**
**CH 116534**
**CH 82740**


(57) Claim


1. Dimensionally stable mixtures comprising one or more of the compounds.



















.../2












































with fertilizers and adhesives, and optionally in combination with auxillaries and carrier materials, in the form of sticks, plates, tablets or granules.

OPI DATE 10/11/95 APPLN. ID 22152/95
AOJP DATE 21/12/95 PCT NUMBER PCT/EP95/01222

AU9522152

(51) Internationale Patentklassifikation 6 :
C05G 3/02, 5/00, A01N 61/00, 51/00, 25/34, 25/12

A1

(11) Internationale Veröffentlichungsnummer: WO 95/28370

(43) Internationales Veröffentlichungsdatum: 26. Oktober 1995 (26.10.95)

(21) Internationales Aktenzeichen: PCT/EP95/01222

(22) Internationales Anmeldedatum: 3. April 1995 (03.04.95)

(30) Prioritätsdaten:
P 44 12 833.9 14. April 1994 (14.04.94) DE

(71) Anmelder *(für alle Bestimmungsstaaten ausser US)*: BAYER AKTIENGESELLSCHAFT [DE/DE]; D-51368 Leverkusen (DE).

(72) Erfinder; und
(75) Erfinder/Anmelder *(nur für US)*: SCHÜTTE, Manfred-Heinrich [DE/DE]; Am Theuspfad 76, D-50259 Pulheim (DE). BARON, Gerhard [DE/DE]; Kurt-Schumacher-Ring 140, D-51377 Leverkusen (DE).

(74) Gemeinsamer Vertreter: BAYER AKTIENGESELLSCHAFT; D-51368 Leverkusen (DE).

(81) Bestimmungsstaaten: AU, BB, BG, BR, BY, CA, CN, CZ, FI, HU, JP, KR, KZ, LK, MX, NO, NZ, PL, RO, RU, SK, UA, US, europäisches Patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI Patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Veröffentlicht
*Mit internationalem Recherchenbericht.*
*Vor Ablauf der für Änderungen der Ansprüche zugelassenen Frist. Veröffentlichung wird wiederholt falls Änderungen eintreffen.*

691911

(54) Title: INSECTICIDE FERTILISER MIXTURES

(54) Bezeichnung: INSEKTIZIDE DÜNGEMISCHUNGEN

(57) Abstract

Insecticide fertiliser mixtures consist of a fertiliser and of an agonist or antagonist of insect nicotinic acetylcholine receptors.

(57) Zusammenfassung

Die vorliegende Erfindung betrifft insektizide Düngemischungen aus einer Düngekomponente und einem Agonisten oder Antagonisten der nicotinergen Acetylcholinrezeptoren von Insekten.

# Insecticidal fertilizer mixtures



AUSTRALIAN PATENT OFFICE

The present invention relates to insecticidal fertilizer mixtures comprising a fertilizing component and an agonist or antagonist of nicotinergic acetylcholine receptors of insects, and to their use.

Agonists or antagonists of the nicotinergic acetylcholine receptors of insects are known, for example, from the following publications:

European Offenlegungsschriften Nos. 464 830, 428 941, 425 978, 386 565, 383 091, 375 907, 364 844, 315 826, 259 738, 254 859, 235 725, 212 600, 192 060, 163 855, 154 178, 136 636, 303 570, 302 833, 306 696, 189 972, 455 000, 135 956, 471 372, 302 389; German Offenlegungsschriften Nos. 3 639 877, 3 712 307; Japanese Offenlegungsschriften Nos. 03 220 176, 02 207 083, 63 307 857, 63 287 764, 03 246 283, 04 9371, 03 279 359, 03 255 072; US Patents Nos. 5 034 524, 4 948 798, 4 918 086, 5 039 686, 5 034 404; PCT Applications Nos. WO 91/17 659, 91/4965; French Application No. 2 611 114; Brazilian Application No. 88 03 621.

Reference is hereby made expressly to the methods, processes, formulae and definitions described in these publications and to the individual preparations and compounds described therein.

It is known to employ fertilizers for ornamental



AUSTRALIAN PATENT OFFICE

houseplants in the form of small fertilizer sticks.

It is also known to employ insecticides for ornamental houseplants in the form of impregnated cardboard strips which are pressed into the nutrient substrate of the plant.

Also known for keeping ornamental houseplants is a tablet which contains dimethoate as insecticidal active substance and fertilizer as carrier material. The action of this mixture, however, is not completely satisfactory.

The present invention relates to:

1. Dimensionally stable mixtures of agonists or antagonists of the nicotinergic acetylcholine receptors of insects with fertilizers, adhesives and optionally auxiliaries and carrier materials in the form of small sticks, plates, tablets or granules.

2. Processes for increasing the action of agonists or antagonists of the nicotinergic acetylcholine receptors of insects, characterized in that they are employed in the form of dimensionally stable mixtures with fertilizers, adhesives and optionally auxiliaries and carrier materials.

3. Processes for the preparation of dimensionally stable mixtures of agonists or antagonists of the



AUSTRALIAN PATENT OFFICE

nicotinergic acetylcholine receptors of insects with fertilizers, characterized in that they are mixed with adhesives and optionally with auxiliaries and carrier materials and are compressed or extruded to the desired form.

4. Use of dimensionally stable mixtures of agonists or antagonists, fertilizers, adhesives and optionally auxiliaries and carrier materials for the long-term protection of plants against insect damage, by incorporating these mixtures into the nutrient medium of the plants.


The action of the agonists or antagonists of the nicotinergic acetylcholine receptors of insects in the mixtures according to the invention begins more rapidly and persists for longer than that of the customary fertilizer-free granules. The mixtures according to the invention can be employed simply and without problems, specifically in non-commercial horticulture.

Some agonists or antagonists of the nicotinergic acetylcholine receptors of insects are ~~covered by~~ classified under the ~~class of~~ term nitromethylenes and related compounds.

These compounds can be represented preferably by the general formula (I)



AUSTRALIAN PATENT OFFICE 13



(I),

in which


R represents hydrogen or optionally substituted radicals from the group acyl, alkyl, aryl, aralkyl, heteroaryl or heteroarylalkyl;

A represents a monofunctional group from the series consisting of hydrogen, acyl, alkyl, aryl or represents a bifunctional group which is linked to the radical Z;

E represents an electron-withdrawing radical;

X represents the radicals -CH= or =N-, it being possible for the radical -CH= to be linked to the radical Z instead of one H atom;

Z represents a monofunctional group from the series consisting of alkyl, -O-R, -S-R,



or represents a bifunctional group which is linked to the radical A or to the radical X.



AUSTRALIAN PATENT OFFICE

Particularly preferred compounds of the formula (I) are those in which the radicals have the following meaning:

R represents hydrogen and represents optionally substituted radicals from the series consisting of acyl, alkyl, aryl, aralkyl, heteroaryl, heteroarylalkyl.

Acyl radicals which may be mentioned are formyl, alkylcarbonyl, arylcarbonyl, alkylsulphonyl, arylsulphonyl, (alkyl-)-(aryl-)-phosphoryl, which may in turn be substituted.

Alkyl which may be mentioned is $C_{1-10}$-alkyl, in particular $C_{1-4}$-alkyl, specifically methyl, ethyl, i-propyl, sec.- or t.-butyl, which may in turn be substituted.

Aryl which may be mentioned is phenyl, naphthyl, especially phenyl.

Aralkyl which may be mentioned is phenylmethyl, phenethyl.

Heteroaryl which may be mentioned is heteroaryl having up to 10 ring atoms and N, O, S, in particular N as heteroatoms. Thiophenyl, furyl, thiazolyl, imidazolyl, pyridyl, benzothiazolyl may be mentioned specifically.



AUSTRALIAN PATENT OFFICE

Heteroarylalkyl which may be mentioned is heteroarylmethyl, heteroarylethyl having up to 6 ring atoms and N, O, S, in particular N, as heteroatoms.

Substituents which may be listed by way of example and preference are:
alkyl having preferably 1 to 4, in particular 1 or 2, carbon atoms, such as methyl, ethyl, n- and i-propyl and n-, i- and t-butyl; alkoxy having preferably 1 to 4, in particular 1 or 2, carbon atoms, such as methoxy, ethoxy, n- and i-propyloxy and n-, i- and t-butyloxy; alkylthio having preferably 1 to 4, in particular 1 or 2, carbon atoms, such as methylthio, ethylthio, n- and i-propylthio and n-, i- and t-butylthio; halogenoalkyl having preferably 1 to 4, in particular 1 or 2, carbon atoms, and preferably 1 to 5, in particular 1 to 3, halogen atoms, the halogen atoms being identical or different and the halogen atoms preferably being fluorine, chlorine or bromine, in particular fluorine, such as trifluoromethyl; hydroxyl; halogen, preferably fluorine, chlorine, bromine and iodine, in particular fluorine, chlorine and bromine; cyano; nitro; amino; monoalkyl- and dialkylamino having preferably 1 to 4, in particular 1 or 2 carbon atoms per alkyl group, such as methylamino, methyl-ethyl-amino, n- and i-propylamino and methyl-n-butylamino; carboxyl; carboalkoxy having



AUSTRALIAN PATENT OFFICE

preferably 2 to 4, in particular 2 or 3 carbon atoms, such as carbomethoxy and carboethoxy; sulpho ($-SO_3H$); alkylsulphonyl having preferably 1 to 4, in particular 1 or 2, carbon atoms, such as methylsulphonyl and ethylsulphonyl; arylsulphonyl having preferably 6 or 10 aryl carbon atoms, such as phenylsulphonyl, and heteroarylamino and heteroarylalkylamino, such as chloropyridylamino and chloropyridylmethylamino.

A particularly preferably represents hydrogen and represents optionally substituted radicals from the series consisting of acyl, alkyl, aryl, which preferably have the meanings given for R. A additionally represents a bifunctional group. Optionally substituted alkylene having 1-4, in particular 1-2, C atoms may be mentioned, substituents which may be mentioned being the substituents listed further above, and it being possible for the alkylene groups to be interrupted by heteroatoms from the series consisting of N, O, S.

A and Z may form, together with the atoms to which they are attached, a saturated or unsaturated heterocyclic ring. The heterocyclic ring may contain a further 1 or 2 identical or different heteroatoms and/or hetero groups. The heteroatoms are preferably oxygen, sulphur or nitrogen and the hetero groups are preferably N-alkyl, the



AUSTRALIAN PATENT OFFICE


alkyl of the N-alkyl group preferably containing 1 to 4, in particular 1 or 2, carbon atoms. Alkyl which may be mentioned is methyl, ethyl, n- and i-propyl and n-, i- and t-butyl. The heterocyclic ring contains 5 to 7, preferably 5 or 6, ring members.

Examples which may be mentioned of the heterocyclic ring are pyrrolidine, piperidine, piperazine, hexamethyleneimine, hexahydro-1,3,5-triazine, morpholine, which may optionally be substituted preferably by methyl.

E represents an electron-withdrawing radical, particular mention being made of $NO_2$, CN, halogeno-alkylcarbonyl such as 1,5-halogeno-$C_{1-4}$-carbonyl, in particular $COCF_3$.

X represents -CH= or -N=

Z represents optionally substituted radicals alkyl, -OR, -SR, -NRR, where R and the substituents preferably have the meaning given above.

Z is able to form, apart from the abovementioned ring, together with the atom to which it is attached and the radical  in the place of X, a saturated or unsaturated




AUSTRALIAN PATENT OFFICE


heterocyclic ring. The heterocyclic ring may contain a further 1 or 2 identical or different heteroatoms and/or hetero groups. Heteroatoms are preferably oxygen, sulphur or nitrogen and hetero groups are preferably N-alkyl, the alkyl or N-alkyl group preferably containing 1 to 4, in particular 1 or 2, carbon atoms. Alkyl which may be mentioned is methyl, ethyl, n- and i-propyl and n-, i-, and t-butyl. The heterocyclic ring contains 5 to 7, preferably 5 or 6, ring members.

Examples which may be mentioned of the heterocyclic ring are pyrrolidine, piperidine, piperazine, hexamethyleneimine, morpholine and N-methylpiperazine.

Compounds which may be mentioned and which it is possible to use with very particular preference in accordance with the invention are compounds of the general formulae (II) and (III):




(II),




(III),



AUSTRALIAN PATENT OFFICE


in which


n represents 1 or 2,


Subst. represents one of the substituents listed above, in particular halogen and very particularly chlorine,


A, Z, X and E have the meanings given above,


The following compounds may be mentioned specifically:





















AUSTRALIAN PATENT OFFICE






































AUSTRALIAN PATENT OFFICE









The contents of active substance are between 0.01 to 10 %, in particular between 0.1 to 2.5 %.

Fertilizer components which may be used are organic and inorganic nitrogen-containing compounds such as urea, urea-formaldehyde condensation products, amino acids, ammonium salts and nitrates, and also potassium salts (preferably chlorides, sulphates, nitrates) and phosphoric acid and/or salts of phosphoric acids (preferably potassium salts and ammonium salts). The fertilizers may also contain salts of micronutrients (preferably manganese, magnesium, iron, boron, copper, zinc, molybdenum and cobalt) and phytohormones (e.g. vitamin B1 and indole-III-acetic acid). The commercially available complete fertilizers are preferably employed.

The principal fertilizer constituents, nitrogen, potassium and phosphorus, can be varied within wide limits. It is conventional to use contents of from 1 to 30 % of

AUSTRALIAN PATENT OFFICE

nitrogen (preferably from 5 to 20 %), from 1 to 20 % of potassium (preferably from 3 to 15 %) and from 1 to 20 % of phosphorus (preferably from 3 to 10 %). The contents of microelements are usually in the ppm range, preferably from 1 to 1000 ppm.

Adhesives which may be mentioned are tackifiers such as carboxymethylcellulose, natural and synthetic polymers in the form of powders, granules or latices, polyvinylpyrrolidone, vinylpyrrolidone-styrene copolymers, vinylpyrrolidon-vinylacetat copolymers, polyethyleneglycols or inorganic adhesives such as gypsum or cement. They are present in the mixture in concentrations of from 1 to 30 % by weight, preferably from 2 to 20 % by weight.

Suitable solid carrier materials are, for example, natural ground minerals such as kaolins, aluminas, talc, chalk, quartz, attapulgite, montmorillonite or diatomaceous earth and synthetic ground minerals such as highly dispersed silicic acid, aluminium oxide and silicates, in addition calcium-phosphates and calcium-hydrogenphosphates. Suitable solid carrier materials for granules are, for example, crushed and fractionated natural minerals such as calcite, marble, pumice, sepiolite, dolomite and synthetic granules of inorganic and organic ground materials, and also granules of organic material such as sawdust, coconut husks, corn cobs and tobacco stalks.

Further auxiliaries for the preparation of the mixtures according to the invention are disintegrants and surfactants.

AUSTRALIAN PATENT OFFICE

Disintegrants are employed in order to promote the release of the active substance in the soil. Corn starch, crosslinked polyvinylpyrrolidone and specific celluloses are used individually or in combination. The disintegrants are present in concentrations of from 1 to 20 % by weight, preferably from 3 to 10 % % by weight.

Surfactants are employed in order to improve the biological activity of the active substance by solubilization; their content is between 1 to 10 % by weight, preferably from 2 to 5 % by weight. Nonionic surfactants of the alkyl-aryl-ethoxylate type are ~~appropriate~~ suitable.

The mixtures of active substance, fertilizers, adhesive, auxiliary and inert substances are mixed intensively and compressed by an extruder into small sticks with a diameter of from 3 to 10 mm, preferably from 6 to 8 mm, and a length of from 1 to 10 cm, preferably from 3 to 6 cm. Alternatively, the mixture can be brought into the desired form of small sticks using a tableting press. It is also possible first of all to produce small sticks or tablets which are free from active substance and to coat these sticks or tablets, in a second step, with a solution of the active substance. This subsequent coating operation can also be used with advantage to apply active substance to fertilizer granules.



AUSTRALIAN 13 PATENT OFFICE

Examples

A mixture of

1. 0.25 % imidacloprid
2.40 % pyrrolidone-styrene copolymer
2.30 % tristyrylphenyl 16-ethoxylate
0.80 % talc A
5.00 % corn starch
38.00 % Triabon complete fertilizer (BASF)
40.00 % kaolin
about 11.00 % water

is thoroughly mixed in a kneading apparatus and then compressed in an extruder to give small sticks with a diameter of about 6 mm which are cut to a length of about 4 cm. After drying (40°C, 6 hours) the small sticks have the desired strength.

2. 2.5 % imidacloprid
4.8 % pyrrolidone-styrene copolymer
2.3 % tristyrylphenyl 16-ethoxylate
0.8 % talc
5.0 % corn starch
36.0 % Nitrophoska-permanent complete fertilizer
38.0 % kaolin
about 11.0 % water

AUSTRALIAN PATENT OFFICE

Preparation as for Example 1.

3. A mixture ~~like~~ as in Example 1 or 2 is brought without water into the desired form, in a tableting press.

4. The complete fertilizers Triabon and Nitrophoska-permanent, respectively, in commercially available granulated form, are sprayed in a gravity mixer with a solution of imidocloprid in acetone, and dried. The active substance is located on the granule surface.

The fertilizer mixtures according to the invention are suitable for the control of insects which are encountered in horticulture, in agriculture and in forests. They are active against normally sensitive and resistant species and against all or individual stages of development. The abovementioned pests include:

From the order of the Isopoda, for example Oniscus asellus, Armadillidium vulgare and Porecellio scaber.

From the order of the Diplopoda, for example, Blaniulus guttulatus.

From the order of the Chilopoda, for example, Geophilus carpophagus and Scutigera spec.



AUSTRALIAN PATENT OFFICE

From the order of the Thysanura, for example, Lepisma saccharina.

From the order of the Collembola, for example, Onychiurus armatus.

From the order of the Orthoptera, for example, Blatta orientalis, Periplaneta americana, Leucophaea maderae, Blattella germanica, Acheta domesticus, Gryllotalpa spp., Locusta migratoria migratorioides, Melanoplus differentialis and Schistocerca gregaria.

From the order of the Dermaptera, for example, Forficula auricularia.

From the order of the Isoptera, for example Reticulitermes spp.

From the order of the Mallophaga, for example, Trichodectes spp. and Damalinea spp..

From the order of the Thysanoptera, for example, Hercinothrips femoralis and Thrips tabaci.

From the order of the Heteroptera, for example, Eurygaster spp., Dysdercus intermedius, Piesma quadrata, Cimex lectularius, Rhodnius prolixus and Triatoma spp..

From the order of the Homoptera, for example, Aleurodes brassicae, Bemisia tabaci, Trialeurodes vaporariorum,

AUSTRALIAN PATENT OFFICE 13

Aphis gossypii, Brevicoryne brassicae, Cryptomyzus ribis, Aphis fabae, Doralis pomi, Eriosoma lanigerum, Hyalopterus arundinis, Macrosiphum avenae, Myzus spp., Phorodon humuli, Rhopalosiphum padi, Empoasca spp., Euscelis bilobatus, Nephotettix cincticeps, Lecanium corni, Saissetia oleae, Laodelphax striatellus, Nilaparvata lugens, Aonidiella aurantii, Aspidiotus hederae, Pseudococcus spp. and Psylla spp..

From the order of the Lepidoptera, for example, Pectinophora gossypiella, Bupalus piniarius, Cheimatobia brumata, Lithocolletis blancardella, Hyponomeuta padella, Plutella maculipennis, malacosoma neustria, Euproctis chrysorrhoea, Lymantria spp., Bucculatrix thurberiella, Phyllocnistis citrella, Agrotis spp., Spodoptera exigua, Mamestra brassicae, Panolis flammea, Prodenia litura, Spodoptera spp., Trichoplusia ni, Carpocapsa pomonella, Pieris spp., Chilo spp., Pyrausta nubilalis, Ephestia kuehniella, Galleria mellonella, Tineola bisselliella, Tinea pellionella, Hofmannophila pseudospretella, Cacoecia podana, Capua reticulana, Choristoneura fumiferana, Clysia ambiguella, Homona magnanima and Tortrix viridana.

From the order of the Coleoptera, for example, Anobium punctatum, Rhizopertha dominica, Acanthoscelides obtectus, Acanthoscelides obtectus, Hylotrupes bajulus, Agelastica alni, Leptinotarsa decemlineata, Phaedon cochleariae, Diabrotica spp., Psylliodes chrysocephala, Epilachna varivestis, Atomaria spp., Oryzaephilus surinamensis, Anthonomus pp., Sitophilus spp.,

AUSTRALIAN PATENT OFFICE

Otiorrhynchus sulcatus, Cosmopolites sordidus, Ceuthorrhynchus assimilis, Hypera postica, Dermestes spp., Trogoderma spp., Anthrenus spp., Attagenus spp., Lyctus spp., Meligethes aeneus, Ptinus spp., Niptus hololeucus, Gibbium psylloides, Tribolium spp., Tenebrio molitor, Agriotes spp., Conoderus spp., Melolontha melolontha, Amphimallon solstitialis and Costelytra zealandica.

From the order of the Hymenoptera, for example, Diprion spp., Hoplocampa spp.. Lasius spp., Monomorium pharaonis and Vespa spp..

From the order of the Diptera, for example, Aedes spp., Anopheles spp., Culex spp., Drosophila melanogaster, Musca spp., Fannia spp., Calliphora erythrocephala, Lucilia spp., Chrysomyia spp., Cuterebra spp., Gastrophilus spp., Hyppobosca spp., Stomoxys spp., Oestrus spp., Hypoderma spp., Tanaus spp., Tannia spp., Bibio hortulanus, Oscinella frit, Phorbia spp., Pegomyia hyoscyami, Ceratitis capitata, Dacus oleae and Tipula paludosa.

Particularly worthy of mention is the action against aphids and whitefly in market gardening and non-commercial horticulture.

The shaped articles according to the invention are employed in a dose such that, per litre of treated earth or nutrient medium, from about 1 to 2000 mg of active

AUSTRALIAN PATENT OFFICE 13

substance, preferably from 1 to 100 mg of active substance and particularly preferably from 1 to 50 mg of active substance are employed.

Example

10 poinsettia plants which were heavily infested with whitefly were treated with different formulations of the active substance imidacloprid. The action was observed 18 to 70 days after the treatment. The following treatments are carried out:

A: Imidacloprid granules, 5 %, in a dose of 50 mg/l of earth, were incorporated into the surface of the planted earth.

B: Imidacloprid granules, 5 %, in a dose of 25 mg/l of earth, were incorporated into the surface of the planted earth.

C: Imidacloprid granules, 5 %, in a dose of 5 mg/l of earth, were incorporated into the surface of the planted earth.

D: Small Triabon sticks with 2.5 % of imidacloprid of composition 1 (above) were ~~stuck~~ inserted into the planted earth in a dose of 50 mg/l of earth.

E: Small Triabon sticks with 2.5 % of imidacloprid of composition 1 (above) were ~~stuck~~ inserted into the



AUSTRALIAN PATENT OFFICE 13

planted earth in a dose of 25 mg/l of earth.

F: Small Triabon sticks with 2.5 % of imidacloprid of composition 1 (above) were inserted into the planted earth in a dose of 5 mg/l of earth.

The following results were obtained:

| Treatment | Result after days in % action compared with the untreated control | | | | | |
|---|---|---|---|---|---|---|
| | 18 | 22 | 28 | 42 | 49 | 70 |
| A | 22 | 85 | 100 | 100 | 100 | 100 |
| B | 14 | 76 | 100 | 100 | 100 | 100 |
| C | 13 | 56 | 60 | 75 | 79 | 95 |
| D | 9 | 78 | 100 | 100 | 100 | 100 |
| E | 4 | 64 | 100 | 100 | 100 | 100 |
| F | 0 | 52 | 98 | 100 | 100 | 100 |


100 % denotes complete action, 0 % denotes no action.


Throughout this specification and the claims which follow, unless the context requires otherwise, the word "comprise", and variations such as "comprises" and "comprising" will be understood to imply the inclusion of a stated integer or step or group of integers or steps but not the exclusion of any other integer or step or group of integers or steps.


AUSTRALIAN PATENT OFFICE 13


THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:


1. Dimensionally stable mixtures comprising one or more of the compounds.


































AUSTRALIAN PATENT OFFICE








with fertilizers and adhesives, and optionally in combination with auxillaries and carrier materials, in the form of sticks, plates, tablets or granules.

AUSTRALIAN PATENT OFFICE

2. Dimensionally stable mixtures according to claim 1 comprising the compound imidacloprid of the formula



3. A process for increasing the action of the compounds set forth in either claim 1 or claim 2, characterized in that they are employed in the form of dimensionally stable mixtures with fertilizers.

4. A process for the preparation of dimensionally stable mixtures according to either claim 1 or claim 2, characterized in that the compounds set forth in either claim 1 or claim 2 are mixed with fertilizers and adhesives, and optionally with auxiliaries and carrier materials and are compressed or extruded to the desired form.

5. A method for the long term protection of plants against insect damage which comprises incorporating the dimensionally stable mixtures according to either claim 1 or claim 2 into the nutrient medium of plants.

DATED this 26th day of March, 1998.

**BAYER AG**

By Its Patent Attorneys

**DAVIES COLLISON CAVE**

AUSTRALIAN PATENT OFFICE 13

# INTERNATIONAL SEARCH REPORT

Interr al Application No
PCT/EP 95/01222

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 C05G3/02 C05G5/00 A01N61/00 A01N51/00 A01N25/34 A01N25/12

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 C05G A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|---|---|---|
| X | CHEMICAL ABSTRACTS, vol. 113, no. 7, 13 August 1990 Columbus, Ohio, US; abstract no. 58019f, see abstract & JP-A-02 038 393 (KURARAY CO., LTD) | 1-4 |
| X | & PATENT ABSTRACTS OF JAPAN vol. 14 no. 197 (C-712) [4140] & JP,A,02 038393 (KURARAY CO LTD) see abstract | 1-4 |
| X | CHEMICAL ABSTRACTS, vol. 112, no. 11, 12 March 1990 Columbus, Ohio, US; abstract no. 97574g, see abstract & JP-A-01 157 492 (TAKEDA CHEMICAL INDUSTRIES, LTD & MITSUBISHI KASEI CORP.) | 1-4 |

-/--

[X] Further documents are listed in the continuation of box C.

[X] Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

| Date of the actual completion of the international search | Date of mailing of the international search report |
|---|---|
| 31 July 1995 | 14. 08. 95 |

| Name and mailing address of the ISA | Authorized officer |
|---|---|
| European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax (+31-70) 340-3016 | Muellners, W |

Form PCT/ISA/210 (second sheet) (July 1992)

# INTERNATIONAL SEARCH REPORT

Interr al Application No
PCT/EP 95/01222

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|---|---|---|
| X | CH-A-116 534 (CH. KÖNIG ET AL.) 1 September 1926<br>see the whole document | 1-4 |
| X | CH-A-82 740 (E.SIEGRIST) 16 March 1920<br>see the whole document | 1-4 |
| X | EP-A-0 555 931 (SHELL INTERNATIONALE RESEARCH MAATSCHAPPIJ B.V.) 18 August 1993<br>see page 4, line 1 - line 32<br>see page 6, line 10 - line 30 | 1-4 |
| A | DD-A-235 020 (VEB CHEMIEKOMBINAT BITTERFELD) 23 April 1986<br>see page 1 - page 3, paragraph 2 | 1-4 |
| A | DE-A-38 21 790 (SHELL AGRAR GMBH & CO KG) 11 January 1990<br>see column 1 - column 3, line 50 | 1-4 |
| A | DE-A-32 47 918 (BASF AG) 28 June 1984<br>see claims | 1-4 |
| A | BRIGHTON CROP PROTECTION CONFERENCE-PESTS AND DISEASES,<br>no. 1, 1990 THORNTON HEATH, GB; ,<br>pages 21-28,<br>A.ELEBRT ET AL. 'Imidacloprid, a Novel Nitromethylene Analohue Insecticide for Crop Protection'<br>see the whole document | 1-4 |
| A | PFLANZENSCHUTZ-NACHRICHTEN BAYER,<br>vol. 44, no. 2, 1991 LEVERKUSEN,DE;,<br>pages 113-136,<br>A.ELBERT ET AL. 'Imidacloprid-a new systemic insecticide'<br>see pages 132-133, the abstract | 1-4 |
| A | CHEMICAL ABSTRACTS, vol. 91, no. 1,<br>2 July 1979<br>Columbus, Ohio, US;<br>abstract no. 1323y,<br>S.W. JONES ET AL. 'Interaction of insecticides with acetylcholine receptors'<br>see abstract<br>& NEUROTOXICOL. INSECTIC. PHEROMONES, [PROC. SYMP.] 1978, PUBL.,<br>1979 NEW YORK, US;,<br>pages 259-275, | 1-4 |

-/--

# INTERNATIONAL SEARCH REPORT

Interr al Application No
PCT/EP 95/01222

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|---|---|---|
| A | CHEMICAL ABSTRACTS, vol. 91, no. 9, 27 August 1979 Columbus, Ohio, US; abstract no. 69959r, R.D. O'BRIEN 'The interaction of pesticides with gates, receptors and enzymes of the nervous system' see abstract & ADV. PESTIC. SCI., PLENARY LECT. SYMP. PAP. INT. CONGR. PESTIC. CHEM. 4TH. 1978, PUBL., 1979 OXFORD, GB;, pages 449-457, | 1-4 |

# INTERNATIONAL SEARCH REPORT

Information on patent family members

Interr al Application No
PCT/EP 95/01222

| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
|---|---|---|---|
| CH-A-116534 | | NONE | |
| CH-A-82740 | | NONE | |
| EP-A-555931 | 18-08-93 | CN-A- 1075319<br>JP-A- 6025235<br>US-A- 5360906 | 18-08-93<br>01-02-94<br>01-11-94 |
| DD-A-235020 | | NONE | |
| DE-A-3821790 | 11-01-90 | NONE | |
| DE-A-3247918 | 28-06-84 | NONE | |

# INTERNATIONALER RECHERCHENBERICHT

Intern ales Aktenzeichen
PCT/EP 95/01222

A. KLASSIFIZIERUNG DES ANMELDUNGSGEGENSTANDES
IPK 6 C05G3/02 C05G5/00 A01N61/00 A01N51/00 A01N25/34
A01N25/12

Nach der Internationalen Patentklassifikation (IPK) oder nach der nationalen Klassifikation und der IPK

B. RECHERCHIERTE GEBIETE

Recherchierter Mindestprüfstoff (Klassifikationssystem und Klassifikationssymbole )
IPK 6 C05G A01N

Recherchierte aber nicht zum Mindestprüfstoff gehörende Veröffentlichungen, soweit diese unter die recherchierten Gebiete fallen

Während der internationalen Recherche konsultierte elektronische Datenbank (Name der Datenbank und evtl. verwendete Suchbegriffe)

C. ALS WESENTLICH ANGESEHENE UNTERLAGEN

| Kategorie* | Bezeichnung der Veröffentlichung, soweit erforderlich unter Angabe der in Betracht kommenden Teile | Betr. Anspruch Nr. |
|---|---|---|
| X | CHEMICAL ABSTRACTS, vol. 113, no. 7, 13.August 1990 Columbus, Ohio, US; abstract no. 58019f, siehe Zusammenfassung & JP-A-02 038 393 (KURARAY CO., LTD) | 1-4 |
| X | & PATENT ABSTRACTS OF JAPAN vol. 14 no. 197 (C-712) [4140] & JP,A,02 038393 (KURARAY CO LTD) siehe Zusammenfassung | 1-4 |
| X | CHEMICAL ABSTRACTS, vol. 112, no. 11, 12.März 1990 Columbus, Ohio, US; abstract no. 97574g, siehe Zusammenfassung & JP-A-01 157 492 (TAKEDA CHEMICAL INDUSTRIES, LTD & MITSUBISHI KASEI CORP.) | 1-4 |

-/--

[X] Weitere Veröffentlichungen sind der Fortsetzung von Feld C zu entnehmen

[X] Siehe Anhang Patentfamilie

* Besondere Kategorien von angegebenen Veröffentlichungen :
"A" Veröffentlichung, die den allgemeinen Stand der Technik definiert, aber nicht als besonders bedeutsam anzusehen ist
"E" älteres Dokument, das jedoch erst am oder nach dem internationalen Anmeldedatum veröffentlicht worden ist
"L" Veröffentlichung, die geeignet ist, einen Prioritätsanspruch zweifelhaft erscheinen zu lassen, oder durch die das Veröffentlichungsdatum einer anderen im Recherchenbericht genannten Veröffentlichung belegt werden soll oder die aus einem anderen besonderen Grund angegeben ist (wie ausgeführt)
"O" Veröffentlichung, die sich auf eine mündliche Offenbarung, eine Benutzung, eine Ausstellung oder andere Maßnahmen bezieht
"P" Veröffentlichung, die vor dem internationalen Anmeldedatum, aber nach dem beanspruchten Prioritätsdatum veröffentlicht worden ist
"T" Spätere Veröffentlichung, die nach dem internationalen Anmeldedatum oder dem Prioritätsdatum veröffentlicht worden ist und mit der Anmeldung nicht kollidiert, sondern nur zum Verständnis des der Erfindung zugrundeliegenden Prinzips oder der ihr zugrundeliegenden Theorie angegeben ist
"X" Veröffentlichung von besonderer Bedeutung; die beanspruchte Erfindung kann allein aufgrund dieser Veröffentlichung nicht als neu oder auf erfinderischer Tätigkeit beruhend betrachtet werden
"Y" Veröffentlichung von besonderer Bedeutung; die beanspruchte Erfindung kann nicht als auf erfinderischer Tätigkeit beruhend betrachtet werden, wenn die Veröffentlichung mit einer oder mehreren anderen Veröffentlichungen dieser Kategorie in Verbindung gebracht wird und diese Verbindung für einen Fachmann naheliegend ist
"&" Veröffentlichung, die Mitglied derselben Patentfamilie ist

| Datum des Abschlusses der internationalen Recherche | Absendedatum des internationalen Recherchenberichts |
|---|---|
| 31.Juli 1995 | 14. 08. 95 |

| Name und Postanschrift der Internationale Recherchenbehörde | Bevollmächtigter Bediensteter |
|---|---|
| Europäisches Patentamt, P.B. 5818 Patentlaan 2<br>NL - 2280 HV Rijswijk<br>Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,<br>Fax (+31-70) 340-3016 | Muellners, W |

Formblatt PCT/ISA/210 (Blatt 2) (Juli 1992)

# INTERNATIONALER RECHERCHENBERICHT

Interr ales Aktenzeichen
PCT/EP 95/01222

C.(Fortsetzung) ALS WESENTLICH ANGESEHENE UNTERLAGEN

| Kategorie* | Bezeichnung der Veröffentlichung, soweit erforderlich unter Angabe der in Betracht kommenden Teile | Betr. Anspruch Nr. |
|---|---|---|
| X | CH-A-116 534 (CH. KÖNIG ET AL.)<br>1.September 1926<br>siehe das ganze Dokument | 1-4 |
| X | CH-A-82 740 (E.SIEGRIST) 16.März 1920<br>siehe das ganze Dokument | 1-4 |
| X | EP-A-0 555 931 (SHELL INTERNATIONALE RESEARCH MAATSCHAPPIJ B.V.) 18.August 1993<br>siehe Seite 4, Zeile 1 - Zeile 32<br>siehe Seite 6, Zeile 10 - Zeile 30 | 1-4 |
| A | DD-A-235 020 (VEB CHEMIEKOMBINAT BITTERFELD) 23.April 1986<br>siehe Seite 1 - Seite 3, Absatz 2 | 1-4 |
| A | DE-A-38 21 790 (SHELL AGRAR GMBH & CO KG)<br>11.Januar 1990<br>siehe Spalte 1 - Spalte 3, Zeile 50 | 1-4 |
| A | DE-A-32 47 918 (BASF AG) 28.Juni 1984<br>siehe Ansprüche | 1-4 |
| A | BRIGHTON CROP PROTECTION CONFERENCE-PESTS AND DISEASES,<br>Nr. 1, 1990 THORNTON HEATH, GB; ,<br>Seiten 21-28,<br>A.ELEBRT ET AL. 'Imidacloprid, a Novel Nitromethylene Analohue Insecticide for Crop Protection'<br>siehe das ganze Dokument | 1-4 |
| A | PFLANZENSCHUTZ-NACHRICHTEN BAYER,<br>Bd. 44, Nr. 2, 1991 LEVERKUSEN,DE;,<br>Seiten 113-136,<br>A.ELBERT ET AL. 'Imidacloprid-a new systemic insecticide'<br>siehe Seite 132-133, die Zusammenfassung | 1-4 |
| A | CHEMICAL ABSTRACTS, vol. 91, no. 1,<br>2.Juli 1979<br>Columbus, Ohio, US;<br>abstract no. 1323y,<br>S.W. JONES ET AL. 'Interaction of insecticides with acetylcholine receptors'<br>siehe Zusammenfassung<br>& NEUROTOXICOL. INSECTIC. PHEROMONES, [PROC. SYMP.] 1978, PUBL.,<br>1979 NEW YORK, US;,<br>Seiten 259-275, | 1-4 |

-/--

# INTERNATIONALER RECHERCHENBERICHT

Interr ales Aktenzeichen
PCT/EP 95/01222

C.(Fortsetzung) ALS WESENTLICH ANGESEHENE UNTERLAGEN

| Kategorie* | Bezeichnung der Veröffentlichung, soweit erforderlich unter Angabe der in Betracht kommenden Teile | Betr. Anspruch Nr. |
|---|---|---|
| A | CHEMICAL ABSTRACTS, vol. 91, no. 9,<br>27.August 1979<br>Columbus, Ohio, US;<br>abstract no. 69959r,<br>R.D. O'BRIEN 'The interaction of pesticides with gates, receptors and enzymes of the nervous system'<br>siehe Zusammenfassung<br>& ADV. PESTIC. SCI., PLENARY LECT. SYMP. PAP. INT. CONGR. PESTIC. CHEM. 4TH. 1978, PUBL.,<br>1979 OXFORD, GB;,<br>Seiten 449-457,<br>----- | 1-4 |

# INTERNATIONALER RECHERCHENBERICHT

Angaben zu Veröffentlichungen, die zur selben Patentfamilie gehören

Internationales Aktenzeichen
PCT/EP 95/01222

| Im Recherchenbericht angeführtes Patentdokument | Datum der Veröffentlichung | Mitglied(er) der Patentfamilie | | Datum der Veröffentlichung |
|---|---|---|---|---|
| CH-A-116534 | | KEINE | | |
| CH-A-82740 | | KEINE | | |
| EP-A-555931 | 18-08-93 | CN-A- | 1075319 | 18-08-93 |
| | | JP-A- | 6025235 | 01-02-94 |
| | | US-A- | 5360906 | 01-11-94 |
| DD-A-235020 | | KEINE | | |
| DE-A-3821790 | 11-01-90 | KEINE | | |
| DE-A-3247918 | 28-06-84 | KEINE | | |