



Office de la Propriété
Intellectuelle
du Canada

Un organisme
d'Industrie Canada

Canadian
Intellectual Property
Office

An agency of
Industry Canada

CA 2466431 A1 2003/06/05

(21) **2 466 431**

(12) **DEMANDE DE BREVET CANADIEN
CANADIAN PATENT APPLICATION**


(13) **A1**

(86) Date de dépôt PCT/PCT Filing Date: 2002/11/20 (87) Date publication PCT/PCT Publication Date: 2003/06/05 (85) Entrée phase nationale/National Entry: 2004/05/13 (86) N° demande PCT/PCT Application No.: US 2002/033645 (87) N° publication PCT/PCT Publication No.: 2003/046124 (30) Priorités/Priorities: 2001/11/21 (60/331,951) US; 2002/03/22 (60/366,798) US	(51) Cl.Int. ⁷ /Int.Cl. ⁷ A61K 47/42, C12N 15/861, C12N 15/33, C07H 21/00, C07K 14/075, C12N 7/00 (71) Demandeur/Applicant: THE TRUSTEES OF THE UNIVERSITY OF PENNSYLVANIA, US (72) Inventeurs/Inventors: WILSON, JAMES M., US; GAO, GUANGPING, US; ROY, SOUMITRA, US (74) Agent: GOWLING LAFLEUR HENDERSON LLP

(54) Titre : SEQUENCES D'ACIDES NUCLEIQUES ET D'ACIDES AMINES D'ADENOVIRUS SIMIENS, VECTEURS LES
CONTENANT ET PROCEDES D'UTILISATION ASSOCIES
(54) Title: SIMIAN ADENOVIRUS NUCLEIC ACID AND AMINO ACID SEQUENCES, VECTORS CONTAINING SAME,
AND METHODS OF USE

(57) **Abrégé/Abstract:**

A recombinant vector comprises simian adenovirus sequences and a heterologous gene under the control of regulatory sequences. A cell line which expresses simian adenovirus gene(s) is also disclosed. Methods of using the vectors and cell lines are provided.



(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
5 June 2003 (05.06.2003)

PCT

(10) International Publication Number
WO 03/046124 A3

(51) International Patent Classification⁷: **A61K 47/42**,
C07H 21/00, C07K 14/075, C12N 7/00, 15/33, 15/861

(21) International Application Number: PCT/US02/33645

(22) International Filing Date:
20 November 2002 (20.11.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/331,951 21 November 2001 (21.11.2001) US
60/366,798 22 March 2002 (22.03.2002) US

(71) Applicant (*for all designated States except US*): **THE TRUSTEES OF THE UNIVERSITY OF PENNSYLVANIA** [US/US]; 3160 Chestnut Street, Suite 200, Philadelphia, PA 19104 (US).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **WILSON, James, M.** [US/US]; 1350 N. Avignon Drive, Gladwyne, PA 19035 (US). **GAO, Guangping** [US/US]; 408 Yorkshire Road, Rosemont, PA 19010 (US). **ROY, Soumitra** [US/US]; 240 Pugh Road, Wayne, PA 19087 (US).

(74) Agents: **Kodroff, Cathy, A.** et al.; Howson and Howson, Spring House Corporate Center, P.O. Box 457, Spring House, PA 19477 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(88) Date of publication of the international search report:
20 November 2003

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: SIMIAN ADENOVIRUS NUCLEIC ACID AND AMINO ACID SEQUENCES, VECTORS CONTAINING SAME, AND METHODS OF USE

(57) Abstract: A recombinant vector comprises simian adenovirus sequences and a heterologous gene under the control of regulatory sequences. A cell line which expresses simian adenovirus gene(s) is also disclosed. Methods of using the vectors and cell lines are provided.



WO 03/046124 A3

SIMIAN ADENOVIRUS NUCLEIC ACID AND AMINO ACID SEQUENCES, VECTORS CONTAINING SAME, AND METHODS OF USE

5 BACKGROUND OF THE INVENTION

Adenovirus is a double-stranded DNA virus with a genome size of about 36 kilobases (kb), which has been widely used for gene transfer applications due to its ability to achieve highly efficient gene transfer in a variety of target tissues and large transgene capacity. Conventionally, E1 genes of adenovirus are deleted and replaced with a
10 transgene cassette consisting of the promoter of choice, cDNA sequence of the gene of interest and a poly A signal, resulting in a replication defective recombinant virus.

Adenoviruses have a characteristic morphology with an icosahedral capsid consisting of three major proteins, hexon (II), penton base (III) and a knobbed fibre (IV), along with a number of other minor proteins, VI, VIII, IX, IIIa and IVa2 [W.C. Russell, *J. Gen Virol.*, **81**:2573-2604 (Nov 2000)]. The virus genome is a linear, double-stranded
15 DNA with a terminal protein attached covalently to the 5' termini, which have inverted terminal repeats (ITRs). The virus DNA is intimately associated with the highly basic protein VII and a small peptide termed mu. Another protein, V, is packaged with this DNA-protein complex and provides a structural link to the capsid via protein VI. The
20 virus also contains a virus-encoded protease, which is necessary for processing of some of the structural proteins to produce mature infectious virus.

Recombinant adenoviruses have been described for delivery of molecules to host cells. See, US Patent 6,083,716, which describes the genome of two chimpanzee adenoviruses.

25 What is needed in the art are more effective vectors which avoid the effect of pre-existing immunity to selected adenovirus serotypes in the population and/or which are useful for repeat administration and for titer boosting by second vaccination, if required.

Summary of the Invention

30 The present invention provides the isolated nucleic acid sequences and amino acid sequences of six simian adenoviruses, vectors containing these sequences, and cell lines expressing simian adenovirus genes. Also provided are a number of methods for using the vectors and cells of the invention.

The methods of the invention involve delivering one or more selected heterologous gene(s) to a mammalian patient by administering a vector of the invention. Because the various vector constructs are derived from simian rather than from human adenoviruses, the immune system of the non-simian human or veterinary patient is not primed to respond immediately to the vector as a foreign antigen. Use of the compositions of this invention thus permits a more stable expression of the selected transgene when administered to a non-simian patient. Use of the compositions of this invention for vaccination permits presentation of a selected antigen for the elicitation of protective immune responses. Without wishing to be bound by theory, the ability of the adenoviruses of the invention to transduce human dendritic cells is at least partially responsible for the ability of the recombinant constructs of the invention to induce an immune response. The recombinant simian adenoviruses of this invention may also be used for producing heterologous gene products *in vitro*. Such gene products are themselves useful in a variety for a variety of purposes such as are described herein.

These and other embodiments and advantages of the invention are described in more detail below.

Brief Description of the Drawings

Fig. 1 provides an alignment of the amino acid sequences of the L1 and a portion of the L2 loops of the capsid protein hexon of the chimpanzee adenovirus C1 [SEQ ID NO:13], chimpanzee adenovirus C68 (Pan-9) [SEQ ID NO:14], and the novel Pan5 [SEQ ID NO:15], Pan6 [SEQ ID NO: 16] and Pan7 [SEQ ID NO: 17] chimpanzee adenovirus sequences of the invention. The intervening conserved region is part of the pedestal domain conserved between adenovirus serotypes.

Fig. 2 provides an alignment of the amino acid sequences of the fiber knob domains of chimpanzee C68 (Pan-9) [SEQ ID NO:18], Pan-6 [SEQ ID NO:19], Pan-7 [SEQ ID NO:20], and Pan-5 [SEQ ID NO:21] and the human adenoviruses serotypes 2 [SEQ ID NO:22] and 5 [SEQ ID NO:23].

DETAILED DESCRIPTION OF THE INVENTION

The invention provides novel nucleic acid and amino acid sequences from Ad Pan5 [SEQ ID NO:1-4, 15 and 21], Ad Pan6 [SEQ ID NO: 5-8, 16, 19], and Ad serotype

Pan7 [SEQ ID NO: 9-12, 17, 20], which were originally isolated from chimpanzee lymph nodes. In several instances throughout the specification, these adenoviruses are alternatively termed herein C5, C6 and C7, respectively. Also provided are sequences from adenovirus SV1 [SEQ ID NO: 24-28], which was originally isolated from the
5 kidney cells of cynomolgus monkey. The invention also provides sequences of adenoviruses SV-25 [SEQ ID NO:29-33] and SV-39 [SEQ ID NO: 34-37], which were originally isolated from rhesus monkey kidney cells.

The present invention provides novel adenovirus vectors and packaging cell lines to produce those vectors for use in the *in vitro* production of recombinant proteins or
10 fragments or other reagents. The invention further provides compositions for use in delivering a heterologous molecule for therapeutic or vaccine purposes. Such therapeutic or vaccine compositions contain the adenoviral vectors carrying an inserted heterologous molecule. In addition, novel sequences of the invention are useful in providing the essential helper functions required for production of recombinant adeno-associated viral
15 (AAV) vectors. Thus, the invention provides helper constructs, methods and cell lines which use these sequences in such production methods.

The term “substantial homology” or “substantial similarity,” when referring to a nucleic acid or fragment thereof, indicates that, when optimally aligned with appropriate nucleotide insertions or deletions with another nucleic acid (or its complementary strand),
20 there is nucleotide sequence identity in at least about 95 to 99% of the aligned sequences.

The term “substantial homology” or “substantial similarity,” when referring to amino acids or fragments thereof, indicates that, when optimally aligned with appropriate amino acid insertions or deletions with another amino acid (or its complementary strand), there is amino acid sequence identity in at least about 95 to 99% of the aligned sequences.
25 Preferably, the homology is over full-length sequence, or a protein thereof, or a fragment thereof which is at least 8 amino acids, or more desirably, at least 15 amino acids in length. Examples of suitable fragments are described herein.

The term “percent sequence identity” or “identical” in the context of nucleic acid sequences refers to the residues in the two sequences that are the same when aligned for
30 maximum correspondence. The length of sequence identity comparison may be over the full-length of the genome (e.g., about 36 kbp), the full-length of an open reading frame of a gene, protein, subunit, or enzyme [see, e.g., the tables providing the adenoviral coding

regions], or a fragment of at least about 500 to 5000 nucleotides, is desired. However, identity among smaller fragments, e.g. of at least about nine nucleotides, usually at least about 20 to 24 nucleotides, at least about 28 to 32 nucleotides, at least about 36 or more nucleotides, may also be desired. Similarly, “percent sequence identity” may be readily
5 determined for amino acid sequences, over the full-length of a protein, or a fragment thereof. Suitably, a fragment is at least about 8 amino acids in length, and may be up to about 700 amino acids. Examples of suitable fragments are described herein.

Identity is readily determined using such algorithms and computer programs as are defined herein at default settings. Preferably, such identity is over the full length of
10 the protein, enzyme, subunit, or over a fragment of at least about 8 amino acids in length. However, identity may be based upon shorter regions, where suited to the use to which the identical gene product is being put.

As described herein, alignments are performed using any of a variety of publicly or commercially available Multiple Sequence Alignment Programs, such as “Clustal W”,
15 accessible through Web Servers on the internet. Alternatively, Vector NTI utilities are also used. There are also a number of algorithms known in the art that can be used to measure nucleotide sequence identity, including those contained in the programs described above. As another example, polynucleotide sequences can be compared using Fasta, a program in GCG Version 6.1. Fasta provides alignments and percent sequence
20 identity of the regions of the best overlap between the query and search sequences. For instance, percent sequence identity between nucleic acid sequences can be determined using Fasta with its default parameters (a word size of 6 and the NOPAM factor for the scoring matrix) as provided in GCG Version 6.1, herein incorporated by reference. Similarly programs are available for performing amino acid alignments. Generally, these
25 programs are used at default settings, although one of skill in the art can alter these settings as needed. Alternatively, one of skill in the art can utilize another algorithm or computer program that provides at least the level of identity or alignment as that provided by the referenced algorithms and programs.

As used throughout this specification and the claims, the term “comprise” and its
30 variants including, “comprises”, “comprising”, among other variants, is inclusive of other components, elements, integers, steps and the like. The term “consists of” or “consisting of” are exclusive of other components, elements, integers, steps and the like.

I. The Simian Adenovirus Sequences

The invention provides nucleic acid sequences and amino acid sequences of Pan5, Pan6, Pan7, SV1, SV25 and SV39, which are isolated from the other viral material
5 with which they are associated in nature.

A. Nucleic Acid Sequences

The Pan5 nucleic acid sequences of the invention include nucleotides 1 to 36462 of SEQ ID NO:1. The Pan6 nucleic acid sequences of the invention include nucleotides 1 to 36604 of SEQ ID NO: 5. The Pan7 nucleic acid sequences of the
10 invention include nucleotides 1 to 36535 of SEQ ID NO: 9. The SV1 nucleic acid sequences of the invention include nucleotides 1 to 34264 of SEQ ID NO: 24. The SV25 nucleic acid sequences of the invention include nucleotides 1 to 31044 of SEQ ID NO: 29. The SV39 nucleic acid sequences of the invention include nucleotides 1 to 34115 of SEQ ID NO: 34. See, Sequence Listing, which is incorporated by reference herein.

15 The nucleic acid sequences of the invention further encompass the strand which is complementary to the sequences of SEQ ID NO: 5, 9, 24, 29 and 34, as well as the RNA and cDNA sequences corresponding to the sequences of these sequences figures and their complementary strands. Further included in this invention are nucleic acid sequences which are greater than 95 to 98%, and more preferably
20 about 99 to 99.9% homologous or identical to the Sequence Listing. Also included in the nucleic acid sequences of the invention are natural variants and engineered modifications of the sequences provided in SEQ ID NO: 5, 9, 24, 29 and 34 and their complementary strands. Such modifications include, for example, labels that are known in the art, methylation, and substitution of one or more of the naturally
25 occurring nucleotides with a degenerate nucleotide.

The invention further encompasses fragments of the sequences of Pan5, Pan6, Pan7, SV1, SV25 and SV39, their complementary strand, cDNA and RNA complementary thereto. Suitable fragments are at least 15 nucleotides in length, and encompass functional fragments, i.e., fragments which are of biological interest.
30 For example, a functional fragment can express a desired adenoviral product or may

be useful in production of recombinant viral vectors. Such fragments include the gene sequences and fragments listed in the tables below.

The following tables provide the transcript regions and open reading frames in the simian adenovirus sequences of the invention. For certain genes, the transcripts
5 and open reading frames (ORFs) are located on the strand complementary to that presented in SEQ ID NO: 5, 9, 24, 29 and 34. See, e.g., E2b, E4 and E2a. The calculated molecular weights of the encoded proteins are also shown. Note that the E1a open reading frame Pan5 [nt 576-1436 of SEQ ID NO:1], Pan6 [nt 576 to 1437 of SEQ ID NO: 5] and Pan7 [nt 576 to 1437 of SEQ ID NO: 9] contain internal splice
10 sites. These splice sites are noted in the following tables.

Ad Pan-5 [SEQ ID NO:1]				
Regions		Start (nt)	End (nt)	<i>M.W.</i> (Daltons)
ITR		1	120	-
E1a	Transcript	478		-
	13S	576-664,1233-1436		28120
	12S	576-1046, 1233-1436		24389
	9S	576-644,1233-1436		9962
	Transcript		1516	-
E1b	Transcript	1552		-
	Small T	1599	2171	22317
	Large T	1904	3412	55595
	IX	3492	3920	14427
	Transcript		3959	-
E2b	Transcript	10349		-
	PTP	10349	8451	72930
	Polymerase	8448	5083	127237
	IVa2	5604	3980	50466
	Transcript		3960	
28.1 kD		5155	5979	28141
Agnoprotein		7864	8580	25755
L1	Transcript	10849		-
	52/55D	10851	12025	
	IIIa	12050	13819	65669
	Transcript		13832	-
	Transcript	13894		-
L2	Penton	13898	15490	59292
	VII	15494	16078	21478
	V	16123	17166	39568
	Mu	17189	17422	8524
	transcript		17442	-
	Transcript	17488		-
L3	VI	17491	18222	26192
	Hexon	18315	21116	104874
	Endoprotease	20989	21783	28304
	transcript		21811	-

Ad Pan-5 (cont'd) [SEQ ID NO:1]				
Regions		Start (nt)	End (nt)	<i>M.W.</i> (<i>Daltons</i>)
E2a	Transcript	26782		-
	DBP	23386	21845	57358
	transcript		21788	-
L4	Transcript	23406		-
	100kD	23412	25805	88223
	33 kD homolog	25525	26356	24538
	VIII	26428	27111	24768
	transcript		27421	-
E3	Transcript	26788		-
	Orf #1	27112	27432	12098
	Orf #2	27386	28012	23040
	Orf #3	27994	28527	19525
	Orf #4	28557	29156	22567
	Orf #5	29169	29783	22267
	Orf #6	29798	30673	31458
	Orf #7	30681	30956	10477
	Orf #8	30962	31396	16523
	Orf #9	31389	31796	15236
	transcript		31837	-
L5	Transcript	32032		-
	Fiber	32035	33372	47670
	transcript		33443	-
E4	Transcript	36135		-
	Orf 7	33710	33462	9191
	Orf 6	34615	33710	35005
	Orf 4	34886	34521	13878
	Orf 3	35249	34896	13641
	Orf 2	35635	35246	14584
	Orf 1	36050	35676	13772
	Transcript		33437	-
ITR		36343	36462	-

Ad Pan-6 [SEQ ID NO: 5]				
Regions		Start (nt)	End (nt)	M.W. (Daltons)
ITR		1	123	-
E1a	transcript	478		-
	13S	576-1143, 1229-1437		28291
	12S	576-1050, 1229-1437		24634
	9S	576 – 645, 1229-1437		10102
	transcript		1516	-
E1b	transcript	1553		-
	Small T	1600	2172	22315
	LargeT	1905	3413	55594
	IX	3498	3926	14427
	transcript		3965	-
E2b	transcript	10341		-
	PTP	10340	8451	72570
	Polymerase	8445	5089	126907
	IVa2	5610	3986	50452
	transcript		3966	-
L1	transcript	10838		-
	52/55 kD	10840	12012	44205
	IIIa	12036	13799	65460
	Transcript		13812	-
28.1 kd		5161	5985	28012
Agnoprotein		7870	8580	25382
L2	transcript	13874		-
	Penton	13878	15467	59314
	VII	15471	16055	21508
	V	16100	17137	39388
	Mu	17160	17393	8506
	transcript		17415	-
L3	transcript	17466		-
	VI	17469	18188	25860
	Hexon	18284	21112	106132
	Endoprotease	21134	21754	23445
	transcript		21803	-
E2a	transcript	26780		-
	DBP	23375	21837	57299
	transcript		21780	-

Ad Pan-6 (cont'd) [SEQ ID NO:5]				
Regions		Start (nt)	End (nt)	<i>M.W.</i> (Daltons)
L4	Transcript	23398		-
	100kD	23404	25806	88577
	33 kD homolog	25523	26357	24609
	VIII	26426	27109	24749
	transcript		27419	-
E3	transcript	26786		-
	Orf #1	27110	27430	12098
	Orf #2	27384	28007	22880
	Orf #3	27989	28519	19460
	Orf #4	28553	29236	25403
	Orf #5	29249	29860	22350
	Orf #6	29875	30741	31028
	Orf #7	30749	31024	10469
	Orf #8	31030	31464	16540
	Orf #9	31457	31864	15264
	transcript		31907	-
L5	transcript	32159		
	Fiber	32162	33493	47364
	transcript		33574	-
E4	transcript	36276		-
	Orf 7	33841	33593	9177
	Orf 6	34746	33841	35094
	Orf 4	35017	34652	13937
	Orf 3	35380	35027	13627
	Orf 2	35766	35377	14727
	Orf 1	36181	35807	13739
	transcript		33558	-
ITR		36482	36604	-

Ad Pan-7 [SEQ ID NO:9]				
Regions		Start (nt)	End (nt)	<i>M.W. (Daltons)</i>
ITR		1	132	-
E1a	transcript	478		-
	13S	576 – 1143, 1229-1437		28218
	12S	576 – 1050, 1229- 1437		24561
	9S	576 – 645, 1229 – 1437		10102
	transcript		1516	-
E1b	transcript	1553		-
	Small T	1600	2178	22559
	LargeT	1905	3419	55698
	IVa2	3992	5616	50210
	transcript		3971	-
E2b	transcript	10341		-
	PTP	10340	8457	72297
	Polymerase	8451	5095	126994
	IX	3504	3932	14441
	transcript		3972	-
28.1kD		5167	5991	28028
Agnoprotein		7876	8586	25424
L1	transcript	10834		
	52/55 kD	10836	12011	44302
	IIIa	12035	13795	65339
	transcript		13808	-
L2	transcript	13870		-
	Penton	13874	15469	59494
	VII	15473	16057	21339
	V	16102	17139	39414
	Mu	17167	17400	8506
	transcript		17420	-
L3	transcript	17467		-
	VI	17470	18198	26105
	Hexon	18288	21086	104763
	Endoprotease	21106	21732	23620
	transcript		21781	-
E2a	transcript	26764		-
	DBP	23353	21815	57199
	transcript		21755	-

Ad Pan-7 (cont'd) [SEQ ID NO: 9]				
Regions		Start (nt)	End (nt)	<i>M.W. (Daltons)</i>
L4	transcript	23370		-
	100kD	23376	25781	88520
	33 kD homolog	25489	26338	25155
	VIII	26410	27093	24749
	transcript		27403	-
E3	transcript	26770		-
	Orf #1	27094	27414	12056
	Orf #2	27368	27988	22667
	Orf #3	27970	28500	19462
	Orf #4	28530	29150	22999
	Orf #5	29163	29777	22224
	Orf #6	29792	30679	32153
	Orf #7	30687	30962	10511
	Orf #8	30968	31399	16388
	Orf #9	31392	31799	15205
	transcript		31842	-
L5	transcript	32091		-
	Fiber	32094	33425	47344
	transcript		33517	-
E4	transcript	36208		-
	Orf 7	33784	33536	9191
	Orf 6	34689	33784	35063
	Orf 4	34960	34595	13879
	Orf 3	35323	34970	13641
	Orf 2	35709	35320	14644
	Orf 1	36123	35749	13746
	transcript		33501	-
ITR		36404	36535	-

	Ad SV-1 [SEQ ID NO:24]		Ad SV-25 [SEQ ID NO:29]		Ad SV-39 [SEQ ID NO: 34]	
Region	Start	End	Start	End	Start	End
ITR	1	106	1	133	1	150
E1a	352	1120	-	-	404	1409
E1b	1301	2891	359	2273	1518	3877
E2b	9257	2882	9087	2754	10143	3868
E2a	24415	20281	24034	20086	25381	21228
E3	24974	27886	24791	25792	25790	29335
E4	33498	30881	30696	28163	33896	31157
ITR	34145	34264	30912	31044	33966	34115

	Ad SV-1 [SEQ ID NO:24]		Ad SV-25 [SEQ ID NO:29]		Ad SV-39 [SEQ ID NO: 34]	
Region	Start	End	Start	End	Start	End
ITR	1	106	1	133	1	150
L1	9513	12376	9343	12206	10416	13383
L2	12453	15858	12283	15696	13444	16877
L3	15910	20270	15748	20080	17783	21192
L4	21715	25603	21526	25420	22659	26427
L5	28059	30899	25320	28172	29513	31170
ITR	34145	34264	30912	31044	33966	34115

	protein	Ad SV-1, SEQ ID NO: 24		
		Start	End	<i>M.W.</i>
ITR		1	106	-
E1a	13S	459	953	<i>18039</i>
	12S			
E1b	Small T			
	LargeT	1301	2413	<i>42293</i>
	IX	2391	2885	<i>16882</i>
E2b	IVa2	4354	2924	<i>54087</i>
	Polymerase	6750	4027	<i>102883</i>
	PTP	9257	7371	<i>72413</i>
	Agno-protein	6850	7455	<i>20984</i>
L1	52/55 kD	9515	10642	<i>42675</i>
	IIIa	10663	12372	<i>636568</i>
L2	Penton	12454	13965	<i>56725</i>
	VII	13968	14531	<i>20397</i>
	V	14588	15625	<i>39374</i>
	Mu	15645	15857	<i>7568</i>
L3	VI	15911	16753	<i>30418</i>
	Hexon	16841	19636	<i>104494</i>
	Endoprotease	19645	20262	<i>23407</i>
2a	DBP	21700	20312	<i>52107</i>
L4	100kD	21721	24009	<i>85508</i>
	VIII	24591	25292	<i>25390</i>

	protein	Ad SV-1 (cont'd)		
		SEQ ID NO: 24		
		Start	End	<i>M.W.</i>
E3	Orf #1	25292	25609	<i>11950</i>
	Orf #2	25563	26081	<i>18940</i>
	Orf #3	26084	26893	<i>30452</i>
	Orf #4	26908	27180	<i>10232</i>
	Orf #5	27177	17512	<i>12640</i>
	Orf #6	27505	27873	<i>13639</i>
L5	Fiber #2	28059	29150	<i>39472</i>
	Fiber #1	29183	30867	<i>61128</i>
E4	Orf 7	31098	30892	<i>7837</i>
	Orf 6	31982	31122	<i>33921</i>
	Orf 4	32277	31915	<i>14338</i>
	Orf 3	32629	32279	<i>13386</i>
	Orf 2	33018	32626	<i>14753</i>
	Orf 1	33423	33043	<i>14301</i>
ITR		34145	34264	

	protein	Ad SV-25, SEQ ID NO:29			Ad SV-39, SEQ ID NO:34		
		Start	End	<i>M.W.</i>	Start	End	<i>M.W.</i>
ITR		1	133	-	1	150	-
E1a	13S				492	1355	28585
	12S				492	1355	25003
E1b	Small T	478	1030	20274	1518	2075	21652
	Large T	829	2244	52310	1823	3349	55534
	IX	2306	2716	13854	3434	3844	14075
E2b	IVa2	4208	2755	54675	3912	5141	46164
	Poly- merase	6581	3858	102839	7753	5033	103988
	PTP	9087	7207	71326	10143	8335	69274
	Agno- protein	6681	7139	16025	-	-	-
L1	52/55 kD	9345	10472	42703	10418	11608	44232
	IIIa	10493	12202	63598	11574	13364	66078
L2	Penton	12284	13801	56949	13448	14959	56292
	VII	13806	14369	20369	14960	15517	20374
	V	14426	15463	39289	15567	16628	39676
	Mu	15483	15695	7598	16650	16871	7497
L3	VI	15749	16591	30347	16925	17695	28043
	Hexon	16681	19446	104035	17785	20538	102579
	Endo- protease	19455	20072	23338	20573	21181	22716
2a	DBP	21511	20123	52189	22631	21231	53160
L4	100kD	21532	23829	85970	22659	25355	100362
	VIII	24408	25109	25347	25410	26108	25229

	protein	Ad SV-25, SEQ ID NO:29 (cont'd)			Ad SV-39, SEQ ID NO:34, (cont'd)		
		Start	End	<i>M.W.</i>	Start	End	<i>M.W.</i>
E3	Orf #1	25109	25426	11890	26375	27484	42257
	Orf #2				27580	28357	29785
	Orf #3				28370	28645	10514
	Orf #4				28863	29333	18835
	Orf #5						
	Orf #6						
L5	Fiber #2	25380	26423	37529			
	Fiber #1	26457	28136	60707	29515	31116	56382
E4	Orf 7				31441	31118	11856
	Orf 6	29255	28395	33905	32292	31438	33437
	Orf 4	29550	29188	14399	32587	32222	13997
	Orf 3	29902	29552	13284	32954	32607	13353
	Orf 2	30291	29899	14853	33348	32959	14821
	Orf 1	30316	30696	14301	33764	33378	14235
ITR		30912	31044		33966	34115	

The Pan5, Pan6, Pan7, SV1, SV25 and SV39 adenoviral nucleic acid
 5 sequences are useful as therapeutic agents and in construction of a variety of vector
 systems and host cells. As used herein, a vector includes any suitable nucleic acid
 molecule including, naked DNA, a plasmid, a virus, a cosmid, or an episome. These
 sequences and products may be used alone or in combination with other adenoviral
 sequences or fragments, or in combination with elements from other adenoviral or non-
 10 adenoviral sequences. The adenoviral sequences of the invention are also useful as
 antisense delivery vectors, gene therapy vectors, or vaccine vectors. Thus, the invention
 further provides nucleic acid molecules, gene delivery vectors, and host cells which
 contain the Ad sequences of the invention.

For example, the invention encompasses a nucleic acid molecule containing simian Ad ITR sequences of the invention. In another example, the invention provides a nucleic acid molecule containing simian Ad sequences of the invention encoding a desired Ad gene product. Still other nucleic acid molecule constructed using
5 the sequences of the invention will be readily apparent to one of skill in the art, in view of the information provided herein.

In one embodiment, the simian Ad gene regions identified herein may be used in a variety of vectors for delivery of a heterologous molecule to a cell. For example, vectors are generated for expression of an adenoviral capsid protein (or
10 fragment thereof) for purposes of generating a viral vector in a packaging host cell. Such vectors may be designed for expression in trans. Alternatively, such vectors are designed to provide cells which stably contain sequences which express desired adenoviral functions, e.g., one or more of E1a, E1b, the terminal repeat sequences, E2a, E2b, E4, E4ORF6 region.

15 In addition, the adenoviral gene sequences and fragments thereof are useful for providing the helper functions necessary for production of helper-dependent viruses (e.g., adenoviral vectors deleted of essential functions or adeno-associated viruses (AAV)). For such production methods, the simian adenoviral sequences of the invention are utilized in such a method in a manner similar to those described for the human Ad.
20 However, due to the differences in sequences between the simian adenoviral sequences of the invention and those of human Ad, the use of the sequences of the invention essentially eliminate the possibility of homologous recombination with helper functions in a host cell carrying human Ad E1 functions, e.g., 293 cells, which may produce infectious adenoviral contaminants during rAAV production.

25 Methods of producing rAAV using adenoviral helper functions have been described at length in the literature with human adenoviral serotypes. See, e.g., US Patent 6,258,595 and the references cited therein. See, also, US Patent 5,871,982; WO 99/14354; WO 99/15685; WO 99/47691. These methods may also be used in production of non-human serotype AAV, including non-human primate AAV serotypes. The simian
30 adenoviral gene sequences of the invention which provide the necessary helper functions (e.g., E1a, E1b, E2a and/or E4 ORF6) can be particularly useful in providing the necessary adenoviral function while minimizing or eliminating the possibility of

recombination with any other adenoviruses present in the rAAV-packaging cell which are typically of human origin. Thus, selected genes or open reading frames of the adenoviral sequences of the invention may be utilized in these rAAV production methods.

Alternatively, recombinant adenoviral simian vectors of the invention may
5 be utilized in these methods. Such recombinant adenoviral simian vectors may include, e.g., a hybrid chimp Ad/AAV in which chimp Ad sequences flank a rAAV expression cassette composed of, e.g., AAV 3' and/or 5' ITRs and a transgene under the control of regulatory sequences which control its expression. One of skill in the art will recognize that still other simian adenoviral vectors and/or gene sequences of the invention will be
10 useful for production of rAAV and other viruses dependent upon adenoviral helper.

In still another embodiment, nucleic acid molecules are designed for delivery and expression of selected adenoviral gene products in a host cell to achieve a desired physiologic effect. For example, a nucleic acid molecule containing sequences encoding an adenovirus E1a protein of the invention may be delivered to a subject for use
15 as a cancer therapeutic. Optionally, such a molecule is formulated in a lipid-based carrier and preferentially targets cancer cells. Such a formulation may be combined with other cancer therapeutics (e.g., cisplatin, taxol, or the like). Still other uses for the adenoviral sequences provided herein will be readily apparent to one of skill in the art.

In addition, one of skill in the art will readily understand that the Ad
20 sequences of the invention can be readily adapted for use for a variety of viral and non-viral vector systems for in vitro, ex vivo or in vivo delivery of therapeutic and immunogenic molecules. For example, the Pan5, Pan6, Pan7, SV1, SV25 and/or SV39 simian Ad genomes of the invention can be utilized in a variety of rAd and non-rAd vector systems. Such vectors systems may include, e.g., plasmids, lentiviruses,
25 retroviruses, poxviruses, vaccinia viruses, and adeno-associated viral systems, among others. Selection of these vector systems is not a limitation of the present invention.

The invention further provides molecules useful for production of the simian and simian-derived proteins of the invention. Such molecules which carry polynucleotides including the simian Ad DNA sequences of the invention can be in the
30 form of naked DNA, a plasmid, a virus or any other genetic element.

B. Simian Adenoviral Proteins of the Invention

The invention further provides gene products of the above adenoviruses, such as proteins, enzymes, and fragments thereof, which are encoded by the adenoviral nucleic acids of the invention. The invention further encompasses Pan5, Pan6 and Pan7, 5 SV1, SV25 and SV39 proteins, enzymes, and fragments thereof, having the amino acid sequences encoded by these nucleic acid sequences which are generated by other methods. Such proteins include those encoded by the open reading frames identified in the tables above, in Figs. 1 and 2, and fragments thereof.

Thus, in one aspect, the invention provides unique simian adenoviral 10 proteins which are substantially pure, i.e., are free of other viral and proteinaceous proteins. Preferably, these proteins are at least 10% homogeneous, more preferably 60% homogeneous, and most preferably 95% homogeneous.

In one embodiment, the invention provides unique simian-derived capsid proteins. As used herein, a simian-derived capsid protein includes any adenoviral capsid 15 protein that contains a Pan5, Pan6, Pan7, SV1, SV25 or SV39 capsid protein or a fragment thereof, as defined above, including, without limitation, chimeric capsid proteins, fusion proteins, artificial capsid proteins, synthetic capsid proteins, and recombinantly capsid proteins, without limitation to means of generating these proteins.

Suitably, these simian-derived capsid proteins contain one or more Pan5, 20 Pan6, Pan7, SV1, SV25 or SV39 regions or fragments thereof (e.g., a hexon, penton, fiber or fragment thereof) in combination with capsid regions or fragments thereof of different adenoviral serotypes, or modified simian capsid proteins or fragments, as described herein. A "modification of a capsid protein associated with altered tropism" as used herein includes an altered capsid protein, i.e., a penton, hexon or fiber protein region, or 25 fragment thereof, such as the knob domain of the fiber region, or a polynucleotide encoding same, such that specificity is altered. The simian-derived capsid may be constructed with one or more of the simian Ad of the invention or another Ad serotypes which may be of human or non-human origin. Such Ad may be obtained from a variety of sources including the ATCC, commercial and academic sources, or the sequences of the 30 Ad may be obtained from GenBank or other suitable sources.

The amino acid sequences of the simian adenoviruses penton proteins of the invention are provided herein. The AdPan5 penton protein is provided in SEQ ID

NO:2. The AdPan7 penton is provided in SEQ ID NO:6. The AdPan6 penton is provided in SEQ ID NO:10. The SV1 penton is provided in SEQ ID NO:25. The SV25 penton protein is provided in SEQ ID NO:30. The SV39 penton is provided in SEQ ID NO:35. Suitably, any of these penton proteins, or unique fragments thereof, may be utilized for a variety of purposes. Examples of suitable fragments include the penton having N-terminal and/or C-terminal truncations of about 50, 100, 150, or 200 amino acids, based upon the amino acid numbering provided above and in SEQ ID NO:2; SEQ ID NO:6; SEQ ID NO:25; SEQ ID NO:30, or SEQ ID NO:35. Other suitable fragments include shorter internal, C-terminal, or N-terminal fragments. Further, the penton protein may be modified for a variety of purposes known to those of skill in the art.

The invention further provides the amino acid sequences of the hexon protein of Pan5 [SEQ ID NO:3], Pan6 [SEQ ID NO:7], Pan 7 [SEQ ID NO:11], SV1 [SEQ ID NO:26], SV25 [SEQ ID NO:31], and/or SV39 [SEQ ID NO:36]. Suitably, this hexon protein, or unique fragments thereof, may be utilized for a variety of purposes. Examples of suitable fragments include the hexon having N-terminal and/or C-terminal truncations of about 50, 100, 150, 200, 300, 400, or 500 amino acids, based upon the amino acid numbering provided above and in SEQ ID NO: 3, 7, 11, 26, 31 and 36. Other suitable fragments include shorter internal, C-terminal, or N-terminal fragments. For example, one suitable fragment the loop region (domain) of the hexon protein, designated DE1 and FG1, or a hypervariable region thereof. Such fragments include the regions spanning amino acid residues about 125 to 443; about 138 to 441, or smaller fragments, such as those spanning about residue 138 to residue 163; about 170 to about 176; about 195 to about 203; about 233 to about 246; about 253 to about 264; about 287 to about 297; and about 404 to about 430 of the simian hexon proteins, with reference to SEQ ID NO: 3, 7, 11, 26, 31 or 36. Other suitable fragments may be readily identified by one of skill in the art. Further, the hexon protein may be modified for a variety of purposes known to those of skill in the art. Because the hexon protein is the determinant for serotype of an adenovirus, such artificial hexon proteins would result in adenoviruses having artificial serotypes. Other artificial capsid proteins can also be constructed using the chimp Ad penton sequences and/or fiber sequences of the invention and/or fragments thereof.

In one example, it may be desirable to generate an adenovirus having an altered hexon protein utilizing the sequences of a hexon protein of the invention. One suitable method for altering hexon proteins is described in US Patent 5,922,315, which is incorporated by reference. In this method, at least one loop region of the adenovirus
5 hexon is changed with at least one loop region of another adenovirus serotype. Thus, at least one loop region of such an altered adenovirus hexon protein is a simian Ad hexon loop region of the invention (e.g. Pan7). In one embodiment, a loop region of the Pan7 hexon protein is replaced by a loop region from another adenovirus serotype. In another embodiment, the loop region of the Pan7 hexon is used to replace a loop region from
10 another adenovirus serotype. Suitable adenovirus serotypes may be readily selected from among human and non-human serotypes, as described herein. Pan7 is selected for purposes of illustration only; the other simian Ad hexon proteins of the invention may be similarly altered, or used to alter another Ad hexon. The selection of a suitable serotype is not a limitation of the present invention. Still other uses for the hexon protein
15 sequences of the invention will be readily apparent to those of skill in the art.

The invention further encompasses the fiber proteins of the simian adenoviruses of the invention. The fiber protein of AdPan 5 has the amino acid sequence of SEQ ID NO:4. The fiber protein AdPan6 has the amino acid sequence of SEQ ID NO: 8. The fiber protein of AdPan7 has the amino acid sequence of SEQ ID NO: 12. SV-1
20 has two fiber proteins; fiber 2 has the amino acid sequence of SEQ ID NO:27 and fiber 1 has the amino acid sequence of SEQ ID NO:28. SV-25 also has two fiber proteins; fiber 2 has the amino acid sequence of SEQ ID NO:32 and fiber 1 has the amino acid sequence of SEQ ID NO:33. The fiber protein of SV-39 has the amino acid sequence of SEQ ID NO:37.

25 Suitably, this fiber protein, or unique fragments thereof, may be utilized for a variety of purposes. One suitable fragment is the fiber knob, which spans about amino acids 247 to 425 of SEQ ID NO: 4, 8, 12, 28, 32, 33 and 37. See Fig. 2. Examples of other suitable fragments include the fiber having N-terminal and/or C-terminal truncations of about 50, 100, 150, or 200 amino acids, based upon the amino acid
30 numbering provided above and in SEQ ID NO: 4, 8, 12, 28, 32, 33 and 37. Still other suitable fragments include internal fragments. Further, the fiber protein may be modified using a variety of techniques known to those of skill in the art.

The invention further encompasses unique fragments of the proteins of the invention which are at least 8 amino acids in length. However, fragments of other desired lengths can be readily utilized. In addition, the invention encompasses such modifications as may be introduced to enhance yield and/or expression of a Pan5, Pan6, Pan7, SV1, SV25 or SV39 gene product, e.g., construction of a fusion molecule in which all or a fragment of the Pan5, Pan6, Pan7, SV1, SV25 or SV39 gene product is fused (either directly or via a linker) with a fusion partner to enhance. Other suitable modifications include, without limitation, truncation of a coding region (e.g., a protein or enzyme) to eliminate a pre- or pro-protein ordinarily cleaved and to provide the mature protein or enzyme and/or mutation of a coding region to provide a secretable gene product. Still other modifications will be readily apparent to one of skill in the art. The invention further encompasses proteins having at least about 95% to 99% identity to the Pan5, Pan6, Pan7, SV1, SV25 or SV39 proteins provided herein.

As described herein, vectors of the invention containing the adenoviral capsid proteins of the invention are particularly well suited for use in applications in which the neutralizing antibodies diminish the effectiveness of other Ad serotype based vectors, as well as other viral vectors. The rAd vectors of the invention are particularly advantageous in readministration for repeat gene therapy or for boosting immune response (vaccine titers).

Under certain circumstances, it may be desirable to use one or more of the Pan5, Pan6, Pan7, SV1, SV25 and/or SV39 gene products (e.g., a capsid protein or a fragment thereof) to generate an antibody. The term "an antibody," as used herein, refers to an immunoglobulin molecule which is able to specifically bind to an epitope. Thus, the antibodies of the invention bind, preferably specifically and without cross-reactivity, to a Pan5, Pan6, Pan7, SV1, SV25 or SV39 epitope. The antibodies in the present invention exist in a variety of forms including, for example, high affinity polyclonal antibodies, monoclonal antibodies, synthetic antibodies, chimeric antibodies, recombinant antibodies and humanized antibodies. Such antibodies originate from immunoglobulin classes IgG, IgM, IgA, IgD and IgE.

Such antibodies may be generated using any of a number of methods know in the art. Suitable antibodies may be generated by well-known conventional techniques, e.g. Kohler and Milstein and the many known modifications thereof.

Similarly desirable high titer antibodies are generated by applying known recombinant techniques to the monoclonal or polyclonal antibodies developed to these antigens [see, e.g., PCT Patent Application No. PCT/GB85/00392; British Patent Application Publication No. GB2188638A; Amit *et al.*, 1986 *Science*, 233:747-753; Queen *et al.*, 5 1989 *Proc. Nat'l. Acad. Sci. USA*, 86:10029-10033; PCT Patent Application No. PCT/WO9007861; and Riechmann *et al.*, *Nature*, 332:323-327 (1988); Huse *et al.*, 1988a *Science*, 246:1275-1281]. Alternatively, antibodies can be produced by manipulating the complementarity determining regions of animal or human antibodies to the antigen of this invention. See, e.g., E. Mark and Padlin, "Humanization of Monoclonal Antibodies", 10 Chapter 4, The Handbook of Experimental Pharmacology, Vol. 113, The Pharmacology of Monoclonal Antibodies, Springer-Verlag (June, 1994); Harlow *et al.*, 1999, Using Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory Press, NY; Harlow *et al.*, 1989, Antibodies: A Laboratory Manual, Cold Spring Harbor, New York; Houston *et al.*, 1988, *Proc. Natl. Acad. Sci. USA* 85:5879-5883; and Bird *et al.*, 1988, *Science* 15 242:423-426. Further provided by the present invention are anti-idiotypic antibodies (Ab2) and anti-anti-idiotypic antibodies (Ab3). See, e.g., M. Wettendorff *et al.*, "Modulation of anti-tumor immunity by anti-idiotypic antibodies." In Idiotypic Network and Diseases, ed. by J. Cerny and J. Hiernaux, 1990 *J. Am. Soc. Microbiol.*, Washington DC: pp. 203-229]. These anti-idiotypic and anti-anti-idiotypic antibodies are produced 20 using techniques well known to those of skill in the art. These antibodies may be used for a variety of purposes, including diagnostic and clinical methods and kits.

Under certain circumstances, it may be desirable to introduce a detectable label or a tag onto a Pan5, Pan6, Pan7, SV1, SV25 or SV39 gene product, antibody or other construct of the invention. As used herein, a detectable label is a molecule which is 25 capable, alone or upon interaction with another molecule, of providing a detectable signal. Most desirably, the label is detectable visually, e.g. by fluorescence, for ready use in immunohistochemical analyses or immunofluorescent microscopy. For example, suitable labels include fluorescein isothiocyanate (FITC), phycoerythrin (PE), allophycocyanin (APC), coriphosphine-O (CPO) or tandem dyes, PE-cyanin-5 (PC5), and PE-Texas Red 30 (ECD). All of these fluorescent dyes are commercially available, and their uses known to the art. Other useful labels include a colloidal gold label. Still other useful labels include radioactive compounds or elements. Additionally, labels include a variety of enzyme

systems that operate to reveal a colorimetric signal in an assay, e.g., glucose oxidase (which uses glucose as a substrate) releases peroxide as a product which in the presence of peroxidase and a hydrogen donor such as tetramethyl benzidine (TMB) produces an oxidized TMB that is seen as a blue color. Other examples include horseradish
5 peroxidase (HRP) or alkaline phosphatase (AP), and hexokinase in conjunction with glucose-6-phosphate dehydrogenase which reacts with ATP, glucose, and NAD⁺ to yield, among other products, NADH that is detected as increased absorbance at 340 nm wavelength.

Other label systems that are utilized in the methods of this invention are
10 detectable by other means, e.g., colored latex microparticles [Bangs Laboratories, Indiana] in which a dye is embedded are used in place of enzymes to form conjugates with the target sequences provide a visual signal indicative of the presence of the resulting complex in applicable assays.

Methods for coupling or associating the label with a desired molecule are
15 similarly conventional and known to those of skill in the art. Known methods of label attachment are described [see, for example, Handbook of Fluorescent probes and Research Chemicals, 6th Ed., R. P. M. Haugland, Molecular Probes, Inc., Eugene, OR, 1996; Pierce Catalog and Handbook, Life Science and Analytical Research Products, Pierce Chemical Company, Rockford, IL, 1994/1995]. Thus, selection of the label and
20 coupling methods do not limit this invention.

The sequences, proteins, and fragments of the invention may be produced by any suitable means, including recombinant production, chemical synthesis, or other synthetic means. Suitable production techniques are well known to those of skill in the art. See, e.g., Sambrook et al, Molecular Cloning: A Laboratory Manual, Cold Spring
25 Harbor Press (Cold Spring Harbor, NY). Alternatively, peptides can also be synthesized by the well known solid phase peptide synthesis methods (Merrifield, *J. Am. Chem. Soc.*, **85**:2149 (1962); Stewart and Young, Solid Phase Peptide Synthesis (Freeman, San Francisco, 1969) pp. 27-62). These and other suitable production methods are within the knowledge of those of skill in the art and are not a limitation of the present invention.

30 In addition, one of skill in the art will readily understand that the Ad sequences of the invention can be readily adapted for use for a variety of viral and non-viral vector systems for *in vitro*, *ex vivo* or *in vivo* delivery of therapeutic and

immunogenic molecules. For example, in one embodiment, the simian Ad capsid proteins and other simian adenovirus proteins described herein are used for non-viral, protein-based delivery of genes, proteins, and other desirable diagnostic, therapeutic and immunogenic molecules. In one such embodiment, a protein of the invention is linked,
5 directly or indirectly, to a molecule for targeting to cells with a receptor for adenoviruses. Preferably, a capsid protein such as a hexon, penton, fiber or a fragment thereof having a ligand for a cell surface receptor is selected for such targeting. Suitable molecules for delivery are selected from among the therapeutic molecules described herein and their gene products. A variety of linkers including, lipids, polyLys, and the like may be
10 utilized as linkers. For example, the simian penton protein may be readily utilized for such a purpose by production of a fusion protein using the simian penton sequences in a manner analogous to that described in Medina-Kauwe LK, et al, *Gene Ther.* **2001** May; 8(10):795-803 and Medina-Kauwe LK, et al, *Gene Ther.* **2001** Dec; 8(23): 1753-1761. Alternatively, the amino acid sequences of simian Ad protein IX may be utilized for
15 targeting vectors to a cell surface receptor, as described in US Patent Appln 20010047081. Suitable ligands include a CD40 antigen, an RGD-containing or polylysine-containing sequence, and the like. Still other simian Ad proteins, including, e.g., the hexon protein and/or the fiber protein, may be used for these and similar purposes.

20 Still other adenoviral proteins of the invention may be used as alone, or in combination with other adenoviral protein, for a variety of purposes which will be readily apparent to one of skill in the art. In addition, still other uses for the adenoviral proteins of the invention will be readily apparent to one of skill in the art.

25 II. Recombinant Adenoviral Vectors

The compositions of this invention include vectors that deliver a heterologous molecule to cells, either for therapeutic or vaccine purposes. As used herein, a vector may include any genetic element including, without limitation, naked DNA, a phage, transposon, cosmid, episome, plasmid, or a virus. Such vectors contain simian
30 adenovirus DNA of Pan5, Pan6, Pan7, SV1, SV25 and/or SV39 and a minigene. By "minigene" is meant the combination of a selected heterologous gene and the other

regulatory elements necessary to drive translation, transcription and/or expression of the gene product in a host cell.

Typically, an adenoviral vector of the invention is designed such that the minigene is located in a nucleic acid molecule which contains other adenoviral sequences in the region native to a selected adenoviral gene. The minigene may be inserted into an existing gene region to disrupt the function of that region, if desired. Alternatively, the minigene may be inserted into the site of a partially or fully deleted adenoviral gene. For example, the minigene may be located in the site of such as the site of a functional E1 deletion or functional E3 deletion, among others that may be selected. The term "functionally deleted" or "functional deletion" means that a sufficient amount of the gene region is removed or otherwise damaged, e.g., by mutation or modification, so that the gene region is no longer capable of producing functional products of gene expression. If desired, the entire gene region may be removed. Other suitable sites for gene disruption or deletion are discussed elsewhere in the application.

For example, for a production vector useful for generation of a recombinant virus, the vector may contain the minigene and either the 5' end of the adenoviral genome or the 3' end of the adenoviral genome, or both the 5' and 3' ends of the adenoviral genome. The 5' end of the adenoviral genome contains the 5' cis-elements necessary for packaging and replication; i.e., the 5' inverted terminal repeat (ITR) sequences (which functions as origins of replication) and the native 5' packaging enhancer domains (that contain sequences necessary for packaging linear Ad genomes and enhancer elements for the E1 promoter). The 3' end of the adenoviral genome includes the 3' cis-elements (including the ITRs) necessary for packaging and encapsidation. Suitably, a recombinant adenovirus contains both 5' and 3' adenoviral cis-elements and the minigene is located between the 5' and 3' adenoviral sequences. Any adenoviral vector of the invention may also contain additional adenoviral sequences.

Suitably, these adenoviral vectors of the invention contain one or more adenoviral elements derived from an adenoviral genome of the invention. In one embodiment, the vectors contain adenoviral ITRs from Pan5, Pan6, Pan7, SV1, SV25 or SV39 and additional adenoviral sequences from the same adenoviral serotype. In another embodiment, the vectors contain adenoviral sequences that are derived from a different

adenoviral serotype than that which provides the ITRs. As defined herein, a pseudotyped adenovirus refers to an adenovirus in which the capsid protein of the adenovirus is from a different serotype than the serotype which provides the ITRs. The selection of the serotype of the ITRs and the serotype of any other adenoviral sequences present in vector is not a limitation of the present invention. A variety of adenovirus strains are available from the American Type Culture Collection, Manassas, Virginia, or available by request from a variety of commercial and institutional sources. Further, the sequences of many such strains are available from a variety of databases including, e.g., PubMed and GenBank. Homologous adenovirus vectors prepared from other simian or from human adenoviruses are described in the published literature [see, for example, US Patent No. 5,240,846]. The DNA sequences of a number of adenovirus types are available from GenBank, including type Ad5 [GenBank Accession No. M73260]. The adenovirus sequences may be obtained from any known adenovirus serotype, such as serotypes 2, 3, 4, 7, 12 and 40, and further including any of the presently identified human types. Similarly adenoviruses known to infect non-human animals (e.g., simians) may also be employed in the vector constructs of this invention. See, e.g., US Patent No. 6,083,716.

The viral sequences, helper viruses, if needed, and recombinant viral particles, and other vector components and sequences employed in the construction of the vectors described herein are obtained as described above. The DNA sequences of the Pan5, Pan6, Pan7, SV1, SV25 and/or SV39 simian adenovirus sequences of the invention are employed to construct vectors and cell lines useful in the preparation of such vectors.

Modifications of the nucleic acid sequences forming the vectors of this invention, including sequence deletions, insertions, and other mutations may be generated using standard molecular biological techniques and are within the scope of this invention.

A. *The "Minigene"*

The methods employed for the selection of the transgene, the cloning and construction of the "minigene" and its insertion into the viral vector are within the skill in the art given the teachings provided herein.

1. The transgene

The transgene is a nucleic acid sequence, heterologous to the vector sequences flanking the transgene, which encodes a polypeptide, protein, or other product, of interest. The nucleic acid coding sequence is operatively linked to regulatory

components in a manner which permits transgene transcription, translation, and/or expression in a host cell.

The composition of the transgene sequence will depend upon the use to which the resulting vector will be put. For example, one type of transgene sequence includes a reporter sequence, which upon expression produces a detectable signal. Such reporter sequences include, without limitation, DNA sequences encoding β -lactamase, β -galactosidase (LacZ), alkaline phosphatase, thymidine kinase, green fluorescent protein (GFP), chloramphenicol acetyltransferase (CAT), luciferase, membrane bound proteins including, for example, CD2, CD4, CD8, the influenza hemagglutinin protein, and others well known in the art, to which high affinity antibodies directed thereto exist or can be produced by conventional means, and fusion proteins comprising a membrane bound protein appropriately fused to an antigen tag domain from, among others, hemagglutinin or Myc. These coding sequences, when associated with regulatory elements which drive their expression, provide signals detectable by conventional means, including enzymatic, radiographic, colorimetric, fluorescence or other spectrographic assays, fluorescent activating cell sorting assays and immunological assays, including enzyme linked immunosorbent assay (ELISA), radioimmunoassay (RIA) and immunohistochemistry. For example, where the marker sequence is the LacZ gene, the presence of the vector carrying the signal is detected by assays for beta-galactosidase activity. Where the transgene is GFP or luciferase, the vector carrying the signal may be measured visually by color or light production in a luminometer.

However, desirably, the transgene is a non-marker sequence encoding a product which is useful in biology and medicine, such as proteins, peptides, RNA, enzymes, or catalytic RNAs. Desirable RNA molecules include tRNA, dsRNA, ribosomal RNA, catalytic RNAs, and antisense RNAs. One example of a useful RNA sequence is a sequence which extinguishes expression of a targeted nucleic acid sequence in the treated animal.

The transgene may be used for treatment, e.g., of genetic deficiencies, as a cancer therapeutic or vaccine, for induction of an immune response, and/or for prophylactic vaccine purposes. As used herein, induction of an immune response refers to the ability of a molecule (e.g., a gene product) to induce a T cell and/or a humoral immune response to the molecule. The invention further includes using multiple

transgenes, e.g., to correct or ameliorate a condition caused by a multi-subunit protein. In certain situations, a different transgene may be used to encode each subunit of a protein, or to encode different peptides or proteins. This is desirable when the size of the DNA encoding the protein subunit is large, e.g., for an immunoglobulin, the platelet-derived growth factor, or a dystrophin protein. In order for the cell to produce the multi-subunit protein, a cell is infected with the recombinant virus containing each of the different subunits. Alternatively, different subunits of a protein may be encoded by the same transgene. In this case, a single transgene includes the DNA encoding each of the subunits, with the DNA for each subunit separated by an internal ribozyme entry site (IRES). This is desirable when the size of the DNA encoding each of the subunits is small, e.g., the total size of the DNA encoding the subunits and the IRES is less than five kilobases. As an alternative to an IRES, the DNA may be separated by sequences encoding a 2A peptide, which self-cleaves in a post-translational event. See, e.g., M.L. Donnelly, *et al*, *J. Gen. Virol.*, **78**(Pt 1):13-21 (Jan 1997); Furler, S., *et al*, *Gene Ther.*, **8**(11):864-873 (June 2001); Klump H., *et al.*, *Gene Ther.*, **8**(10):811-817 (May 2001). This 2A peptide is significantly smaller than an IRES, making it well suited for use when space is a limiting factor. However, the selected transgene may encode any biologically active product or other product, e.g., a product desirable for study.

Suitable transgenes may be readily selected by one of skill in the art. The selection of the transgene is not considered to be a limitation of this invention.

2. Regulatory Elements

In addition to the major elements identified above for the minigene, the vector also includes conventional control elements necessary which are operably linked to the transgene in a manner that permits its transcription, translation and/or expression in a cell transfected with the plasmid vector or infected with the virus produced by the invention. As used herein, "operably linked" sequences include both expression control sequences that are contiguous with the gene of interest and expression control sequences that act in *trans* or at a distance to control the gene of interest.

Expression control sequences include appropriate transcription initiation, termination, promoter and enhancer sequences; efficient RNA processing signals such as splicing and polyadenylation (polyA) signals; sequences that stabilize cytoplasmic mRNA; sequences that enhance translation efficiency (i.e., Kozak consensus

sequence); sequences that enhance protein stability; and when desired, sequences that enhance secretion of the encoded product. A great number of expression control sequences, including promoters which are native, constitutive, inducible and/or tissue-specific, are known in the art and may be utilized.

5 Examples of constitutive promoters include, without limitation, the retroviral Rous sarcoma virus (RSV) LTR promoter (optionally with the RSV enhancer), the cytomegalovirus (CMV) promoter (optionally with the CMV enhancer) [see, e.g., Boshart *et al*, *Cell*, **41**:521-530 (1985)], the SV40 promoter, the dihydrofolate reductase promoter, the β -actin promoter, the phosphoglycerol kinase (PGK) promoter, and the EF1 α promoter [Invitrogen].

 Inducible promoters allow regulation of gene expression and can be regulated by exogenously supplied compounds, environmental factors such as temperature, or the presence of a specific physiological state, e.g., acute phase, a particular differentiation state of the cell, or in replicating cells only. Inducible
15 promoters and inducible systems are available from a variety of commercial sources, including, without limitation, Invitrogen, Clontech and Ariad. Many other systems have been described and can be readily selected by one of skill in the art. For example, inducible promoters include the zinc-inducible sheep metallothionine (MT) promoter and the dexamethasone (Dex)-inducible mouse mammary tumor virus (MMTV) promoter.
20 Other inducible systems include the T7 polymerase promoter system [WO 98/10088]; the ecdysone insect promoter [No *et al*, *Proc. Natl. Acad. Sci. USA*, **93**:3346-3351 (1996)], the tetracycline-repressible system [Gossen *et al*, *Proc. Natl. Acad. Sci. USA*, **89**:5547-5551 (1992)], the tetracycline-inducible system [Gossen *et al*, *Science*, **268**:1766-1769 (1995), see also Harvey *et al*, *Curr. Opin. Chem. Biol.*, **2**:512-518 (1998)]. Other systems
25 include the FK506 dimer, VP16 or p65 using castradiol, diphenol murislerone, the RU486-inducible system [Wang *et al*, *Nat. Biotech.*, **15**:239-243 (1997) and Wang *et al*, *Gene Ther.*, **4**:432-441 (1997)] and the rapamycin-inducible system [Magari *et al*, *J. Clin. Invest.*, **100**:2865-2872 (1997)]. The effectiveness of some inducible promoters increases over time. In such cases one can enhance the effectiveness of such systems by
30 inserting multiple repressors in tandem, e.g., TetR linked to a TetR by an IRES. Alternatively, one can wait at least 3 days before screening for the desired function. One can enhance expression of desired proteins by known means to enhance the effectiveness

of this system. For example, using the Woodchuck Hepatitis Virus Posttranscriptional Regulatory Element (WPRE).

In another embodiment, the native promoter for the transgene will be used. The native promoter may be preferred when it is desired that expression of the transgene should mimic the native expression. The native promoter may be used when expression of the transgene must be regulated temporally or developmentally, or in a tissue-specific manner, or in response to specific transcriptional stimuli. In a further embodiment, other native expression control elements, such as enhancer elements, polyadenylation sites or Kozak consensus sequences may also be used to mimic the native expression.

Another embodiment of the transgene includes a transgene operably linked to a tissue-specific promoter. For instance, if expression in skeletal muscle is desired, a promoter active in muscle should be used. These include the promoters from genes encoding skeletal β -actin, myosin light chain 2A, dystrophin, muscle creatine kinase, as well as synthetic muscle promoters with activities higher than naturally occurring promoters (see Li *et al.*, *Nat. Biotech.*, **17**:241-245 (1999)). Examples of promoters that are tissue-specific are known for liver (albumin, Miyatake *et al.*, *J. Virol.*, **71**:5124-32 (1997); hepatitis B virus core promoter, Sandig *et al.*, *Gene Ther.*, **3**:1002-9 (1996); alpha-fetoprotein (AFP), Arbuthnot *et al.*, *Hum. Gene Ther.*, **7**:1503-14 (1996)), bone osteocalcin (Stein *et al.*, *Mol. Biol. Rep.*, **24**:185-96 (1997)); bone sialoprotein (Chen *et al.*, *J. Bone Miner. Res.*, **11**:654-64 (1996)), lymphocytes (CD2, Hansal *et al.*, *J. Immunol.*, **161**:1063-8 (1998); immunoglobulin heavy chain; T cell receptor chain), neuronal such as neuron-specific enolase (NSE) promoter (Andersen *et al.*, *Cell. Mol. Neurobiol.*, **13**:503-15 (1993)), neurofilament light-chain gene (Piccioli *et al.*, *Proc. Natl. Acad. Sci. USA*, **88**:5611-5 (1991)), and the neuron-specific vgf gene (Piccioli *et al.*, *Neuron*, **15**:373-84 (1995)), among others.

Optionally, vectors carrying transgenes encoding therapeutically useful or immunogenic products may also include selectable markers or reporter genes may include sequences encoding geneticin, hygromycin or purimycin resistance, among others. Such selectable reporters or marker genes (preferably located outside the viral genome to be packaged into a viral particle) can be used to signal the presence of the plasmids in bacterial cells, such as ampicillin resistance. Other components of the vector may include

an origin of replication. Selection of these and other promoters and vector elements are conventional and many such sequences are available [see, e.g., Sambrook et al, and references cited therein].

These vectors are generated using the techniques and sequences provided
5 herein, in conjunction with techniques known to those of skill in the art.

Such techniques include conventional cloning techniques of cDNA such as those described in texts [Sambrook et al, Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Press, Cold Spring Harbor, NY], use of overlapping oligonucleotide sequences of the adenovirus genomes, polymerase chain reaction, and any suitable
10 method which provides the desired nucleotide sequence.

III. Production of the Recombinant Viral Particle

In one embodiment, the simian adenoviral plasmids (or other vectors) are used to produce recombinant adenoviral particles. In one embodiment, the recombinant
15 adenoviruses are functionally deleted in the E1a or E1b genes, and optionally bearing other mutations, e.g., temperature-sensitive mutations or deletions in other genes. In other embodiments, it is desirable to retain an intact E1a and/or E1b region in the recombinant adenoviruses. Such an intact E1 region may be located in its native location in the adenoviral genome or placed in the site of a deletion in the native adenoviral
20 genome (e.g., in the E3 region).

In the construction of useful simian adenovirus vectors for delivery of a gene to the human (or other mammalian) cell, a range of adenovirus nucleic acid sequences can be employed in the vectors. For example, all or a portion of the adenovirus delayed early gene E3 may be eliminated from the simian adenovirus sequence which forms a part of
25 the recombinant virus. The function of simian E3 is believed to be irrelevant to the function and production of the recombinant virus particle. Simian adenovirus vectors may also be constructed having a deletion of at least the ORF6 region of the E4 gene, and more desirably because of the redundancy in the function of this region, the entire E4 region. Still another vector of this invention contains a deletion in the delayed early gene
30 E2a. Deletions may also be made in any of the late genes L1 through L5 of the simian adenovirus genome. Similarly, deletions in the intermediate genes IX and IVa₂ may be useful for some purposes. Other deletions may be made in the other structural or non-

structural adenovirus genes. The above discussed deletions may be used individually, i.e., an adenovirus sequence for use in the present invention may contain deletions in only a single region. Alternatively, deletions of entire genes or portions thereof effective to destroy their biological activity may be used in any combination. For example, in one
5 exemplary vector, the adenovirus sequence may have deletions of the E1 genes and the E4 gene, or of the E1, E2a and E3 genes, or of the E1 and E3 genes, or of E1, E2a and E4 genes, with or without deletion of E3, and so on. As discussed above, such deletions may be used in combination with other mutations, such as temperature-sensitive mutations, to achieve a desired result.

10 An adenoviral vector lacking any essential adenoviral sequences (e.g., E1a, E1b, E2a, E2b, E4 ORF6, L1, L2, L3, L4 and L5) may be cultured in the presence of the missing adenoviral gene products which are required for viral infectivity and propagation of an adenoviral particle. These helper functions may be provided by culturing the adenoviral vector in the presence of one or more helper constructs (e.g., a plasmid or
15 virus) or a packaging host cell. See, for example, the techniques described for preparation of a "minimal" human Ad vector in International Patent Application WO96/13597, published May 9, 1996, and incorporated herein by reference.

1. Helper Viruses

Thus, depending upon the simian adenovirus gene content of the
20 viral vectors employed to carry the minigene, a helper adenovirus or non-replicating virus fragment may be necessary to provide sufficient simian adenovirus gene sequences necessary to produce an infective recombinant viral particle containing the minigene. Useful helper viruses contain selected adenovirus gene sequences not present in the adenovirus vector construct and/or not expressed by the packaging cell line in which the
25 vector is transfected. In one embodiment, the helper virus is replication-defective and contains a variety of adenovirus genes in addition to the sequences described above. Such a helper virus is desirably used in combination with an E1-expressing cell line.

Helper viruses may also be formed into poly-cation conjugates as described in Wu *et al*, *J. Biol. Chem.*, **264**:16985-16987 (1989); K. J. Fisher and J. M.
30 Wilson, *Biochem. J.*, **299**:49 (April 1, 1994). Helper virus may optionally contain a second reporter minigene. A number of such reporter genes are known to the art. The presence of a reporter gene on the helper virus which is different from the transgene on

the adenovirus vector allows both the Ad vector and the helper virus to be independently monitored. This second reporter is used to enable separation between the resulting recombinant virus and the helper virus upon purification.

2. Complementation Cell Lines

5 To generate recombinant simian adenoviruses (Ad) deleted in any of the genes described above, the function of the deleted gene region, if essential to the replication and infectivity of the virus, must be supplied to the recombinant virus by a helper virus or cell line, i.e., a complementation or packaging cell line. In many circumstances, a cell line expressing the human E1 can be used to transcomplement the
10 chimp Ad vector. This is particularly advantageous because, due to the diversity between the chimp Ad sequences of the invention and the human AdE1 sequences found in currently available packaging cells, the use of the current human E1-containing cells prevents the generation of replication-competent adenoviruses during the replication and production process. However, in certain circumstances, it will be desirable to utilize a
15 cell line which expresses the E1 gene products can be utilized for production of an E1-deleted simian adenovirus. Such cell lines have been described. See, e.g., US Patent 6,083,716.

If desired, one may utilize the sequences provided herein to generate a packaging cell or cell line that expresses, at a minimum, the adenovirus E1
20 gene from Pan5, Pan6, Pan7, SV1, SV25 or SV39 under the transcriptional control of a promoter for expression in a selected parent cell line. Inducible or constitutive promoters may be employed for this purpose. Examples of such promoters are described in detail elsewhere in this specification. A parent cell is selected for the generation of a novel cell line expressing any desired AdPan5, Pan6, Pan7, SV1, SV25 or SV39 gene. Without
25 limitation, such a parent cell line may be HeLa [ATCC Accession No. CCL 2], A549 [ATCC Accession No. CCL 185], HEK 293, KB [CCL 17], Detroit [e.g., Detroit 510, CCL 72] and WI-38 [CCL 75] cells, among others. These cell lines are all available from the American Type Culture Collection, 10801 University Boulevard, Manassas, Virginia 20110-2209. Other suitable parent cell lines may be obtained from other sources.

30 Such E1-expressing cell lines are useful in the generation of recombinant simian adenovirus E1 deleted vectors. Additionally, or alternatively, the invention provides cell lines that express one or more simian adenoviral gene products,

e.g., E1a, E1b, E2a, and/or E4 ORF6, can be constructed using essentially the same procedures for use in the generation of recombinant simian viral vectors. Such cell lines can be utilized to transcomplement adenovirus vectors deleted in the essential genes that encode those products, or to provide helper functions necessary for packaging of a helper-dependent virus (e.g., adeno-associated virus). The preparation of a host cell according to this invention involves techniques such as assembly of selected DNA sequences. This assembly may be accomplished utilizing conventional techniques. Such techniques include cDNA and genomic cloning, which are well known and are described in Sambrook et al., cited above, use of overlapping oligonucleotide sequences of the adenovirus genomes, combined with polymerase chain reaction, synthetic methods, and any other suitable methods which provide the desired nucleotide sequence.

In still another alternative, the essential adenoviral gene products are provided in *trans* by the adenoviral vector and/or helper virus. In such an instance, a suitable host cell can be selected from any biological organism, including prokaryotic (e.g., bacterial) cells, and eukaryotic cells, including, insect cells, yeast cells and mammalian cells. Particularly desirable host cells are selected from among any mammalian species, including, without limitation, cells such as A549, WEHI, 3T3, 10T1/2, HEK 293 cells or PERC6 (both of which express functional adenoviral E1) [Fallaux, FJ *et al.*, (1998), *Hum Gene Ther*, **9**:1909-1917], Saos, C2C12, L cells, HT1080, HepG2 and primary fibroblast, hepatocyte and myoblast cells derived from mammals including human, monkey, mouse, rat, rabbit, and hamster. The selection of the mammalian species providing the cells is not a limitation of this invention; nor is the type of mammalian cell, i.e., fibroblast, hepatocyte, tumor cell, etc.

3. Assembly of Viral Particle and Transfection of a Cell Line

Generally, when delivering the vector comprising the minigene by transfection, the vector is delivered in an amount from about 5 μ g to about 100 μ g DNA, and preferably about 10 to about 50 μ g DNA to about 1×10^4 cells to about 1×10^{13} cells, and preferably about 10^5 cells. However, the relative amounts of vector DNA to host cells may be adjusted, taking into consideration such factors as the selected vector, the delivery method and the host cells selected.

The vector may be any vector known in the art or disclosed above, including naked DNA, a plasmid, phage, transposon, cosmids, episomes, viruses, etc.

Introduction into the host cell of the vector may be achieved by any means known in the art or as disclosed above, including transfection, and infection. One or more of the adenoviral genes may be stably integrated into the genome of the host cell, stably expressed as episomes, or expressed transiently. The gene products may all be expressed transiently, on an episome or stably integrated, or some of the gene products may be expressed stably while others are expressed transiently. Furthermore, the promoters for each of the adenoviral genes may be selected independently from a constitutive promoter, an inducible promoter or a native adenoviral promoter. The promoters may be regulated by a specific physiological state of the organism or cell (i.e., by the differentiation state or in replicating or quiescent cells) or by exogenously-added factors, for example.

Introduction of the molecules (as plasmids or viruses) into the host cell may also be accomplished using techniques known to the skilled artisan and as discussed throughout the specification. In preferred embodiment, standard transfection techniques are used, e.g., CaPO_4 transfection or electroporation.

Assembly of the selected DNA sequences of the adenovirus (as well as the transgene and other vector elements into various intermediate plasmids, and the use of the plasmids and vectors to produce a recombinant viral particle are all achieved using conventional techniques. Such techniques include conventional cloning techniques of cDNA such as those described in texts [Sambrook et al, cited above], use of overlapping oligonucleotide sequences of the adenovirus genomes, polymerase chain reaction, and any suitable method which provides the desired nucleotide sequence. Standard transfection and co-transfection techniques are employed, e.g., CaPO_4 precipitation techniques. Other conventional methods employed include homologous recombination of the viral genomes, plaquing of viruses in agar overlay, methods of measuring signal generation, and the like.

For example, following the construction and assembly of the desired minigene-containing viral vector, the vector is transfected *in vitro* in the presence of a helper virus into the packaging cell line. Homologous recombination occurs between the helper and the vector sequences, which permits the adenovirus-transgene sequences in the vector to be replicated and packaged into virion capsids, resulting in the recombinant viral vector particles. The current method for producing such virus particles is transfection-based. However, the invention is not limited to such methods.

The resulting recombinant simian adenoviruses are useful in transferring a selected transgene to a selected cell. In *in vivo* experiments with the recombinant virus grown in the packaging cell lines, the E1-deleted recombinant simian adenoviral vectors of the invention demonstrate utility in transferring a transgene to a non-simian, preferably
5 a human, cell.

IV. Use of the Recombinant Adenovirus Vectors

The recombinant simian adenovirus vectors of the invention are useful for gene transfer to a human or non-simian veterinary patient *in vitro*, *ex vivo*, and *in vivo*.

10 The recombinant adenovirus vectors described herein can be used as expression vectors for the production of the products encoded by the heterologous genes *in vitro*. For example, the recombinant adenoviruses containing a gene inserted into the location of an E1 deletion may be transfected into an E1-expressing cell line as described above. Alternatively, replication-competent adenoviruses may be used in another selected cell
15 line. The transfected cells are then cultured in the conventional manner, allowing the recombinant adenovirus to express the gene product from the promoter. The gene product may then be recovered from the culture medium by known conventional methods of protein isolation and recovery from culture.

A Pan5, Pan6, Pan7, SV1, SV25 or SV39-derived recombinant simian adenoviral
20 vector of the invention provides an efficient gene transfer vehicle that can deliver a selected transgene to a selected host cell *in vivo* or *ex vivo* even where the organism has neutralizing antibodies to one or more AAV serotypes. In one embodiment, the rAAV and the cells are mixed *ex vivo*; the infected cells are cultured using conventional methodologies; and the transduced cells are re-infused into the patient. These
25 compositions are particularly well suited to gene delivery for therapeutic purposes and for immunization, including inducing protective immunity.

More commonly, the Pan 5, Pan6, Pan7, SV1, SV25, or SV39 recombinant adenoviral vectors of the invention will be utilized for delivery of therapeutic or immunogenic molecules, as described below. It will be readily understood for both
30 applications, that the recombinant adenoviral vectors of the invention are particularly well suited for use in regimens involving repeat delivery of recombinant adenoviral vectors. Such regimens typically involve delivery of a series of viral vectors in which the viral

capsids are alternated. The viral capsids may be changed for each subsequent administration, or after a pre-selected number of administrations of a particular serotype capsid (e.g., one, two, three, four or more). Thus, a regimen may involve delivery of a rAd with a first simian capsid, delivery with a rAd with a second simian capsid, and
5 delivery with a third simian capsid. A variety of other regimens which use the Ad capsids of the invention alone, in combination with one another, or in combination with other Ad serotypes will be apparent to those of skill in the art. Optionally, such a regimen may involve administration of rAd with capsids of other non-human primate adenoviruses, human adenoviruses, or artificial serotypes such as are described herein. Each phase of
10 the regimen may involve administration of a series of injections (or other delivery routes) with a single Ad serotype capsid followed by a series with another Ad serotype capsid. Alternatively, the recombinant Ad vectors of the invention may be utilized in regimens involving other non-adenoviral-mediated delivery systems, including other viral systems, non-viral delivery systems, protein, peptides, and other biologically active molecules.

15 The following sections will focus on exemplary molecules which may be delivered via the adenoviral vectors of the invention.

A. Ad-Mediated Delivery of Therapeutic Molecules

In one embodiment, the above-described recombinant vectors are administered to humans according to published methods for gene therapy. A simian viral
20 vector bearing the selected transgene may be administered to a patient, preferably suspended in a biologically compatible solution or pharmaceutically acceptable delivery vehicle. A suitable vehicle includes sterile saline. Other aqueous and non-aqueous isotonic sterile injection solutions and aqueous and non-aqueous sterile suspensions known to be pharmaceutically acceptable carriers and well known to those of skill in the
25 art may be employed for this purpose.

The simian adenoviral vectors are administered in sufficient amounts to transduce the target cells and to provide sufficient levels of gene transfer and expression to provide a therapeutic benefit without undue adverse or with medically acceptable physiological effects, which can be determined by those skilled in the medical arts.
30 Conventional and pharmaceutically acceptable routes of administration include, but are not limited to, direct delivery to the retina and other intraocular delivery methods, direct delivery to the liver, inhalation, intranasal, intravenous, intramuscular, intratracheal,

subcutaneous, intradermal, rectal, oral and other parenteral routes of administration. Routes of administration may be combined, if desired, or adjusted depending upon the transgene or the condition. The route of administration primarily will depend on the nature of the condition being treated.

5 Dosages of the viral vector will depend primarily on factors such as the condition being treated, the age, weight and health of the patient, and may thus vary among patients. For example, a therapeutically effective adult human or veterinary dosage of the viral vector is generally in the range of from about 100 μ L to about 100 mL of a carrier containing concentrations of from about 1×10^6 to about 1×10^{15} particles, 10 about 1×10^{11} to 1×10^{13} particles, or about 1×10^9 to 1×10^{12} particles virus. Dosages will range depending upon the size of the animal and the route of administration. For example, a suitable human or veterinary dosage (for about an 80 kg animal) for intramuscular injection is in the range of about 1×10^9 to about 5×10^{12} particles per mL, for a single site. Optionally, multiple sites of administration may be delivered. In another 15 example, a suitable human or veterinary dosage may be in the range of about 1×10^{11} to about 1×10^{15} particles for an oral formulation. One of skill in the art may adjust these doses, depending the route of administration, and the therapeutic or vaccinal application for which the recombinant vector is employed. The levels of expression of the transgene, or for an immunogen, the level of circulating antibody, can be monitored to determine the 20 frequency of dosage administration. Yet other methods for determining the timing of frequency of administration will be readily apparent to one of skill in the art.

 An optional method step involves the co-administration to the patient, either concurrently with, or before or after administration of the viral vector, of a suitable amount of a short acting immune modulator. The selected immune modulator is defined 25 herein as an agent capable of inhibiting the formation of neutralizing antibodies directed against the recombinant vector of this invention or capable of inhibiting cytolytic T lymphocyte (CTL) elimination of the vector. The immune modulator may interfere with the interactions between the T helper subsets (T_{H1} or T_{H2}) and B cells to inhibit neutralizing antibody formation. Alternatively, the immune modulator may inhibit the 30 interaction between T_{H1} cells and CTLs to reduce the occurrence of CTL elimination of the vector. A variety of useful immune modulators and dosages for use of same are disclosed, for example, in Yang *et al.*, *J. Virol.*, 70(9) (Sept., 1996); International Patent

Application No. WO96/12406, published May 2, 1996; and International Patent Application No. PCT/US96/03035, all incorporated herein by reference.

1. Therapeutic Transgenes

Useful therapeutic products encoded by the transgene include

5 hormones and growth and differentiation factors including, without limitation, insulin, glucagon, growth hormone (GH), parathyroid hormone (PTH), growth hormone releasing factor (GRF), follicle stimulating hormone (FSH), luteinizing hormone (LH), human chorionic gonadotropin (hCG), vascular endothelial growth factor (VEGF), angiopoietins, angiostatin, granulocyte colony stimulating factor (GCSF), erythropoietin (EPO),

10 connective tissue growth factor (CTGF), basic fibroblast growth factor (bFGF), acidic fibroblast growth factor (aFGF), epidermal growth factor (EGF), transforming growth factor (TGF), platelet-derived growth factor (PDGF), insulin growth factors I and II (IGF-I and IGF-II), any one of the transforming growth factor superfamily, including TGF, activins, inhibins, or any of the bone morphogenic proteins (BMP) BMPs 1-15, any

15 one of the heregluin/neuregulin/ARIA/neu differentiation factor (NDF) family of growth factors, nerve growth factor (NGF), brain-derived neurotrophic factor (BDNF), neurotrophins NT-3 and NT-4/5, ciliary neurotrophic factor (CNTF), glial cell line derived neurotrophic factor (GDNF), neurturin, agrin, any one of the family of semaphorins/collapsins, netrin-1 and netrin-2, hepatocyte growth factor (HGF), ephrins,

20 noggin, sonic hedgehog and tyrosine hydroxylase.

Other useful transgene products include proteins that regulate the immune system including, without limitation, cytokines and lymphokines such as thrombopoietin (TPO), interleukins (IL) IL-1 through IL-25 (including, e.g., IL-2, IL-4, IL-12 and IL-18), monocyte chemoattractant protein, leukemia inhibitory factor,

25 granulocyte-macrophage colony stimulating factor, Fas ligand, tumor necrosis factors and, interferons, and, stem cell factor, flk-2/flt3 ligand. Gene products produced by the immune system are also useful in the invention. These include, without limitation, immunoglobulins IgG, IgM, IgA, IgD and IgE, chimeric immunoglobulins, humanized antibodies, single chain antibodies, T cell receptors, chimeric T cell receptors, single

30 chain T cell receptors, class I and class II MHC molecules, as well as engineered immunoglobulins and MHC molecules. Useful gene products also include complement

regulatory proteins such as complement regulatory proteins, membrane cofactor protein (MCP), decay accelerating factor (DAF), CR1, CF2 and CD59.

Still other useful gene products include any one of the receptors for the hormones, growth factors, cytokines, lymphokines, regulatory proteins and immune system proteins. The invention encompasses receptors for cholesterol regulation, including the low density lipoprotein (LDL) receptor, high density lipoprotein (HDL) receptor, the very low density lipoprotein (VLDL) receptor, and the scavenger receptor. The invention also encompasses gene products such as members of the steroid hormone receptor superfamily including glucocorticoid receptors and estrogen receptors, Vitamin D receptors and other nuclear receptors. In addition, useful gene products include transcription factors such as *jun*, *fos*, max, mad, serum response factor (SRF), AP-1, AP2, *myb*, MyoD and myogenin, ETS-box containing proteins, TFE3, E2F, ATF1, ATF2, ATF3, ATF4, ZF5, NFAT, CREB, HNF-4, C/EBP, SP1, CCAAT-box binding proteins, interferon regulation factor (IRF-1), Wilms tumor protein, ETS-binding protein, STAT, GATA-box binding proteins, e.g., GATA-3, and the forkhead family of winged helix proteins.

Other useful gene products include, carbamoyl synthetase I, ornithine transcarbamylase, arginosuccinate synthetase, arginosuccinate lyase, arginase, fumarylacetate hydrolase, phenylalanine hydroxylase, alpha-1 antitrypsin, glucose-6-phosphatase, porphobilinogen deaminase, factor VIII, factor IX, cystathione beta-synthase, branched chain ketoacid decarboxylase, albumin, isovaleryl-coA dehydrogenase, propionyl CoA carboxylase, methyl malonyl CoA mutase, glutaryl CoA dehydrogenase, insulin, beta-glucosidase, pyruvate carboxylate, hepatic phosphorylase, phosphorylase kinase, glycine decarboxylase, H-protein, T-protein, a cystic fibrosis transmembrane regulator (CFTR) sequence, and a dystrophin cDNA sequence.

Other useful gene products include non-naturally occurring polypeptides, such as chimeric or hybrid polypeptides having a non-naturally occurring amino acid sequence containing insertions, deletions or amino acid substitutions. For example, single-chain engineered immunoglobulins could be useful in certain immunocompromised patients. Other types of non-naturally occurring gene sequences include antisense molecules and catalytic nucleic acids, such as ribozymes, which could be used to reduce overexpression of a target.

Reduction and/or modulation of expression of a gene are particularly desirable for treatment of hyperproliferative conditions characterized by hyperproliferating cells, as are cancers and psoriasis. Target polypeptides include those polypeptides which are produced exclusively or at higher levels in hyperproliferative cells as compared to normal cells. Target antigens include polypeptides encoded by oncogenes such as myb, myc, fyn, and the translocation gene bcr/abl, ras, src, P53, neu, trk and EGRF. In addition to oncogene products as target antigens, target polypeptides for anti-cancer treatments and protective regimens include variable regions of antibodies made by B cell lymphomas and variable regions of T cell receptors of T cell lymphomas which, in some embodiments, are also used as target antigens for autoimmune disease. Other tumor-associated polypeptides can be used as target polypeptides such as polypeptides which are found at higher levels in tumor cells including the polypeptide recognized by monoclonal antibody 17-1A and folate binding polypeptides.

Other suitable therapeutic polypeptides and proteins include those which may be useful for treating individuals suffering from autoimmune diseases and disorders by conferring a broad based protective immune response against targets that are associated with autoimmunity including cell receptors and cells which produce self-directed antibodies. T cell mediated autoimmune diseases include Rheumatoid arthritis (RA), multiple sclerosis (MS), Sjögren's syndrome, sarcoidosis, insulin dependent diabetes mellitus (IDDM), autoimmune thyroiditis, reactive arthritis, ankylosing spondylitis, scleroderma, polymyositis, dermatomyositis, psoriasis, vasculitis, Wegener's granulomatosis, Crohn's disease and ulcerative colitis. Each of these diseases is characterized by T cell receptors (TCRs) that bind to endogenous antigens and initiate the inflammatory cascade associated with autoimmune diseases.

The simian adenoviral vectors of the invention are particularly well suited for therapeutic regimens in which multiple adenoviral-mediated deliveries of transgenes is desired, e.g., in regimens involving redelivery of the same transgene or in combination regimens involving delivery of other transgenes. Such regimens may involve administration of a Pan5, Pan6, Pan7, SV1, SV25 or SV39 simian adenoviral vector, followed by re-administration with a vector from the same serotype adenovirus. Particularly desirable regimens involve administration of a Pan5, Pan6, Pan7, SV1, SV25 or SV39 simian adenoviral vector of the invention, in which the serotype of the viral

vector delivered in the first administration differs from the serotype of the viral vector utilized in one or more of the subsequent administrations. For example, a therapeutic regimen involves administration of a Pan5, Pan6, Pan7, SV1, SV25 or SV39 vector and repeat administration with one or more adenoviral vectors of the same or different serotypes. In another example, a therapeutic regimen involves administration of an adenoviral vector followed by repeat administration with a Pan5, Pan6, Pan7, SV1, SV25 or SV39 vector of the invention which differs from the serotype of the first delivered adenoviral vector, and optionally further administration with another vector which is the same or, preferably, differs from the serotype of the vector in the prior administration steps. These regimens are not limited to delivery of adenoviral vectors constructed using the Pan5, Pan6, Pan7, SV1, SV25 or SV39 simian serotypes of the invention. Rather, these regimens can readily utilize vectors other adenoviral serotypes, including, without limitation, other simian adenoviral serotypes (e.g., Pan9 or C68, C1, etc), other non-human primate adenoviral serotypes, or human adenoviral serotypes, in combination with one or more of the Pan5, Pan6, Pan7, SV1, SV25 or SV39 vectors of the invention. Examples of such simian, other non-human primate and human adenoviral serotypes are discussed elsewhere in this document. Further, these therapeutic regimens may involve either simultaneous or sequential delivery of Pan 5, Pan6, Pan7, SV1, SV25, and/or SV39 adenoviral vectors of the invention in combination with non-adenoviral vectors, non-viral vectors, and/or a variety of other therapeutically useful compounds or molecules. The present invention is not limited to these therapeutic regimens, a variety of which will be readily apparent to one of skill in the art.

B. Ad-Mediated Delivery of Immunogenic Transgenes

The recombinant simian adenoviruses may also be employed as immunogenic compositions. As used herein, an immunogenic composition is a composition to which a humoral (e.g., antibody) or cellular (e.g., a cytotoxic T cell) response is mounted to a transgene product delivered by the immunogenic composition following delivery to a mammal, and preferably a primate. The present invention provides a recombinant simian Ad that can contain in any of its adenovirus sequence deletions a gene encoding a desired immunogen. The simian adenovirus is likely to be better suited for use as a live recombinant virus vaccine in different animal species compared to an adenovirus of human origin, but is not limited to such a use. The

recombinant adenoviruses can be used as prophylactic or therapeutic vaccines against any pathogen for which the antigen(s) crucial for induction of an immune response and able to limit the spread of the pathogen has been identified and for which the cDNA is available.

Such vaccinal (or other immunogenic) compositions are formulated in a suitable delivery vehicle, as described above. Generally, doses for the immunogenic compositions are in the range defined above for therapeutic compositions. The levels of immunity of the selected gene can be monitored to determine the need, if any, for boosters. Following an assessment of antibody titers in the serum, optional booster immunizations may be desired.

Optionally, a vaccinal composition of the invention may be formulated to contain other components, including, e.g. adjuvants, stabilizers, pH adjusters, preservatives and the like. Such components are well known to those of skill in the vaccine art. Examples of suitable adjuvants include, without limitation, liposomes, alum, monophosphoryl lipid A, and any biologically active factor, such as cytokine, an interleukin, a chemokine, a ligands, and optimally combinations thereof. Certain of these biologically active factors can be expressed *in vivo*, e.g., via a plasmid or viral vector. For example, such an adjuvant can be administered with a priming DNA vaccine encoding an antigen to enhance the antigen-specific immune response compared with the immune response generated upon priming with a DNA vaccine encoding the antigen only.

The recombinant adenoviruses are administered in a "an immunogenic amount", that is, an amount of recombinant adenovirus that is effective in a route of administration to transfect the desired cells and provide sufficient levels of expression of the selected gene to induce an immune response. Where protective immunity is provided, the recombinant adenoviruses are considered to be vaccine compositions useful in preventing infection and/or recurrent disease.

Alternatively, or in addition, the vectors of the invention may contain a transgene encoding a peptide, polypeptide or protein which induces an immune response to a selected immunogen. The recombinant adenoviruses of this invention are expected to be highly efficacious at inducing cytolytic T cells and antibodies to the inserted heterologous antigenic protein expressed by the vector.

For example, immunogens may be selected from a variety of viral families. Example of desirable viral families against which an immune response would be desirable include, the picornavirus family, which includes the genera rhinoviruses, which are responsible for about 50% of cases of the common cold; the genera enteroviruses, which include polioviruses, coxsackieviruses, echoviruses, and human enteroviruses such as hepatitis A virus; and the genera aphthoviruses, which are responsible for foot and mouth diseases, primarily in non-human animals. Within the picornavirus family of viruses, target antigens include the VP1, VP2, VP3, VP4, and VPG. Another viral family includes the calcivirus family, which encompasses the Norwalk group of viruses, which are an important causative agent of epidemic gastroenteritis. Still another viral family desirable for use in targeting antigens for inducing immune responses in humans and non-human animals is the togavirus family, which includes the genera alphavirus, which include Sindbis viruses, Ross River virus, and Venezuelan, Eastern & Western Equine encephalitis, and rubivirus, including Rubella virus. The flaviviridae family includes dengue, yellow fever, Japanese encephalitis, St. Louis encephalitis and tick borne encephalitis viruses. Other target antigens may be generated from the Hepatitis C or the coronavirus family, which includes a number of non-human viruses such as infectious bronchitis virus (poultry), porcine transmissible gastroenteric virus (pig), porcine hemagglutinating encephalomyelitis virus (pig), feline infectious peritonitis virus (cats), feline enteric coronavirus (cat), canine coronavirus (dog), and human respiratory coronaviruses, which may cause the common cold and/or non-A, B or C hepatitis. Within the coronavirus family, target antigens include the E1 (also called M or matrix protein), E2 (also called S or Spike protein), E3 (also called HE or hemagglutinin-esterase) glycoprotein (not present in all coronaviruses), or N (nucleocapsid). Still other antigens may be targeted against the rhabdovirus family, which includes the genera vesiculovirus (e.g., Vesicular Stomatitis Virus), and the general lyssavirus (e.g., rabies). Within the rhabdovirus family, suitable antigens may be derived from the G protein or the N protein. The family filoviridae, which includes hemorrhagic fever viruses such as Marburg and Ebola virus, may be a suitable source of antigens. The paramyxovirus family includes parainfluenza Virus Type 1, parainfluenza Virus Type 3, bovine parainfluenza Virus Type 3, rubulavirus (mumps virus), parainfluenza Virus Type 2, parainfluenza virus Type 4, Newcastle disease virus (chickens), rinderpest,

morbillivirus, which includes measles and canine distemper, and pneumovirus, which includes respiratory syncytial virus. The influenza virus is classified within the family orthomyxovirus and is a suitable source of antigen (e.g., the HA protein, the N1 protein). The bunyavirus family includes the genera bunyavirus (California encephalitis, La
5 Crosse), phlebovirus (Rift Valley Fever), hantavirus (puremala is a hemahagin fever virus), nairovirus (Nairobi sheep disease) and various unassigned bungaviruses. The arenavirus family provides a source of antigens against LCM and Lassa fever virus. The reovirus family includes the genera reovirus, rotavirus (which causes acute gastroenteritis in children), orbiviruses, and cultivirus (Colorado Tick fever, Lebombo (humans), equine
10 encephalosis, blue tongue).

The retrovirus family includes the sub-family oncorivirinal which encompasses such human and veterinary diseases as feline leukemia virus, HTLVI and HTLVII, lentivirinal (which includes human immunodeficiency virus (HIV), simian immunodeficiency virus (SIV), feline immunodeficiency virus (FIV), equine infectious
15 anemia virus, and spumavirinal). Among the lentiviruses, many suitable antigens have been described and can readily be selected. Examples of suitable HIV and SIV antigens include, without limitation the gag, pol, Vif, Vpx, VPR, Env, Tat, Nef, and Rev proteins, as well as various fragments thereof. For example, suitable fragments of the Env protein may include any of its subunits such as the gp120, gp160, gp41, or smaller fragments
20 thereof, e.g., of at least about 8 amino acids in length. Similarly, fragments of the tat protein may be selected. [See, US Patent 5,891,994 and US Patent 6,193,981.] See, also, the HIV and SIV proteins described in D.H. Barouch et al, J. Virol., 75(5):2462-2467 (March 2001), and R.R. Amara, et al, *Science*, 292:69-74 (6 April 2001). In another example, the HIV and/or SIV immunogenic proteins or peptides may be used to form
25 fusion proteins or other immunogenic molecules. See, e.g., the HIV-1 Tat and/or Nef fusion proteins and immunization regimens described in WO 01/54719, published August 2, 2001, and WO 99/16884, published April 8, 1999. The invention is not limited to the HIV and/or SIV immunogenic proteins or peptides described herein. In addition, a variety of modifications to these proteins have been described or could readily be made
30 by one of skill in the art. See, e.g., the modified gag protein that is described in US Patent 5,972,596. Further, any desired HIV and/or SIV immunogens may be delivered alone or in combination. Such combinations may include expression from a single vector or from

multiple vectors. Optionally, another combination may involve delivery of one or more expressed immunogens with delivery of one or more of the immunogens in protein form. Such combinations are discussed in more detail below.

The papovavirus family includes the sub-family polyomaviruses (BKU
 5 and JCU viruses) and the sub-family papillomavirus (associated with cancers or malignant progression of papilloma). The adenovirus family includes viruses (EX, AD7, ARD, O.B.) which cause respiratory disease and/or enteritis. The parvovirus family feline parvovirus (feline enteritis), feline panleucopeniavirus, canine parvovirus, and porcine parvovirus. The herpesvirus family includes the sub-family alphaherpesvirinae,
 10 which encompasses the genera simplexvirus (HSVI, HSVII), varicellovirus (pseudorabies, varicella zoster) and the sub-family betaherpesvirinae, which includes the genera cytomegalovirus (HCMV, muromegalovirus) and the sub-family gammaherpesvirinae, which includes the genera lymphocryptovirus, EBV (Burkitts lymphoma), infectious rhinotracheitis, Marek's disease virus, and rhadinovirus. The
 15 poxvirus family includes the sub-family chordopoxvirinae, which encompasses the genera orthopoxvirus (Variola (Smallpox) and Vaccinia (Cowpox)), parapoxvirus, avipoxvirus, capripoxvirus, leporipoxvirus, suipoxvirus, and the sub-family entomopoxvirinae. The hepadnavirus family includes the Hepatitis B virus. One unclassified virus which may be suitable source of antigens is the Hepatitis delta virus. Still other viral sources
 20 may include avian infectious bursal disease virus and porcine respiratory and reproductive syndrome virus. The alphavirus family includes equine arteritis virus and various Encephalitis viruses.

The present invention may also encompass immunogens which are useful to immunize a human or non-human animal against other pathogens including
 25 bacteria, fungi, parasitic microorganisms or multicellular parasites which infect human and non-human vertebrates, or from a cancer cell or tumor cell. Examples of bacterial pathogens include pathogenic gram-positive cocci include pneumococci; staphylococci; and streptococci. Pathogenic gram-negative cocci include meningococcus; gonococcus. Pathogenic enteric gram-negative bacilli include enterobacteriaceae; pseudomonas,
 30 acinetobacteria and eikenella; melioidosis; salmonella; shigella; haemophilus; moraxella; *H. ducreyi* (which causes chancroid); brucella; *Francisella tularensis* (which causes tularemia); yersinia (pasteurella); streptobacillus moniliformis and spirillum; Gram-

positive bacilli include *listeria monocytogenes*; *erysipelotheirus rhusiopathiae*; *Corynebacterium diphtheria* (diphtheria); cholera; *B. anthracis* (anthrax); donovanosis (granuloma inguinale); and bartonellosis. Diseases caused by pathogenic anaerobic bacteria include tetanus; botulism; other clostridia; tuberculosis; leprosy; and other mycobacteria. Pathogenic spirochetal diseases include syphilis; treponematoses: yaws, pinta and endemic syphilis; and leptospirosis. Other infections caused by higher pathogen bacteria and pathogenic fungi include actinomycosis; nocardiosis; cryptococcosis, blastomycosis, histoplasmosis and coccidioidomycosis; candidiasis, aspergillosis, and mucormycosis; sporotrichosis; paracoccidioidomycosis, petriellidiosis, torulopsosis, mycetoma and chromomycosis; and dermatophytosis. Rickettsial infections include Typhus fever, Rocky Mountain spotted fever, Q fever, and Rickettsialpox. Examples of mycoplasma and chlamydial infections include: *mycoplasma pneumoniae*; lymphogranuloma venereum; psittacosis; and perinatal chlamydial infections. Pathogenic eukaryotes encompass pathogenic protozoans and helminths and infections produced thereby include: amebiasis; malaria; leishmaniasis; trypanosomiasis; toxoplasmosis; *Pneumocystis carinii*; *Trichans*; *Toxoplasma gondii*; babesiosis; giardiasis; trichinosis; filariasis; schistosomiasis; nematodes; trematodes or flukes; and cestode (tapeworm) infections.

Many of these organisms and/or toxins produced thereby have been identified by the Centers for Disease Control [(CDC), Department of Health and Human Services, USA], as agents which have potential for use in biological attacks. For example, some of these biological agents, include, *Bacillus anthracis* (anthrax), *Clostridium botulinum* and its toxin (botulism), *Yersinia pestis* (plague), variola major (smallpox), *Francisella tularensis* (tularemia), and viral hemorrhagic fevers [filoviruses (e.g., Ebola, Marburg], and arenaviruses [e.g., Lassa, Machupo]], all of which are currently classified as Category A agents; *Coxiella burnetti* (Q fever); *Brucella* species (brucellosis), *Burkholderia mallei* (glanders), *Burkholderia pseudomallei* (meloidosis), *Ricinus communis* and its toxin (ricin toxin), *Clostridium perfringens* and its toxin (epsilon toxin), *Staphylococcus* species and their toxins (enterotoxin B), *Chlamydia psittaci* (psittacosis), water safety threats (e.g., *Vibrio cholerae*, *Cryptosporidium parvum*), Typhus fever (*Rickettsia powazekii*), and viral encephalitis (alphaviruses, e.g., Venezuelan equine encephalitis; eastern equine encephalitis; western equine

encephalitis); all of which are currently classified as Category B agents; and Nipah virus and hantaviruses, which are currently classified as Category C agents. In addition, other organisms, which are so classified or differently classified, may be identified and/or used for such a purpose in the future. It will be readily understood that the viral vectors and other constructs described herein are useful to deliver antigens from these organisms, viruses, their toxins or other by-products, which will prevent and/or treat infection or other adverse reactions with these biological agents.

Administration of the vectors of the invention to deliver immunogens against the variable region of the T cells elicit an immune response including CTLs to eliminate those T cells. In RA, several specific variable regions of TCRs which are involved in the disease have been characterized. These TCRs include V-3, V-14, V-17 and V α -17. Thus, delivery of a nucleic acid sequence that encodes at least one of these polypeptides will elicit an immune response that will target T cells involved in RA. In MS, several specific variable regions of TCRs which are involved in the disease have been characterized. These TCRs include V-7 and V α -10. Thus, delivery of a nucleic acid sequence that encodes at least one of these polypeptides will elicit an immune response that will target T cells involved in MS. In scleroderma, several specific variable regions of TCRs which are involved in the disease have been characterized. These TCRs include V-6, V-8, V-14 and V α -16, V α -3C, V α -7, V α -14, V α -15, V α -16, V α -28 and V α -12. Thus, delivery of a recombinant simian adenovirus that encodes at least one of these polypeptides will elicit an immune response that will target T cells involved in scleroderma.

C. Ad-Mediated Delivery Methods

The therapeutic levels, or levels of immunity, of the selected gene can be monitored to determine the need, if any, for boosters. Following an assessment of CD8+ T cell response, or optionally, antibody titers, in the serum, optional booster immunizations may be desired. Optionally, the recombinant simian adenoviral vectors of the invention may be delivered in a single administration or in various combination regimens, e.g., in combination with a regimen or course of treatment involving other active ingredients or in a prime-boost regimen. A variety of such regimens have been described in the art and may be readily selected.

For example, prime-boost regimens may involve the administration of a DNA (e.g., plasmid) based vector to prime the immune system to second, booster, administration with a traditional antigen, such as a protein or a recombinant virus carrying the sequences encoding such an antigen. See, e.g., WO 00/11140, published March 2, 2000, incorporated by reference. Alternatively, an immunization regimen may involve the administration of a recombinant simian adenoviral vector of the invention to boost the immune response to a vector (either viral or DNA-based) carrying an antigen, or a protein. In still another alternative, an immunization regimen involves administration of a protein followed by booster with a vector encoding the antigen.

10 In one embodiment, the invention provides a method of priming and boosting an immune response to a selected antigen by delivering a plasmid DNA vector carrying said antigen, followed by boosting with a recombinant simian adenoviral vector of the invention. In one embodiment, the prime-boost regimen involves the expression of multiproteins from the prime and/or the boost vehicle. See, e.g., R.R. Amara, *Science*, 15 **292**:69-74 (6 April 2001) which describes a multiprotein regimen for expression of protein subunits useful for generating an immune response against HIV and SIV. For example, a DNA prime may deliver the Gag, Pol, Vif, VPX and Vpr and Env, Tat, and Rev from a single transcript. Alternatively, the SIV Gag, Pol and HIV-1 Env is delivered in a recombinant adenovirus construct of the invention. Still other regimens are described in WO 99/16884 and WO 01/54719.

However, the prime-boost regimens are not limited to immunization for HIV or to delivery of these antigens. For example, priming may involve delivering with a first chimp vector of the invention followed by boosting with a second chimp vector, or with a composition containing the antigen itself in protein form. In one example, the prime-boost regimen can provide a protective immune response to the virus, bacteria or other organism from which the antigen is derived. In another desired embodiment, the prime-boost regimen provides a therapeutic effect that can be measured using convention assays for detection of the presence of the condition for which therapy is being administered.

30 The priming composition may be administered at various sites in the body in a dose dependent manner, which depends on the antigen to which the desired immune response is being targeted. The invention is not limited to the amount or situs of

injection(s) or to the pharmaceutical carrier. Rather, the regimen may involve a priming and/or boosting step, each of which may include a single dose or dosage that is administered hourly, daily, weekly or monthly, or yearly. As an example, the mammals may receive one or two doses containing between about 10 μ g to about 50 μ g of plasmid in carrier. A desirable amount of a DNA composition ranges between about 1 μ g to about 10,000 μ g of the DNA vector. Dosages may vary from about 1 μ g to 1000 μ g DNA per kg of subject body weight. The amount or site of delivery is desirably selected based upon the identity and condition of the mammal.

The dosage unit of the vector suitable for delivery of the antigen to the mammal is described herein. The vector is prepared for administration by being suspended or dissolved in a pharmaceutically or physiologically acceptable carrier such as isotonic saline; isotonic salts solution or other formulations that will be apparent to those skilled in such administration. The appropriate carrier will be evident to those skilled in the art and will depend in large part upon the route of administration. The compositions of the invention may be administered to a mammal according to the routes described above, in a sustained release formulation using a biodegradable biocompatible polymer, or by on-site delivery using micelles, gels and liposomes. Optionally, the priming step of this invention also includes administering with the priming composition, a suitable amount of an adjuvant, such as are defined herein.

Preferably, a boosting composition is administered about 2 to about 27 weeks after administering the priming composition to the mammalian subject. The administration of the boosting composition is accomplished using an effective amount of a boosting composition containing or capable of delivering the same antigen as administered by the priming DNA vaccine. The boosting composition may be composed of a recombinant viral vector derived from the same viral source (e.g., adenoviral sequences of the invention) or from another source. Alternatively, the "boosting composition" can be a composition containing the same antigen as encoded in the priming DNA vaccine, but in the form of a protein or peptide, which composition induces an immune response in the host. In another embodiment, the boosting composition contains a DNA sequence encoding the antigen under the control of a regulatory sequence directing its expression in a mammalian cell, e.g., vectors such as well-known bacterial or viral vectors. The primary requirements of the boosting composition are that the antigen

of the composition is the same antigen, or a cross-reactive antigen, as that encoded by the priming composition.

In another embodiment, the simian adenoviral vectors of the invention are also well suited for use in a variety of other immunization and therapeutic regimens.

5 Such regimens may involve delivery of simian adenoviral vectors of the invention simultaneously or sequentially with Ad vectors of different serotype capsids, regimens in which adenoviral vectors of the invention are delivered simultaneously or sequentially with non-Ad vectors, regimens in which the adenoviral vectors of the invention are delivered simultaneously or sequentially with proteins, peptides, and/or other biologically
10 useful therapeutic or immunogenic compounds. Such uses will be readily apparent to one of skill in the art.

The following examples illustrate the cloning of the simian adenoviruses and the construction of exemplary recombinant adenovirus vectors of the present invention. These examples are illustrative only, and do not limit the scope of the present
15 invention.

Example 1 - Viral Propagation

The Pan5 [ATCC Accession No. VR-591], Pan6 [ATCC Accession No. VR-592], and Pan7 [ATCC Accession No. VR-593] viruses, originally isolated from
20 lymph nodes from chimpanzees, were propagated in 293 cells [ATCC CRL1573]. Typically, these cells are cultured in Dulbecco's Modified Eagles Medium (DMEM; Sigma, St. Louis, MO.) supplemented with 10% fetal calf serum (FCS) [Sigma or Hyclone, Logan, UT] and 1 % Penicillin-Streptomycin (Sigma). Infection of 293 cells is carried out in DMEM supplemented with 2% FCS for the first 24 hours, after which FCS
25 is added to bring the final concentration to 10%. Infected cells are harvested when 100% of the cells exhibit virus-induced cytopathic effect (CPE), and are then collected, and concentrated by centrifugation. Cell pellets are resuspended in 10 mM Tris (pH 8.0), and lysed by 3 cycles of freezing and thawing. Virus preparations are obtained following two ultra centrifugation steps on cesium chloride density gradients and stocks of virus are
30 diluted to 1 to 5 x 10¹² particles/ml in 10 mM Tris/100 mM NaCl/50% glycerol and stored at -70°C.

The ability of 293 cells to propagate these adenoviruses exceeded expectations which were based on knowledge of other non-human adenovirus serotypes.

<u>Virus</u>	<u>Yield (virus particles produced in 8×10^8 cells)</u>
Pan5	8.8×10^{13}
Pan6	1.6×10^{14}
Pan7	8.8×10^{13}

Example 2 – Characterization of Viral Genomic DNA

Genomic DNA was isolated from the purified virus preparations of Example 1 and digested with HindIII or BamHI restriction enzymes following the manufacturers' recommendations. The results (not shown) revealed that the Pan5, Pan6, Pan7 genomes of the invention and the published Pan 9 (C68) genome show different restriction patterns, and thus, are distinct from each other.

The nucleotide sequences of Pan5, Pan6 and Pan7 were determined. The nucleotide sequence of the top strand of Pan5 DNA is reported in SEQ ID NO: 1. The nucleotide sequence of the top strand of Pan6 DNA is reported in SEQ ID NO: 5. The nucleotide sequence of the top strand of Pan7 DNA is reported in SEQ ID NO: 9.

Regulatory and coding regions in the viral DNA sequences were identified by homology to known adenoviral sequences using the "Clustal W" program described above at conventional settings. See the tables above providing the adenoviral sequences. Open reading frames were translated and the predicted amino acid sequences examined for homology to previously described adenoviral protein sequences, Ad4, Ad5, Ad7, Ad12, and Ad40.

Analysis of the sequence revealed a genome organization that is similar to that present in human adenoviruses, with the greatest similarity to human Ad4. However, substantial differences in the hexon hypervariable regions were noted between the chimpanzee adenoviruses and other known adenoviruses, including AdHu4. These differences fit well with the serological cross-reactivity data that has been obtained (see below).

An alignment of a portion of the hexon sequences is shown in Fig. 1. The portion shown is from the region of the hexon that corresponds to the outwardly disposed extended loops DE1 and FG1 where the most variability between serotypes is observed.

An intervening portion that contributes to the base of the hexon (corresponding to residues 308-368 of the published AdC68 sequence; US Patent 6,083,716), and is highly conserved between serotypes, is also present. The following table summarizes the pair-wise comparisons of the amino acids in the hexon proteins.

5

Comparison		Hexon amino-acid Similarity (%)
#1	#2	
AdC5	AdC7	99.0
AdC5	AdC68	98.3
AdC5	AdC6	88.0
AdC5	AdC1	84.9
AdC6	AdC7	87.7
AdC6	AdC68	87.3
AdC6	AdC1	84.9
AdC7	AdC68	97.5
AdC7	AdC1	84.8
AdC68	AdC1	84.9

Analysis of the fiber knob domain (which is responsible for receptor binding) of the chimpanzee adenoviruses shows an overall similarity in structure (Fig. 2).

10

The degree of sequence similarity between the E1 proteins of huAd5 and C68 (see Tables below) is similar to that between huAd5 and Pan-5, Pan-6, and Pan-7.

Comparison		E1a (13S) amino-acid identity (%)
#1	#2	
AdHu5	AdC5	36.6
AdHu5	AdC6	28.5
AdHu5	AdC7	34.9
AdHu5	AdC68	35.6
AdHu5	AdC1	35.6
AdC5	AdC6	68.3
AdC5	AdC7	96.9
AdC5	AdC68	80.4
AdC5	AdC1	51.3
AdC6	AdC7	69.3
AdC6	AdC68	59.4
AdC6	AdC1	37.7
AdC7	AdC68	81.5
AdC7	AdC1	51.0
AdC68	AdC1	54.9

	Sequence Identity with human Ad5	
	E1b Small T Protein	E1b Large T Protein
C68	47.3%	55.8%
Pan-5	43.2%	54.5%
Pan-6	45.3%	54.5%
Pan-7	46.4%	53.8%

Replication-defective versions of AdC5, AdC6 and AdC7 were created by molecular cloning methods described in the following examples in which minigene cassettes were inserted into the place of the E1a and E1b genes. The molecular clones of the recombinant viruses were rescued and grown up in 293 cells for large-scale purification using the published CsCl sedimentation method [K. Fisher *et al.*, J. Virol., 70:520 (1996)]. Vector yields were based on 50 plate (150 mm) preps in which approximately 1×10^9 293 cells were infected with the corresponding viruses. Yields were determined by measuring viral particle concentrations spectrophotometrically. After having constructed E1-deleted vectors, it was determined that HEK 293 cells (which express human adenovirus serotype 5 E1 functions) trans-complement the E1 deletions of the novel viral vectors and allow for the production of high titer stocks. Examples of virus yields for a few of these recombinant viruses are shown in the table below.

The transgenes for these vectors, β -galactosidase (LacZ), green fluorescent protein (GFP), alpha-1-anti-trypsin (A1AT), ebola glycoprotein (ebo), a soluble ebola glycoprotein variant lacking the transmembrane and cytoplasmic domains (sEbo), and three deletion mutants of the ebola glycoprotein (Ebo Δ 2, Ebo Δ 3, and Ebo Δ 4), were expressed by the cytomegalovirus promoter (CMV). In the following table, ND indicates that the study has not yet been done.

Transgene	Viral backbone/Vector yield (Viral particles x 10 ¹³)					
	AdHu5		AdC7		AdC68	AdC6
CMVLacZ	1.5		1.4		3.3	6.1
CMVGFP	2.5		3.6		8	10
CMVA1AT	3.7		6		10	ND
CMVEbo	1.1		4.3		ND	ND
CMVsEbo	4.9		5.4		ND	ND
CMVEbo Δ 2	1		9.3		ND	ND
CMVEbo Δ 3	0.8		9.5		ND	ND
CMVEbo Δ 4	1.4		6.2		ND	ND

The ability of human adenovirus E1 to trans-complement the E1-deleted chimpanzee viruses of the invention is highly advantageous, as it permits the production of E1-deleted chimpanzee adenoviral vectors of the invention, while reducing or eliminating the risk of homologous recombination due to the differences in sequences
 5 between human Ad and the chimpanzee adenoviruses described herein.

Example 3 – Serological Studies of Pan 5, 6, and 7 Viruses

Because of the differences in the hexon hypervariable region, it was anticipated that the C5, C6, and C7 viruses would be serologically distinct from human adenoviruses,
 10 including AdHu4.

1. *Cross-Reactivity of Wild-type Viruses*

For screening of wild-type viruses in order to make a determination of antibody cross-reactivity, the replication competent viruses were used and inhibition of cytopathic effects (CPE) was measured. Briefly, preparations of adenoviruses (Adhu5,
 15 Pan-5, Pan-6, Pan-7 and AdC68) stored at 5×10^{12} particles/ml were diluted 1/600 for the assays. This concentration of virus was selected since it results in 100% CPE within 48 hours in the absence of neutralization. Prior to adding the virus to 293 cells (4×10^4 cells/well in a 96 well dish), 1:20 dilutions of sera were added. The assay is read as the presence or absence of CPE; full neutralization would read as no cytopathic effect. The
 20 results are summarized in the Table below. The fact that 9/36 human sera neutralized Adhu5 induced CPE is consistent with previous estimates of neutralizing antibodies in the human population. The numbers indicate the total individuals who showed neutralization (numerator) versus the total number screened (denominator). ND = not determined.

	Neutralization by 1/20 diln of serum		
	Human	Rhesus	Chimpanzee
	(N=36)	(N=52)	(N=20)
Adhu5	9/36	ND	ND
AdC68	1/36	0/52	12/20
Pan 5	0/36	0/52	10/20
Pan 6	0/36	0/52	9/20
Pan 7	0/36	0/52	12/20

Of all human sera screened, 35/36 were negative for neutralization to AdC68 while 36/36 were negative for neutralization to Pan-5, Pan-6 and Pan-7. Of 52 rhesus monkeys screened, none showed neutralization to any chimpanzee adenovirus; rhesus monkey is the preferred pre-clinical model for evaluating HIV vaccines. Between 9 to 12 out of 20 chimpanzees had substantial neutralization to one or another of the chimpanzee adenoviruses consistent with the fact these are indeed endemic chimpanzee-specific pathogens. Interestingly, there are chimpanzees with neutralizing antibodies only to Pan-5, Pan-6 or AdC68 supporting the hypothesis that several of these chimpanzee adenoviral vectors will not cross neutralize each other and are distinct serotypes.

The same assay was carried out for 20 chimpanzee serum samples. Fifty percent (50%) of the samples reacted serologically, in different degrees to Pan5; 40% to Pan6; 55% to Pan7 and 60% to C68. Among the positive serum samples, one of them had strong neutralizing activity to all four chimp viruses.

2. *Cross-neutralization with Recombinant Viruses*

High-titer polyclonal antibodies were obtained to each of the simian adenoviruses in order to more precisely gauge the degree of cross-neutralization among the different serotypes. This was done by intramuscular immunization of rabbits using a recombinant virus containing GFP based on previously the described C68 chimpanzee adenovirus as an adjuvant. The serum was then used to assay for neutralizing activity against each of the three chimpanzee adenoviruses of the invention, AdC5, AdC6 and AdC7. A rabbit was injected with 5×10^{12} viral particle per kg of C68CMVGFP vector intramuscularly and boosted 5 weeks later using the same dose. A bleed collected at the 9 week time point revealed extremely potent neutralizing activity against C68 as well as Pan-5 and Pan-7 but not against Pan-6 (see Table below), indicating that the administration of a C68 (or Pan-5 and Pan-7) based vaccine could be effectively followed by a boost using a vector based on Pan-6. However, it has been found that this level of inter-relatedness does not necessarily prevent with re-administration in a setting where antiviral antibody titers were not as high as was achieved in this rabbit. In the following table, + indicates 33% CPE; ++ indicates 66% CPE; +++ indicates 100% CPE.

Infection on 293 cells with virus:					
Pan5	Pan6	Pan7	Pan9(C68)	C68 GFP	Serum Dilution
-	+++	-	-	-	1/20
-	+++	-	-	-	1/40
-	+++	-	-	-	1/80
-	+++	-	-	-	1/160
-	+++	-	-	-	1/320
-	+++	-	-	-	1/640
-	+++	-	-	-	1/1,280
-	+++	-	-	-	1/2,560
-	+++	-	-	-	1/5,120
+	+++	-	-	-	1/10,240
+	+++	++	-	-	1/20,480
++	+++	+++	-	-	1/40,960
++	+++	+++	+	+	1/81,920
+++	+++	+++	++	++	1/163,840
+++	+++	+++	+++	+++	1/327,680
+++	+++	+++	+++	+++	1/665,360
+++	+++	+++	+++	+++	1/1,310,720
+++	+++	+++	+++	+++	1/2,621,440

3. *Quantitative Assay for Detection of Neutralizing Antibody*

The result was validated by a more quantitative-based assay for detecting neutralizing antibody, which is based on transduction of a GFP vector. Briefly, groups of C57BL/6 mice were immunized intramuscularly or intravenously with 5.0×10^{10} particles/ml Pan5, Pan6, Pan7 or C68. Sera from day 28 bleeds were tested for cross-neutralizing activity against C68CMVEGFP at dilutions of 1/20 and 1/80. In summary, when a pharmaceutical preparation of human immunoglobulin was tested for serological reactions to Pan 5, 6, and 7, and C68, some low levels of neutralizing activities against Pan 7 and C68 were detected. No neutralizing activity against Pan5 or Pan6 was detected. Serum samples from 36 human subjects were run for the same assay. Serum samples were tested at a 1/20 dilution. The results indicated that only one individual has clear neutralizing activity to C68. No neutralizing activity to Pan5, Pan6 or Pan7 was detected.

4. *In Vitro Cross-Neutralization*

Cross-neutralization of the simian adenoviruses by high-titer rabbit polyclonal antibodies raised against each of the adenoviruses Pan-5, Pan-6, Pan-7, and C68 was tested.

Rabbits were immunized with intra-muscular injections of 10^{13} particles of each of the chimpanzee adenoviruses and boosted 40 days later with the same dose with incomplete Freund's adjuvant. Sera were analyzed for the presence of neutralizing antibodies by incubating serial two-fold dilutions with 10^9 genome copies of each of the appropriate chimpanzee adenovirus vector expressing GFP and testing for the attenuation of GFP expression when applied to 293 cells. The serum dilution which produced a 50% reduction of GFP expression was scored as the neutralizing antibody titer against that particular virus.

The results are shown in the Table. The data are consistent with the expectation from sequence analysis of the hexon amino-acid sequences, which indicated that Ad Pan-6 was likely to be the most serologically distinct compared to the other chimpanzee adenoviruses.

	Infection of 293 cells with 10^9 genome copies of			
Serum from rabbit immunized with:	Ad Pan-5	Ad Pan-6	Ad Pan-7	Ad C68
Ad Pan-5	1/5120	<1/20	1/2560	1/2560
Ad Pan-6	No neutralization	1/20,480	<1/20	<1/20
Ad Pan-7	1/2560	1/160	1/163,840	1/2560
Ad C68	No neutralization	<1/20	<1/20	1/5120

In order to determine whether antibodies cross-reacting with the simian adenoviruses were likely to be of low prevalence in humans, simian adenoviruses SV1, SV39, and SV25 were tested for their ability to withstand neutralization when incubated with commercially available pooled human immunoglobulins (Ig). The same assay was also performed with Adhu5 and the chimpanzee adenoviruses Pan-5, Pan-6, Pan-7, and C68. In a further study, sera from mice has been immunized with one of the chimpanzee adenoviruses C5, C6, C7, and C68 and their ability to cross-neutralize the simian adenoviruses SV-15, SV-23, SA-17, and Baboon Adenovirus has been tested. No cross-reactivity was observed in any case.

Example 4 – Generation of Recombinant E1-Deleted Pan5 Vector

A modified pX plasmid was prepared by destroying the FspI site in the bla gene region of pX (Clontech) by site-directed mutagenesis. The resulting modified plasmid, termed pX', is a circular plasmid of 3000 bp which contains an fl ori and an ampicillin resistance gene (AmpR-cds).

A. *Production of Pan-5 Adenovirus Plasmid*

A polylinker for sequential cloning of the Pan5 DNA fragments into pX' is created. The polylinker is substituted for the existing pX' polylinker following digestion with *MluI* and *EcoRI*. The blunt-*FseI* fragment of the Pan 5 is inserted into the *SmaI* and *FseI* sites of the polylinker. This fragment contains the 5' end

of the adenoviral genome (bp 1 to 3606, SEQ ID NO:1). The *SnaBI-FspI* fragment of Pan 5 (bp 455 to 3484, SEQ ID NO:1) is replaced with a short sequence flanked by *I-Ceu* and *PI-Sce* sites from pShuttle (Clontech), to eliminate the E1 region of the adenoviral genome. The *EcoRI*-blunt fragment of Pan5 (bp 28658 to 36462, SEQ ID NO:1) is
 5 inserted into the *EcoRI* and *EcoRV* sites of the polylinker (to provide the 3' end of the adenoviral genome); the *FseI-MluI* fragment (bp 3606 to 15135, SEQ ID NO:1) is inserted into the polylinker; and the *MluI-EcoRI* fragment is inserted into the polylinker (bp 15135 to 28658, SEQ ID NO:1). Optionally, a desired transgene is inserted into *I-CeuI* and *PI-SceI* sites of the newly created pX'Pan5 Δ E1 vector.

10 B. *Alternative Method of Generating pX'Pan5 Δ E1.*

The initial plasmid pX is derived from pAdX adenovirus plasmid available from Clontech, as described above. Thereafter, a *PacI-XhoI* region of pX' was deleted and the blunt-ended Pan5 polylinker was inserted into the *FspI* site to generate pX'PLNK (2994 bp). The 5'-end-*FseI* region of Pan 5 (bp 1-3607, SEQ
 15 ID NO:1) was inserted into *SmaI* and *FseI* sites of pX'LNK to generate the pX'Pan5-5' plasmid (6591 bp). The *SnaBI-NdeI* region of pX'Pan5-5' was excised and replaced with the *Ceu/Sce* cassette, which had been PCR amplified from pRCS to create pX'Pan5-5' Δ E1 (4374 bp). Briefly, a sequence containing *I-CeuI* and *PI-SceI* rare cutter sites was PCR amplified from pRCS (3113bp). The 3' PCR primer was
 20 introduced an *NdeI* site into the PCR product.

To extend the Pan5 DNA in pX'Pan5-5' Δ E1 (4374 bp), the *FseI-MluI* region of Pan 5 (bp 3607-15135, SEQ ID NO:1) is added, to create pX'Pan5-5'Mlu (15900 bp). The remaining *MluI*-3' end of the Pan5 sequence (bp 15135-36462, SEQ ID NO:1) is added to the vector between the *MluI* and *EcoRV*
 25 sites of the vector polylinker to form pX'Pan5 Δ E1 which contains the full-length Pan5 sequence containing a deletion in the E1 region.

C. *Generation of Recombinant Viruses*

To generate the recombinant adenoviruses from pX'Pan5 Δ E1, the plasmid is co-transfected with a helper expressing E1, or from an E1-expressing
 30 packaging cell line, such as 293 cell line or a cell line prepared as described herein. The expression of E1 in the packaging cell permits the replication and packaging of

the Pan5 Δ E1 into a virion capsid. In another embodiment, the packaging cell transfected with pX'Pan5 Δ E1 is transfected with an adenovirus vector as described above bearing the transgene of interest. Homologous recombination occurs between the helper and the plasmid, which permits the adenovirus-transgene sequences in the vector to be replicated and packaged into virion capsids, resulting in the recombinant adenovirus.

Transfection is followed by an agar overlay for 2 weeks, after which the viruses are plaqued, expanded and screened for expression of the transgene. Several additional rounds of plaque purification are followed by another expansion of the cultures. Finally the cells are harvested, a virus extract prepared and the recombinant chimpanzee adenovirus containing the desired transgene is purified by buoyant density ultracentrifugation in a CsCl gradient or by alternative means known to those of skill in the art.

Example 5 – Generation of Recombinant E1-Deleted Pan6 Vector

A. Strategy for Construction of Pan-6 Adenoviral Plasmid

1. *Cloning of terminal fragments*

Pan 6 virus is deproteinated by pronase and proteanase K treatment and phenol extraction. Synthetic 12 bp Pme I linkers are ligated onto the viral DNA as described by Berkner and Sharp, *Nucleic Acids Research*, **11**: 6003 (1983). The viral DNA is then digested with Xba I to isolate a 5' terminal fragment (6043 bp). The Ad6 XbaI 5' fragment is then ligated into pX link at Sma I and Xba I sites to form pX-AdPan6-0-16.5. The viral DNA with Pme I linkers is also digested with Pac I to isolate the 6475 bp 3' terminal fragment and cloned into pX link at Pac I and Sma I sites, resulting in pXAdPan6-82-100.

2. *Deletion of E1 from the 5' clone*

To delete E1 (m.u.1.2-9), the BsiWi-Xba I fragment in pX-AdPan6-0-16.5 is replaced with a PCR fragment spanning m.u.9-16.7 fragment treated with BsiWi and Xba I, leading to pX-Ad-Pan6 m.u.0-1, 9-16.5 .

3. *Fusion of 5' and 3' clones and to create an anchor site to accept the middle Hind III fragment*

First, the 5' clone, pX-Ad-Pan6 m.u.0-1, 9-16.5, is further
 5 expanded by inserting the 2nd Xba I fragment (4350 bp, m.u.16.5 – 28) from Pan 6 genome into the Xba I site in the pX-Ad-Pan6 m.u.0-1, 9-16.5. This construct is named pXAd-Pan6-mu 0-1, 9-28.

Second, the 3' clone is also expanded by inserting the 15026 bp Mlu I/Pac I fragment covering m.u.41-82 from Pan 6 genome into the Mlu I/Pac I sites of
 10 pXAdPan6-82-100, generating pXAdPan6-m.u.41-100.

Then, a 8167 bp Hind III/Eco 47III Pan 6 fragment is isolated from pXAd-Pan6-mu 0-1, 9-28 and subcloned into pXAdPan6-m.u.41-100 at Hind III and Xba I blunt sites. This 5' and 3' fusion clone is called pXAdPan6mu0-1, 9-19.5, 64-100.

4. *Drop of the middle fragment of the genome into the fusion*
 15 *clone*

A 16335 bp Hind III fragment (m.u.19.5 – 64) from Pan 6 is inserted into Hind III site of pXAdPan6mu0-1, 9-19.5, 64-100 to form pXAdPan6-0-1, 9-100.

5. *Introduction of a PKGFP selective marker into the final*
 20 *construct for direct cloning the gene of interest and green/white selection of recombinant transformants.*

A minigene cassette that expresses GFP under a lac promoter and is flanked with recognition sites of rare intron encoding restriction enzymes, PI-Sce I and I-Ceu I, was isolated from pShuttle-pkGFP (bare) by Sap I and Dra III digestions
 25 followed by filling-in reaction. The pShuttle-pkGFP (bare) plasmid is 4126 bp in length, and contains a ColE1-Ori, a kanamycin resistance gene, plac, a LacZ promoter-GFPmut3-1 cds (Clontech), and a GFPmut3-1 cds (Clontech). This cassette is subcloned into Srf I cut and blunted pXAdPan6-0-1, 9-100. This final construct is called pX-Pan6-pkGFP mu.0-1, 9-100, which is useful for generating recombinant E1-deleted Pan 6 molecular
 30 clones carrying genes of interest by direct ligation and green/white selection in combination with the generic pShuttlepkGFP vectors.

B. Alternative Strategy for Generation of Pan-6 Plasmid

1. *Cloning of 5' terminal fragment*

The Pan 6 virus is deproteinated by pronase and proteanase K treatment and phenol extraction as described above and synthetic 12 bp
 5 Pme I linkers are ligated onto the viral DNA as described. The AdPan6 5' XbaI fragment is isolated and ligated into pX to form pX-AdPan6-0-16.5 (9022 bp) as described in Part A above.

2. *Deletion of E1 from the 5' clone*

To delete E1 (m.u. 1.2-9), pX-AdPan6-0-16.5 is digested
 10 with SnaBI and NdeI to remove the regions encoding the E1a and E1b proteins (3442-6310 bp). This vector is subsequently digested with BsiWI in preparation for blunting with the minigene cassette carrying a selective marker.

3. *Introduction of a selective marker*

A minigene cassette that expressed GFP under a lac
 15 promoter and which is flanked with recognition sites of rare intron encoding restriction enzymes, PI-XceI and I-CeuI, was isolated from pShuttle-pkGFP as described above. The DraIII-SapI fragment is then ligated with the digested pX-AdPan6-0-16.5 to form pX-AdPan6 MU 0-16.5ΔE1 (7749 bp).

4. *Extension of Pan-6 Adenoviral Sequences*

pX-AdPan6 MU 0-16.5ΔE1 was subjected to XbaI
 20 digestion to permit insertion of an XbaI-RsrII linker. An XbaI/RsrII digestion fragment from the AdPan6 genome was isolated (mu 28-100, 26240 bp) and ligated into the Xba/RsrII-digested pX-AdPan6 MU 0-16.5ΔE1 to provide pX-AdPan6 MU 0-1, 9-16.5, 28-100. A second XbaI fragment from the Pan6 genome (mu 16.5-28, 4350 bp) is then
 25 ligated into this plasmid to form pX-AdPan6 MU 0-1, 9-100 (38551 bp).

C. Generation of Recombinant Adenoviruses

To generate the recombinant adenoviruses from a E1-deleted Pan6 plasmid prepared as described in Parts A or b, the plasmid is co-transfected with a helper expressing E1, or from an E1-expressing packaging cell line, such as 293 cell line or a
 30 cell line prepared as described herein. The expression of E1 in the packaging cell permits the replication and packaging of the Pan6-pkGFP mu.0-1, 9-100 into a virion capsid. Alternatively, the packaging cell transfected with pX-Pan6-pkGFP mu.0-1, 9-100 is

transfected with an adenovirus vector as described above bearing another transgene of interest.

Example 6 – Generation of Recombinant E1-Deleted Pan7 Vector

5 A. *Generation of Pan7 Plasmids*

A synthetic linker containing the restriction sites PacI-SmaI-FseI-MluI-EcoRV-PacI was cloned into pBR322 that was cut with EcoRI and NdeI. The left end (bp1 to 3618) of Ad Pan7 was cloned into the linker between the SmaI and FseI sites. The adenovirus E1 was then excised from the cloned left end by cutting with SnaBI and
10 NdeI and inserting an I-CeuI-GFP-PI-SceI cassette from pShuttle (Clontech) in its place. The resulting plasmid was cut with FseI and MluI and Ad Pan7 fragment FseI (bp 3618) to MluI (bp 155114) was inserted to extend the left end. The construct (pPan7pGFP) was completed by inserting the 21421 bp Ad Pan7 right end fragment from the MluI site (bp 15114) into the above plasmid between MluI and EcoRV to generate a complete
15 molecular clone of E1 deleted adenovirus Pan7 suitable for the generation of recombinant adenoviruses. Optionally, a desired transgene is inserted into the I-CeuI and PI-SceI sites of the newly created pPan7 vector plasmid.

B. *Construction of E1-Deleted Pan7 Viral Vectors*

To generate the recombinant adenoviruses from pPan7 Δ E1, the
20 plasmid is co-transfected with a helper expressing E1, or from an E1-expressing packaging cell line, such as 293 cell line or a cell line prepared as described herein. The expression of E1 in the packaging cell permits the replication and packaging of the Pan7 Δ E1 into a virion capsid. In another embodiment, the packaging cell transfected with pX'Pan7 Δ E1 is transfected with an adenovirus vector as described above bearing
25 the transgene of interest. Homologous recombination occurs between the helper and the plasmid, which permits the adenovirus-transgene sequences in the vector to be replicated and packaged into virion capsids, resulting in the recombinant adenovirus. Transfection and purification is as described above.

30 Example 7 - Generation of Plasmid Vectors Expressing the E1 Genes

Plasmid vectors are constructed which encode the Pan5 E1 region gene, and these plasmids are used to generate stable cell lines expressing viral E1 proteins.

The E1 region of Pan5 is cloned into pX', essentially as described in Example 4 above, prior to replacement of this region with the fragment from pShuttle (Clontech). The expression plasmid contains the Pan5 adenoviral genome sequence spanning at least bp 1 to 3959 in the Pan5 genomic sequence. Thus, the expression plasmid contains the sequence encoding E1a and E1b of chimpanzee Ad Pan5 under the control of a heterologous promoter. Similar expression plasmids can be generated using the Ad Pan6 and AdPan 7 E1 regions, identified in the tables above.

Example 8 - Generation of Cell Lines Expressing Chimpanzee Adenovirus E1 Proteins

Cell lines expressing viral E1 proteins are generated by transfecting HeLa (ATCC Acc. No. CCL2) with the plasmid of Example 6. These cell lines are useful for the production of E1-deleted recombinant chimpanzee adenoviruses by co-transfection of genomic viral DNA and the expression plasmids described above. Transfection of these cell lines, as well as isolation and purification of recombinant chimpanzee adenoviruses therefrom are performed by methods conventional for other adenoviruses, i.e., human adenoviruses [see, e.g., Horwitz, cited above and other standard texts].

A. *Cell lines expressing Pan5 E1 proteins*

HeLa cells in 10cm dishes are transfected with 10 µg of pX-Pan51-E1 DNA using a Cellpfect™ kit (Pharmacia, Uppsala, Sweden) and following the manufacturer's protocol. 22 hours post-transfection, the cells are subjected to a three minute glycerol shock (15% glycerol in Hepes Buffered Saline, pH 7.5) washed once in DMEM (HeLa) or F12K (A549; Life Technologies, Inc., Grand Island, NY) media supplemented with 10% FCS, 1% Pen-Strep, then incubated for six hours at 37°C in the above described media. The transfected cells are then split into duplicate 15cm plates at ratios of 1:20, 1:40, 1:80, 1:160, and 1:320. Following incubation at 37°C overnight, the media is supplemented with G418 (Life Technologies, Inc.) at a concentration of 1 µg/ml. The media is replaced every 5 days and clones are isolated 20 days post-transfection.

HeLa E1 cell clones are isolated and assayed for their ability to augment adeno-associated virus (AAV) infection and expression of recombinant LacZ protein as described below.

B. AAV Augmentation Assay for Screening E1 Expressing Cell Lines

AAV requires adenovirus-encoded proteins in order to complete its life cycle. The adenoviral E1 proteins as well as the E4 region-encoded ORF6 protein are necessary for the augmentation of AAV infection. An assay for E1 expression based on AAV augmentation is used. Briefly, the method for identifying adenoviral E1-expressing cells comprises the steps of infecting in separate cultures a putative adenovirus E1-expressing cell and a cell containing no adenovirus sequence, with both an adeno-associated virus (AAV) expressing a marker gene and an AAV expressing the ORF6 of the E4 gene of human adenovirus, for a suitable time. The marker gene activity in the resulting cells is measured and those cells with significantly greater measurable marker activity than the control cells are selected as confirmed E1-expressing cells. In the following experiment, the marker gene is a lacZ gene and the marker activity is the appearance of blue stain.

For example, the cell lines described above, as well as untransfected control cells (HeLa) are infected with 100 genomes per cell of an AAV vector bearing a marker gene, e.g., AV.LacZ [K. Fisher *et al.*, J. Virol., **70**:520 (1996)] and an AAV vector expressing the ORF6 region of human 5 (AV.orf6). The DNA sequence of the plasmid generates a novel recombinant adeno-associated virus (rAAV) containing the *LacZ* transgene and the Ad E4 ORF 6, which is an open reading frame whose expression product facilitates single-stranded (ss) to double-stranded (ds) conversion of rAAV genomic DNA. These vectors are incubated in medium containing 2% FCS and 1% Pen-Strep at 37°C for 4 hours, at which point an equal volume of medium containing 10% FCS is added. It should be understood by one of skill in the art that any marker gene (or reporter gene) may be employed in the first AAV vector of this assay, e.g., alkaline phosphatase, luciferase, and others. An antibody-enzyme assay can also be used to quantitate levels of antigen, where the marker expresses an antigen. The assay is not limited by the identity of the marker gene. Twenty to twenty-four hours post-infection, the cells are stained for LacZ activity using standard methods. After 4 hours the cells are observed microscopically and cell lines with significantly more blue cells than the A549 or HeLa cell controls are scored as positive.

Example 9 - Delivery of Transgene to Host Cell

The resulting recombinant chimpanzee adenovirus described in Example 4, 5 or 6 above is then employed to deliver the transgene to a mammalian, preferably human, cell. For example, following purification of the recombinant virus, human embryonic kidney
 5 293 cells are infected at an MOI of 50 particles per cell. GFP expression was documented 24 hours post-infection.

A. Gene Transfer in Mouse Models via Pan-6, Pan-7, and Pan-9 vectors

Gene transfer efficiencies and toxicological profile of recombinant chimpanzee adenoviruses were compared in mouse liver directed gene transfer, mouse
 10 lung directed gene transfer, and mouse muscle directed gene transfer.

E1-deleted adenoviral vectors containing LacZ under the control of the CMV promoter were constructed using the techniques herein for human Ad5, chimpanzee Pan 6, chimpanzee Pan 7 and chimpanzee Pan 9 (C68). The vectors were delivered to immune-deficient NCR nude mice (80 for each study) as follows. For the liver study, 100
 15 μ l (1×10^{11} particles) were injected into the tail vein. For the lung study, 50 μ l (5×10^{10} particles) were delivered intratracheally. For the muscle study, 25 μ l (5×10^{10} particles) were injected into tibialis anterior. The mice were sacrificed on days 3, 7, 14 and 28 post-vector injection (5 animals per group at each time point). At each necropsy, the liver/lung/muscle tissue was harvested and prepared for cryoblocks and paraffin
 20 embedding. The cryoblocks were sectioned for X-gal staining and the paraffin sections are H&E stained for histopathic analysis. At each time point, terminal bleeding was performed. Serum samples were subjected to liver function tests.

It was observed in this experiment the chimpanzee adenoviruses Pan-6, Pan-7, and Pan-9 were less efficient than huAd5 in gene transfer to the liver and to the lung.
 25 However, this may be desirable in certain circumstances, to reduce liver toxicity observed for huAd5. The gene transfer efficiency in muscle varied less between serotypes.

B. *Mouse study to feasibility of re-administration of adenovirus vectors by serotype switching between Adhu5, Pan-6, Pan-7, and Pan-9 vectors*

Mice were administered (C57/Bl6; 4/group) LacZ vectors based on
 30 huAd5, Pan-6, Pan-7, and Pan-9 (H5.040CMVLacZ, Pan6.000CMVLacZ, Pan7.000CMVLacZ, Pan9.000CMVLacZ; 10^{11} particles/injection) by tail vein. Thirty days later the mice were re-administered adenovirus vectors expressing α 1-antitrypsin

(H5.040CMVhA1AT, Pan6.000CMVhA1AT, 1×10^{11} particles, Pan7.000CMVhA1AT, Pan9.000CMVhA1AT, 10^{11} particles/injection). Successful transduction by the re-administered vector is monitored by measuring serum α 1-antitrypsin on days 3 and 7, following re-administration.

- 5 The ability of adenovirus vectors based on huAd5, Pan-6, Pan-7, and Pan-9 respectively to transduce the livers of mice in the presence of neutralizing antibodies to the other serotypes was determined. The results are tabulated here.

1 st injection	2 nd injection	Cross-neutralization
Adhu5	Adhu5	Yes (+ve control)
	Pan-6	No
	Pan-7	No
	Pan-9 (C68)	No
Pan-6	Adhu5	No
	Pan-6	Yes (+ve control)
	Pan-7	Yes
	Pan-9 (C68)	No
Pan-7	Adhu5	No
	Pan-6	Yes
	Pan-7	Yes (+ve control)
	Pan-9 (C68)	Yes

1 st injection	2 nd injection	Cross-neutralization
Pan-9 (C68)	Adhu5	No
	Pan-6	No
	Pan-7	Yes
	Pan-9 (C68)	Yes (+ve control)

Ability of vectors to transduce murine liver in the presence of neutralizing antibodies to other serotypes.

5 Thus, immunization with huAd5 does not prevent re-administration with either of the chimpanzee adenovirus vectors Pan-6, Pan-7, or Pan-9 (C68). This experiment also appears to indicate that Pan-7 is between Pan-6 and Pan-9 in the spectrum of antigenic relatedness and cross-reacts with both; however Pan-6 and Pan-9 do not neutralize each other. This is a surprising result based on homology comparisons, which indicates that
 10 Pan-6 is quite distinct from Pan-7 and Pan-9. Evaluation of antisera generated against Pan-9 indicated no cross-neutralization against Pan-6 but some neutralization against Pan-7, arguing that Pan-6 is distinct from the others.

15 Example 10 - Generation of Recombinant E1-Deleted SV-25 Vector

A plasmid was constructed containing the complete SV-25 genome except for an engineered E1 deletion. At the site of the E1 deletion recognition sites for the restriction enzymes I-CeuI and PI-SceI which would allow insertion of transgene from a shuttle plasmid where the transgene expression cassette is flanked by these two enzyme
 20 recognition sites were inserted.

A synthetic linker containing the restriction sites SwaI-SnaBI-SpeI-AflIII-EcoRV-SwaI was cloned into pBR322 that was cut with EcoRI and NdeI. This was done by annealing together two synthetic oligomers SV25T (5'-AAT TTA AAT ACG TAG CGC ACT AGT CGC GCT AAG CGC GGA TAT CAT TTA AA-3', SEQ ID NO: 38) and
 25 SV25B (5'-TAT TTA AAT GAT ATC CGC GCT TAA GCG CGA CTA GTG CGC

TAC GTA TTT A-3', SEQ ID NO:39) and inserting it into pBR322 digested with EcoRI and NdeI. The left end (bp1 to 1057, SEQ ID NO:29) of Ad SV25 was cloned into the above linker between the SnaBI and SpeI sites. The right end (bp28059 to 31042, SEQ ID NO: 29) of Ad SV25 was cloned into the linker between the AflIII and EcoRV sites.

5 The adenovirus E1 was then excised between the EcoRI site (bp 547) to XhoI (bp 2031) from the cloned left end as follows. A PCR generated I-CeuI-PI-SceI cassette from pShuttle (Clontech) was inserted between the EcoRI and SpeI sites. The 10154 bp XhoI fragment of Ad SV-25 (bp2031 to 12185, SEQ ID NO:29) was then inserted into the SpeI site. The resulting plasmid was digested with HindIII and the construct (pSV25) was
10 completed by inserting the 18344 bp Ad SV-25 HindIII fragment (bp11984 to 30328, SEQ ID NO:29) to generate a complete molecular clone of E1 deleted adenovirus SV25 suitable for the generation of recombinant adenoviruses. Optionally, a desired transgene is inserted into the I-CeuI and PI-SceI sites of the newly created pSV25 vector plasmid.

To generate an AdSV25 carrying a marker gene, a GFP (green fluorescent
15 protein) expression cassette previously cloned in the plasmid pShuttle (Clontech) was excised with the restriction enzymes I-CeuI and PI-SceI and ligated into pSV25 (or another of the Ad chimp plasmids described herein) digested with the same enzymes. The resulting plasmid (pSV25GFP) was digested with SmaI to separate the bacterial plasmid backbone and transfected into the E1 complementing cell line HEK 293. About
20 10 days later, a cytopathic effect was observed indicating the presence of replicative virus. The successful generation of an Ad SV25 based adenoviral vector expressing GFP was confirmed by applying the supernatant from the transfected culture on to fresh cell cultures. The presence of secondarily infected cells was determined by observation of green fluorescence in a population of the cells.

25

Example 11 - Construction of E3 deleted Pan-5, Pan-6, Pan-7 and C68 vectors

In order to enhance the cloning capacity of the adenoviral vectors, the E3 region can be deleted because this region encodes genes that are not required for the propagation of the virus in culture. Towards this end, E3-deleted versions of Pan-5, Pan-6, Pan-7, and
30 C68 have been made (a 3.5 kb Nru-AvrII fragment containing E31-9 is deleted).

A. *E3 deleted Pan5 based vector*

E1-deleted pPan5-pkGFP plasmid was treated with Avr II endonuclease to isolate a 5.8 kb fragment containing the E3 region and re-circulate pPan5-pkGFP with Avr II deletion to form construct pPan5-pkGFP-E3-Avr II. Subsequently, the 5.8 kb Avr II fragment was subcloned into pSL-Pan5-E3-Avr II for a further deletion of E3 region by Nru I digestion. This led to a plasmid pSL-Pan5-E3-deletion. The final construct pPan5-E3-pkGFP was produced by removing a 4.3 kb Avr II/Spe I fragment from pSL-Pan5-E3-deletion plasmid and inserting into pPan5-pkGFP-E3-Avr II at Avr II site. In this final construct, a 3.1 kb deletion in E3 region was accomplished.

10 B. *E3 deletion in Pan6 based vector*

E1-deleted pPan6- pkGFP molecular clone was digested with Sbf I and Not I to isolate 19.3 kb fragment and ligated back at Sbf I site. The resulting construct pPan6-Sbf I-E3 was treated with Eco 47 III and Swa I, generating pPan6-E3. Finally, 21 kb Sbf I fragment from Sbf I digestion of pPan6- pkGFP was subcloned into pPan6-E3 to create pPan6-E3-pkGFP with a 4 kb deletion in E3.

C. *E3 deleted Pan7 and Pan9 vectors*

The same strategy was used to achieve E3 deletions in both vectors. First, a 5.8 kb Avr II fragment spanning the E3 region was subcloned pSL-1180, followed by deletion of E3 by Nru I digestion. The resulting plasmids were treated with Spe I and Avr II to obtain 4.4 kb fragments and clone into pPan7- pkGFP and pPan9-pkGFP at Avr II sites to replace the original E3 containing Avr II fragments, respectively. The final pPan7-E3- pkGFP and pPan9-E3- pkGFP constructs have 3.5 kb E3-deletions.

Example 12 - Construction of E3- and E4-deleted Pan-7 vector

25 Although the deletion of the E1 region of adenoviruses (first generation adenovirus vectors) renders them replication-incompetent, expression of the adenoviral vector backbone genes is not fully abolished. Deletion of the E4 region considerably attenuates this residual gene expression and may confer a safety advantage. An E4-deleted Pan-7 vector containing a 2.5 kb deletion (a PvuII-AgeI fragment containing E4ORF1-ORF7 is deleted) has been constructed. High titer stocks of this virus were generated using a HEK 293-based cell line, which in addition to E1, expresses an essential E4 gene (orf 6).

1. *E4 deletion in the molecular clone of Pan7*

A 19 kb Xba I fragment was deleted from pPan7- pkGFP to create pPan7-Xba I from which a 2.5 kb E4 fragment was deleted by Age I and Pvu II partial digestion, resulting in pPan7-Xba I-E4. pPan7-E4- pkGFP plasmid was generated from pPan7-Xba I-E4 in two sequential cloning steps, adding 19 kb Xba I and 15 kb I-Ceu I/Mlu I fragments, both of which came from pPan7- pkGFP construct.

2. *Introduction of E3 and E4 deletions in Pan9 vector*

A 11 kb plasmid, pPan9-EcoRI, containing E4 region was created by retrieving 11 kb EcoRI fragment from pPan9 pkGFP after EcoRI digestion and self-ligation. E4 region was deleted from this construct by Age I digestion/filled in and Pvu II partial digestion and self-ligation to generate pPan9-EcoR I-E4. A 23 kb EcoR I fragment was isolated from pPan9-pkGFP and inserted into pPan9-EcoR I-E4 at EcoR I site, followed by adding 5.8 kb Avr II fragment from pPan9-pkGFP, to form the final product pPan9-E3-E4- pkGF. Compared to the genome size of wild type Pan9, this E1-E3-E4-deleted vector could have a transgene capacity up to 8 kb.

3. *Introduction of minigene cassettes with genes of interest including reporter genes, glyco- and nuclear proteins of Ebo into molecular clones of Pan vectors*

A highly efficient direct cloning and green/white selection procedure was employed for creating molecular clones of recombinant viruses. Briefly, genes of interest were cloned into pShuttlepkGFP by screening white colonies for recombinants. Subsequently, the minigene cassettes were transferred into chimpanzee adenovirus backbone plasmids, pPanX-pkGFP with various deletions, easily by swapping with pkGFP cassette at I-Ceu I and PI-Sce I sites and screening a few white colonies for correct recombinants.

4. *Rescue of molecular clones of Pan vectors with multiple deletions in early regions and virus propagation*

For rescue of E1-E3-deleted molecular clones of chimpanzee adenovirus vectors, the clones were linearized with appropriate restriction enzymes and transfected into regular 293 cells. Once a full cytopathic effect (CPE) observed in the transfected

cells, crude lysate was harvested and expanded in 293 cells to large-scale infections. The viruses were purified by CsCl sedimentation method.

For E1-E4 and E1-E3-E4-deleted Pan vectors, 10-3 cells, a 293-based E1-E4-complementing cell line, were used for rescue and propagation of vectors. E4
5 ORF6 gene expression in 10-3 cells was induced by addition of 150 μ M ZnSO₄ to the culture medium.

Example 13 - Vaccination with adenovirus vectors expressing wild type and variant EboZ GP.

10 AdHu5 or AdC7 vectors expressing Ebola envelope chimeras were produced for *in vivo* immunization experiments in C57BL/6 mice. Recombinant viruses with different viral backbones were created by molecular cloning method in which the minigene cassettes were inserted into the place of E1-deletions. The molecular clones of all recombinant viruses were rescued and grown up in 293
15 cells for large-scale purification using CsCl sedimentation method. Five EboZ variants encoded by AdHu5 or AdPan7 (C7) were selected and produced to evaluate their relative immunogenicity following an intramuscular Ad injection. The wt Ebo, a soluble Ebo variant, Ebo Δ 1, Ebo Δ 2, Ebo Δ 3, Ebo Δ 4, Ebo Δ 5S, Ebo Δ 6S, Ebo Δ 7S and Ebo Δ 8S were evaluated in the initial vaccine
20 studies. For the data summarized in the following table, the number of viral particles (per ml or total) produced and amplified from infected 293 cells was established by spectrophotometry reading.

Table: Production of AdHu5 or AdC7 Adenoviral vector encoding EboZ variant.

Gene	HuAd5		AdC7	
	Titer (VP x 10 ¹² /ml)	Total yield (VP x 10 ¹²)	Titer (VP x 10 ¹² /ml)	Total yield (VP x 10 ¹²)
Ebo wt	2.6	12	4.3	43
EboS	4.9	49	4.6	55
EboΔ2	2.1	9	5.8	93
EboΔ3	1.7	8	5.3	95
EboΔ4	3	12	4.1	62

Vector was administered intramuscularly (10¹¹ genome copies/cell) in C57BL/6 mice and the presence of virus neutralizing antibody (VNA) was evaluated 28 days later as a first measure of an immune response generated against the Ebola envelope glycoprotein. VNA is defined here as serum antibody able to inhibit transduction of HeLa cells mediated by HIV-based vector pseudotyped with the wild-type Ebola envelope.

VNA to the EboZ pseudotypes was detected with AdPan7 (C7) yielding higher titers than AdHu5. The EboZΔ3 elicited the highest VNA in terms of the transgene targets. For the data summarized in the following table, neutralizing antibody titers to HIV-EboZ-GFP pseudotypes (reciprocal dilution) are provided (N=5 animals/group).

	VNA Titers		
	EboZ wildtype	EboZs	EboZΔ3
AdHu5	12	16	12
AdC7	44	12	140

Example 14 – Pan7-mediated Expression of Ebola Proteins

Mouse studies to evaluate Pan-7 vectors expressing Ebola envelope proteins and the Ebola nuclear antigen have been initiated. These are directed towards evaluation of neutralizing antibodies in C57Bl/6 mice injected intramuscularly (IM) with Adhu5 or
 5 Pan-7 expressing each of 4 Ebola env constructs.

A. *Evaluation of CTL from C57Bl/6 mice injected IM with Adhu5 or Pan-7 expressing the Ebola env constructs.*

1. *Challenge experiment in mice with Ebola virus.*

Neutralizing antibody (NAB) responses to the Ebola envelope
 10 were analyzed by looking at immunized mouse sera mediated neutralization of a lentiviral (HIV) vector pseudotyped with the several constructs (eEbo, NTD2, NTD3, NTD4) of the Ebola envelope glycoprotein. C57BL/6 or BALB/c mice received a single intramuscular injection of 5×10^{10} particles per mouse of C7 (Ad Pan-7) encoding Ebola envelope variant. Neutralizing antibody was evaluated 30 days post-vaccination. Briefly, Ebola
 15 Zaire pseudotyped HIV vector encoding for β -galactosidase (EboZ-HIV-LacZ) was incubated for 2 hr at 37°C with different dilution of heat inactivated mouse serum. Following the incubation with serum, EboZ-HIV-LacZ was then used to infect HeLa cells for 16 hr at 37°C. Infectivity was revealed by X-gal staining of transduced HeLa cells positive for β -galactosidase. Neutralizing titer represent the serum reciprocal dilution
 20 where a 50% decrease in the number of β -galactosidase positive blue cells was observed. Sera were collected 30 days post-immunization, which consisted in a single intramuscular (I.M.) administration of 5×10^{10} particles/animal. Neutralizing antibody to Ebola pseudotyped HIV could be detected from all groups with antibody titers ranging from 20 for Ad-EboZ (Adhu5 expressing EboZ), Ad-NTD3 (Adhu5 expressing NTD3) and C7-sEbo (Ad Pan-7 expressing soluble EboZ) to over 130 for C7-NTD3 (Ad Pan-7
 25 expressing soluble NTD3) and C7-NTD4 (Ad Pan-7 expressing soluble NTD3). The same immunization strategy in BALB/c mice resulted in lower neutralizing antibody titers for Ad- and C7-NTD2, and NTD4.

B. *Cellular Immune Response*

30 The cellular immune response to the Ebola envelope in C57BL/6 mice was evaluated 8 days after a single I.M. administration of 5×10^{10} particles of C7-LacZ or C7-Ebola envelope variant per animal. Mice were vaccinated I.M. with 5×10^{10} particles

of C7 encoding LacZ or Ebola envelope variant. Splenic lymphocytes from immunized mice were collected 8 days post vaccination and stimulated in vitro with feeder cells (splenic lymphocytes from untreated mice infected with human Adenovirus serotype 5 encoding for the wild-type Ebola envelope and irradiated). Standard 5-hr CTL assays were performed using ⁵¹Cr-labeled syngenic C57 cells transfected with an expressor of EboZ.

A positive MHC-restricted cytotoxic T lymphocyte (CTL) response was observed from all AdPan-7 encoding for Ebola envelope variants with a higher response from NTD2, NTD3 or NTD4 immunized mice. Indeed, effector cells from C7 encoding Ebola envelope variant immunized mice recognized EboZ transfected target cells and gave recall CTL responses up to 30% specific lysis. Less than 5% lysis was seen with effector cells from naïve or LacZ immunized control mice confirming that lysis was specific for Ebola envelope antigens.

C. *Protection Studies*

The most direct means of evaluating C7 (Ad Pan-7) encoding for the EboZ variants as a successful vaccine in mice was to assess protection against weight loss and death following lethal challenge with mouse adapted Ebola Zaire virus. BALB/c mice were immunized with a single dose of 5×10^{10} particles per animal as performed previously and vaccinated animals were challenged with 200 LD₅₀ of mouse adapted Ebola Zaire 21 days later. All control mice (vehicle and C7-LacZ) died between day 5 to day 9 post-challenge. In contrast, all vaccinated mice but one, (from the C7-sEbo group), survived the challenge with Ebola Zaire.

Weight loss was observed from mice vaccinated with C7-sEbo from day 4 to day 7. Signs of illness such as pilo-erection and from light to severe lethargy were also noted from mice vaccinated with C7-sEbo, NTD2 and NTD3 between day 4 to day 7. Mice immunized with C7-EboZ and C7-NTD4 did not show sign of illness. Overall, a single dose of C7-EboZ and C7-NTD4 completely protected immunized mice from illness and death possibly due to a significant T cell mediated immunity.

All documents recited above are incorporated herein by reference. Numerous modifications and variations of the present invention are included in the scope of the above-identified specification and are expected to be obvious to one of skill in the art.

- 5 Such modifications and alterations to the compositions and processes of the present invention, such as selections of different minigenes or selection or dosage of the vectors or immune modulators are believed to be within the scope of the claims appended hereto.

SEQUENCE LISTING

<110> The Trustees of the University of Pennsylvania
 Wilson, James M.
 Gao, Guangping
 Roy, Soumitra

<120> Simian Adenovirus Nucleic Acid and Amino Acid Sequences,
 Vectors Containing Same, and Methods of Use

<130> UPN-02677PCT

<150> US 60/331,951
 <151> 2001-11-21

<150> US 60/366,798
 <151> 2002-03-22

<160> 39

<170> PatentIn version 3.1

<210> 1
 <211> 36462
 <212> DNA
 <213> chimpanzee adenovirus serotype Pan5

<220>
 <221> CDS
 <222> (13898)..(15490)
 <223> L2 Penton

<220>
 <221> CDS
 <222> (18315)..(21116)
 <223> L3 Hexon

<220>
 <221> CDS
 <222> (32035)..(33372)
 <223> L5 Fiber

<400> 1

catcatcaat aatatacctc aaacttttgg tgcgcggttaa tatgcaaagt aggtatttga 60
 atttggggat gcggggcggt gattggctgc gggagcggcg accgttaggg gcggggcggg 120
 tgacgttttg atgacgtggc cgtgaggcgg agccggtttg caagttctcg tgggaaaagt 180
 gacgtcaaac gaggtgtggt ttgaacacgg aaatactcaa ttttcccgcg ctctctgaca 240
 ggaaatgagg tgtttctggg cggatgcaag tgaaaacggg ccattttcgc gcgaaaactg 300
 aatgaggaag tgaaaatctg agtaattccg cgtttatggc agggaggagt atttgccgag 360
 ggccgagtag actttgaccg attacgtggg ggtttcgatt accgtatttt tcacctaaat 420

ttccgcgtac ggtgtcaaag tccggtgttt ttacgtaggt gtcagctgat cgccagggtta	480
tttaaacctg cgctctctag tcaagaggcc actcttgagt gccagcgagt agagttttct	540
cctccgcgcc gcgagtcaga tctacacttt gaaagatgag gcacctgaga gacctgcccg	600
gtaatgtttt cctggctact gggaacgaga ttctggaact ggtgggtggac gccatgatgg	660
gtgacgaccc tccggagccc cctaccccat ttgaagcgcc ttcgctgtac gatttgtatg	720
atctggaggt ggatgtgccc gagaacgacc ccaacgagga ggcggtgaat gatttgttta	780
gcgatgccgc gctgctggct gccgagcagg ctaatacgga ctctggctca gacagcgatt	840
cctctctcca taccgccaga cccggcagag gtgagaaaaa gatccccgag cttaaagggg	900
aagagctcga cctgcgctgc tatgaggaat gcttgccctcc gagcgatgat gaggaggacg	960
aggaggcgat tcgagctgca gcgaaccagg gagtgaaaac agcgagcgag ggcttttagcc	1020
tggactgtcc tactctgccc ggacacggct gtaagtcttg tgaatttcat cgcatgaata	1080
ctggagataa gaatgtgatg tgtgccctgt gctatatgag agcttacaac cattgtgttt	1140
acagtaagtg tgattaactt tagctgggga ggcagagggt gactgggtgc tgactggttt	1200
atztatgtat atgtttttta tgtgtaggtc ccgtctctga cgtagatgag acccccacta	1260
cagagtgcac ttcacacccc ccagaaattg gcgaggaacc gcccgagat attattcata	1320
gaccagttgc agtgagagtc accgggcgta gagcagctgt ggagagtttg gatgacttgc	1380
tacagggtgg ggatgaacct ttggacttgt gtacccggaa acgccccagg cactaagtgc	1440
cacacatgtg tgtttactta aggtgatgtc agtatttata ggggtgtggag tgcaataaaa	1500
tccgtgttga ctttaagtgc gtggtttatg actcaggggt ggggactgtg ggtatataag	1560
caggtgcaga cctgtgtggt cagttcagag caggactcat ggagatctgg acagtcttgg	1620
aagactttca ccagactaga cagctgctag agaactcatc ggagggagtc tcttacctgt	1680
ggagattctg cttegggtggg cctctagcta agctagtcta tagggccaag caggattata	1740
aggatcaatt tgaggatatt ttgagagagt gtcctggtat ttttgactct ctcaacttgg	1800
gccatcagtc tcactttaac cagagtattc tgagagccct tgacttttct actcctggca	1860
gaactaccgc cgcggtagcc ttttttgcct ttatccttga caaatggagt caagaaaccc	1920
atctcagcag ggattaccgt ctggactgct tagcagtagc tttgtggaga acatggaggt	1980
gccagcgctt gaatgcaatc tccggctact tgccagtaca gccggtagac acgctgagga	2040
tcctgagtct ccagtcaccc caggaacacc aacgccgcca gcagccgcag caggagcagc	2100

agcaagagga ggaccgagaa gagaacctga gagccggtct ggaccctccg gtggcggagg 2160
 aggaggagta gctgacttgt ttcccgagct gcgccgggtg ctgactaggt cttccagtgg 2220
 acgggagagg gggattaagc gggagaggca tgaggagact agccacagaa ctgaactgac 2280
 tgtcagtctg atgagtcgca ggcgccaga atcgggtgtg tggcatgagg tgcagtcgca 2340
 ggggatagat gaggtctcag tgatgcatga gaaatattcc ctagaacaag tcaagacttg 2400
 ttggttggag cccgaggatg attgggagggt agccatcagg aattatgcca agctggctct 2460
 gaggccagac aagaagtaca agattaccaa actgattaat atcagaaatt cctgctacat 2520
 ttcagggaat ggggccgagg tggagatcag taccaggag aggggtggcct tcagatgctg 2580
 catgatgaat atgtaccg ggggtgggtgg catggaggga gtcaccttta tgaacgcgag 2640
 gttcaggggt gatgggtata atgggggtgt ctttatggcc aacaccaagc tgacagtgca 2700
 cggatgctcc ttctttggct tcaataacat gtgcattgag gcctggggca gtgtttcagt 2760
 gaggggatgc agtttttcag ccaactggat gggggtcgtg ggcagaacca agagcatggt 2820
 gtcagtgaag aaatgcctgt tcgagagggt ccacctgggg gtgatgagcg agggcgaagc 2880
 caaagtcaaa cactgcgcct ctaccgagac gggctgcttt gtactgatca agggcaatgc 2940
 caaagtcaag cataatatga tctgtggggc ctcgatgag cgccgctacc agatgctgac 3000
 ctgcgccggt ggaacagcc atatgctagc caccgtgcat gtggcctcgc acccccgcaa 3060
 gacatggccc gagttcgagc acaacgtcat gaccgctgc aatgtgcacc tgggggtccc 3120
 ccgaggcatg ttcatgccct accagtgcaa catgcaattt gtgaagggtg tgctggagcc 3180
 cgatgccatg tccagagtga gcctgacggg ggtgtttgac atgaatgtgg agctgtggaa 3240
 aattctgaga tatgatgaat ccaagaccag gtgccggggc tgcgaatgcg gaggcaagca 3300
 cgccaggctt cagcccgtgt gtgtggagggt gacggaggac ctgcgaccgc atcatttggt 3360
 gttgtcctgc aacgggacgg agttcggctc cagcggggaa gaatctgact agagtgaagta 3420
 gtgtttggga ctgggtggga gcctgcatga tgggcagaat gactaaaatc tgtgtttttc 3480
 tgccgagcag catgagcgga agcgcctcct ttgagggagg ggtattcagc ccttatctga 3540
 cggggcgtct cccctcctgg gcgggagtg gtcagaatgt gatgggatcc acggtggacg 3600
 gccggcccgt gcagcccgcg aactcttcaa ccctgaccta cgcgaccctg agtcctcgt 3660
 ccgtggacgc agctgccgcc gcagctgctg cttccgccgc cagcgcctg cgcggaatgg 3720
 ccctgggcgc cggctactac agctctctgg tggccaactc gagttccacc aataatccc 3780
 ccagcctgaa cgaggagaag ctgctgctgc tgatggccca gctcgaggcc ctgaccagc 3840

gcctggggcga gctgacccag caggtggctc agctgcaggc ggagacgcgg gccgcggttg 3900
ccacggtgaa aaccaaataa aaaatgaatc aataaataaa cggagacggt tggttgatttt 3960
aacacagagt cttgaatctt tatttgattt ttcgcgcgcg gtaggccctg gaccaccggt 4020
ctcgatcatt gagcaccggt tggatctttt ccaggacccg gtagagggtg gcttggtatg 4080
tgaggtagat gggcatgagc ccgtcccggg ggtggaggta gctccattgc agggcctcgt 4140
gctcgggggt ggtggtgtaa atcaccagc catagcaggg gcgcagggcg tgggtgctgca 4200
cgatgtcctt gaggaggaga ctgatggcca cgggcagccc cttggtgtag gtgttgacga 4260
acctgttgag ctgggaggga tgcattgcgg gggagatgag atgcatcttg gcctggatct 4320
tgagattggc gatgttcccg ccagatccc gccgggggtt catgttgtgc aggaccacca 4380
gcacggtgta tccggtgcac ttggggaatt tgtcatgcaa cttggaagg aaggcgtgaa 4440
agaatttgga gacgcccttg tgaccgcca ggttttccat gcactcatcc atgatgatgg 4500
cgatgggccc gtgggcggcg gcttgggcaa agacgtttcg ggggtcggac acatcgtagt 4560
tgtggtcctg ggtgagctcg tcataggcca ttttaatgaa tttggggcg aggggtgccc 4620
actgggggac gaagggtgcc tcgatcccgg gggcgtagtt gccctcgcag atctgcatct 4680
cccaggcctt gagctcggag ggggggatca tgtccacctg cggggcgatg aaaaaaacgg 4740
tttccggggc gggggagatg agctgggccc aaagcaggtt ccggagcagc tgggacttgc 4800
cgcagccggt ggggccgtag atgaccccga tgaccggctg caggtggtag ttgagggaga 4860
gacagctgcc gtcctcgcgg aggagggggg ccacctcgtt catcatctcg cgcacatgca 4920
tgttctcgcg cacgagttcc gccaggaggc gctcgcccc aagcgagagg agctcttgca 4980
gcgaggcgaa gtttttcagc ggcttgagcc cgtcggccat gggcattttg gagagggtct 5040
gttgcaagag ttccagacgg tcccagagct cggatgatgt ctctagggca tctcgatcca 5100
gcagacctcc tcgtttcgcg ggttggggcg actgcgggag tagggcacca ggcgatgggc 5160
gtccagcgag gccagggtcc ggtccttcca ggggcgcagg gtccgcgtca gcgtggtctc 5220
cgtcacggtg aaggggtgcg cgcgggctg ggcgcttgcg aggggtgcgt tcaggctcat 5280
ccggctggtc gagaaccgct cccggtcggc gccctgcgcg tcggccaggt agcaattgag 5340
catgagttcg tagttgagcg cctcggccgc gtggcccttg gcgcggagct tacctttgga 5400
agtgtgtccg cagacgggac agaggaggga cttgaggggc tagagcttgg gggcgaggaa 5460
gacggactcg ggggcgtagg cgtccgcgcc gcagctggcg cagacggtct cgcactccac 5520

gagccaggtg aggtctggcc ggtcggggtc aaaaacgagg ttccctccgt gctttttgat 5580
 gcgtttctta cctctggtct ccatgagctc gtgtccccgc tgggtgacaa agaggctgtc 5640
 cgtgtccccg tagaccgact ttatgggccg gtccctcgagc ggggtgccgc ggtccctcgtc 5700
 gtagaggaac cccgcccact ccgagacgaa ggcccgggtc caggccagca cgaaggaggc 5760
 cacgtgggag gggtagcggc cgttggtccac cagcgggtcc accttctcca gggtagtcaa 5820
 gcacatgtcc ccctcgtcca catccaggaa ggtgattggc ttgtaagtgt aggccacgtg 5880
 accgggggtc ccggccgggg gggataaaaa gggggcgggc ccctgctcgt cctcactgtc 5940
 ttccggatcg ctgtccagga gcgccagctg ttggggtagg tattccctct cgaaggcggg 6000
 catgacctcg gcactcaggt tgtcagtttc tagaaacgag gaggatttga tattgacggt 6060
 gccgttgag agccttttca tgagcccctc gtccatctgg tcagaaaaga cgatcttttt 6120
 gttgtcgagc ttggtggcga aggagccgta gagggcgttg gagagcagct tggcgatgga 6180
 gcgcatggtc tggttctttt ccttgctggc gcgctccttg gcggcgatgt tgagctgcac 6240
 gtactcgcg gcacgcact tccattcggg gaagacgggt gtgagcttgt cgggcacgat 6300
 tctgaccgc cagccgcggt tgtgcagggt gatgaggtcc acgctgggtg ccacctcgcc 6360
 gcgcaggggc tcgttggtcc agcagaggcg ccgcctctg gcgagcaga aggggggcag 6420
 cgggtccagc atgagctcgt cgggggggtc ggcgtccacg gtgaagatgc cgggcaggag 6480
 ctccgggtcg aagtagctga tgcagggtgc cagatcgtcc agcgcgctt gccagtcgcg 6540
 cacggccagc gcgcgctcgt aggggctgag gggcgtgccc cagggcattg ggtgcgtgag 6600
 cgcgaggcg tacatgccgc agatgtcgta gacgtagagg ggctcctcga ggacgccgat 6660
 gtaggtgggg tagcagcgcc ccccgcgat gctggcgcg acgtagtcgt acagctcgtg 6720
 cgagggcgcg aggagcccgg tgccgagggt ggagcgctgc ggcttttcgg cgcggtagac 6780
 gatctggcg aagatggcgt gggagttgga ggagatggtg ggcctctgga agatgttgaa 6840
 gtgggcgtgg ggcagtccga ccgagtcctt gatgaagtgg gcgtaggagt cctgcagctt 6900
 ggcgacgagc tcggcggtga cgaggacgtc cagggcgcag tagtcgaggg tctcttgat 6960
 gatgtcgtag ttgagctggc ccttctgctt ccacagctcg cggttgagaa ggaactcttc 7020
 gcggtccttc cagtactctt cgagggggaa cccgtcctga tcggcacggt aagagcccac 7080
 catgtagaac tggttgacgg ccttgtaggc gcagcagccc ttctccacgg ggagggcgta 7140
 agcttgcgcg gccttgcgca gggaggtgtg ggtgaggcg aaggtgtcgc gcacatgac 7200
 cttgaggaac tggtgcttga agtcgaggtc gtcgcagccg ccctgctccc agagctggaa 7260

gtccgtgcgc ttctttagg cggggttggg caaagcgaaa gtaacatcgt tgaagaggat 7320
 cttgcccgcg cggggcatga agttgcgagt gatgcggaaa ggctggggca cctcggccccg 7380
 gttgttgatg acctgggagg cgaggacgat ctgcgcgaag ccgttgatgt tgtgcccgcac 7440
 gatgtagagt tccacgaatc gcggggcggcc cttgacgtgg ggcagcttct tgagctcgtc 7500
 gtaggtgagc tcggcggggg cgctgaggcc gtgctgctcg agggcccagt cggcgagggtg 7560
 ggggttggcg ccgaggaagg aagtccagag atccacggcc agggcgggtct gcaagcggtc 7620
 ccggtactga cggaactgct ggcccacggc ctttttttcg ggggtgacgc agtagaagggt 7680
 gcggggggtcg ccgtgccagc ggtcccactt gagctggagg gcgaggctcg gggcgagctc 7740
 gacgagcggc ggggtccccg agagtctcat gaccagcatg aaggggacga gctgcttgcc 7800
 gaaggacccc atccagggtgt aggtttccac gtcgtagggtg aggaagagcc tttcgggtgcg 7860
 aggatgcgag ccgatgggga agaactggat ctccctgccac cagttggagg aatggctgtt 7920
 gatgtgatgg aagtagaaat gccgacggcg cgccgagcac tcgtgcttgt gtttatacaa 7980
 gcgtccgcag tgctcgcaac gctgcacggg atgcacgtgc tgcacgagct gtacctgggt 8040
 tcctttgacg aggaatttca gtgggcagtg gagcgctggc ggctgcatct ggtgctgtac 8100
 tacgtcctgg ccatcggcgt ggccatcgtc tgcctcgatg gtggctcatgc tgacgaggcc 8160
 gcgcgggagg caggtccaga cctcggctcg gacgggtcgg agagcgagga cgagggcgcg 8220
 caggccggag ctgtccaggg tcctgagacg ctgcggagtc aggtcagtgg gcagcggcgg 8280
 cgcgcggttg acttgcagga gcttttccag ggcgcgcggg aggtccagat ggtacttgat 8340
 ctccacggcg ccgttggtgg cgacgtccac ggcttgacag gtcccgtgcc cctggggcg 8400
 caccaccgtg ccccgtttct tcttgggtgc tggcgggcgg ggctccatgc ttagaagcgg 8460
 cggcgaggac gcgcgcccgg cggcaggggc ggctcggggc ccggaggcag gggcggcagg 8520
 ggcacgtcgg cgccgcgcgc gggcaggttc tggtagtgcg cccggagaag actggcgtga 8580
 gcgacgacgc gacggttgac gtcctggatc tgacgcctct ggggtgaaggc cacgggaccc 8640
 gtgagtttga acctgaaaga gagttcgaca gaatcaatct cggtatcgtt gacggcggcc 8700
 tgccgcagga tctcttgac gtcgcccag ttgtcctggg aggcgatctc ggtcatgaac 8760
 tgctcgatct cctcctcctg aaggtctccg cgaccggcgc gctcgacggt ggccgcgagg 8820
 tcgttgagga tgccggccat gagctgcgag aaggcgttca tgccggcctc gttccagacg 8880
 cggctgtaga ccacggctcc gtcgggggtcg gcgcgcgcga tgaccacctg ggcgagggtg 8940

agctcgacgt	ggcgcgtgaa	gaccgcgtag	ttgcagaggc	gctggtagag	gtagttgagc	9000
gtgggtggcga	tgtgctcggc	gacgaagaag	tacatgatcc	agcggcggag	cggcatctcg	9060
ctgacgtcgc	ccagggcttc	caagcgctcc	atggcctcgt	agaagtccac	ggcgaagttg	9120
aaaaactggg	agttgcgcgc	cgagacggtc	aactcctcct	ccagaagacg	gatgagctcg	9180
gcgatgggtgg	cgcgcacctc	gcgctcgaag	gccccggggg	gctcctcttc	ttccatctcc	9240
tcctcctctt	ccatctcctc	cactaacatc	tcttctactt	cctcctcagg	aggcggcggc	9300
gggggagggg	ccctgcgtcg	ccggcggcgc	acgggcagac	ggtcgatgaa	gcgctcgatg	9360
gtctccccgc	gccggcgacg	catggtctcg	gtgacggcgc	gcccgtcctc	gcggggccgc	9420
agcgtgaaga	cgccgccgcg	catctccagg	tggccgccgg	gggggtctcc	gttgggcagg	9480
gagagggcgc	tgacgatgca	tcttatcaat	tggcccgtag	ggactccgcg	caaggacctg	9540
agcgtctcga	gatccacggg	atccgaaaac	cgctgaacga	aggcttcgag	ccagtcgcag	9600
tcgcaaggta	ggctgagccc	ggtttcttgt	tcttcgggta	tttggtcggg	aggcgggcgg	9660
gcgatgctgc	tggatgatgaa	gttgaagtag	gcggtcctga	gacggcggat	ggtggcgagg	9720
agcaccaggt	ccttgggccc	ggcttgctgg	atgcgcagac	ggtcggccat	gccccaggcg	9780
tggtcctgac	acctggcgag	gtccttgtag	tagtcctgca	tgagccgctc	cacgggcacc	9840
tcctcctcgc	ccgcgcggcc	gtgcatgcgc	gtgagcccga	accgcgcgtg	cggctggacg	9900
agcgccaggt	cggcgacgac	gcgctcggcg	aggatggcct	gctggatctg	ggtgaggggtg	9960
gtctggaagt	cgtcgaagtc	gacgaagcgg	tggtaggctc	cgggtgttgat	ggtgtaggag	10020
cagttggcca	tgacggacca	gttgacggtc	tggtaggccc	ggcgcacgag	ctcgtgggtac	10080
ttgagggcgc	agtaggcgcg	cgtgtcgaag	atgtagtcgt	tgcagggtgcg	cacgaggtac	10140
tggatatccga	cgaggaagtg	cggcggcggc	tggcggtaga	gcggccatcg	ctcgggtggcg	10200
ggggcgccgg	gcgcgaggtc	ctcgagcatg	aggcgggtgg	agccgtagat	gtacctggac	10260
atccaggtga	tgccggcggc	ggtgggtggag	gcgcgcggga	actcgcggac	gcggttccag	10320
atgttgcgca	gcggcaggaa	gtagttcatg	gtggccgcgg	tctggcccgt	gaggcgcgcg	10380
cagtcgtgga	tgctctagac	atacgggcaa	aaacgaaagc	ggtcagcggc	tcgactccgt	10440
ggcctggagg	ctaagcgaac	gggttgggct	gcgcgtgtac	cccggttcga	gtccctgctc	10500
gaatcaggct	ggagccgcag	ctaacgtggc	actggcactc	ccgtctcgac	ccaagcctgc	10560
taacgaaacc	tccaggatac	ggaggcgggt	cgttttggcc	attttcgtca	ggccggaaat	10620
gaaactagta	agcgcggaag	gcggccgtcc	gcgatggctc	gctgccgtag	tctggagaaa	10680

gaatcgccag ggttgcggtg cgggtgtgcc cggttcgagc ctcagcgctc ggcgccggcc 10740
 ggattccgcg gctaacgtgg gcgtggctgc cccgtcgttt ccaagacccc ttagccagcc 10800
 gacttctcca gttacggagc gagccccctt ttttcttggtg tttttgccag atgcatcccg 10860
 tactgcggca gatgcgcccc caccctccac cacaaccgcc cctaccgcag cagcagcaac 10920
 agccggcgct tctgcccccg ccccagcagc agcagccagc cactaccgcg gcggccgccc 10980
 tgagcggagc cggcgttcag tatgacctgg ccttggaaga gggcgagggg ctggcgcggc 11040
 tggggggcgct .gtcgccggag cggcacccgc gcgtgcagat gaaaaggagc gctcgcgagg 11100
 cctacgtgcc caagcagaac ctgttcagag acaggagcgg cgaggagccc gaggagatgc 11160
 gcgcctcccg cttccacgcg gggcgggagc tgccggcgcg cctggaccga aagcgggtgc 11220
 tgagggagca ggatttcgag gcggacgagc tgacggggat cagccccgcg cgcgcgcacg 11280
 tggccgcggc caacctggtc acggcgtagc agcagaccgt gaaggaggag agcaacttcc 11340
 aaaaatcctt caacaaccac gtgcgcacgc tgatcgcgcg cgaggagggtg accctgggcc 11400
 tgatgcacct gtgggacctg ctggaggcca tcgtgcagaa cccacgagc aagccgctga 11460
 cggcgcagct gtttctgggtg gtgcagcaca gtcgggacaa cgagacgttc agggaggcgc 11520
 tgctgaatat caccgagccc gagggccgct ggctcctgga cctggtgaac attctgcaga 11580
 gcatcgtggt gcaggagcgc gggctgccgc tgtccgagaa gctggcggcc atcaacttct 11640
 cggtgctgag cctgggcaag tactacgcta ggaagatcta caagaccccg tacgtgcca 11700
 tagacaagga ggtgaagatc gacgggtttt acatgcgcat gaccctgaaa gtgctgacct 11760
 tgagcgacga tctgggggtg taccgcaacg acaggatgca ccgcgcggtg agcgcagcc 11820
 gccggcgcca gctgagcgac caggagctga tgcacagcct gcagcgggcc ctgaccgggg 11880
 ccgggaccga gggggagagc tactttgaca tgggcgcgga cctgcgctgg cagcctagcc 11940
 gccgggcctt ggaagctgcc ggcggttccc cctacgtgga ggagggtggac gatgaggagg 12000
 aggagggcga gtacctggaa gactgatggc gcgaccgtat ttttgctaga tgcagcaaca 12060
 gccaccgccg cctcctgac cgcgatgcg ggcggcgctg cagagccagc cgtccggcat 12120
 taactcctcg gacgattgga cccaggccat gcaacgcac atggcgctga cgacccgcaa 12180
 tcccgaagcc tttagacagc agcctcaggc caaccgactc tcggccatcc tggaggccgt 12240
 ggtgccctcg cgctcgaacc ccacgcacga gaagggtgctg gccatcgtga acgcgctggt 12300
 ggagaacaag gccatccgcg gcgacgaggc cgggctgggtg tacaacgcgc tgctggagcg 12360


```

cgtggcccg c tacaacagca ccaacgtgca gacgaacctg gaccgcatgg tgaccgacgt 12420
gcgcgaggcg gtgtcgcagc gcgagcgggt ccaccgagag tcgaacctgg gctccatgg 12480
ggcgctgaac gccttcctga gcacgcagcc cgccaacgtg ccccgggggc aggaggacta 12540
caccaacttc atcagcgcgc tgcggctgat ggtggccgag gtgccccaga gcgaggtgta 12600
ccagtcgggg ccggactact tcttcagac cagtcgccag ggcttgacaga ccgtgaacct 12660
gagccaggct ttcaagaact tgcagggact gtggggcggt caggccccgg tcggggaccg 12720
cgcgacgggt tcgagcctgc tgacgccgaa ctgcgcctg ctgctgctgc tgggtggcgcc 12780
cttcacggac agcggcagcg tgagccgcga ctgctacctg ggctacctgc ttaacctgta 12840
ccgcgaggcc atcgggcagg cgacgtgga cgagcagacc taccaggaga tcaccacgt 12900
gagccgcgcg ctggggcagg aggaccggg caacctggag gccacctga acttcctgct 12960
gaccaaccgg tcgcagaaga tcccgcccca gtacgcgctg agcaccgagg aggagcgcac 13020
cctgcgctac gtgcagcaga gcgtggggct gttcctgatg caggaggggg ccacgcccag 13080
cgccgcgctc gacatgaccg cgcgcaacat ggagcccagc atgtacgccc gcaaccgccc 13140
gttcatcaat aagctgatgg actacttgca tcggggcgcc gccatgaact cggactactt 13200
taccaacgcc atcttgaacc cgactggct cccgcccgc gggttctaca cgggcgagta 13260
cgacatgccc gacccaacg acgggttcct gtgggacgac gtggacagca gcgtgttctc 13320
gccgcgcccc accaccacca ccgtgtggaa gaaagagggc ggggaccggc ggccgtcctc 13380
ggcgctgtcc ggtcgcgcgg gtgctgccgc ggcgggtgcc gaggcgcca gccccttccc 13440
gagcctgccc ttttcgctga acagcgtgcg cagcagcgag ctgggtcggc tgacgcggcc 13500
gcgcctgctg ggcgaggagg agtacctgaa cgactccttg cttcgggccg agcgcgagaa 13560
gaacttcccc aataacggga tagagagcct ggtggacaag atgagccgct ggaagacgta 13620
cgcgcacgag cacagggacg agccccgagc tagcagcagc accggcgcca cccgtagacg 13680
ccagcggcac gacaggcagc ggggtctggt gtgggacgat gaggattccg ccgacgacag 13740
cagcgtgttg gacttgggtg ggagtgggtg tggttaaccg ttcgctcacc tgcgcccccg 13800
tatcgggcgc ctgatgtaag aatctgaaaa aataaaagac ggtactcacc aaggccatgg 13860
cgaccagcgt gcgttcttct ctgttggttg tagtagt atg atg agg cgc gtg tac 13915
                               Met Met Arg Arg Val Tyr
                               1                               5

ccg gag ggt cct cct ccc tcg tac gag agc gtg atg cag cag gcg gtg 13963
Pro Glu Gly Pro Pro Pro Ser Tyr Glu Ser Val Met Gln Gln Ala Val
          10                      15                      20

```


gcg gcg gcg atg cag ccc ccg ctg gag gcg cct tac gtg ccc ccg cgg	14011
Ala Ala Ala Met Gln Pro Pro Leu Glu Ala Pro Tyr Val Pro Pro Arg	
25 30 35	
tac ctg gcg cct acg gag ggg cgg aac agc att cgt tac tcg gag ctg	14059
Tyr Leu Ala Pro Thr Glu Gly Arg Asn Ser Ile Arg Tyr Ser Glu Leu	
40 45 50	
gca ccc ttg tac gat acc acc cgg ttg tac ctg gtg gac aac aag tcg	14107
Ala Pro Leu Tyr Asp Thr Thr Arg Leu Tyr Leu Val Asp Asn Lys Ser	
55 60 65 70	
gcg gac atc gcc tcg ctg aac tac cag aac gac cac agc aac ttc ctg	14155
Ala Asp Ile Ala Ser Leu Asn Tyr Gln Asn Asp His Ser Asn Phe Leu	
75 80 85	
acc acc gtg gtg cag aac aac gat ttc acc ccc acg gag gcc agc acc	14203
Thr Thr Val Val Gln Asn Asn Asp Phe Thr Pro Thr Glu Ala Ser Thr	
90 95 100	
cag acc atc aac ttt gac gag cgc tcg cgg tgg ggc ggc cag ctg aaa	14251
Gln Thr Ile Asn Phe Asp Glu Arg Ser Arg Trp Gly Gly Gln Leu Lys	
105 110 115	
acc atc atg cac acc aac atg ccc aac gtg aac gag ttc atg tac agc	14299
Thr Ile Met His Thr Asn Met Pro Asn Val Asn Glu Phe Met Tyr Ser	
120 125 130	
aac aag ttc aag gcg cgg gtg atg gtc tcg cgc aag acc ccc aac ggg	14347
Asn Lys Phe Lys Ala Arg Val Met Val Ser Arg Lys Thr Pro Asn Gly	
135 140 145 150	
gtc aca gta aca gat ggt agt cag gac gag ctg acc tac gag tgg gtg	14395
Val Thr Val Thr Asp Gly Ser Gln Asp Glu Leu Thr Tyr Glu Trp Val	
155 160 165	
gag ttt gag ctg ccc gag ggc aac ttc tcg gtg acc atg acc atc gat	14443
Glu Phe Glu Leu Pro Glu Gly Asn Phe Ser Val Thr Met Thr Ile Asp	
170 175 180	
ctg atg aac aac gcc atc atc gac aac tac ttg gcg gtg ggg cgg cag	14491
Leu Met Asn Asn Ala Ile Ile Asp Asn Tyr Leu Ala Val Gly Arg Gln	
185 190 195	
aac ggg gtg ctg gag agc gac atc ggc gtg aag ttc gac acg cgc aac	14539
Asn Gly Val Leu Glu Ser Asp Ile Gly Val Lys Phe Asp Thr Arg Asn	
200 205 210	
ttc cgg ctg ggc tgg gac ccc gtg acc gag ctg gtg atg ccg ggc gtg	14587
Phe Arg Leu Gly Trp Asp Pro Val Thr Glu Leu Val Met Pro Gly Val	
215 220 225 230	
tac acc aac gag gcc ttc cac ccc gac atc gtc ctg ctg ccc ggc tgc	14635
Tyr Thr Asn Glu Ala Phe His Pro Asp Ile Val Leu Leu Pro Gly Cys	
235 240 245	

ggc	gtg	gac	ttc	acc	gag	agc	cgc	ctc	agc	aac	ctg	ctg	ggc	atc	cgc	14683
Gly	Val	Asp	Phe	Thr	Glu	Ser	Arg	Leu	Ser	Asn	Leu	Leu	Gly	Ile	Arg	
			250					255					260			
aag	cgg	cag	ccc	ttc	cag	gag	ggc	ttc	cag	atc	ctg	tac	gag	gac	ctg	14731
Lys	Arg	Gln	Pro	Phe	Gln	Glu	Gly	Phe	Gln	Ile	Leu	Tyr	Glu	Asp	Leu	
		265					270					275				
gag	ggg	ggc	aac	atc	ccc	gcg	ctg	ctg	gac	gtg	gac	gcc	tac	gag	aaa	14779
Glu	Gly	Gly	Asn	Ile	Pro	Ala	Leu	Leu	Asp	Val	Asp	Ala	Tyr	Glu	Lys	
	280					285					290					
agc	aag	gag	gat	agc	gcc	gcc	gcg	gcg	acc	gca	gcc	gtg	gcc	acc	gcc	14827
Ser	Lys	Glu	Asp	Ser	Ala	Ala	Ala	Ala	Thr	Ala	Ala	Val	Ala	Thr	Ala	
295					300				305						310	
tct	acc	gag	gtg	cgg	ggc	gat	aat	ttt	gct	agc	gcc	gcg	aca	ctg	gca	14875
Ser	Thr	Glu	Val	Arg	Gly	Asp	Asn	Phe	Ala	Ser	Ala	Ala	Thr	Leu	Ala	
				315					320					325		
gcg	gcc	gag	gcg	gct	gaa	acc	gaa	agt	aag	ata	gtg	atc	cag	ccg	gtg	14923
Ala	Ala	Glu	Ala	Ala	Glu	Thr	Glu	Ser	Lys	Ile	Val	Ile	Gln	Pro	Val	
		330					335						340			
gag	aag	gac	agc	aag	gag	agg	agc	tac	aac	gtg	ctc	gcg	gac	aag	aaa	14971
Glu	Lys	Asp	Ser	Lys	Glu	Arg	Ser	Tyr	Asn	Val	Leu	Ala	Asp	Lys	Lys	
		345					350					355				
aac	acc	gcc	tac	cgc	agc	tgg	tac	ctg	gcc	tac	aac	tac	ggc	gac	ccc	15019
Asn	Thr	Ala	Tyr	Arg	Ser	Trp	Tyr	Leu	Ala	Tyr	Asn	Tyr	Gly	Asp	Pro	
	360					365					370					
gag	aag	ggc	gtg	cgc	tcc	tgg	acg	ctg	ctc	acc	acc	tcg	gac	gtc	acc	15067
Glu	Lys	Gly	Val	Arg	Ser	Trp	Thr	Leu	Leu	Thr	Thr	Ser	Asp	Val	Thr	
375					380					385					390	
tgc	ggc	gtg	gag	caa	gtc	tac	tgg	tcg	ctg	ccc	gac	atg	atg	caa	gac	15115
Cys	Gly	Val	Glu	Gln	Val	Tyr	Trp	Ser	Leu	Pro	Asp	Met	Met	Gln	Asp	
				395					400					405		
ccg	gtc	acc	ttc	cgc	tcc	acg	cgt	caa	ggt	agc	aac	tac	ccg	gtg	gtg	15163
Pro	Val	Thr	Phe	Arg	Ser	Thr	Arg	Gln	Val	Ser	Asn	Tyr	Pro	Val	Val	
			410					415					420			
ggc	gcc	gag	ctc	ctg	ccc	gtc	tac	tcc	aag	agc	ttc	ttc	aac	gag	cag	15211
Gly	Ala	Glu	Leu	Leu	Pro	Val	Tyr	Ser	Lys	Ser	Phe	Phe	Asn	Glu	Gln	
		425					430					435				
gcc	gtc	tac	tcg	cag	cag	ctg	cgc	gcc	ttc	acc	tcg	ctc	acg	cac	gtc	15259
Ala	Val	Tyr	Ser	Gln	Gln	Leu	Arg	Ala	Phe	Thr	Ser	Leu	Thr	His	Val	
	440					445					450					
ttc	aac	cgc	ttc	ccc	gag	aac	cag	atc	ctc	ggt	cgc	ccg	ccc	gcg	ccc	15307
Phe	Asn	Arg	Phe	Pro	Glu	Asn	Gln	Ile	Leu	Val	Arg	Pro	Pro	Ala	Pro	
455					460					465					470	

acc att acc acc gtc agt gaa aac gtt cct gct ctc aca gat cac ggg	15355
Thr Ile Thr Thr Val Ser Glu Asn Val Pro Ala Leu Thr Asp His Gly	
475 480 485	
acc ctg ccg ctg cgc agc agt atc cgg gga gtc cag cgc gtg acc gtc	15403
Thr Leu Pro Leu Arg Ser Ser Ile Arg Gly Val Gln Arg Val Thr Val	
490 495 500	
act gac gcc aga cgc cgc acc tgc ccc tac gtc tac aag gcc ctg ggc	15451
Thr Asp Ala Arg Arg Arg Thr Cys Pro Tyr Val Tyr Lys Ala Leu Gly	
505 510 515	
gta gtc gcg ccg cgc gtc ctc tcg agc cgc acc ttc taa aaaatgtcca	15500
Val Val Ala Pro Arg Val Leu Ser Ser Arg Thr Phe	
520 525 530	
ttctcatctc gccagtaat aacaccggtt ggggcctgcg cgcgccagc aagatgtacg	15560
gaggcgctcg ccaacgctcc acgcaacacc ccgtgcgcgt gcgcgggcac ttccgcgctc	15620
cctggggcgc cctcaagggc cgcgtgcgct cgcgcaccac cgtcgacgac gtgatcgacc	15680
aggtggtggc cgacgcgcgc aactacacgc ccgccgccgc gcccgctctcc accgtggacg	15740
ccgtcatcga cagcgtggtg gccgacgcgc gccggtacgc ccgcgccaag agccggcggc	15800
ggcgcacgc ccggcggcac cggagcacc ccgccatgcg cgcggcgcgga gccttgctgc	15860
gcagggccag gcgcacggga cgcagggcca tgctcagggc ggccagacgc gcggcctccg	15920
gcagcagcag cgccggcagg acccgacagc gcgcggccac ggccggcgcg gcggccatcg	15980
ccagcatgtc ccgccgcgg cgcggcaacg tgtactgggt gcgcgacgcc gccaccggtg	16040
tgcgcgctgcc cgtgcgcacc cgccccctc gcacttgaag atgctgactt cgcgatgttg	16100
atgtgtccca gcggcgagga ggatgtccaa gcgcaaattc aaggaagaga tgctccaggt	16160
catcgcgctc gagatctacg gcccggcggc ggtgaaggag gaaagaaagc cccgcaaact	16220
gaagcgggtc aaaaaggaca aaaaggagga ggaagatgtg gacggactgg tggagtttgt	16280
gcgcgagttc gccccccggc ggcgcgtgca gtggcgcggg cggaagtga aaccggtgct	16340
gcgacccggc accacggtgg tcttcacgcc cggcgagcgt tccggctccg cctccaagcg	16400
ctcctacgac gaggtgtacg gggacgagga catcctcgag caggcgggccg aacgtctggg	16460
cgagtttgct tacggcaagc gcagccgccc cgcgcccttg aaagaggagg cggtgtccat	16520
cccgctggac cacggcaacc ccacgccgag cctgaagccg gtgaccctgc agcaggtgct	16580
gcctggtgcg gcgccgcgcc ggggcttcaa gcgcgagggc ggcgaggatc tgtaccgcgac	16640
catgcagctg atggtgcccc agcgccagaa gctggaggac gtgctggagc acatgaaggt	16700
ggaccccgag gtgcagcccc aggtcaaggt gcggcccatc aagcaggtgg ccccgggcct	16760


```

gggcgtgcag accgtggaca tcaagatccc cacggagccc atggaaacgc agaccgagcc 16820
cgtgaagccc agcaccagca ccatggaggt gcagacggat ccctggatgc cggcaccggc 16880
ttccaccacc cgccgaagac gcaagtacgg cgcgccagc ctgctgatgc ccaactacgc 16940
gctgcatcct tccatcatcc ccacgccggg ctaccgcggc acgcgcttct accgcggcta 17000
caccagcagc cgccgccgca agaccaccac ccgccgccgc cgtcgtcgca cccgccgcag 17060
cagcaccgcg acttccgccg ccgccctggg gcggagagtg taccgcagcg ggccgcgagcc 17120
tctgaccctg ccgcgcgcgc gctaccaccc gagcatcgcc atttaactac cgcctcctac 17180
ttgcagatat ggccctcaca tgccgcctcc gcgtcccat tacgggctac cgaggaagaa 17240
agccgcgccg tagaaggctg acggggaacg ggctgcgtcg ccatcaccac cggcggcggc 17300
gcgccatcag caagcgggtg gggggaggct tcctgccgcg gctgatgccc atcatcgccg 17360
cggcgatcgg ggcgatcccc ggcatagctt ccgtggcggg gcaggcctct cagcgccact 17420
gagacacagc ttggaaaatt tgtaataaaa aatggactga cgctcctggg cctgtgatgt 17480
gtgttttttag atggaagaca tcaatttttc gtccctggca ccgcgacacg gcacgcggcc 17540
gtttatgggc acctggagcg acatcggcaa cagccaactg aacggggggcg ctttcaattg 17600
gagcagtctc tggagcgggc ttaagaattt cgggtccacg ctcaaaacct atggcaacaa 17660
ggcgtggaac agcagcacag ggcaggcgct gagggaaaag ctgaaagagc agaacttcca 17720
gcagaagggtg gtcgatggcc tggcctcggg catcaacggg gtggtggacc tggccaacca 17780
ggccgtgcag aaacagatca acagccgcct ggacgcggtc ccgcccgcgg ggtccgtgga 17840
gatgccccag gtggaggagg agctgcctcc cctggacaag cgcggcgaca agcgaccgcg 17900
tcccgacgcg gaggagacgc tgctgacgca cacggacgag ccgcccccggt acgaggaggc 17960
ggtgaaactg ggtctgcca ccacgcggcc cgtggcgccct ctggccaccg ggggtgctgaa 18020
accagcagc agcagcagcc agcccgcgac cctggacttg cctccgcctg cttcccggcc 18080
ctccacagtg gctaagcccc tgccgccggg ggccgtcgcg tcgcgcgccc cccgaggccg 18140
ccccaggcg aactggcaga gcaactctgaa cagcatcgct ggtctgggag tgcagagtgt 18200
gaagcgccgc cgctgctatt aaaagacact gtagcgctta acttgcttgt ctgtgtgtat 18260
atgtatgtcc gccgaccaga aggaggagga agaggcgct cgccgagttg caag atg 18317
Met

```


gcc acc cca tcg atg ctg ccc cag tgg gcg tac atg cac atc gcc gga	18365
Ala Thr Pro Ser Met Leu Pro Gln Trp Ala Tyr Met His Ile Ala Gly	
535 540 545	
cag gac gct tcg gag tac ctg agt ccg ggt ctg gtg cag ttc gcc cgc	18413
Gln Asp Ala Ser Glu Tyr Leu Ser Pro Gly Leu Val Gln Phe Ala Arg	
550 555 560	
gcc aca gac acc tac ttc agt ctg ggg aac aag ttt agg aac ccc acg	18461
Ala Thr Asp Thr Tyr Phe Ser Leu Gly Asn Lys Phe Arg Asn Pro Thr	
565 570 575	
gtg gcg ccc acg cac gat gtg acc acc gac cgc agc cag cgg ctg acg	18509
Val Ala Pro Thr His Asp Val Thr Thr Asp Arg Ser Gln Arg Leu Thr	
580 585 590 595	
ctg cgc ttc gtg ccc gtg gac cgc gag gac aac acc tac tcg tac aaa	18557
Leu Arg Phe Val Pro Val Asp Arg Glu Asp Asn Thr Tyr Ser Tyr Lys	
600 605 610	
gtg cgc tac acg ctg gcc gtg ggc gac aac cgc gtg ctg gac atg gcc	18605
Val Arg Tyr Thr Leu Ala Val Gly Asp Asn Arg Val Leu Asp Met Ala	
615 620 625	
agc acc tac ttt gac atc cgc ggc gtg ctg gat cgg ggc cct agc ttc	18653
Ser Thr Tyr Phe Asp Ile Arg Gly Val Leu Asp Arg Gly Pro Ser Phe	
630 635 640	
aaa ccc tac tcc ggc acc gct tac aac agc ctg gct ccc aag gga gcg	18701
Lys Pro Tyr Ser Gly Thr Ala Tyr Asn Ser Leu Ala Pro Lys Gly Ala	
645 650 655	
ccc aac act tgc cag tgg aca tat aaa gct gat ggt gat act ggt aca	18749
Pro Asn Thr Cys Gln Trp Thr Tyr Lys Ala Asp Gly Asp Thr Gly Thr	
660 665 670 675	
gaa aaa acc tat aca tat gga aat gcg cct gtg caa ggc att agt att	18797
Glu Lys Thr Tyr Thr Tyr Gly Asn Ala Pro Val Gln Gly Ile Ser Ile	
680 685 690	
aca aaa gat ggt att caa ctt gga act gac act gat gat cag ccc att	18845
Thr Lys Asp Gly Ile Gln Leu Gly Thr Asp Thr Asp Asp Gln Pro Ile	
695 700 705	
tat gca gat aaa act tat caa cca gag cct caa gtg ggt gat gct gaa	18893
Tyr Ala Asp Lys Thr Tyr Gln Pro Glu Pro Gln Val Gly Asp Ala Glu	
710 715 720	
tgg cat gac atc act ggt act gat gaa aaa tat gga ggc aga gct ctc	18941
Trp His Asp Ile Thr Gly Thr Asp Glu Lys Tyr Gly Gly Arg Ala Leu	
725 730 735	
aag cct gac acc aaa atg aag ccc tgc tat ggt tct ttt gcc aag cct	18989
Lys Pro Asp Thr Lys Met Lys Pro Cys Tyr Gly Ser Phe Ala Lys Pro	
740 745 750 755	

acc aat aaa gaa gga ggt cag gca aat gtg aaa acc gaa aca ggc ggt	19037
Thr Asn Lys Glu Gly Gly Gln Ala Asn Val Lys Thr Glu Thr Gly Gly	
760 765 770	
acc aaa gaa tat gac att gac atg gca ttc ttc gat aat cga agt gca	19085
Thr Lys Glu Tyr Asp Ile Asp Met Ala Phe Phe Asp Asn Arg Ser Ala	
775 780 785	
gct gcg gct ggc ctg gcc cca gaa att gtt ttg tat act gag aat gtg	19133
Ala Ala Ala Gly Leu Ala Pro Glu Ile Val Leu Tyr Thr Glu Asn Val	
790 795 800	
gat ctg gaa act cca gat act cat att gta tac aag gcg ggc aca gat	19181
Asp Leu Glu Thr Pro Asp Thr His Ile Val Tyr Lys Ala Gly Thr Asp	
805 810 815	
gac agc agc tct tct atc aat ttg ggt cag cag tcc atg ccc aac aga	19229
Asp Ser Ser Ser Ser Ile Asn Leu Gly Gln Gln Ser Met Pro Asn Arg	
820 825 830 835	
ccc aac tac att ggc ttt aga gac aac ttt atc ggg ctc atg tac tac	19277
Pro Asn Tyr Ile Gly Phe Arg Asp Asn Phe Ile Gly Leu Met Tyr Tyr	
840 845 850	
aac agc act ggc aac atg ggc gtg ctg gct ggt cag gcc tcc cag ctg	19325
Asn Ser Thr Gly Asn Met Gly Val Leu Ala Gly Gln Ala Ser Gln Leu	
855 860 865	
aat gct gtg gtg gac ttg cag gac aga aac act gaa ctg tcc tac cag	19373
Asn Ala Val Val Asp Leu Gln Asp Arg Asn Thr Glu Leu Ser Tyr Gln	
870 875 880	
ctc ttg ctt gac tct ctg ggc gac aga acc agg tat ttc agt atg tgg	19421
Leu Leu Leu Asp Ser Leu Gly Asp Arg Thr Arg Tyr Phe Ser Met Trp	
885 890 895	
aat cag gcg gtg gac agc tat gac ccc gat gtg cgc att att gaa aat	19469
Asn Gln Ala Val Asp Ser Tyr Asp Pro Asp Val Arg Ile Ile Glu Asn	
900 905 910 915	
cac ggt gtg gag gat gaa ctc cct aac tat tgc ttc ccc ctg gat gct	19517
His Gly Val Glu Asp Glu Leu Pro Asn Tyr Cys Phe Pro Leu Asp Ala	
920 925 930	
gtg ggt aga act gat act tac cag gga att aag gcc aat ggt gct gat	19565
Val Gly Arg Thr Asp Thr Tyr Gln Gly Ile Lys Ala Asn Gly Ala Asp	
935 940 945	
caa acc acc tgg acc aaa gat gat act gtt aat gat gct aat gaa ttg	19613
Gln Thr Thr Trp Thr Lys Asp Asp Thr Val Asn Asp Ala Asn Glu Leu	
950 955 960	
ggc aag ggc aat cct ttc gcc atg gag atc aac atc cag gcc aac ctg	19661
Gly Lys Gly Asn Pro Phe Ala Met Glu Ile Asn Ile Gln Ala Asn Leu	
965 970 975	

tgg cgg aac ttc ctc tac gcg aac gtg gcg ctg tac ctg ccc gac tcc	19709
Trp Arg Asn Phe Leu Tyr Ala Asn Val Ala Leu Tyr Leu Pro Asp Ser	
980 985 990 995	
tac aag tac acg ccg gcc aac atc acg ctg ccg acc aac acc aac	19754
Tyr Lys Tyr Thr Pro Ala Asn Ile Thr Leu Pro Thr Asn Thr Asn	
1000 1005 1010	
acc tac gat tac atg aac ggc cgc gtg gtg gcg ccc tcg ctg gtg	19799
Thr Tyr Asp Tyr Met Asn Gly Arg Val Val Ala Pro Ser Leu Val	
1015 1020 1025	
gac gcc tac atc aac atc ggg gcg cgc tgg tcg ctg gac ccc atg	19844
Asp Ala Tyr Ile Asn Ile Gly Ala Arg Trp Ser Leu Asp Pro Met	
1030 1035 1040	
gac aac gtc aac ccc ttc aac cac cac cgc aac gcg ggc ctg cgc	19889
Asp Asn Val Asn Pro Phe Asn His His Arg Asn Ala Gly Leu Arg	
1045 1050 1055	
tac cgc tcc atg ctc ctg ggc aac ggg cgc tac gtg ccc ttc cac	19934
Tyr Arg Ser Met Leu Leu Gly Asn Gly Arg Tyr Val Pro Phe His	
1060 1065 1070	
atc cag gtg ccc caa aag ttc ttc gcc atc aag agc ctc ctg ctc	19979
Ile Gln Val Pro Gln Lys Phe Phe Ala Ile Lys Ser Leu Leu Leu	
1075 1080 1085	
ctg ccc ggg tcc tac acc tac gag tgg aac ttc cgc aag gac gtc	20024
Leu Pro Gly Ser Tyr Thr Tyr Glu Trp Asn Phe Arg Lys Asp Val	
1090 1095 1100	
aac atg atc ctg cag agc tcc ctc ggc aac gac ctg cgc acg gac	20069
Asn Met Ile Leu Gln Ser Ser Leu Gly Asn Asp Leu Arg Thr Asp	
1105 1110 1115	
ggg gcc tcc atc gcc ttc acc agc atc aac ctc tac gcc acc ttc	20114
Gly Ala Ser Ile Ala Phe Thr Ser Ile Asn Leu Tyr Ala Thr Phe	
1120 1125 1130	
ttc ccc atg gcg cac aac acc gcc tcc acg ctc gag gcc atg ctg	20159
Phe Pro Met Ala His Asn Thr Ala Ser Thr Leu Glu Ala Met Leu	
1135 1140 1145	
cgc aac gac acc aac gac cag tcc ttc aac gac tac ctc tcg gcg	20204
Arg Asn Asp Thr Asn Asp Gln Ser Phe Asn Asp Tyr Leu Ser Ala	
1150 1155 1160	
gcc aac atg ctc tac ccc atc ccg gcc aac gcc acc aac gtg ccc	20249
Ala Asn Met Leu Tyr Pro Ile Pro Ala Asn Ala Thr Asn Val Pro	
1165 1170 1175	
atc tcc atc ccc tcg cgc aac tgg gcc gcc ttc cgc gga tgg tcc	20294
Ile Ser Ile Pro Ser Arg Asn Trp Ala Ala Phe Arg Gly Trp Ser	
1180 1185 1190	

ttc acg cgc ctc aag acc cgc gag acg ccc tcg ctc ggc tcc ggg	20339
Phe Thr Arg Leu Lys Thr Arg Glu Thr Pro Ser Leu Gly Ser Gly	
1195 1200 1205	
ttc gac ccc tac ttc gtc tac tcg ggc tcc atc ccc tac ctc gac	20384
Phe Asp Pro Tyr Phe Val Tyr Ser Gly Ser Ile Pro Tyr Leu Asp	
1210 1215 1220	
ggc acc ttc tac ctc aac cac acc ttc aag aag gtc tcc atc acc	20429
Gly Thr Phe Tyr Leu Asn His Thr Phe Lys Lys Val Ser Ile Thr	
1225 1230 1235	
ttc gac tcc tcc gtc agc tgg ccc ggc aac gac cgc ctc ctg acg	20474
Phe Asp Ser Ser Val Ser Trp Pro Gly Asn Asp Arg Leu Leu Thr	
1240 1245 1250	
ccc aac gag ttc gaa atc aag cgc acc gtc gac gga gag ggg tac	20519
Pro Asn Glu Phe Glu Ile Lys Arg Thr Val Asp Gly Glu Gly Tyr	
1255 1260 1265	
aac gtg gcc cag tgc aac atg acc aag gac tgg ttc ctg gtc cag	20564
Asn Val Ala Gln Cys Asn Met Thr Lys Asp Trp Phe Leu Val Gln	
1270 1275 1280	
atg ctg gcc cac tac aac atc ggc tac cag ggc ttc tac gtg ccc	20609
Met Leu Ala His Tyr Asn Ile Gly Tyr Gln Gly Phe Tyr Val Pro	
1285 1290 1295	
gag ggc tac aag gac cgc atg tac tcc ttc ttc cgc aac ttc cag	20654
Glu Gly Tyr Lys Asp Arg Met Tyr Ser Phe Phe Arg Asn Phe Gln	
1300 1305 1310	
ccc atg agc cgc cag gtc gtg gac gag gtc aac tac aag gac tac	20699
Pro Met Ser Arg Gln Val Val Asp Glu Val Asn Tyr Lys Asp Tyr	
1315 1320 1325	
cag gcc gtc acc ctg gcc tac cag cac aac aac tcg ggc ttc gtc	20744
Gln Ala Val Thr Leu Ala Tyr Gln His Asn Asn Ser Gly Phe Val	
1330 1335 1340	
ggc tac ctc gcg ccc acc atg cgc cag gga cag ccc tac ccc gcc	20789
Gly Tyr Leu Ala Pro Thr Met Arg Gln Gly Gln Pro Tyr Pro Ala	
1345 1350 1355	
aac tac ccc tac ccg ctc atc ggc aag agc gcc gtc gcc agc gtc	20834
Asn Tyr Pro Tyr Pro Leu Ile Gly Lys Ser Ala Val Ala Ser Val	
1360 1365 1370	
acc cag aaa aag ttc ctc tgc gac cgg gtc atg tgg cgc atc ccc	20879
Thr Gln Lys Lys Phe Leu Cys Asp Arg Val Met Trp Arg Ile Pro	
1375 1380 1385	
ttc tcc agc aac ttc atg tcc atg ggc gcg ctc acc gac ctc ggc	20924
Phe Ser Ser Asn Phe Met Ser Met Gly Ala Leu Thr Asp Leu Gly	
1390 1395 1400	

cag aac atg ctc tac gcc aac tcc gcc cac gcg cta gac atg aat 20969
 Gln Asn Met Leu Tyr Ala Asn Ser Ala His Ala Leu Asp Met Asn
 1405 1410 1415

ttc gaa gtc gac ccc atg gat gag tcc acc ctt ctc tat gtt gtc 21014
 Phe Glu Val Asp Pro Met Asp Glu Ser Thr Leu Leu Tyr Val Val
 1420 1425 1430

ttc gaa gtc ttc gac gtc gtc cga gtg cac cag ccc cac cgc ggc 21059
 Phe Glu Val Phe Asp Val Val Arg Val His Gln Pro His Arg Gly
 1435 1440 1445

gtc atc gag gcc gtc tac ctg cgc acg ccc ttc tcg gcc ggc aac 21104
 Val Ile Glu Ala Val Tyr Leu Arg Thr Pro Phe Ser Ala Gly Asn
 1450 1455 1460

gcc acc acc taa gccccgctct tgcttcttgc aagatgacgg cctgtgcggg 21156
 Ala Thr Thr

ctccggcgag caggagctca gggccatcct ccgcgacctg ggctgcgggc cctgcttcct 21216

gggcaccttc gacaagcgct tcccgggatt catggccccg cacaagctgg cctgcgccat 21276

cgtcaacacg gccggccgcg agaccggggg cgagcactgg ctggccttcg cctggaaccc 21336

gcgctccac acctgctacc tcttcgaccc cttcgggttc tcggacgagc gcctcaagca 21396

gatctaccag ttcgagtacg agggcctgct gcgcgcgacg gccctggcca ccgaggaccg 21456

ctgcgtcacc ctggaaaagt ccaccagac cgtgcagggt ccgcgctcgg ccgcctgcgg 21516

gctcttctgc tgcattgttc tgcacgcctt cgtgcactgg cccgaccgcc ccatggacaa 21576

gaaccccacc atgaacttgc tgacgggggt gcccaacggc atgctccagt cgcaccaggt 21636

ggaaccccacc ctgcgcgcg accaggaggc gctctaccgc ttcctcaacg cccactccgc 21696

ctactttcgc tcccaccgcg cgcgcacatga gaaggccacc gccttcgacc gcatgaatca 21756

agacatgtaa accgtgtgtg tatgtgaatg ctttattcat aataaacagc acatgtttat 21816

gccacctttt ctgaggctct gactttatct agaaatcgaa ggggttctgc cggctctcgg 21876

cgtgccccgc gggcagggat acgttgcgga actggtactt gggcagccac ttgaactcgg 21936

ggatcagcag cttcggcacg gggaggctcg ggaacgagtc gctccacagc ttgcgcgtga 21996

gttgcagggc gccagcagg tcgggcgcgg agatcttgaa atcgagttg ggacccgcgt 22056

tctgcgcgcg ggagttgcgg tacacgggggt tgcagcactg gaacaccatc agggccgggt 22116

gcttcacgct cgccagcacc gtcgcgtcgg tgatgcctc cacgtccaga tcctcggcgt 22176

tggccatccc gaaggggggtc atcttgacgg tctgccgccc catgctgggc acgcagccgg 22236

gcttgtggtt gcaatcgcag tgcaggggga tcagcatcat ctgggcctgc tcggagctca 22296

tgcccgggta	catggccttc	atgaaagcct	ccagctggcg	gaaggcctgc	tgcgcccttg	22356
cgccctcggt	gaagaagacc	ccgcaggact	tgctagagaa	ctgggttggtg	gcgcagccgg	22416
cgtcgtgcac	gcagcagcgc	gcgtcggttg	tggccagctg	caccacgctg	cgcccccagc	22476
ggttctgggt	gatcttggcc	cggtcggggg	tctccttcag	cgcgcgctgc	ccgttctcgc	22536
tcgccacatc	catctcgatc	gtgtgctcct	tctggatcat	cacgggtccc	tgcaaggcatc	22596
gcagcttgcc	ctcggcctcg	gtgcacccgt	gcagccacag	cgcgagcccg	gtgcactccc	22656
agttcttggt	ggcgatctgg	gagtgcgagt	gcacgaagcc	ctgcaggaag	cggcccatca	22716
tcgtggtcag	ggtcttggtg	ctgggtgaagg	tcagcgggat	gccgcgggtg	tcctcgttca	22776
catacagggt	gcagatgcgg	cggtagacct	cgccctgctc	gggcatcagc	tggaaggcgg	22836
acttcaggtc	gctctccacg	cggtagccgt	ccatcagcag	cgtcatgact	tccatgccct	22896
tctcccaggc	cgagacgatc	ggcaggctca	gggggttctt	caccgccgtt	gtcatcttag	22956
tcgccgccgc	tgaggtcagg	gggtcggttct	cgtccagggt	ctcaaact	cgcttgccgt	23016
ccttctcggt	gatgcgcacg	gggggaaagc	tgaagccac	ggccgccagc	tcctcctcgg	23076
cctgcctttc	gtcctcgctg	tcctggctga	tgtcttgcaa	aggcacatgc	ttggtcttgc	23136
gggggttctt	tttgggcggc	agaggcggcg	gcggagacgt	gctgggcgag	cgcgagttct	23196
cgctcaccac	gactatttct	tcttcttggc	cgtcgtccga	gaccacgcgg	cggtaggcat	23256
gcctcttctg	gggcagaggc	ggaggcgacg	ggctctcgcg	gttcggcggg	cggctggcag	23316
agccccttcc	gcgttcgggg	gtgcgctcct	ggcggcgctg	ctctgactga	cttcctccgc	23376
ggccggccat	tgtgttctcc	tagggagcaa	caagcatgga	gactcagcca	tcgtcgccaa	23436
catcgccatc	tgcccccgcc	gccgccgacg	agaaccagca	gcagaatgaa	agcttaaccg	23496
ccccgccgcc	cagccccacc	tccgacgccg	ccgcggcccc	agacatgcaa	gagatggagg	23556
aatccatcga	gattgacctg	ggctacgtga	cgcccgcgga	gcacgaggag	gagctggcag	23616
cgcgcttttc	agccccggaa	gagaaccacc	aagagcagcc	agagcaggaa	gcagagagcg	23676
agcagcagca	ggctgggctc	gagcatggcg	actacctgag	cggggcagag	gacgtgctca	23736
tcaagcatct	ggcccgccaa	tgcatactcg	tcaaggacgc	gctgctcgac	cgcgccgagg	23796
tgcccctcag	cgtggcgagg	ctcagccgcg	cctacgagcg	caacctcttc	tcgccgcgcg	23856
tgccccccaa	gcgccagccc	aacggcacct	gcgagcccaa	cccgcgcctc	aacttctacc	23916
cggctctcgc	ggtgcccag	gccctggcca	cctaccacct	ctttttcaag	aaccaaagga	23976

tccccgtctc	ctgccgcgcc	aaccgcaccc	gcgccgacgc	cctgctcaac	ctgggtcccc	24036
gcgcccgcct	acctgatata	gcctccttgg	aagagggttc	caagatcttc	gaggggtctgg	24096
gcagcgacga	gactcggggc	gcgaacgctc	tgcaaggaag	cggagaggag	catgagcacc	24156
acagcgccct	ggtggagttg	gaaggcgaca	acgcgcgcct	ggcgggtgctc	aagcgcacgg	24216
tcgagctgac	ccacttcgcc	taccgcggcg	tcaacctgcc	ccccaaaggtc	atgagcgccg	24276
tcatggacca	ggtgctcatc	aagcgcgcct	cgcctctctc	ggatgaggac	atgcaggacc	24336
ccgagagctc	ggacgagggc	aagcccgtgg	tcagcgacga	gcagctggcg	cgctggctgg	24396
gagcgagtag	cacccccag	agcttggaag	agcggcgcaa	gctcatgatg	gccgtgggtcc	24456
tggtgaccgt	ggagctggag	tgtctgcgcc	gcttcttcgc	cgacgcagag	accctgcgca	24516
aggtcgagga	gaacctgcac	tacctcttca	ggcacggggt	tgtgcgccag	gcctgcaaga	24576
tctccaacgt	ggagctgacc	aacctgggtct	cctacatggg	catcctgcac	gagaaccgcc	24636
tggggcagaa	cgtgctgcac	accaccctgc	gcggggaggc	ccgccgcgac	tacatccgcg	24696
actgcgtcta	cctgtacctc	tgccacacct	ggcagacggg	catggggcgtg	tggcagcagt	24756
gcctggagga	gcagaacctg	aaagagctct	gcaagctcct	gcagaagaac	ctgaaggccc	24816
tgtggaccgg	gttcgacgag	cgcaccaccg	cctcggacct	ggccgacctc	atcttccccg	24876
agcgctgcg	gctgacgctg	cgcaacggac	tgcccgactt	tatgagtcaa	agcatgttgc	24936
aaaactttcg	ctctttcatc	ctcgaacgct	ccgggatcct	gcccgccacc	tgctccgcgc	24996
tgccctcgga	cttcgtgccg	ctgaccttcc	gcgagtgcc	ccgccgcctc	tggagccact	25056
gctacctgct	gcgcctggcc	aactacctgg	cctaccactc	ggacgtgatc	gaggacgtca	25116
gcggcgaggg	tctgctcgag	tgccactgcc	gctgcaacct	ctgcacgccg	caccgctccc	25176
tggcctgcaa	ccccagctg	ctgagcgaga	cccagatcat	cggcaccttc	gagttgcaag	25236
gccccggcga	gggcaagggg	ggtctgaaac	tcaccccggg	gctgtggacc	tcggcctact	25296
tgcgcaagtt	cgtgcccag	gactaccatc	ccttcgagat	caggttctac	gaggaccaat	25356
cccagccgcc	caaggccgaa	ctgtcggcct	gcgtcatcac	ccagggggcc	atcctggccc	25416
aattgcaagc	catccagaaa	tcccgccaag	aatttctgct	gaaaaagggc	cacgggggtct	25476
acctggaccc	ccagaccgga	gaggagctca	acccagctt	ccccaggat	gccccgagga	25536
agcagcaaga	agctgaaagt	ggagctgccg	ccgccggagg	atttggagga	agactgggag	25596
agcagtcagg	cagaggagga	ggagatggaa	gactgggaca	gcactcaggc	agaggaggac	25656
agcctgcaag	acagtctgga	agacgaggtg	gaggaggagg	cagaggaaga	agcagccgcc	25716

gccagaccgt cgtcctcggc ggagaaagca agcagcacgg ataccatctc cgctccgggt 25776
 cggggtcgcg gcgaccgggc ccacagtagg tgggacgaga ccgggcgctt cccgaacccc 25836
 accacccaga ccggttaagaa ggagcggcag ggatacaagt cctggcgggg gcacaaaaac 25896
 gccatcgtct cctgcttgca agcctgcggg ggcaacatct ccttcacccg ccgctacctg 25956
 ctcttccacc gcgggggtgaa cttccccgc aacatcttgc attactaccg tcacctccac 26016
 agcccctact actgtttcca agaagaggca gaaacccagc agcagcagaa aaccagcggc 26076
 agcagcagct agaaaatcca cagcggcggc aggtggactg aggatcgag cgaacgagcc 26136
 ggcgagacc cgggagctga ggaaccggat ctttccacc ctctatgcca tcttccagca 26196
 gagtcggggg caggagcagg aactgaaagt caagaaccgt tctctgcgct cgctcaccg 26256
 cagttgtctg tatcacaaga gcgaagacca acttcagcgc actctcgagg acgccgaggc 26316
 tctcttcaac aagtactgcg cgctcactct taaagagtag cccgcgcccg cccacacacg 26376
 gaaaaaggcg ggaattacgt caccacctgc gcccttcgcc cgaccatcat catgagcaaa 26436
 gagattccca cgccttacat gtggagctac cagccccaga tgggcctggc cgccggcgcc 26496
 gcccaggact actccacccg catgaactgg ctcagcgccg ggcccgcgat gatctcacgg 26556
 gtgaatgaca tccgcgcccg ccgaaaccag atactcctag aacagtcagc gatcaccgcc 26616
 acgccccgcc atcaccttaa tccgcgtaat tggcccgcgc ccctgggtgta ccaggaaatt 26676
 ccccagccca cgaccgtact acttccgcga gacgcccagg ccgaagtcca gctgactaac 26736
 tcagggtgtcc agctggccgg cggcgccgcc ctgtgtcgtc accgccccgc tcagggtata 26796
 aagcggctgg tgatccgagg cagaggcaca cagctcaacg acgagggtgg gagctcttcg 26856
 ctgggtctgc gacctgacgg agtcttccaa ctcgccggat cggggagatc ttccttcacg 26916
 cctcgtcagg ccgtcctgac tttggagagt tcgtcctcgc agccccgctc ggggtggcatc 26976
 ggcactctcc agttcgtgga ggagttcact ccctcgggtct acttcaaccc cttctccggc 27036
 tccccgggcc actaccggga cgagttcatc ccgaacttcg acgccatcag cgagtcggtg 27096
 gacggctacg attgaatgtc ccatgggtggc gcagctgacc tagctcggct tcgacacctg 27156
 gaccactgcc gccgcttccg ctgcttcgct cgggatctcg ccgagtttgc ctactttgag 27216
 ctgcccaggg agcaccctca gggcccggcc cacggagtgc ggatcatcgt cgaagggggc 27276
 ctcgactccc acctgcttcg gatcttcagc cagcgaccga tcctgggtcga gcgcgagcaa 27336
 ggacagaccc ttctgaccct gtactgcatc tgcaaccacc ccggcctgca tgaaagtctt 27396

tgttgtctgc	tgtgtactga	gtataataaa	agctgagatc	agcgactact	ccggactcga	27456
ttgtgggtgtt	cctgctatca	accggtcctt	gttcttcacc	gggaacgaga	ccgagctcca	27516
gcttcagtgt	aagccccaca	agaagtacct	cacctggctg	ttccagggct	ccccgatcgc	27576
cgttgtcaac	cactgcgaca	acgacggagt	cctgctgagc	ggccccgcca	accttacttt	27636
ttccacccgc	agaagcaagc	tccagctctt	ccaacccttc	ctccccggga	cctatcagtg	27696
cgtctcggga	ccctgccatc	acaccttcca	cctgatcccc	aataccacag	cgccgctccc	27756
cgctactaac	aaccaaacta	cccaccatcg	ccaccgtcgc	gacctttctg	aatctaacac	27816
taccacccac	accggagggtg	agctccgagg	tcgaccaacc	tctgggattt	actacggccc	27876
ctgggagggtg	gtgggggttaa	tagcgctagg	cctagttgtg	ggtgggcttt	tggctctctg	27936
ctacctatac	ctcccttgct	gttcgtactt	agtgggtgctg	tgttgctggg	ttaagaaatg	27996
gggaagatca	ccctagttag	ctgcgggtgcg	ctgggtggcgg	tgggtgggtgtt	ttcgattgtg	28056
ggactgggcg	gcgcgggtgt	agtgaaggag	aaggccgatc	cctgcttgca	tttcaatccc	28116
gacaattgcc	agctgagttt	tcagccccgat	ggcaatcggg	gcgcgggtgct	gatcaagtgc	28176
ggatgggaat	gcgagaacgt	gagaatcgag	tacaataaca	agactcggaa	caatactctc	28236
gcgtccgtgt	ggcagccccg	ggacccccgag	tggtagaccg	tctctgtccc	cggtgctgac	28296
ggctccccgc	gcaccgtgaa	caatactttc	atTTTTgcgc	acatgtgcga	cacggtcatg	28356
tggatgagca	agcagtagca	tatgtggccc	cccacgaagg	agaacatcgt	ggtcttctcc	28416
atcgcttaca	gcgcgtgcac	ggcgctaata	accgctatcg	tgtgcctgag	cattcacatg	28476
ctcatcgcta	ttcgccccag	aaataatgcc	gaaaaagaga	aacagccata	acacgttttt	28536
tcacacacct	ttttcagacc	atggcctctg	ttaaattttt	gctttttattt	gccagtctca	28596
ttactgttat	aagtaatgag	aaactcacta	tttacattgg	cactaaccac	acttttagacg	28656
gaattccaaa	atcctcatgg	tattgctatt	ttgatcaaga	tccagactta	actatagaac	28716
tgtgtggtaa	caagggaaaa	aatacaagca	ttcattttaat	taactttaat	tgcgagagaca	28776
atttgaaatt	aattaatatc	actaaagagt	atggagggtat	gtattactat	gttgcagaaa	28836
ataacaacat	gcagttttat	gaagttactg	taactaatcc	caccacacct	agaacaacaa	28896
caaccaccac	cacaaaaact	acacctgtta	ccactatgca	gctcactacc	aataacattt	28956
ttgccatgcg	tcaaattggc	aacaatagca	ctcaaccac	cccaccaggt	gaggaaattc	29016
ccaaatccat	gattggcatt	attgttgctg	tagtgggtgtg	catgttgatc	atcgccttgt	29076
gcatgggtgta	ctatgccttc	tgctacagaa	agcacagact	gaacgacaag	ctggaacact	29136

tactaagtgt tgaatttttaa ttttttagaa ccatgaagat cctaggcctt ttaatttttt 29196
ctatcattac ctctgctcta tgcaattctg acaatgagga cgttactgtc gttgtcggaa 29256
ccaattatac actgaaaggt ccagcgaagg gtatgctttc gtggtattgc tggtttgga 29316
ctgacgagca acagacagag ctctgcaatg ctcaaaaagg caaacctca aattctaaaa 29376
tctctaatta tcaatgcaat ggcactgact tagtactgct caatgtcacg aaagcatatg 29436
ctggcagcta cacctgccct ggagatgata ctgagaacat gatttttttac aaagtggag 29496
tggttgatcc cactactcca cctccacca ccacaactac tcacaccaca cacacagaac 29556
aaaccacagc agaggaggca gcaaagttag ccttgcaggt ccaagacagt tcatttggtg 29616
gcattacccc tacacctgat cagcgggtgc cggggctgct cgtcagcggc attgtcgggtg 29676
tgctttcggg attagcagtc ataatcatct gcatgttcat ttttgcttgc tgctatagaa 29736
ggctttaccg acaaaaatca gaccactgc tgaacctcta tgtttaattt tttccagagc 29796
catgaaggca gttagcactc tagttttttg ttctttgatt ggcactgttt ttagtgttag 29856
ctttttgaaa caaatcaatg ttactgaggg ggaaaatgtg aactggtag gcgtagaggg 29916
tgctcaaaat accacctgga caaaattcca tctagatggg tggaaagaaa tttgcacctg 29976
gaatgtcagt acttatacat gtgaaggagt taatcttacc attgtcaatg tcagccaaat 30036
tcaaaaggggt tggattaaag ggcaatctgt tagtgttagc aatagtgggt actataccca 30096
gcatactctt atctatgaca ttatagttat accactgcct acacctagcc cacctagcac 30156
taccacacag acaaccaca ctacacaaac aaccacatac agtacatcaa atcagcctac 30216
caccactaca acagcagagg ttgccagctc gtctgggggtc cgagtggcat ttttgatggt 30276
ggcccatct agcagtcca ctgctagtac caatgagcag actactgaat ttttgtccac 30336
tgctgagagc cacaccacag ctacctgag tgccttctct agcaccgcca atctatcctc 30396
gctttcctct acaccaatca gtcccgctac tactcctacc cccgctattc tccccactcc 30456
cctgaagcaa acagacggcg acatgcaatg gcagatcacc ctgctcattg tgatcggggt 30516
ggtcatacctg gccgtgttgc tctactacat cttctgccgc cgcattcca acgcgcaccg 30576
caagccggcc tacaagcca tcgttgtcgg gcagccggag ccgcttcagg tggaaggggg 30636
tctaaggaat cttctcttct cttttacagt atggtgattg aattatgatt cctagacaaa 30696
tcttgatcac tattcttata tgcctcctcc aagtctgtgc caccctcgct ctggtggcca 30756
acgccagtcc agactgtatt gggcccttcg cctcctacgt gctctttgcc ttcatacact 30816


```

gcatctgctg ctgtagcata gtctgcctgc ttatcacctt cttccagttc attgactgga 30876
tctttgtgcg catcgcttac ctgcgccacc acccccagta ccgcgaccag cgagtggcgc 30936
ggctgctcag gatcctctga taagcatgcg ggctctgcta cttctcgcgc ttctgctgtt 30996
agtgctcccc cgtcccgtcg acccccggac cccacccag tccccgagg aggtccgcaa 31056
atgcaaattc caagaaccct ggaaattcct caaatgctac cgccaaaaat cagacatgca 31116
tcccagctgg atcatgatca ttgggatcgt gaacattctg gcctgcaccc tcatctcctt 31176
tgtgatttac ccctgctttg actttggttg gaactcgcca gaggcgctct atctcccgcc 31236
tgaacctgac acaccaccac agcaacctca ggcacacgca ctaccaccac caccacagcc 31296
taggccacaa tacatgcca tattagacta tgaggccgag ccacagcgac ccatgctccc 31356
cgctattagt tacttcaatc taaccggcgg agatgactga cccactggcc aacaacaacg 31416
tcaacgacct tctcctggac atggacggcc gcgcctcgga gcagcgactc gcccaacttc 31476
gcattcgcca gcagcaggag agagccgtca aggagctgca ggacggcata gccatccacc 31536
agtgcaagaa aggcattctc tgcctggtga aacaggccaa gatctcctac gaggtcaccc 31596
agaccgacca tcgcctctcc tacgagctcc tgcagcagcg ccagaagttc acctgcctgg 31656
tcggagtcaa ccccatcgtc atcaccagc agtcggggcg taccaagggg tgcattccact 31716
gtcctcgca ctcccccgac tgcgtccaca ctctgatcaa gaccctctgc ggctccgcg 31776
acctcctccc catgaactaa tcaccccctt atccagtga ataaagatca tattgatgat 31836
ttgagtttaa taaaaataaa gaatcactta cttgaaatct gataccaggt ctctgtccat 31896
gttttctgcc aacaccactt cactcccctc tcccagctc tggtagtgca ggccccggcg 31956
ggctgcaaac ttcctccaca ccctgaaggg gatgtcaa atcctcctgtc cctcaatctt 32016
cattttatct tctatcag atg tcc aaa aag cgc gtc cgg gtg gat gat gac 32067
          Met Ser Lys Lys Arg Val Arg Val Asp Asp Asp
          1465                               1470

ttc gac ccc gtc tac ccc tac gat gca gac aac gca ccg acc gtg 32112
Phe Asp Pro Val Tyr Pro Tyr Asp Ala Asp Asn Ala Pro Thr Val
1475                               1485

ccc ttc atc aac ccc ccc ttc gtc tct tca gat gga ttc caa gag 32157
Pro Phe Ile Asn Pro Pro Phe Val Ser Ser Asp Gly Phe Gln Glu
1490                               1500

aag ccc ctg ggg gtg ctg tcc ctg cgt ctg gcc gat ccc gtc acc 32202
Lys Pro Leu Gly Val Leu Ser Leu Arg Leu Ala Asp Pro Val Thr
1505                               1515

```


acc Thr 1520	aag Lys	aac Asn	ggg Gly	gaa Glu	atc Ile 1525	acc Thr	ctc Leu	aag Lys	ctg Leu	gga Gly 1530	gat Asp	ggg Gly	gtg Val	gac Asp	32247
ctc Leu 1535	gac Asp	tcc Ser	tcg Ser	gga Gly	aaa Lys 1540	ctc Leu	atc Ile	tcc Ser	aac Asn	acg Thr 1545	gcc Ala	acc Thr	aag Lys	gcc Ala	32292
gcc Ala 1550	gcc Ala	cct Pro	ctc Leu	agt Ser	ttt Phe 1555	tcc Ser	aac Asn	aac Asn	acc Thr	att Ile 1560	tcc Ser	ctt Leu	aac Asn	atg Met	32337
gat Asp 1565	acc Thr	cct Pro	ttt Phe	tac Tyr	aac Asn 1570	aac Asn	aat Asn	gga Gly	aag Lys	tta Leu 1575	ggc Gly	atg Met	aaa Lys	gtc Val	32382
act Thr 1580	gct Ala	cca Pro	ctg Leu	aag Lys	ata Ile 1585	cta Leu	gac Asp	aca Thr	gac Asp	ttg Leu 1590	cta Leu	aaa Lys	aca Thr	ctt Leu	32427
gtt Val 1595	gta Val	gct Ala	tat Tyr	gga Gly	caa Gln 1600	ggg Gly	tta Leu	gga Gly	aca Thr	aac Asn 1605	acc Thr	act Thr	ggg Gly	gcc Ala	32472
ctt Leu 1610	gtt Val	gcc Ala	caa Gln	cta Leu	gca Ala 1615	tcc Ser	cca Pro	ctt Leu	gct Ala	ttt Phe 1620	gat Asp	agc Ser	aat Asn	agc Ser	32517
aaa Lys 1625	att Ile	gcc Ala	ctt Leu	aat Asn	tta Leu 1630	ggc Gly	aat Asn	gga Gly	cca Pro	ttg Leu 1635	aaa Lys	gtg Val	gat Asp	gca Ala	32562
aat Asn 1640	aga Arg	ctg Leu	aac Asn	atc Ile	aat Asn 1645	tgc Cys	aat Asn	aga Arg	gga Gly	ctc Leu 1650	tat Tyr	gtt Val	act Thr	acc Thr	32607
aca Thr 1655	aaa Lys	gat Asp	gca Ala	ctg Leu	gaa Glu 1660	gcc Ala	aat Asn	ata Ile	agt Ser	tgg Trp 1665	gct Ala	aat Asn	gct Ala	atg Met	32652
aca Thr 1670	ttt Phe	ata Ile	gga Gly	aat Asn	gcc Ala 1675	atg Met	ggg Gly	gtc Val	aat Asn	att Ile 1680	gat Asp	aca Thr	caa Gln	aaa Lys	32697
ggc Gly 1685	ttg Leu	caa Gln	ttt Phe	ggc Gly	acc Thr 1690	act Thr	agt Ser	acc Thr	gtc Val	gca Ala 1695	gat Asp	gtt Val	aaa Lys	aac Asn	32742
gct Ala 1700	tac Tyr	ccc Pro	ata Ile	caa Gln	atc Ile 1705	aaa Lys	ctt Leu	gga Gly	gct Ala	ggg Gly 1710	ctc Leu	aca Thr	ttt Phe	gac Asp	32787
agc Ser 1715	aca Thr	ggg Gly	gca Ala	att Ile	gtt Val 1720	gca Ala	tgg Trp	aac Asn	aaa Lys	gat Asp 1725	gat Asp	gac Asp	aag Lys	ctt Leu	32832

aca	cta	tgg	acc	aca	gcc	gac	ccc	tct	cca	aat	tgt	cac	ata	tat	32877
Thr	Leu	Trp	Thr	Thr	Ala	Asp	Pro	Ser	Pro	Asn	Cys	His	Ile	Tyr	
1730					1735					1740					
tct	gaa	aag	gat	gct	aag	ctt	aca	ctt	tgc	ttg	aca	aag	tgt	ggc	32922
Ser	Glu	Lys	Asp	Ala	Lys	Leu	Thr	Leu	Cys	Leu	Thr	Lys	Cys	Gly	
1745					1750					1755					
agt	cag	att	ctg	ggc	act	gtt	tcc	ctc	ata	gct	gtt	gat	act	ggc	32967
Ser	Gln	Ile	Leu	Gly	Thr	Val	Ser	Leu	Ile	Ala	Val	Asp	Thr	Gly	
1760					1765					1770					
agt	tta	aat	ccc	ata	aca	gga	aca	gta	acc	act	gct	ctt	gtc	tca	33012
Ser	Leu	Asn	Pro	Ile	Thr	Gly	Thr	Val	Thr	Thr	Ala	Leu	Val	Ser	
1775					1780					1785					
ctt	aaa	ttc	gat	gca	aat	gga	gtt	ttg	caa	agc	agc	tca	aca	cta	33057
Leu	Lys	Phe	Asp	Ala	Asn	Gly	Val	Leu	Gln	Ser	Ser	Ser	Thr	Leu	
1790					1795					1800					
gac	tca	gac	tat	tgg	aat	ttc	aga	cag	gga	gat	gtt	aca	cct	gct	33102
Asp	Ser	Asp	Tyr	Trp	Asn	Phe	Arg	Gln	Gly	Asp	Val	Thr	Pro	Ala	
1805					1810					1815					
gaa	gcc	tat	act	aat	gct	ata	ggg	ttc	atg	ccc	aat	cta	aaa	gca	33147
Glu	Ala	Tyr	Thr	Asn	Ala	Ile	Gly	Phe	Met	Pro	Asn	Leu	Lys	Ala	
1820					1825					1830					
tac	cct	aaa	aac	aca	agt	gga	gct	gca	aaa	agt	cac	att	gtt	ggg	33192
Tyr	Pro	Lys	Asn	Thr	Ser	Gly	Ala	Ala	Lys	Ser	His	Ile	Val	Gly	
1835					1840					1845					
aaa	gtg	tac	cta	cat	ggg	gat	aca	ggc	aaa	cca	ctg	gac	ctc	att	33237
Lys	Val	Tyr	Leu	His	Gly	Asp	Thr	Gly	Lys	Pro	Leu	Asp	Leu	Ile	
1850					1855					1860					
att	act	ttc	aat	gaa	aca	agt	gat	gaa	tct	tgc	act	tac	tgt	att	33282
Ile	Thr	Phe	Asn	Glu	Thr	Ser	Asp	Glu	Ser	Cys	Thr	Tyr	Cys	Ile	
1865					1870					1875					
aac	ttt	caa	tgg	cag	tgg	ggg	gct	gat	caa	tat	aaa	aat	gaa	aca	33327
Asn	Phe	Gln	Trp	Gln	Trp	Gly	Ala	Asp	Gln	Tyr	Lys	Asn	Glu	Thr	
1880					1885					1890					
ctt	gcc	gtc	agt	tca	ttc	acc	ttt	tcc	tat	att	gct	aaa	gaa	taa	33372
Leu	Ala	Val	Ser	Ser	Phe	Thr	Phe	Ser	Tyr	Ile	Ala	Lys	Glu		
1895					1900					1905					
acccactct	gtaccccatc	tctgtctatg	gaaaaaactc	tgaaacacaa	aataaaataa	33432									
agttcaagtg	ttttattgat	tcaacagttt	tacaggattc	gagcagttat	ttttcctcca	33492									
ccctcccagg	acatggaata	caccaccctc	tccccccgca	cagccttgaa	catctgaatg	33552									
ccattggtga	tggacatgct	tttggtctcc	acgttccaca	cagtttccaga	gcgagccagt	33612									
ctcgggtcgg	tcaggagat	gaaaccctcc	gggcactccc	gcattctgcac	ctcacagctc	33672									

aacagctgag gattgtcctc ggtggtcggg atcacggtta tctggaagaa gcagaagagc 33732
 ggcggtggga atcatagtcc gcgaacggga tcggccggtg gtgtcgcatac aggccccgca 33792
 gcagtcgctg tcgccgccgc tccgtcaagc tgctgctcag ggggtccggg tccagggact 33852
 ccctcagcat gatgcccacg gccctcagca tcagtcgtct ggtgcggcgg gcgcagcagc 33912
 gcatgcggat ctgctcagg tcgctgcagt acgtgcaaca caggaccacc aggttggttca 33972
 acagtccata gttcaacacg ctccagccga aactcatcgc gggaaggatg ctaccacagt 34032
 ggccgtcgta ccagatcctc aggtaaatca agtggcgccc cctccagaac acgctgccc 34092
 tgtacatgat ctcttgggc atgtggcggg tcaccacctc ccggtaccac atcacctct 34152
 ggttgaacat gcagccccgg atgatcctgc ggaaccacag ggccagcacc gccccgccc 34212
 ccatgcagcg aagagacccc ggggtcccgac aatggcaatg gaggaccac cgctcgtacc 34272
 cgtggatcat ctgggagctg aacaagtcta tgttggcaca gcacaggcat atgctcatgc 34332
 atctcttcag cactctcagc tcctcggggg tcaaaacat atcccagggc acggggaact 34392
 cttgcaggac agcgaacccc gcagaacagg gcaatcctcg cacataactt acattgtgca 34452
 tggacagggt atcgcaatca ggcagcaccg ggtgatcctc caccagagaa gcgcgggtct 34512
 cggctcctc acagcgtggt aagggggccg gccgatacgg gtgatggcgg gacgcggctg 34572
 atcgtgttcg cgaccgtgtt atgatgcagt tgctttcgga cattttcgta cttgctgtag 34632
 cagaacctgg tccgggcgct gcacaccgat cgccggcggc ggtcccggcg cttggaacgc 34692
 tcggtgttga agttgtaaaa cagccactct ctgagaccgt gcagcagatc tagggcctca 34752
 ggagtgatga agatcccatc atgcctgatg gctctaata caatcgaccac cgtggaatgg 34812
 gccagacca gccagatgat gcaattttgt tgggtttcgg tgacggcggg ggagggaaga 34872
 acaggaagaa ccatgattaa cttttaatcc aaacggtctc ggagcacttc aaaatgaaga 34932
 tcgcggagat ggcacctctc gccccgctg tggttggtgga aaataacagc caggtcaaag 34992
 gtgatacggg tctcgagatg ttccacgggt gcttcagca aagcctccac gcgcacatcc 35052
 agaaacaaga caatagcgaa agcgggaggg ttctctaatt cctcaatcat catgttacac 35112
 tcctgcacca tcccagata attttcattt ttccagcctt gaatgattcg aactagttcc 35172
 tgaggtaaat ccaagccagc catgataaag agctcgcgca gagcgccctc caccggcatt 35232
 cttaagcaca ccctcataat tccaagatat tctgctcctg gttcacctgc agcagattga 35292
 caagcggaat atcaaaatct ctgccgcgat ccctaagctc ctccctcagc aataactgta 35352


```

agtactcttt catatcctct ccgaaatttt tagccatagg accaccagga ataagattag 35412
ggcaagccac agtacagata aaccgaagtc ctccccagtg agcattgcca aatgcaagac 35472
tgctataagc atgctggcta gacccggtga tatcttccag ataactggac agaaaatcgc 35532
ccaggcaatt tttaagaaaa tcaacaaaag aaaaatcctc caggtgcacg tttagagcct 35592
cgggaacaac gatggagtaa atgcaagcgg tgcgttccag catgggttagt tagctgatct 35652
gtagaaaaaa acaaaaatga acattaaacc atgctagcct ggcgaacagg tgggtaaatc 35712
gttctctcca gcaccaggca ggccacgggg tctccggcac gaccctcgta aaaattgtcg 35772
ctatgattga aaaccatcac agagagacgt tcccgggtggc cggcgtgaat gattcgacaa 35832
gatgaataca cccccggaac attggcgtcc gcgagtgaag aaaagcgcgc aaggaagcaa 35892
taaggcacta caatgctcag tctcaagtcc agcaaagcga tgccatgcgg atgaagcaca 35952
aaattctcag gtgcgtacaa aatgtaatta ctcccctcct gcacaggcag caaagcccc 36012
gatccctcca ggtacacata caaagcctca gcgtccatag cttaccgagc agcagcacac 36072
aacaggcgca agagtcagag aaaggctgag ctctaacctg tccacccgct ctctgctcaa 36132
tatatagccc agatctacac tgacgtaaag gccaaagtct aaaaataccc gccaaataat 36192
cacacacgcc cagcacacgc ccagaaaccg gtgacacact caaaaaata cgcgcacttc 36252
ctcaaacgcc caaactgccg tcatttccgg gttcccacgc tacgtcatca aaattcgact 36312
ttcaaattcc gtcgaccgtt aaaaacgtcg cccgccccgc ccctaacggt cgccgctccc 36372
gcagccaatc accgccccgc atccccaaat tcaaatacct catttgcata ttaacgcgca 36432
ccaaaagttt gaggtatatt attgatgatg 36462

```

```

<210> 2
<211> 530
<212> PRT
<213> chimpanzee adenovirus serotype Pan5

```

```

<400> 2

```

```

Met Met Arg Arg Val Tyr Pro Glu Gly Pro Pro Pro Ser Tyr Glu Ser
1          5          10          15

Val Met Gln Gln Ala Val Ala Ala Ala Met Gln Pro Pro Leu Glu Ala
          20          25          30

Pro Tyr Val Pro Pro Arg Tyr Leu Ala Pro Thr Glu Gly Arg Asn Ser
          35          40          45

Ile Arg Tyr Ser Glu Leu Ala Pro Leu Tyr Asp Thr Thr Arg Leu Tyr
50          55          60

```


Leu Val Asp Asn Lys Ser Ala Asp Ile Ala Ser Leu Asn Tyr Gln Asn
 65 70 75 80
 Asp His Ser Asn Phe Leu Thr Thr Val Val Gln Asn Asn Asp Phe Thr
 85 90 95
 Pro Thr Glu Ala Ser Thr Gln Thr Ile Asn Phe Asp Glu Arg Ser Arg
 100 105 110
 Trp Gly Gly Gln Leu Lys Thr Ile Met His Thr Asn Met Pro Asn Val
 115 120 125
 Asn Glu Phe Met Tyr Ser Asn Lys Phe Lys Ala Arg Val Met Val Ser
 130 135 140
 Arg Lys Thr Pro Asn Gly Val Thr Val Thr Asp Gly Ser Gln Asp Glu
 145 150 155 160
 Leu Thr Tyr Glu Trp Val Glu Phe Glu Leu Pro Glu Gly Asn Phe Ser
 165 170 175
 Val Thr Met Thr Ile Asp Leu Met Asn Asn Ala Ile Ile Asp Asn Tyr
 180 185 190
 Leu Ala Val Gly Arg Gln Asn Gly Val Leu Glu Ser Asp Ile Gly Val
 195 200 205
 Lys Phe Asp Thr Arg Asn Phe Arg Leu Gly Trp Asp Pro Val Thr Glu
 210 215 220
 Leu Val Met Pro Gly Val Tyr Thr Asn Glu Ala Phe His Pro Asp Ile
 225 230 235 240
 Val Leu Leu Pro Gly Cys Gly Val Asp Phe Thr Glu Ser Arg Leu Ser
 245 250 255
 Asn Leu Leu Gly Ile Arg Lys Arg Gln Pro Phe Gln Glu Gly Phe Gln
 260 265 270
 Ile Leu Tyr Glu Asp Leu Glu Gly Gly Asn Ile Pro Ala Leu Leu Asp
 275 280 285
 Val Asp Ala Tyr Glu Lys Ser Lys Glu Asp Ser Ala Ala Ala Ala Thr
 290 295 300
 Ala Ala Val Ala Thr Ala Ser Thr Glu Val Arg Gly Asp Asn Phe Ala
 305 310 315 320
 Ser Ala Ala Thr Leu Ala Ala Ala Glu Ala Ala Glu Thr Glu Ser Lys
 325 330 335
 Ile Val Ile Gln Pro Val Glu Lys Asp Ser Lys Glu Arg Ser Tyr Asn
 340 345 350

Val Leu Ala Asp Lys Lys Asn Thr Ala Tyr Arg Ser Trp Tyr Leu Ala
 355 360 365
 Tyr Asn Tyr Gly Asp Pro Glu Lys Gly Val Arg Ser Trp Thr Leu Leu
 370 375 380
 Thr Thr Ser Asp Val Thr Cys Gly Val Glu Gln Val Tyr Trp Ser Leu
 385 390 395 400
 Pro Asp Met Met Gln Asp Pro Val Thr Phe Arg Ser Thr Arg Gln Val
 405 410 415
 Ser Asn Tyr Pro Val Val Gly Ala Glu Leu Leu Pro Val Tyr Ser Lys
 420 425 430
 Ser Phe Phe Asn Glu Gln Ala Val Tyr Ser Gln Gln Leu Arg Ala Phe
 435 440 445
 Thr Ser Leu Thr His Val Phe Asn Arg Phe Pro Glu Asn Gln Ile Leu
 450 455 460
 Val Arg Pro Pro Ala Pro Thr Ile Thr Thr Val Ser Glu Asn Val Pro
 465 470 475 480
 Ala Leu Thr Asp His Gly Thr Leu Pro Leu Arg Ser Ser Ile Arg Gly
 485 490 495
 Val Gln Arg Val Thr Val Thr Asp Ala Arg Arg Arg Thr Cys Pro Tyr
 500 505 510
 Val Tyr Lys Ala Leu Gly Val Val Ala Pro Arg Val Leu Ser Ser Arg
 515 520 525
 Thr Phe
 530

<210> 3
 <211> 933
 <212> PRT
 <213> chimpanzee adenovirus serotype Pan5

<400> 3

Met Ala Thr Pro Ser Met Leu Pro Gln Trp Ala Tyr Met His Ile Ala
 1 5 10 15
 Gly Gln Asp Ala Ser Glu Tyr Leu Ser Pro Gly Leu Val Gln Phe Ala
 20 25 30
 Arg Ala Thr Asp Thr Tyr Phe Ser Leu Gly Asn Lys Phe Arg Asn Pro
 35 40 45
 Thr Val Ala Pro Thr His Asp Val Thr Thr Asp Arg Ser Gln Arg Leu
 50 55 60

Thr	Leu	Arg	Phe	Val	Pro	Val	Asp	Arg	Glu	Asp	Asn	Thr	Tyr	Ser	Tyr	65	70	75	80
Lys	Val	Arg	Tyr	Thr	Leu	Ala	Val	Gly	Asp	Asn	Arg	Val	Leu	Asp	Met	85	90	95	
Ala	Ser	Thr	Tyr	Phe	Asp	Ile	Arg	Gly	Val	Leu	Asp	Arg	Gly	Pro	Ser	100	105	110	
Phe	Lys	Pro	Tyr	Ser	Gly	Thr	Ala	Tyr	Asn	Ser	Leu	Ala	Pro	Lys	Gly	115	120	125	
Ala	Pro	Asn	Thr	Cys	Gln	Trp	Thr	Tyr	Lys	Ala	Asp	Gly	Asp	Thr	Gly	130	135	140	
Thr	Glu	Lys	Thr	Tyr	Thr	Tyr	Gly	Asn	Ala	Pro	Val	Gln	Gly	Ile	Ser	145	150	155	160
Ile	Thr	Lys	Asp	Gly	Ile	Gln	Leu	Gly	Thr	Asp	Thr	Asp	Asp	Gln	Pro	165	170	175	
Ile	Tyr	Ala	Asp	Lys	Thr	Tyr	Gln	Pro	Glu	Pro	Gln	Val	Gly	Asp	Ala	180	185	190	
Glu	Trp	His	Asp	Ile	Thr	Gly	Thr	Asp	Glu	Lys	Tyr	Gly	Gly	Arg	Ala	195	200	205	
Leu	Lys	Pro	Asp	Thr	Lys	Met	Lys	Pro	Cys	Tyr	Gly	Ser	Phe	Ala	Lys	210	215	220	
Pro	Thr	Asn	Lys	Glu	Gly	Gly	Gln	Ala	Asn	Val	Lys	Thr	Glu	Thr	Gly	225	230	235	240
Gly	Thr	Lys	Glu	Tyr	Asp	Ile	Asp	Met	Ala	Phe	Phe	Asp	Asn	Arg	Ser	245	250	255	
Ala	Ala	Ala	Ala	Gly	Leu	Ala	Pro	Glu	Ile	Val	Leu	Tyr	Thr	Glu	Asn	260	265	270	
Val	Asp	Leu	Glu	Thr	Pro	Asp	Thr	His	Ile	Val	Tyr	Lys	Ala	Gly	Thr	275	280	285	
Asp	Asp	Ser	Ser	Ser	Ser	Ile	Asn	Leu	Gly	Gln	Gln	Ser	Met	Pro	Asn	290	295	300	
Arg	Pro	Asn	Tyr	Ile	Gly	Phe	Arg	Asp	Asn	Phe	Ile	Gly	Leu	Met	Tyr	305	310	315	320
Tyr	Asn	Ser	Thr	Gly	Asn	Met	Gly	Val	Leu	Ala	Gly	Gln	Ala	Ser	Gln	325	330	335	
Leu	Asn	Ala	Val	Val	Asp	Leu	Gln	Asp	Arg	Asn	Thr	Glu	Leu	Ser	Tyr	340	345	350	
Gln	Leu	Leu	Leu	Asp	Ser	Leu	Gly	Asp	Arg	Thr	Arg	Tyr	Phe	Ser	Met	355	360	365	

Trp Asn Gln Ala Val Asp Ser Tyr Asp Pro Asp Val Arg Ile Ile Glu
 370 375 380
 Asn His Gly Val Glu Asp Glu Leu Pro Asn Tyr Cys Phe Pro Leu Asp
 385 390 395 400
 Ala Val Gly Arg Thr Asp Thr Tyr Gln Gly Ile Lys Ala Asn Gly Ala
 405 410 415
 Asp Gln Thr Thr Trp Thr Lys Asp Asp Thr Val Asn Asp Ala Asn Glu
 420 425 430
 Leu Gly Lys Gly Asn Pro Phe Ala Met Glu Ile Asn Ile Gln Ala Asn
 435 440 445
 Leu Trp Arg Asn Phe Leu Tyr Ala Asn Val Ala Leu Tyr Leu Pro Asp
 450 455 460
 Ser Tyr Lys Tyr Thr Pro Ala Asn Ile Thr Leu Pro Thr Asn Thr Asn
 465 470 475 480
 Thr Tyr Asp Tyr Met Asn Gly Arg Val Val Ala Pro Ser Leu Val Asp
 485 490 495
 Ala Tyr Ile Asn Ile Gly Ala Arg Trp Ser Leu Asp Pro Met Asp Asn
 500 505 510
 Val Asn Pro Phe Asn His His Arg Asn Ala Gly Leu Arg Tyr Arg Ser
 515 520 525
 Met Leu Leu Gly Asn Gly Arg Tyr Val Pro Phe His Ile Gln Val Pro
 530 535 540
 Gln Lys Phe Phe Ala Ile Lys Ser Leu Leu Leu Leu Pro Gly Ser Tyr
 545 550 555 560
 Thr Tyr Glu Trp Asn Phe Arg Lys Asp Val Asn Met Ile Leu Gln Ser
 565 570 575
 Ser Leu Gly Asn Asp Leu Arg Thr Asp Gly Ala Ser Ile Ala Phe Thr
 580 585 590
 Ser Ile Asn Leu Tyr Ala Thr Phe Phe Pro Met Ala His Asn Thr Ala
 595 600 605
 Ser Thr Leu Glu Ala Met Leu Arg Asn Asp Thr Asn Asp Gln Ser Phe
 610 615 620
 Asn Asp Tyr Leu Ser Ala Ala Asn Met Leu Tyr Pro Ile Pro Ala Asn
 625 630 635 640
 Ala Thr Asn Val Pro Ile Ser Ile Pro Ser Arg Asn Trp Ala Ala Phe
 645 650 655
 Arg Gly Trp Ser Phe Thr Arg Leu Lys Thr Arg Glu Thr Pro Ser Leu
 660 665 670

Gly Ser Gly Phe Asp Pro Tyr Phe Val Tyr Ser Gly Ser Ile Pro Tyr
 675 680 685
 Leu Asp Gly Thr Phe Tyr Leu Asn His Thr Phe Lys Lys Val Ser Ile
 690 695 700
 Thr Phe Asp Ser Ser Val Ser Trp Pro Gly Asn Asp Arg Leu Leu Thr
 705 710 715 720
 Pro Asn Glu Phe Glu Ile Lys Arg Thr Val Asp Gly Glu Gly Tyr Asn
 725 730 735
 Val Ala Gln Cys Asn Met Thr Lys Asp Trp Phe Leu Val Gln Met Leu
 740 745 750
 Ala His Tyr Asn Ile Gly Tyr Gln Gly Phe Tyr Val Pro Glu Gly Tyr
 755 760 765
 Lys Asp Arg Met Tyr Ser Phe Phe Arg Asn Phe Gln Pro Met Ser Arg
 770 775 780
 Gln Val Val Asp Glu Val Asn Tyr Lys Asp Tyr Gln Ala Val Thr Leu
 785 790 795 800
 Ala Tyr Gln His Asn Asn Ser Gly Phe Val Gly Tyr Leu Ala Pro Thr
 805 810 815
 Met Arg Gln Gly Gln Pro Tyr Pro Ala Asn Tyr Pro Tyr Pro Leu Ile
 820 825 830
 Gly Lys Ser Ala Val Ala Ser Val Thr Gln Lys Lys Phe Leu Cys Asp
 835 840 845
 Arg Val Met Trp Arg Ile Pro Phe Ser Ser Asn Phe Met Ser Met Gly
 850 855 860
 Ala Leu Thr Asp Leu Gly Gln Asn Met Leu Tyr Ala Asn Ser Ala His
 865 870 875 880
 Ala Leu Asp Met Asn Phe Glu Val Asp Pro Met Asp Glu Ser Thr Leu
 885 890 895
 Leu Tyr Val Val Phe Glu Val Phe Asp Val Val Arg Val His Gln Pro
 900 905 910
 His Arg Gly Val Ile Glu Ala Val Tyr Leu Arg Thr Pro Phe Ser Ala
 915 920 925
 Gly Asn Ala Thr Thr
 930

<210> 4
 <211> 445
 <212> PRT
 <213> chimpanzee adenovirus serotype Pan5

<400> 4

```

Met Ser Lys Lys Arg Val Arg Val Asp Asp Asp Phe Asp Pro Val Tyr
1          5          10          15

Pro Tyr Asp Ala Asp Asn Ala Pro Thr Val Pro Phe Ile Asn Pro Pro
          20          25          30

Phe Val Ser Ser Asp Gly Phe Gln Glu Lys Pro Leu Gly Val Leu Ser
          35          40          45

Leu Arg Leu Ala Asp Pro Val Thr Thr Lys Asn Gly Glu Ile Thr Leu
          50          55          60

Lys Leu Gly Asp Gly Val Asp Leu Asp Ser Ser Gly Lys Leu Ile Ser
65          70          75          80

Asn Thr Ala Thr Lys Ala Ala Ala Pro Leu Ser Phe Ser Asn Asn Thr
          85          90          95

Ile Ser Leu Asn Met Asp Thr Pro Phe Tyr Asn Asn Asn Gly Lys Leu
          100          105          110

Gly Met Lys Val Thr Ala Pro Leu Lys Ile Leu Asp Thr Asp Leu Leu
          115          120          125

Lys Thr Leu Val Val Ala Tyr Gly Gln Gly Leu Gly Thr Asn Thr Thr
          130          135          140

Gly Ala Leu Val Ala Gln Leu Ala Ser Pro Leu Ala Phe Asp Ser Asn
145          150          155          160

Ser Lys Ile Ala Leu Asn Leu Gly Asn Gly Pro Leu Lys Val Asp Ala
          165          170          175

Asn Arg Leu Asn Ile Asn Cys Asn Arg Gly Leu Tyr Val Thr Thr Thr
          180          185          190

Lys Asp Ala Leu Glu Ala Asn Ile Ser Trp Ala Asn Ala Met Thr Phe
          195          200          205

Ile Gly Asn Ala Met Gly Val Asn Ile Asp Thr Gln Lys Gly Leu Gln
          210          215          220

Phe Gly Thr Thr Ser Thr Val Ala Asp Val Lys Asn Ala Tyr Pro Ile
225          230          235          240

Gln Ile Lys Leu Gly Ala Gly Leu Thr Phe Asp Ser Thr Gly Ala Ile
          245          250          255

Val Ala Trp Asn Lys Asp Asp Asp Lys Leu Thr Leu Trp Thr Thr Ala
          260          265          270

Asp Pro Ser Pro Asn Cys His Ile Tyr Ser Glu Lys Asp Ala Lys Leu
          275          280          285

```


Thr Leu Cys Leu Thr Lys Cys Gly Ser Gln Ile Leu Gly Thr Val Ser
 290 295 300
 Leu Ile Ala Val Asp Thr Gly Ser Leu Asn Pro Ile Thr Gly Thr Val
 305 310 315 320
 Thr Thr Ala Leu Val Ser Leu Lys Phe Asp Ala Asn Gly Val Leu Gln
 325 330 335
 Ser Ser Ser Thr Leu Asp Ser Asp Tyr Trp Asn Phe Arg Gln Gly Asp
 340 345 350
 Val Thr Pro Ala Glu Ala Tyr Thr Asn Ala Ile Gly Phe Met Pro Asn
 355 360 365
 Leu Lys Ala Tyr Pro Lys Asn Thr Ser Gly Ala Ala Lys Ser His Ile
 370 375 380
 Val Gly Lys Val Tyr Leu His Gly Asp Thr Gly Lys Pro Leu Asp Leu
 385 390 395 400
 Ile Ile Thr Phe Asn Glu Thr Ser Asp Glu Ser Cys Thr Tyr Cys Ile
 405 410 415
 Asn Phe Gln Trp Gln Trp Gly Ala Asp Gln Tyr Lys Asn Glu Thr Leu
 420 425 430
 Ala Val Ser Ser Phe Thr Phe Ser Tyr Ile Ala Lys Glu
 435 440 445

<210> 5
 <211> 36604
 <212> DNA
 <213> chimpanzee adenovirus serotype Pan6

<220>
 <221> CDS
 <222> (13878)..(15467)
 <223> L2 Penton

<220>
 <221> CDS
 <222> (18284)..(21112)
 <223> L3 Hexon

<220>
 <221> CDS
 <222> (32162)..(33493)
 <223> L5 Fiber

<400> 5

catcatcaat aatatacctc aaactttttgg tgcgcgttaa tatgcaaagt agctgtttga 60
 atttgggggag ggaggaaggt gattggctgc gggagcggcg accgttaggg gcggggcggg 120

tgacgttttg atgacgtggc tatgaggcgg agccggtttg caagttctcg tgggaaaagt	180
gacgtcaaac gaggtgtggt ttgaacacgg aaatactcaa ttttcccgcg ctctctgaca	240
ggaaatgagg tgtttctggg cggatgcaag tgaaaacggg ccattttcgc gcgaaaactg	300
aatgaggaag tgaaaatctg agtaatttcg cgtttatggc agggaggagt atttgccgag	360
ggccgagtag actttgaccg attacgtggg ggtttcgatt accgtatttt tcacctaaat	420
ttccgcgtac ggtgtcaaag tccggtgttt ttacgtaggc gtcagctgat cgccagggtg	480
tttaaacctg cgctctctag tcaagaggcc actcttgagt gccagcgagt agagttttct	540
cctccgcgcc gcgagtcaga tctacacttt gaaagatgag gcacctgaga gacctgcccg	600
gtaatgtttt cctggctact gggaacgaga ttctggaatt ggtggtggac gccatgatgg	660
gtgacgaccc tccagagccc cctaccccat ttgaggcgcc ttcgctgtac gatttgtatg	720
atctggaggt ggatgtgccc gagagcgacc ctaacgagga ggcggtgaat gatttgttta	780
gcgatgccgc gctgctggct gccgagcagg ctaatacgga ctctggctca gacagcgatt	840
cctctctcca taccgccgaga cccggcagag gtgagaaaaa gatccccgag cttaaagggg	900
aagagctcga cctgcgctgc tatgaggaat gcttgccctc gagcgatgat gaggaggacg	960
aggaggcgat tcgagctgcg gtgaaccagg gagtgaaaac tgcgggcgag agcttttagcc	1020
tggactgtcc tactctgccc ggacacggct gtaagtcttg tgaatttcat cgcataaata	1080
ctggagataa gaatgtgatg tgtgccctgt gctatatgag agcttacaac cattgtgttt	1140
acagtaagtg tgattaactt tagttgggaa ggcagagggg gactgggtgc tgactggttt	1200
atztatgtat atgttttttt atgtgtaggt cccgtctctg acgtagatga gacccccact	1260
tcagagtgca tttcatcacc cccagaaatt ggcgaggaac cgcccgaaga tattattcat	1320
agaccagttg cagtgagagt caccgggcgg agagcagctg tggagagttt ggatgacttg	1380
ctacaggggtg gggatgaacc tttggacttg tgtaccgga aacgccccag gcactaagtg	1440
ccacacatgt gtgtttactt aaggatgatg cagtatttat aggggtgtgga gtgcaataaa	1500
atccgtgttg actttaagtg cgtgttttat gactcagggg tggggactgt gggatatataa	1560
gcaggtgcag acctgtgtgg tcagttcaga gcaggactca tggagatctg gactgtcttg	1620
gaagactttc accagactag acagttgcta gagaactcat cggagggagt ctcttacctg	1680
tggagattct gcttcgggtg gcctctagct aagctagtct atagggccaa acaggattat	1740
aaggaacaat ttgaggatat tttgagagag tgtcctggta tttttgactc tctcaacttg	1800
ggccatcagt ctcaacttaa ccagagtatt ctgagagccc ttgacttttc tactcctggc	1860

agaactaccg ccgcggtagc cttttttgcc tttattcttg acaaattggag tcaagaaacc 1920
 catttcagca gggattaccg tctggactgc ttagcagtag ctttgtggag aacatggagg 1980
 tgccagcgcc tgaatgcaat ctccggctac ttgccagtag agccggtaga cacgctgagg 2040
 atcctgagtc tccagtcacc ccaggaacac caacgccgcc agcagccgca gcaggagcag 2100
 cagcaagagg aggaccgaga agagaacccg agagccggtc tggaccctcc ggtggcggag 2160
 gaggaggagt agctgacttg tttcccgagc tgcgccgggt gctgactagg tcttccagtg 2220
 gacgggagag ggggattaag cgggagaggc atgaggagac tagccacaga actgaactga 2280
 ctgtcagtct gatgagccgc aggcgcccag aatcgggtgtg gtggcatgag gtgcagtcgc 2340
 aggggataga tgaggtctcg gtgatgcatg agaaatattc cctagaacaa gtcaagactt 2400
 gttggttgga gcccaggat gattgggagg tagccatcag gaattatgcc aagctggctc 2460
 tgaagccaga caagaagtag aagattacca aactgattaa tatcagaaat tcctgctaca 2520
 tttcagggaa tggggccgag gtggagatca gtaccagga gaggggtggc ttcagatgtt 2580
 gtatgatgaa tatgtaccgc ggggtgggtg gcattggagg agtcaccttt atgaacacga 2640
 gggttcagggg tgatgggtat aatgggggtg tctttatggc caacaccaag ctgacagtgc 2700
 acggatgctc cttctttggc ttcaataaca tgtgcatcga ggcctggggc agtgtttcag 2760
 tgaggggatg cagcttttca gccaaactgga tgggggtcgt gggcagaacc aagagcaagg 2820
 tgtcagtga gaaatgcctg ttcgagaggt gccacctggg ggtgatgagc gagggcgaag 2880
 ccaaagtcaa aactgcgcc tctaccgaga cgggctgctt tgtgctgatc aagggaatg 2940
 ccaaagtcaa gcataacatg atctgtgggg cctcggatga gcgcggctac cagatgctga 3000
 cctgcgccgg tgggaacagc catatgctgg ccaccgtgca tgtggcctcg caccgccgca 3060
 agacatggcc cgagttcgag cacaacgtca tgaccgctg caatgtgcac ctgggctccc 3120
 gccgaggcat gttcatgccc taccagtga acatgcaatt tgtgaagggt ctgctggagc 3180
 ccgatgccat gtccagagtg agcctgacgg ggggtgttga catgaatgtg gagctgtgga 3240
 aaattctgag atatgatgaa tccaagacca ggtgccgggc ctgcgaatgc ggaggcaagc 3300
 acgccaggct tcagcccgtg tgtgtggagg tgacggagga cctgcgacct gatcatttgg 3360
 tgttgtcctg caacgggacg gagttcggct ccagcgggga agaattctgac tagagtgagt 3420
 agtgtttggg gctgggtgtg agcctgcatg aggggcagaa tgactaaaat ctgtggtttt 3480
 ctgtgtgttg cagcagcatg agcgggaagc cctcctttga gggaggggta ttcagccctt 3540

atctgacggg gcgtctcccc tcctgggagg gagtgcgtca gaatgtgatg ggatccacgg 3600
 tggacgggccc gcccgtagcag cccgcgaact cttcaaccct gacctacgag accctgagct 3660
 cctcgtccgt ggacgcagct gccgccgag ctgctgcttc cgccgccagc gccgtgcgag 3720
 gaatggccct gggcgccggc tactacagct ctctggtggc caactcgagt tccaccaata 3780
 atcccgccag cctgaacgag gagaagctgc tgctgctgat ggcccagctc gagggccctga 3840
 cccagcgcct gggcgagctg acccagcagg tggctcagct gcaggcggag acgcggggccg 3900
 cggttgccac ggtgaaaacc aaataaaaaa tgaatcaata aataaacgga gacggttggt 3960
 gattttaaca cagagtcttg aatctttatt tgatttttcg cgcgcggtag gccctggacc 4020
 accggtctcg atcattgagc acccggtaga tcttttccag gaccggtag aggtgggctt 4080
 ggatggtgag gtacatgggc atgagcccg tccgggggtg gaggtagctc cattgcaggg 4140
 cctcgtgctc ggggatggtg ttgtaaatca cccagtcata gcagggggcg agggcgtagt 4200
 gctgcacgat gtccttgagg aggagactga tggccacggg cagccccttg gtgtagggtg 4260
 tgacgaacct gttgagctgg gagggatgca tgcgggggga gatgagatgc atcttggcct 4320
 ggatcttgag attggcgatg ttcccggcca gatcccgccg ggggttcatt ttgtgcagga 4380
 ccaccagcac ggtgtatccg gtgcacttgg ggaatttgct atgcaacttg gaagggaagg 4440
 cgtgaaagaa tttggagacg cccttgtagc cgcccagggt ttccatgcac tcatccatga 4500
 tgatggcgat gggcccgtgg gcggcggcct gggcaaagac gtttcggggg tcggacacat 4560
 cgtagttgtg gtcctgggtg agctcgatc aggccatttt aatgaatttg gggcgaggag 4620
 tgcccagactg ggggacgaag gtgccctcga tcccgggggc gtagttgccc tcgcagatct 4680
 gcatctccca ggccttgagc tcggaggggg ggatcatgtc cacctgcggg gcgatgaaaa 4740
 aaacggtttc cggggcgggg gagatgagct gggccgaaag cagggttcgg agcagctggg 4800
 acttgccgca accggtgggg ccgtagatga ccccgatgac cggctgcagg tggtagttga 4860
 gggagagaca gctgccgtcc tcgcggagga gggggggccac ctcgttcatc atctcgcgca 4920
 catgcatgtt ctgcgcacg agttccgcca ggaggcgctc gccccccagc gagaggagct 4980
 cttgcagcga ggcgaagttt ttcagcggct tgagtccgtc ggccatgggc attttgagga 5040
 gggctctgtg caagagttcc agacgggtcc agagctcggg gatgtgctct agggcatctc 5100
 gatccagcag acctcctcgt ttcgcgggtt ggggagactg cgggagtagg gcaccaggcg 5160
 atgggcgtcc agcgaggcca ggggtccggtc cttccagggc cgcagggtcc gcgtcagcgt 5220
 ggtctccgtc acggtgaagg ggtgcgcgcc gggctgggag cttgcgaggg tgcgcttcag 5280

gctcatccgg ctggtcgaga accgctcccc gtcggcgccc tgcgcgtcgg ccaggtagca 5340
 attgagcatg agttcgtagt tgagcgctc gccgcgtgg cccttggcg ggagcttacc 5400
 tttggaagtg tgtccgcaga cgggacagag gagggacttg agggcgtaga gcttgggggc 5460
 gaggaagacg gactcggggg cgtaggcgtc cgcgccgcag ctggcgcaga cggctctcga 5520
 ctccacgagc caggtgaggt cggggcggtt ggggtcaaaa acgaggtttc ctccgtgctt 5580
 tttgatgcgt ttcttacctc tggctccat gagctcgtgt ccccgctggg tgacaaagag 5640
 gctgtccgtg tccccgtaga ccgactttat gggccggtcc tcgagcgggg tgccgcggtc 5700
 ctcgctcgtag aggaaccccc cccactccga gacgaaggcc cgggtccagg ccagcacgaa 5760
 ggaggccacg tgggaggggt agcggtcgtt gtccaccagc ggggtccacct tctccagggt 5820
 atgcaagcac atgtccccct cgtccacatc caggaagggt attggcttgt aagtgtaggc 5880
 cacgtgaccg ggggtcccgg ccgggggggt ataaaagggg gcggggccct gctcgctcctc 5940
 actgtcttcc ggatcgctgt ccaggagcgc cagctgttgg ggtagggtatt ccctctcgaa 6000
 ggcgggcatg acctcggcac tcaggttgtc agtttctaga aacgaggagg atttgatatt 6060
 gacggtgccg ttggagacgc ctttcatgag cccctcgtcc atttggtcag aaaagacgat 6120
 ctttttgttg tcgagcttgg tggcgaagga gccgtagagg gcgttgaga gcagcttggc 6180
 gatggagcgc atggtctggt tcttttctt gtcggcgcg tccttggcgg cgatgttgag 6240
 ctgcacgtac tcgcgcgcca cgcacttcca ttcggggaag acggtggtga gctcgtcggg 6300
 cacgattctg acccgccagc cgcggttggt caggggtgat aggtccacgc tgggtggccac 6360
 ctgcgcgcgc aggggctcgt tgggtccagca gaggcgccc cccttgcgcg agcagaaggg 6420
 gggcagcggg tccagcatga gctcgtcggg ggggtcggcg tccacggtga agatgccggg 6480
 caggagctcg gggtcgaagt agctgatgca ggtgccaga ttgtccagcg ccgcttgcca 6540
 gtcgcgcacg gccagcgcgc gctcgtaggg gctgaggggc gtgccccagg gcatggggtg 6600
 cgtgagcgcg gaggcgtaca tgccgcagat gtcgtagacg tagaggggct cctcgaggac 6660
 gccgatgtag gtggggtagc agcgcccccc gcggatgctg gcgcgcacgt agtcgtacag 6720
 ctcgtcgcag ggcgcgagga gccccgtgcc gaggttgag cgttgcggct tttcggcgcg 6780
 gtagacgata tggcggaaga tggcgtggga gttggaggag atggtgggcc tttggaagat 6840
 gttgaagtgg gcgtggggca ggccgaccga gtccctgatg aagtgggcgt aggagtcctg 6900
 cagcttggcg acgagctcgg cggtgacgag gacgtccagg gcgcagtagt cgagggtctc 6960

ttggatgatg tcatacttga gctggccctt ctgcttccac agctcgcggt tgagaaggaa	7020
ctcttcgcgg tccttccagt actcttcgag ggggaacccg tcctgatcgg cacggtaaga	7080
gcccaccatg tagaactggg tgacggcctt gtaggcgcag cagcccttct ccacggggag	7140
ggcgtaagct tgcgcggcct tgcgcaggga ggtgtgggtg agggcgaagg tgtcgcgcac	7200
catgaccttg aggaactggg gcttgaagtc gaggtcgtcg cagccgccct gctcccagag	7260
ttggaagtcc gtgcgcttct tgtaggcggg gttaggcaaa gcgaaagtaa catcgttgaa	7320
gaggatcttg cccgcgcggg gcatgaagtt gcgagtgatg cggaaaggct ggggcacctc	7380
ggcccgggtg ttgatgacct gggcggcgag gacgatctcg tcgaagccgt tgatgttgtg	7440
cccgacgatg tagagttcca cgaatcgcgg gcggcccttg acgtggggca gcttcttgag	7500
ctcgtcgtag gtgagctcgg cggggtcgct gagcccgtgc tgctcgaggg cccagtcggc	7560
gacgtggggg ttggcgctga ggaaggaagt ccagagatcc acggccaggg cggctctgca	7620
gcggtcccgg tactgacgga actgttggcc cacggccatt ttttcggggg tgacgcagta	7680
gaaggtgcgg gggtcgccgt gccagcggtc ccacttgagc tggagggcga ggtcgtgggc	7740
gagctcgacg agcggcgggt ccccggagag tttcatgacc agcatgaagg ggacgagctg	7800
cttgccgaag gaccccatcc aggtgtaggt ttccacatcg taggtgagga agagcctttc	7860
ggtgcgagga tgcgagccga tggggaagaa ctggatctcc tgccaccagt tggaggaatg	7920
gctgttgatg tgatggaagt agaaatgccg acggcgcgcc gagcactcgt gcttgtgttt	7980
atacaagcgt ccgcagtgct cgcaacgctg cacgggatgc acgtgctgca cgagctgtac	8040
ctgggttcct ttggcgagga atttcagtgg gcagtggagc gctggcggct gcatctcgtg	8100
ctgtactacg tcttggccat cggcgtggcc atcgtctgcc tcgatgggtg tcatgctgac	8160
gagcccgcgc gggaggcagg tccagacctc ggctcggacg ggtcggagag cgaggacgag	8220
ggcgcgcagg ccggagctgt ccagggtcct gagacgctgc ggagtcaggt cagtgggcag	8280
cggcggcgcg cggttgactt gcaggagctt ttccagggcg cgcgggaggt ccagatggta	8340
cttgatctcc acggcgccgt tgggtggctac gtccacggct tgcagggtgc cgtgcccctg	8400
gggcgccacc accgtgcccc gtttcttctt gggcgctgct tccatgtcgg tcagaagcgg	8460
cggcgaggac gcgcgccggg cggcaggggc ggctcggggc ccggaggcag gggcggcagg	8520
ggcacgtcgg cgccgcgcgc gggcagggtc tgggtactgcg cccggagaag actggcgtga	8580
gcgacgacgc gacggttgac gtcctggatc tgacgcctct ggggtgaaggc cacgggaccc	8640
gtgagtttga acctgaaaga gagttcgaca gaatcaatct cggtatcggt gacggcggcc	8700

tgccgcagga tctcttgac gtcgcccagag ttgtcctggg aggcgatctc ggtcatgaac	8760
tgctcgatct cctcctcctg aaggtctccg cggccggcgc gctcgacggg ggccgcgagg	8820
tcgttgagga tgccggcccat gagctgcgag aaggcgttca tgccggcctc gttccagacg	8880
cggctgtaga ccacggctcc gtcgggggtcg cgcgcgcgca tgaccacctg ggcgaggttg	8940
agctcgacgt ggccgcgtgaa gaccgcgtag ttgcagaggc gctggtagag gtagttgagc	9000
gtgggtggcga tgtgctcggg gacgaagaag tacatgatcc agcggcggag cggcatctcg	9060
ctgacgtcgc ccagggcttc caagcgttcc atggcctcgt agaagtccac ggcgaagttg	9120
aaaaactggg agttgcgcgc cgagacgggc aactcctcct ccagaagacg gatgagctcg	9180
gcgatggtag cgcgcacctc gcgctcgaag gcccgggggg gctcctcttc catctcctcc	9240
tcttcctcct ccactaacat ctcttctact tcctcctcag gaggcggtag cgggggaggg	9300
gccctgcgtc gccggcgggc cacgggcaga cggtcgatga agcgcctgat ggtctccccg	9360
cgcgggcgac gcatgggtctc ggtgacggcg cgcgcgtcct cgcggggccg cagcatgaag	9420
acgccgccgc gcatctccag gtggccgccc ggggggtctc cgttgggcag ggagagggcg	9480
ctgacgatgc atcttatcaa ttgaccgta gggactccgc gcaaggacct gagcgtctcg	9540
agatccacgg gatccgaaaa ccgctgaacg aaggcttcga gccagtcgca gtcgcaaggt	9600
aggctgagcc cggtttcttg ttcttcgggt atttggtagg gaggcgggcg ggcgatgctg	9660
ctgggtgatga agttgaagta ggcggctcct agacggcgga tgggtggcgag gagcaccagg	9720
tccttggggc cggcttgctg gatgcgcaga cggtcggcca tgccccaggc gtgggtcctga	9780
cacctggcga ggtccttgta gtagtcctgc atgagccgct ccacgggcac ctctcctcg	9840
cccgcgcggc cgtgcatgcg cgtgagcccg aaccgcgcgt gcggctggac gagcgccagg	9900
tcggcgacga cgcgctcggg gaggatggcc tgctggatct gggtgagggt ggtctggaag	9960
tcgtcgaagt cgacgaagcg gtggtaggct ccgggtgtga tgggtgtagga gcagttggcc	10020
atgacggacc agttgacggg ctgggtggcc ggtcgcacga gctcgtggta cttgaggcgc	10080
gagtaggcgc gcgtgtcgaa gatgtagtcg ttgcaggcgc gcacgaggta ctggatatccg	10140
acgaggaagt gcggcgggcg ctggcggtag agcggccatc gctcgggtggc gggggcgccg	10200
ggcgcgaggt cctcgagcat gaggcggtag tagccgtaga tgtacctgga catccagggtg	10260
atgccggcgg cgggtggtaga ggcgcgcggg aactcgcgga cgcgggtcca gatgttgccg	10320
agcggcagga agtagttcat ggtggccgcg gtctggcccc tgaggcgcgc gcagtcgtgg	10380

atgctctaga catacgggca aaaacgaaag cggtcagcgg ctcgactccg tggcctggag 10440
 gctaagcgaa cgggttgggc tgcgcgtgta ccccggttcg aatctcgaat caggctggag 10500
 ccgcagctaa cgtggtactg gcactcccgt ctcgacccaa gcctgctaac gaaacctcca 10560
 ggatacggag gcgggtcgtt ttttggcctt ggctcgctgg catgaaaaac tagtaagcgc 10620
 ggaaagcggc cggccgcgat ggctcgctgc cgtagtctgg agaaagaatc gccagggttg 10680
 cgttgcggtg tgccccggtt cgagcctcag cgctcggcgc cggccggatt ccgcggctaa 10740
 cgtgggcgtg gctgccccgt cgtttccaag accccttagc cagccgactt ctccagttac 10800
 ggagcagacc cctctttttt tttcttgtgt ttttgccaga tgcattcccgt actgcggcag 10860
 atgcgcccc accctccacc acaaccgccc ctaccgcagc agcagcaaca gccggcgctt 10920
 ctgccccgc cccagcagca gccagccact accgcggcgg ccgccgtgag cggagccggc 10980
 gttcagtatg acctggcctt ggaagagggc gaggggctgg cgcggctggg ggcgtcgtcg 11040
 ccggagcggc acccgcgctg gcagatgaaa agggacgctc gcgaggccta cgtgccaag 11100
 cagaacctgt tcagagacag gagcggcgag gagcccgagg agatgcgcgc ctcccgttc 11160
 cacgcggggc gggagctgcg gcgcggcctg gaccgaaagc ggggtgctgag ggacgaggat 11220
 ttcgaggcgg acgagctgac ggggatcagc cccgcgcgcg cgcacgtggc cgcggccaac 11280
 ctggtcacgg cgtacgagca gaccgtgaag gaggagagca acttccaaaa atccttcaac 11340
 aaccacgtgc gcacgctgat cgcgcgcgag gaggtgacct tgggcctgat gcacctgtgg 11400
 gacctgctgg aggccatcgt gcagaacccc acgagcaagc cgctgacggc gcagctgttt 11460
 ctggtggtgc agcacagtcg ggacaacgag acgttcaggg aggcgctgct gaatatcacc 11520
 gagcccgagg gccgctggct cctggacctg gtgaacattt tgcagagcat cgtggtgcag 11580
 gagcgcgggc tgccgctgtc cgagaagctg gcggccatca acttctcggg gctgagtctg 11640
 ggcaagtact acgctaggaa gatctacaag accccgtacg tgcccataga caaggagggtg 11700
 aagatcgacg ggttttacat gcgcatgacc ctgaaagtgc tgaccctgag cgacgatctg 11760
 ggggtgtacc gcaacgacag gatgcaccgc gcggtgagcg ccagccgccg gcgcgagctg 11820
 agcgaccagg agctgatgca cagcctgcag cgggccctga ccggggccgg gaccgagggg 11880
 gagagctact ttgacatggg cgcggacctg cgctggcagc ccagccgccg ggccttggaa 11940
 gctgccggcg gtcccccta cgtggaggag gtggacgatg aggaggagga gggcgagtac 12000
 ctggaagact gatggcgcga ccgtatTTTT gctagatgca gcaacagcca ccgccgccgc 12060
 ctctgatcc cgcgatgcgg gcggcgctgc agagccagcc gtccggcatt aactcctcgg 12120

acgattggac ccaggccatg caacgcatca tggcgctgac gacccgcaat cccgaagcct 12180
 ttagacagca gcctcaggcc aaccggctct cggccatcct ggaggccgtg gtgccctcgc 12240
 gctcgaaccc cacgcacgag aaggtgctgg ccatcgtgaa cgcgctgggtg gagaacaagg 12300
 ccatccgcgg tgacgaggcc gggctgggtg acaacgcgct gctggagcgc gtggcccgcct 12360
 acaacagcac caacgtgcag acgaacctgg accgcatggg gaccgacgtg cgcgaggcgg 12420
 tgtcgcagcg cgagcgggtc caccgcgagt cgaacctggg ctccatgggtg gcgctgaacg 12480
 ccttcctgag cacgcagccc gccaacgtgc cccggggcca ggaggactac accaacttca 12540
 tcagcgcgct gcggctgatg gtggccgagg tgccccagag cgaggtgtac cagtcggggc 12600
 cggactactt ctccagacc agtcgccagg gcttgacagc cgtgaacctg agccaggctt 12660
 tcaagaactt gcagggactg tggggcgctg aggccccggg cggggaccgc gcgacgggtg 12720
 cgagcctgct gacgccgaac tcgcgcctgc tgctgctgct ggtggcgccc ttcacggaca 12780
 gcggcagcgt gagccgcgac tcgtacctgg gctacctgct taacctgtac cgcgaggcca 12840
 tcggacaggc gcacgtggac gagcagacct accaggagat caccacgtg agccgcgcgc 12900
 tggggccagga ggacccgggc aacctggagg ccacctgaa ctctctgctg accaaccggt 12960
 cgcagaagat cccgccccag tacgcgctga gcaccgagga ggagcgcac ctcgcgtacg 13020
 tgcagcagag cgtggggctg ttctctgatg aggagggggc cagccccagc gcggcgctcg 13080
 acatgaccgc gcgcaacatg gagcccagca tgtacgcccg caaccgcccg ttcataata 13140
 agctgatgga ctacttgcac cgggcggccg ccatgaactc ggactacttt accaacgcca 13200
 tcttgaaccc gcaactggctc ccgcccggcg ggttctacac gggcgagtag gacatgcccg 13260
 accccaacga cgggttctctg tgggacgacg tggacagcag cgtgttctcg ccgcgtccag 13320
 gaaccaatgc cgtgtggaag aaagagggcg gggaccggcg gccgtcctcg gcgctgtccg 13380
 gtcgcgcggg tgctgccgcg gcggtgcccg aggcgcgcag ccccttcccg agcctgccct 13440
 tttcgctgaa cagcgtgcgc agcagcgagc tgggtcggct gacgcgaccg cgcctgctgg 13500
 gcgaggagga gtacctgaac gactccttgt tgaggcccga gcgcgagaag aacttcccca 13560
 ataacgggat agagagcctg gtggacaaga tgagccgctg gaagacgtac gcgcacgagc 13620
 acagggacga gccccgagct agcagcgcag gcacccgtag acgccagcgg cacgacaggc 13680
 agcggggact ggtgtgggac gatgaggatt ccgcccagca cagcagcgtg ttggacttgg 13740
 gtgggagtggt tggttaaccg ttcgctcacc tgcgcccccg tatcgggcgc ctgatgtaag 13800

aatctgaaaa aataaaagac ggtactcacc aaggccatgg cgaaccagcgt gcgttcttct 13860
ctggttggttg tagtagt atg atg agg cgc gtg tac ccg gag ggt cct cct 13910
Met Met Arg Arg Val Tyr Pro Glu Gly Pro Pro
1 5 10
ccc tcg tac gag agc gtg atg cag cag gcg gtg gcg gcg gcg atg cag 13958
Pro Ser Tyr Glu Ser Val Met Gln Gln Ala Val Ala Ala Ala Met Gln
15 20 25
ccc ccg ctg gag gcg cct tac gtg ccc ccg cgg tac ctg gcg cct acg 14006
Pro Pro Leu Glu Ala Pro Tyr Val Pro Pro Arg Tyr Leu Ala Pro Thr
30 35 40
gag ggg cgg aac agc att cgt tac tcg gag ctg gca ccc ttg tac gat 14054
Glu Gly Arg Asn Ser Ile Arg Tyr Ser Glu Leu Ala Pro Leu Tyr Asp
45 50 55
acc acc cgg ttg tac ctg gtg gac aac aag tcg gca gac atc gcc tcg 14102
Thr Thr Arg Leu Tyr Leu Val Asp Asn Lys Ser Ala Asp Ile Ala Ser
60 65 70 75
ctg aac tac cag aac gac cac agc aac ttc ctg acc acc gtg gtg cag 14150
Leu Asn Tyr Gln Asn Asp His Ser Asn Phe Leu Thr Thr Val Val Gln
80 85 90
aac aac gat ttc acc ccc acg gag gcc agc acc cag acc atc aac ttt 14198
Asn Asn Asp Phe Thr Pro Thr Glu Ala Ser Thr Gln Thr Ile Asn Phe
95 100 105
gac gag cgc tcg cgg tgg ggc ggc cag ctg aaa acc atc atg cac acc 14246
Asp Glu Arg Ser Arg Trp Gly Gly Gln Leu Lys Thr Ile Met His Thr
110 115 120
aac atg ccc aac gtg aac gag ttc atg tac agc aac aag ttc aag gcg 14294
Asn Met Pro Asn Val Asn Glu Phe Met Tyr Ser Asn Lys Phe Lys Ala
125 130 135
cgg gtg atg gtc tcg cgc aag acc ccc aac ggg gtg gat gat gat tat 14342
Arg Val Met Val Ser Arg Lys Thr Pro Asn Gly Val Asp Asp Asp Tyr
140 145 150 155
gat ggt agt cag gac gag ctg acc tac gag tgg gtg gag ttt gag ctg 14390
Asp Gly Ser Gln Asp Glu Leu Thr Tyr Glu Trp Val Glu Phe Glu Leu
160 165 170
ccc gag ggc aac ttc tcg gtg acc atg acc atc gat ctg atg aac aac 14438
Pro Glu Gly Asn Phe Ser Val Thr Met Thr Ile Asp Leu Met Asn Asn
175 180 185
gcc atc atc gac aac tac ttg gcg gtg ggg cgg cag aac ggg gtg ctg 14486
Ala Ile Ile Asp Asn Tyr Leu Ala Val Gly Arg Gln Asn Gly Val Leu
190 195 200
gag agc gac atc ggc gtg aag ttc gac acg cgc aac ttc cgg ctg ggc 14534
Glu Ser Asp Ile Gly Val Lys Phe Asp Thr Arg Asn Phe Arg Leu Gly
205 210 215

tgg gac ccc gtg acc gag ctg gtg atg ccg ggc gtg tac acc aac gag	14582
Trp Asp Pro Val Thr Glu Leu Val Met Pro Gly Val Tyr Thr Asn Glu	
220 225 230 235	
gcc ttc cac ccc gac atc gtc ctg ctg ccc ggc tgc ggc gtg gac ttc	14630
Ala Phe His Pro Asp Ile Val Leu Leu Pro Gly Cys Gly Val Asp Phe	
240 245 250	
acc gag agc cgc ctc agc aac ctg ctg ggc atc cgc aag cgg cag ccc	14678
Thr Glu Ser Arg Leu Ser Asn Leu Leu Gly Ile Arg Lys Arg Gln Pro	
255 260 265	
ttc cag gag ggc ttc cag atc ctg tac gag gac ctg gag ggg ggc aac	14726
Phe Gln Glu Gly Phe Gln Ile Leu Tyr Glu Asp Leu Glu Gly Gly Asn	
270 275 280	
atc ccc gcg ctc ttg gat gtc gaa gcc tac gag aaa agc aag gag gat	14774
Ile Pro Ala Leu Leu Asp Val Glu Ala Tyr Glu Lys Ser Lys Glu Asp	
285 290 295	
agc acc gcc gcg gcg acc gca gcc gtg gcc acc gcc tct acc gag gtg	14822
Ser Thr Ala Ala Ala Thr Ala Ala Val Ala Thr Ala Ser Thr Glu Val	
300 305 310 315	
cgg ggc gat aat ttt gct agc gct gcg gca gcg gcc gag gcg gct gaa	14870
Arg Gly Asp Asn Phe Ala Ser Ala Ala Ala Ala Glu Ala Ala Glu	
320 325 330	
acc gaa agt aag ata gtc atc cag ccg gtg gag aag gac agc aag gac	14918
Thr Glu Ser Lys Ile Val Ile Gln Pro Val Glu Lys Asp Ser Lys Asp	
335 340 345	
agg agc tac aac gtg ctc gcg gac aag aaa aac acc gcc tac cgc agc	14966
Arg Ser Tyr Asn Val Leu Ala Asp Lys Lys Asn Thr Ala Tyr Arg Ser	
350 355 360	
tgg tac ctg gcc tac aac tac ggc gac ccc gag aag ggc gtg cgc tcc	15014
Trp Tyr Leu Ala Tyr Asn Tyr Gly Asp Pro Glu Lys Gly Val Arg Ser	
365 370 375	
tgg acg ctg ctc acc acc tcg gac gtc acc tgc ggc gtg gag caa gtc	15062
Trp Thr Leu Leu Thr Thr Ser Asp Val Thr Cys Gly Val Glu Gln Val	
380 385 390 395	
tac tgg tcg ctg ccc gac atg atg caa gac ccg gtc acc ttc cgc tcc	15110
Tyr Trp Ser Leu Pro Asp Met Met Gln Asp Pro Val Thr Phe Arg Ser	
400 405 410	
acg cgt caa gtt agc aac tac ccg gtg gtg ggc gcc gag ctc ctg ccc	15158
Thr Arg Gln Val Ser Asn Tyr Pro Val Val Gly Ala Glu Leu Leu Pro	
415 420 425	
gtc tac tcc aag agc ttc ttc aac gag cag gcc gtc tac tcg cag cag	15206
Val Tyr Ser Lys Ser Phe Phe Asn Glu Gln Ala Val Tyr Ser Gln Gln	
430 435 440	

ctg cgc gcc ttc acc tcg ctc acg cac gtc ttc aac cgc ttc ccc gag	15254
Leu Arg Ala Phe Thr Ser Leu Thr His Val Phe Asn Arg Phe Pro Glu	
445 450 455	
aac cag atc ctc gtc cgc ccg ccc gcg ccc acc att acc acc gtc agt	15302
Asn Gln Ile Leu Val Arg Pro Pro Ala Pro Thr Ile Thr Thr Val Ser	
460 465 470 475	
gaa aac gtt cct gct ctc aca gat cac ggg acc ctg ccg ctg cgc agc	15350
Glu Asn Val Pro Ala Leu Thr Asp His Gly Thr Leu Pro Leu Arg Ser	
480 485 490	
agt atc cgg gga gtc cag cgc gtg acc gtc act gac gcc aga cgc cgc	15398
Ser Ile Arg Gly Val Gln Arg Val Thr Val Thr Asp Ala Arg Arg Arg	
495 500 505	
acc tgc ccc tac gtc tac aag gcc ctg ggc gta gtc gcg ccg cgc gtc	15446
Thr Cys Pro Tyr Val Tyr Lys Ala Leu Gly Val Val Ala Pro Arg Val	
510 515 520	
ctc tcg agc cgc acc ttc taa aaaatgtcca ttctcatctc gccagtaat	15497
Leu Ser Ser Arg Thr Phe	
525	
aacaccggtt ggggcctgcg cgcgcccagc aagatgtacg gaggcgctcg ccaacgctcc	15557
acgcaacacc ccgtgcgcgt gcgcgggcac ttccgcgctc cctggggcgc cctcaagggc	15617
cgcgtgcgct cgcgcaccac cgtcgacgac gtgatcgacc aggtggtggc cgacgcgcgc	15677
aactacacgc ccgcgcgcgc gcccgctctcc accgtggacg ccgtcatcga cagcgtggtg	15737
gccgacgcgc gccggtacgc ccgcaccaag agccggcggc ggcgcatcgc ccggcggcac	15797
cggagcacc cgcgccatgcg cgcggcgcgga gccttgctgc gcagggccag gcgcacggga	15857
cgcagggcca tgctcagggc ggccagacgc gcggcctccg gcagcagcag cgccggcagg	15917
acccgcagac gcgcggccac ggcgggcgcg gcggccatcg ccagcatgtc ccgcccgcgcg	15977
cgcggcaacg tgtactgggt gcgcgacgcc gccaccggtg tgcgcgtgcc cgtgcgcacc	16037
cgccccctc gcacttgaag atgctgactt cgcgatgttg atgtgtccca gcggcgagga	16097
ggatgtccaa gcgcaaatac aaggaagaga tgctccaggt catcgcgcct gagatctacg	16157
gccccgcggc ggcggtgaag gaggaagaa agccccgcaa actgaagcgg gtcaaaaagg	16217
acaaaaagga ggaggaagat gacggactgg tggagtttgt gcgcgagttc gccccccggc	16277
ggcgcgtgca gtggcgcggg cggaagtgaa aaccggtgct gcggcccggc accacggtgg	16337
tcttcacgcc cggcgagcgt tccggctccg cctccaagcg ctctacgac gaggtgtacg	16397
gggacgagga catcctcgag caggcggtcg agcgtctggg cgagtttgcg tacggcaagc	16457
gcagccgccc cgcgcccttg aaagaggagg cggtgtccat cccgctggac cacggcaacc	16517

ccacgcccag cctgaagccg gtgaccctgc agcaggtgct accgagcgcg gcgcccgcgc 16577
 ggggcttcaa gcgcgagggc ggcgaggatc tgtacccgac catgcagctg atggtgccc 16637
 agcgccagaa gctggaggac gtgctggagc acatgaaggt ggaccccag gtgcagccc 16697
 aggtcaaggt gcggcccatc aagcaggtgg ccccgggcct gggcgtgcag accgtggaca 16757
 tcaagatccc cacggagccc atggaaacgc agaccgagcc cgtgaagccc agcaccagca 16817
 ccatggaggt gcagacggat ccctggatgc cagcaccagc ttccaccagc actcgccgaa 16877
 gacgcaagta cggcgcgggc agcctgctga tgcccaacta cgcgctgcat ccttccatca 16937
 tccccacgcc gggctaccgc ggcacgcgct tctaccgcgg ctacaccagc agccgcccgc 16997
 gcaagaccac caccgcccgc cgtcgtcgca gccgcccag cagcaccgcg acttccgcct 17057
 tgggtgcggag agtgtatcgc agcgggcccgc agcctctgac cctgccgcgc gcgcgctacc 17117
 acccgagcat cgccatttaa ctaccgcctc ctacttgagc atatggccct cacatgccgc 17177
 ctccgcgtcc ccattacggg ctaccgagga agaaagccgc gccgtagaag gctgacgggg 17237
 aacgggctgc gtcgccatca ccaccggcgg cggcgcgcca tcagcaagcg gttgggggga 17297
 ggcttcctgc ccgcgctgat ccccatcatc gccgcggcga tcggggcgat ccccggcata 17357
 gcttccgtgg cgggtgcaggc ctctcagcgc cactgagaca caaaaaagca tggatttgta 17417
 ataaaaaaaa aaatggactg acgctcctgg tcctgtgatg tgtgttttta gatggaagac 17477
 atcaattttt cgtccctggc accgcgacac ggcacgcggc cgtttatggg cacctggagc 17537
 gacatcggca acagccaact gaacgggggc gccttcaatt ggagcagtct ctggagcggg 17597
 cttaagaatt tcgggtccac gctcaaaacc tatggcaaca aggcgtggaa cagcagcaca 17657
 gggcaggcgc tgagggaaaa gctgaaagaa cagaacttcc agcagaaggt ggttgatggc 17717
 ctggcctcag gcatcaacgg ggtggttgac ctggccaacc aggccgtgca gaaacagatc 17777
 aacagcccgc tggacgcggt cccgcccgcg gggctccgtgg agatgcccc a ggtggaggag 17837
 gagctgcctc ccctggacaa gcgcggcgac aagcgaccgc gtcccagcgc ggaggagacg 17897
 ctgctgacgc acacggacga gccgcccccg tacgaggagg cggtgaaact gggcctgccc 17957
 accacgcggc ccgtggcgcc tctggccacc ggagtgtgta aaccagcag cagccagccc 18017
 gcgaccctgg acttgccctc gcctcgcccc tccacagtgg ctaagcccct gccgcccgtg 18077
 gccgtcgcgt cgcgcgcccc ccgaggccgc cccagggcga actggcagag cactctgaac 18137
 agcatcgtgg gtctgggagt gcagagtgtg aagcgcccgc gctgctatta aaagacactg 18197

48

tgc tat ggc tcc tat gct aga ccc acc aat gaa aaa gga ggt caa gct Cys Tyr Gly Ser Tyr Ala Arg Pro Thr Asn Glu Lys Gly Gly Gln Ala 750 755 760	18982
aaa ctt aaa gtt gga gat gat gga gtt cca acc aaa gaa ttc gac ata Lys Leu Lys Val Gly Asp Asp Gly Val Pro Thr Lys Glu Phe Asp Ile 765 770 775	19030
gac ctg gct ttc ttt gat act ccc ggt ggc acc gtg aac ggt caa gac Asp Leu Ala Phe Phe Asp Thr Pro Gly Gly Thr Val Asn Gly Gln Asp 780 785 790	19078
gag tat aaa gca gac att gtc atg tat acc gaa aac acg tat ttg gaa Glu Tyr Lys Ala Asp Ile Val Met Tyr Thr Glu Asn Thr Tyr Leu Glu 795 800 805 810	19126
act cca gac acg cat gtg gta tac aaa cca ggc aag gat gat gca agt Thr Pro Asp Thr His Val Val Tyr Lys Pro Gly Lys Asp Asp Ala Ser 815 820 825	19174
tct gaa att aac ctg gtt cag cag tct atg ccc aac aga ccc aac tac Ser Glu Ile Asn Leu Val Gln Gln Ser Met Pro Asn Arg Pro Asn Tyr 830 835 840	19222
att ggg ttc agg gac aac ttt atc ggt ctt atg tac tac aac agc act Ile Gly Phe Arg Asp Asn Phe Ile Gly Leu Met Tyr Tyr Asn Ser Thr 845 850 855	19270
ggc aat atg ggt gtg ctt gct ggt cag gcc tcc cag ctg aat gct gtg Gly Asn Met Gly Val Leu Ala Gly Gln Ala Ser Gln Leu Asn Ala Val 860 865 870	19318
gtt gat ttg caa gac aga aac acc gag ctg tcc tac cag ctc ttg ctt Val Asp Leu Gln Asp Arg Asn Thr Glu Leu Ser Tyr Gln Leu Leu Leu 875 880 885 890	19366
gac tct ttg ggt gac aga acc cgg tat ttc agt atg tgg aac cag gcg Asp Ser Leu Gly Asp Arg Thr Arg Tyr Phe Ser Met Trp Asn Gln Ala 895 900 905	19414
gtg gac agt tat gac ccc gat gtg cgc atc atc gaa aac cat ggt gtg Val Asp Ser Tyr Asp Pro Asp Val Arg Ile Ile Glu Asn His Gly Val 910 915 920	19462
gag gat gaa ttg cca aac tat tgc ttc ccc ttg gac ggc tct ggc act Glu Asp Glu Leu Pro Asn Tyr Cys Phe Pro Leu Asp Gly Ser Gly Thr 925 930 935	19510
aac gcc gca tac caa ggt gtg aaa gta aaa gat ggt caa gat ggt gat Asn Ala Ala Tyr Gln Gly Val Lys Val Lys Asp Gly Gln Asp Gly Asp 940 945 950	19558
gtt gag agt gaa tgg gaa aat gac gat act gtt gca gct cga aat caa Val Glu Ser Glu Trp Glu Asn Asp Asp Thr Val Ala Ala Arg Asn Gln 955 960 965 970	19606

tta tgt aaa ggt aac att ttc gcc atg gag att aat ctc cag gct aac Leu Cys Lys Gly Asn Ile Phe Ala Met Glu Ile Asn Leu Gln Ala Asn 975 980 985	19654
ctg tgg aga agt ttc ctc tac tcg aac gtg gcc ctg tac ctg ccc gac Leu Trp Arg Ser Phe Leu Tyr Ser Asn Val Ala Leu Tyr Leu Pro Asp 990 995 1000	19702
tcc tac aag tac acg ccg acc aac gtc acg ctg ccg acc aac acc Ser Tyr Lys Tyr Thr Pro Thr Asn Val Thr Leu Pro Thr Asn Thr 1005 1010 1015	19747
aac acc tac gat tac atg aat ggc aga gtg aca cct ccc tcg ctg Asn Thr Tyr Asp Tyr Met Asn Gly Arg Val Thr Pro Pro Ser Leu 1020 1025 1030	19792
gta gac gcc tac ctc aac atc ggg gcg cgc tgg tcg ctg gac ccc Val Asp Ala Tyr Leu Asn Ile Gly Ala Arg Trp Ser Leu Asp Pro 1035 1040 1045	19837
atg gac aac gtc aac ccc ttc aac cac cac cgc aac gcg ggc ctg Met Asp Asn Val Asn Pro Phe Asn His His Arg Asn Ala Gly Leu 1050 1055 1060	19882
cgc tac cgc tcc atg ctc ctg ggc aac ggg cgc tac gtg ccc ttc Arg Tyr Arg Ser Met Leu Leu Gly Asn Gly Arg Tyr Val Pro Phe 1065 1070 1075	19927
cac atc cag gtg ccc caa aag ttt ttc gcc atc aag agc ctc ctg His Ile Gln Val Pro Gln Lys Phe Phe Ala Ile Lys Ser Leu Leu 1080 1085 1090	19972
ctc ctg ccc ggg tcc tac acc tac gag tgg aac ttc cgc aag gac Leu Leu Pro Gly Ser Tyr Thr Tyr Glu Trp Asn Phe Arg Lys Asp 1095 1100 1105	20017
gtc aac atg atc ctg cag agc tcc cta ggc aac gac ctg cgc acg Val Asn Met Ile Leu Gln Ser Ser Leu Gly Asn Asp Leu Arg Thr 1110 1115 1120	20062
gac ggg gcc tcc atc gcc ttc acc agc atc aac ctc tac gcc acc Asp Gly Ala Ser Ile Ala Phe Thr Ser Ile Asn Leu Tyr Ala Thr 1125 1130 1135	20107
ttc ttc ccc atg gcg cac aac acc gcc tcc acg ctc gag gcc atg Phe Phe Pro Met Ala His Asn Thr Ala Ser Thr Leu Glu Ala Met 1140 1145 1150	20152
ctg cgc aac gac acc aac gac cag tcc ttc aac gac tac ctc tcg Leu Arg Asn Asp Thr Asn Asp Gln Ser Phe Asn Asp Tyr Leu Ser 1155 1160 1165	20197
gcg gcc aac atg ctc tac ccc atc ccg gcc aac gcc acc aac gtg Ala Ala Asn Met Leu Tyr Pro Ile Pro Ala Asn Ala Thr Asn Val 1170 1175 1180	20242

ccc atc tcc atc ccc tcg cgc aac tgg gcc gcc ttc cgc gga tgg	20287
Pro Ile Ser Ile Pro Ser Arg Asn Trp Ala Ala Phe Arg Gly Trp	
1185 1190 1195	
tcc ttc acg cgc ctg aag acc cgc gag acg ccc tcg ctc ggc tcc	20332
Ser Phe Thr Arg Leu Lys Thr Arg Glu Thr Pro Ser Leu Gly Ser	
1200 1205 1210	
ggg ttc gac ccc tac ttc gtc tac tcg ggc tcc atc ccc tac cta	20377
Gly Phe Asp Pro Tyr Phe Val Tyr Ser Gly Ser Ile Pro Tyr Leu	
1215 1220 1225	
gac ggc acc ttc tac ctc aac cac acc ttc aag aag gtc tcc atc	20422
Asp Gly Thr Phe Tyr Leu Asn His Thr Phe Lys Lys Val Ser Ile	
1230 1235 1240	
acc ttc gac tcc tcc gtc agc tgg ccc ggc aac gac cgc ctc ctg	20467
Thr Phe Asp Ser Ser Val Ser Trp Pro Gly Asn Asp Arg Leu Leu	
1245 1250 1255	
acg ccc aac gag ttc gaa atc aag cgc acc gtc gac gga gag gga	20512
Thr Pro Asn Glu Phe Glu Ile Lys Arg Thr Val Asp Gly Glu Gly	
1260 1265 1270	
tac aac gtg gcc cag tgc aac atg acc aag gac tgg ttc ctg gtc	20557
Tyr Asn Val Ala Gln Cys Asn Met Thr Lys Asp Trp Phe Leu Val	
1275 1280 1285	
cag atg ctg gcc cac tac aac atc ggc tac cag ggc ttc tac gtg	20602
Gln Met Leu Ala His Tyr Asn Ile Gly Tyr Gln Gly Phe Tyr Val	
1290 1295 1300	
ccc gag ggc tac aag gac cgc atg tac tcc ttc ttc cgc aac ttc	20647
Pro Glu Gly Tyr Lys Asp Arg Met Tyr Ser Phe Phe Arg Asn Phe	
1305 1310 1315	
cag ccc atg agc cgc cag gtc gtg gac gag gtc aac tac aag gac	20692
Gln Pro Met Ser Arg Gln Val Val Asp Glu Val Asn Tyr Lys Asp	
1320 1325 1330	
tac cag gcc gtc acc ctg gcc tac cag cac aac aac tcg ggc ttc	20737
Tyr Gln Ala Val Thr Leu Ala Tyr Gln His Asn Asn Ser Gly Phe	
1335 1340 1345	
gtc ggc tac ctc gcg ccc acc atg cgc cag ggc cag ccc tac ccc	20782
Val Gly Tyr Leu Ala Pro Thr Met Arg Gln Gly Gln Pro Tyr Pro	
1350 1355 1360	
gcc aac tac ccc tac ccg ctc atc ggc aag agc gcc gtc gcc agc	20827
Ala Asn Tyr Pro Tyr Pro Leu Ile Gly Lys Ser Ala Val Ala Ser	
1365 1370 1375	
gtc acc cag aaa aag ttc ctc tgc gac cgg gtc atg tgg cgc atc	20872
Val Thr Gln Lys Lys Phe Leu Cys Asp Arg Val Met Trp Arg Ile	
1380 1385 1390	

ccc ttc tcc agc aac ttc atg tcc atg ggc gcg ctc acc gac ctc	20917
Pro Phe Ser Ser Asn Phe Met Ser Met Gly Ala Leu Thr Asp Leu	
1395 1400 1405	
ggc cag aac atg ctc tac gcc aac tcc gcc cac gcg cta gac atg	20962
Gly Gln Asn Met Leu Tyr Ala Asn Ser Ala His Ala Leu Asp Met	
1410 1415 1420	
aat ttc gaa gtc gac ccc atg gat gag tcc acc ctt ctc tat gtt	21007
Asn Phe Glu Val Asp Pro Met Asp Glu Ser Thr Leu Leu Tyr Val	
1425 1430 1435	
gtc ttc gaa gtc ttc gac gtc gtc cga gtg cac cag ccc cac cgc	21052
Val Phe Glu Val Phe Asp Val Val Arg Val His Gln Pro His Arg	
1440 1445 1450	
ggc gtc atc gaa gcc gtc tac ctg cgc acg ccc ttc tcg gcc ggc	21097
Gly Val Ile Glu Ala Val Tyr Leu Arg Thr Pro Phe Ser Ala Gly	
1455 1460 1465	
aac gcc acc acc taa gccgctcttg cttcttgcaa gatgacggcg ggctccggcg	21152
Asn Ala Thr Thr	
1470	
agcaggagct cagggccatc ctccgcgacc tgggctgcgg gccctgcttc ctgggcacct	21212
tcgacaagcg cttccctgga ttcatggccc cgcacaagct ggctgcgcc atcgtgaaca	21272
cggccggccg cgagaccggg ggcgagcact ggctggcctt cgcctggaac ccgcgctccc	21332
acacatgcta cctcttcgac cccttcgggt tctcggacga gcgcctcaag cagatctacc	21392
agttcgagta cgagggcctg ctgcgtcgca gcgccttggc caccgaggac cgctgcgtca	21452
ccctggaaaa gtccaccag accgtgcagg gtccgcgctc ggccgcctgc gggctcttct	21512
gctgcatgtt cctgcacgcc ttcgtgcact ggcccgaccg ccccatggac aagaacccca	21572
ccatgaactt actgacgggg gtgcccacg gcatgctcca gtcgccccag gtggaaccca	21632
ccctgcgccc caaccaggaa gcgctctacc gcttcctcaa tgccactcc gcctactttc	21692
gctcccaccg cgcgcgcac gagaaaggcca ccgccttcga ccgcatgaat caagacatgt	21752
aaaaaacgg tgtgtgtatg tgaatgcttt attcataata aacagcacat gtttatgcca	21812
ccttctctga ggctctgact ttatttagaa atcgaagggg ttctgccggc tctcggcatg	21872
gcccgcgggc agggatacgt tgcggaactg gtacttgggc agccacttga actcggggat	21932
cagcagcttg ggcacgggga ggtcggggaa cgagtcgctc cacagcttgc gcgtgagttg	21992
cagggcgccc agcaggtcgg gcgcggagat cttgaaatcg cagttgggac ccgcgttctg	22052
cgcgcgagag ttgcggtaca cgggggttgca gcactggaac accatcaggg ccgggtgctt	22112
cacgcttgcc agcacgctcg cgtcgggtgat gccctccacg tccagatcct cggcgttggc	22172

catcccgaag ggggtcatct tgcaggctctg ccgccccatg ctggggcacgc agccggggctt 22232
gtggttgcaa tcgcagtgca gggggatcag catcatctgg gcctgctcgg agctcatgcc 22292
cgggtacatg gccttcatga aagcctccag ctggcggaag gcctgctcgc ccttgccgcc 22352
ctcgggtgaag aagaccccg c aggacttgct agagaactgg ttggtggcgc agccggcgctc 22412
gtgcacgcag cagcgcgcgt cgttggtggc cagctgcacc acgctgcgcc cccagcggtt 22472
ctgggtgatc ttggcccgggt tggggttctc cttcagcgcg cgctgcccggt tctcgctcgc 22532
cacatccatc tcgatagtgt gctccttctg gatcatcacg gtcccgtgca ggcaccgcag 22592
cttgccctcg gcttcgggtgc agccgtgcag ccacagcgcg cagccgggtgc actcccagtt 22652
cttgtggggcg atctgggagt gcgagtgcac gaagccctgc aggaagcggc ccatcatcgc 22712
ggtcaggggtc ttggtgctgg tgaaggctcag cgggatgccg cgggtgctcct cgttcacata 22772
caggtggcag atgcggcggt acacctcgcc ctgctcgggc atcagctgga aggcggactt 22832
caggtcgctc tccacgcgggt accggtccat cagcagcgtc atcacttcca tgcccttctc 22892
ccaggccgaa acgatcggca ggctcagggg gttcttcacc gccattgtca tcttagtcgc 22952
cgccgccgag gtcaggggggt cgttctcgtc caggggtctca aacactcgct tgccgtcctt 23012
ctcgatgatg cgcacggggg gaaagctgaa gccacgggc gccagctcct cctcggcctg 23072
cctttcgtcc tcgctgtcct ggctgatgtc ttgcaaaggc acatgcttgg tcttgcgggg 23132
tttctttttg ggcggcagag gcggcggcga tgtgctggga gagcgcgagt tctcgttcac 23192
cacgactatt tcttcttctt ggccgtcgtc cgagaccacg cggcggtagg catgcctctt 23252
ctggggcaga ggcggaggcg acgggctctc gcgggttcggc gggcggtgg cagagcccct 23312
tccgcgttcg ggggtgcgct cctggcgggc ctgctctgac tgacttcctc cgcggccggc 23372
cattgtgttc tcctagggag caacaacaag catggagact cagccatcgt cgccaacatc 23432
gccatctgcc cccgccgcca ccgccgacga gaaccagcag cagaatgaaa gcttaaccgc 23492
cccgccgccc agccccacct ccgacgccgc ggccccagac atgcaagaga tggaggaatc 23552
catcgagatt gacctgggct acgtgacgcc cgcggagcac gaggaggagc tggcagcgcg 23612
cttttcagcc ccggaagaga accaccaaga gcagccagag caggaagcag agaacgagca 23672
gaaccaggct gggcacgagc atggcgacta cctgagcggg gcagaggacg tgctcatcaa 23732
gcatctggcc cgccaatgca tcatcgtcaa ggacgcgctg ctcgaccgcg ccgaggtgcc 23792
cctcagcgtg gcggagctca gccgcgccta cgagcgcaac ctcttctcgc cgcgcgtgcc 23852

ccccaagcgc cagcccaacg gcacctgtga gcccaacccg cgcctcaact tctacccggt 23912
 cttcgcggtg cccgaggccc tggccaccta ccacctcttt ttcaagaacc aaaggatccc 23972
 cgtctcctgc cgcgccaacc gcaccgcgc cgcgccttg ctcaacctgg gccccggcgc 24032
 ccgcctacct gatatacct ccttggaaga ggttcccaag atcttcgagg gtctgggcag 24092
 cgacgagact cgggcccgcga acgctctgca aggaagcgga gaggagcatg agcaccacag 24152
 cgccctggtg gagttggaag gcgacaacgc gcgcctggcg gtcctcaagc gcacggtcga 24212
 gctgaccac ttcgcctacc cggcgctcaa cctgcccccc aagggtcatga gcgcggtcat 24272
 ggaccagggtg ctcatcaagc gcgcctcgcc cctctcggag gaggagatgc aggaccccga 24332
 gagttcggac gagggcaagc ccgtgggtcag cgacgagcag ctggcgcgct ggctgggagc 24392
 gagtagcacc ccccagagcc tggaagagcg gcgcaagctc atgatggccg tggtcctggt 24452
 gaccgtggag ctggagtgtc tgcgccgctt ctttgccgac gcggagaccc tgcgcaagggt 24512
 cgaggagaac ctgcactacc tcttcaggca cgggttcgtg cgccaggcct gcaagatctc 24572
 caacgtggag ctgaccaacc tgggtctccta catgggcatc ctgcacgaga accgcctggg 24632
 gcaaaacgtg ctgcacacca ccctgcgcgg ggaggcccgc cgcgactaca tccgcgactg 24692
 cgtctacctg tacctctgcc acacctggca gacgggcatg ggcgtgtggc agcagtgcct 24752
 ggaggagcag aacctgaaag agctctgcaa gctcctgcag aagaacctca aggccctgtg 24812
 gaccgggttc gacgagcgta ccaccgcctc ggacctggcc gacctcatct tccccgagcg 24872
 cctgcggctg acgctgcgca acgggctgcc cgactttatg agccaaagca tgttgcaaaa 24932
 ctttcgctct ttcatacctc aacgctccgg gatcctgccc gccacctgct ccgcgctgcc 24992
 ctcggacttc gtgccgctga ccttccgcga gtgccccccg ccgctctgga gccactgcta 25052
 cttgctgcgc ctggccaact acctggccta ccactcggac gtgatcgagg acgtcagcgg 25112
 cgaggggtctg ctggagtgcc actgccgctg caacctctgc acgccgcacc gctccctggc 25172
 ctgcaacccc cagctgctga gcgagacca gatcatcggc accttcgagt tgcaaggccc 25232
 cggcgacggc gagggcaagg ggggtctgaa actcaccgcc gggctgtgga cctcggccta 25292
 cttgcgcaag ttcgtgcccc aggactacca tcccttcgag atcaggttct acgaggacca 25352
 atcccagccg cccaaggccg agctgtcggc ctgcgtcatc acccaggggg ccatcctggc 25412
 ccaattgcaa gccatccaga aatcccgcga agaatttctg ctgaaaaagg gccacggggt 25472
 ctacttgga ccccagaccg gagaggagct caaccccagc tccccccagg atgccccgag 25532
 gaagcagcaa gaagctgaaa gtggagctgc cgccgccgga ggatttgag gaagactggg 25592

agagcagtca ggcagaggag gaggagatgg aagactggga cagcactcag gcagaggagg 25652
 acagcctgca agacagtctg gaggaggaag acgaggtgga ggaggcagag gaagaagcag 25712
 ccgccgccag accgtcgtcc tcggcggaga aagcaagcag cacggatacc atctccgctc 25772
 cgggtcgggg tcgcggcggc cgggcccaca gtaggtggga cgagaccggg cgcttcccga 25832
 accccaccac ccagaccggt aagaaggagc ggcagggata caagtcctgg cgggggcaca 25892
 aaaacgccat cgtctcctgc ttgcaagcct gcgggggcaa catctccttc acccggcgct 25952
 acctgctctt ccaccgcggg gtgaacttcc cccgcaacat cttgcattac taccgtcacc 26012
 tccacagccc ctactactgt ttccaagaag aggcagaaac ccagcagcag cagaaaacca 26072
 gcggcagcag cagctagaaa atccacagcg gcggcagggtg gactgaggat cgcggcgaac 26132
 gagccggcgc agaccgggga gctgaggaac cggatctttc ccaccctcta tgccatcttc 26192
 cagcagagtc gggggcagga gcaggaactg aaagtcaaga accgttctct gcgctcgctc 26252
 acccgagtt gtctgtatca caagagcgaa gaccaacttc agcgactct cgaggacgcc 26312
 gaggctctct tcaacaagta ctgcgcgctc actcttaaag agtagccgc gcccgcccac 26372
 acacggaaaa aggcgggaat tacgtcacca cctgcgcct tcgcccgacc atcatgagca 26432
 aagagattcc cagccttac atgtggagct accagcccca gatgggcctg gccgcccgcg 26492
 ccgccagga ctactccacc cgcatgaact ggctcagtgc cgggcccgcg atgatctcac 26552
 gggatgaatga catccgcgcc caccgaaacc agatactcct agaacagtca gcgatcaccg 26612
 ccacgccccg ccatcacctt aatccgcgta attggcccgc cgccttggtg taccaggaaa 26672
 ttccccagcc cagaccgta ctacttcgc gagacgcca ggccgaagtc cagctgacta 26732
 actcagggtg ccagctggcc ggccggcggc ccctgtgtcg tcaccgcccc gctcagggtg 26792
 taaagcggct ggtgatccga ggcagaggca cacagctcaa cgacgagggtg gtgagctctt 26852
 cgctgggtct gcgacctgac ggagtcttcc aactcgccgg atcggggaga tcttccttca 26912
 cgcctcgtca ggccgtcctg actttggaga gttcgtcctc gcagccccgc tcgggcggca 26972
 tcggcactct ccagttcgtg gaggagttca ctccctcggg ctacttcaac cccttctccg 27032
 gctcccccg ccactaccg gacgagttca tcccgaactt cgacgccatc agcgagtcgg 27092
 tggacggcta cgattgaatg tcccatgggt gcgcagctga cctagctcgg cttcgacacc 27152
 tggaccactg ccgcccgttc cgctgcttcg ctccggatct cgccgagttt gcctactttg 27212
 agctgccga ggagcacct cagggcccag cccacggagt gcggatcatc gtcgaagggg 27272

gcctcgactc ccacctgctt cggatcttca gccagcgacc gatcctgggtc gagcgcgaaac 27332
 aaggacagac ccttcttact ttgtactgca tctgcaacca ccccggcctg catgaaagtc 27392
 tttgttgtct gctgtgtact gagtataata aaagctgaga tcagcgacta ctccggactc 27452
 gattgtgggtg ttcttgctat caaccgggtcc ctgttcttca ccgggaacga gaccgagctc 27512
 cagctccagt gtaagcccca caagaagtac ctcacctggc tgttccaggg ctccccgac 27572
 gccgttgtca accactgcga caacgacgga gtcttgctga gcggccctgc caaccttact 27632
 ttttccaccc gcagaagcaa gctccagctc ttccaaccct tcctccccgg gacctatcag 27692
 tgcgtctcag gacctgcca tcacaccttc cacctgatcc cgaataccac agcgccgctc 27752
 cccgctacta acaaccaaac taccaccaa cgccaccgtc gcgacctttc ctctgaatct 27812
 aataccacta ccggaggtga gctccgaggt cgaccaacct ctgggattta ctacggcccc 27872
 tgggaggtgg tgggggttaat agcgctaggc ctagttgcgg gtgggctttt gggtctctgc 27932
 tacctatacc tcccttgctg ttctgtactta gtgggtgctgt gttgctgggt taagaaatgg 27992
 ggaagatcac cctagtgage tgcggtgcgc tgggtggcgg gttgcttttcg attgtgggac 28052
 tgggcggcgc ggctgtagtg aaggagaagg ccgatccctg cttgcatttc aatcccaaca 28112
 aatgccagct gagttttcag cccgatggca atcgggtgcgc ggtactgatc aagtgcggat 28172
 gggaatgcga gaacgtgaga atcgagtaca ataacaagac tcggaacaat actctcgcgt 28232
 ccgtgtggca gcccggggac cccgagtggg acaccgtctc tgtccccggg gctgacggct 28292
 cccgcgcac cgtgaataat actttcattt ttgcgcacat gtgcaacacg gtcattgtga 28352
 tgagcaagca gtacgatatg tggcccccca cgaaggagaa catcgtgggtc ttctccatcg 28412
 cttacagcct gtgcacggcg ctaatcaccg ctatcgtgtg cctgagcatt cacatgctca 28472
 tcgctattcg cccagaaaat aatgccgaga aagagaaaca gccataacac gttttttcac 28532
 acaccttggt ttacagaca atgcgtctgt taaatTTTTT aaacattgtg ctcaagtattg 28592
 cttatgcctc tggttatgca aacatacaga aaacccttta tgtaggatct gatggtacac 28652
 tagagggtac ccaatcacia gccaaagggtg catgggtattt ttatagaacc aacctgatc 28712
 cagttaaact ttgtaagggt gaattgccgc gtacacataa aactccactt acatttagtt 28772
 gcagcaataa taatcttaca cttttttcaa ttacaaaaca atatactggg acttattaca 28832
 gtacaaactt tcatacagga caagataaat attatactgt taaggtagaa aatcctacca 28892
 ctctagaac taccaccacc accactactg caaagcccac tgtgaaaact acaactagga 28952
 ccaccacaac tacagaaacc accaccagca caacacttgc tgcaactaca cacacacaca 29012

ctaagctaac cttacagacc actaatgatt tgatcgccct gctgcaaaag ggggataaca 29072
 gcaccacttc caatgaggag atacccaaat ccatgattgg cattattgtt gctgtagtgg 29132
 tgtgcatgtt gatcatcgcc ttgtgcatgg tgtactatgc cttctgctac agaaagcaca 29192
 gactgaacga caagctggaa cacttactaa gtgttgaatt ttaattttttt agaaccatga 29252
 agatcctagg ccttttttagt ttttctatca ttacctctgc tctttgtgaa tcagtggata 29312
 gagatgttac tattaccact ggttctaatt atacactgaa agggccaccc tcaggatatgc 29372
 tttcgtggta ttgctattttt ggaactgaca ctgatcaaac tgaattatgc aattttcaaa 29432
 aaggcaaaac ctcaaactct aaaatctcta attatcaatg caatggcact gatctgatac 29492
 tactcaatgt cacgaaagca tatgggtggca gttattattg ccctggacaa aacactgaag 29552
 aaatgattht ttacaaagtg gaagtgggtt atcccactac accaccaccc accacaacta 29612
 ttcataccac acacacagaa caaacaccag aggcaacaga agcagagttg gccttccagg 29672
 ttcacggaga ttcctttgct gtcaataccc ctacacccga tcagcgggtg ccggggccgc 29732
 tagtcagcgg cattgtcggg gtgctttcgg gattagcagt cataatcatc tgcattgttca 29792
 tttttgcttg ctgctataga aggctttacc gacaaaaatc agaccactg ctgaacctct 29852
 atgtttaatt ttttccagag ccatgaaggc agttagcgtc ctagttttttt gttctttgat 29912
 tggcattgtt tttaatagta aaattaccag agttagcttt attaaacatg ttaatgtaac 29972
 tgaaggagat aacatcacac tagcagggtg agaagggtgct caaaacacca cctggacaaa 30032
 ataccatcta ggatggagag atatttgcac ctggaatgta acttattatt gcataggagt 30092
 taatcttacc attgttaacg ctaaccaatc tcagaatggg ttaattaaag gacagagtgt 30152
 tagtgtgacc agtgatgggt actataccca gcatagtttt aactacaaca ttactgtcat 30212
 accactgcct acgcctagcc cacctagcac taccacacag acaaccacat acagtacatc 30272
 aaatcagcct accaccacta cagcagcaga ggttgccagc tcgtctgggg tccgagtggc 30332
 atttttgatg ttggcccat ctagcagtcc cactgctagt accaatgagc agactactga 30392
 atttttgtcc actgtcgaga gccacaccac agctacctcc agtgccttct ctagcaccgc 30452
 caatctctcc tcgctttcct ctacaccaat cagccccgct actactccta gccccgctcc 30512
 tcttcccact cccctgaagc aaacagacgg cggcatgcaa tggcagatca ccctgctcat 30572
 tgtgatcggg ttgggtcatcc tggccgtgtt gctctactac atcttctgcc gccgcattcc 30632
 caacgcgcac cgcaagccgg cctacaagcc catcgttatc gggcagccgg agccgcttca 30692


```

ggtggaaggg ggtctaagga atcttctctt ctctttttaca gtatgggtgat tgaactatga 30752
ttcctagaca attcttgatc actattctta tctgcctcct ccaagtctgt gccaccctcg 30812
ctctgggtggc caacgccagt ccagactgta ttggggccctt cgcctcctac gtgctctttg 30872
ccttcgtcac ctgcatctgc tgctgtagca tagtctgcct gcttatcacc ttcttccagt 30932
tcattgactg gatctttgtg cgcctgcctt acctgcgcca ccacccccag taccgcgacc 30992
agcgagtggc gcagctgctc aggctcctct gataagcatg cgggctctgc tacttctcgc 31052
gcttctgctg ttagtgctcc cccgtcccgt cgacccccgg tccccactc agtccccga 31112
ggaggttcgc aaatgcaa atccaagaacc ctggaaattc ctcaa atgct accgccaaaa 31172
atcagacatg catcccagct ggatcatgat cattgggatc gtgaacattc tggcctgcac 31232
cctcatctcc tttgtgattt acccctgctt tgactttggt tggaactcgc cagaggcgct 31292
ctatctcccg cctgaacctg acacaccacc acagcagcaa cctcaggcac acgcactacc 31352
accaccacag cctaggccac aatacatgcc catattagac tatgaggccg agccacagcg 31412
acccatgctc cccgctatta gttacttcaa tctaaccggc ggagatgact gacccactgg 31472
ccaataacaa cgtcaacgac cttctcctgg acatggacgg ccgcgcctcg gagcagcgac 31532
tcgcccactc tcgcattcgt cagcagcagg agagagccgt caaggagctg caggacggca 31592
tagccatcca ccagtgaag agaggcatct tctgcctggt gaaacaggcc aagatctcct 31652
acgaggtcac ccagaccgac catcgctctt cctacgagct cctgcagcag cgccagaagt 31712
tcacctgcct ggtcggagtc aaccccatcg tcatacccca gcagtcgggc gataccaagg 31772
ggtgcatcca ctgctcctgc gactcccccg actgcgtcca cactctgatc aagaccctct 31832
gcggcctccg cgacctcctc cccatgaact aatcaccccc ttatccagtg aaataaagat 31892
catattgatg atgatttaaa taaaaaaaaat aatcatttga tttgaaataa agatacaatc 31952
atattgatga tttgagttta acaaaaataa agaactcactt acttgaaatc tgataccagg 32012
tctctgtcca tgttttctgc caacaccacc tcaactccct cttcccagct ctggtactgc 32072
aggccccggc gggctgcaaa cttcctccac acgctgaagg ggatgtcaaa ttctcctgt 32132
ccctcaatct tcattttatc ttctatcag atg tcc aaa aag cgc gtc cgg gtg 32185
Met Ser Lys Lys Arg Val Arg Val
1475
gat gat gac ttc gac ccc gtc tac ccc tac gat gca gac aac gca 32230
Asp Asp Asp Phe Asp Pro Val Tyr Pro Tyr Asp Ala Asp Asn Ala
1480 1485 1490

```


ccg Pro 1495	acc Thr	gtg Val	ccc Pro	ttc Phe	atc Ile 1500	aac Asn	ccc Pro	ccc Pro	ttc Phe	gtc Val 1505	tct Ser	tca Ser	gat Asp	gga Gly	32275
ttc Phe 1510	caa Gln	gag Glu	aag Lys	ccc Pro	ctg Leu 1515	ggg Gly	gtg Val	ttg Leu	tcc Ser	ctg Leu 1520	cga Arg	ctg Leu	gct Ala	gac Asp	32320
ccc Pro 1525	gtc Val	acc Thr	acc Thr	aag Lys	aac Asn 1530	ggg Gly	gaa Glu	atc Ile	acc Thr	ctc Leu 1535	aag Lys	ctg Leu	gga Gly	gag Glu	32365
ggg Gly 1540	gtg Val	gac Asp	ctc Leu	gac Asp	tcg Ser 1545	tcg Ser	gga Gly	aaa Lys	ctc Leu	atc Ile 1550	tcc Ser	aac Asn	acg Thr	gcc Ala	32410
acc Thr 1555	aag Lys	gcc Ala	gcc Ala	gcc Ala	cct Pro 1560	ctc Leu	agt Ser	att Ile	tca Ser	aac Asn 1565	aac Asn	acc Thr	att Ile	tcc Ser	32455
ctt Leu 1570	aaa Lys	act Thr	gct Ala	gcc Ala	cct Pro 1575	ttc Phe	tac Tyr	aac Asn	aac Asn	aat Asn 1580	gga Gly	act Thr	tta Leu	agc Ser	32500
ctc Leu 1585	aat Asn	gtc Val	tcc Ser	aca Thr	cca Pro 1590	tta Leu	gca Ala	gta Val	ttt Phe	ccc Pro 1595	aca Thr	ttt Phe	aac Asn	act Thr	32545
tta Leu 1600	ggc Gly	ata Ile	agt Ser	ctt Leu	gga Gly 1605	aac Asn	ggt Gly	ctt Leu	cag Gln	act Thr 1610	tca Ser	aat Asn	aag Lys	ttg Leu	32590
ttg Leu 1615	act Thr	gta Val	caa Gln	cta Leu	act Thr 1620	cat His	cct Pro	ctt Leu	aca Thr	ttc Phe 1625	agc Ser	tca Ser	aat Asn	agc Ser	32635
atc Ile 1630	aca Thr	gta Val	aaa Lys	aca Thr	gac Asp 1635	aaa Lys	ggg Gly	cta Leu	tat Tyr	att Ile 1640	aac Asn	tcc Ser	agt Ser	gga Gly	32680
aac Asn 1645	aga Arg	gga Gly	ctt Leu	gag Glu	gct Ala 1650	aat Asn	ata Ile	agc Ser	cta Leu	aaa Lys 1655	aga Arg	gga Gly	cta Leu	gtt Val	32725
ttt Phe 1660	gac Asp	ggt Gly	aat Asn	gct Ala	att Ile 1665	gca Ala	aca Thr	tat Tyr	att Ile	gga Gly 1670	aat Asn	ggc Gly	tta Leu	gac Asp	32770
tat Tyr 1675	gga Gly	tct Ser	tat Tyr	gat Asp	agt Ser 1680	gat Asp	gga Gly	aaa Lys	aca Thr	aga Arg 1685	ccc Pro	gta Val	att Ile	acc Thr	32815
aaa Lys 1690	att Ile	gga Gly	gca Ala	gga Gly	tta Leu 1695	aat Asn	ttt Phe	gat Asp	gct Ala	aac Asn 1700	aaa Lys	gca Ala	ata Ile	gct Ala	32860

gtc Val 1705	aaa Lys	cta Leu	ggc Gly	aca Thr	ggt Gly 1710	tta Leu	agt Ser	ttt Phe	gac Asp	tcc Ser 1715	gct Ala	ggt Gly	gcc Ala	ttg Leu	32905
aca Thr 1720	gct Ala	gga Gly	aac Asn	aaa Lys	cag Gln 1725	gat Asp	gac Asp	aag Lys	cta Leu	aca Thr 1730	ctt Leu	tgg Trp	act Thr	acc Thr	32950
cct Pro 1735	gac Asp	cca Pro	agc Ser	cct Pro	aat Asn 1740	tgt Cys	caa Gln	tta Leu	ctt Leu	tca Ser 1745	gac Asp	aga Arg	gat Asp	gcc Ala	32995
aaa Lys 1750	ttt Phe	act Thr	ctc Leu	tgt Cys	ctt Leu 1755	aca Thr	aaa Lys	tgc Cys	ggt Gly	agt Ser 1760	caa Gln	ata Ile	cta Leu	ggc Gly	33040
act Thr 1765	gtg Val	gca Ala	gtg Val	gcg Ala	gct Ala 1770	gtt Val	act Thr	gta Val	gga Gly	tca Ser 1775	gca Ala	cta Leu	aat Asn	cca Pro	33085
att Ile 1780	aat Asn	gac Asp	aca Thr	gtc Val	aaa Lys 1785	agc Ser	gcc Ala	ata Ile	gtt Val	ttc Phe 1790	ctt Leu	aga Arg	ttt Phe	gat Asp	33130
tcc Ser 1795	gat Asp	ggt Gly	gta Val	ctc Leu	atg Met 1800	tca Ser	aac Asn	tca Ser	tca Ser	atg Met 1805	gta Val	ggt Gly	gat Asp	tac Tyr	33175
tgg Trp 1810	aac Asn	ttt Phe	agg Arg	gag Glu	gga Gly 1815	cag Gln	acc Thr	act Thr	caa Gln	agt Ser 1820	gta Val	gcc Ala	tat Tyr	aca Thr	33220
aat Asn 1825	gct Ala	gtg Val	gga Gly	ttc Phe	atg Met 1830	cca Pro	aat Asn	ata Ile	ggt Gly	gca Ala 1835	tat Tyr	cca Pro	aaa Lys	acc Thr	33265
caa Gln 1840	agt Ser	aaa Lys	aca Thr	cct Pro	aaa Lys 1845	aat Asn	agc Ser	ata Ile	gtc Val	agt Ser 1850	cag Gln	gta Val	tat Tyr	tta Leu	33310
act Thr 1855	gga Gly	gaa Glu	act Thr	act Thr	atg Met 1860	cca Pro	atg Met	aca Thr	cta Leu	acc Thr 1865	ata Ile	act Thr	ttc Phe	aat Asn	33355
ggc Gly 1870	act Thr	gat Asp	gaa Glu	aaa Lys	gac Asp 1875	aca Thr	acc Thr	cca Pro	gtt Val	agc Ser 1880	acc Thr	tac Tyr	tct Ser	atg Met	33400
act Thr 1885	ttt Phe	aca Thr	tgg Trp	cag Gln	tgg Trp 1890	act Thr	gga Gly	gac Asp	tat Tyr	aag Lys 1895	gac Asp	aaa Lys	aat Asn	att Ile	33445
acc Thr 1900	ttt Phe	gct Ala	acc Thr	aac Asn	tca Ser 1905	ttc Phe	tct Ser	ttt Phe	tcc Ser	tac Tyr 1910	atc Ile	gcc Ala	cag Gln	gaa Glu	33490
taa 1900	tcccacccag	caagccaacc	cctttttccca	ccaccttttgt	ctatatggaa										33543

actctgaaac agaaaaataa agttcaagtg ttttattgaa tcaacagttt tacaggactc 33603
 gagcagttat ttttcctcca ccctcccagg acatggaata caccaccctc tccccccgca 33663
 cagccttgaa catctgaatg ccattgggtga tggacatgct tttgggtctcc acgttccaca 33723
 cagtttcaga gcgagccagt ctcggatcgg tcagggagat gaaaccctcc gggcactccc 33783
 gcatctgcac ctcacagctc aacagctgag gattgtcctc ggtggtcggg atcacggtta 33843
 tctggaagaa gcagaagagc ggcggtggga atcatagtcc gcgaacggga tcggccggtg 33903
 gtgtcgcac agggcccgca gcagtcgctg ccgcccgcgc tccgtcaagc tgctgctcag 33963
 ggggttcggg tccagggact ccctcagcat gatgccacg gccctcagca tcagtcgtct 34023
 ggtgcggcgg gcgcagcagc gcatgcgaat ctgctcagg tctactgcagt acgtgcaaca 34083
 caggaccacc aggttggttca acagtccata gttcaacacg ctccagccga aactcatcgc 34143
 gggaaggatg ctaccacagt ggccgtcgta ccagatcctc aggtaaatca agtggcgctc 34203
 cctccagaag acgctgcca tgtacatgat ctcttgggc atgtggcggt tcaccacctc 34263
 ccggtaccac atcacctctt ggttgaacat gcagccccgg atgatcctgc ggaaccacag 34323
 ggccagcacc gccccgcccg ccatgcagcg aagagacccc ggatcccggc aatgacaatg 34383
 gaggaccac cgctcgtacc cgtggatcat ctgggagctg aacaagtcta tggtggcaca 34443
 gcacaggcat atgctcatgc atctcttcag cactctcagc tcctcggggg tcaaaaccat 34503
 atcccagggc acggggaact cttgcaggac agcgaacccc gcagaacagg gcaatcctcg 34563
 cacataactt acattgtgca tggacagggt atcgcaatca ggcagcaccg ggtgatcctc 34623
 caccagagaa gcgcgggtct cggctctctc acagcgtggt aagggggccg gccgatacgg 34683
 gtgatggcgg gacgcggctg atcgtgttct cgaccgtgtc atgatgcagt tgctttcgga 34743
 cattttcgta cttgctgtag cagaacctgg tccggggcgt gcacaccgat cgccggcggc 34803
 ggtctcggcg cttggaacgc tcggtgttaa agttgtaaaa cagccactct ctcagaccgt 34863
 gcagcagatc tagggcctca ggagtgatga agatcccatc atgcctgata gctctgatca 34923
 catcgaccac cgtggaatgg gccaggccca gccagatgat gcaattttgt tgggtttcgg 34983
 tgacggcggg ggagggaaga acaggaagaa ccatgattaa cttttaatcc aaacggtctc 35043
 ggagcacttc aaaatgaagg tcacggagat ggcacctctc gccccgctg tggtggtgga 35103
 aaataacagc caggtcaaag gtgatacggg tctcgagatg ttccacgggtg gcttccagca 35163
 aagcctccac gcgcacatcc agaaacaaga caatagcgaa agcgggaggg ttctctaatt 35223


```

cctcaaccat catgttacac tcctgcacca tccccagata attttcattt ttccagcctt 35283
gaatgattcg aactagttcc tgaggtaaata ccaagccagc catgataaaa agctcgcgca 35343
gagcaccctc caccggcatt ctttaagcaca ccctcataat tccaagatat tctgctcctg 35403
gttcacctgc agcagattga caagcggaat atcaaaatct ctgccgcgat ccctgagctc 35463
ctccctcagc aataactgta agtactcttt catatcgtct ccgaaatttt tagccatagg 35523
acccccagga ataagagaag ggcaagccac attacagata aaccgaagtc cccccagtg 35583
agcattgcca aatgtaagat tgaaataagc atgctggcta gacccggtga tatcttccag 35643
ataactggac agaaaatcgg gtaagcaatt tttaagaaaa tcaacaaaag aaaaatcttc 35703
caggtgcacg tttagggcct cgggaacaac gatggagtaa gtgcaagggg tgcgttccag 35763
catggtagt tagctgatct gtaaaaaaac aaaaaataaa acattaaacc atgctagcct 35823
ggcgaacagg tgggtaaata gttctctcca gcaccaggca ggccacgggg tctccggcgc 35883
gaccctcgta aaaattgtcg ctatgattga aaaccatcac agagagacgt tcccgggtggc 35943
cggcgtgaat gattcgagaa gaagcataca ccccgggaac attggagtcc gtgagtgaag 36003
aaaagcggcc gaggaagcaa tgaggcacta caacgctcac tctcaagtcc agcaaagcga 36063
tgccatgcgg atgaagcaca aaattttcag gtgcgtaaaa aatgtaatta ctcccctcct 36123
gcacaggcag cgaagctccc gatccctcca gatacacata caaagcctca gcgtccatag 36183
cttaccgagc ggcagcagca gcggcacaca acaggcgcaa gagtcagaga aaagactgag 36243
ctctaacctg tccgcccgtc ctctgctcaa tatatagccc cagatctaca ctgacgtaaa 36303
ggccaaagtc taaaaatacc cgccaaataa tcacacacgc ccagcacacg cccagaaacc 36363
ggtgacacac tcagaaaaat acgcgcactt cctcaaacgg ccaaactgcc gtcatttccg 36423
ggttcccacg ctacgtcatc aaaacacgac tttcaaattc cgtcgaccgt taaaaacatc 36483
acccgccccg cccctaacgg tcgcccgtcc cgcagccaat caccttcctc cctccccaaa 36543
ttcaaacagc tcatttgcac attaacgcgc accaaaagtt tgaggatatat tattgatgat 36603
g 36604

```

```

<210> 6
<211> 529
<212> PRT
<213> chimpanzee adenovirus serotype Pan6

```


WO 03/046124

PCT/US02/33645

<400> 6

```

Met Met Arg Arg Val Tyr Pro Glu Gly Pro Pro Pro Ser Tyr Glu Ser
1          5          10          15

Val Met Gln Gln Ala Val Ala Ala Ala Met Gln Pro Pro Leu Glu Ala
          20          25          30

Pro Tyr Val Pro Pro Arg Tyr Leu Ala Pro Thr Glu Gly Arg Asn Ser
          35          40          45

Ile Arg Tyr Ser Glu Leu Ala Pro Leu Tyr Asp Thr Thr Arg Leu Tyr
          50          55          60

Leu Val Asp Asn Lys Ser Ala Asp Ile Ala Ser Leu Asn Tyr Gln Asn
65          70          75          80

Asp His Ser Asn Phe Leu Thr Thr Val Val Gln Asn Asn Asp Phe Thr
          85          90          95

Pro Thr Glu Ala Ser Thr Gln Thr Ile Asn Phe Asp Glu Arg Ser Arg
          100          105          110

Trp Gly Gly Gln Leu Lys Thr Ile Met His Thr Asn Met Pro Asn Val
          115          120          125

Asn Glu Phe Met Tyr Ser Asn Lys Phe Lys Ala Arg Val Met Val Ser
          130          135          140

Arg Lys Thr Pro Asn Gly Val Asp Asp Asp Tyr Asp Gly Ser Gln Asp
145          150          155          160

Glu Leu Thr Tyr Glu Trp Val Glu Phe Glu Leu Pro Glu Gly Asn Phe
          165          170          175

Ser Val Thr Met Thr Ile Asp Leu Met Asn Asn Ala Ile Ile Asp Asn
          180          185          190

Tyr Leu Ala Val Gly Arg Gln Asn Gly Val Leu Glu Ser Asp Ile Gly
          195          200          205

Val Lys Phe Asp Thr Arg Asn Phe Arg Leu Gly Trp Asp Pro Val Thr
          210          215          220

Glu Leu Val Met Pro Gly Val Tyr Thr Asn Glu Ala Phe His Pro Asp
225          230          235          240

Ile Val Leu Leu Pro Gly Cys Gly Val Asp Phe Thr Glu Ser Arg Leu
          245          250          255

Ser Asn Leu Leu Gly Ile Arg Lys Arg Gln Pro Phe Gln Glu Gly Phe
          260          265          270

Gln Ile Leu Tyr Glu Asp Leu Glu Gly Gly Asn Ile Pro Ala Leu Leu
          275          280          285

```


WO 03/046124

PCT/US02/33645

Asp Val Glu Ala Tyr Glu Lys Ser Lys Glu Asp Ser Thr Ala Ala Ala
 290 295 300
 Thr Ala Ala Val Ala Thr Ala Ser Thr Glu Val Arg Gly Asp Asn Phe
 305 310 315 320
 Ala Ser Ala Ala Ala Ala Ala Glu Ala Ala Glu Thr Glu Ser Lys Ile
 325 330 335
 Val Ile Gln Pro Val Glu Lys Asp Ser Lys Asp Arg Ser Tyr Asn Val
 340 345 350
 Leu Ala Asp Lys Lys Asn Thr Ala Tyr Arg Ser Trp Tyr Leu Ala Tyr
 355 360 365
 Asn Tyr Gly Asp Pro Glu Lys Gly Val Arg Ser Trp Thr Leu Leu Thr
 370 375 380
 Thr Ser Asp Val Thr Cys Gly Val Glu Gln Val Tyr Trp Ser Leu Pro
 385 390 395 400
 Asp Met Met Gln Asp Pro Val Thr Phe Arg Ser Thr Arg Gln Val Ser
 405 410 415
 Asn Tyr Pro Val Val Gly Ala Glu Leu Leu Pro Val Tyr Ser Lys Ser
 420 425 430
 Phe Phe Asn Glu Gln Ala Val Tyr Ser Gln Gln Leu Arg Ala Phe Thr
 435 440 445
 Ser Leu Thr His Val Phe Asn Arg Phe Pro Glu Asn Gln Ile Leu Val
 450 455 460
 Arg Pro Pro Ala Pro Thr Ile Thr Thr Val Ser Glu Asn Val Pro Ala
 465 470 475 480
 Leu Thr Asp His Gly Thr Leu Pro Leu Arg Ser Ser Ile Arg Gly Val
 485 490 495
 Gln Arg Val Thr Val Thr Asp Ala Arg Arg Arg Thr Cys Pro Tyr Val
 500 505 510
 Tyr Lys Ala Leu Gly Val Val Ala Pro Arg Val Leu Ser Ser Arg Thr
 515 520 525

Phe

<210> 7
 <211> 942
 <212> PRT
 <213> chimpanzee adenovirus serotype Pan6

<400> 7

Met Ala Thr Pro Ser Met Leu Pro Gln Trp Ala Tyr Met His Ile Ala
 1 5 10 15

Gly	Gln	Asp	Ala	Ser	Glu	Tyr	Leu	Ser	Pro	Gly	Leu	Val	Gln	Phe	Ala	
			20					25					30			
Arg	Ala	Thr	Asp	Thr	Tyr	Phe	Ser	Leu	Gly	Asn	Lys	Phe	Arg	Asn	Pro	
		35					40					45				
Thr	Val	Ala	Pro	Thr	His	Asp	Val	Thr	Thr	Asp	Arg	Ser	Gln	Arg	Leu	
	50					55					60					
Thr	Leu	Arg	Phe	Val	Pro	Val	Asp	Arg	Glu	Asp	Asn	Thr	Tyr	Ser	Tyr	
65					70					75					80	
Lys	Val	Arg	Tyr	Thr	Leu	Ala	Val	Gly	Asp	Asn	Arg	Val	Leu	Asp	Met	
				85					90					95		
Ala	Ser	Thr	Tyr	Phe	Asp	Ile	Arg	Gly	Val	Leu	Asp	Arg	Gly	Pro	Ser	
			100					105					110			
Phe	Lys	Pro	Tyr	Ser	Gly	Thr	Ala	Tyr	Asn	Ser	Leu	Ala	Pro	Lys	Gly	
		115					120					125				
Ala	Pro	Asn	Ser	Ser	Gln	Trp	Glu	Gln	Ala	Lys	Thr	Gly	Asn	Gly	Gly	
	130					135					140					
Thr	Met	Glu	Thr	His	Thr	Tyr	Gly	Val	Ala	Pro	Met	Gly	Gly	Glu	Asn	
145					150					155					160	
Ile	Thr	Lys	Asp	Gly	Leu	Gln	Ile	Gly	Thr	Asp	Val	Thr	Ala	Asn	Gln	
				165					170					175		
Asn	Lys	Pro	Ile	Tyr	Ala	Asp	Lys	Thr	Phe	Gln	Pro	Glu	Pro	Gln	Val	
			180					185					190			
Gly	Glu	Glu	Asn	Trp	Gln	Glu	Thr	Glu	Asn	Phe	Tyr	Gly	Gly	Arg	Ala	
		195					200					205				
Leu	Lys	Lys	Asp	Thr	Asn	Met	Lys	Pro	Cys	Tyr	Gly	Ser	Tyr	Ala	Arg	
	210					215					220					
Pro	Thr	Asn	Glu	Lys	Gly	Gly	Gln	Ala	Lys	Leu	Lys	Val	Gly	Asp	Asp	
225					230					235					240	
Gly	Val	Pro	Thr	Lys	Glu	Phe	Asp	Ile	Asp	Leu	Ala	Phe	Phe	Asp	Thr	
				245					250					255		
Pro	Gly	Gly	Thr	Val	Asn	Gly	Gln	Asp	Glu	Tyr	Lys	Ala	Asp	Ile	Val	
			260					265					270			
Met	Tyr	Thr	Glu	Asn	Thr	Tyr	Leu	Glu	Thr	Pro	Asp	Thr	His	Val	Val	
		275					280					285				
Tyr	Lys	Pro	Gly	Lys	Asp	Asp	Ala	Ser	Ser	Glu	Ile	Asn	Leu	Val	Gln	
	290				295						300					
Gln	Ser	Met	Pro	Asn	Arg	Pro	Asn	Tyr	Ile	Gly	Phe	Arg	Asp	Asn	Phe	
305					310					315					320	

Ile Gly Leu Met Tyr Tyr Asn Ser Thr Gly Asn Met Gly Val Leu Ala
 325 330 335
 Gly Gln Ala Ser Gln Leu Asn Ala Val Val Asp Leu Gln Asp Arg Asn
 340 345 350
 Thr Glu Leu Ser Tyr Gln Leu Leu Leu Asp Ser Leu Gly Asp Arg Thr
 355 360 365
 Arg Tyr Phe Ser Met Trp Asn Gln Ala Val Asp Ser Tyr Asp Pro Asp
 370 375 380
 Val Arg Ile Ile Glu Asn His Gly Val Glu Asp Glu Leu Pro Asn Tyr
 385 390 395 400
 Cys Phe Pro Leu Asp Gly Ser Gly Thr Asn Ala Ala Tyr Gln Gly Val
 405 410 415
 Lys Val Lys Asp Gly Gln Asp Gly Asp Val Glu Ser Glu Trp Glu Asn
 420 425 430
 Asp Asp Thr Val Ala Ala Arg Asn Gln Leu Cys Lys Gly Asn Ile Phe
 435 440 445
 Ala Met Glu Ile Asn Leu Gln Ala Asn Leu Trp Arg Ser Phe Leu Tyr
 450 455 460
 Ser Asn Val Ala Leu Tyr Leu Pro Asp Ser Tyr Lys Tyr Thr Pro Thr
 465 470 475 480
 Asn Val Thr Leu Pro Thr Asn Thr Asn Thr Tyr Asp Tyr Met Asn Gly
 485 490 495
 Arg Val Thr Pro Pro Ser Leu Val Asp Ala Tyr Leu Asn Ile Gly Ala
 500 505 510
 Arg Trp Ser Leu Asp Pro Met Asp Asn Val Asn Pro Phe Asn His His
 515 520 525
 Arg Asn Ala Gly Leu Arg Tyr Arg Ser Met Leu Leu Gly Asn Gly Arg
 530 535 540
 Tyr Val Pro Phe His Ile Gln Val Pro Gln Lys Phe Phe Ala Ile Lys
 545 550 555 560
 Ser Leu Leu Leu Leu Pro Gly Ser Tyr Thr Tyr Glu Trp Asn Phe Arg
 565 570 575
 Lys Asp Val Asn Met Ile Leu Gln Ser Ser Leu Gly Asn Asp Leu Arg
 580 585 590
 Thr Asp Gly Ala Ser Ile Ala Phe Thr Ser Ile Asn Leu Tyr Ala Thr
 595 600 605
 Phe Phe Pro Met Ala His Asn Thr Ala Ser Thr Leu Glu Ala Met Leu
 610 615 620

Arg Asn Asp Thr Asn Asp Gln Ser Phe Asn Asp Tyr Leu Ser Ala Ala
 625 630 635 640
 Asn Met Leu Tyr Pro Ile Pro Ala Asn Ala Thr Asn Val Pro Ile Ser
 645 650 655
 Ile Pro Ser Arg Asn Trp Ala Ala Phe Arg Gly Trp Ser Phe Thr Arg
 660 665 670
 Leu Lys Thr Arg Glu Thr Pro Ser Leu Gly Ser Gly Phe Asp Pro Tyr
 675 680 685
 Phe Val Tyr Ser Gly Ser Ile Pro Tyr Leu Asp Gly Thr Phe Tyr Leu
 690 695 700
 Asn His Thr Phe Lys Lys Val Ser Ile Thr Phe Asp Ser Ser Val Ser
 705 710 715 720
 Trp Pro Gly Asn Asp Arg Leu Leu Thr Pro Asn Glu Phe Glu Ile Lys
 725 730 735
 Arg Thr Val Asp Gly Glu Gly Tyr Asn Val Ala Gln Cys Asn Met Thr
 740 745 750
 Lys Asp Trp Phe Leu Val Gln Met Leu Ala His Tyr Asn Ile Gly Tyr
 755 760 765
 Gln Gly Phe Tyr Val Pro Glu Gly Tyr Lys Asp Arg Met Tyr Ser Phe
 770 775 780
 Phe Arg Asn Phe Gln Pro Met Ser Arg Gln Val Val Asp Glu Val Asn
 785 790 795 800
 Tyr Lys Asp Tyr Gln Ala Val Thr Leu Ala Tyr Gln His Asn Asn Ser
 805 810 815
 Gly Phe Val Gly Tyr Leu Ala Pro Thr Met Arg Gln Gly Gln Pro Tyr
 820 825 830
 Pro Ala Asn Tyr Pro Tyr Pro Leu Ile Gly Lys Ser Ala Val Ala Ser
 835 840 845
 Val Thr Gln Lys Lys Phe Leu Cys Asp Arg Val Met Trp Arg Ile Pro
 850 855 860
 Phe Ser Ser Asn Phe Met Ser Met Gly Ala Leu Thr Asp Leu Gly Gln
 865 870 875 880
 Asn Met Leu Tyr Ala Asn Ser Ala His Ala Leu Asp Met Asn Phe Glu
 885 890 895
 Val Asp Pro Met Asp Glu Ser Thr Leu Leu Tyr Val Val Phe Glu Val
 900 905 910
 Phe Asp Val Val Arg Val His Gln Pro His Arg Gly Val Ile Glu Ala
 915 920 925

WO 03/046124

PCT/US02/33645

Val Tyr Leu Arg Thr Pro Phe Ser Ala Gly Asn Ala Thr Thr
 930 935 940

<210> 8
 <211> 443
 <212> PRT
 <213> chimpanzee adenovirus serotype Pan6

<400> 8

Met Ser Lys Lys Arg Val Arg Val Asp Asp Asp Phe Asp Pro Val Tyr
 1 5 10 15
 Pro Tyr Asp Ala Asp Asn Ala Pro Thr Val Pro Phe Ile Asn Pro Pro
 20 25 30
 Phe Val Ser Ser Asp Gly Phe Gln Glu Lys Pro Leu Gly Val Leu Ser
 35 40 45
 Leu Arg Leu Ala Asp Pro Val Thr Thr Lys Asn Gly Glu Ile Thr Leu
 50 55 60
 Lys Leu Gly Glu Gly Val Asp Leu Asp Ser Ser Gly Lys Leu Ile Ser
 65 70 75 80
 Asn Thr Ala Thr Lys Ala Ala Ala Pro Leu Ser Ile Ser Asn Asn Thr
 85 90 95
 Ile Ser Leu Lys Thr Ala Ala Pro Phe Tyr Asn Asn Asn Gly Thr Leu
 100 105 110
 Ser Leu Asn Val Ser Thr Pro Leu Ala Val Phe Pro Thr Phe Asn Thr
 115 120 125
 Leu Gly Ile Ser Leu Gly Asn Gly Leu Gln Thr Ser Asn Lys Leu Leu
 130 135 140
 Thr Val Gln Leu Thr His Pro Leu Thr Phe Ser Ser Asn Ser Ile Thr
 145 150 155 160
 Val Lys Thr Asp Lys Gly Leu Tyr Ile Asn Ser Ser Gly Asn Arg Gly
 165 170 175
 Leu Glu Ala Asn Ile Ser Leu Lys Arg Gly Leu Val Phe Asp Gly Asn
 180 185 190
 Ala Ile Ala Thr Tyr Ile Gly Asn Gly Leu Asp Tyr Gly Ser Tyr Asp
 195 200 205
 Ser Asp Gly Lys Thr Arg Pro Val Ile Thr Lys Ile Gly Ala Gly Leu
 210 215 220
 Asn Phe Asp Ala Asn Lys Ala Ile Ala Val Lys Leu Gly Thr Gly Leu
 225 230 235 240

WO 03/046124

PCT/US02/33645

Ser Phe Asp Ser Ala Gly Ala Leu Thr Ala Gly Asn Lys Gln Asp Asp
 245 250 255
 Lys Leu Thr Leu Trp Thr Thr Pro Asp Pro Ser Pro Asn Cys Gln Leu
 260 265 270
 Leu Ser Asp Arg Asp Ala Lys Phe Thr Leu Cys Leu Thr Lys Cys Gly
 275 280 285
 Ser Gln Ile Leu Gly Thr Val Ala Val Ala Ala Val Thr Val Gly Ser
 290 295 300
 Ala Leu Asn Pro Ile Asn Asp Thr Val Lys Ser Ala Ile Val Phe Leu
 305 310 315 320
 Arg Phe Asp Ser Asp Gly Val Leu Met Ser Asn Ser Ser Met Val Gly
 325 330 335
 Asp Tyr Trp Asn Phe Arg Glu Gly Gln Thr Thr Gln Ser Val Ala Tyr
 340 345 350
 Thr Asn Ala Val Gly Phe Met Pro Asn Ile Gly Ala Tyr Pro Lys Thr
 355 360 365
 Gln Ser Lys Thr Pro Lys Asn Ser Ile Val Ser Gln Val Tyr Leu Thr
 370 375 380
 Gly Glu Thr Thr Met Pro Met Thr Leu Thr Ile Thr Phe Asn Gly Thr
 385 390 395 400
 Asp Glu Lys Asp Thr Thr Pro Val Ser Thr Tyr Ser Met Thr Phe Thr
 405 410 415
 Trp Gln Trp Thr Gly Asp Tyr Lys Asp Lys Asn Ile Thr Phe Ala Thr
 420 425 430
 Asn Ser Phe Ser Phe Ser Tyr Ile Ala Gln Glu
 435 440

<210> 9
 <211> 36535
 <212> DNA
 <213> chimpanzee adenovirus serotype Pan7

<220>
 <221> CDS
 <222> (13874)..(15469)
 <223> L2 Penton

<220>
 <221> CDS
 <222> (18288)..(21086)
 <223> L3 Hexon

WO 03/046124

PCT/US02/33645

<220>

<221> CDS

<222> (32094)..(33425)

<223> L5 Fiber

<400> 9

```

catcatcaat aatatacctc aaacttttgg tgcgcgttaa tatgcaaag agctgtttga      60
at ttggggag ggaggaaggt gattggccga gagacgggcg accgttaggg gcggggcggg      120
tgacgttttt aatacgtggc cgtgaggcgg agccggtttg caagttctcg tgggaaaagt      180
gacgtcaaac gaggtgtggt ttgaacacgg aaataactcaa ttttcccgcg ctctctgaca      240
ggaaatgagg tgtttctggg cggatgcaag tgaaaacggg ccattttcgc gcgaaaactg      300
aatgaggaag tgaaaatctg agtaatttcg cgtttatggc agggaggagt atttgccgag      360
ggccgagtag actttgaccg attacgtggg ggtttcgatt accgtatttt tcacctaaat      420
ttccgcgtac ggtgtcaaag tccggtgttt ttacgtaggc gtcagctgat cgccagggtg      480
tttaaacctg cgctctctag tcaagaggcc actcttgagt gccagcgagt agagttttct      540
cctccgcgcc gcgagtcaga tctacacttt gaaagatgag gcacctgaga gacctgcccg      600
gtaatgtttt cctggctact gggaacgaga ttctggaatt ggtggtggac gccatgatgg      660
gtggcgaccc tcctgagccc cctaccccat ttgaggcgcc ttcgctgtac gatttgtatg      720
atctggaggt ggatgtgccc gagaacgacc ccaacgagga ggcggtgaat gatttgttta      780
gcgatgccgc gctgctggct gccgagcagg ctaatacgga ctctggctca gacagcgatt      840
cctctctcca taccocgaga cccggcagag gtgagaaaaa gatccccgag cttaaagggg      900
aagagctcga cctgcgctgc tatgaggaat gcttgccctc gagcgatgat gaggaggacg      960
aggaggcgat tcgagctgca tcgaaccagg gagtgaaagc tgcgggcgaa agcttttagcc     1020
tgactgtcc tactctgccc ggacacggct gtaagtcttg tgaatttcat cgcatgaata     1080
ctggagataa gaatgtgatg tgtgccctgt gctatatgag agcttacaac cattgtgttt     1140
acagtaagtg tgattaactt tagttgggaa ggcagagggg gactgggtgc tgactgggtt     1200
at ttatgtat atgttttttt atgtgtaggt cccgtctctg acgtagatga gacccccact     1260
tcagagtgca tttcatcacc cccagaaatt ggcgaggaac cggccgaaga tattattcat     1320
agaccagttg cagtgagagt caccgggagg agagcagctg tggagagttt ggatgacttg     1380
ctacaggggtg gggatgaacc tttggacttg tgtacccgga aacgccccag gcactaagtg     1440
ccacacatgt gtgtttactt aagggtgatgt cagtatttat aggggtgtgga gtgcaataaa     1500

```


atccgtgttg	actttaagtg	cgtgggtttat	gactcagggg	tggggactgt	gggtatataa	1560
gcagggtgcag	acctgtgtgg	tcagttcaga	gcaggactca	tggagatctg	gacgggtcttg	1620
gaagactttc	accagactag	acagctgcta	gagaactcat	cggaggggggt	ctcttacctg	1680
tggagattct	gcttcgggtg	gcctctagct	aagctagtct	atagggccaa	acaggattat	1740
aaggatcaat	ttgaggatat	tttgagagag	tgtcctggta	tttttgactc	tctcaacttg	1800
ggccatcagt	ctcactttta	ccagagtatt	ctgagagccc	ttgacttttc	tactcctggc	1860
agaactaccg	ccgcggtagc	ctttttttgcc	tttatccttg	acaaatggag	tcaagaaacc	1920
catttcagca	gggattaccg	tctggactgc	ttagcagtag	ctttgtggag	aacatggagg	1980
tgccagcgcc	tgaatgcaat	ctccggctac	ttgccagtac	agccggtaga	cacgctgagg	2040
atcctgagtc	tccagtcacc	ccaggaacac	caacgccgcc	agcagccgca	gcaggagcag	2100
cagcaagagg	aggaggagga	tcgagaagag	aacccgagag	ccggtctgga	ccctccgggtg	2160
gcggaggagg	aggagtagct	gacttgtttc	ccgagctgcg	ccgggtgctg	actaggtctt	2220
ccagtggacg	ggagaggggg	attaagcggg	agaggcatga	ggagactagc	cacagaactg	2280
aactgactgt	cagtctgatg	agccgcaggc	gcccagaatc	ggtgtggtgg	catgagggtc	2340
agtcgcaggg	gatagatgag	gtctcgggtg	tgcattgaga	atattccctg	gaacaagtca	2400
agacttggtg	gttgaggcct	gaggatgatt	gggaggtagc	catcaggaat	tatgccaagc	2460
tggctctgaa	gccagacaag	aagtacaaga	ttaccaaact	gattaatatc	agaaattcct	2520
gctacatttc	agggaatggg	gccgaggtgg	agatcagtac	ccaggagagg	gtggccttca	2580
gatgttggtg	gatgaatatg	taccgggggg	tgggtgggcat	ggagggagtc	acctttatga	2640
acgcgagggt	caggggtgat	gggtataatg	gggtggtctt	tatggccaac	accaagctga	2700
cagtgcacgg	atgctccttc	tttggggttca	ataacatgtg	catcgaggcc	tggggcagtg	2760
tttcagtgag	gggatgcagc	ttttcagcca	actggatggg	ggtcgtgggc	agaaccaaga	2820
gcaaggtgtc	agtgaagaaa	tgcctgttcg	agaggtgcc	cctgggggtg	atgagcgagg	2880
gcgaagccaa	agtcaaacac	tgcgcctcta	ctgagacggg	ctgctttgtg	ctgatcaagg	2940
gcaatgcca	agtcaagcat	aacatgatct	gtggggcctc	ggatgagcgc	ggctaccaga	3000
tgctgacctg	cgccgggtgg	aacagccata	tgctggccac	cgtgcatgtg	acctcgcacc	3060
cccgaagac	atggcccag	ttcgagcaca	acgtcatgac	ccgatgcaat	gtgcacctgg	3120
ggtcccggcg	aggcatgttc	atgccctacc	agtgcaacat	gcaatttgtg	aaggtgctgc	3180
tggagcccga	tgccatgtcc	agagtgcgcc	tgacgggggt	gtttgacatg	aatgtggagc	3240

tgtggaaaat tctgagatat gatgaatcca agaccagggtg ccgggcctgc gaatgcggag 3300
 gcaagcacgc caggcttcag cccgtgtgtg tggagggtgac ggaggacctg cgacccgatc 3360
 atttggtgtt gtcctgcaac gggacggagt tcggctccag cggggaagaa tctgactaga 3420
 gtgagtagtg tttgggggag gtggagggct tgtatgaggg gcagaatgac taaaatctgt 3480
 gtttttctgt gtgttgcagc agcatgagcg gaagcgcctc ctttgaggga ggggtattca 3540
 gcccttatct gacggggcgt ctccccctcct gggcgggagt gcgtcagaat gtgatgggat 3600
 ccacggtgga cggccggccc gtgcagcccc cgaactcttc aaccctgacc tacgcgaccc 3660
 tgagctcctc gtccgtggac gcagctgccg ccgcagctgc tgcttccgcc gccagcgccg 3720
 tgcgcggaat ggccctgggc gccggctact acagctctct ggtggccaac tcgacttcca 3780
 ccaataatcc cgccagcctg aacgaggaga agctgctgct gctgatggcc cagctcgagg 3840
 ccctgaccca gcgcctgggc gagctgaccc agcagggtggc tcagctgcag gcggagacgc 3900
 gggccgcggt tgccacggtg aaaaccaaata aaaaaatgaa tcaataaata aacggagacg 3960
 gttgttgatt ttaacacaga gtcttgaatc tttatattgat ttttcgcgcg cggtaggccc 4020
 tggaccaccg gtctcgatca ttgagcaccc ggtggatttt ttccaggacc cggtagaggt 4080
 gggcttggtat gttgaggtac atgggcatga gcccgctccg ggggtggagg tagctccatt 4140
 gcagggcctc gtgctcgggg gtggtgttgt aaatcaccca gtcatagcag gggcgcaggg 4200
 cgtggtgctg cacgatgtcc ttgaggagga gactgatggc cacgggcagc cccttggtgt 4260
 aggtgttgac gaacctgttg agctgggagg gatgcatgcg gggggagatg agatgcatct 4320
 tggcctggat cttgagattg gcgatgttcc cgcccagatc ccgccggggg ttcattgttgt 4380
 gcaggaccac cagcacggtg tatccggtgc acttggggaa tttgtcatgc aacttggaag 4440
 ggaaggcgtg aaagaatttg gagacgccct tgtgaccgcc caggttttcc atgcactcat 4500
 ccatgatgat ggcgatgggc ccgtgggcgg cggcctgggc aaagacgttt cgggggtcgg 4560
 acacatcgta gttgtggtcc tgggtgagct cgtcataggc cattttaatg aatttggggc 4620
 ggaggggtgcc cgactggggg acgaagggtc cctcgatccc gggggcgtag ttgccctcgc 4680
 agatctgcat ctcccaggcc ttgagctcgg agggggggat catgtccacc tgcggggcga 4740
 tgaaaaaac ggtttccggg gcgggggaga tgagctgggc cgaaagcagg ttccggagca 4800
 gctgggactt gccgcagccg gtggggccgt agatgacccc gatgaccggc tgcagggtgt 4860
 agttgaggga gagacagctg ccgtcctcgc ggaggagggg ggccacctcg ttcattcatct 4920

cgcgcacatg catgttctcg cgcacgagtt ccgccaggag gcgctcgccc cccagcgaga	4980
ggagctcttg cagcgaggcg aagtttttca gcggcttgag yccgtcggcc atgggcattt	5040
tggagagggg ctgttgcaag agttccagac ggtcccagag ctcggtgatg tgctctaggg	5100
catctcgatc cagcagacct cctcgtttctg cgggttgggg cgactgcggg agtagggcac	5160
caggcgatgg gcgtccagcg aggccagggt ccggtccttc cagggtcgca gggtcgcgct	5220
cagcgtggtc tccgtcacgg tgaaggggtg cgcgccgggc tgggcgcttg cgagggtgcg	5280
cttcaggctc atccggctgg tcgagaaccg ctcccggtcg gcgcctcgcg cgtcggccag	5340
gtagcaattg agcatgagtt cgtagttgag cgcctcggcc gcgtggccct tggcgcgagg	5400
cttacctttg gaagtgtgtc cgcagacggg acagaggagg gacttgaggg cgtagagctt	5460
gggggcgagg aagacggact cgggggcgta ggcgtccgcg ccgcagctgg cgcagacggg	5520
ctcgcactcc acgagccagg tgaggtcggg ccggttgggg tcaaaaacga ggtttcctcc	5580
gtgctttttg atgcgtttct tacctctggg tcccatgagc tcgtgtcccc gctgggtgac	5640
aaagaggctg tccgtgtccc cgtagaccga ctttatgggc cggtcctcga gcgggggtgcc	5700
gcggtcctcg tcgtagagga accccgcccc ctccgagacg aaggcccggg tccaggccag	5760
cacgaaggag gccacgtggg aggggtagcg gtcgttgtcc accagcgggt ccaccttctc	5820
cagggtatgc aagcacatgt cccctcgtc cacatccagg aagggtgattg gcttgtaagt	5880
gtaggccacg tgaccggggg tcccggccgg gggggataaa aagggggcgg gccctgctc	5940
gtcctcactg tcttccggat cgctgtccag gagcgccagc tgttggggta ggtattccct	6000
ctcgaaggct ggcataacct cggcactcag gttgtcagtt tctagaaacg aggaggattt	6060
gatattgacg gtgccgttgg agacgccttt catgagcccc tcgtccatct ggtcagaaaa	6120
gacgatcttt ttgttgctga gcttggtggc gaaggagccg tagagggcgt tggagaggag	6180
cttggcgatg gagcgcatgg tctggttctt ttccttgtcg gcgcgctcct tggcggcgat	6240
gttgagctgc acgtactcgc gcgccacgca cttccattcg gggaagacgg tggtagctc	6300
gtcgggcacg attctgacct gccagccgcg gttgtgcagg gtgatgagggt ccacgctggg	6360
ggccacctcg ccgcgcaggg gctcgttggg ccagcagagg cgcgccct tgcgcgagca	6420
gaaggggggc agcgggtcca gcatgagctc gtcggggggg tcggcgcca cggtgaagat	6480
gccgggcaga agctcggggg cgaagtagct gatgcagggt tccagatcgt ccagcgccgc	6540
ttgccagtcg cgcacggcca gcgcgcgctc gtaggggctg aggggcgtgc cccagggcat	6600
gggggtgcgtg agcgcgagg cgtacatgcc gcagatgtcg tagacgtaga ggggctcctc	6660

gaggacgccg atgtaggtgg ggtagcagcg ccccccgcgg atgctggcgc gcacgtagtc	6720
gtacagctcg tgcgagggcg cgaggagccc cgtgccgagg ttggagcggt gcggcttttc	6780
ggcgcggtag acgatctggc ggaagatggc gtgggagttg gaggagatgg tgggcctctg	6840
gaagatgttg aagtgggctg ggggcaggcc gaccgagtc ctgatgaagt gggcgtagga	6900
gtcctgcagc ttggcgacga gctcggcggt gacgaggacg tccagggcgc agtagtcgag	6960
ggtctcttgg atgatgtcgt acttgagctg gcccttctgc ttccacagct cgcggttgag	7020
aaggaactct tcgcggtcct tccagtactc ttcgaggggg aaccgcctcct gatcggcacg	7080
gtaagagccc accatgtaga actggttgac ggccttgtag gcgcagcagc ctttctccac	7140
ggggagggcg taagcttggt cggccttgcg cagggaggtg tgggtgaggg cgaaggtgtc	7200
gcgcaccatg accttgagga actggtgctt gaagtcgagg tcgtcgcagc cgccctgctc	7260
ccagagctgg aagtccgtgc gcttcttgta ggcgggggtg ggcaaagcga aagtaacatc	7320
gttgaagagg atcttgcccg cgcggggcat gaagttgcga gtgatgcgga aaggctgggg	7380
cacctcggcc cggttggtga tgacctgggc ggcgaggacg atctcgtcga agccgttgat	7440
gttgtgcccc acgatgtaga gttccacgaa tcgcggggcg cccttaacgt ggggcagctt	7500
cttgagctcg tcgtaggtga gctcggcggg gtcgctgagc ccgtgctgct cgagggccca	7560
gtcggcgacg tgggggttgg cgctgaggaa ggaagtccag agatccacgg ccagggcggt	7620
ctgcaagcgg tcccgggtact gacggaactg ctggcccacg gccatTTTTT cgggggtgac	7680
gcagtagaag gtgcgggggt cgccgtgcc a gcggtccac ttgagctgga gggcgaggtc	7740
gtgggcgagc tcgacgagcg gcgggtcccc ggagagtttc atgaccagca tgaaggggac	7800
gagctgcttg ccgaaggacc ccatccaggt gtaggtttcc acatcgtagg tgaggaagag	7860
cctttcgggtg cgaggatgcg agccgatggg gaagaactgg atctcctgcc accagttgga	7920
ggaatggctg ttgatgtgat ggaagtagaa atgccgacgg cgcgccgagc actcgtgctt	7980
gtgtttatac aagcgtccgc agtgctcgca acgctgcacg ggatgcacgt gctgcacgag	8040
ctgtacctgg gttcctttga cgaggaattt cagtgggcag tggagcgctg gcggctgcat	8100
ctggtgctgt actacgtcct ggccatcggc gtggccatcg tctgcctcga tgggtggtcat	8160
gctgacgagc ccgcgcggga ggcaggcca gacttcggct cgacgggtc ggagagcgag	8220
gacgagggcg cgcaggccgg agctgtccag ggtcctgaga cgctgcggag tcaggtcagt	8280
gggcagcggc ggcgcgcggt tgacttgacg gagcttttcc agggcgcgcg ggagggtccag	8340

atggtacttg atctccacgg cgccgttggt ggcgacgtcc acggcttgca ggggtcccgtg 8400
 cccctggggc gccaccaccg tgccccgttt cttcttgggc gctgcttcca tgccgggtcag 8460
 aagcggcggc gaggacgcgc gccgggcggc aggggcggct cgggacccgg aggcaggggc 8520
 ggcaggggca cgtcggcgcc gcgcgcgggc aggttctggt actgcgcccg gagaagactg 8580
 gcgtgagcga cgacgcgacg gttgacgtcc tggatctgac gcctctgggt gaaggccacg 8640
 ggacccgtga gtttgaacct gaaagagagt tcgacagaat caatctcggt atcgttgacg 8700
 gcggcctgcc gcaggatctc ttgcacgtcg cccgagttgt cctggtaggc gatctcggtc 8760
 atgaactgct cgatctcttc ctctgaagg tctccgcggc cggcgcgctc gacggtggcc 8820
 gcgaggtcgt tggagatgcg gcccatgagc tgcgagaagg cgttcatgcc ggcctcgttc 8880
 cagacgcggc tgtagaccac ggctccgtcg gggtcgcgcg cgcgcatgac cacctgggcg 8940
 aggttgagct cgacgtggcg cgtgaagacc gcgtagttgc agaggcgctg gtagaggtag 9000
 ttgagcgtgg tggcgatgtg ctcggtgacg aagaagtaca tgatccagcg gcggagcggc 9060
 atctcgctga cgtcgcccag ggcttccaag cgctccatgg cctcgtagaa gtccacggcg 9120
 aagttgaaaa actgggagtt gcgcgccgag acggtcaact cctcctccag aagacggatg 9180
 agctcagcga tgggtggcgcg cacctcgcgc tcgaaggccc cgggggggctc ctcttcttcc 9240
 atctcttctc cctccactaa catctcttct acttctctcct caggaggcgg cggcggggga 9300
 ggggccctgc gtgcgcggcg gcgcacgggc agacggtcga tgaagcgctc gatggtctcc 9360
 ccgcgccggc gacgcatggt ctcggtgacg gcgcgcccggt cctcgcgggg ccgcagcgtg 9420
 aagacgccgc cgcgcatctc cagggtggccg ccggggggggt ctccgttggg caggagagg 9480
 gcgctgacga tgcatttat caattggccc gtagggactc cgcgcaagga cctgagcgtc 9540
 tcgagatcca cgggatccga aaaccgctga acgaaggctt cgagccagtc gcagtcgcaa 9600
 ggtaggctga gcccggtttc ttgttcttcg gggatttcgg gaggcgggcg ggcgatgctg 9660
 ctggtgatga agttgaagta ggcggtcctg agacggcgga tgggtggcgag gagcaccagg 9720
 tccttgggcc cggcttgctg gatgcgcaga cggtcggcca tgccccaggc gtggtcctga 9780
 cacctggcga ggtccttgta gtagtcctgc atgagccgct ccacgggcac ctctctctcg 9840
 cccgcgcggc cgtgcatgcg cgtgagcccg aaccgcgct ggggctggac gagcgccagg 9900
 tcggcgacga cgcgctcggc gaggatggcc tgctgtatct gggtgagggt ggtctggaag 9960
 tcgtcgaagt cgacgaagcg gtggtaggct ccggtgttga tggatatagga gcagttggcc 10020
 atgacggacc agttgacggt ctggtggccg ggtcgcacga gctcgtggta cttgaggcgc 10080

gagtaggcgc gcgtgtcgaa gatgtagtcg ttgcaggtgc gcacgaggta ctggtatccg 10140
 acgaggaagt gcggcggcgg ctggcggtag agcggccatc gctcgggtggc gggggcgccg 10200
 ggcgcgaggt cctcgagcat gaggcgggtg tagccgtaga tgtacctgga catccagggtg 10260
 atgccggcgg cgggtggtgga ggcgcgcggg aactcgcgga cgcggttcca gatgttgccg 10320
 agcggcagga agtagttcat ggtggccgcg gtctggcccg tgaggcgcgc gcagtcgtgg 10380
 atgctctaga catacgggca aaaacgaaag cggtcagcgg ctcgactccg tggcctggag 10440
 gctaagcgaa cgggttgggc tgcgcgtgta ccccggttcg aatctcgaat caggctggag 10500
 ccgcagctaa cgtggtactg gcactcccgt ctcgacccaa gcctgctaac gaaacctcca 10560
 ggatacggag gcgggtcgtt ttttggcctt ggtcgtctgt catgaaaaac tagtaagcgc 10620
 ggaaagcgac cggccgcgat ggctcgtgc cgtagtctgg agaaagaatc gccagggttg 10680
 cgttgcggtg tgccccggtt cgagcctcag cgctcggcgc cggccggatt ccgcggctaa 10740
 cgtgggcgtg gctgccccgt cgtttccaag accccttagc cagccgactt ctccagttac 10800
 ggagcgagcc cctctttttt ttgtgttttt gccagatgca tcccgtactg cggcagatgc 10860
 gccccaccc tccacctcaa ccgcccctac cgccgcagca gcagcaacag ccggcgcttc 10920
 tgcccccgcc ccagcagcag ccagccacta ccgcggcggc cgccgtgagc ggagccggcg 10980
 ttcagtatga cctggccttg gaagagggcg aggggctggc gcggctgggg gcgtcgtcgc 11040
 cggagcggca cccgcgcgtg cagatgaaaa gggacgctcg cgaggcctac gtgccaagc 11100
 agaacctgtt cagagacagg agcggcgagg agcccgagga gatgcgcgcc tcccgcttcc 11160
 acgcggggcg ggagctgcgg cgcggcctgg accgaaagcg ggtgctgagg gacgaggatt 11220
 tcgaggcgga cgagctgacg gggatcagcc ccgcgcgcgc gcacgtggcc gcggccaacc 11280
 tggtcacggc gtacgagcag accgtgaagg aggagagcaa cttccaaaaa tccttcaaca 11340
 accacgtgcg cacgctgac gcgcgcgagg aggtgaccct gggcctgatg cacctgtggg 11400
 acctgctgga ggccatcgtg cagaacccca cgagcaagcc gctgacggcg cagctgtttc 11460
 tgggtggtgca gcacagtcgg gacaacgaga cgttcaggga ggcgctgctg aatatcaccg 11520
 agcccgaggg ccgctggctc ctggacctgg tgaacattct gcagagcatc gtggtgcagg 11580
 agcgcgggct gccgctgtcc gagaagctgg cggctatcaa cttctcgggtg ctgagcctgg 11640
 gcaagtacta cgctaggaag atctacaaga ccccgtagct gcccatagac aaggagggtga 11700
 agatcgacgg gttttacatg cgcattgacc tgaaagtgtc gaccctgagc gacgatctgg 11760

ggggtgtaccg caacgacagg atgcaccgcg cgggtgagcgc cagccgccgg cgcgagctga 11820
 gcgaccagga gctgatgcac agcctgcagc gggccctgac cggggccggg accgaggggg 11880
 agagctactt tgacatgggc gcggacctgc gctggcagcc cagccgccgg gccttggaag 11940
 ctgccggcgg ttccccctac gtggaggagg tggacgatga ggaggaggag ggcgagtacc 12000
 tggaagactg atggcgcgac cgtatttttg ctagatgcag caacagccac cgcctcctga 12060
 tcccgcgatg cgggcggcgc tgcagagcca gccgtccggc attaactcct cggacgattg 12120
 gaccagggcc atgcaacgca tcatggcgct gacgaccgc aatcccgaag ccttttagaca 12180
 gcagcctcag gccaaccggc tctcggccat cctggaggcc gtggtgccct cgcgctcgaa 12240
 cccacgcac gagaaggtgc tggccatcgt gaacgcgctg gtggagaaca aggccatccg 12300
 cggcgacgag gccgggctgg tgtacaacgc gctgctggag cgcgtggccc gctacaacag 12360
 caccaacgtg cagacgaacc tggaccgcat ggtgaccgac gtgcgcgagg cgggtgtcgca 12420
 gcgcgagcgg ttccaccgcg agtcgaacct gggctccatg gtggcgctga acgccttcct 12480
 gagcacgcag cccgccaacg tgccccgggg ccaggaggac tacaccaact tcatcagcgc 12540
 gctgcggctg atggtggccg aggtgcccc aagcgcgagg taccagtcgg ggccggacta 12600
 cttcttccag accagtcgcc agggcttgca gaccgtgaac ctgagccagg ctttcaagaa 12660
 cttgcaggga ctgtggggcg tgcaggcccc ggtcggggac cgcgcgacgg tgtcgagcct 12720
 gctgacgccg aactcgcgcc tgctgctgct gctggtggcg cccttcacgg acagcggcag 12780
 cgtgagccgc gactcgtacc tgggctacct gcttaacctg taccgcgagg ccatcgggca 12840
 ggcgcacgtg gacgagcaga cctaccagga gatcaccac gtgagccgcg cgctgggcca 12900
 ggaggaccgg ggcaacctgg aggccaccct gaacttcctg ctgaccaacc ggtcgcagaa 12960
 gatcccgccc cagtacgcgc tgagcaccga ggaggagcgc atcctgcgct acgtgcagca 13020
 gagcgtgggg ctgttcctga tgcaggaggg ggccacgccc agcgcgcgcg tcgacatgac 13080
 cgcgcgcaac atggagccca gcatgtacgc tcgcaaccgc ccgttcatca ataagctgat 13140
 ggactacttg catcggggcg ccgcatgaa ctcggactac tttaccaacg ccatcttgaa 13200
 cccgcactgg ctcccgcgc ccgggttcta cacgggagag tacgacatgc ccgaccccaa 13260
 cgacgggttc ctgtgggacg acgtggacag cagcgtgttc tcgccgcgcc ccgccaccac 13320
 cgtgtggaag aaagagggcg gggaccggcg gccgtcctcg gcgctgtccg gtcgcgcggg 13380
 tgctgccgcg gcggtgcctg aggccgccag ccccttccc agcctgcctt tttcgctgaa 13440
 cagcgtgcgc agcagcgagc tgggtcggct gacgcggccg cgctgctgg gcgaggagga 13500


```

gtacctgaac gactccttgt tgaggcccga gcgcgagaag aacttcccca ataacgggat 13560
agagagcctg gtggacaaga tgagccgctg gaagacgtac gcgcacgagc acagggacga 13620
gccccgagct agcagcagcg caggcacccg tagacgccag cgacacgaca ggcagcgggg 13680
tctggtgtgg gacgatgagg attccgccga cgacagcagc gtgttggaact tgggtgggag 13740
tggtggtggt aaccggttcg ctcaacttgcg cccccgtatc gggcgcctga tgtaagaatc 13800
tgaaaaaata aaaaacggta ctcaccaagg ccatggcgac cagcgtgcgt tcttctctgt 13860
tgttttagtagt agt atg atg agg cgc gtg tac ccg gag ggt cct cct ccc 13909
                Met Met Arg Arg Val Tyr Pro Glu Gly Pro Pro Pro
                1                5                10

tcg tac gag agc gtg atg cag cag gcg gtg gcg gcg gcg atg cag ccc 13957
Ser Tyr Glu Ser Val Met Gln Gln Ala Val Ala Ala Ala Met Gln Pro
                15                20                25

ccg ctg gag gcg cct tac gtg ccc ccg cgg tac ctg gcg cct acg gag 14005
Pro Leu Glu Ala Pro Tyr Val Pro Pro Arg Tyr Leu Ala Pro Thr Glu
                30                35                40

ggg cgg aac agc att cgt tac tcg gag ctg gca ccc ttg tac gat acc 14053
Gly Arg Asn Ser Ile Arg Tyr Ser Glu Leu Ala Pro Leu Tyr Asp Thr
45                50                55                60

acc cgg ttg tac ctg gtg gac aac aag tcg gcg gac atc gcc tcg ctg 14101
Thr Arg Leu Tyr Leu Val Asp Asn Lys Ser Ala Asp Ile Ala Ser Leu
                65                70                75

aac tac cag aac gac cac agc aac ttc ctg acc acc gtg gtg cag aac 14149
Asn Tyr Gln Asn Asp His Ser Asn Phe Leu Thr Thr Val Val Gln Asn
                80                85                90

aac gat ttc acc ccc acg gag gcc agc acc cag acc atc aac ttt gac 14197
Asn Asp Phe Thr Pro Thr Glu Ala Ser Thr Gln Thr Ile Asn Phe Asp
                95                100                105

gag cgc tcg cgg tgg ggc ggc cag ctg aaa acc atc atg cac acc aac 14245
Glu Arg Ser Arg Trp Gly Gly Gln Leu Lys Thr Ile Met His Thr Asn
110                115                120

atg ccc aac gtg aac gag ttc atg tac agc aac aag ttc aag gcg cgg 14293
Met Pro Asn Val Asn Glu Phe Met Tyr Ser Asn Lys Phe Lys Ala Arg
125                130                135                140

gtg atg gtc tcg cgc aag acc ccc aat ggg gtc gcg gtg gat gag aat 14341
Val Met Val Ser Arg Lys Thr Pro Asn Gly Val Ala Val Asp Glu Asn
                145                150                155

tat gat ggt agt cag gac gag ctg act tac gag tgg gtg gag ttt gag 14389
Tyr Asp Gly Ser Gln Asp Glu Leu Thr Tyr Glu Trp Val Glu Phe Glu
                160                165                170

```


WO 03/046124

PCT/US02/33645

ctg ccc gag ggc aac ttc tcg gtg acc atg acc atc gat ctg atg aac	14437
Leu Pro Glu Gly Asn Phe Ser Val Thr Met Thr Ile Asp Leu Met Asn	
175 180 185	
aac gcc atc atc gac aac tac ttg gcg gtg ggg cgt cag aac ggg gtg	14485
Asn Ala Ile Ile Asp Asn Tyr Leu Ala Val Gly Arg Gln Asn Gly Val	
190 195 200	
ctg gag agc gac atc ggc gtg aag ttc gac acg cgc aac ttc cgg ctg	14533
Leu Glu Ser Asp Ile Gly Val Lys Phe Asp Thr Arg Asn Phe Arg Leu	
205 210 215 220	
ggc tgg gac ccc gtg acc gag ctg gtg atg ccg ggc gtg tac acc aac	14581
Gly Trp Asp Pro Val Thr Glu Leu Val Met Pro Gly Val Tyr Thr Asn	
225 230 235	
gag gcc ttc cac ccc gac atc gtc ctg ctg ccc ggc tgc ggc gtg gac	14629
Glu Ala Phe His Pro Asp Ile Val Leu Leu Pro Gly Cys Gly Val Asp	
240 245 250	
ttc acc gag agc cgc ctc agc aac ctg ctg ggc atc cgc aag cgg cag	14677
Phe Thr Glu Ser Arg Leu Ser Asn Leu Leu Gly Ile Arg Lys Arg Gln	
255 260 265	
ccc ttc cag gag ggc ttc cag atc ctg tac gag gac ctg gag ggg ggc	14725
Pro Phe Gln Glu Gly Phe Gln Ile Leu Tyr Glu Asp Leu Glu Gly Gly	
270 275 280	
aac atc ccc gcg ctc ttg gat gtc gaa gcc tat gag aaa agc aag gag	14773
Asn Ile Pro Ala Leu Leu Asp Val Glu Ala Tyr Glu Lys Ser Lys Glu	
285 290 295 300	
gag gcc gcc gca gcg gcg acc gca gcc gtg gcc acc gcc tct acc gag	14821
Glu Ala Ala Ala Ala Ala Thr Ala Ala Val Ala Thr Ala Ser Thr Glu	
305 310 315	
gtg cgg ggc gat aat ttt gct agc gcc gcg gca gtg gcc gag gcg gct	14869
Val Arg Gly Asp Asn Phe Ala Ser Ala Ala Val Ala Glu Ala Ala	
320 325 330	
gaa acc gaa agt aag ata gtc atc cag ccg gtg gag aag gac agc aag	14917
Glu Thr Glu Ser Lys Ile Val Ile Gln Pro Val Glu Lys Asp Ser Lys	
335 340 345	
gac agg agc tac aac gtg ctc gcg gac aag aaa aac acc gcc tac cgc	14965
Asp Arg Ser Tyr Asn Val Leu Ala Asp Lys Lys Asn Thr Ala Tyr Arg	
350 355 360	
agc tgg tac ctg gcc tac aac tac ggc gac ccc gag aag ggc gtg cgc	15013
Ser Trp Tyr Leu Ala Tyr Asn Tyr Gly Asp Pro Glu Lys Gly Val Arg	
365 370 375 380	
tcc tgg acg ctg ctc acc acc tcg gac gtc acc tgc ggc gtg gag caa	15061
Ser Trp Thr Leu Leu Thr Thr Ser Asp Val Thr Cys Gly Val Glu Gln	
385 390 395	

gtc tac tgg tcg ctg ccc gac atg atg caa gac ccg gtc acc ttc cgc Val Tyr Trp Ser Leu Pro Asp Met Met Gln Asp Pro Val Thr Phe Arg 400 405 410	15109
tcc acg cgt caa gtt agc aac tac ccg gtg gtg ggc gcc gag ctc ctg Ser Thr Arg Gln Val Ser Asn Tyr Pro Val Val Gly Ala Glu Leu Leu 415 420 425	15157
ccc gtc tac tcc aag agc ttc ttc aac gag cag gcc gtc tac tcg cag Pro Val Tyr Ser Lys Ser Phe Phe Asn Glu Gln Ala Val Tyr Ser Gln 430 435 440	15205
cag ctg cgc gcc ttc acc tcg ctc acg cac gtc ttc aac cgc ttc ccc Gln Leu Arg Ala Phe Thr Ser Leu Thr His Val Phe Asn Arg Phe Pro 445 450 455 460	15253
gag aac cag atc ctc gtc cgc ccg ccc gcg ccc acc att acc acc gtc Glu Asn Gln Ile Leu Val Arg Pro Pro Ala Pro Thr Ile Thr Thr Val 465 470 475	15301
agt gaa aac gtt cct gct ctc aca gat cac ggg acc ctg ccg ctg cgc Ser Glu Asn Val Pro Ala Leu Thr Asp His Gly Thr Leu Pro Leu Arg 480 485 490	15349
agc agt atc cgg gga gtc cag cgc gtg acc gtc act gac gcc aga cgc Ser Ser Ile Arg Gly Val Gln Arg Val Thr Val Thr Asp Ala Arg Arg 495 500 505	15397
cgc acc tgc ccc tac gtc tac aag gcc ctg ggc gta gtc gcg ccg cgc Arg Thr Cys Pro Tyr Val Tyr Lys Ala Leu Gly Val Val Ala Pro Arg 510 515 520	15445
gtc ctc tcg agc cgc acc ttc taa aaaatgtcca ttctcatctc gcccagtaat Val Leu Ser Ser Arg Thr Phe 525 530	15499
aacaccggtt ggggcctgcg cgcgcccagc aagatgtacg gaggcgctcg ccaacgctcc	15559
acgcaacacc ccgtgcgct ggcggggcac ttccgcgctc cctggggcgc cctcaagggc	15619
cgcgtgctgct cgcgcaccac cgtcgacgac gtgatcgacc aggtgggtggc cgacgcgcgc	15679
aactacacgc ccgcccgcgc gccgcctcc accgtggacg ccgtcatcga cagcgtggtg	15739
gccgatgcgc gccggtacgc ccgcgccaag agccggcggc ggcgcatcgc ccggcggcac	15799
cggagcaccc ccgcatgcg cgcggcgcgga gccttgctgc gcagggccag gcgcacggga	15859
cgcagggcca tgctcagggc ggccagacgc gcggcctccg gcagcagcag cgccggcagg	15919
acccgcagac gcgcggccac ggccggcgcg gcggccatcg ccagcatgtc ccgcccgcgc	15979
cgcggcaacg tgtactgggt gcgcgacgcc gccaccggtg tgcgcgtgcc cgtgcgcacc	16039
cgccccctc gcacttgaag atgctgactt cgcgatgttg atgtgtccca gcggcgagga	16099
ggatgtccaa gcgcaaatac aaggaagaga tgctccaggt catcgcgctt gagatctacg	16159

gccccgcggt gaaggaggaa agaaagcccc gcaaactgaa gcgggtcaaa aaggacaaaa 16219
 aggaggagga agatgtggac ggactggtgg agtttgtgcg cgagttcgcc ccccggcggc 16279
 gcgtgcagtg gcgcggggcgg aaagtgaac cggtgctgcg gcccggcacc acggtggtct 16339
 tcacgcccgg cgagcgttcc ggctccgcct ccaagcgctc ctacgacgag gtgtacgggg 16399
 acgaggacat cctcgagcag gcggtcgagc gtctggggcga gtttgcttac ggcaagcgca 16459
 gccgccccgc gcccttgaaa gaggaggcgg tgtccatccc gctggaccac ggcaacccca 16519
 cgccgagcct gaagccggtg accctgcagc aggtgctgcc gagcgcggcg ccgcgccggg 16579
 gcttcaagcg cgagggcggc gaggatctgt acccgaccat gcagctgatg gtgccaagc 16639
 gccagaagct ggaggacgtg ctggagcaca tgaaggtgga ccccgaggtg cagcccaggg 16699
 tcaaggtgcg gcccatcaag caggtggccc cgggcctggg cgtgcagacc gtggacatca 16759
 agatccccac ggagcccatg gaaacgcaga ccgagcccgt gaagcccagc accagcacca 16819
 tggaggtgca gacggatccc tggatgccgg cgccggcttc caccactcgc cgaagacgca 16879
 agtacggcgc ggccagcctg ctgatgccca actacgcgct gcataccttc atcatcccca 16939
 cgccgggcta ccgcggcacg cgcttctacc gcggtacac cagcagccgc cgcaagacca 16999
 ccacccgccg ccgcggtcgt cgcacccgcc gcagcagcac cgcgacttcc gccgccgccc 17059
 tgggtgcggag agtgtaccgc agcgggcgcg agcctctgac cctgccgcgc gcgcgctacc 17119
 acccgagcat cgccatttaa ctctgccgtc gcctcctact tgcagatatg gccctcacat 17179
 gccgcctccg cgtccccatt acgggctacc gaggaagaaa gccgcgccgt agaaggctga 17239
 cggggaacgg gctgcgtcgc catcaccacc ggccggcggcg cgccatcagc aagcggttgg 17299
 ggggaggctt cctgccgcgc ctgatcccca tcatcgccgc ggcgatcggg gcgatccccg 17359
 gcatagcttc cgtggcgggtg caggcctctc agcgccactg agacacagct tggaaaattt 17419
 gtaataaaaa aatggactga cgctcctggt cctgtgatgt gtgttttttag atggaagaca 17479
 tcaatttttc gtccctggca ccgcgacacg gcacgcggcc gtttatgggc acctggagcg 17539
 acatcggcaa cagccaactg aacggggggcg ccttcaattg gagcagtctc tggagcgggc 17599
 ttaagaattt cgggtccacg ctcaaaacct atggcaacaa ggcggtggaac agcagcacag 17659
 ggcaggcgct gagggaaaag ctgaaagagc agaacttcca gcagaagggtg gtcgatggcc 17719
 tggcctcggg catcaacggg gtggtggacc tggccaacca ggccgtgcag aaacagatca 17779
 acagccgcct ggacgcggtc ccgcccgcgg ggtccgtgga gatgccccag gtggaggagg 17839


```

agctgcctcc cctggacaag cgcgggcgaca agcgaccgcg tcccgacgcg gaggagacgc 17899
tgctgacgca cacggacgag ccgcccccggt acgaggaggc ggtgaaactg ggtctgccca 17959
ccacgcggcc cgtggcgccct ctggccaccg ggggtgctgaa acccagcagc agcagccagc 18019
ccgcgaccct ggacttgcct ccgcctgctt cccgcccctc cacagtggct aagcccctgc 18079
cgccgggtggc cgtcgctcg cgcgcccccc gagggcgccc ccaggcgaac tggcagagca 18139
ctctgaacag catcgtgggt ctgggagtgc agagtgtgaa gcgccgcccgc tgctattaaa 18199
agacactgta gcgcttaact tgcttgtctg tgtgtatatg tatgtccgcc gaccagaagg 18259
aggaagaggc gcgtcgccga gttgcaag atg gcc acc cca tcg atg ctg ccc 18311
                    Met Ala Thr Pro Ser Met Leu Pro
                    535

cag tgg gcg tac atg cac atc gcc gga cag gac gct tcg gag tac ctg 18359
Gln Trp Ala Tyr Met His Ile Ala Gly Gln Asp Ala Ser Glu Tyr Leu
540                    545                    550                    555

agt ccg ggt ctg gtg cag ttc gcc cgc gcc aca gac acc tac ttc agt 18407
Ser Pro Gly Leu Val Gln Phe Ala Arg Ala Thr Asp Thr Tyr Phe Ser
                    560                    565                    570

ctg ggg aac aag ttt agg aac ccc acg gtg gcg ccc acg cac gat gtg 18455
Leu Gly Asn Lys Phe Arg Asn Pro Thr Val Ala Pro Thr His Asp Val
                    575                    580                    585

acc acc gac cgc agc cag cgg ctg acg ctg cgc ttc gtg ccc gtg gac 18503
Thr Thr Asp Arg Ser Gln Arg Leu Thr Leu Arg Phe Val Pro Val Asp
                    590                    595                    600

cgc gag gac aac acc tac tcg tac aaa gtg cgc tac acg ctg gcc gtg 18551
Arg Glu Asp Asn Thr Tyr Ser Tyr Lys Val Arg Tyr Thr Leu Ala Val
605                    610                    615

ggc gac aac cgc gtg ctg gac atg gcc agc acc tac ttt gac atc cgc 18599
Gly Asp Asn Arg Val Leu Asp Met Ala Ser Thr Tyr Phe Asp Ile Arg
620                    625                    630                    635

ggc gtg ctg gat cgg ggg ccc agc ttc aaa ccc tac tcc ggc acc gcc 18647
Gly Val Leu Asp Arg Gly Pro Ser Phe Lys Pro Tyr Ser Gly Thr Ala
                    640                    645                    650

tac aac agc ctg gct ccc aag gga gcg ccc aac act tgc cag tgg aca 18695
Tyr Asn Ser Leu Ala Pro Lys Gly Ala Pro Asn Thr Cys Gln Trp Thr
                    655                    660                    665

tat aaa gct ggt gat act gat aca gaa aaa acc tat aca tat gga aat 18743
Tyr Lys Ala Gly Asp Thr Asp Thr Glu Lys Thr Tyr Thr Tyr Gly Asn
670                    675                    680

gca cct gtg caa ggc att agc att aca aag gat ggt att caa ctt gga 18791
Ala Pro Val Gln Gly Ile Ser Ile Thr Lys Asp Gly Ile Gln Leu Gly
685                    690                    695

```


act gac agc gat ggt cag gca atc tat gca gac gaa act tat caa cca	18839
Thr Asp Ser Asp Gly Gln Ala Ile Tyr Ala Asp Glu Thr Tyr Gln Pro	
700 705 710 715	
gag cct caa gtg ggt gat gct gaa tgg cat gac atc act ggt act gat	18887
Glu Pro Gln Val Gly Asp Ala Glu Trp His Asp Ile Thr Gly Thr Asp	
720 725 730	
gaa aaa tat gga ggc aga gct ctt aag cct gac acc aaa atg aag cct	18935
Glu Lys Tyr Gly Gly Arg Ala Leu Lys Pro Asp Thr Lys Met Lys Pro	
735 740 745	
tgc tat ggt tct ttt gcc aag cct acc aat aaa gaa gga ggc cag gca	18983
Cys Tyr Gly Ser Phe Ala Lys Pro Thr Asn Lys Glu Gly Gly Gln Ala	
750 755 760	
aat gtg aaa acc gaa aca ggc ggt acc aaa gaa tat gac att gac atg	19031
Asn Val Lys Thr Glu Thr Gly Gly Thr Lys Glu Tyr Asp Ile Asp Met	
765 770 775	
gca ttc ttc gat aat cga agt gca gct gcc gcc ggc cta gcc cca gaa	19079
Ala Phe Phe Asp Asn Arg Ser Ala Ala Ala Gly Leu Ala Pro Glu	
780 785 790 795	
att gtt ttg tat act gag aat gtg gat ctg gaa act cca gat acc cat	19127
Ile Val Leu Tyr Thr Glu Asn Val Asp Leu Glu Thr Pro Asp Thr His	
800 805 810	
att gta tac aag gca ggt aca gat gac agt agc tct tct atc aat ttg	19175
Ile Val Tyr Lys Ala Gly Thr Asp Asp Ser Ser Ser Ser Ile Asn Leu	
815 820 825	
ggt cag cag tcc atg ccc aac aga ccc aac tac att ggc ttc aga gac	19223
Gly Gln Gln Ser Met Pro Asn Arg Pro Asn Tyr Ile Gly Phe Arg Asp	
830 835 840	
aac ttt atc ggt ctg atg tac tac aac agc act ggc aat atg ggt gta	19271
Asn Phe Ile Gly Leu Met Tyr Tyr Asn Ser Thr Gly Asn Met Gly Val	
845 850 855	
ctg gct gga cag gcc tcc cag ctg aat gct gtg gtg gac ttg cag gac	19319
Leu Ala Gly Gln Ala Ser Gln Leu Asn Ala Val Val Asp Leu Gln Asp	
860 865 870 875	
aga aac acc gaa ctg tcc tac cag ctc ttg ctt gac tct ctg ggt gac	19367
Arg Asn Thr Glu Leu Ser Tyr Gln Leu Leu Leu Asp Ser Leu Gly Asp	
880 885 890	
aga acc agg tat ttc agt atg tgg aat cag gcg gtg gac agt tat gac	19415
Arg Thr Arg Tyr Phe Ser Met Trp Asn Gln Ala Val Asp Ser Tyr Asp	
895 900 905	
ccc gat gtg cgc att att gaa aat cac ggt gtg gag gat gaa ctt cct	19463
Pro Asp Val Arg Ile Ile Glu Asn His Gly Val Glu Asp Glu Leu Pro	
910 915 920	

aac tat tgc ttc ccc ctg gat gct gtg ggt aga act gat act tac cag	19511
Asn Tyr Cys Phe Pro Leu Asp Ala Val Gly Arg Thr Asp Thr Tyr Gln	
925 930 935	
gga att aag gcc aat ggt gat aat caa acc acc tgg acc aaa gat gat	19559
Gly Ile Lys Ala Asn Gly Asp Asn Gln Thr Thr Trp Thr Lys Asp Asp	
940 945 950 955	
act gtt aat gat gct aat gaa ttg ggc aag ggc aat cct ttc gcc atg	19607
Thr Val Asn Asp Ala Asn Glu Leu Gly Lys Gly Asn Pro Phe Ala Met	
960 965 970	
gag atc aac atc cag gcc aac ctg tgg cgg aac ttc ctc tac gcg aac	19655
Glu Ile Asn Ile Gln Ala Asn Leu Trp Arg Asn Phe Leu Tyr Ala Asn	
975 980 985	
gtg gcg ctg tac ctg ccc gac tcc tac aag tac acg ccg gcc aac atc	19703
Val Ala Leu Tyr Leu Pro Asp Ser Tyr Lys Tyr Thr Pro Ala Asn Ile	
990 995 1000	
acg ctg ccc acc aac acc aac acc tac gat tac atg aac ggc cgc	19748
Thr Leu Pro Thr Asn Thr Asn Thr Tyr Asp Tyr Met Asn Gly Arg	
1005 1010 1015	
gtg gtg gcg ccc tcg ctg gtg gac gcc tac atc aac atc ggg gcg	19793
Val Val Ala Pro Ser Leu Val Asp Ala Tyr Ile Asn Ile Gly Ala	
1020 1025 1030	
cgc tgg tcg ctg gac ccc atg gac aac gtc aac ccc ttc aac cac	19838
Arg Trp Ser Leu Asp Pro Met Asp Asn Val Asn Pro Phe Asn His	
1035 1040 1045	
cac cgc aac gcg ggc ctg cga tac cgc tcc atg ctc ctg ggc aac	19883
His Arg Asn Ala Gly Leu Arg Tyr Arg Ser Met Leu Leu Gly Asn	
1050 1055 1060	
ggg cgc tac gtg ccc ttc cac atc cag gtg ccc caa aag ttt ttc	19928
Gly Arg Tyr Val Pro Phe His Ile Gln Val Pro Gln Lys Phe Phe	
1065 1070 1075	
gcc atc aag agc ctc ctg ctc ctg ccc ggg tcc tac acc tac gag	19973
Ala Ile Lys Ser Leu Leu Leu Leu Pro Gly Ser Tyr Thr Tyr Glu	
1080 1085 1090	
tgg aac ttc cgc aag gac gtc aac atg atc ctg cag agc tcc ctc	20018
Trp Asn Phe Arg Lys Asp Val Asn Met Ile Leu Gln Ser Ser Leu	
1095 1100 1105	
ggc aac gac ctg cgc acg gac ggg gcc tcc atc gcc ttc acc agc	20063
Gly Asn Asp Leu Arg Thr Asp Gly Ala Ser Ile Ala Phe Thr Ser	
1110 1115 1120	
atc aac ctc tac gcc acc ttc ttc ccc atg gcg cac aac acc gcc	20108
Ile Asn Leu Tyr Ala Thr Phe Phe Pro Met Ala His Asn Thr Ala	
1125 1130 1135	

tcc acg ctc gag gcc atg ctg cgc aac gac acc aac gac cag tcc Ser Thr Leu Glu Ala Met Leu Arg Asn Asp Thr Asn Asp Gln Ser 1140 1145 1150	20153
ttc aac gac tac ctc tcg gcg gcc aac atg ctc tac ccc atc ccg Phe Asn Asp Tyr Leu Ser Ala Ala Asn Met Leu Tyr Pro Ile Pro 1155 1160 1165	20198
gcc aac gcc acc aac gtg ccc atc tcc atc ccc tcg cgc aac tgg Ala Asn Ala Thr Asn Val Pro Ile Ser Ile Pro Ser Arg Asn Trp 1170 1175 1180	20243
gcc gcc ttc cgc ggc tgg tcc ttc acg cgc ctc aag acc cgc gag Ala Ala Phe Arg Gly Trp Ser Phe Thr Arg Leu Lys Thr Arg Glu 1185 1190 1195	20288
acg ccc tcg ctc ggc tcc ggg ttc gac ccc tac ttc gtc tac tcg Thr Pro Ser Leu Gly Ser Gly Phe Asp Pro Tyr Phe Val Tyr Ser 1200 1205 1210	20333
ggc tcc atc ccc tac ctc gac ggc acc ttc tac ctc aac cac acc Gly Ser Ile Pro Tyr Leu Asp Gly Thr Phe Tyr Leu Asn His Thr 1215 1220 1225	20378
ttc aag aag gtc tcc atc acc ttc gac tcc tcc gtc agc tgg ccc Phe Lys Lys Val Ser Ile Thr Phe Asp Ser Ser Val Ser Trp Pro 1230 1235 1240	20423
ggc aac gac cgc ctc ctg acg ccc aac gag ttc gaa atc aag cgc Gly Asn Asp Arg Leu Leu Thr Pro Asn Glu Phe Glu Ile Lys Arg 1245 1250 1255	20468
acc gtc gac gga gag ggg tac aac gtg gcc cag tgc aac atg acc Thr Val Asp Gly Glu Gly Tyr Asn Val Ala Gln Cys Asn Met Thr 1260 1265 1270	20513
aag gac tgg ttc ctg gtc cag atg ctg gcc cac tac aac atc ggc Lys Asp Trp Phe Leu Val Gln Met Leu Ala His Tyr Asn Ile Gly 1275 1280 1285	20558
tac cag ggc ttc tac gtg ccc gag ggc tac aag gac cgc atg tac Tyr Gln Gly Phe Tyr Val Pro Glu Gly Tyr Lys Asp Arg Met Tyr 1290 1295 1300	20603
tcc ttc ttc cgc aac ttc cag ccc atg agc cgc cag gtc gtg gac Ser Phe Phe Arg Asn Phe Gln Pro Met Ser Arg Gln Val Val Asp 1305 1310 1315	20648
gag gtc aac tac aag gac tac cag gcc gtc acc ctg gcc tac cag Glu Val Asn Tyr Lys Asp Tyr Gln Ala Val Thr Leu Ala Tyr Gln 1320 1325 1330	20693
cac aac aac tcg ggc ttc gtc ggc tac ctc gcg ccc acc atg cgc His Asn Asn Ser Gly Phe Val Gly Tyr Leu Ala Pro Thr Met Arg 1335 1340 1345	20738

cag ggc	cag ccc	tac ccc	gcc	aac tac	ccc tac	ccg	ctc atc	ggc	20783
Gln Gly	Gln Pro	Tyr Pro	Ala	Asn Tyr	Pro Tyr	Pro	Leu Ile	Gly	
1350			1355			1360			
aag agc	gcc gtc	gcc agc	gtc	acc cag	aaa aag	ttc	ctc tgc	gac	20828
Lys Ser	Ala Val	Ala Ser	Val	Thr Gln	Lys Lys	Phe	Leu Cys	Asp	
1365			1370			1375			
cgg gtc	atg tgg	cgc atc	ccc	ttc tcc	agc aac	ttc	atg tcc	atg	20873
Arg Val	Met Trp	Arg Ile	Pro	Phe Ser	Ser Ser	Asn	Phe Met	Ser Met	
1380			1385			1390			
ggc gcg	ctc acc	gac ctc	ggc	cag aac	atg ctc	tac	gcc aac	tcc	20918
Gly Ala	Leu Thr	Asp Leu	Gly	Gln Asn	Met Leu	Tyr	Ala Asn	Ser	
1395			1400			1405			
gcc cac	gcg cta	gac atg	aat	ttc gaa	gtc gac	ccc	atg gat	gag	20963
Ala His	Ala Leu	Asp Met	Asn	Phe Glu	Val Asp	Pro	Met Asp	Glu	
1410			1415			1420			
tcc acc	ctt ctc	tat gtt	gtc	ttc gaa	gtc ttc	gac	gtc gtc	cga	21008
Ser Thr	Leu Leu	Tyr Val	Val	Phe Glu	Val Phe	Asp	Val Val	Arg	
1425			1430			1435			
gtg cac	cag ccc	cac cgc	ggc	gtc atc	gag gcc	gtc	tac ctg	cgc	21053
Val His	Gln Pro	His Arg	Gly	Val Ile	Glu Ala	Val	Tyr Leu	Arg	
1440			1445			1450			
acg ccc	ttc tcg	gcc gcc	aac	gcc acc	acc taa	gcctcttgct			21096
Thr Pro	Phe Ser	Ala Gly	Asn	Ala Thr	Thr				
1455			1460						
tcttgcaaga	tgacggcctg	cgcgggctcc	ggcgagcagg	agctcagggc	catcctccgc				21156
gacctgggct	gcggggccctg	cttcctgggc	accttcgaca	agcgcttccc	gggattcatg				21216
gccccgcaca	agctggcctg	cgccatcgtc	aacacggccg	gccgcgagac	cgggggcgag				21276
cactggctgg	ccttcgcctg	gaacccgcgc	tcccacacct	gctacctctt	cgaccccttc				21336
gggttctcgg	acgagcgcct	caagcagatc	taccagttcg	agtacgaggg	cctgctgcgt				21396
cgcagcgcgc	tggccaccga	ggaccgctgc	gtcaccctgg	aaaagtccac	ccagaccgtg				21456
cagggtcgcg	gctcggccgc	ctgcgggctc	ttctgctgca	tgttcctgca	cgccttcgtg				21516
cactggcccc	accgccccat	ggacaagaac	cccaccatga	acttgctgac	gggggtgccc				21576
aacggcatgc	tccagtcgcc	ccaggtggaa	cccaccctgc	gccgcaacca	ggaggcgctc				21636
taccgcttcc	tcaacgcccc	ctccgcctac	tttcgctccc	accgcgcgcg	catcgagaag				21696
gccaccgcct	tcgaccgcat	gaatcaagac	atgtaatccg	gtgtgtgtat	gtgaatgctt				21756
tattcatcat	aataaacagc	acatgtttat	gccaccttct	ctgaggctct	gactttatctt				21816
agaaatcgaa	ggggttctgc	cggctctcgg	catggccccg	gggcagggat	acgttgcgga				21876

actggtactt gggcagccac ttgaactcgg ggatcagcag cttcggcacg gggagggtcgg 21936
 ggaacgagtc gctccacagc ttgcgcgtga gttgcagggc gccacgagg tcgggagcgg 21996
 agatcttgaa atcgcagttg ggacccgcgt tctgcgcgcg agagttacgg tacacgggggt 22056
 tgcagcactg gaacaccatc agggccgggt gcttcacgct cgccagcacc gtcgcgtcgg 22116
 tgatgccctc cacgtccaga tcctcggcgt tggccatccc gaaggggggtc atcttgagg 22176
 tctgccgccc catgctgggc acgcagccgg gcttgtgggt gcaatcgcag tgcaggggga 22236
 tcagcatcat ctgggcctgc tcggagctca tgcccggtta catggccttc atgaaagcct 22296
 ccagctggcg gaaggcctgc tgcgccttgc cgccctcggg gaagaagacc ccgcaggact 22356
 tgctagagaa ctggttggtg gcgcagccag cgtcgtgcac gcagcagcgc gcgtcgttgt 22416
 tggccagctg caccacgctg cgccccagc ggttctgggt gatcttggcc cggtcgggggt 22476
 tctccttcag cgcgcgctgc ccgttctcgc tcgccacatc catctcgatc gtgtgctcct 22536
 tctggatcat cacggtcccg tgcaggcacc gcagcttgcc ctccgcctcg gtgcaccctg 22596
 gcagccacag cgcgagccg gtgctctccc agttcttggt ggcatctgg gaggcagagt 22656
 gcacgaagcc ctgcaggaag cggcccatca tcgtggtcag ggtcttggtg ctggtgaagg 22716
 tcagcggaat gccgcggtgc tcctcgttca catacagggt gcagatacgg cggtaacact 22776
 cgccctgctc gggcatcagc tggaaggcgg acttcagggt gctctccacg cggtaaccgt 22836
 ccatcagcag cgtcatcact tccatgcctt tctcccaggc cgaaacgatc ggcaggctca 22896
 ggggggttctt caccgttgct atcttagtcg ccgcccgcga agtcaggggg tcgttctcgt 22956
 ccaggggtctc aaacactcgc ttgccgtcct tctcgggtgat gcgcacgggg ggaaagctga 23016
 agcccacggc cgccagctcc tcctcggcct gcctttcgtc ctgcgtgtcc tggctgatgt 23076
 cttgcaaagg cacatgcttg gtcttgccgg gtttcttttt gggcggcaga ggcggcggcg 23136
 gagacgtgct gggcgagcgc gagttctcgc tcaccacgac tatttcttct ccttggccgt 23196
 cgtccgagac cacgcggcgg taggcatgcc tcttctgggg cagaggcgga ggcgacgggc 23256
 tctcgcggtt cggcgggcgg ctggcagagc cccttcgcgc ttcgggggtg cgctcctggc 23316
 ggcgctgctc tgactgactt cctccgcggc cggccattgt gttctcctag ggagcaagca 23376
 tggagactca gccatcgtcg ccaacatcgc catctgcccc cgccgcccgc gacgagaacc 23436
 agcagcagca gaatgaaagc ttaaccgccc cgccgcccag cccacactcc gacgccgcag 23496
 cccagacat gcaagagatg gaggaatcca tcgagattga cctgggctac gtgacgcccg 23556

cggagcacga ggaggagctg gcagcgcgct tttcagcccc ggaagagAAC caccaagagc 23616
 agccagagca ggaagcagag agcgagcaga accaggctgg gctcgagcat ggcgactacc 23676
 tgagcggggc agaggacgtg ctcatcaagc atctggcccc ccaatgcac atcgtcaagg 23736
 acgcgctgct cgaccgcgcc gaggtgcccc tcagcgtggc ggagctcagc cgcgcctacg 23796
 agcgcaacct cttctcgccg cgcgtgcccc ccaagcgcca gcccaacggc acctgcgagc 23856
 ccaacccgcg cctcaacttc taccgggtct tcgcgggtgcc cgaggccctg gccacctacc 23916
 acctcttttt caagaaccaa aggatccccg tctcctggcg cgccaaccgc acccgcgccg 23976
 acgccctgct caacctgggc cccggcgccc gcctacctga tatcgctcc ttggaagagg 24036
 ttcccaagat cttcgagggt ctgggcagcg acgagactcg ggccgcgaac gctctgcaag 24096
 gaagcggaga ggagcatgag caccacagcg ccctgggtgga gttggaaggc gacaacgcgc 24156
 gcctggcggt cctcaagcg caggctcagc tgaccactt cgctacccg gcgctcaacc 24216
 tgcccccaa ggtcatgagc gccgtcatgg accagggtgct catcaagcg gcctcgcccc 24276
 tctcggagga ggagatgcag gaccccgaga gctcggacga gggcaagccc gtggtcagcg 24336
 acgagcagct ggcgcgctgg ctgggagcga gtagcacccc ccagagcctg gaagagcggc 24396
 gcaagctcat gatggccgtg gtccctgggtga ccgtggagct ggagtgtctg cgcgccttct 24456
 tcgccgacgc ggagaccctg cgcaaggctc aggagaacct gcactacctc ttcagacacg 24516
 ggttcgtgcg ccaggcctgc aagatctcca acgtggagct gaccaacctg gtctcctaca 24576
 tgggcatcct gcacgagaac cgctggggc agaacgtgct gcacaccacc ctgcgcgggg 24636
 aggcccgccg cgactacatc cgcgactgcg tctacctgta cctctgccac acctggcaga 24696
 cgggcatggg cgtgtggcag cagtgcctgg aggagcagaa cctgaaagag ctctgcaagc 24756
 tcctgcagaa gaacctcaag gccctgtgga ccgggttcga cgagcgcacc accgccgcgg 24816
 acctggccga cctcatcttc cccgagcgcc tgcggctgac gctgcgcaac gggctgcccc 24876
 actttatgag ccaaagcatg ttgcaaaact ttcgctcttt catcctcgaa cgctccggga 24936
 tcctgcccgc cacctgctcc gcgctgccct cggacttcgt gccgctgacc ttccgcgagt 24996
 gccccccgcc gctctggagc cactgctacc tgctgcgcct ggccaactac ctggcctacc 25056
 actcggacgt gatcgaggac gtcagcggcg agggcctgct cgagtgccac tgccgctgca 25116
 acctctgcac gccgcaccgc tcctggcct gcaaccccca gctgctgagc gagaccaga 25176
 tcatcggcac cttcgagttg caaggccccg gcgagggcaa ggggggtctg aaactcacc 25236
 cggggctgtg gacctcgcc tacttgcgca agttcgtgcc cgaggactac catcccttcg 25296

agatcagggtt ctacgaggac caatcccagc cgcccaaggc cgagctgtcg gcctgcgtca 25356
 tcaccaggg ggccatcctg gcccaattgc aagccatcca gaaatcccgc caagaatttc 25416
 tgctgaaaaa gggccacggg gtctacttgg acccccagac cggagaggag ctcaacccca 25476
 gcttccccca ggatgccccg aggaagcagc aagaagctga aagtggagct gccgccgccg 25536
 ccggaggatt tggaggaaga ctgggagagc agtcaggcag aggaggagga gatggaagac 25596
 tgggacagca ctcaggcaga ggaggacagc ctgcaagaca gtctggagga ggaagacgag 25656
 gtggaggagg cagaggaaga agcagccgcc gccagaccgt cgtcctcggc ggaggaggag 25716
 aaagcaagca gcacggatac catctccgct ccgggtcggg gtcgcggcgg ccggggcccac 25776
 agtagatggg acgagaccgg gcgcttcccg aaccccacca cccagaccgg taagaaggag 25836
 cggcagggat acaagtcctg gcggggggcac aaaaacgcca tcgtctcctg cttgcaagcc 25896
 tgcgggggca acatctcctt caccggcgcc tacctgctct tccaccgcgg ggtgaacttc 25956
 ccccgcaaca tcttgcatca ctaccgtcac ctccacagcc cctactactg tttccaagaa 26016
 gaggcagaaa cccagcagca gcagcagcag cagaaaacca gcggcagcag ctagaaaatc 26076
 cacagcggcg gcaggtggac tgaggatcgc ggcgaacgag ccggcgcaga cccgggagct 26136
 gaggaaccgg atctttccca ccctctatgc catcttccag cagagtcggg ggcaagagca 26196
 ggaactgaaa gtcaagaacc gttctctgcg ctgcctcacc cgcagttgtc tgtatcacia 26256
 gagcgaagac caacttcagc gcactctcga ggacgccgag gctctcttca acaagtactg 26316
 cgcgctcact cttaaagagt agcccgcgcc cgccacaca cggaaaaagg cgggaattac 26376
 gtcaccacct gcgccttcg cccgaccatc atcatgagca aagagattcc cacgccttac 26436
 atgtggagct accagccccca gatgggcctg gccgccggcg ccgccagga ctactccacc 26496
 cgcataaact ggctcagtgc cgggcccgcg atgatctcac gggatgaatga catccgcgcc 26556
 caccgaaacc agatactcct agaacagtca gcgatcaccg ccacgccccg ccatcacctt 26616
 aatccgcgta attggcccgc cgccctgggtg taccaggaaa ttccccagcc caccgaccgta 26676
 ctacttccgc gagacgcca ggccgaagtc cagctgacta actcaggtgt ccagctggcc 26736
 ggcggcgccg ccctgtgtcg tcaccgcccc gctcagggtg taaagcggct ggtgatccga 26796
 ggcagaggca cacagctcaa cgacgaggtg gtgagctctt cgctgggtct gcgacctgac 26856
 ggagtcttcc aactcgccgg atcggggaga tcttccttca cgctcgtca ggccgtcctg 26916
 actttggaga gttcgtcctc gcagccccgc tcgggtggca tcggcactct ccagttcgtg 26976

gaggagttca ctccctcggg ctacttcaac cccttctccg gctcccccg ccactaccg 27036
gacgagttca tcccgaactt cgacgccatc agcgagtcgg tggacggcta cgattgaatg 27096
tcccatgggtg gcgcggctga cctagctcgg ctctgacacc tggaccactg ccgccgcttc 27156
cgctgcttcg ctcgggatct cgccgagttt gcctactttg agctgcccga ggagcaccct 27216
cagggcccg cccacggagt gcggatcgtc gtcgaagggg gtctcgactc ccacctgctt 27276
cggatcttca gccagcgtcc gatcctggcc gagcgcgagc aaggacagac ccttctgacc 27336
ctgtactgca tctgcaacca ccccggcctg catgaaagtc tttgttgtct gctgtgtact 27396
gagtataata aaagctgaga tcagcgacta ctccggactt ccgtgtgttc ctgctatcaa 27456
ccagtccctg ttcttcaccg ggaacgagac cgagctccag ctccagtgtg agccccacaa 27516
gaagtacctc acctggctgt tccagggctc tccgatcgcc gttgtcaacc actgcgacaa 27576
cgacggagtc ctgctgagcg gccctgcaa ccttactttt tccacccgca gaagcaagct 27636
ccagctcttc caacccttc tccccgggac ctatcagtgc gtctcgggac cctgccatca 27696
caccttccac ctgatcccga ataccacagc gtcgctcccc gctactaaca accaaactac 27756
ccaccaacgc caccgtcgcg acctttctc tgggtctaata accactaccg gaggtgagct 27816
ccgaggtcga ccaacctctg ggatttacta cggccccctgg gaggtggtag ggttaatagc 27876
gctaggccta gttgcgggtg ggcttttggc tctctgctac ctatacctcc cttgctgttc 27936
gtacttagtg gtgctgtgtt gctggtttaa gaaatgggga agatcaccct agtgagctgc 27996
ggtgtgctgg tggcgggtgg gctttcgatt gtgggactgg gcggcgcggc tgtagtgaag 28056
gagaaggccg atccctgctt gcatttcaat cccgacaaat gccagctgag ttttcagccc 28116
gatggcaatc ggtgcgcggg gctgatcaag tgcggatggg aatgcgagaa cgtgagaatc 28176
gagtacaata acaagactcg gaacaatact ctgcggtccg tgtggcagcc cggggacccc 28236
gagtggta ca cgtctctgt ccccggtgct gacggctccc cgcgcacctg gaataatact 28296
ttcatttttg cgcacatgtg cgacacggtc atgtggatga gcaagcagta cgatatgtgg 28356
ccccccacga aggagaacat cgtgggtctt tccatcgctt acagcgtgtg cacggcgcta 28416
atcacccgta tcgtgtgcct gagcattcac atgctcatcg ctattcgccc cagaaataat 28476
gccgaaaaag aaaaacagcc ataacacgtt ttttcacaca cctttttcag accatggcct 28536
ctgttaaatt tttgctttta tttgccagtc tcattgccgt cattcatgga atgagtaatg 28596
agaaaattac tatttacact ggcactaatc acacattgaa aggtccagaa aaagccacag 28656
aagtttcatg gtattgttat tttaatgaat cagatgtatc tactgaactc tgtggaaaca 28716

ataacaaaaa	aatgagagc	attactctca	tcaagtttca	atgtggatct	gacttaaccc	28776
taattaacat	cactagagac	tatgtaggta	tgtattatgg	aactacagca	ggcatttcgg	28836
acatggaatt	ttatcaagtt	tctgtgtctg	aaccaccac	gcctagaatg	accacaacca	28896
caaaaactac	acctgttacc	actatacagc	tcactaccaa	tggctttctt	gccatgcttc	28956
aagtggctga	aatagcacc	agcattcaac	ccaccccacc	cagtgaggaa	attcccagat	29016
ccatgattgg	cattattggt	gctgtagtgg	tgtgcatggt	gatcatcgcc	ttgtgcatgg	29076
tgtactatgc	cttctgctac	agaaagcaca	gactgaacga	caagctggaa	cacttactaa	29136
gtgttgaatt	ttaatttttt	agaaccatga	agatcctagg	ccttttagtt	ttttctatca	29196
ttacctctgc	tctatgcaat	tctgacaatg	aggacgttac	tgtcgttgtc	ggatcaaatt	29256
atacactaaa	aggtccagca	aaaggtatgc	tttcgtggta	ttgttggttc	ggaactgacg	29316
agcaacagac	agaactttgc	aatgctcaaa	aaggcaaac	ctcaaattct	aaaatctcta	29376
attatcaatg	caatggcact	gacttagtat	tgctcaatgt	cacgaaagca	tatgctggca	29436
gttacacctg	ccctggagat	gatgccgaca	atatgatttt	ttacaaagtg	gaagtgggtg	29496
atcccactac	tccaccgccc	accaccacaa	ctactcatac	cacacacaca	gaacaaacac	29556
cagaggcagc	agaagcagag	ttggccttcc	aggttcacgg	agattccttt	gctgtcaata	29616
cccctacacc	cgatcagcgg	tgtccggggc	tgctcgtcag	cggcattgtc	ggtgtgcttt	29676
cgggattagc	agtcataatc	atctgcatgt	tcatttttgc	ttgctgctat	agaaggcttt	29736
accgacaaaa	atcagaccca	ctgctgaacc	tctatgttta	attttttcca	gagccatgaa	29796
ggcagttagc	gctctagttt	tttgttcttt	gattggcatt	gttttttagtg	ctgggttttt	29856
gaaaaatctt	accattttatg	aaggtgagaa	tgccactcta	gtgggcatca	gtggtcaaaa	29916
tgtcagctgg	ctaaaatacc	atctagatgg	gtggaaagac	atltgcgatt	ggaatgtcac	29976
tgtgtataca	tgtaatggag	ttaacctcac	cattactaat	gccacccaag	atcagaatgg	30036
taggtttaag	ggccagagtt	tcactagaaa	taatgggtat	gaatcccata	acatgtttat	30096
ctatgacgtc	actgtcatca	gaaatgagac	tgccaccacc	acacagatgc	ccactacaca	30156
cagttctacc	actactacca	tgcaaaccac	acagacaacc	actacatcaa	ctcagcatat	30216
gaccaccact	acagcagcaa	agccaagtag	tgacgcgcct	cagccccagg	ctttggcttt	30276
gaaagctgca	caacctagta	caactactag	gaccaatgag	cagactactg	aatttttgtc	30336
cactgtcgag	agccacacca	cagctacctc	cagtgccttc	tctagcaccg	ccaatctctc	30396

ctcgctttcc tctacaccaa tcagtcccgc tactactccc accccagctc ttctccccac 30456
 tcccctgaag caaactgagg acagcggcat gcaatggcag atcacccctgc tcattgtgat 30516
 cgggttggtc atcctggccg tgttgctcta ctacatcttc tgccgccgca ttcccaacgc 30576
 gcaccgcaaa ccggcctaca agcccatcgt tatcggggcag ccggagccgc ttcaggtgga 30636
 aggggggtcta aggaatcttc tcttctcttt tacagtatgg tgattgaact atgattccta 30696
 gacaattctt gatcactatt cttatctgcc tcctccaagt ctgtgccacc ctcgctctgg 30756
 tggccaacgc cagtccagac tgtattgggc ccttcgcctc ctacgtgctc tttgccttca 30816
 tcacctgcat ctgctgctgt agcatagtct gcctgcttat caccttcttc cagttcattg 30876
 actggatctt tgtgcgcata gcctacctgc gccaccaccc ccagtaccgc gaccagcgag 30936
 tggcgcggt gctcaggctc ctctgataag catgcgggct ctgctacttc tcgcgcttct 30996
 gctgttagtg ctccccgc ccgtcgaccc ccggtcccc actcagtccc ccgaagaggt 31056
 ccgcaaattgc aaattccaag aaccctggaa attcctcaaa tgctaccgcc aaaaatcaga 31116
 catgcttccc agctggatca tgatcattgg gatcgtgaac attctggcct gcaccctcat 31176
 ctcttttgtg atttaccctt gctttgactt tggttggaac tcgccagagg cgctctatct 31236
 cccgcctgaa cctgacacac caccacagca acctcaggca cacgcactac caccaccaca 31296
 gcctaggcca caatacatgc ccatattaga ctatgaggcc gagccacagc gacccatgct 31356
 ccccgctatt agttacttca atctaaccgg cggagatgac tgaccactg gccacaaca 31416
 acgtcaacga ccttctcctg gacatggacg gccgcgcctc ggagcagcga ctcgcccaac 31476
 ttcgcattcg ccagcagcag gagagagccg tcaaggagct gcaggacggc atagccatcc 31536
 accagtgcaa gaaaggcatc ttctgcctgg tgaaacaggc caagatctcc tacgaggtca 31596
 ccccgaccga ccatcgctc tcctacgagc tcctgcagca gcgccagaag ttcacctgcc 31656
 tggtcggagt caaccccatc gtcatcacc agcagtcggg cgataccaag ggggtgcatcc 31716
 actgctcctg cgactcccc gactgcgtcc aactctgat caagaccctc tgcggcctcc 31776
 gcgacctcct ccccatgaac taatcaccct cttatccagt gaaataaata tcatattgat 31836
 gatgatttaa ataaaaaata atcatttgat ttgaaataaa gatacaatca tattgatgat 31896
 ttgagtttta aaaaataaag aatcacttac ttgaaatctg ataccaggtc tctgtccatg 31956
 ttttctgcca acaccacctc actcccctct tcccagctct ggtactgcag accccggcgg 32016
 gctgcaaact tcctccacac gctgaagggg atgtcaaatt cctcctgtcc ctcaatcttc 32076

attttatctt ctatcag atg tcc aaa aag cgc gtc cgg gtg gat gat gac	32126
Met Ser Lys Lys Arg Val Arg Val Asp Asp Asp	
1465 1470	
ttc gac ccc gtc tac ccc tac gat gca gac aac gca ccg acc gtg	32171
Phe Asp Pro Val Tyr Pro Tyr Asp Ala Asp Asn Ala Pro Thr Val	
1475 1480 1485	
ccc ttc atc aac ccc ccc ttc gtc tct tca gat gga ttc caa gag	32216
Pro Phe Ile Asn Pro Pro Phe Val Ser Ser Asp Gly Phe Gln Glu	
1490 1495 1500	
aag ccc ctg ggg gtg ctg tcc ctg cga ctg gct gac ccc gtc acc	32261
Lys Pro Leu Gly Val Leu Ser Leu Arg Leu Ala Asp Pro Val Thr	
1505 1510 1515	
acc aag aac ggg gaa atc acc ctc aag ctg gga gag ggg gtg gac	32306
Thr Lys Asn Gly Glu Ile Thr Leu Lys Leu Gly Glu Gly Val Asp	
1520 1525 1530	
ctc gac tcc tcg gga aaa ctc atc tcc aac acg gcc acc aag gcc	32351
Leu Asp Ser Ser Gly Lys Leu Ile Ser Asn Thr Ala Thr Lys Ala	
1535 1540 1545	
gcc gcc cct ctc agt ttt tcc aac aac acc att tcc ctt aac atg	32396
Ala Ala Pro Leu Ser Phe Ser Asn Asn Thr Ile Ser Leu Asn Met	
1550 1555 1560	
gat acc cct ctt tat acc aaa gat gga aaa tta tcc tta caa gtt	32441
Asp Thr Pro Leu Tyr Thr Lys Asp Gly Lys Leu Ser Leu Gln Val	
1565 1570 1575	
tct cca ccg tta aac ata tta aaa tca acc att ctg aac aca tta	32486
Ser Pro Pro Leu Asn Ile Leu Lys Ser Thr Ile Leu Asn Thr Leu	
1580 1585 1590	
gct gta gct tat gga tca ggt tta gga ctg agt ggt ggc act gct	32531
Ala Val Ala Tyr Gly Ser Gly Leu Gly Leu Ser Gly Gly Thr Ala	
1595 1600 1605	
ctt gca gta cag ttg gcc tct cca ctc act ttt gat gaa aaa gga	32576
Leu Ala Val Gln Leu Ala Ser Pro Leu Thr Phe Asp Glu Lys Gly	
1610 1615 1620	
aat att aaa att aac cta gcc agt ggt cca tta aca gtt gat gca	32621
Asn Ile Lys Ile Asn Leu Ala Ser Gly Pro Leu Thr Val Asp Ala	
1625 1630 1635	
agt cga ctt agt atc aac tgc aaa aga ggg gtc act gtc act acc	32666
Ser Arg Leu Ser Ile Asn Cys Lys Arg Gly Val Thr Val Thr Thr	
1640 1645 1650	
tca gga gat gca att gaa agc aac ata agc tgg cct aaa ggt ata	32711
Ser Gly Asp Ala Ile Glu Ser Asn Ile Ser Trp Pro Lys Gly Ile	
1655 1660 1665	

WO 03/046124

PCT/US02/33645

aga Arg 1670	ttt Phe	gaa Glu	ggt Gly	aat Asn	ggc Gly 1675	ata Ile	gct Ala	gca Ala	aac Asn	att Ile 1680	ggc Gly	aga Arg	gga Gly	ttg Leu	32756
gaa Glu 1685	ttt Phe	gga Gly	acc Thr	act Thr	agt Ser 1690	aca Thr	gag Glu	act Thr	gat Asp	gtc Val 1695	aca Thr	gat Asp	gca Ala	tac Tyr	32801
cca Pro 1700	att Ile	caa Gln	gtt Val	aaa Lys	ttg Leu 1705	ggg Gly	act Thr	ggc Gly	ctt Leu	acc Thr 1710	ttt Phe	gac Asp	agt Ser	aca Thr	32846
ggc Gly 1715	gcc Ala	att Ile	gtt Val	gct Ala	tgg Trp 1720	aac Asn	aaa Lys	gag Glu	gat Asp	gat Asp 1725	aaa Lys	ctt Leu	aca Thr	tta Leu	32891
tgg Trp 1730	acc Thr	aca Thr	gcc Ala	gac Asp	ccc Pro 1735	tcg Ser	cca Pro	aat Asn	tgc Cys	aaa Lys 1740	ata Ile	tac Tyr	tct Ser	gaa Glu	32936
aaa Lys 1745	gat Asp	gcc Ala	aaa Lys	ctc Leu	aca Thr 1750	ctt Leu	tgc Cys	ttg Leu	aca Thr	aag Lys 1755	tgt Cys	gga Gly	agt Ser	caa Gln	32981
att Ile 1760	ctg Leu	ggt Gly	act Thr	gtg Val	act Thr 1765	gta Val	ttg Leu	gca Ala	gtg Val	aat Asn 1770	aat Asn	gga Gly	agt Ser	ctc Leu	33026
aac Asn 1775	cca Pro	atc Ile	aca Thr	aac Asn	aca Thr 1780	gta Val	agc Ser	act Thr	gca Ala	ctc Leu 1785	gtc Val	tcc Ser	ctc Leu	aag Lys	33071
ttt Phe 1790	gat Asp	gca Ala	agt Ser	gga Gly	gtt Val 1795	ttg Leu	cta Leu	agc Ser	agc Ser	tcc Ser 1800	aca Thr	tta Leu	gac Asp	aaa Lys	33116
gaa Glu 1805	tat Tyr	tgg Trp	aac Asn	ttc Phe	aga Arg 1810	aag Lys	gga Gly	gat Asp	gtt Val	aca Thr 1815	cct Pro	gct Ala	gag Glu	ccc Pro	33161
tat Tyr 1820	act Thr	aat Asn	gct Ala	ata Ile	ggg Gly 1825	ttt Phe	atg Met	cct Pro	aac Asn	ata Ile 1830	aag Lys	gcc Ala	tat Tyr	cct Pro	33206
aaa Lys 1835	aac Asn	aca Thr	tct Ser	gca Ala	gct Ala 1840	tca Ser	aaa Lys	agc Ser	cat His	att Ile 1845	gtc Val	agt Ser	caa Gln	gtt Val	33251
tat Tyr 1850	ctc Leu	aat Asn	ggg Gly	gat Asp	gag Glu 1855	gcc Ala	aaa Lys	cca Pro	ctg Leu	atg Met 1860	ctg Leu	att Ile	att Ile	act Thr	33296
ttt Phe 1865	aat Asn	gaa Glu	act Thr	gag Glu	gat Asp 1870	gca Ala	act Thr	tgc Cys	acc Thr	tac Tyr 1875	agt Ser	atc Ile	act Thr	ttt Phe	33341

caa tgg aaa tgg gat agt act aag tac aca ggt gaa aca ctt gct 33386
 Gln Trp Lys Trp Asp Ser Thr Lys Tyr Thr Gly Glu Thr Leu Ala
 1880 1885 1890

acc agc tcc ttc acc ttc tcc tac atc gcc caa gaa tga aactgtatc 33435
 Thr Ser Ser Phe Thr Phe Ser Tyr Ile Ala Gln Glu
 1895 1900 1905

ccaccctgca tgccaaccct tcccacccca ctctgtctat ggaaaaaact ctgaagcaca 33495
 aaataaaata aagttcaagt gttttattga ttcaacagtt ttacaggatt cgagcagtta 33555
 tttttcctcc accctcccag gacatggaat acaccaccct ctccccccgc acagccttga 33615
 acatctgaat gccattggtg atggacatgc ttttggtctc cacgttccac acagtttcag 33675
 agcgagccag tctcgggtcg gtcagggaga tgaaaccctc cgggcactcc cgcatctgca 33735
 cctcacagct caacagctga ggattgtcct cgggtggtcgg gatcacggtt atctggaaga 33795
 agcagaagag cggcggtggg aatcatagtc cgcgaaacggg atcggccggt ggtgtcgcac 33855
 caggccccgc agcagtcgct gccgccgccg ctccgtcaag ctgctgctca gggggtccgg 33915
 gtccagggac tccctcagca tgatgccac ggccctcagc atcagtcgtc tgggtcggcg 33975
 ggcgagcag cgcatgcgga tctcgtcag gtcgtgcag tacgtgcaac acaggaccac 34035
 caggttggtc aacagtccat agttcaacac gctccagccg aaactcatcg cgggaaggat 34095
 gctaccacg tggccgtcgt accagatcct caggtaaatac aagtggcgct ccctccagaa 34155
 cacgtgccgc acgtacatga tctccttggg catgtggcgg ttcaccacct cccggtacca 34215
 catcaccctc tggttgaaca tgcagccccg gatgatcctg cggaaccaca gggccagcac 34275
 cggcccgccc gccatgcagc gaagagaccc cgggtcccgg caatggcaat ggaggacca 34335
 ccgctcgtac ccgtggatca tctgggagct gaacaagtct atgttggcac agcacaggca 34395
 tatgctcatg catctcttca gcactctcag ctctcgggg gtcaaaacca tatcccaggg 34455
 cacggggaac tcttgcagga cagcgaaccc cgcagaacag ggcaatcctc gcacataact 34515
 tacattgtgc atggacaggg tatcgcaatac aggcagcacc gggatgatcct ccaccagaga 34575
 agcgcggtc tcggtctcct cacagcgtgg taagggggcc ggccgatacg ggtgatggcg 34635
 ggacgcggct gatcgtgttc gcgaccgtgt catgatgcag ttgcttttcgg acattttcgt 34695
 acttgctgta gcagaacctg gtccggggcg tgacacaccga tcgccggcg cggtcccggc 34755
 gcttggaacg ctcggtgttg aaattgtaaa acagccactc tctcagaccg tgcagcagat 34815
 ctagggcctc aggagtgatg aagatcccat catgcctgat agctctgata acatcgacca 34875
 ccgtggaatg ggccagaccc agccagatga tgcaattttg ttgggtttcg gtgacggcg 34935

gggaggggaag aacaggaaga accatgatta actttttaatc caaacgggtct cggagcactt 34995
 caaaatgaag gtcgcggaga tggcacctct cgtccccgct gtgttggtgg aaaataacag 35055
 ccagggtcaaa ggtgatacgg ttctcgagat gttccacggg ggcttccagc aaagcctcca 35115
 cgcgcacatc cagaaacaag acaatagcga aagcgggagg gttctctaata tcctcaatca 35175
 tcatgttaca ctctgcacc atccccagat aattttcatt tttccagcct tgaatgattc 35235
 gaactagtct ctgaggtaaa tccaagccag ccatgataaa gagctcgcgc agagcgccct 35295
 ccaccggcat tcttaagcac accctcataa ttccaagata ttctgctcct ggttcacctg 35355
 cagcagattg acaagcggaa tatcaaaatc tctgccgcga tccctaagct cctccctcag 35415
 caataactgt aagtactctt tcatatcttc tccgaaatct ttagccatag gaccaccagg 35475
 aataagatta gggcaagcca cagtacagat aaaccgaagt cctccccagt gagcattgcc 35535
 aaatgcaaga ctgctataag catgctggct agaccgggtg atatcttcca gataactgga 35595
 cagaaaatca cccaggcaat ttttaagaaa atcaacaaaa gaaaaatcct ccagggtgcac 35655
 gtttagagcc tcgggaacaa cgatgaagta aatgcaagcg gtgcgttcca gcatgggttag 35715
 ttagctgatc tgtaaaaaac aaaaaataaa acattaaacc atgctagcct ggcgaaacagg 35775
 tgggtaaatc gttctctcca gcaccaggca ggccacgggg tctccggcgc gaccctcgta 35835
 aaaattgtcg ctatgattga aaaccatcac agagagacgt tcccgggtggc cggcgtgaat 35895
 gattcgacaa gatgaataca cccccggaac attggcgtcc gcgagtgaac aaaagcgccc 35955
 gaggaagcaa taaggcacta caatgctcag tctcaagtcc agcaaagcga tgccatgcgg 36015
 atgaagcaca aaatcctcag gtgcgtacaa aatgtaatta ctcccctcct gcacaggcag 36075
 cgaagcccc gatccctcca gatacacata caaagcctca gcgtccatag cttaccgagc 36135
 agcagcacac aacaggcgca agagtcagag aaaggctgag ctctaacctg tccacccgct 36195
 ctctgctcaa tatatagccc agatctacac tgacgtaaag gccaaagtct aaaaaatacc 36255
 gccaaataat cacacacgcc cagcacacgc ccagaaaccg gtgacacact caaaaaata 36315
 cgcgcacttc ctcaaagcc caaactgccg tcattttcgg gttcccacgc tacgtcatcg 36375
 gaattcgact ttcaaattcc gtcgaccgtt aaaaacgtca cccgccccgc ccctaacggt 36435
 cgcccgcttc tcggccaatc accttcctcc ctcccctaat tcaaacagct catttgcata 36495
 ttaacgcgca ccaaagttt gaggtatatt attgatgatg 36535

WO 03/046124

PCT/US02/33645

<210> 10
 <211> 531
 <212> PRT
 <213> chimpanzee adenovirus serotype Pan7

<400> 10

```

Met Met Arg Arg Val Tyr Pro Glu Gly Pro Pro Pro Ser Tyr Glu Ser
1           5           10           15

Val Met Gln Gln Ala Val Ala Ala Ala Met Gln Pro Pro Leu Glu Ala
          20           25           30

Pro Tyr Val Pro Pro Arg Tyr Leu Ala Pro Thr Glu Gly Arg Asn Ser
          35           40           45

Ile Arg Tyr Ser Glu Leu Ala Pro Leu Tyr Asp Thr Thr Arg Leu Tyr
          50           55           60

Leu Val Asp Asn Lys Ser Ala Asp Ile Ala Ser Leu Asn Tyr Gln Asn
65           70           75           80

Asp His Ser Asn Phe Leu Thr Thr Val Val Gln Asn Asn Asp Phe Thr
          85           90           95

Pro Thr Glu Ala Ser Thr Gln Thr Ile Asn Phe Asp Glu Arg Ser Arg
          100          105          110

Trp Gly Gly Gln Leu Lys Thr Ile Met His Thr Asn Met Pro Asn Val
          115          120          125

Asn Glu Phe Met Tyr Ser Asn Lys Phe Lys Ala Arg Val Met Val Ser
          130          135          140

Arg Lys Thr Pro Asn Gly Val Ala Val Asp Glu Asn Tyr Asp Gly Ser
          145          150          155          160

Gln Asp Glu Leu Thr Tyr Glu Trp Val Glu Phe Glu Leu Pro Glu Gly
          165          170          175

Asn Phe Ser Val Thr Met Thr Ile Asp Leu Met Asn Asn Ala Ile Ile
          180          185          190

Asp Asn Tyr Leu Ala Val Gly Arg Gln Asn Gly Val Leu Glu Ser Asp
          195          200          205

Ile Gly Val Lys Phe Asp Thr Arg Asn Phe Arg Leu Gly Trp Asp Pro
          210          215          220

Val Thr Glu Leu Val Met Pro Gly Val Tyr Thr Asn Glu Ala Phe His
          225          230          235          240

Pro Asp Ile Val Leu Leu Pro Gly Cys Gly Val Asp Phe Thr Glu Ser
          245          250          255

Arg Leu Ser Asn Leu Leu Gly Ile Arg Lys Arg Gln Pro Phe Gln Glu
          260          265          270

```


Gly Phe Gln Ile Leu Tyr Glu Asp Leu Glu Gly Gly Asn Ile Pro Ala
 275 280 285
 Leu Leu Asp Val Glu Ala Tyr Glu Lys Ser Lys Glu Glu Ala Ala Ala
 290 295 300
 Ala Ala Thr Ala Ala Val Ala Thr Ala Ser Thr Glu Val Arg Gly Asp
 305 310 315 320
 Asn Phe Ala Ser Ala Ala Ala Val Ala Glu Ala Ala Glu Thr Glu Ser
 325 330 335
 Lys Ile Val Ile Gln Pro Val Glu Lys Asp Ser Lys Asp Arg Ser Tyr
 340 345 350
 Asn Val Leu Ala Asp Lys Lys Asn Thr Ala Tyr Arg Ser Trp Tyr Leu
 355 360 365
 Ala Tyr Asn Tyr Gly Asp Pro Glu Lys Gly Val Arg Ser Trp Thr Leu
 370 375 380
 Leu Thr Thr Ser Asp Val Thr Cys Gly Val Glu Gln Val Tyr Trp Ser
 385 390 395 400
 Leu Pro Asp Met Met Gln Asp Pro Val Thr Phe Arg Ser Thr Arg Gln
 405 410 415
 Val Ser Asn Tyr Pro Val Val Gly Ala Glu Leu Leu Pro Val Tyr Ser
 420 425 430
 Lys Ser Phe Phe Asn Glu Gln Ala Val Tyr Ser Gln Gln Leu Arg Ala
 435 440 445
 Phe Thr Ser Leu Thr His Val Phe Asn Arg Phe Pro Glu Asn Gln Ile
 450 455 460
 Leu Val Arg Pro Pro Ala Pro Thr Ile Thr Thr Val Ser Glu Asn Val
 465 470 475 480
 Pro Ala Leu Thr Asp His Gly Thr Leu Pro Leu Arg Ser Ser Ile Arg
 485 490 495
 Gly Val Gln Arg Val Thr Val Thr Asp Ala Arg Arg Arg Thr Cys Pro
 500 505 510
 Tyr Val Tyr Lys Ala Leu Gly Val Val Ala Pro Arg Val Leu Ser Ser
 515 520 525
 Arg Thr Phe
 530

<210> 11
 <211> 932
 <212> PRT
 <213> chimpanzee adenovirus serotype Pan7

<400> 11

```

Met Ala Thr Pro Ser Met Leu Pro Gln Trp Ala Tyr Met His Ile Ala
1          5          10          15

Gly Gln Asp Ala Ser Glu Tyr Leu Ser Pro Gly Leu Val Gln Phe Ala
          20          25          30

Arg Ala Thr Asp Thr Tyr Phe Ser Leu Gly Asn Lys Phe Arg Asn Pro
          35          40          45

Thr Val Ala Pro Thr His Asp Val Thr Thr Asp Arg Ser Gln Arg Leu
          50          55          60

Thr Leu Arg Phe Val Pro Val Asp Arg Glu Asp Asn Thr Tyr Ser Tyr
65          70          75          80

Lys Val Arg Tyr Thr Leu Ala Val Gly Asp Asn Arg Val Leu Asp Met
          85          90          95

Ala Ser Thr Tyr Phe Asp Ile Arg Gly Val Leu Asp Arg Gly Pro Ser
          100          105          110

Phe Lys Pro Tyr Ser Gly Thr Ala Tyr Asn Ser Leu Ala Pro Lys Gly
          115          120          125

Ala Pro Asn Thr Cys Gln Trp Thr Tyr Lys Ala Gly Asp Thr Asp Thr
          130          135          140

Glu Lys Thr Tyr Thr Tyr Gly Asn Ala Pro Val Gln Gly Ile Ser Ile
145          150          155          160

Thr Lys Asp Gly Ile Gln Leu Gly Thr Asp Ser Asp Gly Gln Ala Ile
          165          170          175

Tyr Ala Asp Glu Thr Tyr Gln Pro Glu Pro Gln Val Gly Asp Ala Glu
          180          185          190

Trp His Asp Ile Thr Gly Thr Asp Glu Lys Tyr Gly Gly Arg Ala Leu
          195          200          205

Lys Pro Asp Thr Lys Met Lys Pro Cys Tyr Gly Ser Phe Ala Lys Pro
          210          215          220

Thr Asn Lys Glu Gly Gly Gln Ala Asn Val Lys Thr Glu Thr Gly Gly
225          230          235          240

Thr Lys Glu Tyr Asp Ile Asp Met Ala Phe Phe Asp Asn Arg Ser Ala
          245          250          255

Ala Ala Ala Gly Leu Ala Pro Glu Ile Val Leu Tyr Thr Glu Asn Val
          260          265          270

Asp Leu Glu Thr Pro Asp Thr His Ile Val Tyr Lys Ala Gly Thr Asp
          275          280          285

```


Asp Ser Ser Ser Ser Ile Asn Leu Gly Gln Gln Ser Met Pro Asn Arg
 290 295 300
 Pro Asn Tyr Ile Gly Phe Arg Asp Asn Phe Ile Gly Leu Met Tyr Tyr
 305 310 315 320
 Asn Ser Thr Gly Asn Met Gly Val Leu Ala Gly Gln Ala Ser Gln Leu
 325 330 335
 Asn Ala Val Val Asp Leu Gln Asp Arg Asn Thr Glu Leu Ser Tyr Gln
 340 345 350
 Leu Leu Leu Asp Ser Leu Gly Asp Arg Thr Arg Tyr Phe Ser Met Trp
 355 360 365
 Asn Gln Ala Val Asp Ser Tyr Asp Pro Asp Val Arg Ile Ile Glu Asn
 370 375 380
 His Gly Val Glu Asp Glu Leu Pro Asn Tyr Cys Phe Pro Leu Asp Ala
 385 390 395 400
 Val Gly Arg Thr Asp Thr Tyr Gln Gly Ile Lys Ala Asn Gly Asp Asn
 405 410 415
 Gln Thr Thr Trp Thr Lys Asp Asp Thr Val Asn Asp Ala Asn Glu Leu
 420 425 430
 Gly Lys Gly Asn Pro Phe Ala Met Glu Ile Asn Ile Gln Ala Asn Leu
 435 440 445
 Trp Arg Asn Phe Leu Tyr Ala Asn Val Ala Leu Tyr Leu Pro Asp Ser
 450 455 460
 Tyr Lys Tyr Thr Pro Ala Asn Ile Thr Leu Pro Thr Asn Thr Asn Thr
 465 470 475 480
 Tyr Asp Tyr Met Asn Gly Arg Val Val Ala Pro Ser Leu Val Asp Ala
 485 490 495
 Tyr Ile Asn Ile Gly Ala Arg Trp Ser Leu Asp Pro Met Asp Asn Val
 500 505 510
 Asn Pro Phe Asn His His Arg Asn Ala Gly Leu Arg Tyr Arg Ser Met
 515 520 525
 Leu Leu Gly Asn Gly Arg Tyr Val Pro Phe His Ile Gln Val Pro Gln
 530 535 540
 Lys Phe Phe Ala Ile Lys Ser Leu Leu Leu Leu Pro Gly Ser Tyr Thr
 545 550 555 560
 Tyr Glu Trp Asn Phe Arg Lys Asp Val Asn Met Ile Leu Gln Ser Ser
 565 570 575
 Leu Gly Asn Asp Leu Arg Thr Asp Gly Ala Ser Ile Ala Phe Thr Ser
 580 585 590

Ile	Asn	Leu	Tyr	Ala	Thr	Phe	Phe	Pro	Met	Ala	His	Asn	Thr	Ala	Ser	595	600	605	
Thr	Leu	Glu	Ala	Met	Leu	Arg	Asn	Asp	Thr	Asn	Asp	Gln	Ser	Phe	Asn	610	615	620	
Asp	Tyr	Leu	Ser	Ala	Ala	Asn	Met	Leu	Tyr	Pro	Ile	Pro	Ala	Asn	Ala	625	630	635	640
Thr	Asn	Val	Pro	Ile	Ser	Ile	Pro	Ser	Arg	Asn	Trp	Ala	Ala	Phe	Arg	645	650	655	
Gly	Trp	Ser	Phe	Thr	Arg	Leu	Lys	Thr	Arg	Glu	Thr	Pro	Ser	Leu	Gly	660	665	670	
Ser	Gly	Phe	Asp	Pro	Tyr	Phe	Val	Tyr	Ser	Gly	Ser	Ile	Pro	Tyr	Leu	675	680	685	
Asp	Gly	Thr	Phe	Tyr	Leu	Asn	His	Thr	Phe	Lys	Lys	Val	Ser	Ile	Thr	690	695	700	
Phe	Asp	Ser	Ser	Val	Ser	Trp	Pro	Gly	Asn	Asp	Arg	Leu	Leu	Thr	Pro	705	710	715	720
Asn	Glu	Phe	Glu	Ile	Lys	Arg	Thr	Val	Asp	Gly	Glu	Gly	Tyr	Asn	Val	725	730	735	
Ala	Gln	Cys	Asn	Met	Thr	Lys	Asp	Trp	Phe	Leu	Val	Gln	Met	Leu	Ala	740	745	750	
His	Tyr	Asn	Ile	Gly	Tyr	Gln	Gly	Phe	Tyr	Val	Pro	Glu	Gly	Tyr	Lys	755	760	765	
Asp	Arg	Met	Tyr	Ser	Phe	Phe	Arg	Asn	Phe	Gln	Pro	Met	Ser	Arg	Gln	770	775	780	
Val	Val	Asp	Glu	Val	Asn	Tyr	Lys	Asp	Tyr	Gln	Ala	Val	Thr	Leu	Ala	785	790	795	800
Tyr	Gln	His	Asn	Asn	Ser	Gly	Phe	Val	Gly	Tyr	Leu	Ala	Pro	Thr	Met	805	810	815	
Arg	Gln	Gly	Gln	Pro	Tyr	Pro	Ala	Asn	Tyr	Pro	Tyr	Pro	Leu	Ile	Gly	820	825	830	
Lys	Ser	Ala	Val	Ala	Ser	Val	Thr	Gln	Lys	Lys	Phe	Leu	Cys	Asp	Arg	835	840	845	
Val	Met	Trp	Arg	Ile	Pro	Phe	Ser	Ser	Asn	Phe	Met	Ser	Met	Gly	Ala	850	855	860	
Leu	Thr	Asp	Leu	Gly	Gln	Asn	Met	Leu	Tyr	Ala	Asn	Ser	Ala	His	Ala	865	870	875	880
Leu	Asp	Met	Asn	Phe	Glu	Val	Asp	Pro	Met	Asp	Glu	Ser	Thr	Leu	Leu	885	890	895	

Tyr Val Val Phe Glu Val Phe Asp Val Val Arg Val His Gln Pro His
 900 905 910

Arg Gly Val Ile Glu Ala Val Tyr Leu Arg Thr Pro Phe Ser Ala Gly
 915 920 925

Asn Ala Thr Thr
 930

<210> 12

<211> 443

<212> PRT

<213> chimpanzee adenovirus serotype Pan7

<400> 12

Met Ser Lys Lys Arg Val Arg Val Asp Asp Asp Phe Asp Pro Val Tyr
 1 5 10 15

Pro Tyr Asp Ala Asp Asn Ala Pro Thr Val Pro Phe Ile Asn Pro Pro
 20 25 30

Phe Val Ser Ser Asp Gly Phe Gln Glu Lys Pro Leu Gly Val Leu Ser
 35 40 45

Leu Arg Leu Ala Asp Pro Val Thr Thr Lys Asn Gly Glu Ile Thr Leu
 50 55 60

Lys Leu Gly Glu Gly Val Asp Leu Asp Ser Ser Gly Lys Leu Ile Ser
 65 70 75 80

Asn Thr Ala Thr Lys Ala Ala Ala Pro Leu Ser Phe Ser Asn Asn Thr
 85 90 95

Ile Ser Leu Asn Met Asp Thr Pro Leu Tyr Thr Lys Asp Gly Lys Leu
 100 105 110

Ser Leu Gln Val Ser Pro Pro Leu Asn Ile Leu Lys Ser Thr Ile Leu
 115 120 125

Asn Thr Leu Ala Val Ala Tyr Gly Ser Gly Leu Gly Leu Ser Gly Gly
 130 135 140

Thr Ala Leu Ala Val Gln Leu Ala Ser Pro Leu Thr Phe Asp Glu Lys
 145 150 155 160

Gly Asn Ile Lys Ile Asn Leu Ala Ser Gly Pro Leu Thr Val Asp Ala
 165 170 175

Ser Arg Leu Ser Ile Asn Cys Lys Arg Gly Val Thr Val Thr Thr Ser
 180 185 190

Gly Asp Ala Ile Glu Ser Asn Ile Ser Trp Pro Lys Gly Ile Arg Phe
 195 200 205

WO 03/046124

PCT/US02/33645

Glu Gly Asn Gly Ile Ala Ala Asn Ile Gly Arg Gly Leu Glu Phe Gly
 210 215 220
 Thr Thr Ser Thr Glu Thr Asp Val Thr Asp Ala Tyr Pro Ile Gln Val
 225 230 235 240
 Lys Leu Gly Thr Gly Leu Thr Phe Asp Ser Thr Gly Ala Ile Val Ala
 245 250 255
 Trp Asn Lys Glu Asp Asp Lys Leu Thr Leu Trp Thr Thr Ala Asp Pro
 260 265 270
 Ser Pro Asn Cys Lys Ile Tyr Ser Glu Lys Asp Ala Lys Leu Thr Leu
 275 280 285
 Cys Leu Thr Lys Cys Gly Ser Gln Ile Leu Gly Thr Val Thr Val Leu
 290 295 300
 Ala Val Asn Asn Gly Ser Leu Asn Pro Ile Thr Asn Thr Val Ser Thr
 305 310 315 320
 Ala Leu Val Ser Leu Lys Phe Asp Ala Ser Gly Val Leu Leu Ser Ser
 325 330 335
 Ser Thr Leu Asp Lys Glu Tyr Trp Asn Phe Arg Lys Gly Asp Val Thr
 340 345 350
 Pro Ala Glu Pro Tyr Thr Asn Ala Ile Gly Phe Met Pro Asn Ile Lys
 355 360 365
 Ala Tyr Pro Lys Asn Thr Ser Ala Ala Ser Lys Ser His Ile Val Ser
 370 375 380
 Gln Val Tyr Leu Asn Gly Asp Glu Ala Lys Pro Leu Met Leu Ile Ile
 385 390 395 400
 Thr Phe Asn Glu Thr Glu Asp Ala Thr Cys Thr Tyr Ser Ile Thr Phe
 405 410 415
 Gln Trp Lys Trp Asp Ser Thr Lys Tyr Thr Gly Glu Thr Leu Ala Thr
 420 425 430
 Ser Ser Phe Thr Phe Ser Tyr Ile Ala Gln Glu
 435 440

<210> 13
 <211> 338
 <212> PRT
 <213> simian serotype C1

<400> 13

Ala Pro Lys Gly Ala Pro Asn Thr Ser Gln Trp Leu Asp Lys Gly Val
 1 5 10 15

Thr	Thr	Thr	Asp	Asn	Asn	Thr	Glu	Asn	Gly	Asp	Glu	Glu	Asp	Glu	Val
			20					25					30		
Ala	Glu	Glu	Gly	Glu	Glu	Glu	Lys	Gln	Ala	Thr	Tyr	Thr	Phe	Gly	Asn
		35					40					45			
Ala	Pro	Val	Lys	Ala	Glu	Ala	Glu	Ile	Thr	Lys	Glu	Gly	Leu	Pro	Ile
	50					55					60				
Gly	Leu	Glu	Val	Pro	Ser	Glu	Gly	Asp	Pro	Lys	Pro	Ile	Tyr	Ala	Asp
65					70					75					80
Lys	Leu	Tyr	Gln	Pro	Glu	Pro	Gln	Val	Gly	Glu	Glu	Ser	Trp	Thr	Asp
				85					90					95	
Thr	Asp	Gly	Thr	Asp	Glu	Lys	Tyr	Gly	Gly	Arg	Ala	Leu	Lys	Pro	Glu
			100					105					110		
Thr	Lys	Met	Lys	Pro	Cys	Tyr	Gly	Ser	Phe	Ala	Lys	Pro	Thr	Asn	Val
		115					120					125			
Lys	Gly	Gly	Gln	Ala	Lys	Val	Lys	Lys	Val	Glu	Glu	Gly	Lys	Val	Glu
	130					135					140				
Tyr	Asp	Ile	Asp	Met	Asn	Phe	Phe	Asp	Leu	Arg	Ser	Gln	Lys	Thr	Gly
145					150					155					160
Leu	Lys	Pro	Lys	Ile	Val	Met	Tyr	Ala	Glu	Asn	Val	Asp	Leu	Glu	Thr
				165					170					175	
Pro	Asp	Thr	His	Val	Val	Tyr	Lys	Pro	Gly	Ala	Ser	Asp	Ala	Ser	Ser
			180					185					190		
His	Ala	Asn	Leu	Gly	Gln	Gln	Ser	Met	Pro	Asn	Arg	Pro	Asn	Tyr	Ile
		195					200					205			
Gly	Phe	Arg	Asp	Asn	Phe	Ile	Gly	Leu	Met	Tyr	Tyr	Asn	Ser	Thr	Gly
	210					215					220				
Asn	Met	Gly	Val	Leu	Ala	Gly	Gln	Ala	Ser	Gln	Leu	Asn	Ala	Val	Val
225					230					235					240
Asp	Leu	Gln	Asp	Arg	Asn	Thr	Glu	Leu	Ser	Tyr	Gln	Leu	Leu	Leu	Asp
				245					250					255	
Ser	Leu	Gly	Asp	Arg	Thr	Arg	Tyr	Phe	Ser	Met	Trp	Asn	Gln	Ala	Val
			260					265					270		
Asp	Ser	Tyr	Asp	Pro	Asp	Val	Arg	Val	Ile	Glu	Asn	His	Gly	Val	Glu
		275					280					285			
Asp	Glu	Leu	Pro	Asn	Tyr	Cys	Phe	Pro	Leu	Asp	Gly	Val	Gly	Pro	Arg
	290					295					300				
Thr	Asp	Ser	Tyr	Lys	Gly	Ile	Glu	Thr	Asn	Gly	Asp	Glu	Asn	Thr	Thr
305					310					315					320

WO 03/046124

PCT/US02/33645

Trp Lys Asp Leu Asp Pro Asn Gly Ile Ser Glu Leu Ala Lys Gly Asn
 325 330 335

Pro Phe

<210> 14
 <211> 315
 <212> PRT
 <213> chimpanzee adenovirus Pan-9

<400> 14

Ala Pro Lys Gly Ala Pro Asn Thr Cys Gln Trp Thr Tyr Lys Ala Asp
 1 5 10 15

Gly Glu Thr Ala Thr Glu Lys Thr Tyr Thr Tyr Gly Asn Ala Pro Val
 20 25 30

Gln Gly Ile Asn Ile Thr Lys Asp Gly Ile Gln Leu Gly Thr Asp Thr
 35 40 45

Asp Asp Gln Pro Ile Tyr Ala Asp Lys Thr Tyr Gln Pro Glu Pro Gln
 50 55 60

Val Gly Asp Ala Glu Trp His Asp Ile Thr Gly Thr Asp Glu Lys Tyr
 65 70 75 80

Gly Gly Arg Ala Leu Lys Pro Asp Thr Lys Met Lys Pro Cys Tyr Gly
 85 90 95

Ser Phe Ala Lys Pro Thr Asn Lys Glu Gly Gly Gln Ala Asn Val Lys
 100 105 110

Thr Gly Thr Gly Thr Thr Lys Glu Tyr Asp Ile Asp Met Ala Phe Phe
 115 120 125

Asp Asn Arg Ser Ala Ala Ala Ala Gly Leu Ala Pro Glu Ile Val Leu
 130 135 140

Tyr Thr Glu Asn Val Asp Leu Glu Thr Pro Asp Thr His Ile Val Tyr
 145 150 155 160

Lys Ala Gly Thr Asp Asp Ser Ser Ser Ser Ile Asn Leu Gly Gln Gln
 165 170 175

Ala Met Pro Asn Arg Pro Asn Tyr Ile Gly Phe Arg Asp Asn Phe Ile
 180 185 190

Gly Leu Met Tyr Tyr Asn Ser Thr Gly Asn Met Gly Val Leu Ala Gly
 195 200 205

Gln Ala Ser Gln Leu Asn Ala Val Val Asp Leu Gln Asp Arg Asn Thr
 210 215 220

WO 03/046124

PCT/US02/33645

Glu Leu Ser Tyr Gln Leu Leu Leu Asp Ser Leu Gly Asp Arg Thr Arg
 225 230 235 240
 Tyr Phe Ser Met Trp Asn Gln Ala Val Asp Ser Tyr Asp Pro Asp Val
 245 250 255
 Arg Ile Ile Glu Asn His Gly Val Glu Asp Glu Leu Pro Asn Tyr Cys
 260 265 270
 Phe Pro Leu Asp Ala Val Gly Arg Thr Asp Thr Tyr Gln Gly Ile Lys
 275 280 285
 Ala Asn Gly Thr Asp Gln Thr Thr Trp Thr Lys Asp Asp Ser Val Asn
 290 295 300
 Asp Ala Asn Glu Ile Gly Lys Gly Asn Pro Phe
 305 310 315

<210> 15
 <211> 315
 <212> PRT
 <213> chimpanzee adenovirus Pan-5

<400> 15

Ala Pro Lys Gly Ala Pro Asn Thr Cys Gln Trp Thr Tyr Lys Ala Asp
 1 5 10 15
 Gly Asp Thr Gly Thr Glu Lys Thr Tyr Thr Tyr Gly Asn Ala Pro Val
 20 25 30
 Gln Gly Ile Ser Ile Thr Lys Asp Gly Ile Gln Leu Gly Thr Asp Thr
 35 40 45
 Asp Asp Gln Pro Ile Tyr Ala Asp Lys Thr Tyr Gln Pro Glu Pro Gln
 50 55 60
 Val Gly Asp Ala Glu Trp His Asp Ile Thr Gly Thr Asp Glu Lys Tyr
 65 70 75 80
 Gly Gly Arg Ala Leu Lys Pro Asp Thr Lys Met Lys Pro Cys Tyr Gly
 85 90 95
 Ser Phe Ala Lys Pro Thr Asn Lys Glu Gly Gly Gln Ala Asn Val Lys
 100 105 110
 Thr Glu Thr Gly Gly Thr Lys Glu Tyr Asp Ile Asp Met Ala Phe Phe
 115 120 125
 Asp Asn Arg Ser Ala Ala Ala Ala Gly Leu Ala Pro Glu Ile Val Leu
 130 135 140
 Tyr Thr Glu Asn Val Asp Leu Glu Thr Pro Asp Thr His Ile Val Tyr
 145 150 155 160

Lys Ala Gly Thr Asp Asp Ser Ser Ser Ser Ile Asn Leu Gly Gln Gln
 165 170 175
 Ser Met Pro Asn Arg Pro Asn Tyr Ile Gly Phe Arg Asp Asn Phe Ile
 180 185 190
 Gly Leu Met Tyr Tyr Asn Ser Thr Gly Asn Met Gly Val Leu Ala Gly
 195 200 205
 Gln Ala Ser Gln Leu Asn Ala Val Val Asp Leu Gln Asp Arg Asn Thr
 210 215 220
 Glu Leu Ser Tyr Gln Leu Leu Leu Asp Ser Leu Gly Asp Arg Thr Arg
 225 230 235 240
 Tyr Phe Ser Met Trp Asn Gln Ala Val Asp Ser Tyr Asp Pro Asp Val
 245 250 255
 Arg Ile Ile Glu Asn His Gly Val Glu Asp Glu Leu Pro Asn Tyr Cys
 260 265 270
 Phe Pro Leu Asp Ala Val Gly Arg Thr Asp Thr Tyr Gln Gly Ile Lys
 275 280 285
 Ala Asn Gly Ala Asp Gln Thr Thr Trp Thr Lys Asp Asp Thr Val Asn
 290 295 300
 Asp Ala Asn Glu Leu Gly Lys Gly Asn Pro Phe
 305 310 315

<210> 16
 <211> 324
 <212> PRT
 <213> chimpanzee adenovirus Pan-6

<400> 16

Ala Pro Lys Gly Ala Pro Asn Ser Ser Gln Trp Glu Gln Ala Lys Thr
 1 5 10 15
 Gly Asn Gly Gly Thr Met Glu Thr His Thr Tyr Gly Val Ala Pro Met
 20 25 30
 Gly Gly Glu Asn Ile Thr Lys Asp Gly Leu Gln Ile Gly Thr Asp Val
 35 40 45
 Thr Ala Asn Gln Asn Lys Pro Ile Tyr Ala Asp Lys Thr Phe Gln Pro
 50 55 60
 Glu Pro Gln Val Gly Glu Glu Asn Trp Gln Glu Thr Glu Asn Phe Tyr
 65 70 75 80
 Gly Gly Arg Ala Leu Lys Lys Asp Thr Lys Met Lys Pro Cys Tyr Gly
 85 90 95

WO 03/046124

PCT/US02/33645

Ser Tyr Ala Arg Pro Thr Asn Glu Lys Gly Gly Gln Ala Lys Leu Lys
 100 105 110
 Val Gly Asp Asp Gly Val Pro Thr Lys Glu Phe Asp Ile Asp Leu Ala
 115 120 125
 Phe Phe Asp Thr Pro Gly Gly Thr Val Asn Gly Gln Asp Glu Tyr Lys
 130 135 140
 Ala Asp Ile Val Met Tyr Thr Glu Asn Thr Tyr Leu Glu Thr Pro Asp
 145 150 155 160
 Thr His Val Val Tyr Lys Pro Gly Lys Asp Asp Ala Ser Ser Glu Ile
 165 170 175
 Asn Leu Val Gln Gln Ser Met Pro Asn Arg Pro Asn Tyr Ile Gly Phe
 180 185 190
 Arg Asp Asn Phe Ile Gly Leu Met Tyr Tyr Asn Ser Thr Gly Asn Met
 195 200 205
 Gly Val Leu Ala Gly Gln Ala Ser Gln Leu Asn Ala Val Val Asp Leu
 210 215 220
 Gln Asp Arg Asn Thr Glu Leu Ser Tyr Gln Leu Leu Leu Asp Ser Leu
 225 230 235 240
 Gly Asp Arg Thr Arg Tyr Phe Ser Met Trp Asn Gln Ala Val Asp Ser
 245 250 255
 Tyr Asp Pro Asp Val Arg Ile Ile Glu Asn His Gly Val Glu Asp Glu
 260 265 270
 Leu Pro Asn Tyr Cys Phe Pro Leu Asp Gly Ser Gly Thr Asn Ala Ala
 275 280 285
 Tyr Gln Gly Val Lys Val Lys Asp Gly Gln Asp Gly Asp Val Glu Ser
 290 295 300
 Glu Trp Glu Asn Asp Asp Thr Val Ala Ala Arg Asn Gln Leu Cys Lys
 305 310 315 320
 Gly Asn Ile Phe

<210> 17
 <211> 314
 <212> PRT
 <213> chimpanzee adenovirus Pan-7

<400> 17

Ala Pro Lys Gly Ala Pro Asn Thr Cys Gln Trp Thr Tyr Lys Ala Gly
 1 5 10 15
 Asp Thr Asp Thr Glu Lys Thr Tyr Thr Tyr Gly Asn Ala Pro Val Gln
 20 25 30

Gly	Ile	Ser	Ile	Thr	Lys	Asp	Gly	Ile	Gln	Leu	Gly	Thr	Asp	Ser	Asp	35	40	45
Gly	Gln	Ala	Ile	Tyr	Ala	Asp	Glu	Thr	Tyr	Gln	Pro	Glu	Pro	Gln	Val	50	55	60
Gly	Asp	Ala	Glu	Trp	His	Asp	Ile	Thr	Gly	Thr	Asp	Glu	Lys	Tyr	Gly	65	70	75
Gly	Arg	Ala	Leu	Lys	Pro	Asp	Thr	Lys	Met	Lys	Pro	Cys	Tyr	Gly	Ser	85	90	95
Phe	Ala	Lys	Pro	Thr	Asn	Lys	Glu	Gly	Gly	Gln	Ala	Asn	Val	Lys	Thr	100	105	110
Glu	Thr	Gly	Gly	Thr	Lys	Glu	Tyr	Asp	Ile	Asp	Met	Ala	Phe	Phe	Asp	115	120	125
Asn	Arg	Ser	Ala	Ala	Ala	Ala	Gly	Leu	Ala	Pro	Glu	Ile	Val	Leu	Tyr	130	135	140
Thr	Glu	Asn	Val	Asp	Leu	Glu	Thr	Pro	Asp	Thr	His	Ile	Val	Tyr	Lys	145	150	155
Ala	Gly	Thr	Asp	Asp	Ser	Ser	Ser	Ser	Ile	Asn	Leu	Gly	Gln	Gln	Ser	165	170	175
Met	Pro	Asn	Arg	Pro	Asn	Tyr	Ile	Gly	Phe	Arg	Asp	Asn	Phe	Ile	Gly	180	185	190
Leu	Met	Tyr	Tyr	Asn	Ser	Thr	Gly	Asn	Met	Gly	Val	Leu	Ala	Gly	Gln	195	200	205
Ala	Ser	Gln	Leu	Asn	Ala	Val	Val	Asp	Leu	Gln	Asp	Arg	Asn	Thr	Glu	210	215	220
Leu	Ser	Tyr	Gln	Leu	Leu	Leu	Asp	Ser	Leu	Gly	Asp	Arg	Thr	Arg	Tyr	225	230	235
Phe	Ser	Met	Trp	Asn	Gln	Ala	Val	Asp	Ser	Tyr	Asp	Pro	Asp	Val	Arg	245	250	255
Ile	Ile	Glu	Asn	His	Gly	Val	Glu	Asp	Glu	Leu	Pro	Asn	Tyr	Cys	Phe	260	265	270
Pro	Leu	Asp	Ala	Val	Gly	Arg	Thr	Asp	Thr	Tyr	Gln	Gly	Ile	Lys	Ala	275	280	285
Asn	Gly	Asp	Asn	Gln	Thr	Thr	Trp	Thr	Lys	Asp	Asp	Thr	Val	Asn	Asp	290	295	300
Ala	Asn	Glu	Leu	Gly	Lys	Gly	Asn	Pro	Phe							305	310	

WO 03/046124

PCT/US02/33645

<210> 18
 <211> 179
 <212> PRT
 <213> chimpanzee adenovirus Pan9

<400> 18

Thr	Leu	Trp	Thr	Thr	Pro	Asp	Pro	Ser	Pro	Asn	Cys	Gln	Ile	Leu	Ala
1				5					10					15	
Glu	Asn	Asp	Ala	Lys	Leu	Thr	Leu	Cys	Leu	Thr	Lys	Cys	Gly	Ser	Gln
			20					25					30		
Ile	Leu	Ala	Thr	Val	Ser	Val	Leu	Val	Val	Gly	Ser	Gly	Asn	Leu	Asn
		35					40					45			
Pro	Ile	Thr	Gly	Thr	Val	Ser	Ser	Ala	Gln	Val	Phe	Leu	Arg	Phe	Asp
	50					55					60				
Ala	Asn	Gly	Val	Leu	Leu	Thr	Glu	His	Ser	Thr	Leu	Lys	Lys	Tyr	Trp
65					70					75					80
Gly	Tyr	Arg	Gln	Gly	Asp	Ser	Ile	Asp	Gly	Thr	Pro	Tyr	Thr	Asn	Ala
				85					90					95	
Val	Gly	Phe	Met	Pro	Asn	Leu	Lys	Ala	Tyr	Pro	Lys	Ser	Gln	Ser	Ser
			100					105					110		
Thr	Thr	Lys	Asn	Asn	Ile	Val	Gly	Gln	Val	Tyr	Met	Asn	Gly	Asp	Val
		115					120					125			
Ser	Lys	Pro	Met	Leu	Leu	Thr	Ile	Thr	Leu	Asn	Gly	Thr	Asp	Asp	Ser
	130					135					140				
Asn	Ser	Thr	Tyr	Ser	Met	Ser	Phe	Ser	Tyr	Thr	Trp	Thr	Asn	Gly	Ser
145					150					155					160
Tyr	Val	Gly	Ala	Thr	Phe	Gly	Ala	Asn	Ser	Tyr	Thr	Phe	Ser	Tyr	Ile
				165					170					175	

Ala Gln Glu

<210> 19
 <211> 185
 <212> PRT
 <213> chimpanzee adenovirus Pan6

<400> 19

Thr	Leu	Trp	Thr	Thr	Pro	Asp	Pro	Ser	Pro	Asn	Cys	Gln	Leu	Leu	Ser
1				5					10					15	
Asp	Arg	Asp	Ala	Lys	Phe	Thr	Leu	Cys	Leu	Thr	Lys	Cys	Gly	Ser	Gln
			20					25					30		

WO 03/046124

PCT/US02/33645

Ile Leu Gly Thr Val Ala Val Ala Ala Val Thr Val Gly Ser Ala Leu
 35 40 45
 Asn Pro Ile Asn Asp Thr Val Lys Ser Ala Ile Val Phe Leu Arg Phe
 50 55 60
 Asp Ser Asp Gly Val Leu Met Ser Asn Ser Ser Met Val Gly Asp Tyr
 65 70 75 80
 Trp Asn Phe Arg Glu Gly Gln Thr Thr Gln Ser Val Ala Tyr Thr Asn
 85 90 95
 Ala Val Gly Phe Met Pro Asn Ile Gly Ala Tyr Pro Lys Thr Gln Ser
 100 105 110
 Lys Thr Pro Lys Asn Ser Ile Val Ser Gln Val Tyr Leu Thr Gly Glu
 115 120 125
 Thr Thr Met Pro Met Thr Leu Thr Ile Thr Phe Asn Gly Thr Asp Glu
 130 135 140
 Lys Asp Thr Thr Pro Val Ser Thr Tyr Ser Met Thr Phe Thr Trp Gln
 145 150 155 160
 Trp Thr Gly Asp Tyr Lys Asp Lys Asn Ile Thr Phe Ala Thr Asn Ser
 165 170 175
 Phe Ser Phe Ser Tyr Ile Ala Gln Glu
 180 185

<210> 20
 <211> 179
 <212> PRT
 <213> chimpanzee adenovirus Pan7

<400> 20

Thr Leu Trp Thr Thr Ala Asp Pro Ser Pro Asn Cys Lys Ile Tyr Ser
 1 5 10 15
 Glu Lys Asp Ala Lys Leu Thr Leu Cys Leu Thr Lys Cys Gly Ser Gln
 20 25 30
 Ile Leu Gly Thr Val Thr Val Leu Ala Val Asn Asn Gly Ser Leu Asn
 35 40 45
 Pro Ile Thr Asn Thr Val Ser Thr Ala Leu Val Ser Leu Lys Phe Asp
 50 55 60
 Ala Ser Gly Val Leu Leu Ser Ser Ser Thr Leu Asp Lys Glu Tyr Trp
 65 70 75 80
 Asn Phe Arg Lys Gly Asp Val Thr Pro Ala Glu Pro Tyr Thr Asn Ala
 85 90 95

Ile Gly Phe Met Pro Asn Ile Lys Ala Tyr Pro Lys Asn Thr Ser Ala
 100 105 110

Ala Ser Lys Ser His Ile Val Ser Gln Val Tyr Leu Asn Gly Asp Glu
 115 120 125

Ala Lys Pro Leu Met Leu Ile Ile Thr Phe Asn Glu Thr Glu Asp Ala
 130 135 140

Thr Cys Thr Tyr Ser Ile Thr Phe Gln Trp Lys Trp Asp Ser Thr Lys
 145 150 155 160

Tyr Thr Gly Glu Thr Leu Ala Thr Ser Ser Phe Thr Phe Ser Tyr Ile
 165 170 175

Ala Gln Glu

<210> 21

<211> 179

<212> PRT

<213> chimpanzee adenovirus Pan5

<400> 21

Thr Leu Trp Thr Thr Ala Asp Pro Ser Pro Asn Cys His Ile Tyr Ser
 1 5 10 15

Glu Lys Asp Ala Lys Leu Thr Leu Cys Leu Thr Lys Cys Gly Ser Gln
 20 25 30

Ile Leu Gly Thr Val Ser Leu Ile Ala Val Asp Thr Gly Ser Leu Asn
 35 40 45

Pro Ile Thr Gly Thr Val Thr Thr Ala Leu Val Ser Leu Lys Phe Asp
 50 55 60

Ala Asn Gly Val Leu Gln Ser Ser Ser Thr Leu Asp Ser Asp Tyr Trp
 65 70 75 80

Asn Phe Arg Gln Gly Asp Val Thr Pro Ala Glu Ala Tyr Thr Asn Ala
 85 90 95

Ile Gly Phe Met Pro Asn Leu Lys Ala Tyr Pro Lys Asn Thr Ser Gly
 100 105 110

Ala Ala Lys Ser His Ile Val Gly Lys Val Tyr Leu His Gly Asp Thr
 115 120 125

Gly Lys Pro Leu Asp Leu Ile Ile Thr Phe Asn Glu Thr Ser Asp Glu
 130 135 140

Ser Cys Thr Tyr Cys Ile Asn Phe Gln Trp Gln Trp Gly Ala Asp Gln
 145 150 155 160

Tyr Lys Asn Glu Thr Leu Ala Val Ser Ser Phe Thr Phe Ser Tyr Ile
 165 170 175

WO 03/046124

PCT/US02/33645

Ala Lys Glu

<210> 22
 <211> 183
 <212> PRT
 <213> human adenovirus Ad 2

<400> 22

Thr Leu Trp Thr Thr Pro Asp Pro Ser Pro Asn Cys Arg Ile His Ser
 1 5 10 15
 Asp Asn Asp Cys Lys Phe Thr Leu Val Leu Thr Lys Cys Gly Ser Gln
 20 25 30
 Val Leu Ala Thr Val Ala Ala Leu Ala Val Ser Gly Asp Leu Ser Ser
 35 40 45
 Met Thr Gly Thr Val Ala Ser Val Ser Ile Phe Leu Arg Phe Asp Gln
 50 55 60
 Asn Gly Val Leu Met Glu Asn Ser Ser Leu Lys Lys His Tyr Trp Asn
 65 70 75 80
 Phe Arg Asn Gly Asn Ser Thr Asn Ala Asn Pro Tyr Thr Asn Ala Val
 85 90 95
 Gly Phe Met Pro Asn Leu Leu Ala Tyr Pro Lys Thr Gln Ser Gln Thr
 100 105 110
 Ala Lys Asn Asn Ile Val Ser Gln Val Tyr Leu His Gly Asp Lys Thr
 115 120 125
 Lys Pro Met Ile Leu Thr Ile Thr Leu Asn Gly Thr Ser Glu Ser Thr
 130 135 140
 Glu Thr Ser Glu Val Ser Thr Tyr Ser Met Ser Phe Thr Trp Ser Trp
 145 150 155 160
 Glu Ser Gly Lys Tyr Thr Thr Glu Thr Phe Ala Thr Asn Ser Tyr Thr
 165 170 175
 Phe Ser Tyr Ile Ala Gln Glu
 180

<210> 23
 <211> 182
 <212> PRT
 <213> human adenovirus Ad 5

<400> 23

Thr Leu Trp Thr Thr Pro Ala Pro Ser Pro Asn Cys Arg Leu Asn Ala
 1 5 10 15

Glu Lys Asp Ala Lys Leu Thr Leu Val Leu Thr Lys Cys Gly Ser Gln
 20 25 30
 Ile Leu Ala Thr Val Ser Val Leu Ala Val Lys Gly Ser Leu Ala Pro
 35 40 45
 Ile Ser Gly Thr Val Gln Ser Ala His Leu Ile Ile Arg Phe Asp Glu
 50 55 60
 Asn Gly Val Leu Ile Asn Asn Ser Phe Leu Asp Pro Glu Tyr Trp Asn
 65 70 75 80
 Phe Arg Asn Gly Asp Leu Thr Glu Gly Thr Ala Tyr Thr Asn Ala Val
 85 90 95
 Gly Phe Met Pro Asn Leu Ser Ala Tyr Pro Lys Ser His Gly Lys Thr
 100 105 110
 Ala Lys Ser Asn Ile Val Ser Gln Val Tyr Leu Asn Gly Asp Lys Thr
 115 120 125
 Lys Pro Val Thr Leu Thr Ile Thr Leu Asn Gly Thr Gln Glu Thr Gly
 130 135 140
 Asp Thr Thr Pro Ser Ala Tyr Ser Met Ser Phe Ser Trp Asp Trp Ser
 145 150 155 160
 Gly His Asn Tyr Ile Asn Glu Ile Phe Ala Thr Ser Ser Tyr Thr Glu
 165 170 175
 Ser Tyr Ile Ala Gln Glu
 180

<210> 24
 <211> 34264
 <212> DNA
 <213> simian adenovirus SV-1

<220>
 <221> CDS
 <222> (12454)..(13965)
 <223> L2 Penton

<220>
 <221> CDS
 <222> (16841)..(19636)
 <223> L3 Hexon

<220>
 <221> CDS
 <222> (28059)..(29150)
 <223> L5 Fiber #2

<220>

<221> CDS

<222> (29183)..(30865)

<223> L5 Fiber #1

<400> 24

```

tccttattct ggaaacgtgc caatatgata atgagcgggg aggagcgagg cggggccggg      60
gtgacgtgcg gtgacgtggg gtgacgcggg gtggcgcgag ggcggggcgg gagtggggag      120
gcgcttagtt ttacgtatg cggaaggagg tttataaccg gaagttgggt aatttgggcg      180
tatacttgta agttttgtgt aatttggcgc gaaaaccggg taatgaggaa gttgaggtta      240
atatgtactt tttatgactg ggcggaattt ctgctgatca gcagtgaact ttgggcgctg      300
acggggagggt ttcgctacgt ggcagtacca cgagaaggct caaagggtccc atttattgta      360
ctcctcagcg ttttcgctgg gtatttaaac gctgtcagat catcaagagg ccactcttga      420
gtgccggcga gtagagtttt ctcctccgcg ctgccgcgat gaggctgggt cccgagatgt      480
acggtgtttt ctgcagcgag acggcccgga actcagatga gctgcttaat acagatctgc      540
tggatgttcc caactcgcct gtggcttcgc ctccgtcgct tcatgatctt ttcgatgtgg      600
aagtggatcc accgcaagat cccaacgagg acgcggtaaa cagtatgttc cctgaatgtc      660
tgtttgaggc ggctgaggag ggttctcaca gcagtgaaga gagcagacgg ggagaggaac      720
tggacttgaa atgctacgag gaatgtctgc cttctagcga ttctgaaacg gaacagacag      780
ggggagacgg ctgtgagtcg gcaatgaaaa atgaacttgt attagactgt ccagaacatc      840
ctggtcatgg ctgccgtgcc tgtgcttttc atagaaatgc cagcggaaat cctgagactc      900
tatgtgctct gtgttatctg cgccttacca gcgattttgt atacagtaag taaagtgttt      960
tcattggcgt acggtagggg attcgttgaa gtgctttgtg acttattatg tgtcattatt     1020
tctaggtgac gtgtccgacg tggaagggga aggagataga tcaggggctg ctaattctcc     1080
ttgcactttg ggggctgtgg ttccagttgg cattttttaa ccgagtgggtg gaggagaacg     1140
agccggagga gaccgagaat ctgagagccg gcctggaccc tccagtggaa gactaggtgc     1200
tgaggatgat cctgaagagg ggactagtgg gggtgctagg aaaaagcaaa aaactgagcc     1260
tgaacctaga aactttttga atgagttgac tgtaagccta atgaatcggc agcgtcctga     1320
gacggtgttt tggactgagt tggaggatga gttcaagaag ggggaattaa acctcttgta     1380
caagtatggg tttgagcagt tgaaaactca ctggttgag ccgtagggagg atatggaaat     1440
ggctctagac acctttgcta aagtggctct gcggccggat aaagtttaca ctattcgccg     1500

```


cactgttaat ataaaaaaga gtgttttatgt tatcggccat ggagctctgg tgcaggtgca 1560
 gaccccagac cgggtggctt tcaattgcgg catgcagagt ttggggccccg gggatgatagg 1620
 tttgaatgga gttacatttc aaaatgtcag gtttactggg gatgatttta atggctctgt 1680
 gtttgtgact agcaccacagc taaccctcca cgggtgtttac ttttttaact ttaacaatac 1740
 atgtgtggag tcatggggta ggggtgtctct gaggggctgc agttttcatg gttgctggaa 1800
 ggcgggtggg ggaagaatta aaagtgtcat gtctgtgaag aaatgcatac ttgaacgctg 1860
 tgtgatagct ctagcagtag aggggtacgg acggatcagg aataacgccg catctgagaa 1920
 tggatgtttt cttttgctga aagggtacggc cagcgttaag cataatatga tttgcggcag 1980
 cggcctgtgc ccctcgcagc tcttaacttg cgcagatgga aactgtcaca ctttgcgcac 2040
 cgtgcacata gtgtcccact cgcgccgcac ctggccaaca tttgagcaca atatgctcat 2100
 gcgttgccgc gttcacctag gtgctagacg cggcgtgttt atgccttacc aatgtaactt 2160
 tagtcatact aagattttgc tggaaactga ttccttcctt cgagtatgtt tcaatggggg 2220
 gtttgacatg tcaatggaac tttttaaagt gataagatat gatgaaacca agtctcgttg 2280
 tcgctcatgt gaatgcggag ctaatcattt gaggttgtat cctgtaaccg tgaacgttac 2340
 cgaggagctg aggacggacc accacatgct gtcttgccct cgtaccgact atgaatccag 2400
 cgatgaggag tgaggtgagg ggcggagcca caaagggtat aaaggggcat gaggggtggg 2460
 cgcgggtgtt caaaatgagc gggacgacgg acggcaatgc gtttgagggg ggagtgttca 2520
 gcccatatct gacatctcgt cttccttcct gggcaggagt tcgtcagaat gtagtgggct 2580
 ccaccgtgga cggacggccg gtcgcccctg caaattccgc caccctcacc tatgccaccg 2640
 tgggatcatc gttggacact gccgcggcag ctgccgcttc tgctgccgct tctactgctc 2700
 gcggcatggc ggctgatttt ggactatata accaactggc cactgcagct gtggcgtctc 2760
 ggtctctggg tcaagaagat gccctgaatg tgatcttgac tcgcctggag atcatgtcac 2820
 gtcgcctgga cgaactggct gcgcagatat cccaagctaa ccccgatacc gcttcagaat 2880
 cttaaaataa agacaaacaa atttgttgaa aagtaaaatg gctttatttg ttttttttg 2940
 ctcggtaggc tcgggtccac ctgtctcggg cgttaaggac tttgtgtatg ttttccaaaa 3000
 cacggtacag atgggcttgg atgttcaagt acatgggcat gaggccatct ttgggggtgga 3060
 gataggacca ctgaagagcg tcatgttccg ggggtgtatt gtaaatacacc cagtcgtagc 3120
 agggtttttg agcgtggaac tggaatatgt ctttcaggag caggctaata gcccaagggt 3180
 gacccttagt gtaggtgttt acaaagcggg tgagctggga gggatgcatg cgggggggaga 3240

tgatatgcat cttggcttgg attttgaggt tagctatggt accacccagg tctctgcggg	3300
ggttcatggt atgaaggacc accagcacgg tatagccagt gcatttgggg aacttgtcat	3360
gcagtttgga ggggaaggcg tggaagaatt tagatacccc cttgtgcccc cctagggtttt	3420
ccatgcactc atccataata atggcaatgg gacccctggc ggccgcttta gcaaacacgt	3480
tttggggggtt ggaaacatca tagttttgct ctagagttag ctcacatag gccatcttta	3540
caaagcgggg taggaggggtg cccgactggg ggatgatagt tccatctggg cctggagcgt	3600
agttgccctc acagatctgc atctcccagg ccttaatttc cgaggggggg atcatgtcca	3660
cctggggggc gataaaaaac acggtttctg gcgggggggtt aatgagctgg gtggaaagca	3720
agttacgcaa cagctgggat ttgccgcaac cggtgggacc gtagatgacc ccgatgacgg	3780
gttgcagctg gtagttcaga gaggaacagc tgccgtcggg gcgcaggagg ggagctacct	3840
cattcatcat gcttctgaca tgtttatttt cactcactaa gttttgcaag agcctctccc	3900
caccagggga taagagttct tccaggctgt tgaagtgttt cagcggtttc aggccgtcgg	3960
ccatgggcat cttttcaagc gactgacgaa gcaagtacag tcggtcccag agctcgggtga	4020
cgtgctctat ggaatctcga tccagcagac ttcttggttt cgggggttgg gccgactttc	4080
gctgtagggc accagccggt gggcgtccag ggccgcgagg gttctgtcct tccagggtct	4140
cagcgttcgg gtgaggggtg tctcggtgac ggtgaaggga tgagccccgg gctgggcgct	4200
tgcgaggggtg cgcttcaggc tcacccctgct ggtgctgaag cgggcgtcgt ctccctgtga	4260
gtcggccaga tagcaacgaa gcatgaggtc gtagctgagg gactcggccg cgtgtccctt	4320
ggcgcgcagc tttcccttgg aaacgtgctg acatttgggtg cagtgcagac acttgagggc	4380
gtagagtttt ggggccagga agaccgactc gggcgagtag gcgtcggctc cgcactgagc	4440
gcagacggtc tcgcactcca ccagccacgt gagctcgggt ttagcgggat caaaaaccaa	4500
gttgcctcca ttttttttga tgcgtttctt accttgcgtc tccatgagtc tgtgtcccgc	4560
ttccgtgaca aaaaggctgt cggtatcccc gtagaccgac ttgagggggc gatcttccaa	4620
aggtgttccg aggtcttccg cgtacaggaa ctgggaccac tccgagacaa aggctcgggt	4680
ccaggctaac acgaaggagg cgatctgcga ggggtatctg tcgttttcaa tgagggggtc	4740
caccttttcc aggggtgtgca gacacaggtc gtcctcctcc gcgtccacga aggtgattgg	4800
cttgtaagtg taggtcacgt gaccgcacc ccccaagggt gtataaaagg gggcgtgccc	4860
actctccccg tcactttctt ccgcatcgct gtggaccaga gccagctggt cgggtgagta	4920

ggccctctca	aaagccggca	tgatttcggc	gctcaagttg	tcagtttcta	caaacgaggt	4980
ggatttgata	ttcacgtgcc	ccgcggcgat	gcttttgatg	gtggaggggt	ccatctgac	5040
agaaaacacg	atctttttat	tgtcaagttt	ggtggcgaaa	gacccgtaga	gggcgttgga	5100
aagcaacttg	gcgatggagc	gcagggtctg	atttttctcc	cgatcggccc	tctccttggc	5160
ggcgatgttg	agttgcacgt	actcgcgggc	cacgcaccgc	cactcgggga	acacggcggt	5220
gcgctcgtcg	ggcaggatgc	gcacgcgcca	gccgcggttg	tgcagggtga	tgagggtccac	5280
gctggtggcc	acctccccgc	ggaggggctc	gttggtccaa	cacaatcgcc	ccccttttct	5340
ggagcagaac	ggaggcaggg	gatctagcaa	gttggcgggc	gggggggtcgg	cgtcgatggt	5400
aaatatgccg	ggtagcagaa	ttttattaaa	ataatcgatt	tcggtgtccg	tgtcttgcaa	5460
cgcgctcttc	cacttcttca	ccgccagggc	cctttcgtag	ggattcaggg	gcggtcccca	5520
gggcatgggg	tgggtcaggg	ccgaggcgta	catgccgcag	atgtcgtaca	cgtacagggg	5580
ctccctcaac	accccgatgt	aagtggggta	acagcgcccc	ccgcggatgc	tggctcgcac	5640
gtagtcgtac	atctcgtgag	agggagccat	gagcccgtct	cccaagtggg	tcttggtggg	5700
tttttcggcc	cggtagagga	tctgcctgaa	gatggcgtgg	gagttggaag	agatagtggg	5760
gcgttggaag	acgttaaagt	tggctccggg	cagtcccacg	gagtcttgga	tgaactgggc	5820
gtaggattcc	cggagcttgt	ccaccagggc	tgcggttacc	agcacgtcga	gagcgcagta	5880
gtccaacgtc	tcgcggacca	ggttgtaggc	cgtctcttgt	tttttctccc	acagttcgcg	5940
attgaggagg	tattcctcgc	ggtctttcca	gtactcttcg	gcgggaaatc	ctttttcgtc	6000
cgctcggtaa	gaacctaac	tgtaaaattc	gttcacggct	ttgtatggac	aacagccttt	6060
ttctaccggc	agggcgtagc	cttgagcggc	ctttctgaga	gaggtgtggg	tgagggcgaa	6120
ggtgtcccgc	accatcactt	tcaggtagct	atgtttgaag	tccgtgtcgt	cgcaggcgcc	6180
ctgttcccac	agcgtgaagt	cgggtgcgct	tttctgcctg	ggattgggga	gggcgaatgt	6240
gacgtcgtta	aagaggatth	tcccggcgcg	gggcatgaag	ttgcgagaga	tcctgaaggg	6300
tccgggcacg	tccgagcggt	tgttgatgac	ttgcgcccgc	aggacgatct	cgtcgaagcc	6360
gttgatgttg	tggcccacga	tgtaaagtcc	gataaagcgc	ggctgtccct	tgagggccgg	6420
cgcttttttc	aactcctcgt	aggtgagaca	gtccggcgag	gagagacca	gctccgcccg	6480
ggcccagtcg	gagagctgag	ggttagccgc	gaggaaagag	ctccacaggt	caagggttag	6540
cagagtttgc	aagcggtcgc	ggaactcgcg	aaactttttc	cccacggcca	ttttctccgg	6600
cgtcaccacg	tagaaagtgc	aggggcggtc	gttccagacg	tcccatcgga	gctctagggc	6660

cagctcgcag gcttgacgaa cgaggggtctc ctgccccgag acgtgcatga ccagcatgaa 6720
 gggtagcaaac tgtttcccga acgagcccat ccatgtgtag gtttctacgt cgtaggtgac 6780
 aaagagccgc tgggtgcgcg cgtgggagcc gatcgggaag aagctgatct cctgccacca 6840
 gttggaggaa tgggtgttga tgtggtgaaa gtagaagtcc cgccggcgca cagagcattc 6900
 gtgctgatgt ttgtaaaagc gaccgcagta gtcgcagcgc tgcacgctct gtatctcctg 6960
 aatgagatgc gcttttccgc cgcgaccag aaaccggagg gggaagttga gacgggggct 7020
 tgggtggggcg gcatcccctt cgccttggcg gtgggagtct gcgtctgcgc cctccttctc 7080
 tgggtggacg acggtgggga cgacgacgcc ccgggtgccg caagtccaga tctccgccac 7140
 ggagggggcg aggcgttgca ggaggggacg cagctgcccg ctgtccaggg agtcgagggc 7200
 ggccgcgctg aggtcggcgg gaagcgtttg caagttcact ttcagaagac cggtaagagc 7260
 gtgagccagg tgcacatggt acttgatttc caggggggtg ttggaagagg cgtccacggc 7320
 gtagaggagg ccgtgtccgc gcggggccac caccgtgcc cgaggagggt ttatctcact 7380
 cgtcaggggc gagcgccggg gggtagaggc ggctctgcgc cggggggcag cggaggcagt 7440
 ggcacgtttt cgtgaggatt cggcagcggc tgatgacgag cccggagact gctggcgtgg 7500
 gcgacgacgc ggcggttgag gtcctggatg tgccgtctct gcgtgaagac caccggcccc 7560
 cgggtcctga acctgaaaga gagttccaca gaatcaatgt ctgcatcggt aacggcggcc 7620
 tgcctgagga tctcctgtac gtcgccccgag ttgtcttgat aggcgatctc ggccatgaac 7680
 tgctccactt cttcctcgcg gaggtcgccg tggcccgtct gctccacggg ggcggccagg 7740
 tcgttgagga tgcgacgcat gagttgagag aaggcgttga ggccgttctc gttccacacg 7800
 cggctgtaca ccacgtttcc gaaggagtcg cgcgctcgca tgaccacctg ggccacgttg 7860
 agttccacgt ggcgggagaa gacggcgtag tttctgaggc gctggaagag gtagttgagc 7920
 gtggtggcga tgtgctcgca gacgaagaag tacatgatcc agcggcgag ggtcatctcg 7980
 ttgatgtctc cgatggcttc gagacgctcc atggcctcgt agaagtcgac ggcgaagttg 8040
 aaaaattggg agttgcgggc ggccaccgtg agttcttctt gcaggaggcg gatgagatcg 8100
 gcgaccgtgt cgcgcacctc ctgctcgaaa gcgccccgag gcgcctctgc ttcttcctcc 8160
 ggctcctcct cttccagggg cacgggttcc tccggcagct ctgcgacggg gacggggcgg 8220
 cgacgtcgtc gtctgaccgg caggcggtcc acgaagcgct cgatcatttc gccgcgccgg 8280
 cgacgcatgg tctcggtgac ggcgcgtccg ttttcgcgag gtcgcagttc gaagacgccg 8340

ccgcgcagag	cgcccccggtg	cagggaggggt	aagtgggttag	ggccggtcggg	cagggacacg	8400
gcgctgacga	tgcatttttat	caattgctgc	gtaggcactc	cgtgcaggga	tctgagaacg	8460
tcgaggtcga	cgggatccga	gaacttctct	aggaaagcgt	ctatccaatc	gcagtcgcaa	8520
ggtaagctga	ggacgggtggg	ccgctggggg	gcgtccgcgg	gcagttggga	ggtgatgctg	8580
ctgatgatgt	aattaaagta	ggcggctctc	aggcggcgga	tgggtggcgag	gaggaccacg	8640
tctttggggc	cggcctgttg	aatgcgcagg	cgctcggcca	tgccccaggc	ctcgctctga	8700
cagcgacgca	ggtcttttgta	gtagtcttgc	atcagtctct	ccaccggaac	ctctgcttct	8760
cccctgtctg	ccatgcgagt	cgagccgaac	ccccgcaggg	gctgcagcaa	cgctagggtcg	8820
gccacgaccc	tctcggccag	cacggcctgt	tggatctgcg	tgaggggtgg	ctggaagtcg	8880
tccagggtcca	cgaagcgggtg	ataggccccc	gtgttgatgg	tgtagggtgca	gttggccatg	8940
acggaccagt	tgacgacttg	catgccgggt	tgggtgatct	ccgtgtactt	gaggcgcgag	9000
taggcgcggg	actcgaacac	gtagtcgttg	catgtgcgta	ccagatactg	gtagccaacc	9060
aggaagtggg	gaggcgggtc	tcggtacagg	ggccagccga	ctgtggcggg	ggcgccgggg	9120
gacaggtcgt	ccagcatgag	gcgatggtag	tggtagatgt	agcgggagag	ccagggtgatg	9180
ccggccgagg	tggtcgcggc	cctgggtgaat	tcgcggacgc	ggttccagat	gttgccgcagg	9240
gggcgaaagc	gctccatggg	gggcacgctc	tgccccgtga	ggcgggcgca	atcttgtacg	9300
ctctagatgg	aaaaaagaca	gggcgggtcat	cgactccctt	ccgtagctcg	gggggttaaag	9360
tcgcaagggg	gcggcgggcg	ggaaccccg	ttcgagaccg	gccggatccg	ccgctcccga	9420
tgcgcttggc	cccgcatcca	cgacgtccgc	gtcgagaccc	agccgcgacg	ctccgccccca	9480
atacggaggg	gagtcttttg	gtgttttttc	gtagatgcat	ccggtgctgc	ggcagatgcg	9540
acctcagacg	cccaccacca	ccgccgcggc	ggcagtaaac	ctgagcggag	gcggtgacag	9600
ggaggaggag	gagctggctt	tagacctgga	agagggagag	gggctggccc	ggctgggagc	9660
gccgtccccca	gagagacacc	ctagggttca	gctcgtgagg	gacgccaggc	aggcttttgt	9720
gccgaagcag	aacctgttta	gggaccgcag	cggtcaggag	gcggaggaga	tgcgcgattg	9780
caggtttcgg	gcgggtagag	agctgagggc	gggcttcgat	cgggagcggc	tcctgagggc	9840
ggaggatttc	gagcccgacg	agcgttctgg	ggtgagcccg	gcccgcgctc	acgtctcggc	9900
ggccaacctg	gtgagcgcgt	acgagcagac	ggtgaacgag	gagcgcaact	tccaaaagag	9960
ctttaacaat	cacgtgagga	ccctgatcgc	gagggaggag	gtgaccatcg	ggctgatgca	10020
tctgtgggac	ttcgtggagg	cctacgtgca	gaacccggcc	agcaaacctc	tgacggccca	10080

gctgttcctg atcgtgcagc acagccgcga caacgagacg ttccgcgacg ccatgttgaa 10140
catcgcgag cccgaggggc gctggctctt ggatctgatt aacatcctgc agagcatcgt 10200
ggtgcaggag aggggcctca gcttagcgga caaggtggcg gccattaact attcgatgca 10260
gagcctgggg aagttctacg ctcgcaagat ctacaagagc ccttacgtgc ccatagacaa 10320
ggaggtgaag atagacagct ttacatgcg catggcgctg aaggtgctga cgctgagcga 10380
cgacctcggc gtgtaccgta acgacaagat ccacaaggcg gtgagcgcca gccgccggcg 10440
ggagctgagc gacagggagc tgatgcacag cctgcagagg gcgctggcgg gcgccgggga 10500
cgaggagcgc gaggcttact tcgacatggg agccgatctg cagtggcgctc ccagcgcgcg 10560
cgccttgag gcggcgggct accccgacga ggaggatcgg gacgatttgg aggaggcagg 10620
cgagtacgag gacgaagcct gaccgggcag gtgttggttt agatgcagcg gccggcggac 10680
ggggccaccg cggatcccgc acttttggca tccatgcaga gtcaaccttc gggcgtgacc 10740
gcctccgatg actgggcggc ggccatggac cgcattatgg cgctgactac ccgcaacccc 10800
gaggctttta gacagcaacc ccaggccaac cgtttttcgg ccatcttgga agcggtggtg 10860
ccctcccga ccaaccccac acacgagaaa gtcctgacta tcgtgaacgc cctggtagac 10920
agcaaggcca tccgccgcga cgaggcgggc ttgatttaca acgctctgct ggaacgggtg 10980
gcgcgctaca acagcactaa cgttcagacc aatctggatc gcctcaccac cgacgtgaag 11040
gaggcgctgg ctcagaagga gcggtttctg agggacagca atctgggctc tctggtggca 11100
ctcaacgcct tcctgagcac gcagccggcc aacgtgcccc gcgggcagga ggactacgtg 11160
agcttcatca gcgctctgag gctgctgggtg tccgaggtgc ccagagcga ggtgtatcag 11220
tctgggcccgg attacttctt ccagacgtcc cgacagggct tgcaaacggt gaacctgact 11280
caggccttta aaaacttgca aggcattgtg ggcgtaagg ccccggtggg cgatcgagcc 11340
accatctcca gtctgctgac cccaacact cgctgctgc tgctcttgat cgcgccgttc 11400
accaacagta gcactatcag ccgtgactcg tacctgggtc atctcatcac tttgtaccgc 11460
gaggccatcg gtcaggctca gatcgacgag cacacatatc aggagatcac taacgtgagc 11520
cgggccctgg gtcaggaaga taccggcagc ctggaagcca cgttgaactt tttgctaacc 11580
aaccggaggc aaaaaatacc ctcccagttt acgttaagcg ccgaggagga gaggattctg 11640
cgatacgtgc agcagtccgt gagtctgtac ttgatgcggg agggcgccac cgcttccacg 11700
gcttttagaca tgacggctcg gaacatggaa ccgtcctttt actccgcca ccggccgttc 11760


```

attaaccgtc tgatggacta cttccatcgc gcggccgcca tgaacgggga gtacttcacc 11820
aatgccatcc tgaatccgca ttggatgcc cgcgccggct tctacaccgg cgagtttgac 11880
ctgcccgaag ccgacgacgg ctttctttgg gacgacgtgt ccgacagcat tttcacgccc 11940
ggcaatcgcc gattccagaa gaaggagggc ggagacgagc tccccctctc cagcgtggag 12000
gcggcctcta ggggagagag tccctttccc agtctgtctt ccgccagcag tggtcgggta 12060
acgcgcccgc ggttgccggg ggagagcgc tacctgaacg accccttgct gcggccggct 12120
aggaagaaaa atttcccca caacgggggtg gaaagcttgg tggataaaat gaatcgttgg 12180
aagacctacg cccaggagca gcgggagtgg gaggacagtc agccgcgacc gctggttccg 12240
ccgcactggc gtcgtcagag agaagacccg gacgactccg cagacgatag tagcgtgttg 12300
gacctgggag ggagcggagc caacccttt gctcacttgc aaccaaggg gcgttccagt 12360
cgcctctact aataaaaaag acgcggaaac ttaccagagc catggccaca gcgtgtgtcc 12420
tttcttctc tctttcttcc tcggcgcggc aga atg aga aga gcg gtg aga gtc 12474
                        Met Arg Arg Ala Val Arg Val
                        1                      5

acg ccg gcg gcg tat gag ggt ccg ccc cct tct tac gaa agc gtg atg 12522
Thr Pro Ala Ala Tyr Glu Gly Pro Pro Pro Ser Tyr Glu Ser Val Met
          10                      15                      20

gga tca gcg aac gtg ccg gcc acg ctg gag gcg cct tac gtt cct ccc 12570
Gly Ser Ala Asn Val Pro Ala Thr Leu Glu Ala Pro Tyr Val Pro Pro
          25                      30                      35

aga tac ctg gga cct acg gag ggc aga aac agc atc cgt tac tcc gag 12618
Arg Tyr Leu Gly Pro Thr Glu Gly Arg Asn Ser Ile Arg Tyr Ser Glu
40                      45                      50                      55

ctg gca ccc ctg tac gat acc acc aag gtg tac ctg gtg gac aac aag 12666
Leu Ala Pro Leu Tyr Asp Thr Thr Lys Val Tyr Leu Val Asp Asn Lys
          60                      65                      70

tcg gcg gac atc gcc tcc ctg aat tat caa aac gat cac agc aat ttt 12714
Ser Ala Asp Ile Ala Ser Leu Asn Tyr Gln Asn Asp His Ser Asn Phe
          75                      80                      85

ctg act acc gtg gtg cag aac aat gac ttc acc ccg acg gag gcg ggc 12762
Leu Thr Thr Val Val Gln Asn Asn Asp Phe Thr Pro Thr Glu Ala Gly
          90                      95                      100

acg cag acc att aac ttt gac gag cgt tcc cgc tgg ggc ggt cag ctg 12810
Thr Gln Thr Ile Asn Phe Asp Glu Arg Ser Arg Trp Gly Gly Gln Leu
105                      110                      115

aaa acc atc ctg cac acc aac atg ccc aac atc aac gag ttc atg tcc 12858
Lys Thr Ile Leu His Thr Asn Met Pro Asn Ile Asn Glu Phe Met Ser
120                      125                      130                      135

```


acc aac aag ttc agg gcc agg ctg atg gtt aaa aag gct gaa aac cag	12906
Thr Asn Lys Phe Arg Ala Arg Leu Met Val Lys Lys Ala Glu Asn Gln	
140 145 150	
cct ccc gag tac gaa tgg ttt gag ttc acc att ccc gag ggc aac tat	12954
Pro Pro Glu Tyr Glu Trp Phe Glu Phe Thr Ile Pro Glu Gly Asn Tyr	
155 160 165	
tcc gag acc atg act atc gat ctg atg aac aat gcg atc gtg gac aat	13002
Ser Glu Thr Met Thr Ile Asp Leu Met Asn Asn Ala Ile Val Asp Asn	
170 175 180	
tac ctg caa gtg ggg agg cag aac ggg gta ttg gaa agc gat atc ggc	13050
Tyr Leu Gln Val Gly Arg Gln Asn Gly Val Leu Glu Ser Asp Ile Gly	
185 190 195	
gta aaa ttt gat acc aga aac ttc cga ctg ggg tgg gat ccc gtg acc	13098
Val Lys Phe Asp Thr Arg Asn Phe Arg Leu Gly Trp Asp Pro Val Thr	
200 205 210 215	
aag ctg gtg atg cca ggc gtg tac acc aac gag gct ttt cac ccc gac	13146
Lys Leu Val Met Pro Gly Val Tyr Thr Asn Glu Ala Phe His Pro Asp	
220 225 230	
atc gtg ctg ctg ccg ggg tgc ggt gtg gac ttc act cag agc cgt ttg	13194
Ile Val Leu Leu Pro Gly Cys Gly Val Asp Phe Thr Gln Ser Arg Leu	
235 240 245	
agt aac ctg tta ggg atc aga aag cgc cgc ccc ttc caa gag ggc ttt	13242
Ser Asn Leu Leu Gly Ile Arg Lys Arg Arg Pro Phe Gln Glu Gly Phe	
250 255 260	
cag atc atg tat gag gac ctg gaa gga ggt aac att cca ggt ttg cta	13290
Gln Ile Met Tyr Glu Asp Leu Glu Gly Gly Asn Ile Pro Gly Leu Leu	
265 270 275	
gac gtg ccg gcg tat gaa gag agt gtt aaa cag gcg gag gcg cag gga	13338
Asp Val Pro Ala Tyr Glu Glu Ser Val Lys Gln Ala Glu Ala Gln Gly	
280 285 290 295	
cga gag att cga ggc gac acc ttt gcc acg gaa cct cac gaa ctg gta	13386
Arg Glu Ile Arg Gly Asp Thr Phe Ala Thr Glu Pro His Glu Leu Val	
300 305 310	
ata aaa cct ctg gaa caa gac agt aaa aaa cgg agt tac aac att ata	13434
Ile Lys Pro Leu Glu Gln Asp Ser Lys Lys Arg Ser Tyr Asn Ile Ile	
315 320 325	
tcc ggc act atg aat acc ttg tac cgg agc tgg ttt ctg gct tac aac	13482
Ser Gly Thr Met Asn Thr Leu Tyr Arg Ser Trp Phe Leu Ala Tyr Asn	
330 335 340	
tac ggg gat ccc gaa aag gga gtg aga tca tgg acc ata ctc acc acc	13530
Tyr Gly Asp Pro Glu Lys Gly Val Arg Ser Trp Thr Ile Leu Thr Thr	
345 350 355	

acg gac gtg acc tgc ggc tcg cag caa gtg tac tgg tcc ctg ccg gat	13578
Thr Asp Val Thr Cys Gly Ser Gln Gln Val Tyr Trp Ser Leu Pro Asp	
360 365 370 375	
atg atg caa gac ccg gtc acc ttc cgc ccc tcc acc caa gtc agc aac	13626
Met Met Gln Asp Pro Val Thr Phe Arg Pro Ser Thr Gln Val Ser Asn	
380 385 390	
ttc ccg gtg gtg ggc acc gag ctg ctg ccc gtc cat gcc aag agc ttc	13674
Phe Pro Val Val Gly Thr Glu Leu Leu Pro Val His Ala Lys Ser Phe	
395 400 405	
tac aac gaa cag gcc gtc tac tcg caa ctc att cgc cag tcc acc gcg	13722
Tyr Asn Glu Gln Ala Val Tyr Ser Gln Leu Ile Arg Gln Ser Thr Ala	
410 415 420	
ctt acc cac gtg ttc aat cgc ttt ccc gag aac cag att ctg gtg cgc	13770
Leu Thr His Val Phe Asn Arg Phe Pro Glu Asn Gln Ile Leu Val Arg	
425 430 435	
cct ccc gct cct acc att acc acc gtc agt gaa aac gtt ccc gcc ctc	13818
Pro Pro Ala Pro Thr Ile Thr Thr Val Ser Glu Asn Val Pro Ala Leu	
440 445 450 455	
aca gat cac gga acc ctg ccg ctg cgc agc agt atc agt gga gtt cag	13866
Thr Asp His Gly Thr Leu Pro Leu Arg Ser Ser Ile Ser Gly Val Gln	
460 465 470	
cgc gtg acc atc acc gac gcc aga cgt cga acc tgt ccc tac gtt tac	13914
Arg Val Thr Ile Thr Asp Ala Arg Arg Arg Thr Cys Pro Tyr Val Tyr	
475 480 485	
aaa gct ctt ggc gta gtg gct cct aaa gtg ctc tct agt cgc acc ttc	13962
Lys Ala Leu Gly Val Val Ala Pro Lys Val Leu Ser Ser Arg Thr Phe	
490 495 500	
taa acatgtccat cctcatctct cccgataaca acaccggctg gggactgggc	14015
tccggcaaga tgtacggcgg agccaaaagg cgctccagtc agcaccagtc tcgagttcgg	14075
ggccacttcc gtgctccctg gggagcttac aagcgaggac tctcggggccg aacggcggtg	14135
gacgatacca tagatgccgt gattgccgac gcccgccggt acaaccccg accggtcgct	14195
agcgccgcct ccaccgtgga ttccgtgatc gacagcgtgg tagctggcgc tcgggcctat	14255
gctcgccgca agaggcggt gcatcggaga cgtcgcccca ccgcccgcct gctggcagcc	14315
agggccgtgc tgaggcgggc ccggagggtg ggcagaaggg ctatgcgccc cgctgccgcc	14375
aacgccgccc ccgggagggc ccgcccagag gctgcccgcc aggtgctgct cgccatcgct	14435
agcatggcca gaccaggag agggaaacgtg tactgggtgc gcgattctgt gacgggagtc	14495
cgagtgccgg tgcgcagccc acctccccga agttagaaga tccaagctgc gaagacggcg	14555
gtactgagtc tccctgttgt tatcagccca acatgagcaa gcgcaagttt aaagaagaac	14615

tgctgcagac gctggtgcct gagatctatg gccctccgga cgtgaagcct gacattaagc 14675
 cccgcgatat caagcgtggt aaaaagcggg aaaagaaaga ggaactcgcg gtggtagacg 14735
 atggcggagt ggaatttatt aggagtttcg ccccgcgacg cagggttcaa tggaaagggc 14795
 ggcgggtaca acgcgttttg aggccgggca ccgcggtagt ttttaccgcc ggagagcggc 14855
 cggccgttag gggtttcaaa aggcagtagc acgaggtgta cggcgacgag gacatattgg 14915
 aacaggcggc tcaacagatc ggagaatttg cctacggaaa gcgttcgcgt cgcgaagacc 14975
 tggccatcgc ttagacagc ggcaacccca cgcccagcct caaacctgtg acgctgcagc 15035
 aggtgctccc cgtgagcgcc agcacggaca gcaagagggg aataaaaaga gaaatggaag 15095
 atctgcagcc caccatccag ctcatggtcc ctaaaccggc gaggctggaa gaggtcctgg 15155
 agaaaatgaa agtggaccca agcatagagc cggacgtcaa agtcaggccg atcaaagaag 15215
 tggcccctgg tctcgggggtg cagacgggtg atatccagat ccccgtcacg tcagcttcga 15275
 ccgccgtgga agccatggaa acgcaaaccg aaaccctgc cgcgatcggc accagggaag 15335
 tggcgttgca aaccgacccc tggtagaat acgccgcccc tcggcgtcag aggcgacccg 15395
 ctcgttacgg ccccgccaac gccatcatgc cagaatatgc gctgcatccg tctatcctgc 15455
 ccacccccgg ctaccgggga gtgacgtatc gcccgtcagg aaccgcgcgc cgaaccgcgc 15515
 gccgccgcgc ctcccgtcgt gctctggccc ccgtgtcggc gcgccgcgta acacgcgggg 15575
 gaaagacagt taccattccc aaccgcgcgt accaccctag catcctttaa tgactctgcc 15635
 gttttgcaga tggctctgac ttgccgcgtg cgccttcccg ttccgcacta tcgaggaaga 15695
 tctcgtcgta ggagaggcat ggcgggtagt ggtcgccggc gggctttgcg caggcgcatg 15755
 aaaggcggaa ttttaccgc tctgataccc ataatcgccg ccgccatcgg tgccataccc 15815
 ggcgtcgctt cagtggcctt gcaagcagct cgtaataaat aaacgaaggc ttttgcactt 15875
 atgtcctggc cctgactatt ttatgcagaa agagcatgga agacatcaat tttacgtcgc 15935
 tggctccgcg gcacggctcg cggccgctca tgggcacctg gaacgacatc ggcaccagtc 15995
 agctcaacgg gggcgctttc aattggggga gcctttggag cggcattaaa aactttggct 16055
 ccacgattaa atcctacggc agcaaagcct ggaacagtag tgctggtcag atgctccgag 16115
 ataaactgaa ggacaccaac ttccaagaaa aagtgggtcaa tgggggtggc accggcatcc 16175
 acggcgcggt agatctcgcc aaccaagcgg tgcagaaaga gattgacagg cgtttggaaa 16235
 gctcgcgggc gccgccgcag agaggggatg aggtggaggt cgaggaagta gaagtagagg 16295


```

aaaagctgcc cccgctggag aaagttcccg gtgcgcctcc gagaccgcag aagcgaccca 16355
ggccagaact agaagaaact ctggtgacgg agagcaagga gcctccctcg tacgagcaag 16415
ccttgaaaga gggcgcctct ccaccctacc caatgacaaa accgatcgcg cctatggctc 16475
ggccggtgta cggaaggac tacaagcctg tcacgctaga gctccccccg ccgccaccgc 16535
cgccccccac gcgcccgacc gttccccccc cctgcccggc tccgtcggcg ggacccgtgt 16595
ccgcaccctg cgccgtgcct ctgccagccg cccgccaggt ggccgtggcc actgccagaa 16655
accccagagg ccagagagga gccaaactggc aaagcacgct gaacagcatc gtgggcctgg 16715
gagtgaaaag cctgaaacgc cgccgttgct attattaaaa gtgtagctaa aaaatttccc 16775
gttggtatag cctcctatgt taccgccaga gacgcgtgac tgtcgccgcg agcgccgctt 16835
tcaag atg gcc acc cca tcg atg atg ccg cag tgg tct tac atg cac atc 16885
      Met Ala Thr Pro Ser Met Met Pro Gln Trp Ser Tyr Met His Ile
        505                      510                      515

gcc ggg cag gac gcc tcg gag tac ctg agc ccc ggt ctc gtg cag ttc 16933
Ala Gly Gln Asp Ala Ser Glu Tyr Leu Ser Pro Gly Leu Val Gln Phe
    520                      525                      530

gcc cgc gcc acc gac acc tac ttc agc ttg gga aac aag ttt aga aac 16981
Ala Arg Ala Thr Asp Thr Tyr Phe Ser Leu Gly Asn Lys Phe Arg Asn
    535                      540                      545                      550

ccc acc gtg gcc ccc acc cac gat gta acc acg gac cgc tcg caa agg 17029
Pro Thr Val Ala Pro Thr His Asp Val Thr Thr Asp Arg Ser Gln Arg
        555                      560                      565

ctg acc ctg cgt ttt gtg ccc gta gac cgg gag gac acc gcg tac tct 17077
Leu Thr Leu Arg Phe Val Pro Val Asp Arg Glu Asp Thr Ala Tyr Ser
    570                      575                      580

tac aaa gtg cgc tac acg ctg gcc gta ggg gac aac cga gtg ctg gac 17125
Tyr Lys Val Arg Tyr Thr Leu Ala Val Gly Asp Asn Arg Val Leu Asp
    585                      590                      595

atg gcc agc acc tac ttt gac atc cgg gga gtg ctg gat cgc ggt ccc 17173
Met Ala Ser Thr Tyr Phe Asp Ile Arg Gly Val Leu Asp Arg Gly Pro
    600                      605                      610

agt ttt aag ccc tac tcg ggt acc gcg tac aat tcc ctg gct ccc aag 17221
Ser Phe Lys Pro Tyr Ser Gly Thr Ala Tyr Asn Ser Leu Ala Pro Lys
    615                      620                      625                      630

ggc gct ccc aac cct gca gaa tgg acg aat tca gac agc aaa gtt aaa 17269
Gly Ala Pro Asn Pro Ala Glu Trp Thr Asn Ser Asp Ser Lys Val Lys
        635                      640                      645

gtg agg gca cag gcg cct ttt gtt agc tcg tat ggt gct aca gcg att 17317
Val Arg Ala Gln Ala Pro Phe Val Ser Ser Tyr Gly Ala Thr Ala Ile
    650                      655                      660

```


aca aaa gag ggt att cag gtg gga gta acc tta aca gac tcc gga tca	17365
Thr Lys Glu Gly Ile Gln Val Gly Val Thr Leu Thr Asp Ser Gly Ser	
665 670 675	
aca cca cag tat gca gat aaa acg tat cag cct gag ccg caa att gga	17413
Thr Pro Gln Tyr Ala Asp Lys Thr Tyr Gln Pro Glu Pro Gln Ile Gly	
680 685 690	
gaa cta cag tgg aac agc gat gtt gga acc gat gac aaa ata gca gga	17461
Glu Leu Gln Trp Asn Ser Asp Val Gly Thr Asp Asp Lys Ile Ala Gly	
695 700 705 710	
aga gtg cta aag aaa aca acg ccc atg ttc cct tgt tac ggc tca tat	17509
Arg Val Leu Lys Lys Thr Thr Pro Met Phe Pro Cys Tyr Gly Ser Tyr	
715 720 725	
gcc agg ccc act aat gaa aaa gga gga cag gca aca ccg tcc gct agt	17557
Ala Arg Pro Thr Asn Glu Lys Gly Gly Gln Ala Thr Pro Ser Ala Ser	
730 735 740	
caa gac gtg caa aat ccc gaa tta caa ttt ttt gcc tct act aat gtc	17605
Gln Asp Val Gln Asn Pro Glu Leu Gln Phe Phe Ala Ser Thr Asn Val	
745 750 755	
gcc aat aca cca aaa gca gtt cta tat gcg gag gac gtg tca att gaa	17653
Ala Asn Thr Pro Lys Ala Val Leu Tyr Ala Glu Asp Val Ser Ile Glu	
760 765 770	
gcg cca gac act cac ttg gtg ttc aaa cca aca gtc act gaa ggc att	17701
Ala Pro Asp Thr His Leu Val Phe Lys Pro Thr Val Thr Glu Gly Ile	
775 780 785 790	
aca agt tca gag gct cta ctg acc caa caa gct gct ccc aac cgt cca	17749
Thr Ser Ser Glu Ala Leu Leu Thr Gln Gln Ala Ala Pro Asn Arg Pro	
795 800 805	
aac tac ata gcc ttt aga gat aat ttt att ggt ctc atg tac tac aat	17797
Asn Tyr Ile Ala Phe Arg Asp Asn Phe Ile Gly Leu Met Tyr Tyr Asn	
810 815 820	
agc aca ggt aac atg gga gta ctg gca ggc cag gct tct cag cta aat	17845
Ser Thr Gly Asn Met Gly Val Leu Ala Gly Gln Ala Ser Gln Leu Asn	
825 830 835	
gca gtt gtt gac ctg caa gac aga aat act gag ctg tcc tac caa ctc	17893
Ala Val Val Asp Leu Gln Asp Arg Asn Thr Glu Leu Ser Tyr Gln Leu	
840 845 850	
atg ttg gac gcc ctc gga gac cgc agt cgg tac ttt tct atg tgg aac	17941
Met Leu Asp Ala Leu Gly Asp Arg Ser Arg Tyr Phe Ser Met Trp Asn	
855 860 865 870	
caa gct gtg gat agt tac gat cct gat gta aga atc ata gaa aac cat	17989
Gln Ala Val Asp Ser Tyr Asp Pro Asp Val Arg Ile Ile Glu Asn His	
875 880 885	

WO 03/046124

PCT/US02/33645

ggc gta gaa gat gaa ttg cct aat tat tgc ttt cct ttg gga ggc atg Gly Val Glu Asp Glu Leu Pro Asn Tyr Cys Phe Pro Leu Gly Gly Met 890 895 900	18037
gca gta acc gac acc tac tcg cct ata aag gtt aat gga gga ggc aat Ala Val Thr Asp Thr Tyr Ser Pro Ile Lys Val Asn Gly Gly Gly Asn 905 910 915	18085
gga tgg gaa gcc aat aac ggc gtt ttc acc gaa aga gga gtg gaa ata Gly Trp Glu Ala Asn Asn Gly Val Phe Thr Glu Arg Gly Val Glu Ile 920 925 930	18133
ggt tca ggg aac atg ttt gcc atg gag att aac ctg caa gcc aac cta Gly Ser Gly Asn Met Phe Ala Met Glu Ile Asn Leu Gln Ala Asn Leu 935 940 945 950	18181
tgg cgt agc ttt ctg tac tcc aat att ggg ctg tac ctg cca gac tct Trp Arg Ser Phe Leu Tyr Ser Asn Ile Gly Leu Tyr Leu Pro Asp Ser 955 960 965	18229
ctc aaa atc act cct gac aac atc aca ctc cca gag aac aaa aac acc Leu Lys Ile Thr Pro Asp Asn Ile Thr Leu Pro Glu Asn Lys Asn Thr 970 975 980	18277
tat cag tat atg aac ggt cgc gtg acg cca ccc ggg ctg gtt gac acc Tyr Gln Tyr Met Asn Gly Arg Val Thr Pro Pro Gly Leu Val Asp Thr 985 990 995	18325
tac gtt aac gtg ggc gcg cgc tgg tcc ccc gat gtc atg gac agt Tyr Val Asn Val Gly Ala Arg Trp Ser Pro Asp Val Met Asp Ser 1000 1005 1010	18370
att aac cct ttt aat cac cac cgc aac gcc gga ctc cgc tac cgt Ile Asn Pro Phe Asn His His Arg Asn Ala Gly Leu Arg Tyr Arg 1015 1020 1025	18415
tcc atg ctc ctg gga aac gga cgc tac gtg ccc ttc cac atc cag Ser Met Leu Leu Gly Asn Gly Arg Tyr Val Pro Phe His Ile Gln 1030 1035 1040	18460
gtg ccc cag aaa ttc ttt gca att aaa aac ctg ctg ctg ctc ccc Val Pro Gln Lys Phe Phe Ala Ile Lys Asn Leu Leu Leu Leu Pro 1045 1050 1055	18505
ggt tcc tac acc tac gag tgg aac ttc cgc aag gac gtg aac atg Gly Ser Tyr Thr Tyr Glu Trp Asn Phe Arg Lys Asp Val Asn Met 1060 1065 1070	18550
atc ttg cag agc tcg ctg ggc aat gac ctg cga gtg gac ggg gcc Ile Leu Gln Ser Ser Leu Gly Asn Asp Leu Arg Val Asp Gly Ala 1075 1080 1085	18595
agc atc cgc ttc gac agc atc aac ctg tac gcc aac ttt ttc ccc Ser Ile Arg Phe Asp Ser Ile Asn Leu Tyr Ala Asn Phe Phe Pro 1090 1095 1100	18640

atg gcc cac aac acg gcc tcc acc ctg gaa gcc atg ctg cgc aac Met Ala His Asn Thr Ala Ser Thr Leu Glu Ala Met Leu Arg Asn 1105 1110 1115	18685
gac acc aac gac caa tct ttc aac gac tac ctg tgc gcg gcc aac Asp Thr Asn Asp Gln Ser Phe Asn Asp Tyr Leu Cys Ala Ala Asn 1120 1125 1130	18730
atg ctg tac ccc atc ccc gcc aac gcc acc agc gtg ccc atc tcc Met Leu Tyr Pro Ile Pro Ala Asn Ala Thr Ser Val Pro Ile Ser 1135 1140 1145	18775
att ccc tct cgc aac tgg gca gcc ttc agg ggc tgg agt ttc acc Ile Pro Ser Arg Asn Trp Ala Ala Phe Arg Gly Trp Ser Phe Thr 1150 1155 1160	18820
cgc ctc aaa acc aag gag acc ccc tcg ctg ggc tcc ggg ttc gac Arg Leu Lys Thr Lys Glu Thr Pro Ser Leu Gly Ser Gly Phe Asp 1165 1170 1175	18865
ccc tac ttc gtc tac tcc ggc tcc atc ccc tac ctg gac ggc acc Pro Tyr Phe Val Tyr Ser Gly Ser Ile Pro Tyr Leu Asp Gly Thr 1180 1185 1190	18910
ttc tac ctc aac cat act ttc aaa aag gtg tca atc atg ttc gac Phe Tyr Leu Asn His Thr Phe Lys Lys Val Ser Ile Met Phe Asp 1195 1200 1205	18955
tcc tcc gtc agc tgg ccc ggc aac gac cgt ctg ctg acg ccc aac Ser Ser Val Ser Trp Pro Gly Asn Asp Arg Leu Leu Thr Pro Asn 1210 1215 1220	19000
gag ttc gaa atc aag cgt tcg gtg gac ggt gaa ggg tac aac gtg Glu Phe Glu Ile Lys Arg Ser Val Asp Gly Glu Gly Tyr Asn Val 1225 1230 1235	19045
gct cag agc aac atg acc aag gac tgg ttc ctg att cag atg ctc Ala Gln Ser Asn Met Thr Lys Asp Trp Phe Leu Ile Gln Met Leu 1240 1245 1250	19090
agc cac tac aac atc ggc tac cag ggc ttc tac gtg ccc gaa aat Ser His Tyr Asn Ile Gly Tyr Gln Gly Phe Tyr Val Pro Glu Asn 1255 1260 1265	19135
tac aag gac cgc atg tac tct ttc ttc aga aac ttc caa ccc atg Tyr Lys Asp Arg Met Tyr Ser Phe Phe Arg Asn Phe Gln Pro Met 1270 1275 1280	19180
agc cgc caa att gta gat tca acg gct tac act aat tat cag gat Ser Arg Gln Ile Val Asp Ser Thr Ala Tyr Thr Asn Tyr Gln Asp 1285 1290 1295	19225
gtg aaa ctg cca tac cag cat aac aac tca ggg ttc gtg ggc tac Val Lys Leu Pro Tyr Gln His Asn Asn Ser Gly Phe Val Gly Tyr 1300 1305 1310	19270

atg gga ccc acc atg cga gag ggg cag gcc tac ccg gcc aac tat	19315
Met Gly Pro Thr Met Arg Glu Gly Gln Ala Tyr Pro Ala Asn Tyr	
1315 1320 1325	
ccc tat ccc ctg att ggg gcc acc gcc gtg ccc agc ctc acg cag	19360
Pro Tyr Pro Leu Ile Gly Ala Thr Ala Val Pro Ser Leu Thr Gln	
1330 1335 1340	
aaa aag ttc ctc tgc gac cgg gtg atg tgg agg atc ccc ttc tct	19405
Lys Lys Phe Leu Cys Asp Arg Val Met Trp Arg Ile Pro Phe Ser	
1345 1350 1355	
agc aac ttc atg tct atg ggc tcc ctc acc gac ctg ggg cag aac	19450
Ser Asn Phe Met Ser Met Gly Ser Leu Thr Asp Leu Gly Gln Asn	
1360 1365 1370	
atg ctg tac gcc aac tcc gct cac gcc ttg gat atg acc ttt gag	19495
Met Leu Tyr Ala Asn Ser Ala His Ala Leu Asp Met Thr Phe Glu	
1375 1380 1385	
gtg gat ccc atg gat gag ccc acg ctt ctc tat gtt ctg ttt gaa	19540
Val Asp Pro Met Asp Glu Pro Thr Leu Leu Tyr Val Leu Phe Glu	
1390 1395 1400	
gtc ttc gac gtg gtg cgc atc cac cag ccg cac cgc ggc gtc atc	19585
Val Phe Asp Val Val Arg Ile His Gln Pro His Arg Gly Val Ile	
1405 1410 1415	
gag gcc gtc tac ctg cgc aca cct ttc tct gcc ggt aac gcc acc	19630
Glu Ala Val Tyr Leu Arg Thr Pro Phe Ser Ala Gly Asn Ala Thr	
1420 1425 1430	
acc taa agaagccgat gggctccagc gaacaggagc tgcaggccat tgttcgcgac	19686
Thr	
ctgggctgcg ggcctactt tttgggcacc ttcgacaagc gttttcccgg cttcatgtcc	19746
ccccacaagc cggcctgtgc catcgttaac acggccggac gggagaccgg ggggggtccac	19806
tggctcgcct tcgcctggaa cccgcgtaac cgcacctgct acctgttcga cccttttggt	19866
ttctccgacg aaaggctgaa gcagatctac cagttcgagt acgaggggct cctcaagcgc	19926
agcgctctgg cctccacgcc cgaccactgc gtcaccctgg aaaagtccac ccaaacggtc	19986
caggggcccc tctcgggcgc ctgcgggctc ttctgttgca tgtttttgca cgccttcgtg	20046
cactggcctc acacccccat ggatcacaac cccaccatgg atctgctcac cggagtgcc	20106
aacagcatgc ttcacagccc ccaggtcgcc cccaccctgc gccgtaacca ggaacacctg	20166
tatcgctttc tggggaaaca ctctgcctat tttcgccgcc accggcagcg catcgaacgg	20226
gccacggcct tcgaaagcat gagccaaaga gtgtaatcaa taaaaaacat ttttatttga	20286
catgatacgc gcttctggcg ttttattaaa aatcgaaggg ttcgagggag gggtcctcgt	20346

gcccgcctggg gagggacacg ttgcgatact ggaaacgggc gctccaacga aactcgggga 20406
 tcaccagccg cggcaggggc acgtcttcta ggttctgctt ccaaaactgc cgcaccagct 20466
 gcagggtccc catgacgtcg ggcgccgata tcttgaagtc gcagttaggg ccggagctcc 20526
 cgcggctggt gcggaacacg gggttggcac actggaacac cagcacgccg gggttgtgga 20586
 tactggccag ggccgtcggg tcggtcacct ccgacgcac cagatcctcg gcgttgctca 20646
 gggcaaacgg ggtcagcttg cacatctgcc gcccaatctg gggtagtagg tcgcgcttgt 20706
 tgaggcagtc gcagcgcaga gggatcagga tgcgtcgtcg cccgcgttgc atgatagggt 20766
 aactcgccgc caggaactcc tccatttgac ggaaggccat ctgggctttg ccgccctcgg 20826
 tgtagaatag cccgcaggac ttgctagaga atacgttatg accgcagttg acgtcctccg 20886
 cgcagcagcg ggcgtcttcg ttcttcagct gaaccacgtt gcggcccca cggttctgga 20946
 ccaccttggc tctagtgggg tgctccttca gcgccgctg tccgttctcg ctggttacat 21006
 ccatttccaa cacgtgctcc ttgcagacca tctccactcc gtggaagcaa aacaggacgc 21066
 cctcctgctg ggtactgcga tgctcccata cggcgcaccc ggtgggctcc cagctcttgt 21126
 gttttacccc cgcgtaggct tccatgtaag ccataaggaa tctgcccac agctcgggtga 21186
 aggtcttctg gttgggtgaag gttagcggca ggccgcggtg ctctcgttc aaccaagttt 21246
 gacagatctt gcggtacacc gctccctggg cgggcagaaa cttaaaagcc gctctgctgt 21306
 cgttgtctac gtggaacttc tccattaaca tcatcatggt ttccataccc ttctcccacg 21366
 ctgtcaccag tggtttgctg tcgggggttct tcaccaacac ggcggtagag gggccctcgc 21426
 cggccccgac gtccttcatg gtcattcttt gaaactccac ggagccgtcc gcgcgacgta 21486
 ctctgcgcac cggagggtag ctgaagccca cctccaccac ggtgccttcg ccctcgctgt 21546
 cggagacaat ctccggggat ggcggcgggc cgggtgtcgc cttgcgagcc ttcttcttgg 21606
 gagggagctg aggcgcctcc tgctcgcgct cggggctcat ctcccgaag tagggggtaa 21666
 tggagctgcc tgcttggttc tgacggttgg ccattgtatc ctaggcagaa agacatggag 21726
 cttatgcgcg aggaaacttt aaccgccccg tccccgtca gcgacgaaga tgtcatcgtc 21786
 gaacaggacc cgggctacgt tacgccgcc gaggatctgg aggggcctga ccggcgcgac 21846
 gctagtgagc ggcaggaaaa tgagaaagag gaggcctgct acctcctgga aggcgacgtt 21906
 ttgctaaagc atttcgccag gcagagcacc atagttaagg aggccttgca agaccgctcc 21966
 gaggtgccct tggacgtcgc cgcgctctcc caggcctacg aggcgaacct tttctcgcct 22026

cgagtgcctc cgaagagaca gcccaacggc acctgcgagc ccaacccgcg actcaacttc 22086
 taccctgtgt tcgccgtacc agaggcgctg gccacctatc acattttttt caaaaaccaa 22146
 cgcattcccc tatcgtgccg ggccaaccgc accgcggccg ataggaatct caggcttaaa 22206
 aacggagcca acatacctga tatcacgtcg ctggaggaag tgcccaagat tttcgagggt 22266
 ctgggtcgag atgagaagcg ggcggcgaac gctctgcaga aagaacagaa agagagtcag 22326
 aacgtgctgg tggagctgga gggggacaac gcgcgtctgg ccgtcctcaa acgctgcata 22386
 gaagtctccc acttcgccta ccccgccctc aacttgccac ccaaagttat gaaatcggtc 22446
 atggatcagc tgctcatcaa gagagctgag cccctggatc ccgaccacc cgaggcggaa 22506
 aactcagagg acggaagcc cgtcgtcagc gacgaggagc tcgagcgggtg gctggaaacc 22566
 agggaccccc aacagttgca agagaggcgc aagatgatga tggcggccgt gctggtcacc 22626
 gtggagctgg aatgcctgca acggtttttc agcgacgtgg agacgctacg caaaatcggg 22686
 gaatccctgc actacacctt ccgccagggc tacgtccgcc aggcctgcaa gatctccaac 22746
 gtggagctca gcaacctggt ctctacatg ggcatcctcc acgagaaccg gctggggcag 22806
 agcgtgctgc actgcacctt gcaaggcgag gcgcggcggg actacgtgcg agactgcac 22866
 tacctcttcc tcaccctcac ctggcagacc gccatgggcg tctggcagca gtgcttggaa 22926
 gagagaaacc tcaaagagct agacaaactc ctctgccgcc agcggcgcg cctgtggtcc 22986
 ggtttcagcg agcgcacggt cgccagcgct ctggcggaaca tcatcttccc ggagcgcctg 23046
 atgaaaacct tgcaaacgg cctgccggat ttcacagtc aaagcatttt gcaaaacttc 23106
 cgctcttttg tcctggaacg ctccgggatc ttgcccggca tgagctgcgc gctaccttct 23166
 gactttgtcc ccctctccta ccgcgagtg cctccccac tgtggagcca ctgctacctc 23226
 ttccaactgg ccaactttct ggcctaccac tccgacctca tggaagacgt aagcggagag 23286
 ggtttactgg agtgccactg ccgctgcaac ctgtgcaccc cccacagatc gctggcctgc 23346
 aacaccgagc tactcagcga aaccaggtc ataggtaacct tcgagatcca ggggccccag 23406
 cagcaagagg gtgcttccgg cttgaagctc actccggcgc tgtggacctc ggcttactta 23466
 cgcaaatttg tagccgagga ctaccacgcc cacaaaattc agttttacga agaccaatct 23526
 cgaccaccga aagccccct cacggcctgc gtcacaccc agagcaagat cctggcccaa 23586
 ttgcaatcca tcaaccaagc gcgcgcgat ttctttttga aaaagggtcg gggggtgtac 23646
 ctggaccccc agaccggcga ggaactcaac ccgtccacac tctccgtcga agcagcccc 23706
 ccgagacatg ccgcccaagg gaaccgcca gacagctgat gctcggcaga gagcgaagaa 23766

gcaagagctg ctccagcagc aggtggagga cgaggaagag atgtgggaca gccaggcaga 23826
 ggaggtgtca gaggacgagg aggagatgga aagctgggac agcctagacg aggaggagga 23886
 cgagctttca gaggaagagg cgaccgaaga aaaaccacct gcatccagcg cgccttctct 23946
 gagccgacag ccgaagcccc ggcccccgac gcccccggcc ggctcactca aagccagccg 24006
 taggtgggac gccaccgaat ctccagcggc agcggcaacg gcagcgggta aggccaaacg 24066
 cgagcggcgg gggatttgct cctggcgggc ccacaaaagc agtattgtga actgcttgca 24126
 aactgacggg ggaaacatct cctttgcccc acgtacctc ctcttccatc acggtgtggc 24186
 ctccctcgc aacgttctct attattaccg tcattctctac agcccctacg aaacgctcgg 24246
 agaaaaaagc taaggcctcc tccgccgcga ggaaaaactc cgccgcgcgt gccgccgcca 24306
 aggatccacc ggccaccgaa gagctgagaa agcgcattct tcccactctg tatgctatct 24366
 ttcagcaaag ccgcgggcag caccctcagc gcgaactgaa aataaaaaac cgctccttcc 24426
 gctcgtcac ccgcagctgt ctgtaccaca agagagaaga ccagctgcag cgcaccctgg 24486
 acgacgccga agcactgttc agcaaatact gctcagcgtc tcttaaagac taaaagaccc 24546
 gcgctttttc cccctcggcc gccaaaaccc acgtcatcgc cagcatgagc aaggagattc 24606
 ccacccccta catgtggagc tatcagcccc agatgggcct ggccgcgggg gccgccaggg 24666
 actactccag caagatgaac tggctcagcg ccggccccca catgatctca cgagttaacg 24726
 gcatccgagc ccaccgaaac cagattctct tagaacaggc ggcaatcacc gccacacccc 24786
 ggcgccaact caaccgcct agttggcccg ccgcccaggt gtatcaggaa aatccccgcc 24846
 cgaccacagt cctcctgcca cgcgacgcgg aggccgaagt cctcatgact aactctgggg 24906
 tacaattagc gggcggggtcc aggtacgcca ggtacagagg tcggggccgt ccttactctc 24966
 ccgggagtat aaagaggggtg atcattcgag gccgaggtat ccagctcaac gacgagacgg 25026
 tgagctcctc aaccgggtctc agacctgacg gagtcttcca gctcggagga gcgggcccgt 25086
 cttccttcac cactcgccag gcctacctga ccctgcagag ctcttcctcg cagccgcgt 25146
 ccgggggaat cggcactctc cagttcgtgg aagagttcgt tccctccgtc tacttcaacc 25206
 ccttctccgg ctgcctgga cgctaccgg acgccttcat tcccaacttt gacgcagtga 25266
 gtgaatccgt ggacggctac gactgatgac agatgggtgc gccgtgagag ctcggctgcg 25326
 acatctgcat cactgcccgc agcctcgtcg ctacgctcgg gaggcgatcg tcttcagcta 25386
 ctttgagctg ccggacgagc accctcaggg tccggctcac gggttgaaac tcgagatcga 25446

gaacgcgctc gagtctcgcc tcatcgacac cttcaccgcc cgacctctcc tggtagaaat 25506
 ccaacggggg atcactacca tcaccctggt ctgcatctgc cccacgcccg gattacatga 25566
 agatctgtgt tgtcatcttt gcgctcagtt taataaaaac tgaacttttt gccgcacctt 25626
 caacgccatc tgtgatttct acaacaaaaa gttcttctgg caaaggtaca caaactgtat 25686
 tttattctaa ttctacctca tctatcgtgc tgaactgcgc ctgcactaac gaacttatcc 25746
 agtggattgc aaacggtagt gtgtgcaagt acttttgggg gaacgatata gttagtagaa 25806
 ataacagcct ttgcgagcac tgcaactcct ccacactaat cctttatccc ccatttggtta 25866
 ctggatggta tatgtgcgtt ggctccggtt taaatcctag ttgctttcat aagtggtttc 25926
 taaaaaaga gacccttccc aacaattctg tttctttttt cgccctatcc tactgctggt 25986
 ctccctctgg ttactctttc aaacctctaa ttgggtatttt agctttgata ctcataatct 26046
 ttattaactt tataataatt aacaacttac agtaaacatg cttgttctac tgctcgccac 26106
 atctttcgtc ctctctcacg ccagaacaag tattgttggc gcaggttaca atgcaactct 26166
 tcaatctgct tacatgccag attccgacca gatacccoat attacgtggg acttacaac 26226
 ctccaaacct aattcttcat tttatgaagg aaacaaactc tgcgatgact ccgacaacag 26286
 aacgcacaca tttccccacc cttcactaca attcgaatgc gtaaacaaaa gcttgaagct 26346
 ttacaactta aagccttcag attctggctt gtaccatgct gtagttgaaa aaagtaattt 26406
 agaagtccac agtgattaca ttgaattgac gggtgtggac ctgccacctc caaatgtga 26466
 ggtttctctc tcttaccttg aagttcaagg cgtggatgcc tactgcctca tacacattaa 26526
 ctgcagcaac tctaaatatc cagctagaat ttactataat ggacaggaaa gtaatctttt 26586
 ttattattta acaacaagcg ctggtaacgg taaacagtta cctgactatt ttactgctgt 26646
 tgttgaattt tccacctaca gagaaacgta tgccaagcgg ccttacaatt tctcataccc 26706
 gtttaacgac ctttgcaatg aaatacaagc gctcgaaact ggaactgatt ttactccaat 26766
 tttcattgct gccattggtg taagcttaat taccattatt gtcagcctag cattttactg 26826
 cttttacaag cccaaaaacc ctaagtttga aaaacttaaa ctaaacctg tcattcaaca 26886
 agtgtgattt tgttttccag catggtagct gcatttctac ttctcctctg tctacccatc 26946
 attttcgtct cttcaacttt cgccgcagtt tcccacctgg aaccagagtg cctaccgcct 27006
 tttgacgtgt atctgattct cacctttggt tgttgtatat ccatttgcag tatagcctgc 27066
 tttttataa caatctttca agccgccgac tttttttacg tgccaattgc ttactttaga 27126
 caccatcctg aatacagaaa tcaaacggtt gcctccttac tttgtttggc atgattaagt 27186

tattgctgat acttaattat ttacccctaa tcaactgtaa ttgtccattc accaaaccct	27246
ggtcatttcta cacctgttat gataaaatcc ccgacactcc tggttgcttgg ctttacgcag	27306
ccaccgccgc tttggtatatt atatctactt gccttggagt aaaattgtat tttatatttac	27366
acactgggtg gctacatccc agagaagatt tacctagata tcctcttgta aacgcttttc	27426
aattacagcc tctgcctcct cctgatcttc ttccctcgagc tccctctatt gtgagctact	27486
ttcaactcac cgggtggagat gactgactct caggacatta atattagtgt ggaaagaata	27546
gctgctcagc gtcagcgaga aacgcgagtg ttggaatacc tggaactaca gcaacttaaa	27606
gagtcccact ggtgtgagaa aggagtgctg tgccatgtta agcaggcagc cctttcctac	27666
gatgtcagcg ttcagggaca tgaactgtct tacactttgc ctttgcagaa acaaaccctc	27726
tgcaccatga tgggctctac ctccatcaca atcacccaac aagccggggc tgtagagggg	27786
gctatcctct gtcactgtca cgcacctgat tgcattgtcca aactaatcaa aactctctgt	27846
gctttagggtg atatttttaa ggtgtaaatc aataataaac ttaccttaaa tttgacaaca	27906
aatttctggt gacatcattc agcagcacca ctttaccctc ttcccagctc tcgtatggga	27966
tgcgatagtg ggtggcaaac ttccctccaaa ccctaaaaga aatattggta tccacttcct	28026
tgtcctcacc cacaattttc atcttttcat ag atg aaa aga acc aga gtt gat	28079
	Met Lys Arg Thr Arg Val Asp
	1435 1440
gaa gac ttc aac ccc gtc tac ccc tat gac acc aca acc act cct	28124
Glu Asp Phe Asn Pro Val Tyr Pro Tyr Asp Thr Thr Thr Thr Pro	
	1445 1450 1455
gca gtt ccc ttt ata tca ccc ccc ttt gta aac agc gat ggt ctt	28169
Ala Val Pro Phe Ile Ser Pro Pro Phe Val Asn Ser Asp Gly Leu	
	1460 1465 1470
cag gaa aac ccc cca ggt gtt tta agt ctg cga ata gct aaa ccc	28214
Gln Glu Asn Pro Pro Gly Val Leu Ser Leu Arg Ile Ala Lys Pro	
	1475 1480 1485
cta tat ttc gac atg gag aga aaa cta gcc ctt tca ctt gga aga	28259
Leu Tyr Phe Asp Met Glu Arg Lys Leu Ala Leu Ser Leu Gly Arg	
	1490 1495 1500
ggg ttg aca att acc gcc gcc gga caa tta gaa agt acg cag agc	28304
Gly Leu Thr Ile Thr Ala Ala Gly Gln Leu Glu Ser Thr Gln Ser	
	1505 1510 1515
gta caa acc aac cca ccg ttg ata att acc aac aac aac aca ctg	28349
Val Gln Thr Asn Pro Pro Leu Ile Ile Thr Asn Asn Asn Thr Leu	
	1520 1525 1530

WO 03/046124

PCT/US02/33645

acc cta cgt cat tct ccc ccc tta aac cta act gac aat agc tta	28394
Thr Leu Arg His Ser Pro Pro Leu Asn Leu Thr Asp Asn Ser Leu	
1535 1540 1545	
gtg cta ggc tac tcg agt cct ctc cgc gtc aca gac aac aaa ctt	28439
Val Leu Gly Tyr Ser Ser Pro Leu Arg Val Thr Asp Asn Lys Leu	
1550 1555 1560	
aca ttt aac ttc aca tca cca ctc cgt tat gaa aat gaa aac ctt	28484
Thr Phe Asn Phe Thr Ser Pro Leu Arg Tyr Glu Asn Glu Asn Leu	
1565 1570 1575	
act ttt aac tat aca gag cct ctt aaa ctt ata aat aac agc ctt	28529
Thr Phe Asn Tyr Thr Glu Pro Leu Lys Leu Ile Asn Asn Ser Leu	
1580 1585 1590	
gcc att gac atc aat tcc tca aaa ggc ctt agt agc gtc gga ggc	28574
Ala Ile Asp Ile Asn Ser Ser Lys Gly Leu Ser Ser Val Gly Gly	
1595 1600 1605	
tca cta gct gta aac ctg agt tca gac tta aag ttt gac agc aac	28619
Ser Leu Ala Val Asn Leu Ser Ser Asp Leu Lys Phe Asp Ser Asn	
1610 1615 1620	
gga tcc ata gct ttt ggc ata caa acc ctg tgg acc gct ccg acc	28664
Gly Ser Ile Ala Phe Gly Ile Gln Thr Leu Trp Thr Ala Pro Thr	
1625 1630 1635	
tcg act ggc aac tgc acc gtc tac agc gag ggc gat tcc cta ctt	28709
Ser Thr Gly Asn Cys Thr Val Tyr Ser Glu Gly Asp Ser Leu Leu	
1640 1645 1650	
agt ctc tgt tta acc aaa tgc gga gct cac gtc tta gga agt gta	28754
Ser Leu Cys Leu Thr Lys Cys Gly Ala His Val Leu Gly Ser Val	
1655 1660 1665	
agt tta acc ggt tta aca gga acc ata acc caa atg act gat att	28799
Ser Leu Thr Gly Leu Thr Gly Thr Ile Thr Gln Met Thr Asp Ile	
1670 1675 1680	
tct gtc acc att caa ttt aca ttt gac aac aat ggt aag cta cta	28844
Ser Val Thr Ile Gln Phe Thr Phe Asp Asn Asn Gly Lys Leu Leu	
1685 1690 1695	
agc tct cca ctt ata aac aac gcc ttt agt att cga cag aat gac	28889
Ser Ser Pro Leu Ile Asn Asn Ala Phe Ser Ile Arg Gln Asn Asp	
1700 1705 1710	
agt acg gcc tca aac cct acc tac aac gcc ctg gcg ttt atg cct	28934
Ser Thr Ala Ser Asn Pro Thr Tyr Asn Ala Leu Ala Phe Met Pro	
1715 1720 1725	
aac agt acc ata tat gca aga ggg gga ggt ggt gaa cca cga aac	28979
Asn Ser Thr Ile Tyr Ala Arg Gly Gly Gly Gly Glu Pro Arg Asn	
1730 1735 1740	

WO 03/046124

PCT/US02/33645

aac tac tac gtc	caa acg tat ctt agg	gga aat gtt caa aaa cca	29024
Asn Tyr Tyr Val	Gln Thr Tyr Leu Arg	Gly Asn Val Gln Lys Pro	
1745	1750	1755	
atc att ctt act	gta acc tac aac tca	gtc gcc aca gga tat tcc	29069
Ile Ile Leu Thr	Val Thr Tyr Asn Ser	Val Ala Thr Gly Tyr Ser	
1760	1765	1770	
tta tct ttt aag	tgg act gct ctt gca	cgt gaa aag ttt gca acc	29114
Leu Ser Phe Lys	Trp Thr Ala Leu Ala	Arg Glu Lys Phe Ala Thr	
1775	1780	1785	
cca aca acc tcg	ttt tgc tac att aca	gaa caa taa aaccgtgtac	29160
Pro Thr Thr Ser	Phe Cys Tyr Ile Thr	Glu Gln	
1790	1795		
cccaccgttt	cgttttttttc ag atg aaa	cggttcg aga gtt gat gaa gac	29209
	Met Lys Arg	Ala Arg Val Asp Glu Asp	
	1800	1805	
ttc aac cca gtg	tac cct tat gac ccc	cca cat gct cct gtt atg	29254
Phe Asn Pro Val	Tyr Pro Tyr Asp Pro	Pro His Ala Pro Val Met	
1810	1815	1820	
ccc ttc att act	cca cct ttt acc tcc	tcg gat ggg ttg cag gaa	29299
Pro Phe Ile Thr	Pro Pro Phe Thr Ser	Ser Asp Gly Leu Gln Glu	
1825	1830	1835	
aaa cca ctt gga	gtg tta agt tta aac	tac aga gat ccc att act	29344
Lys Pro Leu Gly	Val Leu Ser Leu Asn	Tyr Arg Asp Pro Ile Thr	
1840	1845	1850	
acg caa aat gag	tct ctt aca att aaa	cta gga aac ggc ctc act	29389
Thr Gln Asn Glu	Ser Leu Thr Ile Lys	Leu Gly Asn Gly Leu Thr	
1855	1860	1865	
cta gac aac cag	gga caa cta aca tca	acc gct ggc gaa gta gaa	29434
Leu Asp Asn Gln	Gly Gln Leu Thr Ser	Thr Ala Gly Glu Val Glu	
1870	1875	1880	
cct cca ctc act	aac gct aac aac aaa	ctt gca ctg gtc tat agc	29479
Pro Pro Leu Thr	Asn Ala Asn Asn Lys	Leu Ala Leu Val Tyr Ser	
1885	1890	1895	
gat cct tta gca	gta aag cgc aac agc	cta acc tta tcg cac acc	29524
Asp Pro Leu Ala	Val Lys Arg Asn Ser	Leu Thr Leu Ser His Thr	
1900	1905	1910	
gct ccc ctt gtt	att gct gat aac tct	tta gca ttg caa gtt tca	29569
Ala Pro Leu Val	Ile Ala Asp Asn Ser	Leu Ala Leu Gln Val Ser	
1915	1920	1925	
gag cct att ttt	ata aat gac aag gac	aaa cta gcc ctg caa aca	29614
Glu Pro Ile Phe	Ile Asn Asp Lys Asp	Lys Leu Ala Leu Gln Thr	
1930	1935	1940	

gcc	gcg	ccc	ctt	gta	act	aac	gct	ggc	acc	ctt	cgc	tta	caa	agc	29659
Ala	Ala	Pro	Leu	Val	Thr	Asn	Ala	Gly	Thr	Leu	Arg	Leu	Gln	Ser	
			1945					1950							
gcc	gcc	cct	tta	ggc	att	gca	gac	caa	acc	cta	aaa	ctc	ctg	ttt	29704
Ala	Ala	Pro	Leu	Gly	Ile	Ala	Asp	Gln	Thr	Leu	Lys	Leu	Leu	Phe	
			1960					1965							
acc	aac	cct	ttg	tac	ttg	cag	aat	aac	ttt	ctc	acg	tta	gcc	att	29749
Thr	Asn	Pro	Leu	Tyr	Leu	Gln	Asn	Asn	Phe	Leu	Thr	Leu	Ala	Ile	
			1975					1980							
gaa	cga	ccc	ctt	gcc	att	acc	aat	act	gga	aag	ctg	gct	cta	cag	29794
Glu	Arg	Pro	Leu	Ala	Ile	Thr	Asn	Thr	Gly	Lys	Leu	Ala	Leu	Gln	
			1990					1995							
ctc	tcc	cca	ccg	cta	caa	aca	gca	gac	aca	ggc	ttg	act	ttg	caa	29839
Leu	Ser	Pro	Pro	Leu	Gln	Thr	Ala	Asp	Thr	Gly	Leu	Thr	Leu	Gln	
			2005					2010							
acc	aac	gtg	cca	tta	act	gta	agc	aac	ggg	acc	cta	ggc	tta	gcc	29884
Thr	Asn	Val	Pro	Leu	Thr	Val	Ser	Asn	Gly	Thr	Leu	Gly	Leu	Ala	
			2020					2025							
ata	aag	cgc	cca	ctt	att	att	cag	gac	aac	aac	ttg	ttt	ttg	gac	29929
Ile	Lys	Arg	Pro	Leu	Ile	Ile	Gln	Asp	Asn	Asn	Leu	Phe	Leu	Asp	
			2035					2040							
ttc	aga	gct	ccc	ctg	cgt	ctt	ttc	aac	agc	gac	cca	gta	cta	ggg	29974
Phe	Arg	Ala	Pro	Leu	Arg	Leu	Phe	Asn	Ser	Asp	Pro	Val	Leu	Gly	
			2050					2055							
ctt	aac	ttt	tac	acc	cct	ctt	gcg	gta	cgc	gat	gag	gcg	ctc	act	30019
Leu	Asn	Phe	Tyr	Thr	Pro	Leu	Ala	Val	Arg	Asp	Glu	Ala	Leu	Thr	
			2065					2070							
gtt	aac	aca	ggc	cgc	ggc	ctc	aca	gtg	agt	tac	gat	ggc	tta	att	30064
Val	Asn	Thr	Gly	Arg	Gly	Leu	Thr	Val	Ser	Tyr	Asp	Gly	Leu	Ile	
			2080					2085							
tta	aat	ctt	ggt	aag	gat	ctt	cgc	ttt	gac	aac	aac	acc	gtt	tct	30109
Leu	Asn	Leu	Gly	Lys	Asp	Leu	Arg	Phe	Asp	Asn	Asn	Thr	Val	Ser	
			2095					2100							
gtc	gct	ctt	agt	gct	gct	ttg	cct	tta	caa	tac	act	gat	cag	ctt	30154
Val	Ala	Leu	Ser	Ala	Ala	Leu	Pro	Leu	Gln	Tyr	Thr	Asp	Gln	Leu	
			2110					2115							
cgc	ctt	aac	gtg	ggc	gct	ggg	ctg	cgt	tac	aat	cca	gtg	agt	aag	30199
Arg	Leu	Asn	Val	Gly	Ala	Gly	Leu	Arg	Tyr	Asn	Pro	Val	Ser	Lys	
			2125					2130							
aaa	ttg	gac	gtg	aac	ccc	aat	caa	aac	aag	ggc	tta	acc	tgg	gaa	30244
Lys	Leu	Asp	Val	Asn	Pro	Asn	Gln	Asn	Lys	Gly	Leu	Thr	Trp	Glu	
			2140					2145							

WO 03/046124

PCT/US02/33645

aat gac tac ctc att gta aag cta gga aat gga tta ggt ttt gat	30289
Asn Asp Tyr Leu Ile Val Lys Leu Gly Asn Gly Leu Gly Phe Asp	
2155 2160 2165	
ggc gat gga aac ata gct gtt tct cct caa gtt aca tcg cct gac	30334
Gly Asp Gly Asn Ile Ala Val Ser Pro Gln Val Thr Ser Pro Asp	
2170 2175 2180	
acc tta tgg acc act gcc gac cca tcc ccc aat tgt tcc atc tac	30379
Thr Leu Trp Thr Thr Ala Asp Pro Ser Pro Asn Cys Ser Ile Tyr	
2185 2190 2195	
act gat tta gat gcc aaa atg tgg ctc tcg ttg gta aaa caa ggg	30424
Thr Asp Leu Asp Ala Lys Met Trp Leu Ser Leu Val Lys Gln Gly	
2200 2205 2210	
ggt gtg gtt cac ggt tct gtt gct tta aaa gca ttg aaa gga acc	30469
Gly Val Val His Gly Ser Val Ala Leu Lys Ala Leu Lys Gly Thr	
2215 2220 2225	
cta ttg agt cct acg gaa agc gcc att gtt att ata cta cat ttt	30514
Leu Leu Ser Pro Thr Glu Ser Ala Ile Val Ile Ile Leu His Phe	
2230 2235 2240	
gac aat tat gga gtg cga att ctc aat tat ccc act ttg ggc act	30559
Asp Asn Tyr Gly Val Arg Ile Leu Asn Tyr Pro Thr Leu Gly Thr	
2245 2250 2255	
caa ggc acg ttg gga aat aat gca act tgg ggt tat agg cag gga	30604
Gln Gly Thr Leu Gly Asn Asn Ala Thr Trp Gly Tyr Arg Gln Gly	
2260 2265 2270	
gaa tct gca gac act aat gta ctc aat gca cta gca ttt atg ccc	30649
Glu Ser Ala Asp Thr Asn Val Leu Asn Ala Leu Ala Phe Met Pro	
2275 2280 2285	
agt tca aaa agg tac cca aga ggg cgt gga agc gaa gtt cag aat	30694
Ser Ser Lys Arg Tyr Pro Arg Gly Arg Gly Ser Glu Val Gln Asn	
2290 2295 2300	
caa act gtg ggc tac act tgt ata cag ggt gac ttt tct atg ccc	30739
Gln Thr Val Gly Tyr Thr Cys Ile Gln Gly Asp Phe Ser Met Pro	
2305 2310 2315	
gta ccg tac caa ata cag tac aac tat gga cca act ggc tac tcc	30784
Val Pro Tyr Gln Ile Gln Tyr Asn Tyr Gly Pro Thr Gly Tyr Ser	
2320 2325 2330	
ttt aaa ttt att tgg aga act gtt tca aga caa cca ttt gac atc	30829
Phe Lys Phe Ile Trp Arg Thr Val Ser Arg Gln Pro Phe Asp Ile	
2335 2340 2345	
cca tgc tgt ttt ttc tct tac att acg gaa gaa taa aacaactttt	30875
Pro Cys Cys Phe Phe Ser Tyr Ile Thr Glu Glu	
2350 2355	
tcttttttatt ttcttttttat ttacacgca cagtaaggct tcctccaccc ttccatctca	30935

cagcatacac cagcctctcc cccttcatgg cagtaaactg ttgtgagtca gtccggtatt 30995
 tgggagttaa gatccaaaca gtctcttttg tgatgaaaca tggatccgtg atggacacaa 31055
 atccctggga caggttctcc aacgtttcgg taaaaaactg catgccgcc taaaaacaa 31115
 acaggttcag gctctccacg ggttatctcc ccgatcaaac tcagacagag taaagggtgcg 31175
 atgatgttcc actaaaccac gcagggtggcg ctgtctgaac ctctcgggtgc gactcctgtg 31235
 aggctggtaa gaagttagat tgtccagcag cctcacagca tggatcatca gtctacgagt 31295
 gcgtctggcg cagcagcgca tctgaatctc actgagattc cggcaagaat cgcacaccat 31355
 cacaatcagg ttgttcatga tcccatagct gaacacgctc cagccaaagc tcattcgcctc 31415
 caacagcgcc accgcgtgtc cgtccaacct tactttaaca taaatcaggt gtctgccgcg 31475
 taaaaacatg ctaccgcgat acagaacctc ccggggcaaa cccctgttca ccacctgcct 31535
 gtaccaggga aacctcacat ttatcaggga gccatagata gccattttta accaattagc 31595
 taacaccgcc ccaccagctc tacactgaag agaaccggga gagttacaat gacagtgaat 31655
 aatccatctc tcataacccc taatgggtctg atggaaatcc agatctaacy tggcacagca 31715
 gatacacact ttcataataca ttttcatcac atgtttttcc caggccgtta aaatacaatc 31775
 ccaatacacg ggccactcct gcagtacaat aaagctaata caagatggta tactcctcac 31835
 ctcactaaca ttgtgcatgt tcatattttc acatttctaag taccgagagt tctcctctac 31895
 aacagcactg ccgcggtcct cacaagggtg tagctgggtga cgattgtaag gagccagtct 31955
 gcagcgatac cgtctgtcgc gttgcatcgt agaccaggga ccgacgcact tcctcgtact 32015
 tgtagtagca gaaccacgtc cgctgccagc acgtctccaa gtaacgccgg tcctgcgtc 32075
 gctcacgctc cctcctcaac gcaaagtgc accactcttg taatccacac agatccctct 32135
 cggcctccgg ggcgatgcac acctcaaacc tacagatgtc tcggtacagt tccaaacacg 32195
 tagtgagggc gagttccaac caagacagac agcctgatct atcccgacac actggagggtg 32255
 gaggaagaca cggaagaggc atgttattcc aagcgattca ccaacgggtc gaaatgaaga 32315
 tcccgaagat gacaacggtc gcctccggag ccctgatgga atttaacagc cagatcaaac 32375
 attatgcgat tttccaggct atcaatcgcg gcctccaaaa gagcctggac ccgcacttcc 32435
 aaaaacacca gcaaagcaaa agcgttatta tcaaactctt cgatcatcaa gctgcaggac 32495
 tgtacaatgc ccaagtaatt ttcatttctc cactcgcgaa tgatgtcgcg gcaaatagtc 32555
 tgaagggttca tgccgtgcat attaaaaagc tccgaaaggg cgcctctat agccatgcgt 32615

agacacacca tcatgactgc aagatatcgg gctcctgaga cacctgcagc agatttaaca 32675
 gacccagggtc aggttgctct ccgcgatcgc gaatctccat ccgcaaagtc atttgcaaata 32735
 aattaaatag atctgcgccc actaaatctg ttaactccgc gctaggaact aaatcagggtg 32795
 tggctacgca gcacaaaagt tccagggatg gcgcctaaact cactagaacc gctcccagat 32855
 agcaaaaactg atgaatggga gtaacacagt gtaaaatgtt cagccaaaaa tcactaagct 32915
 gctcctttta aaagtccagt acttctatat tcagttcgtg caagtactga agcaactgtg 32975
 cggaatatg cacagcaaaa aaaatagggc ggctcagata catgttgacc taaaataaaa 33035
 agaatcatta aactaaagaa gcctggcgaa cgggtgggata tatgacacgc tccagcagca 33095
 ggcaagcaac cggctgtccc cggaaccgc ggtaaaattc atccgaatga ttaaaaagaa 33155
 caacagagac ttcccaccat gtactcgggt ggatctcctg agcacagagc aatacccccc 33215
 tcacattcat atccgctaca gaaaaaaaaac gtcccagata cccagcggga atatccaacg 33275
 acagctgcaa agacagcaaa acaatccctc tgggagcaat cacaaaatcc tccggtgaaa 33335
 aaagcacata catattagaa taaccctgtt gctggggcaa aaaggcccgt cgtcccagca 33395
 aatgcacata aatatgttca tcagccattg cccgtctta ccgcgtaaac agccacgaaa 33455
 aaatcgagct aaaatccacc caacagccta tagctatata tacactccac ccaatgacgc 33515
 taataccgca ccaccacga ccaaagttca cccacacca caaaaccgc gaaaatccag 33575
 cgccgtcagc acttccgcaa ttctcgtctc acaacgtcac ttccgcgcgc cttttcactt 33635
 tcccacacac gcccttcgcc cgcccgccct cgcgccaccc cgcgtcacc caggtcaccg 33695
 caggtcacc cggccccgcc tcgctcctcc ccgctcatta tcatattggc acgtttccag 33755
 aataagggtat attattgatg cagcaaaaca atccctctgg gagcaatcac aaaatcctcc 33815
 ggtgaaaaaa gcacatacat attagaataa ccctgttgct ggggcaaaaa ggcccgtcgt 33875
 cccagcaaat gcacataaat atgttcatca gccattgccc cgtcttaccg cgtaaacagc 33935
 cacgaaaaaa tcgagctaaa atccacccaa cagcctatag ctatatatac actccacca 33995
 atgacgctaa taccgcacca cccacgacca aagttcacc acaccacaa aaccgcgaa 34055
 aatccagcgc cgtcagcact tccgcaattt cagtctcaca acgtcacttc cgcgcgcctt 34115
 ttacttttcc cacacacgcc ctctgcccgc ccgcctcgc gccacccgc gtcacccac 34175
 gtcaccgcac gtcaccccg cccgcctcgc ctctccccg ctattatca tattggcacg 34235
 ttccagaat aaggatatatt attgatgca 34264

WO 03/046124

PCT/US02/33645

<210> 25
 <211> 503
 <212> PRT
 <213> simian adenovirus SV-1

<400> 25

Met	Arg	Arg	Ala	Val	Arg	Val	Thr	Pro	Ala	Ala	Tyr	Glu	Gly	Pro	Pro	1	5	10	15
Pro	Ser	Tyr	Glu	Ser	Val	Met	Gly	Ser	Ala	Asn	Val	Pro	Ala	Thr	Leu	20	25	30	
Glu	Ala	Pro	Tyr	Val	Pro	Pro	Arg	Tyr	Leu	Gly	Pro	Thr	Glu	Gly	Arg	35	40	45	
Asn	Ser	Ile	Arg	Tyr	Ser	Glu	Leu	Ala	Pro	Leu	Tyr	Asp	Thr	Thr	Lys	50	55	60	
Val	Tyr	Leu	Val	Asp	Asn	Lys	Ser	Ala	Asp	Ile	Ala	Ser	Leu	Asn	Tyr	65	70	75	80
Gln	Asn	Asp	His	Ser	Asn	Phe	Leu	Thr	Thr	Val	Val	Gln	Asn	Asn	Asp	85	90	95	
Phe	Thr	Pro	Thr	Glu	Ala	Gly	Thr	Gln	Thr	Ile	Asn	Phe	Asp	Glu	Arg	100	105	110	
Ser	Arg	Trp	Gly	Gly	Gln	Leu	Lys	Thr	Ile	Leu	His	Thr	Asn	Met	Pro	115	120	125	
Asn	Ile	Asn	Glu	Phe	Met	Ser	Thr	Asn	Lys	Phe	Arg	Ala	Arg	Leu	Met	130	135	140	
Val	Lys	Lys	Ala	Glu	Asn	Gln	Pro	Pro	Glu	Tyr	Glu	Trp	Phe	Glu	Phe	145	150	155	160
Thr	Ile	Pro	Glu	Gly	Asn	Tyr	Ser	Glu	Thr	Met	Thr	Ile	Asp	Leu	Met	165	170	175	
Asn	Asn	Ala	Ile	Val	Asp	Asn	Tyr	Leu	Gln	Val	Gly	Arg	Gln	Asn	Gly	180	185	190	
Val	Leu	Glu	Ser	Asp	Ile	Gly	Val	Lys	Phe	Asp	Thr	Arg	Asn	Phe	Arg	195	200	205	
Leu	Gly	Trp	Asp	Pro	Val	Thr	Lys	Leu	Val	Met	Pro	Gly	Val	Tyr	Thr	210	215	220	
Asn	Glu	Ala	Phe	His	Pro	Asp	Ile	Val	Leu	Leu	Pro	Gly	Cys	Gly	Val	225	230	235	240
Asp	Phe	Thr	Gln	Ser	Arg	Leu	Ser	Asn	Leu	Leu	Gly	Ile	Arg	Lys	Arg	245	250	255	
Arg	Pro	Phe	Gln	Glu	Gly	Phe	Gln	Ile	Met	Tyr	Glu	Asp	Leu	Glu	Gly	260	265	270	

WO 03/046124

PCT/US02/33645

Gly Asn Ile Pro Gly Leu Leu Asp Val Pro Ala Tyr Glu Glu Ser Val
 275 280 285
 Lys Gln Ala Glu Ala Gln Gly Arg Glu Ile Arg Gly Asp Thr Phe Ala
 290 295 300
 Thr Glu Pro His Glu Leu Val Ile Lys Pro Leu Glu Gln Asp Ser Lys
 305 310 315 320
 Lys Arg Ser Tyr Asn Ile Ile Ser Gly Thr Met Asn Thr Leu Tyr Arg
 325 330 335
 Ser Trp Phe Leu Ala Tyr Asn Tyr Gly Asp Pro Glu Lys Gly Val Arg
 340 345 350
 Ser Trp Thr Ile Leu Thr Thr Thr Asp Val Thr Cys Gly Ser Gln Gln
 355 360 365
 Val Tyr Trp Ser Leu Pro Asp Met Met Gln Asp Pro Val Thr Phe Arg
 370 375 380
 Pro Ser Thr Gln Val Ser Asn Phe Pro Val Val Gly Thr Glu Leu Leu
 385 390 395 400
 Pro Val His Ala Lys Ser Phe Tyr Asn Glu Gln Ala Val Tyr Ser Gln
 405 410 415
 Leu Ile Arg Gln Ser Thr Ala Leu Thr His Val Phe Asn Arg Phe Pro
 420 425 430
 Glu Asn Gln Ile Leu Val Arg Pro Pro Ala Pro Thr Ile Thr Thr Val
 435 440 445
 Ser Glu Asn Val Pro Ala Leu Thr Asp His Gly Thr Leu Pro Leu Arg
 450 455 460
 Ser Ser Ile Ser Gly Val Gln Arg Val Thr Ile Thr Asp Ala Arg Arg
 465 470 475 480
 Arg Thr Cys Pro Tyr Val Tyr Lys Ala Leu Gly Val Val Ala Pro Lys
 485 490 495
 Val Leu Ser Ser Arg Thr Phe
 500

<210> 26
 <211> 931
 <212> PRT
 <213> simian adenovirus SV-1

<400> 26

Met Ala Thr Pro Ser Met Met Pro Gln Trp Ser Tyr Met His Ile Ala
 1 5 10 15

Gly	Gln	Asp	Ala	Ser	Glu	Tyr	Leu	Ser	Pro	Gly	Leu	Val	Gln	Phe	Ala	
			20					25					30			
Arg	Ala	Thr	Asp	Thr	Tyr	Phe	Ser	Leu	Gly	Asn	Lys	Phe	Arg	Asn	Pro	
		35					40					45				
Thr	Val	Ala	Pro	Thr	His	Asp	Val	Thr	Thr	Asp	Arg	Ser	Gln	Arg	Leu	
	50					55					60					
Thr	Leu	Arg	Phe	Val	Pro	Val	Asp	Arg	Glu	Asp	Thr	Ala	Tyr	Ser	Tyr	
65					70					75					80	
Lys	Val	Arg	Tyr	Thr	Leu	Ala	Val	Gly	Asp	Asn	Arg	Val	Leu	Asp	Met	
				85					90					95		
Ala	Ser	Thr	Tyr	Phe	Asp	Ile	Arg	Gly	Val	Leu	Asp	Arg	Gly	Pro	Ser	
			100					105					110			
Phe	Lys	Pro	Tyr	Ser	Gly	Thr	Ala	Tyr	Asn	Ser	Leu	Ala	Pro	Lys	Gly	
		115					120					125				
Ala	Pro	Asn	Pro	Ala	Glu	Trp	Thr	Asn	Ser	Asp	Ser	Lys	Val	Lys	Val	
	130					135					140					
Arg	Ala	Gln	Ala	Pro	Phe	Val	Ser	Ser	Tyr	Gly	Ala	Thr	Ala	Ile	Thr	
145					150					155					160	
Lys	Glu	Gly	Ile	Gln	Val	Gly	Val	Thr	Leu	Thr	Asp	Ser	Gly	Ser	Thr	
				165					170					175		
Pro	Gln	Tyr	Ala	Asp	Lys	Thr	Tyr	Gln	Pro	Glu	Pro	Gln	Ile	Gly	Glu	
			180					185					190			
Leu	Gln	Trp	Asn	Ser	Asp	Val	Gly	Thr	Asp	Asp	Lys	Ile	Ala	Gly	Arg	
		195					200					205				
Val	Leu	Lys	Lys	Thr	Thr	Pro	Met	Phe	Pro	Cys	Tyr	Gly	Ser	Tyr	Ala	
	210					215					220					
Arg	Pro	Thr	Asn	Glu	Lys	Gly	Gly	Gln	Ala	Thr	Pro	Ser	Ala	Ser	Gln	
225					230					235					240	
Asp	Val	Gln	Asn	Pro	Glu	Leu	Gln	Phe	Phe	Ala	Ser	Thr	Asn	Val	Ala	
				245					250					255		
Asn	Thr	Pro	Lys	Ala	Val	Leu	Tyr	Ala	Glu	Asp	Val	Ser	Ile	Glu	Ala	
			260					265					270			
Pro	Asp	Thr	His	Leu	Val	Phe	Lys	Pro	Thr	Val	Thr	Glu	Gly	Ile	Thr	
		275					280					285				
Ser	Ser	Glu	Ala	Leu	Leu	Thr	Gln	Gln	Ala	Ala	Pro	Asn	Arg	Pro	Asn	
		290				295					300					
Tyr	Ile	Ala	Phe	Arg	Asp	Asn	Phe	Ile	Gly	Leu	Met	Tyr	Tyr	Asn	Ser	
305					310					315					320	

Thr Gly Asn Met Gly Val Leu Ala Gly Gln Ala Ser Gln Leu Asn Ala
 325 330 335
 Val Val Asp Leu Gln Asp Arg Asn Thr Glu Leu Ser Tyr Gln Leu Met
 340 345 350
 Leu Asp Ala Leu Gly Asp Arg Ser Arg Tyr Phe Ser Met Trp Asn Gln
 355 360 365
 Ala Val Asp Ser Tyr Asp Pro Asp Val Arg Ile Ile Glu Asn His Gly
 370 375 380
 Val Glu Asp Glu Leu Pro Asn Tyr Cys Phe Pro Leu Gly Gly Met Ala
 385 390 395 400
 Val Thr Asp Thr Tyr Ser Pro Ile Lys Val Asn Gly Gly Gly Asn Gly
 405 410 415
 Trp Glu Ala Asn Asn Gly Val Phe Thr Glu Arg Gly Val Glu Ile Gly
 420 425 430
 Ser Gly Asn Met Phe Ala Met Glu Ile Asn Leu Gln Ala Asn Leu Trp
 435 440 445
 Arg Ser Phe Leu Tyr Ser Asn Ile Gly Leu Tyr Leu Pro Asp Ser Leu
 450 455 460
 Lys Ile Thr Pro Asp Asn Ile Thr Leu Pro Glu Asn Lys Asn Thr Tyr
 465 470 475 480
 Gln Tyr Met Asn Gly Arg Val Thr Pro Pro Gly Leu Val Asp Thr Tyr
 485 490 495
 Val Asn Val Gly Ala Arg Trp Ser Pro Asp Val Met Asp Ser Ile Asn
 500 505 510
 Pro Phe Asn His His Arg Asn Ala Gly Leu Arg Tyr Arg Ser Met Leu
 515 520 525
 Leu Gly Asn Gly Arg Tyr Val Pro Phe His Ile Gln Val Pro Gln Lys
 530 535 540
 Phe Phe Ala Ile Lys Asn Leu Leu Leu Leu Pro Gly Ser Tyr Thr Tyr
 545 550 555 560
 Glu Trp Asn Phe Arg Lys Asp Val Asn Met Ile Leu Gln Ser Ser Leu
 565 570 575
 Gly Asn Asp Leu Arg Val Asp Gly Ala Ser Ile Arg Phe Asp Ser Ile
 580 585 590
 Asn Leu Tyr Ala Asn Phe Phe Pro Met Ala His Asn Thr Ala Ser Thr
 595 600 605
 Leu Glu Ala Met Leu Arg Asn Asp Thr Asn Asp Gln Ser Phe Asn Asp
 610 615 620

Tyr	Leu	Cys	Ala	Ala	Asn	Met	Leu	Tyr	Pro	Ile	Pro	Ala	Asn	Ala	Thr	625	630	635	640
Ser	Val	Pro	Ile	Ser	Ile	Pro	Ser	Arg	Asn	Trp	Ala	Ala	Phe	Arg	Gly	645	650	655	
Trp	Ser	Phe	Thr	Arg	Leu	Lys	Thr	Lys	Glu	Thr	Pro	Ser	Leu	Gly	Ser	660	665	670	
Gly	Phe	Asp	Pro	Tyr	Phe	Val	Tyr	Ser	Gly	Ser	Ile	Pro	Tyr	Leu	Asp	675	680	685	
Gly	Thr	Phe	Tyr	Leu	Asn	His	Thr	Phe	Lys	Lys	Val	Ser	Ile	Met	Phe	690	695	700	
Asp	Ser	Ser	Val	Ser	Trp	Pro	Gly	Asn	Asp	Arg	Leu	Leu	Thr	Pro	Asn	705	710	715	720
Glu	Phe	Glu	Ile	Lys	Arg	Ser	Val	Asp	Gly	Glu	Gly	Tyr	Asn	Val	Ala	725	730	735	
Gln	Ser	Asn	Met	Thr	Lys	Asp	Trp	Phe	Leu	Ile	Gln	Met	Leu	Ser	His	740	745	750	
Tyr	Asn	Ile	Gly	Tyr	Gln	Gly	Phe	Tyr	Val	Pro	Glu	Asn	Tyr	Lys	Asp	755	760	765	
Arg	Met	Tyr	Ser	Phe	Phe	Arg	Asn	Phe	Gln	Pro	Met	Ser	Arg	Gln	Ile	770	775	780	
Val	Asp	Ser	Thr	Ala	Tyr	Thr	Asn	Tyr	Gln	Asp	Val	Lys	Leu	Pro	Tyr	785	790	795	800
Gln	His	Asn	Asn	Ser	Gly	Phe	Val	Gly	Tyr	Met	Gly	Pro	Thr	Met	Arg	805	810	815	
Glu	Gly	Gln	Ala	Tyr	Pro	Ala	Asn	Tyr	Pro	Tyr	Pro	Leu	Ile	Gly	Ala	820	825	830	
Thr	Ala	Val	Pro	Ser	Leu	Thr	Gln	Lys	Lys	Phe	Leu	Cys	Asp	Arg	Val	835	840	845	
Met	Trp	Arg	Ile	Pro	Phe	Ser	Ser	Asn	Phe	Met	Ser	Met	Gly	Ser	Leu	850	855	860	
Thr	Asp	Leu	Gly	Gln	Asn	Met	Leu	Tyr	Ala	Asn	Ser	Ala	His	Ala	Leu	865	870	875	880
Asp	Met	Thr	Phe	Glu	Val	Asp	Pro	Met	Asp	Glu	Pro	Thr	Leu	Leu	Tyr	885	890	895	
Val	Leu	Phe	Glu	Val	Phe	Asp	Val	Val	Arg	Ile	His	Gln	Pro	His	Arg	900	905	910	

WO 03/046124

PCT/US02/33645

Gly Val Ile Glu Ala Val Tyr Leu Arg Thr Pro Phe Ser Ala Gly Asn
 915 920 925

Ala Thr Thr
 930

<210> 27
 <211> 363
 <212> PRT
 <213> simian adenovirus SV-1

<400> 27

Met Lys Arg Thr Arg Val Asp Glu Asp Phe Asn Pro Val Tyr Pro Tyr
 1 5 10 15

Asp Thr Thr Thr Thr Pro Ala Val Pro Phe Ile Ser Pro Pro Phe Val
 20 25 30

Asn Ser Asp Gly Leu Gln Glu Asn Pro Pro Gly Val Leu Ser Leu Arg
 35 40 45

Ile Ala Lys Pro Leu Tyr Phe Asp Met Glu Arg Lys Leu Ala Leu Ser
 50 55 60

Leu Gly Arg Gly Leu Thr Ile Thr Ala Ala Gly Gln Leu Glu Ser Thr
 65 70 75 80

Gln Ser Val Gln Thr Asn Pro Pro Leu Ile Ile Thr Asn Asn Asn Thr
 85 90 95

Leu Thr Leu Arg His Ser Pro Pro Leu Asn Leu Thr Asp Asn Ser Leu
 100 105 110

Val Leu Gly Tyr Ser Ser Pro Leu Arg Val Thr Asp Asn Lys Leu Thr
 115 120 125

Phe Asn Phe Thr Ser Pro Leu Arg Tyr Glu Asn Glu Asn Leu Thr Phe
 130 135 140

Asn Tyr Thr Glu Pro Leu Lys Leu Ile Asn Asn Ser Leu Ala Ile Asp
 145 150 155 160

Ile Asn Ser Ser Lys Gly Leu Ser Ser Val Gly Gly Ser Leu Ala Val
 165 170 175

Asn Leu Ser Ser Asp Leu Lys Phe Asp Ser Asn Gly Ser Ile Ala Phe
 180 185 190

Gly Ile Gln Thr Leu Trp Thr Ala Pro Thr Ser Thr Gly Asn Cys Thr
 195 200 205

Val Tyr Ser Glu Gly Asp Ser Leu Leu Ser Leu Cys Leu Thr Lys Cys
 210 215 220

WO 03/046124

PCT/US02/33645

Gly Ala His Val Leu Gly Ser Val Ser Leu Thr Gly Leu Thr Gly Thr
 225 230 235 240
 Ile Thr Gln Met Thr Asp Ile Ser Val Thr Ile Gln Phe Thr Phe Asp
 245 250 255
 Asn Asn Gly Lys Leu Leu Ser Ser Pro Leu Ile Asn Asn Ala Phe Ser
 260 265 270
 Ile Arg Gln Asn Asp Ser Thr Ala Ser Asn Pro Thr Tyr Asn Ala Leu
 275 280 285
 Ala Phe Met Pro Asn Ser Thr Ile Tyr Ala Arg Gly Gly Gly Gly Glu
 290 295 300
 Pro Arg Asn Asn Tyr Tyr Val Gln Thr Tyr Leu Arg Gly Asn Val Gln
 305 310 315 320
 Lys Pro Ile Ile Leu Thr Val Thr Tyr Asn Ser Val Ala Thr Gly Tyr
 325 330 335
 Ser Leu Ser Phe Lys Trp Thr Ala Leu Ala Arg Glu Lys Phe Ala Thr
 340 345 350
 Pro Thr Thr Ser Phe Cys Tyr Ile Thr Glu Gln
 355 360

<210> 28
 <211> 560
 <212> PRT
 <213> simian adenovirus SV-1

<400> 28

Met Lys Arg Ala Arg Val Asp Glu Asp Phe Asn Pro Val Tyr Pro Tyr
 1 5 10 15
 Asp Pro Pro His Ala Pro Val Met Pro Phe Ile Thr Pro Pro Phe Thr
 20 25 30
 Ser Ser Asp Gly Leu Gln Glu Lys Pro Leu Gly Val Leu Ser Leu Asn
 35 40 45
 Tyr Arg Asp Pro Ile Thr Thr Gln Asn Glu Ser Leu Thr Ile Lys Leu
 50 55 60
 Gly Asn Gly Leu Thr Leu Asp Asn Gln Gly Gln Leu Thr Ser Thr Ala
 65 70 75 80
 Gly Glu Val Glu Pro Pro Leu Thr Asn Ala Asn Asn Lys Leu Ala Leu
 85 90 95
 Val Tyr Ser Asp Pro Leu Ala Val Lys Arg Asn Ser Leu Thr Leu Ser
 100 105 110

His Thr Ala Pro Leu Val Ile Ala Asp Asn Ser Leu Ala Leu Gln Val
 115 120 125
 Ser Glu Pro Ile Phe Ile Asn Asp Lys Asp Lys Leu Ala Leu Gln Thr
 130 135 140
 Ala Ala Pro Leu Val Thr Asn Ala Gly Thr Leu Arg Leu Gln Ser Ala
 145 150 155 160
 Ala Pro Leu Gly Ile Ala Asp Gln Thr Leu Lys Leu Leu Phe Thr Asn
 165 170 175
 Pro Leu Tyr Leu Gln Asn Asn Phe Leu Thr Leu Ala Ile Glu Arg Pro
 180 185 190
 Leu Ala Ile Thr Asn Thr Gly Lys Leu Ala Leu Gln Leu Ser Pro Pro
 195 200 205
 Leu Gln Thr Ala Asp Thr Gly Leu Thr Leu Gln Thr Asn Val Pro Leu
 210 215 220
 Thr Val Ser Asn Gly Thr Leu Gly Leu Ala Ile Lys Arg Pro Leu Ile
 225 230 235 240
 Ile Gln Asp Asn Asn Leu Phe Leu Asp Phe Arg Ala Pro Leu Arg Leu
 245 250 255
 Phe Asn Ser Asp Pro Val Leu Gly Leu Asn Phe Tyr Thr Pro Leu Ala
 260 265 270
 Val Arg Asp Glu Ala Leu Thr Val Asn Thr Gly Arg Gly Leu Thr Val
 275 280 285
 Ser Tyr Asp Gly Leu Ile Leu Asn Leu Gly Lys Asp Leu Arg Phe Asp
 290 295 300
 Asn Asn Thr Val Ser Val Ala Leu Ser Ala Ala Leu Pro Leu Gln Tyr
 305 310 315 320
 Thr Asp Gln Leu Arg Leu Asn Val Gly Ala Gly Leu Arg Tyr Asn Pro
 325 330 335
 Val Ser Lys Lys Leu Asp Val Asn Pro Asn Gln Asn Lys Gly Leu Thr
 340 345 350
 Trp Glu Asn Asp Tyr Leu Ile Val Lys Leu Gly Asn Gly Leu Gly Phe
 355 360 365
 Asp Gly Asp Gly Asn Ile Ala Val Ser Pro Gln Val Thr Ser Pro Asp
 370 375 380
 Thr Leu Trp Thr Thr Ala Asp Pro Ser Pro Asn Cys Ser Ile Tyr Thr
 385 390 395 400
 Asp Leu Asp Ala Lys Met Trp Leu Ser Leu Val Lys Gln Gly Gly Val
 405 410 415

Val His Gly Ser Val Ala Leu Lys Ala Leu Lys Gly Thr Leu Leu Ser
420 425 430

Pro Thr Glu Ser Ala Ile Val Ile Ile Leu His Phe Asp Asn Tyr Gly
435 440 445

Val Arg Ile Leu Asn Tyr Pro Thr Leu Gly Thr Gln Gly Thr Leu Gly
450 455 460

Asn Asn Ala Thr Trp Gly Tyr Arg Gln Gly Glu Ser Ala Asp Thr Asn
465 470 475 480

Val Leu Asn Ala Leu Ala Phe Met Pro Ser Ser Lys Arg Tyr Pro Arg
485 490 495

Gly Arg Gly Ser Glu Val Gln Asn Gln Thr Val Gly Tyr Thr Cys Ile
500 505 510

Gln Gly Asp Phe Ser Met Pro Val Pro Tyr Gln Ile Gln Tyr Asn Tyr
515 520 525

Gly Pro Thr Gly Tyr Ser Phe Lys Phe Ile Trp Arg Thr Val Ser Arg
530 535 540

Gln Pro Phe Asp Ile Pro Cys Cys Phe Phe Ser Tyr Ile Thr Glu Glu
545 550 555 560

<210> 29
<211> 31044
<212> DNA
<213> simian adenovirus SV-25

<220>
<221> CDS
<222> (12284)..(13801)
<223> Penton

<220>
<221> CDS
<222> (16681)..(19446)
<223> Hexon

<220>
<221> CDS
<222> (25380)..(26423)
<223> Fiber #2

<220>
<221> CDS
<222> (26457)..(28136)
<223> Fiber #1

<400> 29

catcatcaat aatatacctt attctggaaa cgtgcccaata tgataatgag cggggaggag

60

cgagggcgggg ccgggggtgac gtgcgggtgac gcgggggtggc gcgaggggcgg ggcgaagggc	120
gcgggtgtgt gtgtgggagg cgcttagttt ttacgtatgc ggaaggaggt ttataaccgg	180
aagatgggta atttgggcgt atacttgtaa gttttgtgta atttggcgcg aaaactgggt	240
aatgaggaag ttgaggttaa tatgtacttt ttatgactgg gcggaatttc tgctgatcag	300
cagtgaactt tgggcgctga cggggaggtt tcgctacgtg acagtaccac gagaaggctc	360
aaagggtcca ttattgtac tcttcagcgt tttcgctggg tatttaaacg ctgtcagatc	420
atcaagaggc cactcttgag tgctggcgag aagagttttc tcctccgtgc tgccacgatg	480
aggctggtcc ccgagatgta cgggtgtttt agcgacgaga cggtgcgtaa ctcagatgac	540
ctgctgaatt cagacgcgct ggaaatttcc aattcgctg tgctttcgcc gccgtcactt	600
cacgacctgt ttgtgttttg gctcaacgct tagcaacgtg ttatataggg tcaagaagga	660
gcaggagacg cagtttgcta ggctgttggc cgatactcct ggagtttttg tggctctgga	720
tctaggccat cactctcttt tccaagagaa aattatcaaa aacttaactt ttacgtctcc	780
tggtcgcacg gttgcttccg ctgcctttat tacctatatt ttggatcaat ggagcaacag	840
cgacagccac ctgtcgtggg agtacatgct ggattacatg tcgatggcgc tgtggagggc	900
catgctgcgg aggagggttt gcatttactt gcgggcgcag cctccgcggc tggaccgagt	960
ggaggaggag gacgagccgg gggagaccga gaacctgagg gccgggctgg accctccaac	1020
ggaggactag gtgctgagga tgatcccgaa gaggggacta gtggggctag gaagaagcaa	1080
aagactgagt ctgaacctcg aaactttttg aatgagttga ctgtgagttt gatgaatcgt	1140
cagcgtccgg agacaatttt ctggtctgaa ttggaggagg aattcaggag gggggaactg	1200
aacctgctat acaagtatgg gtttgaacag ttaaaaactc actggttgga gccgtgggag	1260
gattttgaaa ccgccttgga cacttttgct aaagtggctc tgcggccgga taaggtttac	1320
actatccgcc gcactgttaa cataaagaag agtgtttatg ttataggcca tggagctctg	1380
gtgcaggtgc aaaccgtcga ccgggtggcc tttagttgcg gtatgcaaaa tctgggcccc	1440
ggggtgatag gcttaaattg tgtaacattt cacaatgtaa ggtttactgg tgaaagtttt	1500
aacggctctg tgtttgcaaa taacacacag ctgacgctcc acggcgttta cttttttaac	1560
tttaataaca catgtgtgga gtcgtggggc aggggtgtctt tgaggggctg ctgttttcac	1620
ggctgctgga aggcggtggg ggggaagactt aaaagtgtaa catctgtaaa aaaatgcgtg	1680
tttgagcggg gtgtgttggc tttaactgtg gagggctgtg gacgcattag gaataatgcg	1740

gcgtctgaga atggatgttt tcttttgcta aaaggcacgg ctagtattaa gcataacatg 1800
 atatgcggca gcggtctgta cccttcacag ctgttaactt gcgcggatgg aaactgtcag 1860
 accttgcgca ccgtgcacat agcgtccac cagcgccgcg cctggccaac attcgagcac 1920
 aatatgctta tgcgttgtgc cgtccacttg ggccctaggg gaggcgtgtt tgtgccttac 1980
 cagtgttaact ttagccatac caagatttta ctagaacctg ataccttctc tcgagtgtgt 2040
 ttcaatgggg tgtttgacat gtcaatggaa ctgtttaaag tgataagata tgatgaatcc 2100
 aagtctcgtt gtcgcccacat tgaatgcgga gctaatac tgcggttgta tcctgttaacc 2160
 ctaaacgtta ccgaggagct gaggacggat caccacatgt tgtcctgcct gcgcaccgac 2220
 tatgaatcca gcgacgagga gtgaggtgag gggcggagcc acaaagggtta taaaggggcg 2280
 tgaggggtgg gtgtgatgat tcaaatgag cgggacgacg gacggcaacg cgtttgaggg 2340
 tggagtgttc agcccttatc tgacatctcg tcttccttcc tgggcaggag tgcgtcagaa 2400
 tgtagtgggc tccaccgtgg acggacgacc ggtcgccctt gcaaattccg ccaccctcac 2460
 ctatgccacc gtgggatcat cgttggacac tgccgcggca gctgccgctt ctgctgccgc 2520
 ttctactgct cgcggcatgg cggctgattt tggactgtat aaccaactgg ccactgcagc 2580
 tgtggcgtct cggctctctgg ttcaagaaga tgccctgaat gtgatcctga ctgcctgga 2640
 gatcatgtca cgtcgcttgg acgaactggc tgcgcagata tccaagcta accccgatac 2700
 cacttcagaa tcctaaaata aagacaaaca aatatgttga aaagtaaaat ggctttatth 2760
 gttttttttg gctcggtagg ctcggtcca cctgtctcgg tcgttaagaa ctttgtgtat 2820
 gttttccaaa acacggtaca gatgggcttg gatgttcaag tacatgggca tgaggccatc 2880
 tttgggggtga agataggacc attgaagagc gtcattgctc ggggtgggtg tgtaaattac 2940
 ccagtcgtag cagggtttct gggcgtggaa ctggaagatg tccttttagga gtaggctgat 3000
 ggccaagggc aggcccttag ttaggtgtt tacaagcgg ttaagctggg agggatgcat 3060
 gcgggggggag atgatatgca tcttggcttg gatcttgagg ttagctatgt taccaccag 3120
 gtctctgcgg gggttcatgt tatgaaggac caccagcacg gtgtagccgg tgcatttggg 3180
 gaacttgtca tgcagtttgg aggggaaggc gtggaagaat ttagagaccc ccttgtggcc 3240
 ccctaggttt tccatgcact catccataat gatggcaatg ggaccctgg cggccgcttt 3300
 ggcaaacacg ttttgggggt tggaacatc atagtthtgc tctagagtga gctcatcata 3360
 ggccatctta acaaagcggg gtaggagggg gcccgactgg gggatgatag ttccatctgg 3420
 gcctggggcg tagttaccct cacagatctg catctcccag gccttaatth ccgagggggg 3480

tatcatgtcc acctgggggg caataaagaa cacggtttct ggcgggggat tgatgagctg	3540
ggtggaaagc aagttacgca gcagttgaga tttgccacag ccggtggggc cgtagatgac	3600
cccgatgacg ggttgcagct ggtagttgag agaggaacag ctgccgtcgg ggcgcaggag	3660
gggggctacc tcattcatca tgcttctaac atgtttattht tcactcacta agttttgcaa	3720
gagcctctcc ccacccaggg ataagagttc ttccaggctg ttgaagtgtt tcagcggtht	3780
taggccgtcg gccatgggca tcttttcgag cgactgacga agcaagtaca gtcgggtcca	3840
gagctcggtg acgtgctcta tggaatctcg atccagcaga cttcttggtt gcgggggtht	3900
ggtcgacttht cgctgtaggg caccagccgg tgggcgtcca gggccgcgag ggttctgtcc	3960
ttccagggtc tcagcgtccg ggtgagggtg gtctcgggtga cgggtgaaggg atgagccccg	4020
ggctggggcg ttgcgagggg gcgcttcagg ctcatcctgc tgggtgctgaa gcggacgtcg	4080
tctccctgtg agtcggccag atagcaacga agcatgaggt cgtagctgag ggactcggcc	4140
gcgtgtccct tggcgcgcag ctttcccttg gaaacgtgct gacatttggt gcagtgcaga	4200
cattggaggg cgtagagtht gggggccagg aagaccgact cgggcgagta ggcgtcggct	4260
ccgcactgag cgcagacggt ctgcgactcc actagccacg tgagctcggg tttagcggga	4320
tcaaaaacca agttgcctcc atthtthttht atgcgtthtct taccttgctt ttccatgagt	4380
ttgtggcccc cttccgtgac aaaaaggctg tcggtgtctc cgtagacaga cttgaggggg	4440
cgatcttcca aagggtgttc gaggtcttcc gcgtacagga actgggacca ctccgagacg	4500
aaggctctgg tccaggctaa cacgaaggag gcaatctgcg aggggtatct gtcgtthtca	4560
atgagggggg ccaccttht cagggtgtgc agacacaggt cgctcctctc cgcgtccacg	4620
aagggtgattg gcttgtaagt gtaggtcacg tgatctgcac ccccaaagg ggtataaaag	4680
ggggcgtgcc caccctctcc gtcactthtct tccgcatcgc tgtggaccag agccagctgt	4740
tcgggtgagt aggccctctc aaaagccggc atgatctcgg cgctcaagtt gtcagthtct	4800
acaaacgagg tggatttgat attcacgtgc ccgcggcgga tgctthtgat ggtggagggg	4860
tccatctgat cagaaaacac gatctthttht ttgtcaagtt tgggtggcgaa agaccgtag	4920
agggcgttgg aaagcaactt ggcgatggag cgcagggtct gattthtctc ccgatcggcc	4980
ctctccttgg cggcgatgtt gagttgcacg tactcccggg ccgcgcaccg ccactcgggg	5040
aacacggcgg tgcgctcgtc gggcaggatg cgcacgcgcc agccgcgatt gtgcagggtg	5100
atgaggtcca cgctggtagc cacctccccg cggagggggt cgthtgggtcca acacaatcgc	5160

cccccttttc	tggagcagaa	cggaggcagg	ggatctagca	agttggcggg	cgggggggtcg	5220
gcgtcgatgg	tgaagatacc	gggtagcagg	atcttattaa	aataatcgat	ttcgggtgtcc	5280
gtgtcttgca	acgcgtcttc	ccacttcttc	accgccaggg	ccctttcgta	gggattcagg	5340
ggcgggtcccc	agggcatggg	gtgggtcagg	gccgaggcgt	acatgccgca	gatgtcatac	5400
acgtacaggg	gttccctcaa	caccccgatg	taagtggggg	aacagcgccc	cccgcggatg	5460
ctggctcgca	cgtagtcgta	catctcgcg	gagggagcca	tgaggccgtc	tcccaagtgg	5520
gtcttgtggg	gttttttcggc	ccggtagagg	atctgtctga	agatggcgtg	ggagttggaa	5580
gagatgggtg	ggcgttggaa	gacgttaaag	ttggccccgg	gtagtccac	ggagtcttgg	5640
atgaactggg	cgtaggattc	ccggagtttg	tccaccaggg	cggcggtcac	cagcacgtcg	5700
agagcgcagt	agtccaacgt	ctcgcggaac	aggttgtagg	ccgtctcttg	ttttttctcc	5760
cacagtctgc	ggttgaggag	gtattcctcg	cggctcttcc	agtactcttc	ggcgggaaat	5820
cctttttcgt	ccgctcggta	agaacctaac	atgtaaaatt	cgttcaccgc	tttgtatgga	5880
caacagcctt	tttctaccgg	cagggcgta	gcttgagcgg	cctttctgag	agaggtgtgg	5940
gtgagggcga	aggtgtcccc	caccatcact	ttcaggtact	gatgtttgaa	gtccgtgtcg	6000
tcgcaggcgc	cctgttccca	cagcgtgaag	tcggtgcgct	ttttctgcct	gggattgggg	6060
agggcgaagg	tgacatcggt	aaagagtatt	ttcccggcgc	ggggcatgaa	gttgcgagag	6120
atcctgaagg	gcccgggcac	gtccgagcgg	ttgttgatga	cctgcgccgc	caggacgatc	6180
tcgtcgaagc	cgttgatggt	gtgaccacg	atgtaaagtt	cgatgaagcg	cggctgtccc	6240
ttgagggccg	gcgctttttt	caactcctcg	taggtgagac	agtccggcga	ggagagaccc	6300
agctcagccc	gggcccagtc	ggagagttga	ggattagccg	caaggaagga	gctccataga	6360
tccaaggcca	ggagagtttg	caagcggtcg	cggaaactcg	ggaacttttt	ccccacggcc	6420
attttctccg	gtgtcactac	gtaaaagggt	ttggggcggt	tgttccacac	gtcccatcgg	6480
agctctaggg	ccagctcgca	ggcttggcga	acgaggggtct	cctcgccaga	gacgtgcatg	6540
accagcataa	agggtaacaa	ctgtttcccg	aacgagccca	tccatgtgta	ggtttctacg	6600
tcgtaggtga	caaagagccg	ctgggtgcgc	gcgtgggagc	cgatcggaaa	gaagctgatc	6660
tcctgccacc	agctggagga	atgggtgtta	atgtgggtgga	agtagaagtc	ccgccggcgc	6720
acagagcatt	cgtgctgatg	tttgtaaaag	cgaccgcagt	agtcgcagcg	ctgcacgctc	6780
tgtatctcct	gaacgagatg	cgcttttcgc	ccgcgcacca	gaaaccggag	ggggaagttg	6840
agacgggggg	ctgggtgggg	gacatcccct	tcgccttggc	ggtgggagtc	tgcgctctgcg	6900

tcctccttct ctgggtggac gacggtgggg acgacgacgc cccgggtgcc gcaagtccag	6960
atctccgcca cggaggggtg caggcgctgc aggaggggac gcagctgccc gctgtccagg	7020
gagtcgaggg aagtcgcgct gaggtcggcg ggaagcgttt gcaagttcac tttcagaaga	7080
ccggtaaagag cgtgagccag gtgcagatgg tacttgatth ccaggggggt gttggatgaa	7140
gcgtccacgg cgtagaggag tccgtgtccg cgcggggcca ccaccgtgcc ccgaggaggt	7200
tttatctcac tcgtcgaggg cgagcgccgg ggggtagagg cggctctgcg ccggggggca	7260
gcggaggcag aggcacgttt tcgtgaggat tcggcagcgg ttgatgacga gcccggagac	7320
tgctggcgtg ggcgacgacg cggcgggtga ggtcctggat gtgccgtctc tgcgtgaaga	7380
ccaccggccc ccgggtcctg aacctaaaga gagttccaca gaatcaatgt ctgcatcggt	7440
aacggcggcc tgcctgagga tctcctgcac gtcgcccag ttgtcctgat aggcgatctc	7500
ggccatgaac tgttccactt cttcctcgcg gaggtcaccg tggcccgcctc gctccacggt	7560
ggcggccagg tcgttgagga tgcggcgcat gagttgagag aaggcggtga ggccgttctc	7620
gttccacacg cggctgtaca ccacgtttcc gaaggagtcg cgcgctcgca tgaccacctg	7680
ggccacgttg agttccacgt ggcgggcgaa gacggcgtag tttctgaggc gctggaagag	7740
gtagttgagc gtggtggcga tgtgctcgca gacgaagaag tacataatcc agcgccgcag	7800
ggtcatctcg ttgatgtctc cgatggcttc gagacgctcc atggcctcgt agaagtcgac	7860
ggcgaagttg aaaaattggg agttgcgggc ggccaccgtg agttcttctt gcaggaggcg	7920
gatgagatcg gcgaccgtgt cgcgcacctc ctgttcgaaa gcgccccgag gcgcctctgc	7980
ttcttcctcc ggctcctcct cttccagggg ctcggttcc tccggcagct ctgcgacggg	8040
gacggggcgg cgacgtcgtc gtctgaccgg caggcggctc acgaagcgct cgatcatttc	8100
gccgcgccgg cgacgcatgg tctcggtgac ggcgcgtccg ttttcgagag gtcgcagttc	8160
gaagacgccg ccgcgcagag cgccccgtg cagggaggggt aagtggtag ggccgtcggg	8220
cagggacacg gcgctgacga tgcattttat caattgctgc gtaggcactc cgtgcaggga	8280
tctgagaacg tcgaggtcga cgggatccga gaacttctct aggaaagcgt ctatccaatc	8340
gcaatcgcaa ggtaagctga gaacggtggg tcgctggggg gcgttcgcgg gcagttggga	8400
ggtgatgctg ctgatgatgt aattaaagta ggcggtcttc aggcggcgga tgggtggcgag	8460
gaggaccacg tctttgggcc cggcctgttg aatgcgcagg cgctcggcca tgccccaggc	8520
ctcgctctga cagcgacgca ggtctttgta gaagtcttgc atcagtctct ccaccggaac	8580

ctctgcttct	cccctgtctg	ccatgcgagt	cgagccgaac	ccccgcaggg	gctgcagcaa	8640
cgctaggtcg	gccacgaccc	tttcggccag	cacggcctgt	tgaatctgcg	tgaggggtggc	8700
ctggaagtcg	tccaggtcca	cgaagcgggtg	ataggccccc	gtgttgatgg	tgtaggtgca	8760
gttggccatg	acggaccagt	tgacgacttg	catgccgggt	tgggtgatct	ccgtgtactt	8820
gaggcgcgag	taggccctgg	actcgaacac	gtagtcgttg	catgtgcgca	ccagatactg	8880
gtagccgacc	aggaagtgag	gaggcggctc	tcggtacagg	ggccagccaa	cgggtggcggg	8940
ggcgccgggg	gacaggtcgt	ccagcatgag	gcggtggtag	tggtagatgt	agcgggagag	9000
ccaggtgatg	ccggccgagg	tggttgcggc	cctggtgaat	tcgcggacgc	ggttccagat	9060
gttgcgcgagg	ggaccaaagc	gctccatggt	gggcacgctc	tgccccgtga	ggcgggcgca	9120
atcttgtacg	ctctagatgg	aaaaaagaca	gggcggtcat	cgactccttt	ccgtagcttg	9180
gggggtaaag	tcgcaagggt	gcggcgggcg	ggaaccccgg	ttcgagaccg	gccggatccg	9240
ccgctcccga	tgcgcctggc	cccgcattcca	cgacgtccgc	gccgagaccc	agccgcgacg	9300
ctccgccccca	atacggaggg	gagtcttttg	gtgttttttc	gtagatgcat	ccggtgctgc	9360
ggcagatgcg	accccagacg	cccactacca	ccgccgtggc	ggcagtaaac	ctgagcggag	9420
gcggtgacag	ggaggaggaa	gagctggctt	tagacctgga	agagggagag	gggctggccc	9480
ggctgggagc	gccatccccca	gagagacacc	ctaggggttca	gctcgtgagg	gacgccaggc	9540
aggcttttgt	gccgaagcag	aacctgttta	gggaccgcag	cggtcaggag	gcggaggaga	9600
tgcgcgattg	caggttttcgg	gcggggcagag	agctcagggc	gggcttcgat	cgggagcggc	9660
tcctgagggc	ggaggatttc	gagcccagacg	agcgttctgg	ggtgagcccg	gcccgcgctc	9720
acgtatcggc	ggccaacctg	gtgagcgcgt	acgagcagac	ggtgaacgag	gagcgcaact	9780
tccaaaagag	ctttaacaat	cacgtgagga	ccctgatcgc	gagggaggag	gtgaccatcg	9840
ggctgatgca	tctgtgggac	ttcgtggagg	cctacgtgca	gaacccggct	agcaaacccc	9900
tgacggccca	gctgttcctg	atcgtgcagc	acagccgcga	caacgagacg	ttccgcgacg	9960
ccatgttgaa	catcgcgagg	cccgaggggtc	gctggctctt	ggatctgatt	aacatcctgc	10020
agagcatcgt	ggtgcaggag	aggggcctga	gttttagcga	caaggtggcg	gccatttaact	10080
attcgatgca	gagcctgggg	aagttctacg	ctcgcaagat	ctacaagagc	ccttacgtgc	10140
ccatagacaa	ggaggtgaag	atagacagct	tttacatgcg	catggcgctg	aaggtgctga	10200
cgctgagcga	cgacctcggc	gtgtaccgta	acgacaagat	ccacaaggcg	gtgagcgcca	10260
gccgcccggcg	ggagctgagc	gacagggagc	tgatgcacag	cctgcagagg	gcgctggcgg	10320

gcgccgggga cgaggagcgc gaggcttact tcgacatggg agccgatctg cagtggcgctc 10380
 ccagcgcgcg cgccttggag gcggcggggtt atcccgacga ggaggatcgg gacgatttgg 10440
 aggaggcagg cgagtacgag gacgaagcct gaccgggcag gtgttggttt agatgcagcg 10500
 gccggcggac gggaccaccg cggatcccgc acttttggca tccatgcaga gtcaaccttc 10560
 gggcgtgacc gcctccgatg actgggcggc ggccatggac cgcacatcgg cgctgaccac 10620
 ccgcaacccc gaggctttta ggcagcaacc ccaggccaac cgtttttcgg ccatcttggg 10680
 agcgggtggg cgcgcgcgca ccaacccgac gcacgagaaa gtcttgacta tcgtgaacgc 10740
 cctggtagac agcaaggcca tccgccgtga cgaggcgggc ttgatttaca acgctctttt 10800
 ggaacgcgtg gcgcgctaca acagcactaa cgtgcagacc aatctggacc gcctcaccac 10860
 cgacgtgaag gaggcgctgg cgcagaagga gcggtttctg agggacagta atctgggctc 10920
 tctggtggca ctgaacgcct tcctgagctc acagccggcc aacgtgcccc gcgggcagga 10980
 ggattacgtg agcttcatca gcgctctgag actgctgggtg tccgagggtgc cccagagcga 11040
 ggtgtaccag tctgggccgg attacttttt ccagacgtcc cgacagggtc tgcaaacggt 11100
 gaacctgact caggccttta aaaacttgca aggcattgtg ggggtcaagg ccccggtggg 11160
 cgatcgcgcc actatctcca gtctgctgac cccaacact cgctgctgc tgctcttgat 11220
 cgcaccgttt accaacagta gcactatcag ccgtgactcg tacctgggtc atctcatcac 11280
 tctgtaccgc gaggccatcg gccaggctca gatcgacgag catacgtatc aggagattac 11340
 taacgtgagc cgtgccctgg gtcaggaaga taccggcagc ctggaagcca cgttgaactt 11400
 tttgctaacc aaccggaggc aaaaaatacc ctcccagttc acgttaagcg ccgaggagga 11460
 gaggattctg cgatacgtgc agcagtccgt gagcctgtac ttgatgcgcg agggcgccac 11520
 cgcttccacg gcttttagaca tgacggctcg gaacatggaa ccgtcctttt actccgcca 11580
 ccggccgttc attaacgctc tgatggacta cttccatcgc gcggccgcca tgaacgggga 11640
 gtacttcacc aatgccatcc tgaatccgca ttggatgccc ccgtccggct tctacaccgg 11700
 ggagtttgac ctgcccgaag ccgacgacgg ctttctgtgg gacgacgtgt ccgatagcat 11760
 tttcacgccg gctaatacgcc gattccagaa gaaggagggc ggagacgagc tccccctctc 11820
 cagcgtggaa gcggcctcaa ggggagagag tccctttcca agtctgtctt ccgccagtag 11880
 cggtcgggta acgcgtccac ggttgccggg ggagagcgac tacctgaacg accccttgct 11940
 gcgaccggct agaaagaaaa attttcccaa taacgggggtg gaaagcttgg tggataaaat 12000


```

gaatcgttgg aagacgtacg cccaggagca gcgggagtgg gaggacagtc agccgcggcc 12060
gctggtaccg ccgcattggc gtcgccagag agaagacccg gacgactccg cagacgatag 12120
tagcgtgttg gacctgggag ggagcggagc caaccccttt gctcacttgc aacccaaggg 12180
gcgctcgagt cgcctgtatt aataaaaaag acgcggaaac ttaccagagc catggccaca 12240
gcgtgtgtgc tttcttcttc tctttcttcc tcggcgcggc aga atg aga aga gcg 12295
                                Met Arg Arg Ala
                                1

gtg aga gtc acg ccg gcg gcg tat gag ggc ccg ccc cct tct tac gaa 12343
Val Arg Val Thr Pro Ala Ala Tyr Glu Gly Pro Pro Pro Ser Tyr Glu
5                                10                                15                                20

agc gtg atg gga tca gcg aac gtg ccg gcc acg ctg gag gcg cct tac 12391
Ser Val Met Gly Ser Ala Asn Val Pro Ala Thr Leu Glu Ala Pro Tyr
                                25                                30                                35

gtt cct ccc aga tac ctg gga cct acg gag ggc aga aac agc atc cgt 12439
Val Pro Pro Arg Tyr Leu Gly Pro Thr Glu Gly Arg Asn Ser Ile Arg
                                40                                45                                50

tac tcc gag ctg gcg ccc ctg tac gat acc acc aag gtg tac ctg gtg 12487
Tyr Ser Glu Leu Ala Pro Leu Tyr Asp Thr Thr Lys Val Tyr Leu Val
                                55                                60                                65

gac aac aag tcg gcg gac atc gcc tcc ctg aat tac caa aac gat cac 12535
Asp Asn Lys Ser Ala Asp Ile Ala Ser Leu Asn Tyr Gln Asn Asp His
                                70                                75                                80

agt aac ttt ctg act acc gtg gtg cag aac aat gac ttc acc ccg acg 12583
Ser Asn Phe Leu Thr Thr Val Val Gln Asn Asn Asp Phe Thr Pro Thr
85                                90                                95                                100

gag gcg ggc acg cag acc att aac ttt gac gag cgt tcc cgc tgg ggc 12631
Glu Ala Gly Thr Gln Thr Ile Asn Phe Asp Glu Arg Ser Arg Trp Gly
                                105                                110                                115

ggt cag ctg aaa acc atc ctg cac acc aac atg ccc aac atc aac gag 12679
Gly Gln Leu Lys Thr Ile Leu His Thr Asn Met Pro Asn Ile Asn Glu
                                120                                125                                130

ttc atg tcc acc aac aag ttc agg gct aag ctg atg gta gaa aaa agt 12727
Phe Met Ser Thr Asn Lys Phe Arg Ala Lys Leu Met Val Glu Lys Ser
                                135                                140                                145

aat gcg gaa act cgg cag ccc cga tac gag tgg ttc gag ttt acc att 12775
Asn Ala Glu Thr Arg Gln Pro Arg Tyr Glu Trp Phe Glu Phe Thr Ile
                                150                                155                                160

cca gag ggc aac tat tcc gaa act atg act atc gat ctc atg aat aac 12823
Pro Glu Gly Asn Tyr Ser Glu Thr Met Thr Ile Asp Leu Met Asn Asn
165                                170                                175                                180

```


WO 03/046124

PCT/US02/33645

gcg atc gtg gac aat tac ctg caa gtg ggg aga cag aac ggg gtg ctg	12871
Ala Ile Val Asp Asn Tyr Leu Gln Val Gly Arg Gln Asn Gly Val Leu	
185, 190 195	
gaa agc gat atc ggc gtg aaa ttc gat acc aga aac ttc cga ctg ggg	12919
Glu Ser Asp Ile Gly Val Lys Phe Asp Thr Arg Asn Phe Arg Leu Gly	
200 205 210	
tgg gat ccc gtg acc aag ctg gtg atg cca ggc gtg tac acc aac gag	12967
Trp Asp Pro Val Thr Lys Leu Val Met Pro Gly Val Tyr Thr Asn Glu	
215 220 225	
gct ttt cac ccg gac atc gtg ctg ctg ccg ggg tgc ggt gtg gac ttc	13015
Ala Phe His Pro Asp Ile Val Leu Leu Pro Gly Cys Gly Val Asp Phe	
230 235 240	
act cag agc cgt ttg agt aac ctg tta gga att aga aag cgc cgc ccc	13063
Thr Gln Ser Arg Leu Ser Asn Leu Leu Gly Ile Arg Lys Arg Arg Pro	
245 250 255 260	
ttc caa gag ggc ttt caa atc atg tat gag gac ctg gag gga ggt aat	13111
Phe Gln Glu Gly Phe Gln Ile Met Tyr Glu Asp Leu Glu Gly Gly Asn	
265 270 275	
ata ccc gcc tta ctg gac gtg tcg aag tac gaa gct agc ata caa cgc	13159
Ile Pro Ala Leu Leu Asp Val Ser Lys Tyr Glu Ala Ser Ile Gln Arg	
280 285 290	
gcc aaa gcg gag ggt aga gag att cgg gga gac acc ttt gcg gta gct	13207
Ala Lys Ala Glu Gly Arg Glu Ile Arg Gly Asp Thr Phe Ala Val Ala	
295 300 305	
ccc cag gac ctg gaa ata gtg cct tta act aaa gac agc aaa gac aga	13255
Pro Gln Asp Leu Glu Ile Val Pro Leu Thr Lys Asp Ser Lys Asp Arg	
310 315 320	
agc tac aat att ata aac aac acg acg gac acc ctg tat cgg agc tgg	13303
Ser Tyr Asn Ile Ile Asn Asn Thr Thr Asp Thr Leu Tyr Arg Ser Trp	
325 330 335 340	
ttt ctg gct tac aac tac gga gac ccc gag aaa gga gtg aga tca tgg	13351
Phe Leu Ala Tyr Asn Tyr Gly Asp Pro Glu Lys Gly Val Arg Ser Trp	
345 350 355	
acc ata ctc acc acc acg gac gtg acc tgt ggc tcg cag caa gtg tac	13399
Thr Ile Leu Thr Thr Thr Asp Val Thr Cys Gly Ser Gln Gln Val Tyr	
360 365 370	
tgg tcc ctg ccg gat atg atg caa gac ccg gtc acc ttc cgc ccc tcc	13447
Trp Ser Leu Pro Asp Met Met Gln Asp Pro Val Thr Phe Arg Pro Ser	
375 380 385	
acc caa gtc agc aac ttc ccg gtg gtg ggc acc gag ctg ctg ccc gtc	13495
Thr Gln Val Ser Asn Phe Pro Val Val Gly Thr Glu Leu Leu Pro Val	
390 395 400	

160

tacggcgacg aggacatatt ggaacaggcg gctcaacaga tcggagaatt tgcctacgga 14791
 aagcgttcgc gtcgcgaaga cctggccatc gccttagaca gcggcaaccc cacgcccagc 14851
 ctcaaaccgc tgacgctgca gcaggtgctt cccgtgagcg ccagcacgga cagcaagagg 14911
 gggattaaga gagaaatgga agatctgcat cccaccatcc aactcatggt ccctaaacgg 14971
 cagaggctgg aagaggtcct ggagaagatg aaagtggacc ccagcataga gccggatgta 15031
 aaagtcagac ctattaagga agtggccccc ggtcttgagg tgcaaacggg ggacattcaa 15091
 atccccgtca ccaccgcttc aaccgccgtg gaagctatgg aaacgcaaac ggagaccctt 15151
 gccgcatcg gtaccaggga agtggcggtg caaacggagc cttggtacga atacgcagcc 15211
 cctcggcgtc agaggcgctc cgctcggttac ggccccgcca acgccatcat gccagaatat 15271
 gcgctgcatc cgtctattct gccactccc ggataccggg gtgtgacgta tcgcccgtct 15331
 ggaaccgcgc gccgaaccgc tcgcccgcgc cgctcccgtc gcgctctggc ccccggtgctg 15391
 gtgcggcggtg tgaccgcgcg gggaaagaca gtcgtcattc ccaaccgcgc ttaccaccct 15451
 agcatccttt aataactctg ccgttttgca gatggctctg acttgccgcg tgcgccttcc 15511
 cgttccgcac tatcgaggaa gatctcgctg taggagaggc atgacgggca gtggtcgccg 15571
 gcgggctttg cgcaggcgca tgaaaggcgg aattttaccc gccctgatac ccataattgc 15631
 cgccgccatc ggtgccatac ccggcggtgc ttcagtggcg ttgcaagcag ctcgtaataa 15691
 ataaacaaag gcttttgcaac ttatgacctg gtctgacta ttttatgcag aaagagcatg 15751
 gaagacatca attttacgtc gctggctccg cggcacggct cgcgcccgct catgggcacc 15811
 tggaacgaca tcggcaccag tcagctcaac gggggcgctt tcaattgggg gagcctttgg 15871
 agcggcatta aaaacttttg ctccacgatt aaatcctacg gcagcaaagc ctggaacagt 15931
 agtgctggtc agatgctccg agataaactg aaggacacca acttccaaga aaaagtggtc 15991
 aatgggggtg tgaccggcat ccacggcgcg gtagatctcg ccaaccaagc ggtgcagaaa 16051
 gagattgaca ggcgtttgga aagctcgcgg gtgccgccgc agagagggga tgagggtggag 16111
 gtcgaggaag tagaagtaga ggaaaagctg cccccgctgg agaaagttcc cggtgcgctt 16171
 ccgagaccgc agaagcggcc caggccagaa ctagaagaga ctctggtgac ggagagcaag 16231
 gagcctccct cgtacgagca agccttgaaa gagggcgctt ctccaccctc ctaccgatg 16291
 actaagccga tcgcacccat ggctcgaccg gtgtacggca aggattacaa gcccgtcacg 16351
 ctagagctgc cccaccgcgc cccacgcgc ccgaccgtcc ccccccctgcc gactccgctg 16411

162

WO 03/046124

PCT/US02/33645

cca	caa	att	ggg	gaa	aac	caa	tgg	aat	tta	gaa	caa	gaa	gat	aaa	gcg	17280
Pro	Gln	Ile	Gly	Glu	Asn	Gln	Trp	Asn	Leu	Glu	Gln	Glu	Asp	Lys	Ala	
690					695					700					705	
gcg	gga	aga	gtc	cta	aag	aaa	gat	acc	cct	atg	ttt	ccc	tgc	tat	ggg	17328
Ala	Gly	Arg	Val	Leu	Lys	Lys	Asp	Thr	Pro	Met	Phe	Pro	Cys	Tyr	Gly	
				710					715						720	
tca	tat	gcc	agg	ccc	aca	aac	gaa	caa	gga	ggg	cag	gca	aaa	aac	caa	17376
Ser	Tyr	Ala	Arg	Pro	Thr	Asn	Glu	Gln	Gly	Gly	Gln	Ala	Lys	Asn	Gln	
			725					730							735	
gaa	gta	gat	tta	cag	ttt	ttt	gcc	act	ccg	ggc	gac	acc	cag	aac	acg	17424
Glu	Val	Asp	Leu	Gln	Phe	Phe	Ala	Thr	Pro	Gly	Asp	Thr	Gln	Asn	Thr	
		740					745					750				
gct	aaa	gtg	gta	ctt	tat	gct	gaa	aat	gtc	aac	ctg	gaa	act	cca	gat	17472
Ala	Lys	Val	Val	Leu	Tyr	Ala	Glu	Asn	Val	Asn	Leu	Glu	Thr	Pro	Asp	
	755					760					765					
act	cac	tta	gtg	ttt	aaa	ccc	gat	gac	gac	agc	acc	agt	tca	aaa	ctt	17520
Thr	His	Leu	Val	Phe	Lys	Pro	Asp	Asp	Asp	Ser	Thr	Ser	Ser	Lys	Leu	
770					775					780					785	
ctt	ctt	ggg	cag	cag	gct	gca	cct	aac	aga	ccc	aac	tac	ata	ggt	ttt	17568
Leu	Leu	Gly	Gln	Gln	Ala	Ala	Pro	Asn	Arg	Pro	Asn	Tyr	Ile	Gly	Phe	
				790					795					800		
aga	gat	aat	ttt	att	ggt	tta	atg	tac	tac	aat	agc	act	gga	aac	atg	17616
Arg	Asp	Asn	Phe	Ile	Gly	Leu	Met	Tyr	Tyr	Asn	Ser	Thr	Gly	Asn	Met	
			805					810					815			
ggc	gtg	ctg	gcc	gga	cag	gct	tct	caa	ttg	aat	gcc	gta	gtc	gac	ttg	17664
Gly	Val	Leu	Ala	Gly	Gln	Ala	Ser	Gln	Leu	Asn	Ala	Val	Val	Asp	Leu	
		820					825					830				
cag	gac	aga	aac	acc	gag	ttg	tcc	tac	cag	ctg	atg	ctg	gac	gca	ctg	17712
Gln	Asp	Arg	Asn	Thr	Glu	Leu	Ser	Tyr	Gln	Leu	Met	Leu	Asp	Ala	Leu	
	835					840					845					
ggg	gat	cgc	agc	cga	tat	ttt	tca	atg	tgg	aat	cag	gca	gta	gac	agc	17760
Gly	Asp	Arg	Ser	Arg	Tyr	Phe	Ser	Met	Trp	Asn	Gln	Ala	Val	Asp	Ser	
850					855					860					865	
tat	gac	cca	gac	gtt	aga	att	ata	gaa	aac	cac	gga	gtg	gaa	gac	gaa	17808
Tyr	Asp	Pro	Asp	Val	Arg	Ile	Ile	Glu	Asn	His	Gly	Val	Glu	Asp	Glu	
				870					875					880		
ctg	cca	aac	tat	tgt	ttt	cct	ctg	gga	gga	atg	gtg	gtg	act	gac	aat	17856
Leu	Pro	Asn	Tyr	Cys	Phe	Pro	Leu	Gly	Gly	Met	Val	Val	Thr	Asp	Asn	
			885					890					895			
tac	aac	tct	gtg	acg	cct	caa	aat	gga	ggc	agt	gga	aat	aca	tgg	cag	17904
Tyr	Asn	Ser	Val	Thr	Pro	Gln	Asn	Gly	Gly	Ser	Gly	Asn	Thr	Trp	Gln	
		900					905					910				

gca gac aat act aca ttt agt caa aga gga gcg cag att ggc tcc gga Ala Asp Asn Thr Thr Phe Ser Gln Arg Gly Ala Gln Ile Gly Ser Gly 915 920 925	17952
aac atg ttt gcc ctg gaa att aac cta cag gcc aac ctc tgg cgc ggc Asn Met Phe Ala Leu Glu Ile Asn Leu Gln Ala Asn Leu Trp Arg Gly 930 935 940 945	18000
ttc ttg tat tcc aat att ggg ttg tat ctt cca gac tct ctg aaa atc Phe Leu Tyr Ser Asn Ile Gly Leu Tyr Leu Pro Asp Ser Leu Lys Ile 950 955 960	18048
acc ccc gac aac atc acg ctg cca gaa aac aaa aac act tat cag tac Thr Pro Asp Asn Ile Thr Leu Pro Glu Asn Lys Asn Thr Tyr Gln Tyr 965 970 975	18096
atg aac ggt cgc gta acg cca ccc ggg ctc ata gac acc tat gta aac Met Asn Gly Arg Val Thr Pro Pro Gly Leu Ile Asp Thr Tyr Val Asn 980 985 990	18144
gtg ggc gcg cgc tgg tcc ccc gat gtc atg gac agc att aac ccc ttc Val Gly Ala Arg Trp Ser Pro Asp Val Met Asp Ser Ile Asn Pro Phe 995 1000 1005	18192
aac cac cac cgt aac gcg ggc ttg cgc tac cgc tcc atg ctc ttg Asn His His Arg Asn Ala Gly Leu Arg Tyr Arg Ser Met Leu Leu 1010 1015 1020	18237
ggc aac ggc cgt tat gtg cct ttt cac att cag gtg ccc caa aaa Gly Asn Gly Arg Tyr Val Pro Phe His Ile Gln Val Pro Gln Lys 1025 1030 1035	18282
ttc ttt gcc att aaa aac ctg ctg ctt ctc ccc ggt tcc tat acc Phe Phe Ala Ile Lys Asn Leu Leu Leu Leu Pro Gly Ser Tyr Thr 1040 1045 1050	18327
tat gag tgg aac ttc cgc aag gat gtc aac atg atc ctg cag agc Tyr Glu Trp Asn Phe Arg Lys Asp Val Asn Met Ile Leu Gln Ser 1055 1060 1065	18372
tcg ctg ggt aat gac ctg cga gtg gac ggg gcc agc ata cgc ttt Ser Leu Gly Asn Asp Leu Arg Val Asp Gly Ala Ser Ile Arg Phe 1070 1075 1080	18417
gac agc att aac ctg tat gcc aac ttt ttt ccc atg gcc cac aac Asp Ser Ile Asn Leu Tyr Ala Asn Phe Phe Pro Met Ala His Asn 1085 1090 1095	18462
acg gcc tct acc ctg gaa gcc atg ctg cgc aac gac acc aat gac Thr Ala Ser Thr Leu Glu Ala Met Leu Arg Asn Asp Thr Asn Asp 1100 1105 1110	18507
cag tcc ttc aac gac tac ctg tgc gcg gct aac atg ctg tac ccc Gln Ser Phe Asn Asp Tyr Leu Cys Ala Ala Asn Met Leu Tyr Pro 1115 1120 1125	18552

atc	ccc	gcc	aac	gcc	acc	agc	gtg	ccc	att	tct	att	cct	tct	cgg	18597
Ile	Pro	Ala	Asn	Ala	Thr	Ser	Val	Pro	Ile	Ser	Ile	Pro	Ser	Arg	
1130					1135					1140					
aac	tgg	gct	gcc	ttc	agg	ggc	tgg	agt	ttt	act	cgc	ctc	aaa	acc	18642
Asn	Trp	Ala	Ala	Phe	Arg	Gly	Trp	Ser	Phe	Thr	Arg	Leu	Lys	Thr	
1145					1150					1155					
aag	gag	act	ccc	tcg	ctg	ggc	tcc	ggt	ttt	gac	ccc	tac	ttt	gtt	18687
Lys	Glu	Thr	Pro	Ser	Leu	Gly	Ser	Gly	Phe	Asp	Pro	Tyr	Phe	Val	
1160					1165					1170					
tac	tcc	ggc	tcc	att	ccc	tac	cta	gat	ggc	acc	ttt	tac	ctc	aac	18732
Tyr	Ser	Gly	Ser	Ile	Pro	Tyr	Leu	Asp	Gly	Thr	Phe	Tyr	Leu	Asn	
1175					1180					1185					
cac	act	ttc	aaa	aag	gtg	tct	att	atg	ttt	gac	tcc	tcg	gtt	agc	18777
His	Thr	Phe	Lys	Lys	Val	Ser	Ile	Met	Phe	Asp	Ser	Ser	Val	Ser	
1190					1195					1200					
tgg	ccc	ggc	aac	gac	cgc	ctg	cta	acg	ccc	aac	gag	ttc	gaa	att	18822
Trp	Pro	Gly	Asn	Asp	Arg	Leu	Leu	Thr	Pro	Asn	Glu	Phe	Glu	Ile	
1205					1210					1215					
aag	cgt	tcc	gtg	gac	ggt	gaa	ggg	tac	aac	gtg	gcc	cag	agc	aac	18867
Lys	Arg	Ser	Val	Asp	Gly	Glu	Gly	Tyr	Asn	Val	Ala	Gln	Ser	Asn	
1220					1225					1230					
atg	acc	aag	gac	tgg	ttt	cta	att	caa	atg	ctc	agt	cac	tat	aat	18912
Met	Thr	Lys	Asp	Trp	Phe	Leu	Ile	Gln	Met	Leu	Ser	His	Tyr	Asn	
1235					1240					1245					
ata	ggt	tac	cag	ggc	ttc	tat	gtg	ccc	gag	aac	tac	aag	gac	cgc	18957
Ile	Gly	Tyr	Gln	Gly	Phe	Tyr	Val	Pro	Glu	Asn	Tyr	Lys	Asp	Arg	
1250					1255					1260					
atg	tac	tcc	ttc	ttc	cgc	aac	ttc	caa	cca	atg	agc	cgg	cag	gtg	19002
Met	Tyr	Ser	Phe	Phe	Arg	Asn	Phe	Gln	Pro	Met	Ser	Arg	Gln	Val	
1265					1270					1275					
gta	gat	acc	gtg	act	tat	aca	gac	tac	aaa	gat	gtc	aag	ctc	ccc	19047
Val	Asp	Thr	Val	Thr	Tyr	Thr	Asp	Tyr	Lys	Asp	Val	Lys	Leu	Pro	
1280					1285					1290					
tac	caa	cac	aac	aac	tca	ggg	ttc	gtg	ggc	tac	atg	gga	ccc	acc	19092
Tyr	Gln	His	Asn	Asn	Ser	Gly	Phe	Val	Gly	Tyr	Met	Gly	Pro	Thr	
1295					1300					1305					
atg	cga	gag	gga	cag	gcc	tac	ccg	gcc	aac	tat	ccc	tac	ccc	ctg	19137
Met	Arg	Glu	Gly	Gln	Ala	Tyr	Pro	Ala	Asn	Tyr	Pro	Tyr	Pro	Leu	
1310					1315					1320					
atc	gga	gag	act	gcc	gta	ccc	agc	ctc	acg	cag	aaa	aag	ttc	ctc	19182
Ile	Gly	Glu	Thr	Ala	Val	Pro	Ser	Leu	Thr	Gln	Lys	Lys	Phe	Leu	
1325					1330					1335					

tgc	gac	cgg	gtg	atg	tgg	agg	ata	ccc	ttc	tct	agc	aac	ttt	atg	19227
Cys	Asp	Arg	Val	Met	Trp	Arg	Ile	Pro	Phe	Ser	Ser	Asn	Phe	Met	
1340					1345					1350					
tcg	atg	ggc	tcc	ctc	acc	gac	ctg	ggg	cag	aac	atg	ctg	tac	gcc	19272
Ser	Met	Gly	Ser	Leu	Thr	Asp	Leu	Gly	Gln	Asn	Met	Leu	Tyr	Ala	
1355					1360					1365					
aac	tcc	gct	cac	gcc	ttg	gac	atg	act	ttt	gag	gtg	gat	ccc	atg	19317
Asn	Ser	Ala	His	Ala	Leu	Asp	Met	Thr	Phe	Glu	Val	Asp	Pro	Met	
1370					1375					1380					
gat	gag	ccc	acg	ctt	ctc	tat	gtt	ctg	ttt	gaa	gtc	ttc	gac	gtg	19362
Asp	Glu	Pro	Thr	Leu	Leu	Tyr	Val	Leu	Phe	Glu	Val	Phe	Asp	Val	
1385					1390					1395					
gtg	cgc	atc	cac	cag	ccg	cac	cgc	ggc	gtc	atc	gag	gcc	gtc	tac	19407
Val	Arg	Ile	His	Gln	Pro	His	Arg	Gly	Val	Ile	Glu	Ala	Val	Tyr	
1400					1405					1410					
ctg	cgc	aca	cct	ttc	tct	gcc	ggt	aac	gcc	acc	acc	taa	agaagctgat	19456	
Leu	Arg	Thr	Pro	Phe	Ser	Ala	Gly	Asn	Ala	Thr	Thr				
1415					1420					1425					
gggttccagc	gaacaggagt	tgcaggccat	tgttcgcgac	ctgggctgcg	ggccctgctt	19516									
tttgggcacc	ttcgacaagc	gttttcccgg	attcatgtcc	ccccacaagc	cggcctgcgc	19576									
catcgttaac	acggccggac	gggagacagg	gggggtgcac	tggctcgcct	tcgcctggaa	19636									
cccgcgcaac	cgcacctgct	acctgttcga	cccttttggt	ttctccgacg	aaaggctgaa	19696									
gcagatctac	caattcgagt	acgaggggct	cctcaagcgc	agcgctctgg	cctccacgcc	19756									
cgaccactgc	gtcaccctgg	aaaagtccac	ccagacggtc	caggggcccc	tctcggccgc	19816									
ctgcgggctt	ttctgttgca	tgtttttgca	cgccttcgtg	cactggcctc	acacccccat	19876									
ggagcgcaac	cccaccatgg	atctgctcac	cggagtgcc	aacagcatgc	ttcacagtcc	19936									
ccaggtcgcc	cccaccctgc	gtcgcaatca	ggaccacctg	tatcgctttc	tggggaaaca	19996									
ctctgcctat	ttccgccgcc	accggcagcg	catcgaacag	gccacggcct	tcgaaagcat	20056									
gagccaaaga	gtgtaatcaa	taaaaaccgt	ttttatttga	catgatacgc	gcttctggcg	20116									
tttttattaa	aatcgaagg	gttcgaggga	ggggtcctcg	tgcccgtctgg	ggagggacac	20176									
gttgcggtac	tggaatcggg	cgctccaacg	aaactcgggg	atcaccagcc	gcggcagggc	20236									
cacgtcttcc	atgttctgct	tccaaaactg	tcgcaccagc	tgcagggctc	ccatcacgtc	20296									
gggcgctgag	atcttgaagt	cgcagttagg	gccggagccc	ccgcggctgt	tgcggaacac	20356									
ggggttggca	cactggaaca	ccaacacgct	ggggttgtgg	atactagcca	gggccgtcgg	20416									
gtcggtcacc	tccgatgcat	ccagatcctc	ggcattgctc	agggcgaacg	gggtcagctt	20476									

gcacatctgc cgcccgatct ggggtaccag gtcgcgcttg ttgaggcagt cgcagcgcag 20536
agggatgagg atgcgacgct gcccgcgcttg catgatgggg taactcgccg ccaggaactc 20596
ctctatctga cggaaggcca tctgggcctt gacgccctcg gtgaaaaata gccacagga 20656
cttgctggaa aacacgttat tgccacagtt gatgtcttcc gcgcagcagc gcgcatcttc 20716
gttcttcagc tgaaccacgt tgcgacccca gcggttctga accaccttgg ctttcgtggg 20776
atgctccttc agcgcccgct gtccgttctc gctggtcaca tccatttcca ccacgtgctc 20836
cttgacagacc atctccactc cgtggaaaca gaacagaatg ccctcctgtt gggatttgcg 20896
atgctccac acggcgcacc cgggtggactc ccagctcttg tgtttcacc cgcgtaggc 20956
ttccatgtaa gccattagaa atctgcccac cagctcagtg aaggtcttct gggttggtgaa 21016
ggttagcggc aggcgcgggt gttcctcgtt caaccaagtt tgacagatct tgcggtacac 21076
ggctccctgg tcgggcagaa acttaaaagt cgttctgctc tcgttgtcca cgtggaactt 21136
ctccatcaac atcgtcatga cttccatgcc cttctcccag gcagtcacca gcggcgcgct 21196
ctcgggggttc ttcaccaaca cggcgggtgga ggggccctcg ccggccccga cgtccttcat 21256
ggacatTTTT tgaaactcca cggtgccgctc cgcgcggcgt actctgcgca tcggagggtg 21316
gctgaagccc acctccatga cggtgctttc gccctcgctg tcggagacga tctccgggga 21376
gggcggcgga acggggggcag acttgcgagc cttcttcttg ggaggagcg gaggcacctc 21436
ctgctcgcgc tcgggactca tctcccga gtaggggggtg atggagcttc ctggttgggt 21496
ctgacgggtg gccattgtat cctaggcaga aagacatgga gcttatgcgc gaggaactt 21556
taaccgcccc gtcccccgctc agcgacgaag aggtcatcgt cgaacaggac ccgggctacg 21616
ttacgccgcc cgaggatctg gaggggacct tagacgaccg gcgcgacgct agtgagcggc 21676
aggaaaatga gaaagaggag gagggaggct gctacctcct ggaaggcgac gttttgctaa 21736
agcatttcgc caggcagagc accatactca aggaggcctt gcaagaccgc tccgagggtg 21796
ccttggaagt cgccgcgctc tcccaggcct acgaggcgaa ccttttctcg ccccgagtgc 21856
ctccgaagag acagcccaac ggcacctgcg agcccaaccc gcgactcaac ttctaccccg 21916
tgttcgccgt gcccgaggcg ctggccacct accacatctt tttcaaaaac cagcgcattc 21976
ccctttctg ccgggccaac cgcaccgcgg ccgataggaa gctaactc agaaacggag 22036
tcagcatacc tgatatcacg tcaactggag aagtgcctaa gatcttcgag ggtctgggtc 22096
gagatgagaa gcgggcggcg aacgctctgc agaaagaaca gaaagagagt cagaacgtgc 22156

tgggtggagct ggaggggggac aacgcgcgtc tgaccgtcct caaacgttgc atagaagttt 22216
 cccacttcgc ctaccgggcc ctcaacctgc cgcccaaagt tatgaaatcg gtcattggacc 22276
 agctactcat caagagagct gagcccctga atcccgacca ccctgaggcg gaaaactcag 22336
 aggacggaaa gcccgtcgtc agcgacgagg agctcgagcg gtggctggaa accagggacc 22396
 cccagcagtt gcaagagagg cgcaagatga tgatggcggc cgtgctggtc acggtggagc 22456
 tagaatgcct gcaacggttt ttcagcgacg tggagacgct acgcaaaatc ggggagtccc 22516
 tgcactacac cttccgccag ggctacgttc gccaggcctg caaaatctcc aacgtagagc 22576
 tcagcaacct ggtttcctac atgggcatcc tccacgagaa ccggctgggg cagagcgtgc 22636
 tgcactgcac cttgcaaggc gaggcgcgaa gggactacgt ccgagactgc gtctacctct 22696
 tcctcaccct cacctggcag accgccatgg gcgtgtggca gcagtgcttg gaagagagaa 22756
 acctcaaaga gctggacaaa ctctcttgcc gccagcggcg ggccctctgg accggcttca 22816
 gcgagcgcac ggtcgccctgc gccctggcag acatcatttt ccagaaacgc ctgatgaaaa 22876
 ccttgacagaa cggcctgccg gatttcatca gtcagagcat cttgcaaaac ttccgctcct 22936
 tcgtcctgga gcgctccggg atcttgcccg ccatgagctg cgcgctgcct tctgactttg 22996
 tccccctttc ctaccgcgag tgccctcccc cactgtggag ccactgctac ctcttccaac 23056
 tggccaactt tctggcctac cactccgacc tcatggaaga cgtgagcggg gaggggctgc 23116
 tcgagtgcc a ctgccgctgc aacctctgca cccccacag atcgctggcc tgcaacaccg 23176
 agctgctcag cgaaaccag gtcataaggta ccttcgagat ccagggggccc cagcagcaag 23236
 aggggtgcttc cggcttgaag ctcaactccgg cgctgtggac ctccggcttac ttacgcaaat 23296
 ttgtagccga ggactaccac gccacaaaaa ttcagtttta cgaagaccaa tctcgaccac 23356
 cgaaagcccc cctcacggcc tgcgtcatca cccagagcaa aatcctggcc caattgcaat 23416
 ccatcaacca agcgcgcgga gatttccttt tgaaaaaggg tcgggggggtg tacctggacc 23476
 cccagaccgg cgaggaaactc aaccggtcca cactttccgt cgaagcagcc ccccgagac 23536
 atgccacca agggaaccgc caagcagctg atcgctcggc agagagcgaa gaagcaagag 23596
 ctgctccagc agcaggtgga ggacgaggaa gagctgtggg acagccaggc agaggaggtg 23656
 tcagaggacg aggaggagat ggaaagctgg gacagcctag acgaggagga cgagctttca 23716
 gaggaagagg cgaccgaaga aaaaccacct gcatccagcg cgccttctct gagccgacag 23776
 ccgaagcccc ggcccccgac gccccggcc ggctcactca aagccagccg taggtgggac 23836
 gccaccggat ctccagcggc agcggcaacg gcagcgggta aggccaaacg cgagcggcgg 23896


```

gggtattgct cctggcggac ccacaaaagc agtatcgtga actgcttgca acactgcggg 23956
ggaaacatct cctttgcccg acgctacctc ctcttccatc acggtgtggc cttccctcgc 24016
aacgttctct attattaccg tcattctctac agcccctacg aaacgctcgg agaaaaaagc 24076
taaggcctcc tctgccgcga ggaaaaactc cgccgccgct gccgcccaagg atccgccggc 24136
caccgaggag ctgagaaagc gcatctttcc cactctgtat gctatctttc agcaaagccg 24196
cgggcagcac cctcagcgcg aactgaaaat aaaaaaccgc tccttccgct cactcaccgc 24256
cagctgtctg taccacaaga gagaagacca gctgcagcgc accctggacg acgccgaagc 24316
actgttcagc aaatactgct cagcgtctct taaagactaa aagacccgcg ctttttcccc 24376
ctcgggcgcc aaaaccacg tcatcgccag catgagcaag gagattccca ccccttacat 24436
gtggagctat cagccccaga tgggcctggc cgcgggggcc gccaggact actccagcaa 24496
aatgaactgg ctcagcgcgc gcccccacat gatctcacga gttaacggca tccgagcca 24556
ccgaaaccag atcctcttag aacaggcggc aatcacgcgc acaccccggc gccaaactcaa 24616
cccgcccagt tggcccgccg cccagggtga tcaggaaact ccccgcccga ccacagtcct 24676
cctgccacgc gacgcggagg ccgaagtcct catgactaac tctgggggtac aattagcggg 24736
cgggtccagg tacgccaggt acagaggteg ggccgctcct tactctcccg ggagtataaa 24796
gagggtgatc attcgaggcc gaggtatcca gctcaacgac gaggcggtga gctcctcaac 24856
cgggtctcaga cctgacggag tcttccagct cggaggagcg ggccgctctt ccttcaccac 24916
tcgccaggcc tacctgaccc tgcagagctc ttctcgcag ccgcgctccg ggggaatcgg 24976
cactctccag ttcgtggaag agttcgtccc ctccgtctac ttcaaccgct tttccggctc 25036
acctggacgc taccgggacg ccttcattcc caactttgac gcagtgagtg aatccgtgga 25096
cggctacgac tgatgacaga tgggtgcggcc gtgagagctc ggctgcgaca tctgcatcac 25156
tgccgccagc ctgcgtgcta cgctcgggag gcgatcgtgt tcagctactt tgagctgccg 25216
gacgagcacc ctcagggacc ggctcacggg ttgaaactcg agattgagaa cgcgcttgag 25276
tctcacctca tcgacgcctt caccgcccg cctctcctgg tagaaaccga acgcgggatc 25336
actaccatca ccctgttctg catctgcccc acgcccgat tac atg aag atc tgt 25391
                                   Met Lys Ile Cys
                                   1430

gtt gtc atc ttt gcg ctc agt tta ata aaa act gaa ctt ttt gcc 25436
Val Val Ile Phe Ala Leu Ser Leu Ile Lys Thr Glu Leu Phe Ala
                                   1435                                   1440                                   1445

```


gta cct tca acg cca	cgc gtt gtt tct cct	tgt gaa aaa acc cca	25481
Val Pro Ser Thr Pro	Arg Val Val Ser Pro	Cys Glu Lys Thr Pro	
1450	1455	1460	
gga gtc ctt aac tta	cac ata gca aaa ccc	ttg tat ttt acc ata	25526
Gly Val Leu Asn Leu	His Ile Ala Lys Pro	Leu Tyr Phe Thr Ile	
1465	1470	1475	
gaa aaa caa cta gcc	ctt tca att gga aaa	ggg tta aca att tct	25571
Glu Lys Gln Leu Ala	Leu Ser Ile Gly Lys	Gly Leu Thr Ile Ser	
1480	1485	1490	
gct aca gga cag ttg	gaa agc aca gca agc	gta cag gac agc gct	25616
Ala Thr Gly Gln Leu	Glu Ser Thr Ala Ser	Val Gln Asp Ser Ala	
1495	1500	1505	
aca cca ccc cta cgt	ggt att tcc cct tta	aag ctg aca gac aac	25661
Thr Pro Pro Leu Arg	Gly Ile Ser Pro Leu	Lys Leu Thr Asp Asn	
1510	1515	1520	
ggt tta aca tta agc	tat tca gat ccc ctg	cgt gtg gta ggt gac	25706
Gly Leu Thr Leu Ser	Tyr Ser Asp Pro Leu	Arg Val Val Gly Asp	
1525	1530	1535	
caa ctt acg ttt aat	ttt act tct cca cta	cgt tac gaa aat ggc	25751
Gln Leu Thr Phe Asn	Phe Thr Ser Pro Leu	Arg Tyr Glu Asn Gly	
1540	1545	1550	
agt ctt aca ttc aac	tac act tct ccc atg	aca cta ata aac aac	25796
Ser Leu Thr Phe Asn	Tyr Thr Ser Pro Met	Thr Leu Ile Asn Asn	
1555	1560	1565	
agt ctt gct att aac	gtc aat acc tcc aaa	ggc ctc agt agt gac	25841
Ser Leu Ala Ile Asn	Val Asn Thr Ser Lys	Gly Leu Ser Ser Asp	
1570	1575	1580	
aac ggc aca ctc gct	gta aat gtt act cca	gat ttt aga ttt aac	25886
Asn Gly Thr Leu Ala	Val Asn Val Thr Pro	Asp Phe Arg Phe Asn	
1585	1590	1595	
agc tct ggt gcc tta	act ttt ggc ata caa	agt cta tgg act ttt	25931
Ser Ser Gly Ala Leu	Thr Phe Gly Ile Gln	Ser Leu Trp Thr Phe	
1600	1605	1610	
cca acc aaa act cct	aac tgt acc gtg ttt	acc gaa agt gac tcc	25976
Pro Thr Lys Thr Pro	Asn Cys Thr Val Phe	Thr Glu Ser Asp Ser	
1615	1620	1625	
ctg ctg agt ctt tgc	ttg act aaa tgc gga	gct cac gta ctt gga	26021
Leu Leu Ser Leu Cys	Leu Thr Lys Cys Gly	Ala His Val Leu Gly	
1630	1635	1640	
agc gtg agt tta agc	gga gtg gca gga acc	atg cta aaa atg acc	26066
Ser Val Ser Leu Ser	Gly Val Ala Gly Thr	Met Leu Lys Met Thr	
1645	1650	1655	

cac act tct gtt acc gtt cag ttt tcg ttt gat gac agt ggt aaa His Thr Ser Val Thr Val Gln Phe Ser Phe Asp Asp Ser Gly Lys 1660 1665 1670	26111
cta ata ttc tct cca ctt gcg aac aac act tgg ggt gtt cga caa Leu Ile Phe Ser Pro Leu Ala Asn Asn Thr Trp Gly Val Arg Gln 1675 1680 1685	26156
agc gag agt ccg ttg ccc aac cca tcc ttc aac gct ctc acg ttt Ser Glu Ser Pro Leu Pro Asn Pro Ser Phe Asn Ala Leu Thr Phe 1690 1695 1700	26201
atg cca aac agt acc att tat tct aga gga gca agt aac gaa cct Met Pro Asn Ser Thr Ile Tyr Ser Arg Gly Ala Ser Asn Glu Pro 1705 1710 1715	26246
caa aac aat tat tat gtc cag acg tat ctt aga ggc aac gtg cga Gln Asn Asn Tyr Tyr Val Gln Thr Tyr Leu Arg Gly Asn Val Arg 1720 1725 1730	26291
aag cca att cta cta act gtt acc tac aac tca gtt aat tca gga Lys Pro Ile Leu Leu Thr Val Thr Tyr Asn Ser Val Asn Ser Gly 1735 1740 1745	26336
tat tcc tta act ttt aaa tgg gat gct gtc gcc aat gaa aaa ttt Tyr Ser Leu Thr Phe Lys Trp Asp Ala Val Ala Asn Glu Lys Phe 1750 1755 1760	26381
gcc act cct aca tct tcg ttt tgc tat gtt gca gag caa taa Ala Thr Pro Thr Ser Ser Phe Cys Tyr Val Ala Glu Gln 1765 1770	26423
aaccctgtta cccaccgtc tcgttttttt cag atg aaa cga gcg aga gtt Met Lys Arg Ala Arg Val 1775	26474
gat gaa gac ttc aac cca gtg tac cct tat gac ccc cca tac gct Asp Glu Asp Phe Asn Pro Val Tyr Pro Tyr Asp Pro Pro Tyr Ala 1780 1785 1790	26519
ccc gtc atg ccc ttc att act ccg cct ttt acc tcc tcg gat ggg Pro Val Met Pro Phe Ile Thr Pro Pro Phe Thr Ser Ser Asp Gly 1795 1800 1805	26564
ttg cag gaa aaa cca ctt gga gtg tta agt tta aac tac agg gat Leu Gln Glu Lys Pro Leu Gly Val Leu Ser Leu Asn Tyr Arg Asp 1810 1815 1820	26609
ccc att act aca caa aat ggg tct ctc acg tta aaa cta gga aac Pro Ile Thr Thr Gln Asn Gly Ser Leu Thr Leu Lys Leu Gly Asn 1825 1830 1835	26654
ggc ctc act cta aac aac cag gga cag tta aca tca act gct ggc Gly Leu Thr Leu Asn Asn Gln Gly Gln Leu Thr Ser Thr Ala Gly 1840 1845 1850	26699

gaa Glu 1855	gtg Val	gag Glu	cct Pro	ccg Pro	ctc Leu 1860	act Thr	aat Asn	gct Ala	aac Asn	aac Asn 1865	aaa Lys	ctt Leu	gca Ala	cta Leu	26744
gcc Ala 1870	tat Tyr	agc Ser	gaa Glu	cca Pro	tta Leu 1875	gca Ala	gta Val	aaa Lys	agc Ser	aac Asn 1880	cgc Arg	cta Leu	act Thr	cta Leu	26789
tca Ser 1885	cac His	acc Thr	gct Ala	ccc Pro	ctt Leu 1890	gtc Val	atc Ile	gct Ala	aat Asn	aat Asn 1895	tct Ser	tta Leu	gcg Ala	ttg Leu	26834
caa Gln 1900	gtt Val	tca Ser	gag Glu	cct Pro	att Ile 1905	ttt Phe	gta Val	aat Asn	gac Asp	gat Asp 1910	gac Asp	aag Lys	cta Leu	gcc Ala	26879
ctg Leu 1915	cag Gln	aca Thr	gcc Ala	gcc Ala	ccc Pro 1920	ctt Leu	gta Val	acc Thr	aac Asn	gct Ala 1925	ggc Gly	acc Thr	ctt Leu	cgc Arg	26924
tta Leu 1930	cag Gln	agc Ser	gct Ala	gcc Ala	cct Pro 1935	tta Leu	gga Gly	ttg Leu	gtt Val	gaa Glu 1940	aat Asn	act Thr	ctt Leu	aaa Lys	26969
ctg Leu 1945	ctg Leu	ttt Phe	tct Ser	aaa Lys	ccc Pro 1950	ttg Leu	tat Tyr	ttg Leu	caa Gln	aat Asn 1955	gat Asp	ttt Phe	ctt Leu	gca Ala	27014
tta Leu 1960	gcc Ala	att Ile	gaa Glu	cgc Arg	ccc Pro 1965	ctg Leu	gct Ala	gta Val	gca Ala	gcc Ala 1970	gca Ala	ggt Gly	act Thr	ctg Leu	27059
acc Thr 1975	cta Leu	caa Gln	ctt Leu	act Thr	cct Pro 1980	cca Pro	tta Leu	aag Lys	act Thr	aac Asn 1985	gat Asp	gac Asp	ggg Gly	cta Leu	27104
aca Thr 1990	cta Leu	tcc Ser	aca Thr	gtc Val	gag Glu 1995	cca Pro	tta Leu	act Thr	gta Val	aaa Lys 2000	aac Asn	gga Gly	aac Asn	cta Leu	27149
ggc Gly 2005	ttg Leu	caa Gln	ata Ile	tcg Ser	cgc Arg 2010	cct Pro	tta Leu	gtt Val	gtt Val	caa Gln 2015	aac Asn	aac Asn	ggc Gly	ctt Leu	27194
tcg Ser 2020	ctt Leu	gct Ala	att Ile	acc Thr	ccc Pro 2025	ccg Pro	ctg Leu	cgt Arg	ttg Leu	ttt Phe 2030	aac Asn	agc Ser	gac Asp	ccc Pro	27239
gtt Val 2035	ctt Leu	ggt Gly	ttg Leu	ggc Gly	ttc Phe 2040	act Thr	ttt Phe	ccc Pro	cta Leu	gct Ala 2045	gtc Val	aca Thr	aac Asn	aac Asn	27284
ctc Leu 2050	ctc Leu	tcc Ser	tta Leu	aac Asn	atg Met 2055	gga Gly	gac Asp	gga Gly	gtt Val	aaa Lys 2060	ctt Leu	acc Thr	tat Tyr	aat Asn	27329

aaa Lys 2065	cta Leu	aca Thr	gcc Ala	aat Asn	ttg Leu 2070	ggt Gly	agg Arg	gat Asp	tta Leu	caa Gln 2075	ttt Phe	gaa Glu	aac Asn	ggt Gly	27374
gcg Ala 2080	att Ile	gcc Ala	gta Val	acg Thr	ctt Leu 2085	act Thr	gcc Ala	gaa Glu	tta Leu	cct Pro 2090	ttg Leu	caa Gln	tac Tyr	act Thr	27419
aac Asn 2095	aaa Lys	ctt Leu	caa Gln	ctg Leu	aat Asn 2100	att Ile	gga Gly	gct Ala	ggc Gly	ctt Leu 2105	cgt Arg	tac Tyr	aat Asn	gga Gly	27464
gcc Ala 2110	agc Ser	aga Arg	aaa Lys	cta Leu	gat Asp 2115	gta Val	aac Asn	att Ile	aac Asn	caa Gln 2120	aat Asn	aaa Lys	ggc Gly	tta Leu	27509
act Thr 2125	tgg Trp	gac Asp	aac Asn	gat Asp	gca Ala 2130	gtt Val	att Ile	ccc Pro	aaa Lys	cta Leu 2135	gga Gly	tcg Ser	ggc Gly	tta Leu	27554
caa Gln 2140	ttt Phe	gac Asp	cct Pro	aat Asn	ggc Gly 2145	aac Asn	atc Ile	gct Ala	gtt Val	atc Ile 2150	cct Pro	gaa Glu	acc Thr	gtg Val	27599
aag Lys 2155	ccg Pro	caa Gln	acg Thr	tta Leu	tgg Trp 2160	acg Thr	act Thr	gca Ala	gat Asp	ccc Pro 2165	tcg Ser	cct Pro	aac Asn	tgc Cys	27644
tca Ser 2170	gtg Val	tac Tyr	cag Gln	gac Asp	ttg Leu 2175	gat Asp	gcc Ala	agg Arg	ctg Leu	tgg Trp 2180	ctc Leu	gct Ala	ctt Leu	gtt Val	27689
aaa Lys 2185	agt Ser	ggc Gly	gac Asp	atg Met	gtg Val 2190	cat His	gga Gly	agc Ser	att Ile	gcc Ala 2195	cta Leu	aaa Lys	gcc Ala	cta Leu	27734
aaa Lys 2200	ggg Gly	acg Thr	ttg Leu	cta Leu	aat Asn 2205	cct Pro	aca Thr	gcc Ala	agc Ser	tac Tyr 2210	att Ile	tcc Ser	att Ile	gtg Val	27779
ata Ile 2215	tat Tyr	ttt Phe	tac Tyr	agc Ser	aac Asn 2220	gga Gly	gtc Val	agg Arg	cgt Arg	acc Thr 2225	aac Asn	tat Tyr	cca Pro	acg Thr	27824
ttt Phe 2230	gac Asp	aac Asn	gaa Glu	ggc Gly	acc Thr 2235	tta Leu	gct Ala	aac Asn	agc Ser	gcc Ala 2240	act Thr	tgg Trp	gga Gly	tac Tyr	27869
cga Arg 2245	cag Gln	ggg Gly	caa Gln	tct Ser	gct Ala 2250	aac Asn	act Thr	aat Asn	gtg Val	acc Thr 2255	aat Asn	gcc Ala	act Thr	gaa Glu	27914
ttt Phe 2260	atg Met	ccc Pro	agc Ser	tca Ser	agc Ser 2265	agg Arg	tac Tyr	ccc Pro	gtg Val	aat Asn 2270	aaa Lys	gga Gly	gac Asp	aac Asn	27959

att	caa	aat	caa	tct	ttt	tca	tac	acc	tgt	att	aaa	gga	gat	ttt	28004
Ile	Gln	Asn	Gln	Ser	Phe	Ser	Tyr	Thr	Cys	Ile	Lys	Gly	Asp	Phe	
2275					2280					2285					
gct	atg	cct	gtc	ccg	ttc	cgt	gta	aca	tat	aat	cac	gcc	ctg	gaa	28049
Ala	Met	Pro	Val	Pro	Phe	Arg	Val	Thr	Tyr	Asn	His	Ala	Leu	Glu	
2290					2295					2300					
ggg	tat	tcc	ctt	aag	ttc	acc	tgg	cgc	gtt	gta	gcc	aat	cag	gcc	28094
Gly	Tyr	Ser	Leu	Lys	Phe	Thr	Trp	Arg	Val	Val	Ala	Asn	Gln	Ala	
2305					2310					2315					
ttt	gat	att	cct	tgc	tgt	tca	ttt	tca	tac	atc	aca	gaa	taa		28136
Phe	Asp	Ile	Pro	Cys	Cys	Ser	Phe	Ser	Tyr	Ile	Thr	Glu			
2320					2325					2330					
aaaaccactt tttcatttta atttcttttt attttacacg aacagtgaga cttcctccac														28196	
ccttccattt gacagcatac accagcctct ccccttcat agcagtaaac tgttgtgaat														28256	
cagtccggta tttgggagtt aaaatccaaa cagtctcttt ggtgatgaaa cgtcgatcag														28316	
taatggacac aaatccctgg gacaggtttt ccaacgtttc ggtgaaaaac tgcacaccgc														28376	
cctacaaaac aaacagggttc aggctctcca cgggttatct ccccgatcaa actcagacag														28436	
ggtaaagggtg cggtgggtgt ccactaaacc acgcagggtg cgctgtctga acctctcggt														28496	
gcgactcctg tgaggctggt aagaagttag attgtccagt agcctcacag catgtatcat														28556	
cagtctacga gtgcgtctgg cgcagcagcg catctgaatc tcaactgagat tccggcaaga														28616	
atcgcacacc atcacaatca ggttgttcat gatcccatag ctgaacacgc tccagccaaa														28676	
gctcattcgc tccaacagcg ccaccgcgtg tccgtccaac cttactttaa cataaatcag														28736	
gtgtctgccg cgtacaaaca tgctaccac atacagaact tcccggggca ggcccctgtt														28796	
caccacctgt ctgtaccagg gaaacctcac atttatcagg gagccataga tggccatttt														28856	
aaaccaatta gctaataccg cccaccagc tctacactga agagaaccgg gagagttaca														28916	
atgacagtga ataatccatc tctcataacc cctgatggtc tgatgaaaat ctagatctaa														28976	
cgtggcacia caaatacaca ctttcatata cattttcata acatgttttt cccaggccgt														29036	
taaaatacaa tcccaataca cggggccactc ctgcagtaca ataaagctaa tacaagatgg														29096	
tatactcctc acctcactga cactgtgcat gttcatattt tcacattcta agtaccgaga														29156	
gttctcctct acagcagcac tgctgcggtc ctcaaaagg ggtagctggt gatgattgta														29216	
ggggggcagt ctgcagcgat accgtctgtc gcgttgcatc gtagaccagg aaccgacgca														29276	
cctcctcgta cttgtggtag cagaaccacg tccgctgcc a gcacgtctcc acgtaacgcc														29336	
ggtcctcgcg tcgctcacgc tccctcctca atgcaaagtg caaccactct tgtaatccac														29396	

acagatccct ctccggcctcc ggggtgatgc acacctcaaa cctacagatg tctcgggtaca 29456
 gttccaaaca cgtagtgagg gcgagttcca accaagacag acagcctgat ctatcccgcac 29516
 acactggagg tggaggaaga cacggaagag gcatgttatt ccaagcgatt caccaacggg 29576
 tcgaaatgaa gatcccgaag atgacaacgg tcgcctccgg agccctgatg gaattttaaca 29636
 gccagatcaa acgttatgcg attctccaag ctatcgatcg ccgcttccaa aagagcctgg 29696
 acccgcactt ccacaaacac cagcaaagca aaagcactat tatcaaactc ttcaatcatc 29756
 aagctgcagg actgtacaat gcctaagtaa ttttcgtttc tccactcgcg aatgatgtcg 29816
 cggcagatag tctgaagggt catcccgtgc agggtaaaaa gctccgaaag ggcgccctct 29876
 acagccatgc gtagacacac catcatgact gcaagatatc gggctcctga gacacctgca 29936
 gcagatttaa cagatcaagg tcagggtgct ctccgcgatc acgaatctcc atccgcaagg 29996
 tcatttgcaa aaaattaaat aaatctatgc cgactagatc tgtcaactcc gcattaggaa 30056
 ccaaatacagg tgtggctacg cagcacaaaa gttccaggga tgggtgcaaaa ctactagaa 30116
 ccgctcccga gtaacaaaac tgatgaatgg gagtaacaca gtgtaaaatg tgcaacaaaa 30176
 aatcactaag gtgctccttt aaaaagtcca gtacttctat attcagtccg tgcaagtact 30236
 gaagcaactg tgcgggaata tgcacaacaa aaaaaatagg gcggctcaga tacatgttga 30296
 cctaaaataa aaagaatcat taaactaaag aagcttggcg aacggtggga taaatgacac 30356
 gctccagcag cagacaggca accggctgtc cccgggaacc gcggtaaaat tcatccgaat 30416
 gattaaaaag aacaacagaa acttcccacc atgtactcgg ttggatctcc tgagcacaca 30476
 gcaatacccc cctcacattc atgtccgcca cagaaaaaaa acgtcccaga taccagcgg 30536
 ggatatccaa cgacagctgc aaagacagca aaacaatccc tctgggagcg atcacaaaat 30596
 cctccggtga aaaaagcaca tacatattag aataaccctg ttgctggggc aaaaaggccc 30656
 ggcgctcccag caaatgcaca taaatatgtt catcagccat tgccccgtct taccgcgtaa 30716
 tcagccacga aaaaatcgag ctaaaattca cccaacagcc tatagctata tatacactcc 30776
 gcccaatgac gctaataaccg caccacccac gaccaaagtt caccacacc cacaaaaccc 30836
 gcgaaaatcc agcgccgtca gcacttccgc aatttcagtc tcacaacgtc acttccgcgc 30896
 gcctttttcac attcccacac acaccgcgc ctttcgcccc gccctcgcgc caccgcgct 30956
 caccgcacgt caccgcggcc ccgcctcgct cctccccgct cattatcata ttggcacgtt 31016
 tccagaataa ggtatattat tgatgatg 31044

WO 03/046124

PCT/US02/33645

<210> 30
 <211> 505
 <212> PRT
 <213> simian adenovirus SV-25

<400> 30

Met	Arg	Arg	Ala	Val	Arg	Val	Thr	Pro	Ala	Ala	Tyr	Glu	Gly	Pro	Pro	1	5	10	15
Pro	Ser	Tyr	Glu	Ser	Val	Met	Gly	Ser	Ala	Asn	Val	Pro	Ala	Thr	Leu	20	25	30	
Glu	Ala	Pro	Tyr	Val	Pro	Pro	Arg	Tyr	Leu	Gly	Pro	Thr	Glu	Gly	Arg	35	40	45	
Asn	Ser	Ile	Arg	Tyr	Ser	Glu	Leu	Ala	Pro	Leu	Tyr	Asp	Thr	Thr	Lys	50	55	60	
Val	Tyr	Leu	Val	Asp	Asn	Lys	Ser	Ala	Asp	Ile	Ala	Ser	Leu	Asn	Tyr	65	70	75	80
Gln	Asn	Asp	His	Ser	Asn	Phe	Leu	Thr	Thr	Val	Val	Gln	Asn	Asn	Asp	85	90	95	
Phe	Thr	Pro	Thr	Glu	Ala	Gly	Thr	Gln	Thr	Ile	Asn	Phe	Asp	Glu	Arg	100	105	110	
Ser	Arg	Trp	Gly	Gly	Gln	Leu	Lys	Thr	Ile	Leu	His	Thr	Asn	Met	Pro	115	120	125	
Asn	Ile	Asn	Glu	Phe	Met	Ser	Thr	Asn	Lys	Phe	Arg	Ala	Lys	Leu	Met	130	135	140	
Val	Glu	Lys	Ser	Asn	Ala	Glu	Thr	Arg	Gln	Pro	Arg	Tyr	Glu	Trp	Phe	145	150	155	160
Glu	Phe	Thr	Ile	Pro	Glu	Gly	Asn	Tyr	Ser	Glu	Thr	Met	Thr	Ile	Asp	165	170	175	
Leu	Met	Asn	Asn	Ala	Ile	Val	Asp	Asn	Tyr	Leu	Gln	Val	Gly	Arg	Gln	180	185	190	
Asn	Gly	Val	Leu	Glu	Ser	Asp	Ile	Gly	Val	Lys	Phe	Asp	Thr	Arg	Asn	195	200	205	
Phe	Arg	Leu	Gly	Trp	Asp	Pro	Val	Thr	Lys	Leu	Val	Met	Pro	Gly	Val	210	215	220	
Tyr	Thr	Asn	Glu	Ala	Phe	His	Pro	Asp	Ile	Val	Leu	Leu	Pro	Gly	Cys	225	230	235	240
Gly	Val	Asp	Phe	Thr	Gln	Ser	Arg	Leu	Ser	Asn	Leu	Leu	Gly	Ile	Arg	245	250	255	

WO 03/046124

PCT/US02/33645

Lys Arg Arg Pro Phe Gln Glu Gly Phe Gln Ile Met Tyr Glu Asp Leu
 260 265 270
 Glu Gly Gly Asn Ile Pro Ala Leu Leu Asp Val Ser Lys Tyr Glu Ala
 275 280 285
 Ser Ile Gln Arg Ala Lys Ala Glu Gly Arg Glu Ile Arg Gly Asp Thr
 290 295 300
 Phe Ala Val Ala Pro Gln Asp Leu Glu Ile Val Pro Leu Thr Lys Asp
 305 310 315 320
 Ser Lys Asp Arg Ser Tyr Asn Ile Ile Asn Asn Thr Thr Asp Thr Leu
 325 330 335
 Tyr Arg Ser Trp Phe Leu Ala Tyr Asn Tyr Gly Asp Pro Glu Lys Gly
 340 345 350
 Val Arg Ser Trp Thr Ile Leu Thr Thr Thr Asp Val Thr Cys Gly Ser
 355 360 365
 Gln Gln Val Tyr Trp Ser Leu Pro Asp Met Met Gln Asp Pro Val Thr
 370 375 380
 Phe Arg Pro Ser Thr Gln Val Ser Asn Phe Pro Val Val Gly Thr Glu
 385 390 395 400
 Leu Leu Pro Val His Ala Lys Ser Phe Tyr Asn Glu Gln Ala Val Tyr
 405 410 415
 Ser Gln Leu Ile Arg Gln Ser Thr Ala Leu Thr His Val Phe Asn Arg
 420 425 430
 Phe Pro Glu Asn Gln Ile Leu Val Arg Pro Pro Ala Pro Thr Ile Thr
 435 440 445
 Thr Val Ser Glu Asn Val Pro Ala Leu Thr Asp His Gly Thr Leu Pro
 450 455 460
 Leu Arg Ser Ser Ile Ser Gly Val Gln Arg Val Thr Ile Thr Asp Ala
 465 470 475 480
 Arg Arg Arg Thr Cys Pro Tyr Val Tyr Lys Ala Leu Gly Val Val Ala
 485 490 495
 Pro Lys Val Leu Ser Ser Arg Thr Phe
 500 505

<210> 31
 <211> 921
 <212> PRT
 <213> simian adenovirus SV-25

<400> 31

Met Ala Thr Pro Ser Met Met Pro Gln Trp Ser Tyr Met His Ile Ala
 1 5 10 15

Gly	Gln	Asp	Ala	Ser	Glu	Tyr	Leu	Ser	Pro	Gly	Leu	Val	Gln	Phe	Ala	
			20					25					30			
Arg	Ala	Thr	Asp	Thr	Tyr	Phe	Ser	Leu	Gly	Asn	Lys	Phe	Arg	Asn	Pro	
		35					40					45				
Thr	Val	Ala	Pro	Thr	His	Asp	Val	Thr	Thr	Asp	Arg	Ser	Gln	Arg	Leu	
	50					55					60					
Thr	Leu	Arg	Phe	Val	Pro	Val	Asp	Arg	Glu	Asp	Thr	Ala	Tyr	Ser	Tyr	
65					70					75					80	
Lys	Val	Arg	Tyr	Thr	Leu	Ala	Val	Gly	Asp	Asn	Arg	Val	Leu	Asp	Met	
				85					90					95		
Ala	Ser	Thr	Tyr	Phe	Asp	Ile	Arg	Gly	Val	Leu	Asp	Arg	Gly	Pro	Ser	
			100					105					110			
Phe	Lys	Pro	Tyr	Ser	Gly	Thr	Ala	Tyr	Asn	Ser	Leu	Ala	Pro	Lys	Gly	
		115					120					125				
Ala	Pro	Asn	Pro	Ser	Glu	Trp	Thr	Asp	Thr	Ser	Asp	Asn	Lys	Leu	Lys	
	130					135					140					
Ala	Tyr	Ala	Gln	Ala	Pro	Tyr	Gln	Ser	Gln	Gly	Leu	Thr	Lys	Asp	Gly	
145					150					155					160	
Ile	Gln	Val	Gly	Leu	Val	Val	Thr	Glu	Ser	Gly	Gln	Thr	Pro	Gln	Tyr	
				165					170					175		
Ala	Asn	Lys	Val	Tyr	Gln	Pro	Glu	Pro	Gln	Ile	Gly	Glu	Asn	Gln	Trp	
			180					185					190			
Asn	Leu	Glu	Gln	Glu	Asp	Lys	Ala	Ala	Gly	Arg	Val	Leu	Lys	Lys	Asp	
		195					200					205				
Thr	Pro	Met	Phe	Pro	Cys	Tyr	Gly	Ser	Tyr	Ala	Arg	Pro	Thr	Asn	Glu	
	210					215					220					
Gln	Gly	Gly	Gln	Ala	Lys	Asn	Gln	Glu	Val	Asp	Leu	Gln	Phe	Phe	Ala	
225					230					235					240	
Thr	Pro	Gly	Asp	Thr	Gln	Asn	Thr	Ala	Lys	Val	Val	Leu	Tyr	Ala	Glu	
				245					250					255		
Asn	Val	Asn	Leu	Glu	Thr	Pro	Asp	Thr	His	Leu	Val	Phe	Lys	Pro	Asp	
			260				265						270			
Asp	Asp	Ser	Thr	Ser	Ser	Lys	Leu	Leu	Leu	Gly	Gln	Gln	Ala	Ala	Pro	
		275					280					285				
Asn	Arg	Pro	Asn	Tyr	Ile	Gly	Phe	Arg	Asp	Asn	Phe	Ile	Gly	Leu	Met	
	290					295					300					

Tyr Tyr Asn Ser Thr Gly Asn Met Gly Val Leu Ala Gly Gln Ala Ser
 305 310 315 320
 Gln Leu Asn Ala Val Val Asp Leu Gln Asp Arg Asn Thr Glu Leu Ser
 325 330 335
 Tyr Gln Leu Met Leu Asp Ala Leu Gly Asp Arg Ser Arg Tyr Phe Ser
 340 345 350
 Met Trp Asn Gln Ala Val Asp Ser Tyr Asp Pro Asp Val Arg Ile Ile
 355 360 365
 Glu Asn His Gly Val Glu Asp Glu Leu Pro Asn Tyr Cys Phe Pro Leu
 370 375 380
 Gly Gly Met Val Val Thr Asp Asn Tyr Asn Ser Val Thr Pro Gln Asn
 385 390 395 400
 Gly Gly Ser Gly Asn Thr Trp Gln Ala Asp Asn Thr Thr Phe Ser Gln
 405 410 415
 Arg Gly Ala Gln Ile Gly Ser Gly Asn Met Phe Ala Leu Glu Ile Asn
 420 425 430
 Leu Gln Ala Asn Leu Trp Arg Gly Phe Leu Tyr Ser Asn Ile Gly Leu
 435 440 445
 Tyr Leu Pro Asp Ser Leu Lys Ile Thr Pro Asp Asn Ile Thr Leu Pro
 450 455 460
 Glu Asn Lys Asn Thr Tyr Gln Tyr Met Asn Gly Arg Val Thr Pro Pro
 465 470 475 480
 Gly Leu Ile Asp Thr Tyr Val Asn Val Gly Ala Arg Trp Ser Pro Asp
 485 490 495
 Val Met Asp Ser Ile Asn Pro Phe Asn His His Arg Asn Ala Gly Leu
 500 505 510
 Arg Tyr Arg Ser Met Leu Leu Gly Asn Gly Arg Tyr Val Pro Phe His
 515 520 525
 Ile Gln Val Pro Gln Lys Phe Phe Ala Ile Lys Asn Leu Leu Leu Leu
 530 535 540
 Pro Gly Ser Tyr Thr Tyr Glu Trp Asn Phe Arg Lys Asp Val Asn Met
 545 550 555 560
 Ile Leu Gln Ser Ser Leu Gly Asn Asp Leu Arg Val Asp Gly Ala Ser
 565 570 575
 Ile Arg Phe Asp Ser Ile Asn Leu Tyr Ala Asn Phe Phe Pro Met Ala
 580 585 590
 His Asn Thr Ala Ser Thr Leu Glu Ala Met Leu Arg Asn Asp Thr Asn
 595 600 605

Asp	Gln	Ser	Phe	Asn	Asp	Tyr	Leu	Cys	Ala	Ala	Asn	Met	Leu	Tyr	Pro
610						615					620				
Ile	Pro	Ala	Asn	Ala	Thr	Ser	Val	Pro	Ile	Ser	Ile	Pro	Ser	Arg	Asn
625					630					635					640
Trp	Ala	Ala	Phe	Arg	Gly	Trp	Ser	Phe	Thr	Arg	Leu	Lys	Thr	Lys	Glu
				645					650					655	
Thr	Pro	Ser	Leu	Gly	Ser	Gly	Phe	Asp	Pro	Tyr	Phe	Val	Tyr	Ser	Gly
			660					665					670		
Ser	Ile	Pro	Tyr	Leu	Asp	Gly	Thr	Phe	Tyr	Leu	Asn	His	Thr	Phe	Lys
		675					680					685			
Lys	Val	Ser	Ile	Met	Phe	Asp	Ser	Ser	Val	Ser	Trp	Pro	Gly	Asn	Asp
	690					695					700				
Arg	Leu	Leu	Thr	Pro	Asn	Glu	Phe	Glu	Ile	Lys	Arg	Ser	Val	Asp	Gly
705					710					715					720
Glu	Gly	Tyr	Asn	Val	Ala	Gln	Ser	Asn	Met	Thr	Lys	Asp	Trp	Phe	Leu
				725					730					735	
Ile	Gln	Met	Leu	Ser	His	Tyr	Asn	Ile	Gly	Tyr	Gln	Gly	Phe	Tyr	Val
			740					745					750		
Pro	Glu	Asn	Tyr	Lys	Asp	Arg	Met	Tyr	Ser	Phe	Phe	Arg	Asn	Phe	Gln
		755					760					765			
Pro	Met	Ser	Arg	Gln	Val	Val	Asp	Thr	Val	Thr	Tyr	Thr	Asp	Tyr	Lys
	770					775					780				
Asp	Val	Lys	Leu	Pro	Tyr	Gln	His	Asn	Asn	Ser	Gly	Phe	Val	Gly	Tyr
785					790					795					800
Met	Gly	Pro	Thr	Met	Arg	Glu	Gly	Gln	Ala	Tyr	Pro	Ala	Asn	Tyr	Pro
				805					810					815	
Tyr	Pro	Leu	Ile	Gly	Glu	Thr	Ala	Val	Pro	Ser	Leu	Thr	Gln	Lys	Lys
			820					825					830		
Phe	Leu	Cys	Asp	Arg	Val	Met	Trp	Arg	Ile	Pro	Phe	Ser	Ser	Asn	Phe
		835					840					845			
Met	Ser	Met	Gly	Ser	Leu	Thr	Asp	Leu	Gly	Gln	Asn	Met	Leu	Tyr	Ala
	850					855					860				
Asn	Ser	Ala	His	Ala	Leu	Asp	Met	Thr	Phe	Glu	Val	Asp	Pro	Met	Asp
865					870					875					880
Glu	Pro	Thr	Leu	Leu	Tyr	Val	Leu	Phe	Glu	Val	Phe	Asp	Val	Val	Arg
				885					890					895	
Ile	His	Gln	Pro	His	Arg	Gly	Val	Ile	Glu	Ala	Val	Tyr	Leu	Arg	Thr
			900					905					910		

Pro Phe Ser Ala Gly Asn Ala Thr Thr
 915 920

<210> 32
 <211> 347
 <212> PRT
 <213> simian adenovirus SV-25

<400> 32

Met Lys Ile Cys Val Val Ile Phe Ala Leu Ser Leu Ile Lys Thr Glu
 1 5 10 15
 Leu Phe Ala Val Pro Ser Thr Pro Arg Val Val Ser Pro Cys Glu Lys
 20 25 30
 Thr Pro Gly Val Leu Asn Leu His Ile Ala Lys Pro Leu Tyr Phe Thr
 35 40 45
 Ile Glu Lys Gln Leu Ala Leu Ser Ile Gly Lys Gly Leu Thr Ile Ser
 50 55 60
 Ala Thr Gly Gln Leu Glu Ser Thr Ala Ser Val Gln Asp Ser Ala Thr
 65 70 75 80
 Pro Pro Leu Arg Gly Ile Ser Pro Leu Lys Leu Thr Asp Asn Gly Leu
 85 90 95
 Thr Leu Ser Tyr Ser Asp Pro Leu Arg Val Val Gly Asp Gln Leu Thr
 100 105 110
 Phe Asn Phe Thr Ser Pro Leu Arg Tyr Glu Asn Gly Ser Leu Thr Phe
 115 120 125
 Asn Tyr Thr Ser Pro Met Thr Leu Ile Asn Asn Ser Leu Ala Ile Asn
 130 135 140
 Val Asn Thr Ser Lys Gly Leu Ser Ser Asp Asn Gly Thr Leu Ala Val
 145 150 155 160
 Asn Val Thr Pro Asp Phe Arg Phe Asn Ser Ser Gly Ala Leu Thr Phe
 165 170 175
 Gly Ile Gln Ser Leu Trp Thr Phe Pro Thr Lys Thr Pro Asn Cys Thr
 180 185 190
 Val Phe Thr Glu Ser Asp Ser Leu Leu Ser Leu Cys Leu Thr Lys Cys
 195 200 205
 Gly Ala His Val Leu Gly Ser Val Ser Leu Ser Gly Val Ala Gly Thr
 210 215 220
 Met Leu Lys Met Thr His Thr Ser Val Thr Val Gln Phe Ser Phe Asp
 225 230 235 240

Asp Ser Gly Lys Leu Ile Phe Ser Pro Leu Ala Asn Asn Thr Trp Gly
 245 250 255
 Val Arg Gln Ser Glu Ser Pro Leu Pro Asn Pro Ser Phe Asn Ala Leu
 260 265 270
 Thr Phe Met Pro Asn Ser Thr Ile Tyr Ser Arg Gly Ala Ser Asn Glu
 275 280 285
 Pro Gln Asn Asn Tyr Tyr Val Gln Thr Tyr Leu Arg Gly Asn Val Arg
 290 295 300
 Lys Pro Ile Leu Leu Thr Val Thr Tyr Asn Ser Val Asn Ser Gly Tyr
 305 310 315 320
 Ser Leu Thr Phe Lys Trp Asp Ala Val Ala Asn Glu Lys Phe Ala Thr
 325 330 335
 Pro Thr Ser Ser Phe Cys Tyr Val Ala Glu Gln
 340 345

<210> 33
 <211> 559
 <212> PRT
 <213> simian adenovirus SV-25

<400> 33

Met Lys Arg Ala Arg Val Asp Glu Asp Phe Asn Pro Val Tyr Pro Tyr
 1 5 10 15
 Asp Pro Pro Tyr Ala Pro Val Met Pro Phe Ile Thr Pro Pro Phe Thr
 20 25 30
 Ser Ser Asp Gly Leu Gln Glu Lys Pro Leu Gly Val Leu Ser Leu Asn
 35 40 45
 Tyr Arg Asp Pro Ile Thr Thr Gln Asn Gly Ser Leu Thr Leu Lys Leu
 50 55 60
 Gly Asn Gly Leu Thr Leu Asn Asn Gln Gly Gln Leu Thr Ser Thr Ala
 65 70 75 80
 Gly Glu Val Glu Pro Pro Leu Thr Asn Ala Asn Asn Lys Leu Ala Leu
 85 90 95
 Ala Tyr Ser Glu Pro Leu Ala Val Lys Ser Asn Arg Leu Thr Leu Ser
 100 105 110
 His Thr Ala Pro Leu Val Ile Ala Asn Asn Ser Leu Ala Leu Gln Val
 115 120 125
 Ser Glu Pro Ile Phe Val Asn Asp Asp Asp Lys Leu Ala Leu Gln Thr
 130 135 140

Ala	Ala	Pro	Leu	Val	Thr	Asn	Ala	Gly	Thr	Leu	Arg	Leu	Gln	Ser	Ala	145	150	155	160
Ala	Pro	Leu	Gly	Leu	Val	Glu	Asn	Thr	Leu	Lys	Leu	Leu	Phe	Ser	Lys	165	170	175	
Pro	Leu	Tyr	Leu	Gln	Asn	Asp	Phe	Leu	Ala	Leu	Ala	Ile	Glu	Arg	Pro	180	185	190	
Leu	Ala	Val	Ala	Ala	Ala	Gly	Thr	Leu	Thr	Leu	Gln	Leu	Thr	Pro	Pro	195	200	205	
Leu	Lys	Thr	Asn	Asp	Asp	Gly	Leu	Thr	Leu	Ser	Thr	Val	Glu	Pro	Leu	210	215	220	
Thr	Val	Lys	Asn	Gly	Asn	Leu	Gly	Leu	Gln	Ile	Ser	Arg	Pro	Leu	Val	225	230	235	240
Val	Gln	Asn	Asn	Gly	Leu	Ser	Leu	Ala	Ile	Thr	Pro	Pro	Leu	Arg	Leu	245	250	255	
Phe	Asn	Ser	Asp	Pro	Val	Leu	Gly	Leu	Gly	Phe	Thr	Phe	Pro	Leu	Ala	260	265	270	
Val	Thr	Asn	Asn	Leu	Leu	Ser	Leu	Asn	Met	Gly	Asp	Gly	Val	Lys	Leu	275	280	285	
Thr	Tyr	Asn	Lys	Leu	Thr	Ala	Asn	Leu	Gly	Arg	Asp	Leu	Gln	Phe	Glu	290	295	300	
Asn	Gly	Ala	Ile	Ala	Val	Thr	Leu	Thr	Ala	Glu	Leu	Pro	Leu	Gln	Tyr	305	310	315	320
Thr	Asn	Lys	Leu	Gln	Leu	Asn	Ile	Gly	Ala	Gly	Leu	Arg	Tyr	Asn	Gly	325	330	335	
Ala	Ser	Arg	Lys	Leu	Asp	Val	Asn	Ile	Asn	Gln	Asn	Lys	Gly	Leu	Thr	340	345	350	
Trp	Asp	Asn	Asp	Ala	Val	Ile	Pro	Lys	Leu	Gly	Ser	Gly	Leu	Gln	Phe	355	360	365	
Asp	Pro	Asn	Gly	Asn	Ile	Ala	Val	Ile	Pro	Glu	Thr	Val	Lys	Pro	Gln	370	375	380	
Thr	Leu	Trp	Thr	Thr	Ala	Asp	Pro	Ser	Pro	Asn	Cys	Ser	Val	Tyr	Gln	385	390	395	400
Asp	Leu	Asp	Ala	Arg	Leu	Trp	Leu	Ala	Leu	Val	Lys	Ser	Gly	Asp	Met	405	410	415	
Val	His	Gly	Ser	Ile	Ala	Leu	Lys	Ala	Leu	Lys	Gly	Thr	Leu	Leu	Asn	420	425	430	
Pro	Thr	Ala	Ser	Tyr	Ile	Ser	Ile	Val	Ile	Tyr	Phe	Tyr	Ser	Asn	Gly	435	440	445	

Val Arg Arg Thr Asn Tyr Pro Thr Phe Asp Asn Glu Gly Thr Leu Ala
450 455 460

Asn Ser Ala Thr Trp Gly Tyr Arg Gln Gly Gln Ser Ala Asn Thr Asn
465 470 475 480

Val Thr Asn Ala Thr Glu Phe Met Pro Ser Ser Ser Arg Tyr Pro Val
485 490 495

Asn Lys Gly Asp Asn Ile Gln Asn Gln Ser Phe Ser Tyr Thr Cys Ile
500 505 510

Lys Gly Asp Phe Ala Met Pro Val Pro Phe Arg Val Thr Tyr Asn His
515 520 525

Ala Leu Glu Gly Tyr Ser Leu Lys Phe Thr Trp Arg Val Val Ala Asn
530 535 540

Gln Ala Phe Asp Ile Pro Cys Cys Ser Phe Ser Tyr Ile Thr Glu
545 550 555

<210> 34
<211> 34115
<212> DNA
<213> simian adenovirus SV-39

<220>
<221> CDS
<222> (13448)..(14959)
<223> L2 Penton

<220>
<221> CDS
<222> (17785)..(20538)
<223> L3 Hexon

<220>
<221> CDS
<222> (29515)..(31116)
<223> L5 Fiber #1

<400> 34

catcatcaat ataacaccgc aagatggcga ccgagttaac atgcaaata ggtgggcgga 60
gttacgcgac ctttgtcttg ggaacgcgga agtgggcgcg gcgggtttcg gggaggagcg 120
cggggcgggg cgggcgtgtc gcgcggcggt gacgcgccgg ggacccggaa attgagtagt 180
ttttattcat ttgcaagtt tttctgtaca ttttggcgcg aaaactgaaa cgaggaagtg 240
aaaagtgaaa aatgccgagg tagtcaccgg gtggagatct gacctttgcc gtgtggagtt 300
taccgcgtga cgtgtggggt tcggtctcta ttttttact gtggttttcc ggggtacggtc 360

aaaggtcccc attttatgac tccacgtcag ctgatcgcta gggatatttaa tgcgcctcag	420
accgtcaaga ggccactctt gagtgccggc gagaagagtt ttctcctccg cgttccgcca	480
actgtgaaaa aatgaggaac ttcttgctat ctccggggct gccagcgacc gtagccgccc	540
agctgttgga ggacattggt accggagctc tgggagacga tcctcagggtg atttctcact	600
tttgtgaaga ttttagtctt catgatctct atgatattga tccgggtggt gaggggcaag	660
aggatgaatg gctggagtct gtggatgggt tttttccgga cgctatgctg ctagaggctg	720
at ttgcccacc acctcacaac tctcacactg agcccagctc agctgctatt cctgaattgt	780
catcagggtga acttgacttg gcttggttacg agactatgcc tccggagtcg gatgaggagg	840
acagcgggat cagcgatccc acggctttta tggctctctaa ggcgattgct atactaaaag	900
aagatgatga tggcgatgat ggatttcgac tggacgctcc ggcggtgccg gggagagact	960
gtaagtcctg tgaataccac cgggatcgta ccggagaccc gtctatggtg tgttctctgt	1020
gttatctccg tcttaacgct gcttttgtct acagtaagtg ttttgtgctt ttttaccctg	1080
tggctttggt gagtttattt ttttctgtgt ctcatagggt gttgtttatt ataggctctg	1140
tttcagatgt ggaggaacct gatagtacta ctggaaatga ggaggaaaag ccctccccgc	1200
cgaaactaac tcagcgctgc agacctataa ttttgagacc ctccggcccag cgtgtgtcat	1260
cccggaaacg tgctgctggt aattgcatag aagatttatt ggaagagccc actgaacctt	1320
tggacttgtc cttaaagcga ccccgcccgc agtagggcgc ggtgccagtt ttttctctct	1380
agcttccggg tgactcagtg caataaaaat tttcttggca acaggtgtat gtgtttactt	1440
tacgggcggg aagggattag gggagtataa agctggaggg gaaaaatctg aggctgtcag	1500
atcgagtgag aagttccatg gacttgtacg agagcctaga gaatctaagt tctttgcgac	1560
gtttgctgga ggaggcctcc gacagaacct cttacatttg gaggtttctg ttcggttccc	1620
ctctgagtcg ctttttgcac cgggtgaagc gagagcacct gacggaattt gatgggcttt	1680
tagagcagct gcctggactg tttgattctt tgaatctcgg ccaccggacg ctgctagagg	1740
agaggctttt tccacaattg gacttttcct ctccaggccg tctgtgttca gcgcttgctt	1800
ttgctgtaca tctgttggac agatggaacg agcagacgca gctcagcccg ggttacactc	1860
tggacttcct gacgctatgc ctatggaagt tcggaatcag gagggggagg aagctgtacg	1920
ggcgcttggt ggagaggcat ccgtctctgc gccagcagcg tctgcaagct caagtgctgc	1980
tgaggcggga ggatctggaa gccatttcgg aggaggagag cggcatggaa gagaagaatc	2040
cgagagcggg gctggaccct ccggcggagg agtagggggg ataccggacc cttttcctga	2100

gttggctttg ggggcggtgg ggggcgcttc tgtggtacgt gaggatgaag aggggcgcca 2160
 acgcggtcag aagagggagc attttgagtc ctgcactttc ttggctgatg taaccgtggc 2220
 cctgatggcg aaaaacaggc tggaggtggg gtggtacccg gaagtatggg aggactttga 2280
 gaagggggac ttgcacctgc tggaaaaata taactttgag cagggtgaaaa catactggat 2340
 gaacccggat gaggactggg aggtgggtttt gaaccgatac ggcaaggtag ctctgcgtcc 2400
 cgactgtcgc taccagggtc gcgacaagggt ggtcctgcga cgcaacgtgt acctgttggg 2460
 caacggcgcc accgtggaga tgggtggacc cagaaggggt ggttttgtgg ccaatatgca 2520
 agaaatgtgc cctgggggtg tgggcttgtc tgggggtgact tttcatagtg tgaggtttag 2580
 cggtagcaat tttgggggtg tggttattac cgcgaacact cctgtggtcc tgcataattg 2640
 ctactttttt ggcttcagca acacctgtgt ggaaatgagg gtgggaggca aagtgcgcgg 2700
 gtgttccttt tacgcttgct ggaaggggggt ggtgagccag ggtaaggcta aagtgtctgt 2760
 tcacaagtgt atgttggaga gatgcacctt gggcatttcc agtgagggct tcctccacgc 2820
 cagcgacaac gtggcttctg acaacggctg cgcctttctt atcaaggag ggggtcgcac 2880
 ctgtcacaac atgatatgcg gccctgggga tgtccccca aagccttacc agatggttac 2940
 ctgcacagat ggcaagggtc gcatgctcaa gcctgtgcac attgtgggcc accggcgcca 3000
 ccgctggcca gagtttgaac acaatgtgat gaccgcgtgt agcttgtacc tgggaggcag 3060
 gcgaggagtt ttcttgccca gacagtgtaa cctggcccac tgcaacgtga tcatggaaca 3120
 atccgccgct acccaggttt gctttggagg aatatttgat ataagcatgg tgggtgtataa 3180
 gatcctgcgc tacgacgact gtcgggctcg tactcgaacc tgcgactgcg gagcctctca 3240
 cctgtgtaac ctgactgtga tggggatggg gactgaggag gtgcgactgg accactgtca 3300
 gcactcttgc ctgcgggagg agttttcttc ctcgacgag gaggactagg taggtgggtg 3360
 gggcgtggcc agcgagaggg tgggctataa aggggaggtg tcggctgacg ctgtcttctg 3420
 tttttcaggt accatgagcg gatcaagcag ccagaccgcg ctgagcttcg acggggccgt 3480
 gtacagcccc tttctgacgg ggcgcttgcc tgccctgggc ggagtgcgtc agaatgttac 3540
 cggttcgcac gtggacggac gtcccgtgga tccatctaac gctgcttcta tgcgctacgc 3600
 tactatcagc acatctactc tggacagcgc cgctgccgcc gcagccgcca cctcagccgc 3660
 tctctccgcc gccaaagatca tggctattaa cccaagcctt tacagccctg tatccgtgga 3720
 cacctcagcc ctggagcttt accggcgaga tctagctcaa gtggtggacc aactcgcagc 3780

cgtgagccaa cagttgcagc tgggtgtcgac ccgagtggag caactttccc gccctcccca	3840
gtaaccgcaa aaattcaata aacagaattt aataaacagc acttgagaaa agtttaaact	3900
tgtggttgac tttattcctg gatagctggg gggaggggaac ggcgggaacg gtaagacctg	3960
gtccatcggt cccggtcggt gagaacacgg tggatttttt ccaagacccg atagagggtg	4020
gtctgaacgt tgagatacat gggcatgagc ccgctctcggg ggtggaggta ggcccactgc	4080
agggcctcgt tttcaggggt ggtgttgtaa atgatccagt cgtaggcccc ccgctgggcg	4140
tgggtgctgga agatgtcctt cagcagcaag ctgatggcaa cgggaagacc cttggtgtag	4200
gtgttgacaa agcggttgag ttgggagggg tgcattgcggg gactgatgag gtgcattttg	4260
gcctggatct tgaggttggc tatgttgccg cccagatcgc gcctgggatt catgttatgc	4320
aagaccacca gcaccgagta accggtgcag cgggggaatt tgcgtgcag cttggaagg	4380
aaagcgtgga agaatttgga gaccctcgg tgcgcgcta ggttttccat gcactcatcc	4440
atgatgatgg cgatgggccc ccgggaggca gcctgggcaa aaacgttgcg ggggtccgtg	4500
acatcgtagt tgtggtcctg ggtgagttca tcataggaca ttttgacaaa gcgcgggcag	4560
agggtcccag actggggaat gatggttcca tccggtccgg gggcgtagtt gccctcgcag	4620
atttgcatth cccaggcttt gatttcagag ggagggatca tgtcaacctg gggggcgatg	4680
aaaaaaatgg tctctggggc gggggtgatg agctgggtgg aaagcagggt gcgcaagagc	4740
tgtgacttgc cgcagccggt gggcccgtag atgacagcta tgacgggttg cagggtgtag	4800
tttagagagc tacaactgcc atcatccttc aaaagcgggg ccacactgtt taaaagttct	4860
ctaacatgta agttttcccg cactaagtcc tgcaggagac gtgaccctcc tagggagaga	4920
agttcaggaa gcgaagcaaa gtttttaagt ggcttgaggc catcggccaa gggcaagtcc	4980
ctgagagttt gactgagcag ttccagccgg tcccagagct cggttacgtg ctctacggca	5040
tctcgatcca gcagacctcc tcgtttcggg ggttggggcg gctctggctg tagggaatga	5100
ggcgggtggc gtccagctgg gccatggtgc ggtccctcca tgggcgcagg gttctcttca	5160
gggtggtctc ggtcacggtg aatgggtggg ccccgggctg ggcgctggcc aggggtgcgct	5220
tgaggctgag gcggctggtg gcgaaccgtt gcttttcgtc tccctgcaag tcagccaaat	5280
agcaacggac catgagctca tagtccaggc tctctgcggc atgtcctttg gcgcgaagct	5340
tgcctttgga aacgtgcccg cagtttgagc agagcaagca ttttagcgcg tagagttttg	5400
gcgccaagaa cacggattcc ggggaataag catccccacc gcagttggag caaacggttt	5460
cgcattccac cagccaggtc agctgaggat cttttgggtc aaaaaccaag cgcccgccgt	5520

tttttttgat gcgcttccta cctcgggtct ccatgaggcg gtgcccgcgt tcggtgacga	5580
agaggctgtc ggtgtctccg tagacggagg tcagggcgcg ctctccagg ggggtcccgc	5640
ggtcctcggc gtagagaaac tcgcaccact ctgacataaa cgcccgggtc caggctagga	5700
cgaatgaggc gatgtgggaa gggtagcggg cgttatcgat gaggggggtc gttttttcca	5760
aggtgtgcag gcacatgtcc ccctcgtccg cttccaaaaa tgtgattggc ttgtaggtgt	5820
aagtcacgtg atcctgtcct tccgcggggg tataaaaggg ggcgtttccc ccctcctcgt	5880
cactctcttc cggttcgtg tcgccaaagg ccagctggtg gggtagcgtg acgcgggtga	5940
aggcgggcat gacctgtgcg ctgagggtgt cagtttctat atacgaggaa gatttgatgg	6000
cgagcgcccc cgtggagatg cccttgagggt gctcggggcc catttggtca gaaaacacaa	6060
tctgtcgggt atcaagcttg gtggcaaaag acccgtagag ggcgttgagg agcaacttgg	6120
cgatggagcg ctggggttgg tttttttccc ggtcggcctt ttccttgggc gcgatgttga	6180
gctggacgta ctccctggcc acgcacttcc agccgggaaa aacggccgtg cgctcgtccg	6240
gcaccagcct cacgctccat ccgcgggtgt gcagggtgat gacgtcgatg ctgggtggcca	6300
cctctccgcg caggggctcg ttgggtccagc agaggcgacc gcccttgcca gagcagaagg	6360
ggggcagggg gtcaagcagg cgctcgtccg gggggtcggc gtcgatggta aagatggcgg	6420
gcagcaggtg tttgtcaaag taatcgatct gatgcccggg gcaacgcagg gcggtttccc	6480
agtcccgcac cgccaaggcg cgctcgtatg gactgagggg ggcgccccag ggcatgggat	6540
gcgtcagggc cgaggcgtac atgccgcaga tgtcatagac gtaaaggggc tcctccagga	6600
cgccgaggta ggtggggtag cagcgcccc cgcggtatgct ggcccgtacg tagtcgtaga	6660
gctcgtgcca gggggccaga aggtggcggc tgagggtgagc gcgctggggc ttttcatctc	6720
ggaagaggat ctgcctgaag atggcgtggg agttggagga gatgggtggc cgctgaaaaa	6780
tgttgaagcg ggcgtcgggc agaccacgg cctcgccgat aaagtgggcg taggactctt	6840
gcagcttttc caccaggag gcggtgacca gcacgtccag agcgcagtag tccagggttt	6900
cccgcacgat gtcataatgc tcttcctttt tttccttcca gaggtctcgg ttgaagagat	6960
actcttcgcg gtctttccag tactcttgga gaggaaccc gttttcgtct ccacggtaag	7020
agcccaacat gtaaaactgg ttgacggcct gatagggaca gcatcccttc tccacgggca	7080
gcgagtaggc cagggcggcc ttgcgcaggg aggtgtgagt cagggcaaag gtgtcgcgga	7140
ccataacttt taaaaactgg tacttaaagt cccggtcgtc gcacatgcct cgctcccagt	7200

ctgagtagtc tgtgcgcttt ttgtgcttgg ggtaggcag ggagtaggtg acgtcgtaa	7260
agaggatttt gccacatctg ggcataaagt tgcgagagat tctgaagggg ccgggcacct	7320
ccgagcggtt gttgatgact tgggcagcca ggagaatttc gtcgaagccg ttgatgttgt	7380
gccccacgac gtagaactct atgaaacgcg gagcgccgcg cagcaggggg cacttttcaa	7440
gttgctggaa agtaagtcc cgcggtctga cgccgtgttc cgtgcggctc cagtcctcca	7500
ccgggtttcg ctccacaaaa tcctgccaga tgtggtcgac tagcaagagc tgcagtcggt	7560
cgcgaaattc gcggaatttt ctgccgatgg cttgcttctg ggggttcaag caaaaaaagg	7620
tgtctgcgtg gtcgcgccag gcgtcccagc cgagctcgcg agccagattc agggccagca	7680
gcaccagagc cggctcaccg gtgattttca tgacgaggag aaagggcacc agctgttttc	7740
cgaacgcgcc catccagggt taggtctcca cgtcgtaggt gagaaacaga cgttcggtcc	7800
gcgggtgcga tcccaggggg aaaaacttga tgggctgcca ccattgggag ctctgggcgt	7860
ggatgtgatg gaagtaaaag tcccggcggc gcgtggaaca ttcgtgctgg tttttgtaaa	7920
agcggccgca gtggtcgag cgcgagacgg agtgaaggct gtgaatcagg tgaatcttgc	7980
gtcgtgagg gggccccaga gccaaaaagc ggagcgggaa cgaccgcgcg gccacttcgg	8040
cgtccgcagg caagatggat gagggttcca ccgttccccg cccgcggacc gaccagactt	8100
ccgccagctg cggcttcagt tcttgcacca gctctcgag cgtttcgtcg ctgggcgaat	8160
cgtgaatacg gaagtgtcg ggtagaggcg ggaggcgggtg gacttccagg aggtgtgtga	8220
gggccggcag gagatgcagg tggacttga tttcccacgg atgacggtcg cgggcgtcca	8280
aggcgaagag atgaccgtgg ggccgcggcg ccaccagcgt tccgcggggg gtctttatcg	8340
gcggcgggga cgggctcccg gcggcagcgg cggctcggga cccgcgggca agtcgggcag	8400
cggcacgtcg gcgtggagct cgggcagggg ctggtgctgc gcgcggagct gactggcaaa	8460
ggctatcacc cggcgattga cgtcctggat ccggcggcgc tgcgtgaaga ccaccggacc	8520
cgtggtcttg aacctgaaag agagttcgac agaataatc tcggcatcgt taaccgcggc	8580
ctggcgcagg atttcggcca cgtccccgga gttgtcttga tacgcgattt ctgccatgaa	8640
ctggtcgatt tcctcttcct gcaagtctcc gtgaccggcg cgttcgacgg tggccgcgag	8700
atcgttgag atgcggccca tgagctggga aaaggcattg atgccgacct cgttccacac	8760
tcggctgtac accacctctc cgtgaacgtc gcgggcgcgc atcaccacct gggcgagatt	8820
gagttccacg tggcgggcca aaaccggata gtttcggagg cgctgataca gatagttgag	8880
ggtggtggcg gcgtgctcgg ccacaaaaaa atacatgatc cagcggcgga gggtcagctc	8940

gttgatgtcg cccagcgcct ccaggcggtc catggcctcg taaaagtcca cggcaaagtt 9000
 gaaaaattgg ctgttcctgg ccgagaccgt gagctcttct tccaagagcc gaatgagatc 9060
 cgccacgggtg gccctgactt cgcgttcgaa agccccgggt gcctcctcca cctcttcctc 9120
 ctcgacttct tcgaccgctt cgggcacctc ctcttcctcg accaccacct caggcggggc 9180
 tcggcggcgc cggcggcgga cgggcaggcg gtcgacgaaa cgctcgatca tttccccct 9240
 ccgtcgacgc atggtctcgg tgacggcgcg accctgttcg cgaggacgca ggggtgaaggc 9300
 gccgccgccg agcggaggta acaggagat cggggggcgg tcgtggggga gactgacggc 9360
 gctaactatg catctgatca atgtttgcgt agtgacctcg ggtcggagcg agctcagcgc 9420
 ttgaaaatcc acgggatcgg aaaaccgttc caggaacgcg tctagccaat cacagtgcga 9480
 aggtaagctg aggaccgtct cgggggcttg tctgttctgt cttcccgcgg tgggtgctgct 9540
 gatgaggtag ttgaagtagg cgctcttgag gcggcggtat gtggacagga gaaccacgtc 9600
 tttgcgcca gcttgctgta tccgcaggcg gtcggccatg cccacactt ctccttgaca 9660
 gcggcgaggg tccttgtagt attcttgcat cagcctttcc acgggcacct cgtcttcttc 9720
 ttccgctcgg ccggacgaga gccgcgtcag gccgtaccg cgctgccccct gtggttgag 9780
 cagggccagg tcggccacga cgcgctcggc cagcacggcc tgctggatgc gggtgagggt 9840
 gtcctgaaag tcgtcgagat ccacaaagcg gtggtacgcg ccagtgttga tgggtgtaggt 9900
 gcagttgctc atgacggacc agtttacggc ctgggtgcca tggcccacgg tttccaggta 9960
 gcggagacgc gagtaggccc gcgtctcgaa gatgtagtcg ttgcaggctc gcagcaggta 10020
 ctggtagccc accagcagat gcggcgggcg ctggcggtag aggggccacc gctgggtggc 10080
 gggggcggtg ggggcgagat cttccaacat gaggcggtga tagccgtaga tgtagcgcga 10140
 catccaagtg atgccgctgg ccgtggtgct ggcgcgggcg tagtcgcgaa cgcggttcca 10200
 gatgtttcgc agcggctgga agtactcgat ggtggggcga ctctgccccg tgaggcgggc 10260
 gcagtcggcg atgctctacg gggaaaaaga agggccagtg aacaaccgcc ttccgtagcc 10320
 ggaggagaac gcaaggggggt caaagaccac cgaggctcgg gttcgaaacc cgggtggcgg 10380
 cccgaatacg gagggcggtt ttttgctttt ttctcagatg catcccgtgc tgcggcagat 10440
 gcgtccgaac gcgggggtccc agtccccggc ggtgcctgcg gccgtgacgg cggcttctac 10500
 ggccacgtcg cgctccaccc cgcctaccac ggcccaggcg gcggtggctc tgcgcggcgc 10560
 aggggaaccc gaagcagagg cgggtgttga cgtggaggag ggccaggggt tggctcggct 10620

gggggccctg agtcccgagc ggcacccgcg cgtggctctg aagcgcgacg cggcggagggc 10680
 gtacgtgccg cggagcaatc tgtttcgcga ccgcagcggc gaggaggccg aggagatgcg 10740
 agacttgctg tttcgggctg ggagggaggt gcgtcacggg ctggaccggc agaggggttct 10800
 gagagaggag gactttgagg cggacgagcg cacgggggtg agtcccgcgc gggctcacgt 10860
 ggcggccgcc aacctggtga gcgcgtacga gcagacggtc aaggaggaga tgaacttcca 10920
 gaagagcttc aatcatcacg tgcgacacgt gattgcgcgc gaagagggtg ccatcggcct 10980
 catgcatctg tgggattttg tggaggcgta cgttcagaac cccagcagca agccgctgac 11040
 ggctcagctg ttcctcatcg tgcaacatag tcgagacaac gaaacgttca gggaggccat 11100
 gctgaacatt gcagagcctg aggggctgctg gctcttggtt ctcatataca tcttgacagag 11160
 tatcgtagtg caggagcgtc cgctgagcct ggccgacaag gtggctgcca tcaactacag 11220
 catgctgtcg ctgggcaaat tttacgcccg caagatctac aagtctccgt tcgtcccat 11280
 agacaaggag gtgaagatag acagctttta catgcgcatg gcgctcaagg tgctgactct 11340
 aagcgcgacg ctgggggtgt accgcaacga ccgcatacac aaggcgggtg gcgccagccg 11400
 ccggcgcgag ctgagcgacc gcgagctttt gcacagcctg catcgggctg tgactgggtg 11460
 cggcagcgcc gaggcggccg agtactttga cgccggagcg gacttgcgct ggcagccatc 11520
 ccgacgcgcg ctggaggcgg ctggcgctcg ggagtacggg gtcgaggacg acgatgaagc 11580
 ggacgacgag ttgggcattg acttgtagcc gtttttcggt agatatgtcg gcgaacgagc 11640
 cgtctgcggc cgccatggtg acggcggcgg gcgcgcccc aagaccggcc acgcgcgcgg 11700
 cgctgcagag tcagccttcc ggagtgacgc ccgcggacga ctggtccgag gccatgcgtc 11760
 gcatcctggc gctgacggcg cgcaaccccg aggcttttcg gcagcagccg caggcaaacc 11820
 ggtttgccgc catttttgaa gcggtggtgc cctccagacc caaccccacc cacgaaaagg 11880
 tgctggccat cgtcaacgcc ctggcgagga ccaaggccat ccgcccagac gaggccgggc 11940
 aggtttacaa cgcgctgcta gaaagggtg gacgctacaa cagctccaac gtgcagacca 12000
 atctggaccg cttggtgacg gacgtgaagg aggccgtagc ccagcgagag cggtttttca 12060
 aggaagccaa tctgggctcg ctggtggccc tcaacgcctt cctgagcacg ctgccggcga 12120
 acgtgccccg cggtcaggag gactacgtga actttctgag cgccctccgc ctgatgggtg 12180
 ccgaggtgcc gcagagcgag gtgtaccagt ctggcccca ctactacttc cagacctccc 12240
 ggcagggcct gcagacggta aacctgacgc aggcctttca gaacctgcag ggcctttggg 12300
 ggggtgcgcg tccgctgggc gaccgcagca cggtgtccag cctgctgacc cccaatgccc 12360


```

ggctgctctt gcttctcatt gctccgttca ccgacagcgg ttccatcagc cgcgactctt 12420
acctgggaca cctgctcacc ctgtaccggg aggccatcgg gcaggcgcgg gtggacgagc 12480
agacgtacca ggaaatcacc agcgtgagcc gcgcgctggg gcaggaggac acgggcagct 12540
tggaggcgac tctgaacttc ctgctgacca accggcggca gcgcctacct cccagtacg 12600
cgctgaacgc ggaggaggag cgcatacctgc gtttcgtgca gcagagcacc gcgctgtact 12660
tgatgcggga aggcgcctct cccagcgcct cgctggacat gacggcggcc aacatggagc 12720
catcgcttcta cgccgccaac cgtcccttcg tcaaccggct aatggactat ttgcatcggg 12780
cggcggccct gaacccggaa tactttacta acgtcatcct gaacgaccgt tggctgccac 12840
ctcccggctt ctacacgggg gagttcgacc tcccggaggc caacgacggt ttcattgtggg 12900
acgacgtgga cagcgtgttc ctgcccggca agaaggaggc gggtgactct cagagccacc 12960
gcgcgagcct cgcagacctg ggggcgaccg ggcccgcgtc tccgctgcct cgcctgccga 13020
gcgccagcag cgccagcgtg gggcgggtga gccgtccgcg cctcagcggg gaggaggact 13080
ggtggaacga tccgctgctc cgtccggccc gcaacaaaaa cttccccaac aacgggatag 13140
aggatttggt agacaaaatg aaccgttgga agacgtatgc ccaggagcat cgggagtggc 13200
aggcgaggca acccatgggc cctgttctgc cgccctctcg gcgcccgcgc agggacgaag 13260
acgccgacga ttcagccgat gacagcagcg tgttggatct gggcgggagc gggaaccct 13320
ttgccacact gcaacctcgc ggcgtgggtc ggcggtggcg ctaggaaaaa aaattattaa 13380
aagcacttac cagagccatg gtaagaagag caacaaaggt gtgtcctgct ttcttcccgg 13440
tagcaaa atg cgt cgg gcg gtg gca gtt ccc tcc gcg gca atg gcg tta 13489
      Met Arg Arg Ala Val Ala Val Pro Ser Ala Ala Met Ala Leu
      1              5              10

ggc ccg ccc cct tct tac gaa agc gtg atg gca gcg gcc acc ctg caa 13537
Gly Pro Pro Pro Ser Tyr Glu Ser Val Met Ala Ala Ala Thr Leu Gln
15              20              25              30

gcg ccg ttg gag aat cct tac gtg ccg ccg cga tac ctg gag cct acg 13585
Ala Pro Leu Glu Asn Pro Tyr Val Pro Pro Arg Tyr Leu Glu Pro Thr
              35              40              45

ggc ggg aga aac agc att cgt tac tcg gag ctg acg ccc ctg tac gac 13633
Gly Gly Arg Asn Ser Ile Arg Tyr Ser Glu Leu Thr Pro Leu Tyr Asp
              50              55              60

acc acc cgc ctg tac ctg gtg gac aac aag tca gca gat atc gcc acc 13681
Thr Thr Arg Leu Tyr Leu Val Asp Asn Lys Ser Ala Asp Ile Ala Thr
      65              70              75

```


ttg aac tac cag aac gac cac agc aac ttt ctc acg tcc gtg gtg cag	13729
Leu Asn Tyr Gln Asn Asp His Ser Asn Phe Leu Thr Ser Val Val Gln	
80 85 90	
aac agc gac tac acg ccc gcc gaa gcg agc acg cag acc att aac ttg	13777
Asn Ser Asp Tyr Thr Pro Ala Glu Ala Ser Thr Gln Thr Ile Asn Leu	
95 100 105 110	
gac gac cgc tcg cgc tgg ggc ggg gac ttg aaa acc att ctg cac act	13825
Asp Asp Arg Ser Arg Trp Gly Gly Asp Leu Lys Thr Ile Leu His Thr	
115 120 125	
aac atg ccc aac gtg aac gag ttc atg ttt acc aac tcg ttc agg gct	13873
Asn Met Pro Asn Val Asn Glu Phe Met Phe Thr Asn Ser Phe Arg Ala	
130 135 140	
aaa ctt atg gtg gcg cac gag gcc gac aag gac ccg gtt tat gag tgg	13921
Lys Leu Met Val Ala His Glu Ala Asp Lys Asp Pro Val Tyr Glu Trp	
145 150 155	
gtg cag ctg acg ctg ccg gag ggg aac ttt tca gag att atg acc ata	13969
Val Gln Leu Thr Leu Pro Glu Gly Asn Phe Ser Glu Ile Met Thr Ile	
160 165 170	
gac ctg atg aac aac gcc att atc gac cac tac ctg gcg gta gcc aga	14017
Asp Leu Met Asn Asn Ala Ile Ile Asp His Tyr Leu Ala Val Ala Arg	
175 180 185 190	
cag cag ggg gtg aaa gaa agc gag atc ggc gtc aag ttt gac acg cgc	14065
Gln Gln Gly Val Lys Glu Ser Glu Ile Gly Val Lys Phe Asp Thr Arg	
195 200 205	
aac ttt cgt ctg ggc tgg gac ccg gag acg ggg ctt gtg atg ccg ggg	14113
Asn Phe Arg Leu Gly Trp Asp Pro Glu Thr Gly Leu Val Met Pro Gly	
210 215 220	
gtg tac acg aac gaa gct ttc cat ccc gac gtg gtc ctc ttg ccg ggc	14161
Val Tyr Thr Asn Glu Ala Phe His Pro Asp Val Val Leu Leu Pro Gly	
225 230 235	
tgc ggg gtg gac ttt acc tac agc cgg tta aac aac ctg cta ggc ata	14209
Cys Gly Val Asp Phe Thr Tyr Ser Arg Leu Asn Asn Leu Leu Gly Ile	
240 245 250	
cgc aag aga atg ccc ttt cag gaa ggg ttt cag atc ctg tac gag gac	14257
Arg Lys Arg Met Pro Phe Gln Glu Gly Phe Gln Ile Leu Tyr Glu Asp	
255 260 265 270	
ctg gag ggc ggt aac atc ccg gcc ctg ctg gac gtg ccg gcg tac gag	14305
Leu Glu Gly Gly Asn Ile Pro Ala Leu Leu Asp Val Pro Ala Tyr Glu	
275 280 285	
gag agc atc gcc aac gca agg gag gcg gcg atc agg ggc gat aat ttc	14353
Glu Ser Ile Ala Asn Ala Arg Glu Ala Ala Ile Arg Gly Asp Asn Phe	
290 295 300	

gcg gcg cag ccc cag gcg gct cca acc ata aaa ccc gtt ttg gaa gac	14401
Ala Ala Gln Pro Gln Ala Ala Pro Thr Ile Lys Pro Val Leu Glu Asp	
305 310 315	
tcc aaa ggg cgg agc tac aac gta ata gcc aac acc aac aac acg gct	14449
Ser Lys Gly Arg Ser Tyr Asn Val Ile Ala Asn Thr Asn Asn Thr Ala	
320 325 330	
tac agg agc tgg tat ctg gct tat aac tac ggc gac ccg gag aag ggg	14497
Tyr Arg Ser Trp Tyr Leu Ala Tyr Asn Tyr Gly Asp Pro Glu Lys Gly	
335 340 345 350	
gtt agg gcc tgg acc ctg ctc acc act ccg gac gtg acg tgc ggt tca	14545
Val Arg Ala Trp Thr Leu Leu Thr Thr Pro Asp Val Thr Cys Gly Ser	
355 360 365	
gag cag gtc tac tgg tcg ctg cct gac atg tac gtg gac cct gtg acg	14593
Glu Gln Val Tyr Trp Ser Leu Pro Asp Met Tyr Val Asp Pro Val Thr	
370 375 380	
ttt cgc tcc acg cag caa gtt agc aac tac cca gtg gtg gga gcg gag	14641
Phe Arg Ser Thr Gln Gln Val Ser Asn Tyr Pro Val Val Gly Ala Glu	
385 390 395	
ctt atg ccg att cac agc aag agc ttt tac aac gag cag gcc gtc tac	14689
Leu Met Pro Ile His Ser Lys Ser Phe Tyr Asn Glu Gln Ala Val Tyr	
400 405 410	
tca cag ctc att cgt cag acc acc gcc cta acg cac gtt ttc aac cgc	14737
Ser Gln Leu Ile Arg Gln Thr Thr Ala Leu Thr His Val Phe Asn Arg	
415 420 425 430	
ttc ccc gag aac caa atc cta gtg cga cct cca gcg ccc acc atc acc	14785
Phe Pro Glu Asn Gln Ile Leu Val Arg Pro Pro Ala Pro Thr Ile Thr	
435 440 445	
acc gtc agc gag aac gtg ccc gct cta acc gat cac ggg acg ctg cct	14833
Thr Val Ser Glu Asn Val Pro Ala Leu Thr Asp His Gly Thr Leu Pro	
450 455 460	
ttg cag aac agc atc cgc gga gtt cag cga gtt acc atc acg gac gcc	14881
Leu Gln Asn Ser Ile Arg Gly Val Gln Arg Val Thr Ile Thr Asp Ala	
465 470 475	
cgt cgt cgg acc tgt ccc tac gtc tac aaa gcc ttg gga atc gtg gcc	14929
Arg Arg Arg Thr Cys Pro Tyr Val Tyr Lys Ala Leu Gly Ile Val Ala	
480 485 490	
ccg cgc gtc ctg tcg agt cgc act ttc tag atgtccatcc tcattctctcc	14979
Pro Arg Val Leu Ser Ser Arg Thr Phe	
495 500	
cagcaacaat accggttggg gtctgggctg gaccaaaatg tacggaggcg ccaaacgacg	15039
gtccccacaa catcccgtgc gagtgccgcg gcactttaga gcccacatggg ggtcgcacac	15099
gcgcggggcgc accggccgaa ccaccgtcga cgacgtgatc gatagcgtgg tggccgacgc	15159

ccgcaactac cagcccgcctc gatccacggc ggacgaagtc atcgacggcg tgggtggccga 15219
 cgccagggcc tacgcccgc gaaagtctcg tctgcgccgc cgccgttcgc taaagcgccc 15279
 cacggccgcc atgaaagccg ctcgctctct gctgcgtcgc gcacgtatcg tgggtcgccg 15339
 cgccgccaga cgcgagccg ccaacgccgc cgccggccga gtgcgccgcc gggccgccc 15399
 gcaggccgcc gccgccatct ccagtctatc cgccccccga cgcggaatg tgtactgggt 15459
 cagggactcg gccaccggcg tgcgagttcc cgtgagaacc cgtcctcctc gtccctgaat 15519
 aaaaagttct aagcccaatc ggtgttccgt tgtgtgttca gctcgtcatg accaaacgca 15579
 agtttaaaga ggagctgctg caagcgctgg tccccgaaat ctatgcgccg gcgcccggacg 15639
 tgaaaccgcg tcgcgtgaaa cgcgtaaga agcaggaaaa gctagagaca aaagaggagg 15699
 cgggtggcgtt gggagacggg gaggtggagt ttgtgcgctc gttcgcgccg cgtcggcgag 15759
 tgaattggaa ggggcgcaag gtgcaacggg tgctgcgtcc cggcacggcg gtgtctttca 15819
 ccccggtga aaaatccgcc tggaaggga taaagcgcg gtacgatgag gtgtacgggg 15879
 acgaagacat tctggagcag gcgctggata gaagcgggga gtttgcttac ggcaagaggg 15939
 cgaggacggg cgagatcgcc atcccgtcg acacttccaa cccaccccc agtctgaaac 15999
 ccgtgacgct gcaacaggtg ttgccgggta gcgccccctc gcgacgcggc ataaaacgcg 16059
 agggcggcga gctgcagccc accatgcagc tcctgggttcc caagaggcag aaactagagg 16119
 acgtactgga catgataaaa atggagcccg acgtgcagcc cgatattaaa atccgtccca 16179
 tcaaagaagt ggcgcggga atgggcgtgc agaccgtgga catccagatt cccatgacca 16239
 gcgcccacac ggcggtagag gccatgcaga ccgacgtggg gatgatgacg gacctgcccg 16299
 cagctgctgc cgccgtggcc agcgccgcga cgcaaacgga agccggcatg cagaccgacc 16359
 cgtggacgga ggcgcccgtg cagccggcca gaagacgcgt cagacggacg tacggccccg 16419
 tttctggcat aatgccggag tacgcgtgc atccttccat catccccacc cccggctacc 16479
 gggggcgcac ctaccgtccg cgacgcagca ccaactcgccg ccgtcgccgc acggcacgag 16539
 tcgccaccgc cagagtgaga cgcgtaacga cacgtcgcgg ccgccgcttg accctgcccg 16599
 tgggtgcgcta ccatcccagc attctttaaa aaaccgctcc tacgttgacg atgggcaagc 16659
 ttacttgctg actccgtatg gccgtgcccg gctaccgagg aagatccgc cgacgacgga 16719
 ctttgggagg cagcggtttg cgccgccgtc gggcggttca ccggcgctc aaggaggga 16779
 ttctgccggc cctgatcccc ataatcgccg cagccatcgg ggccattccc ggaatcgcca 16839

gcgtagcggg gcaggctagc cagcgccact gattttacta accctgtcgg tcgcgccgtc 16899
 tcttttcggca gactcaacgc ccagcatgga agacatcaat ttctcctctc tggccccgcg 16959
 gcacggcacg cggccgtata tggggacgtg gagcgagatc ggcacgaacc agatgaacgg 17019
 gggcgctttc aattggagcg gtgtgtggag cggcttgaaa aatttcgggtt ccactctgaa 17079
 aacttacggc aaccgggtgt ggaactccag cacggggcag atgctgaggg acaagctaaa 17139
 ggacacgcag tttcagcaaa aggtggtgga cggcatcgct tcgggcctca acggcgccgt 17199
 cgacctggcc aaccaggcca ttcaaaagga aattaacagc cgcttgagc cgcgcccgca 17259
 ggtggaggag aacctgcccc ctctggaggc gctgcccccc aaggagaga agcgcccgcg 17319
 gcccgacatg gaggagacgc tagttactaa gagcgaggag ccgccatcat acgaggaggc 17379
 ggtgggtagc tcgcagctgc cgtccctcac gctgaagccc accacctatc ccatgaccaa 17439
 gcccatcgcc tccatggcgc gccccgtggg agtcgacccg cccatcgacg cgggtggccac 17499
 tttggacctg ccgcgccccg aaccgggcaa ccgcgtgcct cccgtcccca tcgctccgcc 17559
 ggtttctcgc cccgccatcc gccccgtcgc cgtggccact ccccgctatc cgagccgcaa 17619
 cgccaactgg cagaccaccc tcaacagtat tgtcggactg ggggtgaagt ctctgaagcg 17679
 ccgtcgctgt ttttaaagca caatttatta aacgagtagc cctgtcttaa tccatcgttg 17739
 tatgtgtgcc tatatcacgc gttcagagcc tgaccgtccg tcaag atg gcc act ccg 17796
 Met Ala Thr Pro
 505

 tcg atg atg ccg cag tgg tcg tac atg cac atc gcc ggg cag gac gcc 17844
 Ser Met Met Pro Gln Trp Ser Tyr Met His Ile Ala Gly Gln Asp Ala
 510 515 520

 tcg gag tac ctg agc ccg ggt ctg gtg cag ttt gcc cgt gcg acg gaa 17892
 Ser Glu Tyr Leu Ser Pro Gly Leu Val Gln Phe Ala Arg Ala Thr Glu
 525 530 535

 acc tac ttc tca ctg ggc aac aag ttc agg aac ccc acc gtg gcg ccc 17940
 Thr Tyr Phe Ser Leu Gly Asn Lys Phe Arg Asn Pro Thr Val Ala Pro
 540 545 550 555

 acc cac gac gtc acc acc gat cgg tcc cag cga ctg aca atc cgc ttc 17988
 Thr His Asp Val Thr Thr Asp Arg Ser Gln Arg Leu Thr Ile Arg Phe
 560 565 570

 gtc ccc gtg gac aag gaa gac acc gct tac tcc tac aaa acc cgc ttc 18036
 Val Pro Val Asp Lys Glu Asp Thr Ala Tyr Ser Tyr Lys Thr Arg Phe
 575 580 585

 acg ctg gcc gtg ggc gac aac cgg gtg cta gac atg gcc agt acc tac 18084
 Thr Leu Ala Val Gly Asp Asn Arg Val Leu Asp Met Ala Ser Thr Tyr
 590 595 600

ttt gac atc cgc ggc gtg atc gac cgc gga cct agc ttc aag cct tac	18132
Phe Asp Ile Arg Gly Val Ile Asp Arg Gly Pro Ser Phe Lys Pro Tyr	
605 610 615	
tcc ggc acg gct tac aac tca ctg gct ccc aaa ggg gcg ccc aac aac	18180
Ser Gly Thr Ala Tyr Asn Ser Leu Ala Pro Lys Gly Ala Pro Asn Asn	
620 625 630 635	
agc caa tgg aac gcc aca gat aac ggg aac aag cca gtg tgt ttt gct	18228
Ser Gln Trp Asn Ala Thr Asp Asn Gly Asn Lys Pro Val Cys Phe Ala	
640 645 650	
cag gca gct ttt ata ggt caa agc att aca aaa gac gga gtg caa ata	18276
Gln Ala Ala Phe Ile Gly Gln Ser Ile Thr Lys Asp Gly Val Gln Ile	
655 660 665	
cag aac tca gaa aat caa cag gct gct gcc gac aaa act tac caa cca	18324
Gln Asn Ser Glu Asn Gln Gln Ala Ala Asp Lys Thr Tyr Gln Pro	
670 675 680	
gag cct caa att gga gtt tcc acc tgg gat acc aac gtt acc agt aac	18372
Glu Pro Gln Ile Gly Val Ser Thr Trp Asp Thr Asn Val Thr Ser Asn	
685 690 695	
gct gcc gga cga gtg tta aaa gcc acc act ccc atg ctg cca tgt tac	18420
Ala Ala Gly Arg Val Leu Lys Ala Thr Thr Pro Met Leu Pro Cys Tyr	
700 705 710 715	
ggt tca tat gcc aat ccc act aat cca aac ggg ggt cag gca aaa aca	18468
Gly Ser Tyr Ala Asn Pro Thr Asn Pro Asn Gly Gly Gln Ala Lys Thr	
720 725 730	
gaa gga gac att tcg cta aac ttt ttc aca aca act gcg gca gca gac	18516
Glu Gly Asp Ile Ser Leu Asn Phe Phe Thr Thr Ala Ala Ala Asp	
735 740 745	
aat aat ccc aaa gtg gtt ctt tac agc gaa gat gta aac ctt caa gcc	18564
Asn Asn Pro Lys Val Val Leu Tyr Ser Glu Asp Val Asn Leu Gln Ala	
750 755 760	
ccc gat act cac tta gta tat aag cca acg gtg gga gaa aac gtt atc	18612
Pro Asp Thr His Leu Val Tyr Lys Pro Thr Val Gly Glu Asn Val Ile	
765 770 775	
gcc gca gaa gcc ctg cta acg cag cag gcg tgt ccc aac aga gca aac	18660
Ala Ala Glu Ala Leu Leu Thr Gln Gln Ala Cys Pro Asn Arg Ala Asn	
780 785 790 795	
tac ata ggt ttc cga gat aac ttt atc ggt tta atg tat tat aac agc	18708
Tyr Ile Gly Phe Arg Asp Asn Phe Ile Gly Leu Met Tyr Tyr Asn Ser	
800 805 810	
aca ggg aac atg gga gtt ctg gca ggt cag gcc tcg cag tta aac gca	18756
Thr Gly Asn Met Gly Val Leu Ala Gly Gln Ala Ser Gln Leu Asn Ala	
815 820 825	

gtt gta gac ctg caa gat cga aac acg gaa ctg tcc tat cag cta atg	18804
Val Val Asp Leu Gln Asp Arg Asn Thr Glu Leu Ser Tyr Gln Leu Met	
830 835 840	
cta gat gct ctg ggt gac aga act cga tat ttc tca atg tgg aat cag	18852
Leu Asp Ala Leu Gly Asp Arg Thr Arg Tyr Phe Ser Met Trp Asn Gln	
845 850 855	
gcc gtg gac agc tac gat cca gac gtt agg att atc gag aac cat ggg	18900
Ala Val Asp Ser Tyr Asp Pro Asp Val Arg Ile Ile Glu Asn His Gly	
860 865 870 875	
gtg gaa gac gag ctg ccc aat tac tgt ttt cca ctc cca ggc atg ggt	18948
Val Glu Asp Glu Leu Pro Asn Tyr Cys Phe Pro Leu Pro Gly Met Gly	
880 885 890	
att ttt aac tcc tac aag ggg gta aaa cca caa aat ggc ggt aat ggt	18996
Ile Phe Asn Ser Tyr Lys Gly Val Lys Pro Gln Asn Gly Gly Asn Gly	
895 900 905	
aac tgg gaa gca aac ggg gac cta tca aat gcc aat gag atc gct tta	19044
Asn Trp Glu Ala Asn Gly Asp Leu Ser Asn Ala Asn Glu Ile Ala Leu	
910 915 920	
gga aac att ttt gcc atg gaa att aac ctc cac gca aac ctg tgg cgc	19092
Gly Asn Ile Phe Ala Met Glu Ile Asn Leu His Ala Asn Leu Trp Arg	
925 930 935	
agc ttc ttg tac agc aat gtg gcg ctg tac ctg cca gac agc tat aaa	19140
Ser Phe Leu Tyr Ser Asn Val Ala Leu Tyr Leu Pro Asp Ser Tyr Lys	
940 945 950 955	
ttc act ccc gct aac atc act ctg ccc gcc aac caa aac acc tac gag	19188
Phe Thr Pro Ala Asn Ile Thr Leu Pro Ala Asn Gln Asn Thr Tyr Glu	
960 965 970	
tat atc aac ggg cgc gtc act tct cca acc ctg gtg gac acc ttt gtt	19236
Tyr Ile Asn Gly Arg Val Thr Ser Pro Thr Leu Val Asp Thr Phe Val	
975 980 985	
aac att gga gcc cga tgg tcg ccg gat ccc atg gac aac gtc aac ccc	19284
Asn Ile Gly Ala Arg Trp Ser Pro Asp Pro Met Asp Asn Val Asn Pro	
990 995 1000	
ttt aac cat cac cgg aac gcg ggc ctc cgt tac cgc tcc atg ctg	19329
Phe Asn His His Arg Asn Ala Gly Leu Arg Tyr Arg Ser Met Leu	
1005 1010 1015	
ctg gga aat gga cgc gtg gtg cct ttc cac ata caa gtg ccg caa	19374
Leu Gly Asn Gly Arg Val Val Pro Phe His Ile Gln Val Pro Gln	
1020 1025 1030	
aaa ttt ttc gcg att aag aac ctc ctg ctt ttg ccc ggc tcc tac	19419
Lys Phe Phe Ala Ile Lys Asn Leu Leu Leu Leu Pro Gly Ser Tyr	
1035 1040 1045	

act tac gag tgg agc ttc aga aaa gac gtg aac atg att ctg cag	19464
Thr Tyr Glu Trp Ser Phe Arg Lys Asp Val Asn Met Ile Leu Gln	
1050 1055 1060	
agc acc ctg ggc aat gat ctt cga gtg gac ggg gcc agc gtc cgc	19509
Ser Thr Leu Gly Asn Asp Leu Arg Val Asp Gly Ala Ser Val Arg	
1065 1070 1075	
att gac agc gtc aac ttg tac gcc aac ttt ttc ccc atg gcg cac	19554
Ile Asp Ser Val Asn Leu Tyr Ala Asn Phe Phe Pro Met Ala His	
1080 1085 1090	
aac acc gct tct acc ttg gaa gcc atg ctg cga aac gac acc aac	19599
Asn Thr Ala Ser Thr Leu Glu Ala Met Leu Arg Asn Asp Thr Asn	
1095 1100 1105	
gac cag tcg ttt aac gac tac ctc agc gcg gcc aac atg ctt tat	19644
Asp Gln Ser Phe Asn Asp Tyr Leu Ser Ala Ala Asn Met Leu Tyr	
1110 1115 1120	
ccc att ccg gcc aac gcc acc aac gtt ccc att tcc att ccc tcc	19689
Pro Ile Pro Ala Asn Ala Thr Asn Val Pro Ile Ser Ile Pro Ser	
1125 1130 1135	
cgc aac tgg gcg gcc ttc cgg gga tgg agc ttc acc cgc ctt aaa	19734
Arg Asn Trp Ala Ala Phe Arg Gly Trp Ser Phe Thr Arg Leu Lys	
1140 1145 1150	
gcc aag gaa acg cct tcc ttg ggc tcc ggc ttt gac ccc tac ttt	19779
Ala Lys Glu Thr Pro Ser Leu Gly Ser Gly Phe Asp Pro Tyr Phe	
1155 1160 1165	
gtg tac tca ggc acc att cct tac ctg gac ggc agc ttt tac ctc	19824
Val Tyr Ser Gly Thr Ile Pro Tyr Leu Asp Gly Ser Phe Tyr Leu	
1170 1175 1180	
aac cac act ttc aaa cgt ctg tcc atc atg ttc gat tct tcc gta	19869
Asn His Thr Phe Lys Arg Leu Ser Ile Met Phe Asp Ser Ser Val	
1185 1190 1195	
agt tgg ccg ggc aac gac cgc ctc ctg acg ccg aac gag ttc gaa	19914
Ser Trp Pro Gly Asn Asp Arg Leu Leu Thr Pro Asn Glu Phe Glu	
1200 1205 1210	
att aag cgc att gtg gac ggg gaa ggc tac aac gtg gct caa agt	19959
Ile Lys Arg Ile Val Asp Gly Glu Gly Tyr Asn Val Ala Gln Ser	
1215 1220 1225	
aac atg acc aaa gac tgg ttt tta att caa atg ctc agc cac tac	20004
Asn Met Thr Lys Asp Trp Phe Leu Ile Gln Met Leu Ser His Tyr	
1230 1235 1240	
aac atc ggc tac caa ggc ttc tat gtt ccc gag ggc tac aag gat	20049
Asn Ile Gly Tyr Gln Gly Phe Tyr Val Pro Glu Gly Tyr Lys Asp	
1245 1250 1255	

cgg atg tat tct ttc ttc cga aac ttt cag ccc atg agc cgc cag	20094
Arg Met Tyr Ser Phe Phe Arg Asn Phe Gln Pro Met Ser Arg Gln	
1260 1265 1270	
gtg ccg gat ccc acc gct gcc ggc tat caa gcc gtt ccc ctg ccc	20139
Val Pro Asp Pro Thr Ala Ala Gly Tyr Gln Ala Val Pro Leu Pro	
1275 1280 1285	
aga caa cac aac aac tcg ggc ttt gtg ggg tac atg ggc ccg acc	20184
Arg Gln His Asn Asn Ser Gly Phe Val Gly Tyr Met Gly Pro Thr	
1290 1295 1300	
atg cgc gaa gga cag cca tac ccg gcc aac tac ccc tat ccc ctg	20229
Met Arg Glu Gly Gln Pro Tyr Pro Ala Asn Tyr Pro Tyr Pro Leu	
1305 1310 1315	
atc ggc gct acc gcc gtc ccc gcc att acc cag aaa aag ttt ttg	20274
Ile Gly Ala Thr Ala Val Pro Ala Ile Thr Gln Lys Lys Phe Leu	
1320 1325 1330	
tgc gac cgc gtc atg tgg cgc ata cct ttt tcc agc aac ttt atg	20319
Cys Asp Arg Val Met Trp Arg Ile Pro Phe Ser Ser Asn Phe Met	
1335 1340 1345	
tca atg ggg gcc ctg acc gac ctc gga cag aac atg ctt tac gct	20364
Ser Met Gly Ala Leu Thr Asp Leu Gly Gln Asn Met Leu Tyr Ala	
1350 1355 1360	
aac tcc gcc cat gcc ctg gat atg act ttt gag gtg gac ccc atg	20409
Asn Ser Ala His Ala Leu Asp Met Thr Phe Glu Val Asp Pro Met	
1365 1370 1375	
aac gag ccc acg ttg ctg tac atg ctt ttt gag gtg ttc gac gtg	20454
Asn Glu Pro Thr Leu Leu Tyr Met Leu Phe Glu Val Phe Asp Val	
1380 1385 1390	
gtc aga gtg cac cag ccg cac cgc ggt att atc gag gcc gtg tac	20499
Val Arg Val His Gln Pro His Arg Gly Ile Ile Glu Ala Val Tyr	
1395 1400 1405	
ctg cgc acc ccc ttc tct gcg ggc aat gcc acc aca taa gccgctgaac	20548
Leu Arg Thr Pro Phe Ser Ala Gly Asn Ala Thr Thr	
1410 1415 1420	
tagctggttt ttaccccaga tcccatgggc tccacggaag acgaactgcg ggccattgtg	20608
cgagacctgg gctgcggacc ctacttcctg ggcacctttg acaagcgggtt tcccgggttc	20668
gtgtctcctc gcaaactcgc gtgcgcgata gtgaataaccg ccggccgaga gaccggagga	20728
gagcattggc tagctctggg ctggaacccc cgctcgtcca cgtttttcct gttcgacccc	20788
tttggttttt cagaccaacg cttgaagcag atctatgcat ttgaatatga gggctactc	20848
aagcgaagcg cgctggcctc ctccgccgat cactgtctaa ccctggtaaa gagcactcag	20908
acggttcagg gccctcacag cgccgcctgt ggcctttttt gttgcatgtt tttgcacgcc	20968

tttgtgaact ggccggacac ccccatggaa aacaacccca ccatggacct cctgactggc 21028
 gttcccaact ccatgctcca aagccccagc gtgcagacca ccctcctcca aaaccagaaa 21088
 aatctgtacg cctttctgca caagcactct ccctactttc gccgccatcg ggaacaaata 21148
 gaaaatgcaa ccgcgtttta caaaactctg taacgtttta taaatgaact ttttattgaa 21208
 ctggaaaacg ggtttgtgat ttttaaaaat caaaggggtt gagctggaca tccatgtggg 21268
 aggccggaag ggtggtgttc ttgtactggt acttgggcag ccacttaaac tctggaatca 21328
 caaacttggg cagcggattt tctgggaagt tgctgtgcca cagctggcgg gtcagctgaa 21388
 gtgcctgcag aacatcgggg gcggagatct tgaagtcgca gtttatctgg ttcacggcac 21448
 gcgcgttgcg gtacatggga ttggcacact gaaacaccag caggctggga ttcttgatgc 21508
 tagccagggc cacggcgtcg gtcacgtcac cgggtgtcttc tatgttggac agcgaaaaag 21568
 gcgtgacttt gcaaagctgg cgtcccgcgc gaggcacgca atctcccagg tagttgcact 21628
 cacagcggat gggcagaaga agatgcttgt ggccgcgggt catgtaggga taggccgctg 21688
 ccataaaagc ttcgatctgc ctgaaagcct gcttggcctt gtgcccttcg gtataaaaaa 21748
 caccgcagga cttgttggaa aaggtattac tggcgcaagc ggcatcgtga aagcaagcgc 21808
 gtgcgtcttc gtttcgtaac tgcaccacgc tgcggcccca ccggttctga atcaccttgg 21868
 ccctgccggg gttttccttg agagcgcgct ggccggcttc gctgccaca tccatttcca 21928
 cgacatgctc cttgttaatc atggccagac cgtggaggca gcgcagctcc tcgtcatcgt 21988
 cgggtgcagt atgctccac acgacgcagc cagtgggctc ccacttgggc ttggaggcct 22048
 cggcaatgcc agaatacagg agaacgtagt ggtgcagaaa acgtcccatc atggtgccaa 22108
 aggttttctg gctgctgaag gtcacgggc agtacctcca gtccctcgta agccaagtgt 22168
 tgcagatctt cctgaagacc gtgtactgat cgggcataaa gtggaactca ttgcgctcgg 22228
 tcttgtcgat cttatacttt tccatcagac tatgcataat ctccatgccc ttttcccagg 22288
 cgcaaacaat cttggtgcta cacgggttag gtatggccaa agtggttggc ctctgaggcg 22348
 gcgcttgctt ttccctctga gccctctccc gactgacggg gggtgaaaga gggtgcccct 22408
 tggggaacgg cttgaacacg gtctggcccc aggcgtcccg aagaatctgc atcgggggat 22468
 tgctggccgt catggcgatg atctgacccc ggggctcctc cacttcgtcc tcctcgggac 22528
 tttcctcgtg cttttcgggg gacgggtacgg gagtaggggg aagagcgcgg cgcgccttct 22588
 tcttgggcgg cagttccgga gcctgctctt gacgactggc cattgtcttc tcctaggcaa 22648

gaaaaacaag atggaagact ctttctcctc ctctcgtca acgtcagaaa gcgagtcttc 22708
 caccttaagc gccgagaact ccagcgcgat agaatccgat gtgggctacg agactcccc 22768
 cgcgaaacttt tcgccgcccc ccataaacac taacgggtgg acggactacc tggccctagg 22828
 agacgtactg ctgaagcaca tcaggcggca gagcgttatc gtgcaagatg ctctcaccga 22888
 gcgactcgcg gttccgctgg aagtggcgga acttagcgcc gcctacgagc gaaccctctt 22948
 ctccccaaag actcccccca agaggcaggc taacggcacc tgcgagccta accctcgact 23008
 caacttctac cctgcctttg ccgtgccaga ggtactggct acgtaccaca tttttttcca 23068
 aaaccacaaa atccctctct cgtgccgcgc caaccgcacc aaagccgatc gcgtgctgcg 23128
 actggaggaa ggggctcgca tacctgagat tgcgtgtctg gaggaagtcc caaaaatctt 23188
 tgaaggtctg ggccgcgacg aaaagcgagc agcaaacgct ctggaagaga acgcagagag 23248
 tcacaacagc gccttggtag aactcgaggg cgacaacgcc agactggccg tcctcaaacg 23308
 gtccatagaa gtcacgcact tcgcctaccc cgccgttaac ctccctccaa aagttatgac 23368
 agcggtcctg gactcgctgc tcataaagcg cgctcagccc ttagaccagc agcacgaaaa 23428
 caacagtgac gaaggaaaac cgggtggtttc tgatgaggag ttgagcaagt ggctgtcctc 23488
 caacgacccc gccacgttgg aggaacgaag aaaaaccatg atggccgtgg tgctagttag 23548
 cgtgcaatta gaatgtctgc agaggttctt ttcccaccca gagaccctga gaaaagtgga 23608
 ggaaacgctg cactacacat ttaggcacgg ctacgtgaag caagcctgca agattttccaa 23668
 cgtagaactt agcaacctca tctcctacct ggggatcttg cacgaaaacc gcctcggaca 23728
 aaacgtgctg cacagcacac tgaaaggaga agcccgcgga gactatgtgc gagactgcgt 23788
 gttcctagcg ctagtgtaca cctggcagag cggaatggga gtctggcagc agtgcctgga 23848
 ggacgaaaac ctcaaagagc ttgaaaagct gctggtgcgc tccagaaggg cactgtggac 23908
 cagttttgac gagcgcaccg ccgcgcgaga cctagctgat attatttttc ctcccaagct 23968
 ggtgcagact ctccgggaag gactgccaga ttttatgagt caaagcatct tgcaaaactt 24028
 ccgctctttc atcttggaac gctcgggaat cttgcccgcc actagctgcg ccctacccac 24088
 agattttgtg cctctccact accgcgaatg cccaccgccg ctgtggccgt acacttactt 24148
 gcttaaactg gccaaactttc taatgttcca ctctgacctg gcagaagacg ttagcggcga 24208
 ggggctgcta gaatgccact gccgctgcaa cctgtgcacc cccaccgct ctctagtatg 24268
 caacactccc ctgctcaatg agaccagat catcggtacc tttgaaatcc agggaccctc 24328
 cgacgcggaa aacggcaagc aggggtctgg gctaaaactc acagccggac tgtggacctc 24388

cgctacttg cgcaaatttg taccagaaga ctatcacgcc caccaaatta aattttacga 24448
 aaaccaatca aaaccaccca aaagcgagtt aacggcttgc gtcattacgc agagcagcat 24508
 agttgggcag ttgcaagcca ttaacaaagc gcggcaagag tttctcctaa aaaaaggaaa 24568
 aggggtctac ttggaccccc agaccggcga ggaactcaac ggaccctcct cagtcgcagg 24628
 ttgtgtgccc catgccgccc aaaaagaaca cctcgcagtg gaacatgcca gagacggagg 24688
 aagaggagtg gagcagtgtg agcaacagcg aaacggagga agagccgtgg cccgaggggt 24748
 gcaacgggga agaggacacg gagggacggc gaagtcttcg ccgaagaact ctgcgcgctg 24808
 cccccgaagt ccagccgggc cgctcggcc caagatcccg cacacacccg tagatgggat 24868
 agcaagacca aaaagccggg taagagaaac gctcgcccc gccagggcta ccgctcgtgg 24928
 agaaagcaca aaaactgcat cttatcgtgc ttgctccagt gcggcggaga cgtttcgttc 24988
 acccgtagat acttgctttt taacaaagggt gtggccgtcc cccgtaacgt cctccactac 25048
 taccgtcact cttacagctc cgaagcggac ggctaagaaa acgcagcagt tgccggcggg 25108
 aggactgctg ctacgcgcc gagaaccccc agccaccagg gagctccgaa accgcatatt 25168
 tcccaccctc tacgctatct ttcagcaaag ccggggggcag cagcaagaac tgaaaataaa 25228
 aaaccgcacg ctgaggtcgc ttaccogaag ctgcctctat cacaagagcg aagagcagct 25288
 gcagcgaacc ctggaggacg cagaagcgtg gttccagaag tactgcgcga ccaccctaaa 25348
 taactaaaaa agcccgcgcg cgggacttca aaccgtctga cgtcaccagc cgcgcgccaa 25408
 aatgagcaaa gagattccca cgccttacat gtggagttac cagccgcaga tgggattagc 25468
 cgccggcgcc gccagagatt actccacgaa aatgaactgg ctacgcgcc ggccccacat 25528
 gatattccgc gtaaacgaca ttcgcgcccc ccgcaatcag ctattggttag aacaggctgc 25588
 tctgaccgcc acgccccgta ataacctgaa ccctcccagc tggccagctg ccctggtgta 25648
 ccaggaaacg cctccaccca ccagcgtact tttgccccgt gacgcccagg cggaagtcca 25708
 gatgactaac gcgggcgcgc aattagcggg cggatcccg tttcggtaca gagttcacgg 25768
 cgccgcaccc tatagcccag gtataaagag gctgatcatt cgaggcagag gtgtccagct 25828
 caacgacgag acagtgagct cttcgcttgg tctacgacca gacggagtgt tccagctcgc 25888
 gggctcgggc cgctcttcgt tcacgcctcg ccaggcatac ctgactctgc agagctctgc 25948
 ctctcagcct cgctcgggag gaatcggacc ctttcagttt gtggaggagt ttgtgccctc 26008
 ggtctacttt cagcctttct ccggtcgc ccggcagtag ccggacgagt tcatcccaaa 26068

cttcgacgcg gtgagtgact ctgtggacgg ttatgactga tgtcgagccc gcttcagtgc 26128
 tagtggaaca agcgcggctc aatcacctgg ttcgttgccg ccgccgctgc tgcgtggctc 26188
 gcgacttgag cttagctctc aagtttgtaa aaaacccgctc cgaaaccggg agcgctgtgc 26248
 acgggttgga gctagtgggt cctgagaagg ccaccatcca cgttctcaga aactttgtgg 26308
 aaaaacccat tttggttaaa cgagatcagg ggccttttgt aatcagctta ctctgcacct 26368
 gtaaccatgt tgaccttcac gactatttta tggatcattt gtgcgctgaa ttcaataagt 26428
 aaagcgaatt cttaccaaga ttatgatgtc catgactggt cctcgccact atacgatgtt 26488
 gtgccagtaa actctcttgt cgacatctat ctgaactggt ccttttggtc cgcacagctt 26548
 acttggtact acggtgacac cgtcctttct ggctcactgg gcagctcaca cggaataaca 26608
 cttcacctct tttcgccggt tcgatacggg aactacagct gtcgtgccgg tacctgcctc 26668
 cacgttttca atcttcagcc ctgtccaccg accaaacttg tatttgctga ctctaagcac 26728
 ttacagctca actgcagcat tctaggcccc agtatcttgt ggacatacaa taaaatcagg 26788
 ttggtggaat ttgtctacta cccaccacgc gcccgcggtt ttggggaaat tcctttccag 26848
 atctactaca actatcttgc cacacattat gcaagtcaac agcaactaaa cttgcaagca 26908
 cccttcacgc caggagagta ctctgtcac gtaggctcct gcacagaaac ttttattctc 26968
 ttcaacagat cttctgccat tgaacgcttc actactaact actttagaaa ccaagttgtg 27028
 cttttcactg acgaaacccc taacgtcacc ctggactgtg catgtttttc tcatgacacc 27088
 gtaacttgga ctcttaacaa tactctctgg ctgcggttcg ataaccaag cttgattggt 27148
 aaaaattttg atttaacctt tactaaaccc tctcctcgcg aaatagttat ctttgctcct 27208
 tttaatccaa aaactacctt agcctgtcag gttttgttta agccttgcca aacaaacttt 27268
 aagtttgttt atttgcctcc gcaatctgtc aaactcatag aaaaatacaa caaagcgccc 27328
 gtcttggtc ctaaaacctt ctaccactgg ctaacctaca cggggctggt tgcactaatt 27388
 gtttttttcc taattaacat ttttatatgt ttcttgctt cctccttctt ttgcggaaca 27448
 ccgttgccgc agaaagacct ctcttatta ctgtagcgct tgctatacaa aaccaagagt 27508
 ggtcaaccgt gctctcaatc tattttcaat ttttcatttt gtccttaata ctttctctta 27568
 ttgtcgtaa caatgatctg gagcattgggt ctgcctttt tttggctgct tagtgcaaaa 27628
 gccactatth ttcacaggta tgtggaagaa ggaactagca ccctctttac gatacctgaa 27688
 acaattaagg cggctgatga agtttcttgg taaaaggct cgctctcaga cggcaaccac 27748
 tcattctcag gacagaccct ttgcatccaa gaaacttatt ttaaatcaga actacaatac 27808

agctgcataa aaaacttttt ccattctctac aacatctcaa aaccctatga gggatatttac 27868
 aatgccaagg tttcagacaa ctccagcaca cggaactttt actttaatct gacagttatt 27928
 aaagcaatth ccattcctat ctgtgagttt agctcccagt ttctttctga aacctactgt 27988
 ttaattacta taaactgcac taaaaatcgc cttcacacca ccataatcta caatcacaca 28048
 caatcacctt gggtttttaa cctaaaattt tctccacaca tgccttcgca atttctcacg 28108
 caagttaccg tctctaacaat aagcaagcag tttggctttt actatccttt ccacgaactg 28168
 tgcgaaataa ttgaagccga atatgaacca gactacttta cttacattgc cattgggtgta 28228
 atcgttggtt gcctttgctt tggtattggg ggggtgtgtt atttgtacat tcagagaaaa 28288
 atattgctct cgctgtgctc ctgcggttac aaagcagaag aaagaattaa aatctctaca 28348
 ctttattaat gttttccaga aatggcaaaa ctaacgctcc tacttttgct tctcacgccg 28408
 gtgacgcttt ttaccatcac tttttctgcc gccgccacac tcgaacctca atgtttgcca 28468
 ccggttgaag tctactttgt ctacgtgttg ctgtgctgcg ttagcgtttg cagtataaca 28528
 tgttttacct ttgtttttct tcagtgcatt gactacttct gggtcagact ctactaccgc 28588
 agacacgcgc ctacgtatca aaatcaacaa attgccagac tactcggctc gccatgattg 28648
 tcttgatatt taccctgatt ttttttcacc ttacttgccg ttgtgatttt cacttcactc 28708
 aattttggaa aacgcaatgc ttcgaccgcg gcctctcaa cgactggatg atggctcttg 28768
 caattgccac gcttggggcg tttggacttt ttagtggttt tgctttgcat taaaattta 28828
 agactccatg gacacatggc tttctttcag attttccagt tacacctact ccgccgcctc 28888
 ccccgcccat cgacgtgcct caggttccct caccttctcc atctgtctgc agctactttc 28948
 atctgtaatg gccgacctag aatttgacgg agtgcaatct gagcaaaggg ctatacactt 29008
 ccaacgccag tcggaccgcg aacgcaaaaa cagagagctg caaacctac aaaacacca 29068
 ccaatgtaaa cgcgggatat tttgtattgt aaaacaagct aagctccact acgagcttct 29128
 atctggcaac gaccacgagc tccaatacgt ggtcgatcag cagcgtcaaa cctgtgtatt 29188
 ctttaattgga gtttccccca ttaaagttac tcaaaccaag ggtgaaacca agggaacct 29248
 aaggtgctca tgtcacctgt cagaatgcct ttacactcta gttaaaacct tatgtggctt 29308
 acatgattct atccccttta attaaataaa cttactttaa atctgcaatc acttcttcgt 29368
 ccttgttttt gtcgccatcc agcagcacca cttcccctc ttcccaactt tcatagcata 29428
 ttttccgaaa agaggcgtac tttcgccaca ctttaaaggg aacgtttact tcgctttcaa 29488

gctctccac gattttcatt gcagat atg aaa cgc gcc aaa gtg gaa gaa gga 29541
 Met Lys Arg Ala Lys Val Glu Glu Gly
 1425

ttt aac ccc gtt tat ccc tat gga tat tct act ccg act gac gtg 29586
 Phe Asn Pro Val Tyr Pro Tyr Gly Tyr Ser Thr Pro Thr Asp Val
 1430 1435 1440

gct cct ccc ttt gta gcc tct gac ggt ctt caa gaa aac cca cct 29631
 Ala Pro Pro Phe Val Ala Ser Asp Gly Leu Gln Glu Asn Pro Pro
 1445 1450 1455

ggg gtc ttg tcc cta aaa ata tcc aaa cct tta act ttt aat gcc 29676
 Gly Val Leu Ser Leu Lys Ile Ser Lys Pro Leu Thr Phe Asn Ala
 1460 1465 1470

tcc aag gct cta agc ctg gct att ggt cca gga tta aaa att caa 29721
 Ser Lys Ala Leu Ser Leu Ala Ile Gly Pro Gly Leu Lys Ile Gln
 1475 1480 1485

gat ggt aaa cta gtg ggg gag gga caa gca att ctt gca aac ctg 29766
 Asp Gly Lys Leu Val Gly Glu Gly Gln Ala Ile Leu Ala Asn Leu
 1490 1495 1500

ccg ctt caa atc acc aac aac aca att tca cta cgt ttt ggg aac 29811
 Pro Leu Gln Ile Thr Asn Asn Thr Ile Ser Leu Arg Phe Gly Asn
 1505 1510 1515

aca ctt gcc ttg aat gac aat aat gaa ctc caa acc aca cta aaa 29856
 Thr Leu Ala Leu Asn Asp Asn Asn Glu Leu Gln Thr Thr Leu Lys
 1520 1525 1530

tct tca tcg ccc ctt aaa atc aca gac cag act ctg tcc ctt aac 29901
 Ser Ser Ser Pro Leu Lys Ile Thr Asp Gln Thr Leu Ser Leu Asn
 1535 1540 1545

ata ggg gac agc ctt gca att aaa gat gac aaa cta gaa agc gct 29946
 Ile Gly Asp Ser Leu Ala Ile Lys Asp Asp Lys Leu Glu Ser Ala
 1550 1555 1560

ctt caa gcg acc ctc cca ctc tcc att agc aac aac acc atc agc 29991
 Leu Gln Ala Thr Leu Pro Leu Ser Ile Ser Asn Asn Thr Ile Ser
 1565 1570 1575

ctc aac gtg ggc acc gga ctc acc ata aat gga aac gtt tta caa 30036
 Leu Asn Val Gly Thr Gly Leu Thr Ile Asn Gly Asn Val Leu Gln
 1580 1585 1590

gct gtt ccc tta aat gct cta agt ccc cta act att tcc aac aat 30081
 Ala Val Pro Leu Asn Ala Leu Ser Pro Leu Thr Ile Ser Asn Asn
 1595 1600 1605

aac atc agc ctg cgc tat ggc agt tcc ctg acg gtg ctt aac aat 30126
 Asn Ile Ser Leu Arg Tyr Gly Ser Ser Leu Thr Val Leu Asn Asn
 1610 1615 1620

WO 03/046124

PCT/US02/33645

gaa	ctg	caa	agc	aac	ctc	aca	gtt	cac	tcc	cct	tta	aaa	ctc	aac	30171
Glu	Leu	Gln	Ser	Asn	Leu	Thr	Val	His	Ser	Pro	Leu	Lys	Leu	Asn	
1625					1630					1635					
tcc	aac	aac	tca	att	tct	ctc	aac	act	cta	tct	ccg	ttt	aga	atc	30216
Ser	Asn	Asn	Ser	Ile	Ser	Leu	Asn	Thr	Leu	Ser	Pro	Phe	Arg	Ile	
1640					1645					1650					
gag	aat	ggt	ttc	ctc	acg	ctc	tat	ttg	gga	aca	aaa	tct	ggc	ttg	30261
Glu	Asn	Gly	Phe	Leu	Thr	Leu	Tyr	Leu	Gly	Thr	Lys	Ser	Gly	Leu	
1655					1660					1665					
cta	gtt	caa	aac	agt	ggc	tta	aaa	gtt	caa	gcg	ggc	tac	ggc	ctg	30306
Leu	Val	Gln	Asn	Ser	Gly	Leu	Lys	Val	Gln	Ala	Gly	Tyr	Gly	Leu	
1670					1675					1680					
caa	gta	aca	gac	acc	aat	gct	ctc	aca	tta	aga	tat	ctc	gct	cca	30351
Gln	Val	Thr	Asp	Thr	Asn	Ala	Leu	Thr	Leu	Arg	Tyr	Leu	Ala	Pro	
1685					1690					1695					
ctg	acc	att	cca	gac	tcg	ggc	tca	gaa	caa	ggc	att	ctt	aaa	gta	30396
Leu	Thr	Ile	Pro	Asp	Ser	Gly	Ser	Glu	Gln	Gly	Ile	Leu	Lys	Val	
1700					1705					1710					
aac	act	gga	cag	ggc	cta	agt	gtg	aac	caa	gct	gga	gcg	ctt	gaa	30441
Asn	Thr	Gly	Gln	Gly	Leu	Ser	Val	Asn	Gln	Ala	Gly	Ala	Leu	Glu	
1715					1720					1725					
aca	tcc	cta	gga	ggt	gga	tta	aaa	tat	gct	gat	aac	aaa	ata	acc	30486
Thr	Ser	Leu	Gly	Gly	Gly	Leu	Lys	Tyr	Ala	Asp	Asn	Lys	Ile	Thr	
1730					1735					1740					
ttt	gat	aca	gga	aac	gga	ctg	aca	tta	tct	gaa	aat	aaa	ctt	gca	30531
Phe	Asp	Thr	Gly	Asn	Gly	Leu	Thr	Leu	Ser	Glu	Asn	Lys	Leu	Ala	
1745					1750					1755					
gta	gct	gca	ggt	agt	ggt	cta	act	ttt	aga	gat	ggt	gcc	ttg	gta	30576
Val	Ala	Ala	Gly	Ser	Gly	Leu	Thr	Phe	Arg	Asp	Gly	Ala	Leu	Val	
1760					1765					1770					
gcc	acg	gga	acc	gca	ttt	acg	caa	aca	ctg	tgg	act	acg	gct	gat	30621
Ala	Thr	Gly	Thr	Ala	Phe	Thr	Gln	Thr	Leu	Trp	Thr	Thr	Ala	Asp	
1775					1780					1785					
ccg	tct	ccc	aac	tgc	aca	att	ata	cag	gac	cgc	gac	aca	aaa	ttt	30666
Pro	Ser	Pro	Asn	Cys	Thr	Ile	Ile	Gln	Asp	Arg	Asp	Thr	Lys	Phe	
1790					1795					1800					
act	ttg	gcg	ctt	acc	att	agt	ggg	agc	caa	gtg	ctg	ggg	acg	gtt	30711
Thr	Leu	Ala	Leu	Thr	Ile	Ser	Gly	Ser	Gln	Val	Leu	Gly	Thr	Val	
1805					1810					1815					
tcc	att	att	gga	gta	aaa	ggc	ccc	ctt	tca	agt	agc	ata	ccg	tca	30756
Ser	Ile	Ile	Gly	Val	Lys	Gly	Pro	Leu	Ser	Ser	Ser	Ile	Pro	Ser	
1820					1825					1830					

gct acc gtt aca gta caa ctt aac ttt gat tcc aac gga gcc cta	30801
Ala Thr Val Thr Val Gln Leu Asn Phe Asp Ser Asn Gly Ala Leu	
1835 1840 1845	
ttg agc tcc tct tca ctt aaa ggt tac tgg ggg tat cgc caa ggt	30846
Leu Ser Ser Ser Ser Leu Lys Gly Tyr Trp Gly Tyr Arg Gln Gly	
1850 1855 1860	
ccc tca att gac cct tac ccc ata att aat gcc tta aac ttt atg	30891
Pro Ser Ile Asp Pro Tyr Pro Ile Ile Asn Ala Leu Asn Phe Met	
1865 1870 1875	
cca aac tca ctg gct tat ccc ccg gga caa gaa atc caa gca aaa	30936
Pro Asn Ser Leu Ala Tyr Pro Pro Gly Gln Glu Ile Gln Ala Lys	
1880 1885 1890	
tgt aac atg tac gtt tct act ttt tta cga gga aat cca caa aga	30981
Cys Asn Met Tyr Val Ser Thr Phe Leu Arg Gly Asn Pro Gln Arg	
1895 1900 1905	
cca ata gtt tta aac atc act ttt aat aat caa acc agc ggg ttt	31026
Pro Ile Val Leu Asn Ile Thr Phe Asn Asn Gln Thr Ser Gly Phe	
1910 1915 1920	
tcc att aga ttt aca tgg aca aat tta acc aca gga gaa gca ttt	31071
Ser Ile Arg Phe Thr Trp Thr Asn Leu Thr Thr Gly Glu Ala Phe	
1925 1930 1935	
gca atg ccc cca tgc act ttt tcc tac att gct gaa caa caa taa	31116
Ala Met Pro Pro Cys Thr Phe Ser Tyr Ile Ala Glu Gln Gln	
1940 1945 1950	
actatgtaac cctcaccgtt aaccgcctc cgcccttcca ttttatttta taaaccaccc	31176
gatccacctt ttcagcagta aacaattgca tgtcagtagg ggcagtaaaa cttttgggag	31236
ttaaaatcca cacaggttct tcacaagcta agcgaaaatc agttacactt ataaaaccat	31296
cgctaacatc ggacaaagac aagcatgagt ccaaagcttc cggttctgga tcagatTTTT	31356
gttcattaac agcgggagaa acagcttctg gaggattttc catctccatc tccttcatca	31416
gttccaccat gtccaccgtg gtcattctggg acgagaacga cagttgtcat acacctcata	31476
agtcaccggt cgatgacgaa cgtacagatc tcgaagaatg tcctgtcgcc gcctttcggc	31536
agcactgggc cgaaggcgaa agcgcccatg ttttaacaatg gccagcaccg cccgcttcat	31596
caggcgccta gttcttttag cgcaacagcg catgcgcagc tcgctaagac tggcgcaaga	31656
aacacagcac agaaccacca gattgttcat gatcccataa gcgtgctgac accagcccat	31716
actaacaat tgtttacta ttctagcatg aatgtcatat ctgatgttca agtaaattaa	31776
atggcgcccc cttatgtaaa cacttccac gtacaacacc tcctttggca tctgataatt	31836
aaccacctcc cgatacaaaa tacatctctg attaatagtc gcccgtaca ctaccgatt	31896

aaaccaagtt gccaacataa tccccctgc catacactgc aaagaacctg gacggctaca 31956
 atgacagtgc aaagtccaca cctcgttgcc atggataact gaggaacgcc ttaagtcaat 32016
 agtggcacia ctaatacaaa catgtaaata gtgtttcaac aagtgccact cgtatgaggt 32076
 gagtatcatg tcccagggaa cgggccactc cataaacact gcaaaaccaa cacatcctac 32136
 catccccgc acggcactca catcgtgcat ggtgttcata tcacagtccg gaagctgagg 32196
 acaaggaaaa gtctcgggag cattttcata gggcggtagt gggtagctct tgtaggggtt 32256
 cagtcggcac cggatatctc tcaccttctg ggccataaca cacaagttga gatctgattt 32316
 caaggtactt tctgaatgaa aaccaagtgc tttcccaaca atgtatccga tgtcttcggt 32376
 cccgcgctcg gtagcgctcc ttgcagtaca cacggaacaa ccactcacgc aggcccagaa 32436
 gacagttttc cgcggacggg gacaagttaa tccccctcag tctcagagcc aatatagttt 32496
 ctccacagt agcataggcc aaaccaacc aggaaacaca agctggcacg tcccgttcaa 32556
 cgggaggaca aggaagcaga ggcagaggca taggcaaagc aacagaattt ttattccaac 32616
 tggtcacgta gcacttcaaa caccagggtc cgtaaattggc agcgatcttg ggtttcctga 32676
 tggaacataa cagcaagatc aaacatgaga cgattctcaa ggtgattaac cacagctgga 32736
 attaaatcct ccacgcgcac atttagaaac accagcaata caaaagcccg gttttctccg 32796
 ggatctatca tagcagcaca gtcataatt agtcccaagt aattttcccg tttccaatct 32856
 gttataattt gcagaataat gccctgtaaa tccaagccgg ccatggcgaa aagctcagat 32916
 aatgcacttt ccacgtgcat tcgtaaacac accctcatct tgtcaatcca aaaagtcttc 32976
 ttcttgagaa acctgtagta aattaagaat cgccagggtta ggctcgatgc ctacatcccg 33036
 gagcttcatt ctacagcatgc actgcaaagt atccagcaga tcagaacagc aattagcagc 33096
 cagctcatcc ccggtttcca gttccggagt tcccacggca attatcactc gaaacgtggg 33156
 acaaatcgaa ataacatgag ctcccacgtg agcaaaagcc gtagggccag tgcaataatc 33216
 acagaaccag cggaaaaaag attgcagctc atgtttcaaa aagctctgca gatcaaaatt 33276
 cagctcatgc aaataacaca gtaaagtttg cggatatagta accgaaaacc acacgggtcg 33336
 acgttcaaac atctcggctt acctaaaaaa gaagcacatt tttaaaccac agtcgcttcc 33396
 tgaacaggag gaaatatggg gcggcgtaaa accagacgcg ccaccggatc tccggcagag 33456
 ccctgataat acagccagct gtggttaaac agcaaaacct ttaattcggc aacgggttgag 33516
 gtctccacat aatcagcgcc cacaaaaatc ccatctcgaa cttgctcgcg tagggagcta 33576

aaatggccag tatagcccca tggcaccga acgctaactct gcaagtatat gagagccacc 33636
 ccattcggcg ggatcacaaa atcagtcgga gaaaacaacg tatacacccc ggactgcaaa 33696
 agctgttcag gcaaacgccc ctgcggtccc tctcggtaca ccagcaaagc ctcgggtaaa 33756
 gcagccatgc caagcgctta ccgtgccaaag agcgactcag acgaaaaagt gtactgaggc 33816
 gctcagagca gcggctatat actctacctg tgacgtcaag aaccgaaagt caaaagttca 33876
 cccggcgcgc ccgaaaaaac ccgcgaaaat ccacccaaaa agcccgcgaa aaacacttcc 33936
 gtataaaatt tccgggttac cggcgcgtca ccgccgcgcg acacgcccgc cccgccccgc 33996
 gctcctcccc gaaacccgcc gcgcccactt ccgcgttccc aagacaaagg tcgcgtaact 34056
 ccgccacct catttgcatg ttaactcggc cgccatcttg cgggtgttata ttgatgatg 34115

<210> 35
 <211> 503
 <212> PRT
 <213> simian adenovirus SV-39

<400> 35

Met	Arg	Arg	Ala	Val	Ala	Val	Pro	Ser	Ala	Ala	Met	Ala	Leu	Gly	Pro	1	5	10	15
Pro	Pro	Ser	Tyr	Glu	Ser	Val	Met	Ala	Ala	Ala	Thr	Leu	Gln	Ala	Pro	20	25	30	
Leu	Glu	Asn	Pro	Tyr	Val	Pro	Pro	Arg	Tyr	Leu	Glu	Pro	Thr	Gly	Gly	35	40	45	
Arg	Asn	Ser	Ile	Arg	Tyr	Ser	Glu	Leu	Thr	Pro	Leu	Tyr	Asp	Thr	Thr	50	55	60	
Arg	Leu	Tyr	Leu	Val	Asp	Asn	Lys	Ser	Ala	Asp	Ile	Ala	Thr	Leu	Asn	65	70	75	80
Tyr	Gln	Asn	Asp	His	Ser	Asn	Phe	Leu	Thr	Ser	Val	Val	Gln	Asn	Ser	85	90	95	
Asp	Tyr	Thr	Pro	Ala	Glu	Ala	Ser	Thr	Gln	Thr	Ile	Asn	Leu	Asp	Asp	100	105	110	
Arg	Ser	Arg	Trp	Gly	Gly	Asp	Leu	Lys	Thr	Ile	Leu	His	Thr	Asn	Met	115	120	125	
Pro	Asn	Val	Asn	Glu	Phe	Met	Phe	Thr	Asn	Ser	Phe	Arg	Ala	Lys	Leu	130	135	140	
Met	Val	Ala	His	Glu	Ala	Asp	Lys	Asp	Pro	Val	Tyr	Glu	Trp	Val	Gln	145	150	155	160

Leu	Thr	Leu	Pro	Glu	Gly	Asn	Phe	Ser	Glu	Ile	Met	Thr	Ile	Asp	Leu
				165					170					175	
Met	Asn	Asn	Ala	Ile	Ile	Asp	His	Tyr	Leu	Ala	Val	Ala	Arg	Gln	Gln
			180					185					190		
Gly	Val	Lys	Glu	Ser	Glu	Ile	Gly	Val	Lys	Phe	Asp	Thr	Arg	Asn	Phe
		195					200					205			
Arg	Leu	Gly	Trp	Asp	Pro	Glu	Thr	Gly	Leu	Val	Met	Pro	Gly	Val	Tyr
	210					215					220				
Thr	Asn	Glu	Ala	Phe	His	Pro	Asp	Val	Val	Leu	Leu	Pro	Gly	Cys	Gly
225					230					235					240
Val	Asp	Phe	Thr	Tyr	Ser	Arg	Leu	Asn	Asn	Leu	Leu	Gly	Ile	Arg	Lys
				245					250					255	
Arg	Met	Pro	Phe	Gln	Glu	Gly	Phe	Gln	Ile	Leu	Tyr	Glu	Asp	Leu	Glu
			260					265					270		
Gly	Gly	Asn	Ile	Pro	Ala	Leu	Leu	Asp	Val	Pro	Ala	Tyr	Glu	Glu	Ser
		275					280					285			
Ile	Ala	Asn	Ala	Arg	Glu	Ala	Ala	Ile	Arg	Gly	Asp	Asn	Phe	Ala	Ala
	290					295					300				
Gln	Pro	Gln	Ala	Ala	Pro	Thr	Ile	Lys	Pro	Val	Leu	Glu	Asp	Ser	Lys
305					310					315					320
Gly	Arg	Ser	Tyr	Asn	Val	Ile	Ala	Asn	Thr	Asn	Asn	Thr	Ala	Tyr	Arg
				325					330					335	
Ser	Trp	Tyr	Leu	Ala	Tyr	Asn	Tyr	Gly	Asp	Pro	Glu	Lys	Gly	Val	Arg
			340					345					350		
Ala	Trp	Thr	Leu	Leu	Thr	Thr	Pro	Asp	Val	Thr	Cys	Gly	Ser	Glu	Gln
			355				360					365			
Val	Tyr	Trp	Ser	Leu	Pro	Asp	Met	Tyr	Val	Asp	Pro	Val	Thr	Phe	Arg
	370					375					380				
Ser	Thr	Gln	Gln	Val	Ser	Asn	Tyr	Pro	Val	Val	Gly	Ala	Glu	Leu	Met
385					390					395					400
Pro	Ile	His	Ser	Lys	Ser	Phe	Tyr	Asn	Glu	Gln	Ala	Val	Tyr	Ser	Gln
				405					410					415	
Leu	Ile	Arg	Gln	Thr	Thr	Ala	Leu	Thr	His	Val	Phe	Asn	Arg	Phe	Pro
			420					425					430		
Glu	Asn	Gln	Ile	Leu	Val	Arg	Pro	Pro	Ala	Pro	Thr	Ile	Thr	Thr	Val
		435					440					445			
Ser	Glu	Asn	Val	Pro	Ala	Leu	Thr	Asp	His	Gly	Thr	Leu	Pro	Leu	Gln
	450					455					460				

Asn Ser Ile Arg Gly Val Gln Arg Val Thr Ile Thr Asp Ala Arg Arg
 465 470 475 480

Arg Thr Cys Pro Tyr Val Tyr Lys Ala Leu Gly Ile Val Ala Pro Arg
 485 490 495

Val Leu Ser Ser Arg Thr Phe
 500

<210> 36

<211> 917

<212> PRT

<213> simian adenovirus SV-39

<400> 36

Met Ala Thr Pro Ser Met Met Pro Gln Trp Ser Tyr Met His Ile Ala
 1 5 10 15

Gly Gln Asp Ala Ser Glu Tyr Leu Ser Pro Gly Leu Val Gln Phe Ala
 20 25 30

Arg Ala Thr Glu Thr Tyr Phe Ser Leu Gly Asn Lys Phe Arg Asn Pro
 35 40 45

Thr Val Ala Pro Thr His Asp Val Thr Thr Asp Arg Ser Gln Arg Leu
 50 55 60

Thr Ile Arg Phe Val Pro Val Asp Lys Glu Asp Thr Ala Tyr Ser Tyr
 65 70 75 80

Lys Thr Arg Phe Thr Leu Ala Val Gly Asp Asn Arg Val Leu Asp Met
 85 90 95

Ala Ser Thr Tyr Phe Asp Ile Arg Gly Val Ile Asp Arg Gly Pro Ser
 100 105 110

Phe Lys Pro Tyr Ser Gly Thr Ala Tyr Asn Ser Leu Ala Pro Lys Gly
 115 120 125

Ala Pro Asn Asn Ser Gln Trp Asn Ala Thr Asp Asn Gly Asn Lys Pro
 130 135 140

Val Cys Phe Ala Gln Ala Ala Phe Ile Gly Gln Ser Ile Thr Lys Asp
 145 150 155 160

Gly Val Gln Ile Gln Asn Ser Glu Asn Gln Gln Ala Ala Ala Asp Lys
 165 170 175

Thr Tyr Gln Pro Glu Pro Gln Ile Gly Val Ser Thr Trp Asp Thr Asn
 180 185 190

Val Thr Ser Asn Ala Ala Gly Arg Val Leu Lys Ala Thr Thr Pro Met
 195 200 205

Leu Pro Cys Tyr Gly Ser Tyr Ala Asn Pro Thr Asn Pro Asn Gly Gly
 210 215 220
 Gln Ala Lys Thr Glu Gly Asp Ile Ser Leu Asn Phe Phe Thr Thr Thr
 225 230 235 240
 Ala Ala Ala Asp Asn Asn Pro Lys Val Val Leu Tyr Ser Glu Asp Val
 245 250 255
 Asn Leu Gln Ala Pro Asp Thr His Leu Val Tyr Lys Pro Thr Val Gly
 260 265 270
 Glu Asn Val Ile Ala Ala Glu Ala Leu Leu Thr Gln Gln Ala Cys Pro
 275 280 285
 Asn Arg Ala Asn Tyr Ile Gly Phe Arg Asp Asn Phe Ile Gly Leu Met
 290 295 300
 Tyr Tyr Asn Ser Thr Gly Asn Met Gly Val Leu Ala Gly Gln Ala Ser
 305 310 315 320
 Gln Leu Asn Ala Val Val Asp Leu Gln Asp Arg Asn Thr Glu Leu Ser
 325 330 335
 Tyr Gln Leu Met Leu Asp Ala Leu Gly Asp Arg Thr Arg Tyr Phe Ser
 340 345 350
 Met Trp Asn Gln Ala Val Asp Ser Tyr Asp Pro Asp Val Arg Ile Ile
 355 360 365
 Glu Asn His Gly Val Glu Asp Glu Leu Pro Asn Tyr Cys Phe Pro Leu
 370 375 380
 Pro Gly Met Gly Ile Phe Asn Ser Tyr Lys Gly Val Lys Pro Gln Asn
 385 390 395 400
 Gly Gly Asn Gly Asn Trp Glu Ala Asn Gly Asp Leu Ser Asn Ala Asn
 405 410 415
 Glu Ile Ala Leu Gly Asn Ile Phe Ala Met Glu Ile Asn Leu His Ala
 420 425 430
 Asn Leu Trp Arg Ser Phe Leu Tyr Ser Asn Val Ala Leu Tyr Leu Pro
 435 440 445
 Asp Ser Tyr Lys Phe Thr Pro Ala Asn Ile Thr Leu Pro Ala Asn Gln
 450 455 460
 Asn Thr Tyr Glu Tyr Ile Asn Gly Arg Val Thr Ser Pro Thr Leu Val
 465 470 475 480
 Asp Thr Phe Val Asn Ile Gly Ala Arg Trp Ser Pro Asp Pro Met Asp
 485 490 495
 Asn Val Asn Pro Phe Asn His His Arg Asn Ala Gly Leu Arg Tyr Arg
 500 505 510

Ser Met Leu Leu Gly Asn Gly Arg Val Val Pro Phe His Ile Gln Val
 515 520 525
 Pro Gln Lys Phe Phe Ala Ile Lys Asn Leu Leu Leu Leu Pro Gly Ser
 530 535 540
 Tyr Thr Tyr Glu Trp Ser Phe Arg Lys Asp Val Asn Met Ile Leu Gln
 545 550 555 560
 Ser Thr Leu Gly Asn Asp Leu Arg Val Asp Gly Ala Ser Val Arg Ile
 565 570 575
 Asp Ser Val Asn Leu Tyr Ala Asn Phe Phe Pro Met Ala His Asn Thr
 580 585 590
 Ala Ser Thr Leu Glu Ala Met Leu Arg Asn Asp Thr Asn Asp Gln Ser
 595 600 605
 Phe Asn Asp Tyr Leu Ser Ala Ala Asn Met Leu Tyr Pro Ile Pro Ala
 610 615 620
 Asn Ala Thr Asn Val Pro Ile Ser Ile Pro Ser Arg Asn Trp Ala Ala
 625 630 635 640
 Phe Arg Gly Trp Ser Phe Thr Arg Leu Lys Ala Lys Glu Thr Pro Ser
 645 650 655
 Leu Gly Ser Gly Phe Asp Pro Tyr Phe Val Tyr Ser Gly Thr Ile Pro
 660 665 670
 Tyr Leu Asp Gly Ser Phe Tyr Leu Asn His Thr Phe Lys Arg Leu Ser
 675 680 685
 Ile Met Phe Asp Ser Ser Val Ser Trp Pro Gly Asn Asp Arg Leu Leu
 690 695 700
 Thr Pro Asn Glu Phe Glu Ile Lys Arg Ile Val Asp Gly Glu Gly Tyr
 705 710 715 720
 Asn Val Ala Gln Ser Asn Met Thr Lys Asp Trp Phe Leu Ile Gln Met
 725 730 735
 Leu Ser His Tyr Asn Ile Gly Tyr Gln Gly Phe Tyr Val Pro Glu Gly
 740 745 750
 Tyr Lys Asp Arg Met Tyr Ser Phe Phe Arg Asn Phe Gln Pro Met Ser
 755 760 765
 Arg Gln Val Pro Asp Pro Thr Ala Ala Gly Tyr Gln Ala Val Pro Leu
 770 775 780
 Pro Arg Gln His Asn Asn Ser Gly Phe Val Gly Tyr Met Gly Pro Thr
 785 790 795 800
 Met Arg Glu Gly Gln Pro Tyr Pro Ala Asn Tyr Pro Tyr Pro Leu Ile
 805 810 815

Gly Ala Thr Ala Val Pro Ala Ile Thr Gln Lys Lys Phe Leu Cys Asp
 820 825 830
 Arg Val Met Trp Arg Ile Pro Phe Ser Ser Asn Phe Met Ser Met Gly
 835 840 845
 Ala Leu Thr Asp Leu Gly Gln Asn Met Leu Tyr Ala Asn Ser Ala His
 850 855 860
 Ala Leu Asp Met Thr Phe Glu Val Asp Pro Met Asn Glu Pro Thr Leu
 865 870 875 880
 Leu Tyr Met Leu Phe Glu Val Phe Asp Val Val Arg Val His Gln Pro
 885 890 895
 His Arg Gly Ile Ile Glu Ala Val Tyr Leu Arg Thr Pro Phe Ser Ala
 900 905 910
 Gly Asn Ala Thr Thr
 915

<210> 37
 <211> 533
 <212> PRT
 <213> simian adenovirus SV-39

<400> 37

Met Lys Arg Ala Lys Val Glu Glu Gly Phe Asn Pro Val Tyr Pro Tyr
 1 5 10 15
 Gly Tyr Ser Thr Pro Thr Asp Val Ala Pro Pro Phe Val Ala Ser Asp
 20 25 30
 Gly Leu Gln Glu Asn Pro Pro Gly Val Leu Ser Leu Lys Ile Ser Lys
 35 40 45
 Pro Leu Thr Phe Asn Ala Ser Lys Ala Leu Ser Leu Ala Ile Gly Pro
 50 55 60
 Gly Leu Lys Ile Gln Asp Gly Lys Leu Val Gly Glu Gly Gln Ala Ile
 65 70 75 80
 Leu Ala Asn Leu Pro Leu Gln Ile Thr Asn Asn Thr Ile Ser Leu Arg
 85 90 95
 Phe Gly Asn Thr Leu Ala Leu Asn Asp Asn Asn Glu Leu Gln Thr Thr
 100 105 110
 Leu Lys Ser Ser Ser Pro Leu Lys Ile Thr Asp Gln Thr Leu Ser Leu
 115 120 125
 Asn Ile Gly Asp Ser Leu Ala Ile Lys Asp Asp Lys Leu Glu Ser Ala
 130 135 140

Leu Gln Ala Thr Leu Pro Leu Ser Ile Ser Asn Asn Thr Ile Ser Leu
 145 150 155 160
 Asn Val Gly Thr Gly Leu Thr Ile Asn Gly Asn Val Leu Gln Ala Val
 165 170 175
 Pro Leu Asn Ala Leu Ser Pro Leu Thr Ile Ser Asn Asn Asn Ile Ser
 180 185 190
 Leu Arg Tyr Gly Ser Ser Leu Thr Val Leu Asn Asn Glu Leu Gln Ser
 195 200 205
 Asn Leu Thr Val His Ser Pro Leu Lys Leu Asn Ser Asn Asn Ser Ile
 210 215 220
 Ser Leu Asn Thr Leu Ser Pro Phe Arg Ile Glu Asn Gly Phe Leu Thr
 225 230 235 240
 Leu Tyr Leu Gly Thr Lys Ser Gly Leu Leu Val Gln Asn Ser Gly Leu
 245 250 255
 Lys Val Gln Ala Gly Tyr Gly Leu Gln Val Thr Asp Thr Asn Ala Leu
 260 265 270
 Thr Leu Arg Tyr Leu Ala Pro Leu Thr Ile Pro Asp Ser Gly Ser Glu
 275 280 285
 Gln Gly Ile Leu Lys Val Asn Thr Gly Gln Gly Leu Ser Val Asn Gln
 290 295 300
 Ala Gly Ala Leu Glu Thr Ser Leu Gly Gly Gly Leu Lys Tyr Ala Asp
 305 310 315 320
 Asn Lys Ile Thr Phe Asp Thr Gly Asn Gly Leu Thr Leu Ser Glu Asn
 325 330 335
 Lys Leu Ala Val Ala Ala Gly Ser Gly Leu Thr Phe Arg Asp Gly Ala
 340 345 350
 Leu Val Ala Thr Gly Thr Ala Phe Thr Gln Thr Leu Trp Thr Thr Ala
 355 360 365
 Asp Pro Ser Pro Asn Cys Thr Ile Ile Gln Asp Arg Asp Thr Lys Phe
 370 375 380
 Thr Leu Ala Leu Thr Ile Ser Gly Ser Gln Val Leu Gly Thr Val Ser
 385 390 395 400
 Ile Ile Gly Val Lys Gly Pro Leu Ser Ser Ser Ile Pro Ser Ala Thr
 405 410 415
 Val Thr Val Gln Leu Asn Phe Asp Ser Asn Gly Ala Leu Leu Ser Ser
 420 425 430
 Ser Ser Leu Lys Gly Tyr Trp Gly Tyr Arg Gln Gly Pro Ser Ile Asp
 435 440 445

Pro Tyr Pro Ile Ile Asn Ala Leu Asn Phe Met Pro Asn Ser Leu Ala
 450 455 460

Tyr Pro Pro Gly Gln Glu Ile Gln Ala Lys Cys Asn Met Tyr Val Ser
 465 470 475 480

Thr Phe Leu Arg Gly Asn Pro Gln Arg Pro Ile Val Leu Asn Ile Thr
 485 490 495

Phe Asn Asn Gln Thr Ser Gly Phe Ser Ile Arg Phe Thr Trp Thr Asn
 500 505 510

Leu Thr Thr Gly Glu Ala Phe Ala Met Pro Pro Cys Thr Phe Ser Tyr
 515 520 525

Ile Ala Glu Gln Gln
 530

<210> 38
 <211> 50
 <212> DNA
 <213> Artificial sequence

<220>
 <223> oligomer SV25T

<400> 38
 aatttaaata cgtagcgcac tagtcgcgct aagcgcggat atcatttaaa 50

<210> 39
 <211> 49
 <212> DNA
 <213> Artificial sequence

<220>
 <223> oligomer SV25B

<400> 39
 tatttaaatag atatccgcgc ttaagcgcga ctagtcgcgct acgtattta 49

WHAT IS CLAIMED IS:

1. An isolated simian adenovirus nucleic acid sequence selected from the group consisting of:
 - (a) Pan5 having the sequence of nucleic acids 1 to 36462 of SEQ ID NO:1;
 - (b) Pan6 having the sequence of nucleic acids 1 to 36604 of SEQ ID NO:5;
 - (c) Pan7 having the sequence of nucleic acids 1 to 36535 of SEQ ID NO:9;
 - (d) SV1 having the sequence of nucleic acids 1 to 34264 of SEQ ID NO: 24;
 - (e) SV25 having the sequence of nucleic acids 1 to 31044 of SEQ ID NO: 29;
 - (f) SV39 having the sequence of to nucleic acids 1 to 34115 of SEQ ID NO: 34, and
 - (g) a nucleic acid sequence complementary to the sequence of any of (a) to (f).

2. An isolated simian adenovirus serotype nucleic acid sequence selected from one or more of the group consisting of:
 - (a) 5' inverted terminal repeat (ITR) sequences;
 - (b) the adenovirus E1a region, or a fragment thereof selected from among the 13S, 12S and 9S regions;
 - (c) the adenovirus E1b region, or a fragment thereof selected from among the group consisting of the small T, large T, IX, and IVa2 regions;
 - (d) the E2b region;
 - (e) the L1 region, or a fragment thereof selected from among the group consisting of the 28.1 kD protein, polymerase, agnoprotein, 52/55 kD protein, and IIIa protein;

(f) the L2 region, or a fragment thereof selected from the group consisting of the penton, VII, VI, and Mu proteins;

(g) the L3 region, or a fragment thereof selected from the group consisting of the VI, hexon, or endoprotease;

(h) the 2a protein;

(i) the L4 region, or a fragment thereof selected from the group consisting of the 100 kD protein, the 33 kD homolog, and VIII;

(j) the E3 region, or a fragment thereof selected from the group consisting of E3 ORF1, E3 ORF2, E3 ORF3, E3 ORF4, E3 ORF5, E3 ORF6, E3 ORF7, E3 ORF8, and E3 ORF9;

(k) the L5 region, or a fragment thereof selected from a fiber protein;

(l) the E4 region, or a fragment thereof selected from the group consisting of E4 ORF7, E4 ORF6, E4 ORF4, E4 ORF3, E4 ORF2, and E4 ORF1; and

(m) the 3' ITR,

of any of Pan5 SEQ ID NO:1; Pan6 SEQ ID NO:5; Pan7 SEQ ID NO:9; SV1 SEQ ID NO: 24; SV25 SEQ ID NO: 29; and SV39 SEQ ID NO: 34, or sequence complementary to any of (a) to (m).

3. A simian adenovirus protein encoded by the nucleic acid sequence according to claim 2.

4. A nucleic acid molecule comprising a heterologous simian adenoviral sequence according to claim 2.

5. The nucleic acid molecule according to claim 4, wherein said simian adenoviral sequence encodes an adenoviral gene product and is operatively linked to regulatory control sequences which direct expression of the adenoviral gene product in a host cells.

6. The nucleic acid molecule according to claim 4 or 5, wherein said simian adenoviral sequence comprises the E1a region of Pan5 SEQ ID NO:1; Pan6 SEQ ID NO:5; Pan7 SEQ ID NO:9; SV1 SEQ ID NO: 24; SV25 SEQ ID NO: 29; and SV39 SEQ ID NO: 34.
7. A pharmaceutical composition comprising the nucleic acid molecule according to claim 6 and a physiologically compatible carrier.
8. An isolated simian adenoviral capsid protein selected from the group consisting of:
 - (a) a hexon protein of Pan5 SEQ ID NO:3, Pan6 SEQ ID NO:7, Pan7 SEQ ID NO:11, SV1 SEQ ID NO:26, SV25 SEQ ID NO:31 or SV39 SEQ ID NO:36, or fragment thereof;
 - (b) a penton protein of Pan5 SEQ ID NO:2, Pan6 SEQ ID NO:6, Pan7 SEQ ID NO:10, SV1 SEQ ID NO:25, SV25 SEQ ID NO: 30 or SV39 SEQ ID NO:35;
 - (c) a fiber protein of Pan5 SEQ ID NO:4, Pan6 SEQ ID NO:8, Pan7 SEQ ID NO:12, SV1 SEQ ID NO: 27 and SEQ ID NO:28, SV25 SEQ ID NO: 32 and SEQ ID NO:33 or SV39 SEQ ID NO: 37, or a fragment thereof.
9. An artificial adenovirus serotype comprising a capsid protein according to claim 8 or a fragment thereof.
10. The artificial adenovirus serotype according to claim 9, wherein said capsid comprises a fragment of the hexon protein selected from the group consisting of Pan5 SEQ ID NO: 15, Pan6 SEQ ID NO:16 and Pan7 SEQ ID NO:17.
11. The artificial adenovirus serotype according to claim 9 or 10, wherein said capsid comprises a fragment of the fiber protein selected from the group consisting of Pan6 SEQ ID NO: 19, Pan7 SEQ ID NO:20 and Pan5 SEQ ID NO:21.

12. A nucleic acid molecule comprising a heterologous sequence encoding a protein according to claims 3 or 8 or an artificial adenovirus serotype according to any of claims 9 to 11.

13. A recombinant vector comprising a simian adenovirus sequence according to claim 2 or a nucleic acid molecule according to claim 4 or 12 and a heterologous gene operatively linked to sequences which direct expression of said gene in a host cell.

14. The recombinant vector according to claim 13, further comprising 5' and 3' adenovirus cis-elements necessary for replication and encapsidation.

15. The recombinant vector according to claim 13 or claim 14, wherein said vector is a virus.

16. The recombinant vector according to any of claims 13 to 15 wherein said vector lacks all or a part of the E1 gene.

17. A recombinant virus comprising a simian capsid protein according to claim 3 or an artificial adenovirus serotype according to any of claims 9 to 11.

18. A host cell comprising a nucleic acid molecule according to any of claims 4 to 6 or 12, a recombinant vector according to any of claims 13 to 16, or a recombinant virus according to claim 17.

19. The host cell according to claim 18, wherein said host cell is stably transformed with the nucleic acid molecule or the recombinant vector.

20. The host cell according to claim 18 or claim 19, wherein said host cell expresses one or more adenoviral gene products from said nucleic acid molecule or recombinant vector, said adenoviral gene products selected from the group consisting of E1a, E1b, E2a, and E4 ORF6.

21. The host cell according to any of claims 18 to 20, wherein said host cell is stably transformed with a nucleic acid molecule comprising the simian adenovirus inverted terminal repeats.

22. A composition comprising a recombinant vector in a pharmaceutically acceptable carrier, said vector comprising a simian adenovirus sequence according to any of claims 1 or 2 and a selected heterologous gene operatively linked to regulatory sequences which direct expression of said gene in a host cell.

23. A method for delivering a heterologous gene to a mammalian cell comprising introducing into said cell an effective amount of the vector of any of claims 13 to 16 or a virus according to claim 17.

24. A method for repeat administration of a heterologous gene to a mammal comprising the steps of:

(a) introducing into said mammal a first vector which comprises the heterologous gene and

(b) introducing into said mammal a second vector which comprises the heterologous gene;

wherein at least the first virus or the second vector is a virus according to claim 17 and wherein the first and second recombinant vector are different.

25. A method for producing a selected gene product comprising infecting a mammalian cell with the vector of any of claims 13 to 16 or a virus according to claim 17, culturing said cell under suitable conditions and recovering from said cell culture the expressed gene product.

26. A method for eliciting an immune response in a mammalian host against an infective agent comprising administering to said host an effective amount of the recombinant adenovirus of claim 17, wherein said heterologous gene encodes an antigen of the infective agent.

27. The method according to claim 26, comprising the step of priming the host with a DNA vaccine comprising the heterologous gene prior to administering the recombinant adenovirus .

28. A composition comprising a simian adenovirus capsid protein according to claim 8 linked to a heterologous molecule for delivery to a selected host cell.

29. A method for targeting a cell having an adenoviral receptor comprising delivering to a subject a composition according to claim 28.

FIGURE 1

Hu5	APKGAPNPCEWDEAATALEINLEEEEDDDNEDEVDEQAEQQKTHVFGQAPYSGINITKEGIQIGVEGQT--
Pan-6	APKGAPNSSQWEQAKTG-----NGGTMETHTYGVAPMGGENITKDGLOIGTDVATANQ
Pan-5	APKGAPNTCQWTYKADG-----DTGTEKTYTYGNAPVQGISITKDGIOQLGTDTD--
Pan-7	APKGAPNTCQWTYKAG-----DTDTEKTYTYGNAPVQGISITKDGIOQLGTDSDG--
Pan-9	APKGAPNTCQWTYKADG-----ETATEKTYTYGNAPVQGINITKDGIOQLGTDTD--
Hu5	--PKYADKTFQPEPQIGESQWYETEIN--HAAGRVLKKTTPMKPCYGSYAKPTNENGQGILVKQON--G
Pan-6	NKPIIYADKTFQPEPQVGEENWQETEN--FYGGRALKKDTNMKPCYGSYARPTNEKGGQAKLKVGDDGVP
Pan-5	-QPIIYADKTYQPEPQVGDAAEWHDITGTDEKYGGRALKPDTKMKPCYGSFAKPTNKEGGQANVKTETG--G
Pan-7	-QAIYADETYQPEPQVGDAAEWHDITGTDEKYGGRALKPDTKMKPCYGSFAKPTNKEGGQANVKTETG--G
Pan-9	-QPIIYADKTYQPEPQVGDAAEWHDITGTDEKYGGRALKPDTKMKPCYGSFAKPTNKEGGQANVKTGTG--T
Hu5	KLESQVEMQFFSTTEATAGNGDNLTPKVLYSEDVDIETPDTHISYMPITKEGNSRELMGQQSMPNRPNY
Pan-6	TKEEDIDLAFFDTPGGTVNGQDEYKADIVMYTENTYLETPDTHVVYKPGKDDASSEINLVQQSMPNRPNY
Pan-5	TKEYDIDMAFFDNRSAAAAG---LAPEIVLYTENVDLETPDTHIVYKAGTDDSSSSINIGQQSMPNRPNY
Pan-7	TKEYDIDMAFFDNRSAAAAG---LAPEIVLYTENVDLETPDTHIVYKAGTDDSSSSINIGQQSMPNRPNY
Pan-9	TKEYDIDMAFFDNRSAAAAG---LAPEIVLYTENVDLETPDTHIVYKAGTDDSSSSINIGQQAMPNRPNY
Hu5	IAFRDNFIGLMYYNSTGNMGVLAGQASQLNAVVDLQDRNTELSYQLLLDSIGDRTRYFSMWNQAVDSYDP
Pan-6	IGFRDNFIGLMYYNSTGNMGVLAGQASQLNAVVDLQDRNTELSYQLLLDSIGDRTRYFSMWNQAVDSYDP
Pan-5	IGFRDNFIGLMYYNSTGNMGVLAGQASQLNAVVDLQDRNTELSYQLLLDSIGDRTRYFSMWNQAVDSYDP
Pan-7	IGFRDNFIGLMYYNSTGNMGVLAGQASQLNAVVDLQDRNTELSYQLLLDSIGDRTRYFSMWNQAVDSYDP
Pan-9	IGFRDNFIGLMYYNSTGNMGVLAGQASQLNAVVDLQDRNTELSYQLLLDSIGDRTRYFSMWNQAVDSYDP
Hu5	DVRIIENHGTEDELPNYCFPLGGVINTETILTQVKEPTG---QENGWEKDATEFSKNEIRVGNNFAMEI
Pan-6	DVRIIENHGVEDELPNYCFPLDGSGTNAAAYQGVKVDGQDGVSEWENDDTVA-ARNQLCKGNIFAMEI
Pan-5	DVRIIENHGVEDELPNYCFPLDAVGRTDTYQGIKAN---GADQTTWTKDDTVN-DANELGKGNPFAMEI
Pan-7	DVRIIENHGVEDELPNYCFPLDAVGRTDTYQGIKAN---GDNQTTWTKDDTVN-DANELGKGNPFAMEI
Pan-9	DVRIIENHGVEDELPNYCFPLDAVGRTDTYQGIKAN---GTDQTTWTKDDSVN-DANEIGKGNPFAMEI

Fig. 2

Pan-9	fiber	knob	(1)	TLWTPDPSENCQILAEADAKLTETCTKCGSQIILATVSVLVGSG-NINP
Pan-6	fiber	knob	(1)	TLWTPDPSENCQLLSDRDAKLTETCTKCGSQIIGTAVAAATVGSAINP
Ad 2	fiber	knob	(1)	TLWTPDPSENCRIHSDNDCKFTFVLTKCGSOVLATVAALAVSG--DESS
Ad 5	fiber	knob	(1)	TLWTPDPSENCRLNAEKDAKLTETCTKCGSQIILATVSVLAVKG--SEAP
Pan-7	fiber	knob	(1)	TLWTPDPSENCKIYSEKDAKLTETCTKCGSQIIGTAVLAVNNG-SINP
Pan-5	fiber	knob	(1)	TLWTPDPSENCHIYSEKDAKLTETCTKCGSQIIGTAVSLIADTG-SINP
Pan-9	fiber	knob	(50)	ITGTVSSAQVFLRFANGVLLTEHSTLKKVNGYRQGSIDGTPYTHNAVGE
Pan-6	fiber	knob	(51)	INDTVKSAIVFLRFPSDGVIMSNSSMVGDYNNFRFQTTQSVATTHNAVGE
Ad 2	fiber	knob	(49)	MTGTVASVSIFLRFQNGVIMENSLSLKHYNFRNENSTNANPYTHNAVGE
Ad 5	fiber	knob	(49)	ISGTVQSAHLIIRFDENGVLNNSFLDPEYNNFRNGDLTEGTAYTHNAVGE
Pan-7	fiber	knob	(50)	ITNTVSTALVSLKFDASGVLLSSSTLDKEYNNFRKEDVTPAEPIYTHNAVGE
Pan-5	fiber	knob	(50)	ITGTVTALVSLKFDANGVLLQSSSTLDSDYNNFRQCDVTPAEAYTHNAVGE
Pan-9	fiber	knob	(100)	MPNLKAYFKSQSSTTKNNVIGQVMMNGDVSKEMLLTTLINGTDDS----
Pan-6	fiber	knob	(101)	MPNIGAYFKRTQSKTPKNSIVSQVLLTGETTMMMTETTFNGGDEK-DTTP
Ad 2	fiber	knob	(99)	MPNLLAYFKTQSQTAANNIVSQVVLHGDKTKEMILTTLINGTSESTETSE
Ad 5	fiber	knob	(99)	MPNLSAIFKSHGKTAKSNIVSQVVLNGDKTKPVETTLINGTQET-GDIT
Pan-7	fiber	knob	(100)	MPNFKAYFKNTSAASKSHIVSQVVLNGDEAKFLMIIYFFNETEDAT----
Pan-5	fiber	knob	(100)	MPNLKAYFKNTSGAARKSHIVGKVVVLHGDTGKFLDLIIYFFNETSDES----
Pan-9	fiber	knob	(145)	NSTYSMSFSYTWI-NGSYVGATFGANSYTFPSYIAOE
Pan-6	fiber	knob	(150)	VSTYSMTFTWQNTGDYKDKNITFATNSFSPSYIAOE
Ad 2	fiber	knob	(149)	VSTYSMSFTWSNE-SGKYTTTETFATNSYTFPSYIAOE
Ad 5	fiber	knob	(148)	PSAYSMSFSWDNS-GHNYINEIFATSSYTFPSYIAOE
Pan-7	fiber	knob	(146)	-CTYSITTEQWKND-STKYTGETLATSSFTFPSYIAOE
Pan-5	fiber	knob	(146)	-CTYCINTEQWQNG-ADQYKNETLAVSSFTFPSYIAOE