

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
5 March 2009 (05.03.2009)

PCT

(10) International Publication Number
WO 2009/028902 A2

(51) International Patent Classification:
C07F 5/06 (2006.01)

(21) International Application Number:
PCT/KR2008/005084

(22) International Filing Date: 29 August 2008 (29.08.2008)

(25) Filing Language: Korean

(26) Publication Language: English

(30) Priority Data:
10-2007-0088451 31 August 2007 (31.08.2007) KR

(71) Applicant (for all designated States except US): **LG CHEM, LTD.** [KR/KR]; 20, Yoido-dong, Young-dungpo-gu, Seoul 150-721 (KR).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **LEE, Dae-Woong** [KR/KR]; 108-502, Hanbat Woosung Apt., Munhwa-dong, Jung-gu, Daejeon Metropolitan City 301-130 (KR). **LEE, Dong-Hoon** [KR/KR]; 507-601, Songrim Maeul Apt., Hagi-dong, Yuseong-gu, Daejeon Metropolitan City 305-759 (KR). **JOO, Mun-Kyu** [KR/KR]; 7/2, 1619-468, Daeyeon 2-dong, Nam-gu, Busan 608-816 (KR). **JEON, Sang-Young** [KR/KR]; 105-1406, Sangloksu Apt., Man-nyeon-dong, Seo-gu, Daejeon Metropolitan City 302-781

(KR). **KIM, Jeung-Gon** [KR/KR]; 102-1212, Sangloksu Apt., Man-nyeon-dong, Seo-gu, Daejeon Metropolitan City 302-781 (KR).

(74) Agent: **HANYANG PATENT FIRM**; 9F Keungil Tower, 677-25 Yeoksam-dong, Gangnam-gu, Seoul 135-914 (KR).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

(54) Title: ORGANIC METAL COMPLEXES DERIVATIVE AND ORGANIC LIGHT EMITTING DEVICES USING THE SAME

[Fig. 1]



(57) Abstract: The present invention relates to a novel organic metal complex derivative and to an organic light emitting device comprising the same.

【DESCRIPTION】**【Invention Title】****ORGANIC METAL COMPLEXS DERIVATIVE AND ORGANIC LIGHT
EMITTING DEVICES USING THE SAME**5 **【Technical Field】**

The present invention relates to a novel organic metal complex derivative and an organic light emitting device using the same.

This application claims priority benefits from Korean Patent Application No. 10-2007-0088451, filed on August 31, 2007, the entire contents of which are fully
10 incorporated herein by reference.

【Background Art】

In general, the term "organic light emitting phenomenon" refers to a phenomenon in which electric energy is converted to light energy by means of an organic material. The organic light emitting device using the organic light emitting
15 phenomenon has a structure usually comprising an anode, a cathode and an organic material layer interposed therebetween. Herein, the organic material layer may be mostly formed in a multilayer structure comprising layers of different materials, for example, a hole injecting layer, a hole transporting layer, a light emitting layer, an electron transporting layer, an electron injecting layer and the like, in order to improve
20 efficiency and stability of the organic light emitting device. In the organic light emitting device having such a structure, when a voltage is applied between two electrodes, holes from the anode and electrons from a cathode are injected into the organic material layer, the holes and the electrons injected are combined together to

form excitons. Further, when the excitons drop to a ground state, lights are emitted. Such the organic light emitting device is known to have characteristics such as self-luminescence, high brightness, high efficiency, low drive voltage, wide viewing angle, high contrast, and high-speed response.

5 The materials used for the organic material layer of the organic light emitting device can be classified into a light emitting material and a charge transporting material, for example, a hole injecting material, a hole transporting material, an electron transporting material, and an electron injecting material, according to their functions. The light emitting material can be classified into a high molecular weight
10 type and a low molecular weight type, according to their molecular weight, and divided into a fluorescent material from singlet excited states and a phosphorescent material from triplet excited states according to their light emitting mechanism. Further, the light emitting material can be classified into a blue, green, or red light emitting material and a yellow or orange light emitting material required for giving
15 more natural color, according to a light emitting color.

 On the other hand, an efficiency of a device is lowered owing to maximum luminescence wavelength moved to a longer wavelength due to the interaction between the molecules, the deterioration of color purity and the reduction in light emitting efficiency when only one material is used for the light emitting material, and therefore
20 a host/dopant system can be used as the light emitting material for the purpose of enhancing the color purity and the light emitting efficiency through energy transfer. It is based on the principle that if a small amount of a dopant having a smaller energy band gap than a host which forms a light emitting layer, excitons which are generated

in the light emitting layer are transported to the dopant, thus emitting a light having a high efficiency. Here, since the wavelength of the host is moved according to the wavelength of the dopant, a light having a desired wavelength can be obtained according the kind of the dopant.

5 In order to allow the organic light emitting device to fully exhibit the above-mentioned excellent characteristics, a material constituting the organic material layer in the device, for example, a hole injecting material, a hole transporting material, a light emitting material, an electron transporting material, and an electron injecting material should be essentially composed of a stable and efficient material. However,
10 the development of a stable and efficient organic material layer material for the organic light emitting device has not yet been fully realized. Accordingly, the development of new materials is continuously desired. The development of such a material is equally required to the above-mentioned other organic electronic devices.

【Disclosure】

15 **【Technical Problem】**


The present inventors have synthesized an organic metal complex derivative having a novel structure, and they found that the derivative exhibits the effect of reducing voltage in an organic light emitting device.

Accordingly, it is an object of the present invention to provide an organic metal
20 complex derivative and an organic light emitting device using the same.

【Technical Solution】

The present invention provides an organic metal complex derivative represented by the following Formula 1 or 2.


[Formula 1]



wherein Y is a ligand having a unsubstituted or substituted hydroxyaryl-N-hetero ring, and is any one selected from the group consisting of a
 5 ligand containing 8-hydroxy-2-methylquinoline, a bidentate Schiff base ligand, and a tetradentate Schiff base ligand,

n is 1 or 2,

M is a metal having an oxidation number of +2, +3 or +4,



10 wherein X is Deuterium or Fluorine,


m is 1 to 5,

O is oxygen,

A is formed in that it is substituted with oxygen and a benzene group which is substituted with the X, wherein the A may be selected from the group consisting of a
 15 C₃~C₄₀ cycloalkylene group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ heterocycloalkylene group
 20 unsubstituted or substituted with one or more groups selected from the group

consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group, and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ alkenylene group unsubstituted or substituted with one or
5 more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; an amino group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an
10 amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₆~C₄₀ arylene group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a
15 C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; and a C₅~C₄₀ heteroarylene group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl
20 group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group, or may form an aliphatic, aromatic, heteroaliphatic, or heteroaromatic condensed ring or a spiro bond, together with the adjacent group.

[Formula 2]




wherein Y is a ligand having a unsubstituted or substituted hydroxyaryl-N-hetero ring, and is any one selected from the group consisting of a
 5 ligand containing 8-hydroxy-2-methylquinoline, a bidentate Schiff base ligand, and a tetradentate Schiff base ligand,

n is 1 or 2,

l is 2,

M is a metal having an oxidation number of +2, +3 or +4,



10 L1 is ,

wherein X is Deutrium or Fluorine,

m is 1 to 4

O is oxygen,

A and A' are each independently the same as or different from each other, and
 15 the same as defined in the A in the Formula 1

In addition, the present invention provides an organic electronic device comprising a first electrode, a second electrode, and one or more organic material layers disposed therebetween, wherein at least one layer of the organic material layers comprises the organic metal complex derivative.

In addition, the present invention provides an organic light emitting device having a forward or reverse structure, prepared by sequentially depositing an anode, one or more organic material layers, and a cathode on a substrate, wherein at least one layer of the organic material layers comprises the organic metal complex derivative.

5 **【Advantageous Effects】**

The compound of the present invention is a novel organic metal complex derivative, and can be used for the organic material layer of an organic electronic device and organic light emitting device.

【Description of Drawings】

10 FIG. 1 is a ¹H-NMR graph of an entire structure according to Formula 1-1 of the present invention,

FIG. 2 is a ¹H-NMR graph of an aryl group in which deuterium of Formula 1-1 of the present invention is substituted; and

15 FIGs. 3 to 7 are cross-sectional views illustrating the structure of the organic light emitting device according to the present invention.

[Numeral References]

1. Substrate
2. Anode
3. Hole injecting layer
- 20 4. Hole transporting layer
5. Light emitting layer
6. Electron transporting layer
7. Cathode

【Best Mode】

Hereinafter, the present invention will be described in more detail.

In Y of Formula 1 or 2, the hydroxyaryl-N-hetero ring includes a hetero ring containing at least one nitrogen and an aryl group containing at least one hydroxyl group, in which oxygen of the hydroxyl group and nitrogen of the hetero ring may be coordinately bonded to a metal in the form of pentagon to heptagon.

In addition, with respect to the hydroxyaryl-N-hetero ring, the hetero ring containing at least one nitrogen and the aryl group containing at least one hydroxyl group may be linked by a direct bond, or form an aliphatic, aromatic, heteroaliphatic, or heteroaromatic condensed ring or a spiro bond, together with the adjacent group.


The substituted hydroxyaryl-N-hetero ring may be substituted with one or more selected from the group consisting of hydrogen; deuterium; a C₁~C₄₀ alkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₃~C₄₀ cycloalkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ heterocycloalkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a

C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ alkenyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₁~C₄₀ alkoxy group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; an amino group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₆~C₄₀ aryl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; and a C₅~C₄₀ heteroaryl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀

heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group, or may form an aliphatic, aromatic, heteroaliphatic, or heteroaromatic condensed ring or a spiro bond, together with the adjacent group.

In Y of Formula 1 or 2 is preferably a ligand containing
 5 8-hydroxy-2-methylquinoline represented by the following Formula 3 as a ligand having a substituted or unsubstituted hydroxyaryl-N-hetero ring.

[Formula 3]



10 wherein R1 to R6 are the same as or different from each other, and may be selected from the group consisting of a C₁~C₄₀ alkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl
 15 group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₃~C₄₀ cycloalkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀
 20 heteroaryl group; a C₂~C₄₀ heterocycloalkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an

amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ alkenyl group unsubstituted or substituted with one or more groups selected from the group

5 consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₁~C₄₀ alkoxy group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a

10 nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; an amino group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an


15 amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₆~C₄₀ aryl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a

20 C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; and a C₅~C₄₀ heteroaryl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a

C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group, and may form an aliphatic, aromatic, heteroaliphatic, or heteroaromatic condensed ring or a spiro bond, together with the adjacent group.

- 5 In the Formula 1 or 2, the tetradentate Schiff base ligand is preferably a compound represented by the following Formula 4.

[Formula 4]




- wherein R7 to R10 are the same as or different from each other, and may be selected from the group consisting of a C₁~C₄₀ alkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₃~C₄₀ cycloalkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ heterocycloalkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl

group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ alkenyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₁~C₄₀ alkoxy group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; an amino group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₆~C₄₀ aryl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; and a C₅~C₄₀ heteroaryl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a

C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group, and may form an aliphatic, aromatic, heteroaliphatic, or heteroaromatic condensed ring or a spiro bond, together with the adjacent group.

In Y of Formula 1 or 2, the tetradentate Schiff base ligand is preferably a compound represented by the following Formula 5.

[Formula 5]



wherein R7 to R9 and R7' to R9' are the same as defined in R7 to R9 of Formula 4

E is formed in that it functions as a bridge connecting nitrogen on both sides wherein the E, specifically, may be selected from the group consisting of a C₁~C₄₀ alkylene group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₃~C₄₀ cycloalkylene group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ heterocycloalkylene group unsubstituted or substituted with

one or more groups selected from the group consisting of halogen, deuterium, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group, and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ alkenylene group unsubstituted or
5 substituted with one or more groups selected from the group consisting of halogen, deuterium, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₆~C₄₀ arylene group unsubstituted or substituted with one or more groups selected from the group
10 consisting of halogen, deuterium, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; and a C₅~C₄₀ heteroarylene group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, a nitrile group, a nitro group,
15 a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group, or may form an aliphatic, aromatic, heteroaliphatic, or heteroaromatic condensed ring or a spiro bond, together with the adjacent group.


In Formula 1 or 2, M is a metal having an oxidation number of 2 to 4, and
20 may preferably include aluminum, zinc, zirconium, iridium, lithium, gallium, molybdenum or the like.





In the present invention, aryl group may be substituted with deuterium, -CN, -SiR₃, -CF₃ or the like.
































The organic metal complex derivative M represented by Formula 1 and 2 according to the present invention is aluminum; A is a C₆~C₄₀ aryl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; B is a compound represented by Formula 2, wherein X is -S-; C is a C₆~C₄₀ aryl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group.


































In particular, the organic metal complex derivative represented by Formula 1 or 2 according to the present invention is selected from the group consisting of the following Table 1 to 2, but are not limited thereto.





























[Table 1]














































Formula	Y	n	M	-O-A-	
1-1		2	Al		



























1-2		2	A1		
1-3		2	A1		
1-4		2	A1		
1-5		2	A1		
1-6		2	A1		
1-7		2	A1		
1-8		2	A1		
1-9		2	A1		
1-10		2	A1		
1-11		2	A1		
1-12		2	A1		


























1-13		2	Al		
1-14		2	Al		
1-15		2	Al		
1-16		2	Al		
1-17		2	Al		
1-18		2	Al		
1-19		2	Al		
1-20		2	Al		
1-21		2	Al		
1-22		2	Al		
1-23		2	Al		
























1-24		2	Al		
1-25		2	Al		
1-26		2	Al		
1-27		2	Al		
1-28		2	Al		
1-29		2	Al		
1-30		2	Al		
1-31		2	Al		
1-32		2	Al		
1-33		2	Al		


































1-34		2	Al		
1-35		2	Al		
1-36		2	Al		
1-37		2	Al		
1-38		2	Al		
1-39		2	Al		
1-40		2	Al		
1-41		2	Al		






























1-42		2	A1		
1-43		2	A1		
1-44		2	A1		
1-45		2	A1		
1-46		2	A1		
1-47		2	A1		
1-48		2	A1		





























1-49		2	Al		
1-50		2	Al		
1-51		2	Al		
1-52		2	Al		
1-53		2	Al		
1-54		2	Al		
1-55		2	Al		
1-56		2	Al		
1-57		2	Al		

























1-58		2	Al		
1-59		2	Al		
1-60		2	Al		
1-61		2	Al		
1-62		2	Al		
1-63		2	Al		
1-64		2	Al		
1-65		2	Al		
1-66		2	Al		




















1-67		2	Al		
1-68		2	Al		
1-69		2	Al		
1-70		2	Al		
1-71		2	Al		
1-72		2	Al		
1-73		2	Al		
1-74		2	Al		
1-75		2	Al		





























1-76		2	A1		
1-77		2	A1		
1-78		2	A1		
1-79		2	A1		
1-80		2	A1		
1-81		2	A1		
1-82		2	A1		
1-83		2	A1		
1-84		2	A1		
1-85		2	A1		
1-86		2	A1		

























1-87		2	A1		
1-88		2	A1		
1-89		2	A1		
1-90		2	A1		
1-91		2	A1		
1-92		2	A1		
1-93		2	A1		
1-94		2	A1		
1-95		2	A1		
1-96		2	A1		
















1-97		2	A1		
1-98		2	A1		
1-99		2	A1		
1-100		2	A1		
1-101		2	A1		
1-102		2	A1		
1-103		2	A1		
1-104		2	A1		
1-105		2	A1		
1-106		2	A1		

1-107		2	Al		
1-108		2	Al		
1-109		2	Al		
1-110		2	Al		
1-111		2	Al		
1-112		2	Al		
1-113		2	Al		
1-114		2	Al		


1-115		2	Al		
1-116		2	Al		
1-117		2	Al		
1-118		2	Al		
1-119		2	Al		
1-120		2	Al		
1-121		2	Al		


































1-122		2	A1		
1-123		2	A1		
1-124		2	A1		
1-125		2	A1		
1-126		2	A1		
1-127		2	A1		
1-128		2	A1		
1-129		2	A1		
1-130		2	A1		
1-131		2	A1		





































1-132		2	A1		
1-133		2	A1		
1-134		2	A1		
1-135		2	A1		
1-136		2	A1		
1-137		2	A1		
1-138		2	A1		
1-139		2	A1		
1-140		2	A1		





































1-141		2	Al		
1-142		2	Al		
1-143		2	Al		
1-144		2	Al		
1-145		2	Al		
1-146		2	Al		

































[Table 2]



























































formula	Y	n	M	-O-A-	-O-A' -	
2-1		2	A1			
2-2		2	A1			
2-3		2	A1			
2-4		2	A1			
2-5		2	A1			
2-6		2	A1			
2-7		2	A1			
2-8		2	A1			





































2-9		2	Al			
2-10		2	Al			
2-11		2	Al			
2-12		2	Al			
2-13		2	Al			
2-14		2	Al			
2-15		2	Al			
2-16		2	Al			
2-17		2	Al			

































2-18		2	Al			
2-19		2	Al			
2-20		2	Al			
2-21		2	Al			
2-22		2	Al			
2-23		2	Al			
2-24		2	Al			
2-25		2	Al			
2-26		2	Al			









































2-27		2	A1			
2-28		2	A1			
2-29		2	A1			
2-30		2	A1			
2-31		2	A1			
2-32		2	A1			
2-33		2	A1			
2-34		2	A1			





































2-35		2	A1			
2-36		2	A1			
2-37		2	A1			
2-38		2	A1			
2-39		2	A1			
2-40		2	A1			
2-41		2	A1			









































2-42		2	A1			
2-43		2	A1			
2-44		2	A1			
2-45		2	A1			
2-46		2	A1			
2-47		2	A1			
2-48		2	A1			
































2-49		2	A1			
2-50		2	A1			
2-51		2	A1			
2-52		2	A1			
2-53		2	A1			
2-54		2	A1			
2-55		2	A1			
2-56		2	A1			
2-57		2	A1			





























2-58		2	A1			
2-59		2	A1			
2-60		2	A1			
2-61		2	A1			
2-62		2	A1			
2-63		2	A1			
2-64		2	A1			
2-65		2	A1			

























2-66		2	Al			
2-67		2	Al			
2-68		2	Al			
2-69		2	Al			
2-70		2	Al			
2-71		2	Al			
2-72		2	Al			
2-73		2	Al			
2-74		2	Al			
2-75		2	Al			





































2-76		2	A1			
2-77		2	A1			
2-78		2	A1			
2-79		2	A1			
2-80		2	A1			
2-81		2	A1			
2-82		2	A1			
2-83		2	A1			
2-84		2	A1			

































2-85		2	A1			
2-86		2	A1			
2-87		2	A1			
2-88		2	A1			
2-89		2	A1			
2-90		2	A1			
2-91		2	A1			
2-92		2	A1			
2-93		2	A1			
2-94		2	A1			

















2-95		2	A1			
2-96		2	A1			
2-97		2	A1			
2-98		2	A1			
2-99		2	A1			
2-100		2	A1			
2-101		2	A1			
2-102		2	A1			

2-103		2	Al			
2-104		2	Al			
2-105		2	Al			
2-106		2	Al			
2-107		2	Al			
2-108		2	Al			
2-109		2	Al			

2-110		2	A1			
2-111		2	A1			
2-112		2	A1			
2-113		2	A1			
2-114		2	A1			
2-115		2	A1			

2-116		2	A1			
2-117		2	A1			
2-118		2	A1			
2-119		2	A1			
2-120		2	A1			
2-121		2	A1			
2-122		2	A1			
2-123		2	A1			
2-124		2	A1			

2-125		2	A1			
2-126		2	A1			
2-127		2	A1			
2-128		2	A1			
2-129		2	A1			
2-130		2	A1			
2-131		2	A1			
2-132		2	A1			

2-133		2	Al			
2-134		2	Al			
2-135		2	Al			
2-136		2	Al			

The compound represented by Formula 1 or 2 of the present invention can be used due to its structural property as an organic material layer in an organic electronic device and organic light emitting device.

5 The organic metal complex derivative according to the present invention can be applied to the organic light emitting device by a typical preparation method of organic light emitting device.

In one embodiment of the present invention, the organic light emitting device has a structure comprising a first electrode, a second electrode, and
10 organic material layers disposed therebetween, and can be prepared by using typical method and materials, except for using the organic metal complex derivative according to the present invention as the organic material layer of organic light emitting device. The structure of the organic light emitting

device according to the present invention is illustrated in FIGs. 2 to 6.

For example, the organic light emitting device according to the present invention can be prepared by depositing a metal, a metal oxide having conductivity, or an alloy thereof on a substrate using a PVD (physical vapor deposition) process such as sputtering and e-beam evaporation to form an anode; forming an organic material layer comprising a hole injecting layer, a hole transporting layer, a light emitting layer, and an electron transporting layer on the anode; and depositing a material, which can be used as a cathode, thereon.

In addition to the aforementioned methods, the organic light emitting device can be prepared by sequentially depositing a cathode material, an organic matter layer, and an anode mater in sequence on a substrate (International Laid-Open Publication WO2003/012890).

The organic matter layer may be a multi-layer structure including a hole injecting layer, a hole transporting layer, a light emitting layer, an electron transporting layer, etc., but is not limited thereto. As a result, the organic matter layer may be a single layer structure. Also, the organic matter layer can be prepared in a very small number of layers by a solvent process, not by a deposition, for example, spin coating, deep coating, doctor blade, screen printing, inkjet printing, thermal transfer using various polymer materials.

The anode material is preferably a material having a large work function to facilitate hole injection usually to an organic material layer. Specific examples of the anode material which can be used in the present invention include metals such as vanadium, chromium, copper, zinc and gold, or an alloy thereof; metal oxides such as

zinc oxide, indium oxide, indium-tin oxide (ITO), and indium zinc oxide (IZO); a combination of a metal and an oxide such as ZnO:Al and SnO₂:Sb; conductive polymers such as poly(3-methylthiophene), poly[3,4-(ethylene-1,2-dioxy)thiophene] (PEDT), polypyrrole, and polyaniline, but not limited thereto.

5 The cathode material is preferably a material having a small work function to facilitate electron injection usually to an organic material layer. Specific examples of the cathode material include metals such as magnesium, calcium, sodium, potassium, titanium, indium, yttrium, lithium, gadolinium, aluminum, silver, tin and lead, or an alloy thereof; multilayer structure materials such as LiF/Al and LiO₂/Al, but not
10 limited thereto.

Generally, the following materials can be used for a hole injecting material, a hole transporting material, a light emitting material, and electron transporting material.

The hole injecting material is a material facilitating hole injection from an anode at low voltage. The HOMO (highest occupied molecular orbital) level of the
15 hole injecting material is preferably located between the work function of the anode materials and the HOMO level of its neighboring organic material layer. Specific examples of the hole injecting material include organic materials of metal porphyrin, oligothiophene, and arylamine series, organic materials of hexanitride
hexaazatriphenylene and quinacridone series, organic materials of perylene series, and
20 conductive polymers of anthraquinone, polyaniline, and polythiophene series, but are not limited thereto.

The hole transporting material is preferably a material having high hole mobility, which can transfer holes from the anode or the hole injecting layer toward the

light emitting layer. Specific examples thereof include organic materials of arylamine series, conductive polymers, and block copolymers having both conjugated portions and non-conjugated portions, but are not limited thereto.

The light emitting material are a material capable of emitting visible light by accepting and recombining holes from the hole transporting layer and electrons from the electron transporting layer, preferably a material having high quantum efficiency for fluorescence and phosphorescence. Specific examples thereof include 8-hydroxyquinoline aluminum complex (Alq_3); compounds of carbazole series; dimerized styryl compounds; BAIq ; 10-hydroxybenzoquinoline-metal compounds; compounds of benzoxazole, benzthiazole, and benzimidazole series; polymers of poly(p-phenylenevinylene) (PPV) series; spiro compounds; and compounds of polyfluorene and rubrene series, but are not limited thereto.

The electron transporting material is suitably a material having high electron mobility, which can transfer electrons from the cathode to the light emitting layer. Specific examples thereof include 8-hydroxyquinoline aluminum complex (Alq_3); complexes including Alq_3 ; organic radical compounds; and hydroxyflavone-metal complexes, but are not limited thereto.

The organic light emitting device according to the invention may be of a front-side, backside or double-sided light emission according to the materials used.

The compound according to the invention can function in an organic electronic device including an organic solar cell, an organic photoconductor, and an organic transistor, according to a principle similar to that applied to the organic light emitting device.


【Mode for Invention】

Hereinafter, the present invention will be described in detail in light of Examples. The present invention may, however, be embodied in many different forms and should not be construed as being limited to the Examples set forth herein.

5 Rather, these Examples are provided such that this disclosure will be thorough and complete and will fully convey the concept of the present invention to those skilled in the art.

EXAMPLE

<Preparation Example 1> Synthesis of ligand 1



10


4-hydroxyphenylboronic acid (5 g, 36.3 mmol) and bromobenzene-d₅ (3.8 ml, 36.3 mmol) were dissolved in tetrahydrofuran (72 mL), and then 2M K₂CO₃ (72 mL) was added thereto. Temperature was increased to 50°C, and then tetrabistriphenylphosphinopalladium (Pd(PPh₃)₄) (419 mg, 3.6 × 10⁻² mmol) was added thereto, and temperature was increased to 65°C, followed by stirring for 1 hr. Temperature was reduced to room temperature, and then an aqueous layer was removed. An organic layer was dried over magnesium sulfate anhydride to completely remove residual water, and then filtered. The solvent was completely removed from the filtrate by distillation under reduced pressure, and then was column refined to give a ligand 1 (3.8 g) with a yield of 60%.

15

20

MS: $[M-H]^- = 174$

<Preparation Example 2> Synthesis of ligand 2



1) Synthesis of compound A

2-bromo-6-naphthol (2 g, 9.0 mmol), bis(pinacolato)diboron (2.5 g, 9.9 mmol), and potassium acetate (1.8 g, 17.9 mmol) were added to 1,4-dioxane (50 mL), and temperature was increased to 50°C. Then, palladium(diphenylphosphinoferrocene)chloride (73 mg, 9.0 × 10⁻² mmol) were added thereto, and the mixture was stirred under heating for 5 hrs. Temperature was reduced to room temperature, and the mixture was diluted with water (50 mL), and extracted with dichloromethane (3 × 50 mL). An organic extract was dried over magnesium sulfate anhydride, and concentrated under vacuum. The resultant was washed with ethanol, and dried under vacuum to give a compound A (1.2 g) with a yield of 79%.


MS: $[M+H]^+ = 271$

2) Synthesis of ligand 2

Ligand 2 was obtained in the same manner as in the preparation method of ligand 1, except for using the compound A instead of 4-hydroxyphenylboronic acid.

MS: $[M-H]^- = 224$

<Preparation Example 3> Synthesis of ligand 3



5 1) Synthesis of compound B

Aniline (4mL, 43.9 mmol), bromobenzene-d5 (4.6 mL, 43.9 mmol) and sodium-t-butoxide (8.4 g, 87.8 mmol) were added to toluene (220 mL), and temperature was increased to 50°C. Then, Pd(P(t-Bu)₃)₂ (224 mg, 4.4 × 10⁻² mmol) were added thereto, and the mixture was stirred under heating for 5 hrs. Temperature was reduced to room temperature, and the mixture was diluted with water (50 mL), and extracted with dichloromethane (3 × 50 mL). An organic extract was dried over magnesium sulfate anhydride, and concentrated under vacuum. The resultant was column refined to give a compound B (6.5 g) with a yield of 85%.

MS: $[M+H]^+ = 175$

15 2) Synthesis of compound C

A compound C was obtained with a yield of 81% in the same manner as in the preparation method of compound B, except for using the compound B instead of

aniline, and 4-bromiodobenzene instead of bromobenzene-d5.

MS: $[M+H]^+ = 330$


3) Synthesis of ligand 3

A ligand 3 was obtained in the same manner as in the preparation method of

5 ligand 1, except for using the compound C instead of bromobenzene-d5.

MS: $[M-H]^- = 341$


<Preparation Example 4> Synthesis of ligand 4



4-hydroxyphenylboronic acid (5g, 36.3 mmol) and 1,4-dibromobenzene-d4
 10 (4.4 g, 18.2 mmol) were dissolved in tetrahydrofuran (72 mL), and then 2M K_2CO_3 (72 mL) was added thereto. Temperature was increased to 50°C, and then tetrabistriphenylphosphinopalladium ($Pd(PPh_3)_4$) (319 mg, 3.6×10^{-2} mmol) was added thereto, and temperature was increased to 65°C, followed by stirring for 1 hr. Temperature was reduced to room temperature, and then an aqueous layer was
 15 removed. An organic layer was dried over magnesium sulfate anhydride to completely remove residual water, and then filtered. The solvent was completely removed from the filtrate by distillation under reduced pressure, and then was column refined to give a ligand 4 (2 g) with a yield of 42%.

MS: $[M-2H]^- = 264$


20 <Preparation Example 5> Synthesis of ligand 5



A ligand 5 was obtained in the same manner as in the preparation method of ligand 1, except for using bromopentafluorobenzene instead of bromobenzene-d₅, and xylene instead of tetrahydrofuran

5 MS: [M-H]⁻=259

<Example 1> Synthesis of Formula 1-1




1.9 M triethyl aluminum (1 equivalent) in toluene was added to anhydrous
 10 toluene, and then 8-hydroxyquinoline (2 equivalents) in anhydrous toluene was
 slowly added thereto. Then, the mixture was stirred under heating until the color
 became transparent yellow. The ligand 1 (1 equivalent) prepared in Preparation
 Example 1 was dissolved in anhydrous toluene or anhydrous tetrahydrofuran, and then
 slowly added thereto, followed by stirring under heating for 1 to 4 hrs. Then,
 15 temperature was reduced to room temperature to produce the precipitate. Ethanol
 was added thereto, and then the precipitate was filtered. The filtered solid was
 recrystallized using dichloromethane or toluene and ethanol, and then dried under
 vacuum to obtain an aluminum complex. The aluminum complex was analyzed by

NMR and MS analysis.

MS: $[M-H]^- = 518$, $[M-L-H]^- = 344$, $[L-H]^- = 175$

<Example 2> Synthesis of Formula 1-4

5




An aluminum complex compound of Formula 1-4 was obtained in the same manners as in Example 1, except for using the ligand 2 prepared in Preparation Example 2 instead of the ligand 1 of Example 1.

The aluminum complex was analyzed by NMR and MS analysis.

10

MS: $[M-H]^- = 568$, $[M-L-H]^- = 344$, $[L-H]^- = 225$

<Example 3> Synthesis of Formula 1-60




15

An aluminum complex compound of Formula 1-60 was obtained in the same manners as in Example 1, except for using the ligand 3 prepared in Preparation Example 3 instead of the ligand 1 of Example 1.

MS: $[M-H]^- = 685$, $[M-L-H]^- = 344$, $[L-H]^- = 342$


<Example 4> Synthesis of Formula 2-1



- An aluminum complex compound of Formula 2-1 was obtained in the same manners as in Example 1, except for using the ligand 4 (0.5 equivalent) prepared in Preparation Example 4 instead of the ligand 1 of Example 1.

MS: $[M-H]^- = 949$, $[M-L-H]^- = 344$, $[L-2H]^- = 262$

<Example 5> Synthesis of Formula 1-74



- An aluminum complex compound of Formula 1-74 was obtained in the same manners as in Example 1, except for using the ligand 5 prepared in Preparation Example 3 instead of the ligand 1 of Example 1.

MS: $[M-H]^- = 603$, $[M-L-H]^- = 344$, $[L-H]^- = 260$


<Experimental Example 1>

- A glass substrate (Corning 7059 glass) on which a thin film of ITO (indium tin oxide) was coated to a thickness of 1000 Å was immersed in distilled water containing a detergent to wash the substrate with ultrasonic waves. At this time, the detergent

was a product commercially available from Fisher Co. and the distilled water has been filtered previously by using a filter commercially available from Millipore Co. ITO was washed for 30 minutes, and then washing with ultrasonic waves was repeated twice for 10 minutes by using distilled water. After the completion of washing with
 5 distilled water, washing with ultrasonic waves was carried out by using solvents such as isopropyl alcohol, acetone and methanol and dried.


On the ITO electrode thus prepared, the following hexanitride hexaazatriphenylene (HAT) (500 Å) was vacuum-deposited to form a hole injecting layer.

10 [HAT]



On the hole injecting layer, the following 4,4'-bis[N-(1-naphthyl)-N-phenylamino] biphenyl (NPB) (400 Å) was vacuum-deposited to form a hole transporting layer.


15 [NPB]



On the hole transporting layer, an aluminum complex represented by Formula


1-1 was doped with Btp2Ir(acac) (4%), and vacuum-deposited to form a red light emitting layer (300 Å).

[Btp2Ir(acac)]



5 On the red light emitting layer, Alq₃ was sequentially vacuum-deposited to a thickness of 200 Å, thus to form an electron transporting layer.

[Alq₃]



10 On the electron transporting layer, lithium fluoride (LiF) and aluminum were sequentially vacuum-deposited to a thickness of 12 Å and 2000 Å, respectively. A cathode was formed to prepare an organic light emitting device.

In the above process, the deposition rate of the organic material was maintained at 0.4 to 0.7 Å/sec and the deposition rates of lithium fluoride and aluminum of the
15 cathode were maintained at 0.3 Å/sec and 2 Å/sec, respectively. The vacuum degree

during deposition was maintained at $2 \times 10^{-7} \sim 5 \times 10^{-8}$ torr.

When a forward electric field of 6.1 V was applied to the organic light emitting device as prepared above, red light emission of 16.3 cd/A was observed with $x = 0.65$, and $y = 0.34$ based on the 1931 CIE color coordinate at a current density of 10
5 mA/cm².

<Experimental Example 2>

In the same manner as in the experimental example 1, on the ITO electrode, hexanitrile hexaazatriphenylene (HAT) (500 Å),
4,4'-bis[N-(1-naphthyl)-N-phenylamino] biphenyl (NPB) (400 Å), a red light emitting
10 layer (300 Å) formed by doping and vacuum-depositing Btp2Ir(acac) (4%) into Formula 1-34, a compound of Alq3 (200 Å) were sequentially coated by thermal vacuum deposition to form a hole injecting layer, a hole transporting layer, a light emitting layer, and an electron transporting, respectively.

On the electron transporting layer, lithium fluoride (LiF) and aluminum were
15 sequentially vacuum-deposited to a thickness of 12 Å and 2000 Å, respectively. A cathode was formed to prepare an organic light emitting device.

In the above process, the deposition rate of the organic material was maintained at 0.4 to 0.7 Å/sec and the deposition rates of lithium fluoride and aluminum of the cathode were maintained at 0.3 Å/sec and 2 Å/sec, respectively. The vacuum degree
20 during deposition was maintained at $2 \times 10^{-7} \sim 5 \times 10^{-8}$ torr.

When a forward electric field of 6.3 V was applied to the organic light emitting device as prepared above, red light emission of 14.1 cd/A was observed with $x = 0.65$, and $y = 0.34$ based on the 1931 CIE color coordinate at a current density of 10


mA/cm².

<Comparative Example 1>

A glass substrate (Corning 7059 glass) on which a thin film of ITO (indium tin oxide) was coated to a thickness of 1000 Å was immersed in distilled water containing
5 a detergent to wash the substrate with ultrasonic waves. At this time, the detergent was a product commercially available from Fisher Co. and the distilled water has been filtered previously by using a filter commercially available from Millipore Co. ITO was washed for 30 minutes, and then washing with ultrasonic waves was repeated twice for 10 minutes by using distilled water. After the completion of washing with
10 distilled water, washing with ultrasonic waves was carried out by using solvents such as isopropyl alcohol, acetone and methanol.

On the ITO electrode, hexanitrile hexaazatriphenylene (500 Å), and 4,4'-bis[N-(1-naphthyl)-N-phenylamino] biphenyl (NPB) (400 Å), the following CBP compound doped with 4% Btp2Ir(acac) (300 Å), and Alq3 (200 Å) were sequentially
15 coated by thermal vacuum deposition to form a hole injecting layer, a hole transporting layer, a light emitting layer, and an electron transporting layer, respectively.

[CBP]



On the electron transporting layer, lithium fluoride (LiF) and aluminum were
20 sequentially vacuum-deposited to a thickness of 12 Å and 2000 Å, respectively. A cathode was formed to prepare an organic light emitting device.

In the above process, the deposition rate of the organic material was maintained at 0.4 to 0.7 Å/sec and the deposition rates of lithium fluoride and aluminum of the cathode were maintained at 0.3 Å/sec and 2 Å/sec, respectively. The vacuum degree during deposition was maintained at $2 \times 10^{-7} \sim 5 \times 10^{-8}$ torr.


- 5 When a forward electric field of 8.0 V was applied to the organic light emitting device as prepared above, red light emission of 10.7 cd/A was observed with $x = 0.66$, and $y = 0.35$ based on the 1931 CIE color coordinate at a current density of 10 mA/cm².

【CLAIMS】

【Claim 1】

An organic metal complex derivative represented by the following Formula 1 or 2:


5 [Formula 1]



wherein Y is a ligand having a unsubstituted or substituted hydroxyaryl-N-hetero ring, and is any one selected from the group consisting of a ligand containing 8-hydroxy-2-methylquinoline, a bidentate Schiff base ligand, and a
10 tetradentate Schiff base ligand,

n is 1 or 2,

M is a metal having an oxidation number of +2, +3 or +4,



wherein X is Deutrium or Fluorine,

15 m is 1 to 5,


O is oxygen,

A is formed in that it is substituted with oxygen and a benzene group which is substituted with the X, wherein the A may be selected from the group consisting of a C₃~C₄₀ cycloalkylene group unsubstituted or substituted with one or more groups
20 selected from the group consisting of halogen, deuterium, an amino group, a nitrile

group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ heterocycloalkylene group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group, and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ alkenylene group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; an amino group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₆~C₄₀ arylene group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; and a C₅~C₄₀ heteroarylene group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl


group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group, or may form an aliphatic, aromatic, heteroaliphatic, or heteroaromatic condensed ring or a spiro bond, together with the adjacent group,

5 [Formula 2]



wherein Y, n and M are the same as defined in Formula 1,

l is 2,



L1 is

10 wherein X is Deutrium or Fluorine,

m is 1 to 4


O is oxygen,

A and A' are each independently the same as or different from each other, and the same as defined in the A in the Formula 1.

15 **【Claim 2】**

The organic metal complex derivative according to claim 1, wherein the ligand containing 8-hydroxy-2-methylquinoline represented by the following Formula 3:

[Formula 3]




wherein R1 to R6 are the same as or different from each other, and may be selected from the group consisting of a C₁~C₄₀ alkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₃~C₄₀ cycloalkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ heterocycloalkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ alkenyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀

heteroaryl group; a C₁~C₄₀ alkoxy group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; an amino group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₆~C₄₀ aryl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; and a C₅~C₄₀ heteroaryl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group, and may form an aliphatic, aromatic, heteroaliphatic, or heteroaromatic condensed ring or a spiro bond, together with the adjacent group.

【Claim 3】

The organic metal complex derivative according to claim 1, wherein the bidentate Schiff base ligand is represented by the following Formula 4:

[Formula 3]




wherein R7 to R10 are the same as or different from each other, and may be selected from the group consisting of a C₁~C₄₀ alkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₃~C₄₀ cycloalkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ heterocycloalkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ alkenyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group.

heteroaryl group; a C₁~C₄₀ alkoxy group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; an amino group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₆~C₄₀ aryl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; and a C₅~C₄₀ heteroaryl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group, and may form an aliphatic, aromatic, heteroaliphatic, or heteroaromatic condensed ring or a spiro bond, together with the adjacent group.

【Claim 4】

The organic metal complex derivative according to claim 1, wherein the tetradentate Schiff base ligand is represented by the following Formula 5:

[Formula 5]



wherein R7 to R9 and R7' to R9' are the same as or different from each other, and may be selected from the group consisting of a C₁~C₄₀ alkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₃~C₄₀ cycloalkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ heterocycloalkyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ alkenyl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a

C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₁~C₄₀ alkoxy group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; an amino group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₆~C₄₀ aryl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; and a C₅~C₄₀ heteroaryl group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, an amino group, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group, and may form an aliphatic, aromatic, heteroaliphatic, or heteroaromatic condensed ring or a spiro bond, together with the adjacent group, and

E may be selected from the group consisting of a C₁~C₄₀ alkylene group

unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₃~C₄₀ cycloalkylene group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ heterocycloalkylene group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group, and a C₅~C₄₀ heteroaryl group; a C₂~C₄₀ alkenylene group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; a C₆~C₄₀ arylene group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, a nitrile group, a nitro group, a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group; and a C₅~C₄₀ heteroarylene group unsubstituted or substituted with one or more groups selected from the group consisting of halogen, deuterium, a nitrile group, a nitro group,
















a C₁~C₄₀ alkyl group, a C₂~C₄₀ alkenyl group, a C₁~C₄₀ alkoxy group, a C₃~C₄₀ cycloalkyl group, a C₂~C₄₀ heterocycloalkyl group, a C₆~C₄₀ aryl group and a C₅~C₄₀ heteroaryl group, or may form an aliphatic, aromatic, heteroaliphatic, or heteroaromatic condensed ring or a spiro bond, together with the adjacent group.


























5 **【Claim 5】**




























The organic metal complex derivative according to claim 1, wherein M is one selected from aluminum, zinc, zirconium, iridium, lithium, gallium and molybdenum.



















【Claim 6】




















10 The organic metal complex derivative according to claim 1, wherein the organic metal complex derivative represented by Formula 1 is selected from the group consisting of the following Formulae 1-1 to 1-146:
















Formula	Y	n	M	-O-A-	
1-1		2	Al		
1-2		2	Al		
1-3		2	Al		
1-4		2	Al		
1-5		2	Al		






























1-6		2	A1		
1-7		2	A1		
1-8		2	A1		
1-9		2	A1		
1-10		2	A1		
1-11		2	A1		
1-12		2	A1		
1-13		2	A1		
1-14		2	A1		
1-15		2	A1		
1-16		2	A1		






















1-17		2	A1		
1-18		2	A1		
1-19		2	A1		
1-20		2	A1		
1-21		2	A1		
1-22		2	A1		
1-23		2	A1		
1-24		2	A1		
1-25		2	A1		
1-26		2	A1		
1-27		2	A1		


























1-28		2	A1		
1-29		2	A1		
1-30		2	A1		
1-31		2	A1		
1-32		2	A1		
1-33		2	A1		
1-34		2	A1		
1-35		2	A1		

































1-36		2	A1		
1-37		2	A1		
1-38		2	A1		
1-39		2	A1		
1-40		2	A1		
1-41		2	A1		
1-42		2	A1		



























1-43		2	A1		
1-44		2	A1		
1-45		2	A1		
1-46		2	A1		
1-47		2	A1		
1-48		2	A1		
1-49		2	A1		

























1-50		2	A1		
1-51		2	A1		
1-52		2	A1		
1-53		2	A1		
1-54		2	A1		
1-55		2	A1		
1-56		2	A1		
1-57		2	A1		
1-58		2	A1		
1-59		2	A1		

























1-60		2	A1		
1-61		2	A1		
1-62		2	A1		
1-63		2	A1		
1-64		2	A1		
1-65		2	A1		
1-66		2	A1		
1-67		2	A1		
1-68		2	A1		

























1-69		2	A1		
1-70		2	A1		
1-71		2	A1		
1-72		2	A1		
1-73		2	A1		
1-74		2	A1		
1-75		2	A1		
1-76		2	A1		
1-77		2	A1		
1-78		2	A1		































1-79		2	A1		
1-80		2	A1		
1-81		2	A1		
1-82		2	A1		
1-83		2	A1		
1-84		2	A1		
1-85		2	A1		
1-86		2	A1		
1-87		2	A1		
1-88		2	A1		
1-89		2	A1		




















1-90		2	A1		
1-91		2	A1		
1-92		2	A1		
1-93		2	A1		
1-94		2	A1		
1-95		2	A1		
1-96		2	A1		
1-97		2	A1		
1-98		2	A1		
1-99		2	A1		

1-100		2	A1		
1-101		2	A1		
1-102		2	A1		
1-103		2	A1		
1-104		2	A1		
1-105		2	A1		
1-106		2	A1		
1-107		2	A1		
1-108		2	A1		

1-109		2	Al		
1-110		2	Al		
1-111		2	Al		
1-112		2	Al		
1-113		2	Al		
1-114		2	Al		
1-115		2	Al		
1-116		2	Al		

1-117		2	Al		
1-118		2	Al		
1-119		2	Al		
1-120		2	Al		
1-121		2	Al		
1-122		2	Al		
1-123		2	Al		
1-124		2	Al		

1-125		2	A1		
1-126		2	A1		
1-127		2	A1		
1-128		2	A1		
1-129		2	A1		
1-130		2	A1		
1-131		2	A1		
1-132		2	A1		
1-133		2	A1		
1-134		2	A1		

1-135		2	A1		
1-136		2	A1		
1-137		2	A1		
1-138		2	A1		
1-139		2	A1		
1-140		2	A1		
1-141		2	A1		
1-142		2	A1		





































1-143		2	Al		
1-144		2	Al		
1-145		2	Al		
1-146		2	Al		





































【Claim 7】





































The organic metal complex derivative according to claim 1, wherein the organic metal complex derivative represented by Formula 2 is selected from the group

































5 consisting of the following Formulae 2-1 to 2-136:





























formula	Y	n	M	-O-A-	-O-A' -	
2-1		2	Al			
2-2		2	Al			

































2-3		2	A1			
2-4		2	A1			
2-5		2	A1			
2-6		2	A1			
2-7		2	A1			
2-8		2	A1			
2-9		2	A1			
2-10		2	A1			
2-11		2	A1			





































2-12		2	Al			
2-13		2	Al			
2-14		2	Al			
2-15		2	Al			
2-16		2	Al			
2-17		2	Al			
2-18		2	Al			
2-19		2	Al			
2-20		2	Al			





































2-21		2	A1			
2-22		2	A1			
2-23		2	A1			
2-24		2	A1			
2-25		2	A1			
2-26		2	A1			
2-27		2	A1			
2-28		2	A1			
2-29		2	A1			









































2-30		2	A1			
2-31		2	A1			
2-32		2	A1			
2-33		2	A1			
2-34		2	A1			
2-35		2	A1			
2-36		2	A1			
2-37		2	A1			





































2-38		2	Al			
2-39		2	Al			
2-40		2	Al			
2-41		2	Al			
2-42		2	Al			
2-43		2	Al			
2-44		2	Al			









































2-45		2	A1			
2-46		2	A1			
2-47		2	A1			
2-48		2	A1			
2-49		2	A1			
2-50		2	A1			
2-51		2	A1			
2-52		2	A1			





























2-53		2	A1			
2-54		2	A1			
2-55		2	A1			
2-56		2	A1			
2-57		2	A1			
2-58		2	A1			
2-59		2	A1			
2-60		2	A1			
2-61		2	A1			





























2-62		2	A1			
2-63		2	A1			
2-64		2	A1			
2-65		2	A1			
2-66		2	A1			
2-67		2	A1			
2-68		2	A1			
2-69		2	A1			
2-70		2	A1			

































2-71		2	Al			
2-72		2	Al			
2-73		2	Al			
2-74		2	Al			
2-75		2	Al			
2-76		2	Al			
2-77		2	Al			
2-78		2	Al			
2-79		2	Al			
2-80		2	Al			





































2-81		2	Al			
2-82		2	Al			
2-83		2	Al			
2-84		2	Al			
2-85		2	Al			
2-86		2	Al			
2-87		2	Al			
2-88		2	Al			
2-89		2	Al			

























2-90		2	A1			
2-91		2	A1			
2-92		2	A1			
2-93		2	A1			
2-94		2	A1			
2-95		2	A1			
2-96		2	A1			
2-97		2	A1			
2-98		2	A1			
2-99		2	A1			

2-100		2	A1			
2-101		2	A1			
2-102		2	A1			
2-103		2	A1			
2-104		2	A1			
2-105		2	A1			
2-106		2	A1			

2-107		2	A1			
2-108		2	A1			
2-109		2	A1			
2-110		2	A1			
2-111		2	A1			
2-112		2	A1			
2-113		2	A1			

2-114		2	Al			
2-115		2	Al			
2-116		2	Al			
2-117		2	Al			
2-118		2	Al			
2-119		2	Al			
2-120		2	Al			
2-121		2	Al			

2-122		2	A1			
2-123		2	A1			
2-124		2	A1			
2-125		2	A1			
2-126		2	A1			
2-127		2	A1			
2-128		2	A1			
2-129		2	A1			
2-130		2	A1			

2-131		2	A1			
2-132		2	A1			
2-133		2	A1			
2-134		2	A1			
2-135		2	A1			
2-136		2	A1			

【Claim 8】

An organic electronic device comprising a first electrode, a second electrode,
and one or more organic material layers disposed therebetween, wherein at least one
5 layer of the organic material layers comprises the organic metal complex derivative of
any one of claims 1 to 7.

【Claim 9】


The organic electronic device according to claim 8, wherein the organic electronic device is selected from the group consisting of an organic photovoltaic cell, an organic photoconductor (OPC), and an organic transistor.

【Claim 10】

5 An organic light emitting device having a forward structure which is prepared by sequentially depositing an anode, one or more organic material layers, and a cathode on a substrate, or having a reverse structure which is prepared by sequentially depositing a cathode, one or more organic material layers, and an anode on a substrate, wherein at least one layer of the organic material layers comprises the organic metal
10 complex derivative of any one of claims 1 to 7.


1/3

[Fig. 1]




2/3


[FIG. 2]




[FIG. 3]



[FIG. 4]



[FIG. 5]



[FIG. 6]

