



(86) Date de dépôt PCT/PCT Filing Date: 2015/12/18

(87) Date publication PCT/PCT Publication Date: 2016/06/23

(85) Entrée phase nationale/National Entry: 2017/06/19

(86) N° demande PCT/PCT Application No.: JP 2015/085569

(87) N° publication PCT/PCT Publication No.: 2016/098899

(30) Priorités/Priorities: 2014/12/18 (JP2014-255973);
2015/02/18 (JP2015-029704);
2015/04/15 (JP2015-083620);
2015/07/08 (JP2015-136991)

(51) Cl.Int./Int.Cl. *C07C 49/747* (2006.01),
A01N 35/06 (2006.01), *A01N 35/10* (2006.01),
A01P 13/02 (2006.01), *C07C 251/40* (2006.01)


(71) Demandeur/Applicant:
NISSAN CHEMICAL INDUSTRIES, LTD., JP

(72) Inventeurs/Inventors:
NUMATA, AKIRA, JP;
IWAWAKI, YUJI, JP;
FURUKAWA, YUKI, JP;
YOSHINO, YURI, JP;
MIYAKADO, YUUKI, JP;
FURUHASHI, TAKAMASA, JP;
MIYAZAKI, TAKAO, JP

(74) Agent: BORDEN LADNER GERVAIS LLP

(54) Titre : CETONE OU OXIME, ET HERBICIDE

(54) Title: KETONE OR OXIME COMPOUND, AND HERBICIDE




(57) Abrégé/Abstract:

[Problem] To provide a novel agricultural chemical, and particularly an herbicide. [Solution] A ketone or oxime compound represented by formula (1) and a herbicide containing the same (in the formula: B represents B-1, B-2, or B-3; Q represents an oxygen atom, =NOR⁷, etc.; R⁶ represents a hydrogen atom, C₁-C₆ alkyl group, etc.; R⁷ represents a hydrogen atom, C₁-C₆ alkyl group, etc.; R^{8a}, R^{8b}, R^{9a}, R^{9b}, R¹⁰, R¹¹, R¹², R¹³, and R¹⁴ each independently represent a hydrogen atom or C₁-C₆ alkyl; m represents the integer 1 or 2; and n represents the integer 0, 1, or 2).

ABSTRACT

There is provided novel agricultural chemicals, in particular herbicides. A ketone or oxime compound or a salt thereof of Formula (1):



wherein B is a ring of any one of B-1, B-2, or B-3, Q is an oxygen atom, a sulfur atom, NOR⁷, etc., R⁶ is a hydrogen atom, C₁₋₆ alkyl, etc., R⁷ is a hydrogen atom, C₁₋₆ alkyl, etc., R^{8a}, R^{8b}, R^{9a}, R^{9b}, R¹⁰, R¹¹, R¹², R¹³, and R¹⁴ are each independently a hydrogen atom, C₁₋₆ alkyl, etc., m is an integer of 1 or 2, n is an integer of 0, 1 or 2; and a herbicide comprising the compound or salt thereof.

DESCRIPTION

TITLE OF THE INVENTION: KETONE OR OXIME COMPOUND, AND HERBICIDE

5

TECHNICAL FIELD

[0001] The present invention relates to a novel ketone or oxime compound or a salt thereof, and agricultural chemicals, in particular herbicides, containing the ketone or oxime compound or the salt thereof as an active component. The agricultural chemical in the present invention means an insecticide/acaricide, a nematocide, a herbicide, and a bactericide in agricultural and horticultural fields.

10

BACKGROUND ART

15

[0002] For example, certain types of ketone or oxime compounds have been described in Patent Documents 1 to 4. The ketone or the oxime compound according to the present invention, however, has not been described at all.

Prior Art Documents

20

Patent Documents

[0003] Patent Document 1: WO2001/017972 Pamphlet

Patent Document 2: WO2003/062244 Pamphlet

Patent Document 3: WO2010/000773 Pamphlet

Patent Document 4: WO2010/069834 Pamphlet

25

SUMMARY OF THE INVENTION

Problem to be Solved by the Invention

[0004] An object of the present invention is to provide a chemical substance that
 5 surely shows effect on various weeds in a low application amount of the chemical substance, has reduced land pollution and reduced influence on succeeding crops, and high safety, and is useful as an active component of herbicides.


Means for Solving the Problem

[0005] As a result of intensive investigation for solving the problem, the inventors
 10 of the present invention have found that a novel ketone or oxime compound of Formula (1) below according to the present invention has excellent herbicidal activity as a herbicide and high safety against target crops as well as has almost no adverse effect on non-target creatures such as mammals, fish, and beneficial insects, and is an extremely useful compound, and thus have accomplished the present invention.


[0006] More specifically, the present invention relates to the following [1] to [151].

[0007]

A ketone or oxime compound or a salt thereof of Formula (1):



[wherein B is a ring of any one of B-1, B-2, or B-3;



Q is an oxygen atom, a sulfur atom, or NOR⁷;

A is a hydrogen atom, C₁₋₆ alkyl, (C₁₋₆) alkyl arbitrarily substituted with R⁵, C₃₋₈ cycloalkyl, (C₃₋₈) cycloalkyl arbitrarily substituted with R⁵, C₂₋₆ alkenyl, C₃₋₈ cycloalkenyl, (C₃₋₈) cycloalkenyl arbitrarily substituted with R⁵, (C₂₋₆) alkenyl arbitrarily substituted with R⁵, C₂₋₆ alkynyl, (C₂₋₆) alkynyl arbitrarily substituted with R⁵, -S(O)_{t2}R¹, -C(O)OR¹, -C(S)OR¹, -C(O)SR¹, -C(S)SR¹, -C(O)R², -C(S)R², -C(O)N(R⁴)R³, -C(S)N(R⁴)R³, -S(O)₂N(R⁴)R³, -P(O)(OR¹)₂, or -P(S)(OR¹)₂;

R¹ is C₁₋₈ alkyl, (C₁₋₆) alkyl arbitrarily substituted with R⁵, C₃₋₈ cycloalkyl, (C₃₋₈) cycloalkyl arbitrarily substituted with R⁵, C₂₋₆ alkenyl, (C₂₋₆) alkenyl arbitrarily substituted with R⁵, C₃₋₈ cycloalkenyl, (C₃₋₈) cycloalkenyl arbitrarily substituted with R⁵, C₂₋₆ alkynyl, (C₂₋₆) alkynyl arbitrarily substituted with R⁵, phenyl, or phenyl substituted with (Z²)_{q2};

R² is a hydrogen atom, C₁₋₈ alkyl, (C₁₋₆) alkyl arbitrarily substituted with R⁵, C₃₋₈ cycloalkyl, (C₃₋₈) cycloalkyl arbitrarily substituted with R⁵, C₂₋₆ alkenyl, (C₂₋₆) alkenyl arbitrarily substituted with R⁵, C₃₋₈ cycloalkenyl, (C₃₋₈) cycloalkenyl arbitrarily substituted with R⁵, C₂₋₆ alkynyl, (C₂₋₆) alkynyl arbitrarily substituted with R⁵, -C(=NOR³¹)R³², phenyl, phenyl substituted with (Z²)_{q2}, naphthyl, naphthyl substituted with (Z²)_{q2}, D1-1 to D1-42, D1-81, or D1-84;

R³ and R⁴ are each independently a hydrogen atom, C₁₋₆ alkyl, (C₁₋₆) alkyl arbitrarily substituted with R⁵, C₃₋₈ cycloalkyl, (C₃₋₈) cycloalkyl arbitrarily substituted with R⁵, C₂₋₆ alkenyl, (C₂₋₆) alkenyl arbitrarily substituted with R⁵, C₃₋₈ cycloalkenyl, (C₃₋₈) cycloalkenyl arbitrarily substituted with R⁵, C₂₋₆ alkynyl, (C₂₋₆) alkynyl arbitrarily substituted with R⁵,

phenyl, phenyl substituted with $(Z^2)_{q2}$, D1-32, D1-33 or D1-34, or R^3 optionally forms a 3- to 8-membered ring together with a nitrogen atom to which R^3 and R^4 are bonded by forming a C_{2-7} alkylene chain or a C_{2-7} alkenylene chain together with R^4 , and at this time, the alkylene chain or the alkenylene chain optionally contains one oxygen atom, sulfur atom,
 5 or nitrogen atom and optionally substituted with C_{1-6} alkyl, oxo, or thioxo;

R^5 is a halogen atom, cyano, nitro, C_{3-8} cycloalkyl, $-OR^{31}$, $-S(O)_{r2}R^{31}$, $-C(O)OR^{31}$, $-C(O)R^{32}$, $-N(R^{34})R^{33}$, $-Si(R^{32a})(R^{32b})R^{32c}$, phenyl, phenyl substituted with $(Z^2)_{q2}$, D1-1, D1-32, D1-33, or D1-34, or when two R^5 s are substituents on a same carbon, the two R^5 s optionally form oxo, thioxo, imino, C_{1-6} alkylimino, C_{1-6} alkoxyimino, or C_{1-6} alkylidene,
 10 together with each other;

R^6 is a hydrogen atom, C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{15} , C_{3-8} cycloalkyl, (C_{3-8}) cycloalkyl arbitrarily substituted with R^{15} , C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^{15} , C_{3-8} cycloalkenyl, (C_{3-8}) cycloalkenyl arbitrarily substituted with R^{15} , C_{2-6} alkynyl, (C_{2-6}) alkynyl arbitrarily substituted with R^{15} , $-C(=NOR^{16})R^{17}$,
 15 phenyl, phenyl substituted with $(Z^1)_{q1}$, D1-32, D1-33, D1-34, D1-36, D1-37, or D1-38;

R^7 is a hydrogen atom, C_{1-8} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{15b} , C_{3-8} cycloalkyl, (C_{3-8}) cycloalkyl arbitrarily substituted with R^{15b} , C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^{15b} , C_{3-8} cycloalkenyl, (C_{3-8}) cycloalkenyl arbitrarily substituted with R^{15b} , C_{2-6} alkynyl, (C_{2-6}) alkynyl arbitrarily substituted with R^{15b} , phenyl, or phenyl
 20 substituted with $(Z^1)_{q1}$;

R^{8a} , R^{8b} , R^{9a} , and R^{9b} are each independently a hydrogen atom, cyano, nitro, C_{1-6} alkyl, halo (C_{1-6}) alkyl, $-OR^{16a}$, $-S(O)_{r1}R^{16a}$, $-C(O)OR^{16a}$, $-C(O)R^{17a}$, $-C(O)N(R^{19a})R^{18a}$, $-C(=NOR^{16a})R^{17a}$, phenyl, or phenyl substituted with $(Z^1)_{q1}$;

R^{10} , R^{11} and R^{12} are each independently a hydrogen atom or C_{1-6} alkyl;

25 R^{15} is a halogen atom, cyano, C_{3-8} cycloalkyl, $-OR^{16}$, $-S(O)_{r1}R^{16}$, phenyl, phenyl substituted with $(Z^1)_{q1}$, D1-7, D1-11, D1-22, D1-32, D1-33, or D1-34;


R^{15b} is a halogen atom, cyano, C_{3-8} cycloalkyl, halo (C_{3-8}) cycloalkyl, $-OR^{16b}$,
 $-S(O)_{t1}R^{16b}$, $-C(O)OR^{16b}$, $-C(O)N(R^{18b})R^{19b}$, $-C(=NOR^{16b})R^{17b}$, $-N(R^{18b})R^{19b}$,
 $-Si(R^{32a})(R^{32b})R^{32c}$, phenyl, phenyl substituted with $(Z^1)_{q1}$, D1-32, D1-33, D1-34, D1-36,
D1-37, D1-38, D1-81, or D1-84, or when two R^{15b} s are substituents on a same carbon, the
5 two R^{15b} s optionally form oxo, thioxo, imino, C_{1-6} alkylimino, C_{1-6} alkoxyimino, or C_{1-6}
alkylidene, together with each other;

R^{16} , R^{16a} , R^{16b} , R^{17} , R^{17a} , R^{17b} , R^{18a} , and R^{19a} are each independently a hydrogen atom
or C_{1-6} alkyl;


R^{18b} and R^{19b} are each independently a hydrogen atom, C_{1-6} alkyl, or (C_{1-6}) alkyl
10 arbitrarily substituted with R^{20} , or R^{18b} optionally forms a 3- to 8-membered ring together
with a nitrogen atom to which R^{18b} and R^{19b} are bonded by forming a C_{2-7} alkylene chain or
a C_{2-7} alkenylene chain together with R^{19b} , and at this time, the alkylene chain or the
alkenylene chain optionally contains one oxygen atom, sulfur atom, or nitrogen atom and
optionally substituted with oxo or thioxo;

15 R^{20} is phenyl or phenyl substituted with $(Z^1)_{q1}$;


D1-1 to D1-42, D1-81, and D1-84 each are a ring of the following structure;




D1-1




D1-2




D1-3




D1-4




D1-5




D1-6




D1-7




D1-8




D1-9




D1-10




D1-11




D1-12




D1-13




D1-14




D1-15




D1-16




D1-17




D1-18




D1-19




D1-20




D1-21




D1-22




D1-23




D1-24




D1-25




D1-26




D1-27




D1-28




D1-29




D1-30




D1-31




D1-32




D1-33




D1-34




D1-35




D1-36




D1-37




D1-38




D1-39




D1-40




D1-41



D1-42



D1-81



D1-84

X^1 is a halogen atom, cyano, nitro, C_{1-6} alkyl, halo (C_{1-6}) alkyl, or C_{3-8} cycloalkyl, when g_2 , g_3 , or g_4 is an integer of 2 or larger, each X^1 is the same as or different from each other, and further when two X^1 s are adjacent, the two adjacent X^1 s optionally form a 6-membered ring together with carbon atoms to which each X^1 is bonded by forming -CH=CHCH=CH-, and at this time, the hydrogen atom bonded to each carbon atom forming the ring is optionally substituted with a halogen atom, cyano, nitro, C_{1-6} alkyl, halo (C_{1-6}) alkyl, C_{1-6} alkoxy, C_{1-6} alkylthio, C_{1-6} alkylsulfinyl, or C_{1-6} alkylsulfonyl;

X^{1a} is a hydrogen atom or C_{1-6} alkyl;

X^{1b} is C_{1-6} alkyl;

Z is a halogen atom, cyano, nitro, C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{45} , C_{3-8} cycloalkyl, (C_{3-8}) cycloalkyl arbitrarily substituted with R^{45} , C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^{45} , C_{3-8} cycloalkenyl, (C_{3-8}) cycloalkenyl arbitrarily substituted with R^{45} , C_{2-6} alkynyl, (C_{2-6}) alkynyl arbitrarily substituted with R^{45} , $-OR^{41}$, $-S(O)_{r3}R^{41}$, $-C(O)OR^{41}$, $-C(O)R^{42}$, $-C(=NOR^{41})R^{42}$, $-N(R^{44})R^{43}$, phenyl, phenyl substituted with $(Z^3)_{q3}$, D1-1, D1-2, D1-7, D1-10, D1-11, D1-22, D1-32, D1-33, D1-34, D1-36, D1-37, or D1-38, and when q is an integer of 2 or larger, each Z is the same as or different from each other;

Z^1 is a halogen atom, cyano, nitro, C_{1-6} alkyl, halo (C_{1-6}) alkyl, C_{1-6} alkoxy, or C_{1-6} alkoxycarbonyl, and when q_1 is an integer of 2 or larger, each Z^1 is the same as or different from each other;

Z^2 is a halogen atom, cyano, nitro, C_{1-6} alkyl, halo (C_{1-6}) alkyl, $-OR^{51}$, $-S(O)_{r2}R^{51}$, $-C(O)OR^{51a}$, $-C(O)R^{52}$, $-C(O)N(R^{54})R^{53}$, $-C(S)N(R^{54})R^{53}$, or $-N(R^{54})R^{53}$, when q_2 is an integer of 2 or larger, each Z^2 is the same as or different from each other, and further when two Z^2 s are adjacent, the two adjacent Z^2 s optionally form a 6-membered ring together with

carbon atoms to which each Z^2 is bonded by forming $-N=CHCH=CH-$, $-CH=NCH=CH-$,
 $-N=NCH=CH-$, $-CH=NN=CH-$, $-N=CHCH=N-$, or $-N=CHN=CH-$, and at this time, the
hydrogen atom bonded to each carbon atom forming the ring is optionally substituted with a
halogen atom, cyano, nitro, C_{1-6} alkyl, halo (C_{1-6}) alkyl, C_{1-6} alkoxy, C_{1-6} alkylthio, C_{1-6}
5 alkylsulfinyl, or C_{1-6} alkylsulfonyl;

Z^3 is a halogen atom, cyano, nitro, C_{1-6} alkyl, halo (C_{1-6}) alkyl, C_{1-6} alkoxy, halo (C_{1-6})
alkoxy, C_{1-6} alkylthio, C_{1-6} alkylsulfinyl, or C_{1-6} alkylsulfonyl, and when q_3 is an integer of
2 or larger, each Z^3 is the same as or different from each other;

R^{31} is a hydrogen atom, C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{35} ,
10 $-C(O)R^{37}$, phenyl, phenyl substituted with $(Z^2)_{q_2}$, naphthyl, or naphthyl substituted with
 $(Z^2)_{q_2}$;

R^{32} is a hydrogen atom, C_{1-6} alkyl, or (C_{1-6}) alkyl arbitrarily substituted with R^{35} ;

R^{32a} , R^{32b} , and R^{32c} are each independently C_{1-6} alkyl;

R^{33} and R^{34} are each independently a hydrogen atom, C_{1-6} alkyl, $-C(O)OR^{36}$, or
15 $-C(O)R^{37}$;

R^{35} is a halogen atom, C_{1-6} alkoxy, C_{1-6} alkylthio, C_{1-6} alkylsulfinyl, C_{1-6} alkylsulfonyl,
or phenyl;

R^{36} is C_{1-6} alkyl;

R^{37} is a hydrogen atom, C_{1-6} alkyl, phenyl, or phenyl substituted with $(Z^2)_{q_2}$;

20 R^{41} is a hydrogen atom, C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{45} , phenyl,
phenyl substituted with $(Z^3)_{q_3}$, D1-32, D1-33, or D1-34;

R^{42} is a hydrogen atom or C_{1-6} alkyl;

R^{43} and R^{44} are each independently a hydrogen atom, C_{1-6} alkyl, C_{1-6} alkoxycarbonyl,
or C_{1-6} alkylcarbonyl;

25 R^{45} is a halogen atom, C_{3-8} cycloalkyl, $-OH$, C_{1-6} alkoxy, C_{1-10} alkoxycarbonyl,
 $-Si(R^{32a})(R^{32b})R^{32c}$, phenyl, phenyl substituted with $(Z^3)_{q_3}$, D1-32, D1-33, or D1-34, or when

two R^{45} s are substituents on a same carbon, the two R^{45} s optionally form oxo, thioxo, imino, C_{1-6} alkylimino, C_{1-6} alkoxyimino, or C_{1-6} alkylidene, together with each other;

R^{51} is a hydrogen atom, C_{1-6} alkyl, halo (C_{1-6}) alkyl, phenyl, phenyl arbitrarily substituted with a halogen atom, or D1-39;

5 R^{51a} and R^{52} are each independently a hydrogen atom or C_{1-6} alkyl;

R^{53} and R^{54} are each independently a hydrogen atom, C_{1-6} alkyl, or C_{1-6} alkylcarbonyl;

f5 is an integer of 0, 1, 2, 3, 4, or 5;

f7 is an integer of 0, 1, 2, 3, 4, 5, 6, or 7;

g1 and p are each independently an integer of 0 or 1;

10 g2, m, n, r1, r2, and r3 are each independently an integer of 0, 1, or 2;


g3 is an integer of 0, 1, 2, or 3;

g4 is an integer of 0, 1, 2, 3, or 4; and


q, q1, q2, and q3 are each independently an integer of 1, 2, 3, 4, or 5].

[0008] [2]

15 The ketone or oxime compound or a salt thereof according to [1], in which B is a ring of either B-1-a or B-2-a; and



B-1-a



B-2-a

Z^a , Z^c and Z^e are each independently a hydrogen atom, a halogen atom, cyano, nitro, C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{45} , C_{3-8} cycloalkyl, (C_{3-8}) cycloalkyl
 20 arbitrarily substituted with R^{45} , C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^{45} ,
 C_{2-6} alkynyl, (C_{2-6}) alkynyl arbitrarily substituted with R^{45} , $-OR^{41}$, $-S(O)_3R^{41}$, $-C(O)OR^{41}$,

$-\text{C}(\text{O})\text{R}^{42}$, $-\text{C}(\text{=NOR}^{41})\text{R}^{42}$, $-\text{N}(\text{R}^{44})\text{R}^{43}$, phenyl, phenyl substituted with $(\text{Z}^3)_{q3}$, D1-1, D1-2, D1-7, D1-10, D1-11, D1-22, D1-32, D1-33, D1-34, D1-36, D1-37, or D1-38.

[0009] [3]

The ketone compound or the salt thereof according to [2], in which Q is an oxygen
5 atom.

[0010] [4]

The oxime compound or a salt thereof according to [2], in which Q is =NOR^7 .

[0011] [5]

The ketone compound or the salt thereof according to [3], in which A is a hydrogen
10 atom, C_{1-6} alkyl, or $-\text{C}(\text{O})\text{R}^2$;

R^2 is C_{1-8} alkyl;

R^6 is C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{15} , C_{3-8} cycloalkyl, C_{2-6} alkenyl, $-\text{C}(\text{=NOR}^{16})\text{R}^{17}$, phenyl, phenyl substituted with $(\text{Z}^1)_{q1}$, or D1-32;

R^{8a} is a hydrogen atom, C_{1-6} alkyl, $-\text{C}(\text{O})\text{OR}^{16a}$, or $-\text{C}(\text{O})\text{R}^{17a}$;

15 R^{9a} is a hydrogen atom or C_{1-6} alkyl;

R^{8b} and R^{9b} are hydrogen atoms;

R^{10} , R^{11} , and R^{12} are hydrogen atoms;

R^{15} is a halogen atom, C_{3-8} cycloalkyl, $-\text{OR}^{16}$, or phenyl;

R^{16} , R^{16a} , R^{17} , and R^{17a} are each independently C_{1-6} alkyl;

20 X^1 is halo (C_{1-6}) alkyl;

Z^a , Z^c and Z^e are each independently a hydrogen atom, a halogen atom, C_{1-6} alkyl, C_{3-8} cycloalkyl, C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^{45} , C_{2-6} alkynyl, $-\text{OR}^{41}$, phenyl, phenyl substituted with $(\text{Z}^3)_{q3}$, D1-7, D1-11, D1-22, D1-32, or D1-37;

Z^1 is a halogen atom;

25 Z^3 is a halogen atom, C_{1-6} alkyl, halo (C_{1-6}) alkyl, C_{1-6} alkoxy, halo (C_{1-6}) alkoxy, or C_{1-6} alkylthio;

R^{41} is C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{45} , phenyl, D1-32, or D1-34;

R^{45} is a halogen atom, phenyl, or D1-34;

g_2 , g_3 , and p are 0;

q_1 and q_3 are integers of 1; and

5 g_4 , m , and n are each independently an integer of 0 or 1.

[0012] [6]

The ketone compound or the salt thereof according to [5], in which B is B-1-a;

Z^a is a halogen atom, C_{1-6} alkyl, or C_{1-6} alkoxy;

10 Z^c is a halogen atom, C_{1-6} alkyl, C_{3-8} cycloalkyl, C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^{45} , C_{2-6} alkynyl, $-OR^{41}$, phenyl, phenyl substituted with $(Z^3)_{q_3}$, D1-7, D1-11, D1-22, D1-32, or D1-37; and

Z^c is a halogen atom or C_{1-6} alkyl.

[0013] [7]

15 The oxime compound or the salt thereof according to [4], in which A is a hydrogen atom, C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^5 , C_{3-8} cycloalkyl, C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^5 , C_{2-6} alkynyl, (C_{2-6}) alkynyl arbitrarily substituted with R^5 , $-S(O)_2R^1$, $-C(O)OR^1$, $-C(O)SR^1$, $-C(S)OR^1$, $-C(O)R^2$, $-C(O)N(R^4)R^3$, $-C(S)N(R^4)R^3$, or $-S(O)_2N(R^4)R^3$;

20 R^1 is C_{1-8} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^5 , C_{3-8} cycloalkyl, C_{2-6} alkenyl, phenyl, or phenyl substituted with $(Z^2)_{q_2}$;

R^2 is C_{1-8} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^5 , C_{3-8} cycloalkyl, (C_{3-8}) cycloalkyl arbitrarily substituted with R^5 , C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^5 , C_{3-8} cycloalkenyl, (C_{3-8}) cycloalkenyl arbitrarily substituted with R^5 , C_{2-6} alkynyl, (C_{2-6}) alkynyl arbitrarily substituted with R^5 , $-C(=NOR^{31})R^{32}$, phenyl, phenyl substituted
25 with $(Z^2)_{q_2}$, D1-5, D1-6, D1-8, D1-10, or D1-81;

R^3 is C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^5 , C_{2-6} alkenyl, phenyl, or

phenyl substituted with $(Z^2)_{q2}$, or R^3 forms a 5- to 6-membered ring together with a nitrogen atom to which R^3 and R^4 are bonded by forming a C_4 or C_5 alkylene chain together with R^4 , and at this time, the alkylene chain optionally contains one oxygen atom or nitrogen atom and is optionally substituted with C_{1-6} alkyl;

5 R^4 is C_{1-6} alkyl, C_{2-6} alkenyl, or phenyl;

R^5 is a halogen atom, cyano, C_{3-8} cycloalkyl, $-OR^{31}$, $-S(O)_{r2}R^{31}$, $-C(O)OR^{31}$, $-C(O)R^{32}$, $-N(R^{34})R^{33}$, $-Si(R^{32a})(R^{32b})R^{32c}$, phenyl, phenyl substituted with $(Z^2)_{q2}$, or D1-1, or when two R^5 s are substituents on a same carbon, the two R^5 s optionally form C_{1-6} alkoxyimino together with each other;

10 R^6 is a hydrogen atom, C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{15} , C_{3-8} cycloalkyl, C_{2-6} alkenyl, $-C(=NOR^{16})R^{17}$, phenyl, phenyl substituted with $(Z^1)_{q1}$ or, D1-32;

R^7 is a hydrogen atom, C_{1-7} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{15b} , C_{3-8} cycloalkyl, C_{2-6} alkenyl, C_{3-8} cycloalkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^{15b} , C_{2-6} alkynyl, or phenyl;

15 R^{8a} is a hydrogen atom, C_{1-6} alkyl, halo (C_{1-6}) alkyl, $-C(O)OR^{16a}$, $-C(=NOR^{16a})R^{17a}$, or phenyl substituted with $(Z^1)_{q1}$;

R^{9a} is a hydrogen atom or C_{1-6} alkyl;

R^{8b} and R^{9b} are hydrogen atoms;

R^{12} is a hydrogen atom;

20 R^{15} is a halogen atom, C_{3-8} cycloalkyl, or $-OR^{16}$;

R^{15b} is a halogen atom, cyano, C_{3-8} cycloalkyl, halo (C_{3-8}) cycloalkyl, $-OR^{16b}$, $-S(O)_{r1}R^{16b}$, $-C(O)OR^{16b}$, $-C(O)N(R^{18b})R^{19b}$, $-C(=NOR^{16b})R^{17b}$, $-N(R^{18b})R^{19b}$, $-Si(R^{32a})(R^{32b})R^{32c}$, phenyl, phenyl substituted with $(Z^1)_{q1}$, D1-32, or D1 -84;

R^{16} , R^{16a} , R^{17} , R^{17a} , and R^{17b} are each independently C_{1-6} alkyl;

25 R^{18b} is a hydrogen atom, C_{1-6} alkyl, or (C_{1-6}) alkyl arbitrarily substituted with R^{20} , or R^{18b} forms a 6-membered ring together with a nitrogen atom to which R^{18b} and R^{19b} are

bonded by forming a C₅ alkylene chain together with R^{19b}, and at this time, the alkylene chain contains one oxygen atom;

R^{19b} is a hydrogen atom or C₁₋₆ alkyl;

R²⁰ is phenyl substituted with (Z¹)_{q1};

5 X¹ is a halogen atom, C₁₋₆ alkyl, halo (C₁₋₆) alkyl, or C₃₋₈ cycloalkyl, g3 is an integer of 2, and further the two adjacent X¹s form a 6-membered ring together with carbon atoms to which each X¹ is bonded by forming -CH=CHCH=CH-, and at this time, one hydrogen atom bonded to each carbon atom forming the ring is arbitrarily substituted with a halogen atom;

10 X^{1a} is C₁₋₆ alkyl;

Z^a, Z^c, and Z^e are each independently a hydrogen atom, a halogen atom, cyano, nitro, C₁₋₆ alkyl, C₃₋₈ cycloalkyl, C₂₋₆ alkenyl, (C₂₋₆) alkenyl arbitrarily substituted with R⁴⁵, C₂₋₆ alkynyl, (C₂₋₆) alkynyl arbitrarily substituted with R⁴⁵, -OR⁴¹, -S(O)₁₋₃R⁴¹, -C(O)OR⁴¹, -C(O)R⁴², -C(=NOR⁴¹)R⁴², -N(R⁴⁴)R⁴³, phenyl, phenyl substituted with (Z³)_{q3}, D1-2, D1-7, 15 D1-11, D1-22, D1-32, D1-33, D1-34, or D1-37,

Z¹ is a halogen atom, nitro, C₁₋₆ alkyl, halo (C₁₋₆) alkyl, C₁₋₆ alkoxy, or C₁₋₆ alkoxycarbonyl, and when q1 is an integer of 2 or larger, each Z¹ is the same as or different from each other;

Z² is a halogen atom, cyano, nitro, C₁₋₆ alkyl, halo (C₁₋₆) alkyl, -OR⁵¹, -S(O)₁₋₂R⁵¹, 20 -C(O)OR^{51a}, -C(O)R⁵², or -C(O)N(R⁵⁴)R⁵³, when q2 is an integer of 2 or larger, each Z² is the same as or different from each other, and further when the two Z²s are adjacent, the two adjacent Z²s optionally form a 6-membered ring together with carbon atoms to which each Z² is bonded by forming -N=CHCH=CH-, and at this time, one hydrogen atom bonded to each carbon atom forming the ring is arbitrarily substituted with a halogen atom;

25 Z³ is a halogen atom, C₁₋₆ alkyl, halo (C₁₋₆) alkyl, C₁₋₆ alkoxy, halo (C₁₋₆) alkoxy, or C₁₋₆ alkylthio, and when q3 is an integer of 2 or larger, each Z³ is the same as or different

from each other;

R^{31} is C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{35} , $-C(O)R^{37}$, phenyl, phenyl substituted with $(Z^2)_{q2}$, or naphthyl;

R^{32} is C_{1-6} alkyl or (C_{1-6}) alkyl arbitrarily substituted with R^{35} ;

5 R^{33} is $-C(O)R^{37}$;

R^{34} is C_{1-6} alkyl;

R^{35} is a halogen atom, C_{1-6} alkylthio, or phenyl;

R^{37} is C_{1-6} alkyl or phenyl;

R^{41} is a hydrogen atom, C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{45} , phenyl,

10 or D1-32;

R^{42} is C_{1-6} alkyl;

R^{43} is C_{1-6} alkoxycarbonyl;

R^{44} is a hydrogen atom;

R^{45} is a halogen atom, C_{3-8} cycloalkyl, $-OH$, C_{1-6} alkoxy, C_{1-10} alkoxycarbonyl,

15 $-Si(R^{32a})(R^{32b})R^{32c}$, phenyl, or D1-34;

R^{51} is C_{1-6} alkyl, halo (C_{1-6}) alkyl, phenyl arbitrarily substituted with a halogen atom, or D1-39;

R^{51a} is C_{1-6} alkyl;

R^{53} and R^{54} are each independently C_{1-6} alkyl;

20 $g2$ is an integer of 0, 1, or 2;

$g3$ and $r1$ are each independently an integer of 0, 1, or 2;

$g4$, m , and n are each independently an integer of 0 or 1;

$f7$, p , and $r3$ are 0;

q is an integer of 2 or 3;

25 $q1$ is an integer of 1 or 2;

$q2$ is an integer of 1, 2, or 3;

q3 is an integer of 1, 2, or 3; and

r2 is an integer of 0 or 2.

[0014] [8]

The oxime compound or the salt according to [7], in which B is B-1-a;

5 Z^a is a halogen atom, C₁₋₆ alkyl, C₁₋₆ alkoxy, or C₁₋₆ alkylthio;

Z^c is a hydrogen atom, a halogen atom, cyano, nitro, C₁₋₆ alkyl, C₃₋₈ cycloalkyl, C₂₋₆ alkenyl, (C₂₋₆) alkenyl arbitrarily substituted with R⁴⁵, C₂₋₆ alkynyl, (C₂₋₆) alkynyl arbitrarily substituted with R⁴⁵, -OR⁴¹, -S(O)_{r3}R⁴¹, -C(O)OR⁴¹, -C(O)R⁴², -C(=NOR⁴¹)R⁴², -N(R⁴⁴)R⁴³, phenyl, phenyl substituted with (Z³)_{q3}, D1-2, D1-7, D1-11, D1-22, D1-32, D1-33, D1-34, or
10 D1-37;

Z^e is a halogen atom, C₁₋₆ alkyl, or C₁₋₆ alkoxy;

X¹ is a halogen atom or halo (C₁₋₆) alkyl; and

g3 is an integer of 0 or 1.

[0015] [9]

15 The ketone or oxime compound or the salt thereof according to [1], in which B is B-1 or B-2.

[0016] [10]

The ketone or oxime compound or the salt thereof according to [1], in which B is B-1.

[0017] [11]

20 The ketone or oxime compound or the salt thereof according to [1], in which B is B-2.

[0018] [12]

The ketone or oxime compound or the salt thereof according to [1], in which B is B-3.

[0019] [13]

The ketone or oxime compound or the salt thereof according to [2], in which B is
25 B-1-a.

[0020] [14]

The ketone or oxime compound or the salt thereof according to [2], in which B is B-1-b.

[0021] [15]

The ketone compound or the salt thereof according to [3], in which B is B-1 or B-2.

5 [0022] [16]

The ketone compound or the salt thereof according to [3], in which B is B-1.

[0023] [17]

The ketone compound or the salt thereof according to [3], in which B is B-2.

[0024] [18]

10 The ketone compound or the salt thereof according to [3], in which B is B-3.

[0025] [19]

The ketone compound or the salt thereof according to [3] and [5], in which B is B-1-a.

[0026] [20]

The ketone compound or the salt thereof according to [3] and [5], in which B is B-1-b.

15 [0027] [21]

The oxime compound or the salt thereof according to [4], in which B is B-1 or B-2.

[0028] [22]

The oxime compound or the salt thereof according to [4], in which B is B-1.

[0029] [23]

20 The oxime compound or the salt thereof according to [4], in which B is B-2.

[0030] [24]

The oxime compound or the salt thereof according to [4], in which B is B-3.

[0031] [25]

The oxime compound or the salt thereof according to [4] and [7], in which B is B-1-a.

25 [0032] [26]

The oxime compound or the salt thereof according to [4] and [7], in which B is B-1-b.

[0033] [27]

The ketone or oxime compound or the salt thereof according to [1] to [26], in which A is a hydrogen atom, C₁₋₆ alkyl, (C₁₋₆) alkyl arbitrarily substituted with R⁵, C₃₋₈ cycloalkyl, C₂₋₆ alkenyl, (C₂₋₆) alkenyl arbitrarily substituted with R⁵, C₂₋₆ alkynyl, or (C₂₋₆) alkynyl
5 arbitrarily substituted with R⁵.

[0034] [28]

The ketone or oxime compound or the salt thereof according to [1] to [26], in which A is a hydrogen atom, C₁₋₆ alkyl, (C₁₋₆) alkyl arbitrarily substituted with R⁵, C₂₋₆ alkenyl, C₂₋₆ alkynyl, or (C₂₋₆) alkynyl arbitrarily substituted with R⁵.

10 [0035] [29]

The ketone or oxime compound or the salt thereof according to [1] to [26], in which A is a hydrogen atom, C₁₋₆ alkyl, or (C₁₋₆) alkyl arbitrarily substituted with R⁵.

[0036] [30]

The ketone or oxime compound or the salt thereof according to [1] to [26], in which A
15 is a hydrogen atom, -S(O)₁₋₂R¹, -C(O)OR¹, -C(O)SR¹, -C(S)OR¹, -C(O)R², -C(O)N(R⁴)R³, -C(S)N(R⁴)R³, or -S(O)₂N(R⁴)R³.

[0037] [31]

The ketone or oxime compound or the salt thereof according to [1] to [26], in which A is a hydrogen atom, -C(O)OR¹, -C(O)SR¹, -C(O)R², -C(O)N(R⁴)R³, or -C(S)N(R⁴)R³.

20 [0038] [32]

The ketone or oxime compound or the salt thereof according to [1] to [26], in which A is a hydrogen atom, -C(O)SR¹, -C(O)R², or -C(O)N(R⁴)R³.

[0039] [33]

The ketone or oxime compound or the salt thereof according to [1] to [26], in which A
25 is a hydrogen atom.

[0040] [34]

The ketone or oxime compound or the salt thereof according to [1] to [26], in which A is C₁₋₆ alkyl or (C₁₋₆) alkyl arbitrarily substituted with R⁵.

[0041] [35]

The ketone or oxime compound or the salt thereof according to [1] to [26], in which A is C₂₋₆ alkynyl or (C₂₋₆) alkynyl arbitrarily substituted with R⁵.

[0042] [36]

The ketone or oxime compound or the salt thereof according to [1] to [26], in which A is -C(O)SR¹.

[0043] [37]

The ketone or oxime compound or the salt thereof according to [1] to [26], in which A is a -C(O)R².

[0044] [38]

The ketone or oxime compound or the salt thereof according to [1] to [26], in which A is -C(O)N(R⁴)R³.

[0045] [39]

The ketone or oxime compound or the salt thereof according to [1] to [26], in which A is -C(S)N(R⁴)R³.

[0046] [40]

The ketone or oxime compound or the salt thereof according to [1] to [39], in which R¹ is C₁₋₈ alkyl, (C₁₋₆) alkyl arbitrarily substituted with R⁵, C₃₋₈ cycloalkyl, or C₂₋₆ alkenyl.

[0047] [41]

The ketone or oxime compound or the salt thereof according to [1] to [39], in which R¹ is C₁₋₈ alkyl.

[0048] [42]

The ketone or oxime compound or the salt thereof according to [1] to [39], in which R¹ is (C₁₋₆) alkyl arbitrarily substituted with R⁵.

[0049] [43]

The ketone or oxime compound or the salt thereof according to [1] to [39], in which R¹ is C₃₋₈ cycloalkyl.

[0050] [44]

5 The ketone or oxime compound or the salt thereof according to [1] to [39], in which R¹ is C₂₋₆ alkenyl.

[0051] [45]

The ketone or oxime compound or the salt thereof according to [1] to [44], in which R² is C₁₋₈ alkyl, (C₁₋₆) alkyl arbitrarily substituted with R⁵, C₃₋₈ cycloalkyl, (C₃₋₈) cycloalkyl
 10 arbitrarily substituted with R⁵, C₂₋₆ alkenyl, (C₂₋₆) alkenyl arbitrarily substituted with R⁵, C₃₋₈ cycloalkenyl, (C₃₋₈) cycloalkenyl arbitrarily substituted with R⁵, C₂₋₆ alkynyl, (C₂₋₆) alkynyl arbitrarily substituted with R⁵, or -C(=NOR³¹)R³².

[0052] [46]

The ketone or oxime compound or the salt thereof according to [1] to [44], in which R²
 15 is C₁₋₈ alkyl or (C₁₋₆) alkyl arbitrarily substituted with R⁵.

[0053] [47]

The ketone or oxime compound or the salt thereof according to [1] to [44], in which R² is C₃₋₈ cycloalkyl or (C₃₋₈) cycloalkyl arbitrarily substituted with R⁵.

[0054] [48]

20 The ketone or oxime compound or the salt thereof according to [1] to [44], in which R² is C₂₋₆ alkenyl or (C₂₋₆) alkenyl arbitrarily substituted with R⁵.

[0055] [49]

The ketone or oxime compound or the salt thereof according to [1] to [44], in which R² is C₃₋₈ cycloalkenyl or (C₃₋₈) cycloalkenyl arbitrarily substituted with R⁵.

25 [0056] [50]

The ketone or oxime compound or the salt thereof according to [1] to [44], in which R²

is C₂₋₆ alkynyl or (C₂₋₆) alkynyl arbitrarily substituted with R⁵.

[0057] [51]

The ketone or oxime compound or the salt thereof according to [1] to [44], in which R² is phenyl, phenyl substituted with (Z²)_{q2}, D1-5, D1-6, D1-8, D1-10, or D1-81.

5 [0058] [52]

The ketone or oxime compound or the salt thereof according to [1] to [44], in which R² is C₁₋₈ alkyl.

[0059] [53]

10 The ketone or oxime compound or the salt thereof according to [1] to [44], in which R² is (C₁₋₆) alkyl arbitrarily substituted with R⁵.

[0060] [54]

The ketone or oxime compound or the salt thereof according to [1] to [53], in which R³ is C₁₋₆ alkyl, (C₁₋₆) alkyl arbitrarily substituted with R⁵, C₂₋₆ alkenyl, phenyl, or phenyl substituted with (Z²)_{q2}.

15 [0061] [55]

The ketone or oxime compound or the salt thereof according to [1] to [53], in which R³ is C₁₋₆ alkyl, (C₁₋₆) alkyl arbitrarily substituted with R⁵, or C₂₋₆ alkenyl.

[0062] [56]

20 The ketone or oxime compound or the salt thereof according to [1] to [53], in which R³ is phenyl or phenyl substituted with (Z²)_{q2}.

[0063] [57]

25 The ketone or oxime compound or the salt thereof according to [1] to [53], in which R³ forms a 5- or 6-membered ring together with a nitrogen atom to which R³ and R⁴ are bonded by forming a C₄ or C₅ alkylene chain together with R⁴, and at this time, the alkylene chain optionally contains one oxygen atom or nitrogen atom and is optionally substituted with C₁₋₆ alkyl.

[0064] [58]

The ketone or oxime compound or the salt thereof according to [1] to [57], in which R^5 is a halogen atom, cyano, C_{3-8} cycloalkyl, $-OR^{31}$, $-S(O)_{r2}R^{31}$, $-C(O)OR^{31}$, phenyl, or phenyl substituted with $(Z^2)_{q2}$.

5 [0065] [59]

The ketone or oxime compound or the salt thereof according to [1] to [57], in which R^5 is a halogen atom, $-OR^{31}$, or $-S(O)_{r2}R^{31}$.

[0066] [60]

10 The ketone or oxime compound or the salt thereof according to [1] to [57], in which R^5 is a halogen atom.

[0067] [61]

The ketone or oxime compound or the salt thereof according to [1] to [57], in which R^5 is $-OR^{31}$.

[0068] [62]

15 The ketone or oxime compound or the salt thereof according to [1] to [57], in which R^5 is $-S(O)_{r2}R^{31}$.

[0069] [63]

20 The ketone or oxime compound or the salt thereof according to [1] to [57], in which, when two R^5 s are substituents on a same carbon, the two R^5 s optionally form C_{1-6} alkoxyimino together with each other.

[0070] [64]

The ketone or oxime compound or the salt thereof according to [1] to [63], in which R^6 is C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{15} , C_{3-8} cycloalkyl, or C_{2-6} alkenyl.

[0071] [65]

25 The ketone or oxime compound or the salt thereof according to [1] to [63], in which R^6 is phenyl, phenyl substituted with $(Z^1)_{q1}$, or D1-32.

[0072] [66]

The ketone or oxime compound or the salt thereof according to [1] to [63], in which R⁶ is C₁₋₆ alkyl or C₃₋₈ cycloalkyl.

[0073] [67]

5 The ketone or oxime compound or the salt thereof according to [1] to [63], in which R⁶ is C₁₋₆ alkyl.

[0074] [68]

The ketone or oxime compound or the salt thereof according to [1] to [63], in which R⁶ is C₃₋₈ cycloalkyl.

10 [0075] [69]

The oxime compound or the salt thereof according to [1], [2], [4], [7] to [14], and [21] to [63], in which R⁷ is a hydrogen atom, C₁₋₇ alkyl, (C₁₋₆) alkyl arbitrarily substituted with R^{15b}, C₃₋₈ cycloalkyl, C₂₋₆ alkenyl, C₃₋₈ cycloalkenyl, (C₂₋₆) alkenyl arbitrarily substituted with R^{15b}, or C₂₋₆ alkynyl.

15 [0076] [70]

The oxime compound or the salt thereof according to [1], [2], [4], [7] to [14], and [21] to [63], in which R⁷ is a hydrogen atom, C₁₋₇ alkyl, or (C₁₋₆) alkyl arbitrarily substituted with R^{15b}.

[0077] [71]

20 The oxime compound or the salt thereof according to [1], [2], [4], [7] to [14], and [21] to [63], in which R⁷ is a hydrogen atom.

[0078] [72]

The oxime compound or the salt thereof according to [1], [2], [4], [7] to [14], and [21] to [63], in which R⁷ is C₁₋₇ alkyl.

25 [0079] [73]

The oxime compound or the salt thereof according to [1], [2], [4], [7] to [14], and [21]

to [63], in which R^7 is (C₁₋₆) alkyl arbitrarily substituted with R^{15b} .

[0080] [74]

The ketone or oxime compound or the salt thereof according to [1] to [73], in which R^{8a} is a hydrogen atom, C₁₋₆ alkyl, halo (C₁₋₆) alkyl, or -C(O)OR^{16a}.

5 [0081] [75]

The ketone or oxime compound or the salt thereof according to [1] to [73], in which R^{8a} is a hydrogen atom or C₁₋₆ alkyl.

[0082] [76]

The ketone or oxime compound or the salt thereof according to [1] to [73], in which
10 R^{8a} is a hydrogen atom.

[0083] [77]

The ketone or oxime compound or the salt thereof according to [1] to [73], in which R^{8a} is C₁₋₆ alkyl.

[0084] [78]

15 The ketone or oxime compound or the salt thereof according to [1] to [77], in which R^{9a} is a hydrogen atom.

[0085] [79]

The ketone or oxime compound or the salt thereof according to [1] to [79], in which R^{9a} is C₁₋₆ alkyl.

20 [0086] [80]

The ketone or oxime compound or the salt thereof according to [1] to [79], in which R^{15} is a halogen atom.

[0087] [81]

The ketone or oxime compound or the salt thereof according to [1] to [79], in which
25 R^{15} is C₃₋₈ cycloalkyl.

[0088] [82]

The ketone or oxime compound or the salt thereof according to [1] to [79], in which R^{15} is $-OR^{16}$.

[0089] [83]

The oxime compound or the salt thereof according to [1], [2], [4], [7] to [14], and [21] to [82], in which R^{15b} is a halogen atom, cyano, halo (C_{3-8}) cycloalkyl, $-OR^{16b}$, $-S(O)_{r1}R^{16b}$, or $-C(O)N(R^{18b})R^{19b}$.

[0090] [84]

The oxime compound or the salt thereof according to [1], [2], [4], [7] to [14], and [21] to [82], in which R^{15b} is a halogen atom, cyano, $-OR^{16b}$, or $-S(O)_{r1}R^{16b}$.

10 [0091] [85]

The oxime compound or the salt thereof according to [1], [2], [4], [7] to [14], and [21] to [82], in which R^{15b} is a halogen atom.

[0092] [86]

The oxime compound or the salt thereof according to [1], [2], [4], [7] to [14], and [21] to [82], in which R^{15b} is cyano.

[0093] [87]

The oxime compound or the salt thereof according to [1], [2], [4], [7] to [14], and [21] to [82], in which R^{15b} is $-OR^{16b}$.

[0094] [88]

20 The oxime compound or the salt thereof according to [1], [2], [4], [7] to [14], and [21] to [82], in which R^{15b} is $-S(O)_{r1}R^{16b}$.

[0095] [89]

The oxime compound or the salt thereof according to [1], [2], [4], [7] to [14], and [21] to [82], in which R^{15b} is phenyl, phenyl substituted with $(Z^1)_{q1}$, D1-32, or D1-84.

25 [0096] [90]

The oxime compound or the salt thereof according to [1], [2], [4], [7] to [14], and [21]

to [82], in which R^{15b} is phenyl or phenyl substituted with $(Z^1)_{q1}$.

[0097] [91]

The oxime compound or the salt thereof according to [1], [2], [4], [7] to [14], and [21] to [90], in which R^{18b} is a hydrogen atom or C_{1-6} alkyl.

5 [0098] [92]

The oxime compound or the salt thereof according to [1], [2], [4], [7] to [14], and [21] to [90], in which R^{18b} forms a 6-membered ring together with a nitrogen atom to which R^{18b} and R^{19b} are bonded by forming a C_5 alkylene chain together with R^{19b} , and at this time, the alkylene chain contains one oxygen atom.

10 [0099] [93]

The ketone or oxime compound or the salt thereof according to [1] to [92], in which X^1 is halo (C_{1-6}) alkyl or C_{3-8} cycloalkyl.

[0100] [94]

The ketone or oxime compound or the salt thereof according to [1] to [92], in which
15 X^1 is a halogen atom or C_{1-6} alkyl.

[0101] [95]

The ketone or oxime compound or the salt thereof according to [1] to [92], in which X^1 is a halogen atom.

[0102] [96]

20 The ketone or oxime compound or the salt thereof according to [1] to [92], in which X^1 is C_{1-6} alkyl.

[0103] [97]

The ketone or oxime compound or the salt thereof according to [1] to [96], in which Z^a is a halogen atom.

25 [0104] [98]

The ketone or oxime compound or the salt thereof according to [1] to [96], in which Z^a

is C₁₋₆ alkyl.

[0105] [99]

The ketone or oxime compound or the salt thereof according to [1] to [96], in which Z^a is C₁₋₆ alkoxy.

5 [0106] [100]

The ketone or oxime compound or the salt thereof according to [1] to [96], in which Z^a is C₁₋₆ alkylthio.

[0107] [101]

The ketone or oxime compound or the salt thereof according to [1] to [100], in which
 10 Z^c is a hydrogen atom, a halogen atom, cyano, C₁₋₆ alkyl, C₂₋₆ alkynyl, (C₂₋₆) alkynyl
 arbitrarily substituted with R⁴⁵, phenyl, phenyl substituted with (Z³)_{q3}, D1-2, D1-7, D1-11,
 D1-22, D1-32, D1-33, D1-34, or D1-37.

[0108] [102]

The ketone or oxime compound or the salt thereof according to [1] to [100], in which
 15 Z^c is a hydrogen atom, a halogen atom, cyano, C₁₋₆ alkyl, C₂₋₆ alkynyl, or (C₂₋₆) alkynyl
 arbitrarily substituted with R⁴⁵.

[0109] [103]

The ketone or oxime compound or the salt thereof according to [1] to [100], in which
 Z^c is phenyl, phenyl substituted with (Z³)_{q3}, D1-2, D1-7, D1-11, D1-22, D1-32, D1-33,
 20 D1-34, or D1-37.

[0110] [104]

The ketone or oxime compound or the salt thereof according to [1] to [100], in which
 Z^c is C₁₋₆ alkyl.

[0111] [105]

The ketone or oxime compound or the salt thereof according to [1] to [100], in which
 25 Z^c is C₂₋₆ alkynyl or (C₂₋₆) alkynyl arbitrarily substituted with R⁴⁵.

[0112] [106]

The ketone or oxime compound or the salt thereof according to [1] to [100], in which Z^c is phenyl or phenyl substituted with $(Z^3)_{q3}$.

[0113] [107]

5 The ketone or oxime compound or the salt thereof according to [1] to [100], in which Z^c is D1-2, D1-7, D1-32, D1-33, D1-34, or D1-37.

[0114] [108]

The ketone or oxime compound or the salt thereof according to [1] to [100], in which Z^c is D1-32, D1-33, or D1-34.

10 [0115] [109]

The ketone or oxime compound or the salt thereof according to [1] to [100], in which Z^c is D1-7.

[0116] [110]

15 The ketone or oxime compound or the salt thereof according to [1] to [109], in which Z^c is a halogen atom.

[0117] [111]

The ketone or oxime compound or the salt thereof according to [1] to [109], in which Z^c is C_{1-6} alkyl.

[0118] [112]

20 The ketone or oxime compound or the salt thereof according to [1] to [109], in which Z^c is C_{1-6} alkoxy.

[0119] [113]

The ketone or oxime compound or the salt thereof according to [1] to [109], in which Z^c is C_{1-6} alkylthio.

25 [0120] [114]

The ketone or oxime compound or the salt thereof according to [1] to [113], in which

Z^2 is a halogen atom, cyano, nitro, C_{1-6} alkyl, halo (C_{1-6}) alkyl, $-OR^{51}$, or $-S(O)_{r2}R^{51}$.

[0121] [115]

The ketone or oxime compound or the salt thereof according to [1] to [113], in which Z^2 is a halogen atom, cyano, nitro, C_{1-6} alkyl, or halo (C_{1-6}) alkyl.

5 [0122] [116]

The ketone or oxime compound or the salt thereof according to [1] to [113], in which Z^2 is a halogen atom or C_{1-6} alkyl.

[0123] [117]

The ketone or oxime compound or the salt thereof according to [1] to [113], in which
10 Z^2 is $-OR^{51}$ or $-S(O)_{r2}R^{51}$.

[0124] [118]

The ketone or oxime compound or the salt thereof according to [1] to [113], in which Z^2 is a halogen atom.

[0125] [119]

15 The ketone or oxime compound or the salt thereof according to [1] to [113], in which Z^2 is C_{1-6} alkyl.

[0126] [120]

The ketone or oxime compound or the salt thereof according to [1] to [113], in which Z^2 is $-OR^{51}$.

20 [0127] [121]

The ketone or oxime compound or the salt thereof according to [1] to [113], in which Z^2 is $-S(O)_{r2}R^{51}$.

[0128] [122]

The ketone or oxime compound or the salt thereof according to [1] to [121], in which
25 Z^3 is a halogen atom or halo (C_{1-6}) alkoxy.

[0129] [123]

The ketone or oxime compound or the salt thereof according to [1] to [121], in which Z^3 is a halogen atom.

[0130] [124]

The ketone or oxime compound or the salt thereof according to [1] to [121], in which
5 Z^3 is halo (C_{1-6}) alkoxy.

[0131] [125]

The ketone or oxime compound or the salt thereof according to [1] to [124], in which R^{32} is C_{1-6} alkyl.

[0132] [126]

10 The ketone or oxime compound or the salt thereof according to [1] to [124], in which R^{32} is (C_{1-6}) alkyl arbitrarily substituted with R^{35} .

[0133] [127]

The ketone or oxime compound or the salt thereof according to [1] to [126], in which R^{35} is a halogen atom.

15 [0134] [128]

The ketone or oxime compound or the salt thereof according to [1] to [126], in which R^{35} is C_{1-6} alkylthio.

[0135] [129]

The ketone or oxime compound or the salt thereof according to [1] to [126], in which
20 R^{35} is phenyl.

[0136] [0130]

The ketone or oxime compound or the salt thereof according to [1] to [129], in which R^{37} is C_{1-6} alkyl.

[0137] [131]

25 The ketone or oxime compound or the salt thereof according to [1] to [129], in which R^{37} is phenyl.

[0138] [132]

The ketone or oxime compound or the salt thereof according to [1] to [131], in which R^{41} is a hydrogen atom, C_{1-6} alkyl, or (C_{1-6}) alkyl arbitrarily substituted with R^{45} .

[0139] [133]

5 The ketone or oxime compound or the salt thereof according to [1] to [131], in which R^{41} is phenyl or D1-32.

[0140] [134]

The ketone or oxime compound or the salt thereof according to [1] to [131], in which R^{41} is a hydrogen atom.

10 [0141] [135]

The ketone or oxime compound or the salt thereof according to [1] to [131], in which R^{41} is C_{1-6} alkyl.

[0142] [136]

15 The ketone or oxime compound or the salt thereof according to [1] to [131], in which R^{41} is (C_{1-6}) alkyl arbitrarily substituted with R^{45} .

[0143] [137]

The ketone or oxime compound or the salt thereof according to [1] to [136], in which R^{45} is a halogen atom, C_{3-8} cycloalkyl, -OH, or C_{1-6} alkoxy.

[0144] [138]

20 The ketone or oxime compound or the salt thereof according to [1] to [136], in which R^{45} is phenyl or D1-34.

[0145] [139]

The ketone or oxime compound or the salt thereof according to [1] to [136], in which R^{45} is a halogen atom.

25 [0146] [140]

The ketone or oxime compound or the salt thereof according to [1] to [136], in which

R^{45} is C_{3-8} cycloalkyl.

[0147] [141]

The ketone or oxime compound or the salt thereof according to [1] to [136], in which R^{45} is -OH.

5 [0148] [142]

The ketone or oxime compound or the salt thereof according to [1] to [136], in which R^{45} is C_{1-6} alkoxy.

[0149] [143]

The ketone or oxime compound or the salt thereof according to [1] to [142], in which

10 R^{51} is C_{1-6} alkyl.

[0150] [144]

The ketone or oxime compound or the salt thereof according to [1] to [143], in which m is an integer of 0 or 1.

[0151] [145]

15 The ketone or oxime compound or the salt thereof according to [1] to [143], in which m is an integer of 0.

[0152] [146]

The ketone or oxime compound or the salt thereof according to [1] to [143], in which m is an integer of 1.

20 [0153] [147]

The ketone or oxime compound or the salt thereof according to [1] to [146], in which n is an integer of 0 or 1.

[0154] [148]

The ketone or oxime compound or the salt thereof according to [1] to [146], in which n

25 is an integer of 0.

[0155] [149]

The ketone or oxime compound or the salt thereof according to [1] to [146], in which n is an integer of 1.

[0156] [150]

An agricultural chemical comprising one or more of compounds selected from the ketone or oxime compound or the salt thereof according to [1] to [149] as an active component.

[0157] [151]

A herbicide comprising one or more of compounds selected from the ketone or oxime compound or the salt thereof according to [1] to [149] as an active component.


Effects of the Invention

[0158] The compound of the present invention has excellent herbicidal activity against various weeds and has high safety to target crops as well as has almost no adverse effect on non-target creatures such as mammals, fish, and beneficial insects and has light environmental burden due to low residual properties.

Accordingly, the present invention can provide a useful herbicide in the agricultural and horticultural fields such as paddy fields, farmlands, and orchards.


MODES FOR CARRYING OUT THE INVENTION

[0159] The compound of Formula (1) of the present invention may exist as, for example, keto-enol structural tautomers of the following formula depending on the kind of the substituent and conditions. The present invention includes all of these structures.



[0160] The compounds included in the present invention may include the

geometric isomers of an E-form having an E-configuration and a Z-form having a Z-configuration depending on the types of the substituents. The present invention includes the E-form, the Z-form, and a mixture of the E-form and the Z-form in any ratios. In the present specification, these forms are represented as, for example, a bond of wavy lines
 5 illustrated below.



The compounds included in the present invention include optically active isomers due to the existence of one or more of asymmetric carbon atoms. The present invention includes all optically active isomers or racemic forms.

10 [0161] Among the compounds included in the present invention, the compounds that can form an acid-added salt by a conventional method may form, for example, the salts of hydrohalic acids such as hydrofluoric acid, hydrochloric acid, hydrobromic acid, and hydroiodic acid; the salts of inorganic acids such as nitric acid, sulfuric acid, phosphoric acid, chloric acid, and perchloric acid; the salts of sulfonic acids such as methanesulfonic
 15 acid, ethanesulfonic acid, trifluoromethanesulfonic acid, benzenesulfonic acid, and p-toluenesulfonic acid; the salts of carboxylic acids such as formic acid, acetic acid, propionic acid, trifluoroacetic acid, fumaric acid, tartaric acid, oxalic acid, maleic acid, malic acid, succinic acid, benzoic acid, mandelic acid, ascorbic acid, lactic acid, gluconic acid, and citric acid; or the salts of amino acids such as glutamic acid and aspartic acid.

20 [0162] Among the compounds included in the present invention, the compounds that can form a metal salt by a conventional method may form, for example, the salts of alkali metals such as lithium, sodium, and potassium; the salts of alkaline earth metals such

as calcium, barium, and magnesium; or the salt of aluminum.

[0163] Subsequently, specific examples of each substituent described in the present specification will be described below. Here, n- means normal; i- means iso; s- means secondary; and tert- means tertiary; and Ph means phenyl.

5 [0164] Examples of the halogen atom in the present specification may include a fluorine atom, a chlorine atom, a bromine atom, and an iodine atom. The expression of "halo" in the present specification is also these halogen atoms.

[0165] The expression of C_{a-b} alkyl in the present specification is a linear chain or a branched chain hydrocarbon group made of the number of carbon atoms of a to b.

10 Specific examples of the C_{a-b} alkyl may include methyl group, ethyl group, n-propyl group, i-propyl group, n-butyl group, i-butyl group, s-butyl group, tert-butyl group, n-pentyl group, 1,1-dimethylpropyl group, and n-hexyl group and the like. Each of these groups is selected in a range of the specified number of carbon atoms.

[0166] The expression of C_{a-b} alkenyl in the present specification is a linear chain
15 or a branched chain unsaturated hydrocarbon group made of the number of carbon atoms of a to b and having one or more double bonds in the molecule. Specific examples of the C_{a-b} alkenyl may include vinyl group, 1-propenyl group, 2-propenyl group, 1-methylethenyl group, 2-butenyl group, 2-methyl-2-propenyl group, 3-methyl-2-butenyl group, and 1,1-dimethyl-2-propenyl group and the like. Each of these groups is selected in a range of
20 the specified number of carbon atoms.

[0167] The expression of C_{a-b} alkynyl in the present specification is a linear chain or a branched chain unsaturated hydrocarbon group made of the number of carbon atoms of a to b and having one or more triple bonds in the molecule. Specific examples of the C_{a-b} alkenyl may include ethynyl group, 1-propynyl group, 2-propynyl group, 1-butynyl group,
25 2-butynyl group, 3-butynyl group, and 1,1-dimethyl-2-propynyl group and the like. Each of these groups is selected in a range of the specified number of carbon atoms.

[0168] The expression of halo (C_{a-b}) alkyl in the present specification is a linear chain or a branched chain hydrocarbon group made of the number of carbon atoms of a to b in which the hydrogen atoms bonded to the carbon atom are arbitrarily substituted with halogen atoms. When the compound is substituted with two or more halogen atoms, these halogen atoms may be the same as or different from each other. Specific examples of the C_{a-b} haloalkyl may include fluoromethyl group, chloromethyl group, bromomethyl group, iodomethyl group, difluoromethyl group, dichloromethyl group, trifluoromethyl group, chlorodifluoromethyl group, trichloromethyl group, bromodifluoromethyl group, 2-fluoroethyl group, 2-chloroethyl group, 2-bromoethyl group, 2,2-difluoroethyl group, 2,2,2-trifluoroethyl group, 2-chloro-2,2-difluoroethyl group, 2,2,2-trichloroethyl group, 1,1,2,2-tetrafluoroethyl group, 2-chloro-1,1,2-trifluoroethyl group, pentafluoroethyl group, 3,3,3-trifluoropropyl group, 2,2,3,3,3-pentafluoropropyl group, 1,1,2,3,3,3-hexafluoropropyl group, heptafluoropropyl group, 2,2,2-trifluoro-1-(trifluoromethyl)ethyl group, 1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl group, 2,2,3,3,4,4,4-heptafluorobutyl group, and nonafluorobutyl group and the like. Each of these groups is selected in a range of the specified number of carbon atoms.

[0169] The expression of C_{a-b} cycloalkyl in the present specification is a cyclic hydrocarbon group made of the number of carbon atoms of a to b and can form a monocyclic structure or a fused ring structure of a 3-membered ring to a 6-membered ring. Each ring is optionally substituted with an alkyl group in a range of the specified number of carbon atoms. Specific example of the C_{a-b} cycloalkyl may include cyclopropyl group, 1-methylcyclopropyl group, 2-methylcyclopropyl group, 2,2-dimethylcyclopropyl group, cyclobutyl group, cyclopentyl group, and cyclohexyl group and the like. Each of these groups is selected in a range of the specified number of carbon atoms.

[0170] The expression of halo (C_{a-b}) cycloalkyl in the present specification is a cyclic hydrocarbon group made of the number of carbon atoms of a to b in which the

hydrogen atoms bonded to the carbon atom are arbitrarily substituted with halogen atoms and can form a monocyclic structure or a conjugated-cyclic structure of a 3-membered ring to a 6-membered ring. Each ring can be optionally substituted with an alkyl group in a range of the specified number of carbon atoms. The substitution position with the halogen atom may be at a ring structure part, at a side chain structure part, or at both of them.

When the compound is substituted with two or more halogen atoms, these halogen atoms may be the same as or different from each other. Specific examples of the halo (C_{a-b}) cycloalkyl may include 2,2-difluorocyclopropyl group, 2,2-dichlorocyclopropyl group, 2,2-dibromocyclopropyl group, 2,2-difluoro-1-methylcyclopropyl group, 2,2-dichloro-1-methylcyclopropyl group, 2,2-dibromo-1-methylcyclopropyl group, and 2,2,3,3-tetrafluorocyclobutyl group and the like. Each of these groups is selected in a range of the specified number of carbon atoms.

[0171] The expression of C_{a-b} cycloalkenyl in the present specification is a cyclic unsaturated hydrocarbon group made of the number of carbon atoms of a to b and having one or more double bonds and can form a monocyclic structure or a fused ring structure of a 3-membered ring to a 6-membered ring. Each ring can be optionally substituted with an alkyl group in a range of the specified number of carbon atoms. The double bond may be either an endo-form or an exo-form. Specific example of the C_{a-b} cycloalkenyl may include 1-cyclopentene-1-yl group, 2-cyclopentene-1-yl group, 1-cyclohexen-1-yl group, and 2-cyclohexen-1-yl group and the like. Each of these groups is selected in a range of the specified number of carbon atoms.

[0172] The expression of C_{a-b} alkoxy in the present specification is an alkyl-O-group in which this alkyl is the above meaning alkyl made of the number of carbon atoms of a to b. Specific examples of the C_{a-b} alkoxy may include methoxy group, ethoxy group, n-propyloxy group, i-propyloxy group, n-butyloxy group, i-butyloxy group, s-butyloxy group, and tert-butyloxy group and the like. Each of these groups is selected in a range of

the specified number of carbon atoms.

[0173] The expression of halo (C_{a-b}) alkoxy in the present specification is a haloalkyl-O- group in which this haloalkyl is the above meaning haloalkyl made of the number of carbon atoms of a to b. Specific examples of the halo (C_{a-b}) alkoxy may include
5 difluoromethoxy group, trifluoromethoxy group, chlorodifluoromethoxy group, bromodifluoromethoxy group, 2-fluoroethoxy group, 2-chloroethoxy group, 2,2,2-trifluoroethoxy group, 1,1,2,2-tetrafluoroethoxy group, 2-chloro-1,1,2-trifluoroethoxy group, and 1,1,2,3,3,3-hexafluoropropoxy group and the like. Each of these groups is selected in a range of the specified number of carbon atoms.

10 [0174] The expression of C_{a-b} alkylthio in the present specification is an alkyl-S- group in which this alkyl is the above meaning alkyl made of the number of carbon atoms of a to b. Specific examples of the C_{a-b} alkylthio may include methylthio group, ethylthio group, n-propylthio group, i-propylthio group, n-butylthio group, i-butylthio group, s-butylthio group, and tert-butylthio group and the like. Each of these groups is selected in
15 a range of the specified number of carbon atoms.

[0175] The expression of C_{a-b} alkylsulfinyl in the present specification is an alkyl-S(O)- group in which this alkyl is the above meaning alkyl made of the number of carbon atoms of a to b. Specific examples of the C_{a-b} alkylsulfinyl may include
20 methylsulfinyl group, ethylsulfinyl group, n-propylsulfinyl group, i-propylsulfinyl group, n-butylsulfinyl group, i-butylsulfinyl group, s-butylsulfinyl group, and tert-butylsulfinyl group and the like. Each of these groups is selected in a range of the specified number of carbon atoms.

[0176] The expression of C_{a-b} alkylsulfonyl in the present specification is an alkyl-SO₂- group in which this alkyl is the above meaning alkyl made of the number of
25 carbon atoms of a to b. Specific examples of the C_{a-b} alkylsulfonyl may include methylsulfonyl group, ethylsulfonyl group, n-propylsulfonyl group, i-propylsulfonyl group,

n-butylsulfonyl group, i-butylsulfonyl group, s-butylsulfonyl group, and tert-butylsulfonyl group and the like. Each of these groups is selected in a range of the specified number of carbon atoms.

[0177] The expression of C_{a-b} alkoxy carbonyl in the present specification is an
 5 alkyl-O-C(O)- group in which this alkyl is the above meaning alkyl made of the number of carbon atoms of a to b. Specific examples of the C_{a-b} alkoxy carbonyl may include methoxy carbonyl group, ethoxy carbonyl group, n-propyloxy carbonyl group, i-propyloxy carbonyl group, n-butoxy carbonyl group, i-butoxy carbonyl group, and tert-butoxy carbonyl group and the like. Each of these groups is selected in a range of the
 10 specified number of carbon atoms.

[0178] The expression of C_{a-b} alkyl carbonyl in the present specification is an alkyl-C(O)- group in which this alkyl is the above meaning alkyl made of the number of carbon atoms of a to b. Specific examples of the C_{a-b} alkyl carbonyl may include acetyl group, propionyl group, butyryl group, isobutyryl group, valeryl group, isovaleryl group,
 15 2-methylbutanoyl group, pivaloyl group, hexanoyl group, and heptanoyl group and the like. Each of these groups is selected in a range of the specified number of carbon atoms.

[0179] The expression of C_{a-b} alkyl imino in the present specification is an alkyl-N= group in which this alkyl is the above meaning alkyl made of the number of carbon atoms of a to b. Specific examples of the C_{a-b} alkyl imino may include methyl imino
 20 group, ethyl imino group, n-propyl imino group, i-propyl imino group, n-butyl imino group, i-butyl imino group, and s-butyl imino group and the like. Each of these groups is selected in a range of the specified number of carbon atoms.

[0180] The expression of C_{a-b} alkoxy imino in the present specification is an alkoxy-N= group in which this alkoxy is the above meaning alkoxy made of the number of
 25 carbon atoms of a to b. Specific examples of the C_{a-b} alkoxy imino may include methoxy imino group, ethoxy imino group, n-propyloxy imino group, i-propyloxy imino

group, and n-butyloxyimino group and the like. Each of these groups is selected in a range of the specified number of carbon atoms.

[0181] The expression of C_{a-b} alkylidene in the present specification is a linear or branched hydrocarbon group made of the number of carbon atoms of a to b and bonded with a double bond. Specific examples of the C_{a-b} alkylidene may include methyldene group, ethyldene group, propyldene group, and 1-methylethyldene group and the like. Each of these groups is selected in a range of the specified number of carbon atoms.

[0182] The expression of "(C_{a-b}) alkyl arbitrarily substituted with R^5 ", "(C_{a-b}) alkyl arbitrarily substituted with R^{15} ", "(C_{a-b}) alkyl arbitrarily substituted with R^{15b} ", "(C_{a-b}) alkyl arbitrarily substituted with R^{20} ", "(C_{a-b}) alkyl arbitrarily substituted with R^{35} ", or "(C_{a-b}) alkyl arbitrarily substituted with R^{45} " in the present specification is the above meaning alkyl group made of the carbon number of a to b in which the hydrogen atoms bonded to the carbon atoms are arbitrarily substituted with any R^5 , R^{15} , R^{15b} , R^{20} , R^{35} , or R^{45} . Each of these groups is selected in a range of the specified number of carbon atoms. At this time, when two or more substituents R^5 s, R^{15} s, R^{15b} s, R^{20} s, R^{35} s, or R^{45} s are contained in each (C_{a-b}) alkyl group, each R^5 , R^{15} , R^{15b} , R^{20} , R^{35} , or R^{45} may be the same as or different from each other.

[0183] The expression of "(C_{a-b}) cycloalkyl arbitrarily substituted with R^5 ", "(C_{a-b}) cycloalkyl arbitrarily substituted with R^{15} ", "(C_{a-b}) cycloalkyl arbitrarily substituted with R^{15b} ", or "(C_{a-b}) cycloalkyl arbitrarily substituted with R^{45} " in the present specification is the above meaning cycloalkyl group made of the carbon number of a to b in which the hydrogen atoms bonded to the carbon atoms are arbitrarily substituted with any R^5 , R^{15} , R^{15b} , or R^{45} . Each of these groups is selected in a range of the specified number of carbon atoms. At this time, when two or more substituents R^5 s, R^{15} s, R^{15b} s, or R^{45} s are contained in each (C_{a-b}) cycloalkyl group, each R^5 , R^{15} , R^{15b} , or R^{45} may be the same as or different from each other. The substituted positions may be at a ring structure part, at a side chain

structure part, or at both of them.

[0184] The expression of "(C_{a-b}) alkenyl arbitrarily substituted with R⁵", "(C_{a-b}) alkenyl arbitrarily substituted with R¹⁵", "(C_{a-b}) alkenyl arbitrarily substituted with R^{15b}", or "(C_{a-b}) alkenyl arbitrarily substituted with R⁴⁵" in the present specification is the above
 5 meaning alkenyl group made of the carbon number of a to b in which the hydrogen atoms bonded to the carbon atoms are arbitrarily substituted with any R⁵, R¹⁵, R^{15b}, or R⁴⁵. Each of these groups is selected in a range of the specified number of carbon atoms. At this time, when two or more substituents R⁵s, R¹⁵s, R^{15b}s, or R⁴⁵s are contained in each (C_{a-b}) alkenyl group, each R⁵, R¹⁵, R^{15b}, or R⁴⁵ may be the same as or different from each other.

10 [0185] The expression of "(C_{a-b}) cycloalkenyl arbitrarily substituted with R⁵", "(C_{a-b}) cycloalkenyl arbitrarily substituted with R¹⁵", "(C_{a-b}) cycloalkenyl arbitrarily substituted with R^{15b}", or "(C_{a-b}) cycloalkenyl arbitrarily substituted with R⁴⁵" in the present specification is the above meaning cycloalkenyl group made of the carbon number of a to b
 in which the hydrogen atoms bonded to the carbon atoms are arbitrarily substituted with any
 15 R⁵, R¹⁵, R^{15b}, or R⁴⁵. Each of these groups is selected in a range of the specified number of carbon atoms. At this time, when two or more substituents R⁵s, R¹⁵s, R^{15b}s, or R⁴⁵s are contained in each (C_{a-b}) cycloalkenyl group, each R⁵, R¹⁵, R^{15b}, or R⁴⁵ may be the same as or different from each other. The substituted positions may be at a ring structure part, at a side chain structure part, or at both of them.

20 [0186] The expression of "(C_{a-b}) alkynyl arbitrarily substituted with R⁵", "(C_{a-b}) alkynyl arbitrarily substituted with R¹⁵", "(C_{a-b}) alkynyl arbitrarily substituted with R^{15b}", or "(C_{a-b}) alkynyl arbitrarily substituted with R⁴⁵" in the present specification is the above meaning alkynyl group made of the carbon number of a to b in which the hydrogen atoms bonded to the carbon atoms are arbitrarily substituted with any R⁵, R¹⁵, R^{15b}, or R⁴⁵. Each
 25 of these groups is selected in a range of the specified number of carbon atoms. At this time, when two or more substituents R⁵s, R¹⁵s, R^{15b}s, or R⁴⁵s are contained in each (C_{a-b})

alkynyl group, each R^5 , R^{15} , R^{15b} , or R^{45} may be the same as or different from each other.


[0187] Specific examples of the expression of " R^3 optionally forms a 3-membered ring to an 8-membered ring together with a nitrogen atom to which R^3 and R^4 are bonded by forming a C_{2-7} alkylene chain or a C_{2-7} alkenylene chain together with R^4 , and at this time, the alkylene chain or the alkenylene chain optionally contain one oxygen atom, one sulfur atom, or one nitrogen atom" include aziridine, azetidine, azetidin-2-one, pyrrolidine, pyrrolidin-2-one, oxazolidine, oxazolidin-2-one, oxazolidine-2-thione, thiazolidine, thiazolidin-2-one, thiazolidine-2-thione, imidazolidine, imidazolidin-2-one, imidazolidine-2-thione, piperidine, piperidin-2-one, piperidine-2-thione, 2H-3,4,5,6-tetrahydro-1,3-oxazin-2-one, 2H-3,4,5,6-tetrahydro-1,3-oxazine-2-thione, morpholine, 2H-3,4,5,6-tetrahydro-1,3-thiazin-2-one, 2H-3,4,5,6-tetrahydro-1,3-thiazine-2-thione, thiomorpholine, perhydropyrimidine-2-one, piperazine, homopiperidine, homopiperidin-2-one, heptamethyleneimine, 1,2-dihydropyridine, 1,2-dihydropyrimidine, 1,4-dihydropyridine, 2,3-dihydro-1H-imidazole, 2,3-dihydrothiazole, 2,3-dihydrooxazole, 4,5-dihydro-1H-pyrazole, 2,5-dihydro-1H-pyrrole, 1,2,3,4-tetrahydropyridine, 1,2,3,4-tetrahydropyrimidine, and 1,2,3,4-tetrahydropyridazine and the like. Each of these groups is selected in a range of the specified number of carbon atoms.

[0188] Specific examples of the expression of " R^{18b} optionally forms a 3-membered ring to an 8-membered ring together with a nitrogen atom to which R^{18b} and R^{19b} are bonded by forming a C_{2-7} alkylene chain together with R^{19b} , and at this time, the alkylene chain contain one oxygen atom, one sulfur atom, or one nitrogen atom" include aziridine, azetidine, azetidin-2-one, pyrrolidin, pyrrolidin-2-one, oxazolidine, oxazolidin-2-one, oxazolidine-2-thione, thiazolidine, thiazolidin-2-one, thiazolidine-2-thione, imidazolidine, imidazolidin-2-one, imidazolidine-2-thione, piperidine, piperidin-2-one, piperidine-2-thione, 2H-3,4,5,6-tetrahydro-1,3-oxazin-2-one,

2H-3,4,5,6-tetrahydro-1,3-oxazine-2-thione, morpholine,
 2H-3,4,5,6-tetrahydro-1,3-thiazin-2-one, 2H-3,4,5,6-tetrahydro-1,3-thiazine-2-thione,
 thiomorpholine, perhydropyrimidin-2-one, piperazine, homopiperidine,
 homopiperidin-2-one, and heptamethyleneimine and the like. Each of these groups is
 5 selected in a range of the specified number of carbon atoms.

[0189] Subsequently, the production method of the compound of the present
 invention will be described below. In Production Method A to Production Method K, A¹ in
 formulas is a hydrogen atom, C₁₋₆ alkyl, (C₁₋₆) alkyl arbitrarily substituted with R⁵, C₃₋₈
 cycloalkyl, (C₃₋₈) cycloalkyl arbitrarily substituted with R⁵, C₂₋₆ alkenyl, C₃₋₈ cycloalkenyl,
 10 (C₃₋₈) cycloalkenyl arbitrarily substituted with R⁵, (C₂₋₆) alkenyl arbitrarily substituted with
 R⁵, C₂₋₆ alkynyl, (C₂₋₆) alkynyl arbitrarily substituted with R⁵, -S(O)_{r2}R¹, -C(O)OR¹,
 -C(S)OR¹, -C(O)SR¹, -C(S)SR¹, -C(O)R², -C(S)R², -C(O)N(R⁴)R³, -C(S)N(R⁴)R³,
 -S(O)₂N(R⁴)R³, -P(O)(OR¹)₂, or -P(S)(OR¹)₂ and R¹, R⁵, R², R³, R⁴ and r2 have the same
 meanings as defined above.

15 [0190] Production Method A



In the compounds of the present invention, the compound of Formula (1-1) of the
 present invention [wherein Q, A¹, R⁶, R^{8a}, R^{8b}, R^{9a}, R^{9b}, Z, m, n, and q have the same

meanings as defined above.] and the compound of Formula (1-2) of the present invention [Q, A¹, R⁶, R^{8a}, R^{8b}, R^{9a}, R^{9b}, Z, m, n, and q have the same meanings as defined above.] can be produced by reacting the compound of Formula (1-1-a) with a compound of Formula (7-1) [wherein J^a is a leaving group such as a halogen atom, -OSO₂Me, and -OSO₂CF₃ and A¹ has the same meaning as defined above.].

Some of the compounds of Formula (7-1) are known compounds and some of the compounds are commercially available. The compounds other than the known compounds or the commercially available compounds can be synthesized in accordance with methods described in documents.


In this reaction, the compound of Formula (7-1) can be used in a range of 0.5 equivalent to 50 equivalents relative to 1 equivalent of the compound of Formula (1-1-a). Bases such as triethylamine, pyridine, 4-(dimethylamino)pyridine, 1,8-diazabicyclo[5.4.0]-7-undecene, n-butyllithium, lithium diisopropylamide, lithium bis(trimethylsilyl)amide, sodium bis(trimethylsilyl)amide, potassium bis(trimethylsilyl)amide, sodium hydride, sodium methoxide, sodium hydroxide, potassium hydroxide, sodium carbonate, and potassium carbonate can be used, if necessary.

This reaction may be carried out in the absence of a solvent or may be carried out using a solvent. Examples of the solvent may include polar solvents such as N,N-dimethylformamide, N,N-dimethylacetamide, acetonitrile, dimethylsulfoxide, and 1,3-dimethyl-2-imidazolinone; alcohols such as methanol, ethanol, propanol, 2-propanol, and ethylene glycol; ethers such as diethyl ether, tetrahydrofuran, and diphenyl ether; aromatic hydrocarbons such as benzene, toluene, and xylene; halogenated hydrocarbons such as methylene chloride, chloroform, and carbon tetrachloride; and aliphatic hydrocarbons such as pentane and n-hexane. These solvents may be used singly or in combination of two or more of them.

As the reaction temperature, any temperature from -80°C to the reflux temperature of

the reaction mixture can be set. The reaction time varies depending on the concentration of the reactant and the reaction temperature, and usually the time may be set in a range of 5 minutes to 100 hours.

[0191] Production Method B



In the compounds of Formula (1-1-a), the compound of Formula (1-1-a2) of the present invention [wherein R^6 , R^7 , R^{8a} , R^{8b} , R^{9a} , R^{9b} , Z , m , n , and q have the same meanings as defined above.] can be produced by reacting the compound of Formula (1-1-a1) [wherein R^6 , R^{8a} , R^{8b} , R^{9a} , R^{9b} , Z , m , n , and q have the same meanings as defined above.] with a
 10 compound of Formula (3) [wherein R^7 has the same meaning as defined above.].

Some of the compounds of Formula (3) are known compounds and some of the compounds are commercially available. The compounds other than the known compounds or the commercially available compounds can be synthesized in accordance with methods described in documents.


15 In this reaction, the compound of Formula (3) can be used in a range of 0.1 equivalent to 100 equivalent relative to 1 equivalent of the compound of Formula (1-1-a1). Bases such as potassium carbonate, triethylamine, pyridine, and 4-(dimethylamino)pyridine can be used, if necessary.

20 This reaction may be carried out in the absence of a solvent or may be carried out using a solvent. Examples of the solvent may include polar solvents such as N,N-dimethylformamide, N,N-dimethylacetamide, acetonitrile, dimethylsulfoxide, and 1,3-dimethyl-2-imidazolinone; alcohols such as methanol, ethanol, propanol, 2-propanol, and ethylene glycol; ethers such as diethyl ether, tetrahydrofuran, and diphenyl ether;

aromatic hydrocarbons such as benzene, toluene, and xylene; halogenated hydrocarbons such as methylene chloride, chloroform, and carbon tetrachloride; and aliphatic hydrocarbons such as pentane and n-hexane. These solvents may be used singly or in combination of two or more of them.

As the reaction temperature, any temperature from -80°C to the reflux temperature of the reaction mixture can be set. The reaction time varies depending on the concentration of the reactant and the reaction temperature, and usually the time may be set in a range of 5 minutes to 100 hours.

[0192] Production Method C



In the compounds of Formula (1-1), the compound of Formula (1-1-a1) of the present invention can be obtained by hydrolyzing the compound of Formula (1-1-b) [wherein R^6 , R^7 , R^{8a} , R^{8b} , R^{9a} , R^{9b} , Z , m , n , and q have the same meanings as defined above, A^3 is C_{1-6} alkyl or (C_{1-6}) alkyl arbitrarily substituted with R^5 , and R^5 has the same meaning as defined above.].


In this reaction, solvents such as water, methanol, ethanol, dichloromethane, chloroform, diethyl ether, tetrahydrofuran, 1,4-dioxane, acetonitrile, and acetone may be used, if necessary. These solvents may be used singly or in combination of two or more of them.

The reaction can be carried out in the presence of 0.1 equivalent to 20 equivalents of an acid such as hydrochloric acid, sulfuric acid, or p-toluenesulfonic acid relative to 1

equivalent of the compound of Formula (1-1-b), if necessary.

As the reaction temperature, any temperature from -80°C to the reflux temperature of the reaction mixture can be set. The reaction time varies depending on the concentration of the reactant and the reaction temperature, and usually the time may be set in a range of 5 minutes to 100 hours.

[0193] Production Method D



In the compounds of Formula (1-1), the compound of Formula (1-1-b) of the present invention [wherein R^6 , R^7 , R^{8a} , R^{8b} , R^{9a} , R^{9b} , Z , m , n and q have the same meanings as defined above, A^3 is C_{1-6} alkyl or (C_{1-6}) alkyl arbitrarily substituted with R^5 , and R^5 has the same meaning as defined above.] can be produced by reacting the compound of Formula (4) [wherein Z and q have the same meanings as defined above, A^3 is C_{1-6} alkyl or (C_{1-6}) alkyl arbitrarily substituted with R^5 , and R^5 has the same meaning as defined above.] with the compound of Formula (5) [wherein J^a , R^6 , R^7 , R^{8a} , R^{8b} , R^{9a} , R^{9b} , m , and n have the same meanings as defined above.].


Some of the compounds of Formula (4) are known compounds. The compounds other than the known compounds can be produced in accordance with the known methods described in, for example, *Chemische Berichte*, 1983, Vol. 116, P. 119.

Some of the compounds of Formula (5) are known compounds. The compounds other than the known compounds can be produced in accordance with the known methods described in, for example, *Synthesis*, 1982, P. 305.

In this reaction, the compound of Formula (5) can be used in a range of 0.5 equivalent to 50 equivalents relative to 1 equivalent of the compound of Formula (4). Bases such as n-butyllithium, lithium diisopropylamide, lithium bis(trimethylsilyl)amide, sodium bis(trimethylsilyl)amide, potassium bis(trimethylsilyl)amide, sodium hydride, sodium methoxide, and potassium carbonate can be used, if necessary. This reaction may be carried out in the absence of a solvent or may be carried out using a solvent. Examples of the solvent may include polar solvents such as N,N-dimethylformamide, N,N-dimethylacetamide, dimethylsulfoxide, 1-methyl-2-pyrrolidone, and 1,3-dimethyl-2-imidazolinone; alcohols such as methanol, ethanol, propanol, 2-propanol, and ethylene glycol; ethers such as diethyl ether, tetrahydrofuran, and diphenyl ether; and aliphatic hydrocarbons such as pentane and n-hexane. These solvents may be used singly or in combination of two or more of them.

As the reaction temperature, any temperature from -80°C to the reflux temperature of the reaction mixture can be set. The reaction time varies depending on the concentration of the reactant and the reaction temperature, and usually the time may be set in a range of 5 minutes to 100 hours.

[0194] Production Method E



The compound of Formula (1-1-a3) of the present invention [wherein R^6 , R^{8a} , R^{9a} , Q, Z, and q have the same meanings as defined above.] can be produced by reacting the compound of Formula (9) [wherein Z and q have the same meanings as defined above.] with the compound of Formula (10) [wherein R^6 , R^{8a} , R^{9a} , and Q have the same meanings as

defined above.].

Some of the compounds of Formula (9) are known compounds. The compounds other than the known compounds can be produced in accordance with the known methods described in, for example, WO 2009/019005 Pamphlet.


5 Some of the compounds of Formula (10) are known compounds and some of the compounds are commercially available. The compounds other than the known compound or the commercially available compounds can be synthesized in accordance with methods described in documents.

10 In this reaction, the compound of Formula (10) can be used in a range of 0.5 equivalent to 50 equivalents relative to 1 equivalent of the compound of Formula (9). Bases such as triethylamine, pyridine, 4-(dimethylamino)pyridine, 1,8-diazabicyclo[5.4.0]-7-undecene, n-butyllithium, lithium diisopropylamide, lithium bis(trimethylsilyl)amide, sodium bis(trimethylsilyl)amide, potassium bis(trimethylsilyl)amide, sodium hydride, sodium methoxide, sodium hydroxide, potassium hydroxide, sodium carbonate, and potassium carbonate can be used, if necessary.

20 This reaction may be carried out in the absence of a solvent or may be carried out using a solvent. Examples of the solvent may include polar solvents such as N,N-dimethylformamide, N,N-dimethylacetamide, acetonitrile, dimethylsulfoxide, and 1,3-dimethyl-2-imidazolinone; alcohols such as methanol, ethanol, propanol, 2-propanol, and ethylene glycol; ethers such as diethyl ether, tetrahydrofuran, and diphenyl ether; aromatic hydrocarbons such as benzene, toluene, and xylene; halogenated hydrocarbons such as methylene chloride, chloroform, and carbon tetrachloride; and aliphatic hydrocarbons such as pentane and n-hexane. These solvents may be used singly or in combination of two or more of them.

25 [0195] Production Method F

49




In the compounds of Formula (1-1-a), the compound of Formula (1-1-a5) of the present invention [wherein R^6 , R^{8a} , Q , Z , and q have the same meanings as defined above.] can be obtained by hydrolyzing and then decarboxylating the compound of Formula (1-1-a4) [wherein R^6 , R^{8a} , Q , Z , and q have the same meanings as defined above, R^{9a-2} is $-C(O)OR^{16a}$, and R^{16a} has the same meaning as defined above.].

In this reaction, solvents such as water, methanol, ethanol, dichloromethane, chloroform, diethyl ether, tetrahydrofuran, 1,4-dioxane, acetonitrile, and acetone may be used, if necessary. These solvents may be used singly or in combination of two or more of them.

This reaction can be carried out in the presence of 0.1 equivalent to 20 equivalents of an acid such as hydrochloric acid, sulfuric acid, or p-toluenesulfonic acid or a base such as sodium hydroxide, potassium hydroxide, sodium carbonate, and potassium carbonate relative to 1 equivalent of the compound of Formula (1-1-a4), if necessary.

As the reaction temperature, any temperature from -80°C to the reflux temperature of the reaction mixture can be set. The reaction time varies depending on the concentration of the reactant and the reaction temperature, and usually the time may be set in a range of 5 minutes to 100 hours.

[0196] Production Method G



In the compounds of Formula (1-1-a), the compound of Formula (1-1-a7) of the present invention [wherein R^6 , R^7 , R^{8a} , R^{8b} , R^{9a} , R^{9b} , Z^a , Z^e , m , and n have the same meanings as defined above and Z^{c-2} has the same meaning as defined below.] can be produced by reacting the compound of Formula (1-1-a6) [wherein R^6 , R^7 , R^{8a} , R^{8b} , R^{9a} , R^{9b} , Z^a , Z^e , m , and n have the same meanings as defined above, and J^b is a leaving group such as a halogen atom, $-\text{OSO}_2\text{Me}$, $-\text{OSO}_2\text{CF}_3$.] with the compound of Formula (11) [wherein Z^{c-2} is C_{2-6} alkynyl, (C_{2-6}) alkynyl arbitrarily substituted with R^{45} , phenyl, and phenyl substituted with $(Z^3)_{q3}$, J^c is $-\text{C}(\text{O})\text{OH}$, $-\text{Sn}(\text{C}_{1-6} \text{ alkyl})_3$, $-\text{B}(\text{OH})_2$, and the like, and R^{45} , Z^3 and $q3$ have the same meanings as described above.] in the presence of a catalyst and a base.

The amount of the compound of Formula (11) can be used in a range of 0.5 equivalent to 50 equivalents relative to 1 equivalent of the compound of Formula (1-1-a6).

Some of the compounds of Formula (11) used here are known compounds and some of the compounds are commercially available. The compounds other than the known compound or the commercially available compounds can be synthesized in accordance with methods described in documents.

Examples of the catalyst used in this reaction may include palladium catalysts such as palladium-carbon, palladium chloride, palladium acetate, bis(triphenylphosphine) palladium dichloride, tetrakis(triphenylphosphine) palladium, and

[1,1'-bis(diphenylphosphino)ferrocene] palladium (II) dichloride dichloromethane adduct,

and copper catalysts such as metal copper, copper acetate (monovalent), copper acetate (divalent), copper oxide (monovalent), copper oxide (divalent), copper iodide, copper bromide, and copper chloride. These catalysts can be used singly or in combination of two or more of them. The amount of the catalyst to be used can be used in a range of 0.001 equivalent to 1.0 equivalent relative to 1 equivalent of the compound of Formula (1-1-a6).


Ligands such as 1,4-bis (diphenylphosphino)butane can be used in the range of 0.001 equivalent to 10 equivalents relative to the catalyst.

Examples of the base to be used may include tertiary amine compounds such as pyridine, diisopropylethylamine, and triethylamine and inorganic bases such as sodium hydroxide, potassium hydroxide, sodium carbonate, potassium carbonate, cesium carbonate, sodium hydrogen carbonate, and tripotassium phosphate. The amount of the base to be
 5 used can be used in a range of 0.1 equivalent to 10.0 equivalents relative to 1 equivalent of the compound of Formula (11).

This reaction may be carried out in the absence of a solvent or may be carried out using a solvent. Example of usable solvents may include polar solvents such as N,N-dimethylformamide, N,N-dimethylacetamide, acetonitrile, dimethylsulfoxide,
 10 1,3-dimethyl-2-imidazolinone, and water; alcohols such as methanol, ethanol, propanol, 2-propanol, and ethylene glycol; ethers such as diethyl ether, tetrahydrofuran, and diphenyl ether; aromatic hydrocarbons such as benzene, toluene, and xylene; halogenated hydrocarbons such as methylene chloride, chloroform, and carbon tetrachloride; and
 aliphatic hydrocarbons such as pentane and n-hexane. These solvents may be used singly
 15 or in combination of two or more of them.

As the reaction temperature, any temperature from -80°C to the reflux temperature of the reaction mixture can be set. The reaction time varies depending on the concentration of the reactant and the reaction temperature, and usually the time may be set in a range of 5 minutes to 100 hours.

[0197] Production Method H



In the compounds of Formula (1-1-a), the compound of Formula (1-1-a8) of the

present invention [wherein R^6 , R^7 , R^{8a} , R^{8b} , R^{9a} , R^{9b} , Z^a , Z^c , X^1 , g3, m, and n have the same meanings as defined above.] can be produced by reacting the compound of Formula (1-1-a6) [wherein R^6 , R^7 , R^{8a} , R^{8b} , R^{9a} , R^{9b} , Z^a , Z^c , m, and n have the same meanings as defined above, and J^b is a leaving group such as a halogen atom, $-\text{OSO}_2\text{Me}$, $-\text{OSO}_2\text{CF}_3$.]
5 with the compound of Formula (12) [wherein X^1 and g3 have the same meanings as defined above.] in the presence of a catalyst and a base.

The amount of the compound of Formula (12) can be used in a range of 0.5 equivalent to 50 equivalents relative to 1 equivalent of the compound of Formula (1-1-a6).

Some of the compounds of Formula (12) used here are known compounds and some
10 of the compounds are commercially available. The compounds other than the known compound or the commercially available compounds can be synthesized in accordance with methods described in documents.

Examples of the catalyst used in this reaction may include palladium catalysts such as palladium-carbon, palladium chloride, palladium acetate, bis(triphenylphosphine) palladium
15 dichloride, tetrakis(triphenylphosphine) palladium, and [1,1'-bis(diphenylphosphino)ferrocene] palladium (II) dichloride dichloromethane adduct, and copper catalysts such as metal copper, copper acetate (monovalent), copper acetate (divalent), copper oxide (monovalent), copper oxide (divalent), copper iodide, copper bromide, and copper chloride. These catalysts can be used singly or in combination of two
20 or more of them. The amount of the catalyst to be used can be used in a range of 0.001 equivalent to 1.0 equivalent relative to 1 equivalent of the compound of Formula (1-1-a6). Ligands such as N,N'-dimethylethylenediamine and N,N'-dimethylcyclohexane-1,2-diamine can be used in the range of 0.001 equivalent to 10 equivalents relative to the catalyst.

Examples of the base to be used may include tertiary amine compounds such as
25 pyridine, diisopropylethylamine, and triethylamine and inorganic bases such as sodium hydroxide, potassium hydroxide, sodium carbonate, potassium carbonate, cesium carbonate,

sodium hydrogen carbonate, and tripotassium phosphate. The amount of the base to be used can be used in a range of 0.1 equivalent to 10.0 equivalents relative to 1 equivalent of the compound of Formula (12).


This reaction may be carried out in the absence of a solvent or may be carried out using a solvent. Example of usable solvents may include polar solvents such as N,N-dimethylformamide, N,N-dimethylacetamide, acetonitrile, dimethylsulfoxide, 1,3-dimethyl-2-imidazolinone, and water; alcohols such as methanol, ethanol, propanol, 2-propanol, and ethylene glycol; ethers such as diethyl ether, tetrahydrofuran, and diphenyl ether; aromatic hydrocarbons such as benzene, toluene, and xylene; halogenated hydrocarbons such as methylene chloride, chloroform, and carbon tetrachloride; and aliphatic hydrocarbons such as pentane and n-hexane. These solvents may be used singly or in combination of two or more of them.

As the reaction temperature, any temperature from -80°C to the reflux temperature of the reaction mixture can be set. The reaction time varies depending on the concentration of the reactant and the reaction temperature, and usually the time may be set in a range of 5 minutes to 100 hours.

The reaction of Production Method A to Production Method H may be carried out under the atmosphere of inert gas such as nitrogen and argon, if necessary.

In Production Method A to Production Method H, usual post-treatment of the reaction mixture after completion of the reaction such as direct concentration, concentration after dissolving in an organic solvent and washing with water, or concentration after pouring in ice-water and extracting with an organic solvent can give the target compound of the present invention. When purification is required, the compound can be separated and purified by any purification method such as recrystallization and preparative isolation by column chromatography, thin layer chromatography, and liquid chromatography.

[0198] Production Method I



The compounds of Formula (1-3) of the present invention [wherein A¹, Q, R⁶, R^{8a}, R^{8b}, R^{9a}, R^{9b}, Z, m, n, and q have the same meanings as defined above.] can be produced by reacting the mixture of the compound of Formula (13-1) [wherein R⁹⁰ is a leaving group such as C₁₋₆ alkoxy, pyrazol-1-yl, and imidazol-1-yl, and A¹, Q, R⁶, R^{8a}, R^{8b}, R^{9a}, R^{9b}, R⁹⁰, Z, m, n, and q have the same meanings as defined above.] and the compound of Formula (13-2) [wherein R⁹⁰ is a leaving group such as C₁₋₆ alkoxy, pyrazol-1-yl, and imidazol-1-yl, and A¹, Q, R⁶, R^{8a}, R^{8b}, R^{9a}, R^{9b}, R⁹⁰, Z, m, n, and q have the same meanings as defined above.] with a base.

Examples of the base to be used may include n-butyllithium, lithium diisopropylamide, lithium bis(trimethylsilyl)amide, sodium bis(trimethylsilyl)amide, potassium bis(trimethylsilyl)amide, sodium hydride, sodium methoxide, potassium carbonate, triethylamine, pyridine, 4-(dimethylamino)pyridine, and 1,8-diazabicyclo[5.4.0]-7-undecene. The amount of the base to be used can be used in a range of 0.1 equivalent to 10.0 equivalents relative to 1 equivalent of the mixture of the compound of Formula (13-1) and the compound of Formula (13-2).


This reaction may be carried out in the absence of a solvent or may be carried out using a solvent. Example of usable solvents may include polar solvents such as

N,N-dimethylformamide, N,N-dimethylacetamide, acetonitrile, dimethylsulfoxide, 1,3-dimethyl-2-imidazolinone, and water; alcohols such as methanol, ethanol, propanol, 2-propanol, and ethylene glycol; ethers such as diethyl ether, tetrahydrofuran, and diphenyl ether; aromatic hydrocarbons such as benzene, toluene, and xylene; halogenated hydrocarbons such as methylene chloride, chloroform, and carbon tetrachloride; and aliphatic hydrocarbons such as pentane and n-hexane. These solvents may be used singly or in combination of two or more of them.

As the reaction temperature, any temperature from -80°C to the reflux temperature of the reaction mixture can be set. The reaction time varies depending on the concentration of the reactant and the reaction temperature, and usually the time may be set in a range of 5 minutes to 100 hours.

A mixture of the compound of Formula (13-1) and the compound of Formula (13-2) used in Production Method I can be produced in accordance with a production route described in Reaction Formula 1, for example.

[0199] Reaction Formula 1



Process 1

The mixture of the compound of Formula (17-1) [wherein A^1 , Q , R^6 , R^{8a} , R^{8b} , R^{9a} , R^{9b} , Z , m , n , and q have the same meanings as defined above.] and the compound of Formula (17-2) [wherein A^1 , Q , R^6 , R^{8a} , R^{8b} , R^{9a} , R^{9b} , Z , m , n , and q have the same meanings as defined above.] can be produced by reacting the compound of Formula (15) [wherein A^1 , Z ,

and q have the same meanings as defined above.] with the compound of Formula (16) [wherein Q, R⁶, R^{8a}, R^{8b}, R^{9a}, R^{9b}, m, and n have the same meanings as defined above.] in accordance with known methods described in documents, for example, the method described in U. S. Patent No. 1981/4283348.

5 Some of the compounds of Formula (15) used here are known compounds and some of the compounds are commercially available. The compounds other than the known compounds or the commercially available compounds can be synthesized in accordance with methods described in documents.

10 Some of the compounds of Formula (16) are known compounds and can be produced in accordance with the known methods described in, for example, J. Chem. Soc., 1965, p. 4355.


Process 2

15 The mixture of the compound of Formula (13-1) and the compound of Formula (13-2) can be produced by reacting the mixture of the compound of Formula (17-1) and the compound of Formula (17-2) with a halogenating agent such as thionyl chloride or oxalyl chloride in accordance with known methods described in documents, for example, the method described in Jikken Kagaku Kouza 4th edition (The 4th edition of experimental chemistry) (edited by The Chemical Society of Japan) 1992, Vol. 22, P. 122, and thereafter reacting the resultant mixture with the compound of Formula (18) [wherein R⁹⁰ is C₁₋₆ alkoxy, pyrazol-1-yl, or imidazol-1-yl.] in accordance with known methods described in documents, for example, the method described in Jikken Kagaku Kouza 4th edition (The 4th edition of Experimental Chemistry) (edited by The Chemical Society of Japan) 1992, Vol. 22, P. 50.

25 Some of the compounds of Formula (18) used here are known compounds and some of the compounds are commercially available. The compounds other than the known compounds or the commercially available compounds can be synthesized in accordance

with methods described in documents.

[0200] Production Method J



In the compounds of formula (1-1), the compound of Formula (1-1-b2) of the present invention [wherein A³, R⁶, R⁷, R^{8a}, R^{8b}, R^{9a}, R^{9b}, R¹⁰, Z, m, n, and q have the same meanings as defined above.] can be produced by reacting the compound of Formula (1-1-b) [wherein A³, R⁶, R⁷, R^{8a}, R^{8b}, R^{9a}, R^{9b}, Z, m, n, and q have the same meanings as defined above.] with the compound of Formula (19) [wherein R¹⁰ and J^a have the same meanings as defined above.].

Some of the compounds of Formula (19) are known compounds and some of the compounds are commercially available. The compounds other than the known compound or the commercially available compounds can be synthesized in accordance with methods described in documents.


In this reaction, the compound of Formula (19) can be used in a range of 0.5 equivalent to 50 equivalents relative to 1 equivalent of the compound of Formula (1-1-b). Bases such as n-butyllithium, lithium diisopropylamide, lithium bis(trimethylsilyl)amide, sodium bis(trimethylsilyl)amide, potassium bis(trimethylsilyl)amide, sodium hydride, sodium methoxide, and potassium carbonate can be used in a range of 0.5 equivalent to 50.0 equivalents relative to 1 equivalent of the compound of Formula (1-1-b), if necessary.

This reaction may be carried out in the absence of a solvent or may be carried out using a solvent. Examples of the solvent may include polar solvents such as N,N-dimethylformamide, N,N-dimethylacetamide, dimethylsulfoxide, 1-methyl-2-pyrrolidone, and 1,3-dimethyl-2-imidazolinone; alcohols such as methanol,

ethanol, propanol, 2-propanol, and ethylene glycol; ethers such as diethyl ether, tetrahydrofuran, and diphenyl ether; and aliphatic hydrocarbons such as pentane and n-hexane. These solvents may be used singly or in combination of two or more of them.

As the reaction temperature, any temperature from -80°C to the reflux temperature of the reaction mixture can be set. The reaction time varies depending on the concentration of the reactant and the reaction temperature, and usually the time may be set in a range of 5 minutes to 100 hours.

[0201] Production Method K



In the compounds of Formula (1-2), the compound of Formula (1-2-b2) of the present invention [wherein A^3 , R^6 , R^7 , R^{8a} , R^{8b} , R^{9a} , R^{9b} , R^{11} , Z , m , n , and q have the same meanings as defined above.] can be produced by reacting the compound of Formula (1-2-b) [wherein A^3 , R^6 , R^7 , R^{8a} , R^{8b} , R^{9a} , R^{9b} , Z , m , n , and q have the same meanings as defined above.] with the compound of Formula (20) [wherein R^{11} and J^a have the same meanings as defined above.] in a similar method to Production Method J.

The compound of Formula (1-1-b) used in Production Method J and the compound of Formula (1-2-b) used in Production Method K can be produced as a mixture by Production Method A described above. The compound of Formula (1-1-b2) and the compound of Formula (1-2-b2) can be produced as a mixture by reacting the mixture of the compound of Formula (1-1-b) and the compound of Formula (1-2-b) produced by the method described in Production Method A without separation, the reaction method being the same as that in Production Method J or Production Method K. The compound of Formula (1-1-b2) and the compound of Formula (1-2-b2) can be obtained by separating and purifying the mixture

by any purification methods such as recrystallization and column chromatography.


[0202] The reaction of Production Method A to Production Method K may be carried out under the atmosphere of inert gas such as nitrogen and argon, if necessary.

[0203] In the reactions of Production Method A to Production Method K, usual
5 post-treatment of the reaction mixture after completion of the reaction such as direct concentration, concentration after dissolving in an organic solvent and washing with water, or concentration after pouring in ice-water and extracting with an organic solvent can give the compound of the present invention. When purification is required, the compound can be separated and purified by any purification method such as recrystallization and
10 preparative isolation by column chromatography, thin layer chromatography, and liquid chromatography.


[0204] Specific examples of the active compound included in the present invention may include the compounds listed in Table 1 to Table 4. The compounds listed in Table 1 to Table 4, however, are the compounds for exemplification, and thus the present invention
15 is not limited to these compounds. In Tables, the expression of the substituent listed in Me is methyl group. Similarly, the expression of Et is ethyl group, n-Pr and Pr-n being normal-propyl group, i-Pr and Pr-i being iso-propyl group, c-Pr and Pr-c being cyclopropyl group, n-Bu and Bu-n being normal-butyl group, s-Bu and Bu-s being secondary-butyl group, i-Bu and Bu-i being iso-butyl group, t-Bu and Bu-t being tertiary-butyl group, c-Bu
20 and Bu-c being cyclobutyl group, n-Pen and Pen-n being normal-pentyl group, c-Pen and Pen-c being cyclopentyl group, n-Hex and Hex-n being normal-hexyl group, c-Hex and Hex-c being cyclohexyl group, n-Oct and Oct-n being octyl group, and Ph being phenyl group.

[0205] In Tables, structures of D1-2a, D1-2c, D1-7a, D1-7b-1, D1-7b-2, D1-7b-3,
25 D1-7b-4, D1-10a, D1-11a, D1-11b-1, D1-11b-2, D1-11b-3, D1-11b-4, D1-22a, D1-22b-1, D1-22b-2, D1-22b-3, D1-22b-4, D1-32a, D1-32b-1, D1-32b-2, D1-32b-3, D1-32b-4,


D1-32b-5, D1-33a, D1-33b-1, D1-33b-2, D1-33b-3, D1-33b-4, D1-34a, D1-37a, D1-37b-1,
D1-108a, D1-108b-1, D1-108b-2, D1-108b-3, D1-108b-4, D1-108b-5, D1-108b- 6,
D1-108b-7, D1-108b-8, D1-108b-9, D1-108b-10, D1-108b-11, D1-108b-12, D1-108b-13,
D1-108b-14, D1-108b-15, D1-108b-16, D1-108b-17, D1-108b-18, D1-108b-19, D1-103-1,
5 D1-103-2, D1-103-3, D1-103-4, and A1 to A116 are the following structures.




D1-2a




D1-2c




D1-7a




D1-7b-1




D1-7b-2




D1-7b-3




D1-7b-4




D1-10a




D1-11a




D1-11b-1




D1-11b-2




D1-11b-3




D1-11b-4




D1-22a




D1-22b-1




D1-22b-2




D1-22b-3




D1-22b-4




D1-32a




D1-32b-1




D1-32b-2




D1-32b-3




D1-32b-4




D1-32b-5




D1-33a




D1-33b-1




D1-33b-2




D1-33b-3




D1-33b-4




D1-34a




D1-37a




D1-37b-1























D1-108a





D1-108b-1




































D1-108b-2
















**D1-108b-3****D1-108b-4****D1-108b-5****D1-108b-6****D1-108b-7****D1-108b-8****D1-108b-9****D1-108b-10****D1-108b-11****D1-108b-12****D1-108b-13****D1-108b-14****D1-108b-15****D1-108b-16****D1-108b-17****D1-108b-18****D1-108b-19****D1-103-1****D1-103-2****D1-103-3****D1-103-4**


























Table 1

R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Me	Me	F	H
Me	Me	Me	Cl	H
Me	Me	Me	Br	H
Me	Me	Me	I	H
Me	Me	Me	CN	H
Me	Me	Me	NO ₂	H
CH=CH ₂	Me	Me	Me	H
c-Bu	Me	Me	Me	H
c-Pen	Me	Me	Me	H
c-Hex	Me	Me	Me	H
Ph	Me	Me	Me	H
CF ₃	Me	Me	Me	H
CH ₂ Cl	Me	Me	Me	H
CH ₂ OMe	Me	Me	Me	H
DI-32a	Me	Me	Me	H
Me	Me	Me	Me	H
CH=CH ₂	Me	Me	Me	A1
CH=CH ₂	Me	Me	Me	A13
CH=CH ₂	Me	Me	Me	A14
CH=CH ₂	Me	Me	Me	A15
CH=CH ₂	Me	Me	Me	A16
CH=CH ₂	Me	Me	Me	A20
CH=CH ₂	Me	Me	Me	A23
CH=CH ₂	Me	Me	Me	A24
CH=CH ₂	Me	Me	Me	A25
CH=CH ₂	Me	Me	Me	A26
CH=CH ₂	Me	Me	Me	A27
CH=CH ₂	Me	Me	Me	A28
CH=CH ₂	Me	Me	Me	A29
CH=CH ₂	Me	Me	Me	A34
CH=CH ₂	Me	Me	Me	A35
CH=CH ₂	Me	Me	Me	A36
CH=CH ₂	Me	Me	Me	A37
CH=CH ₂	Me	Me	Me	A42
CH=CH ₂	Me	Me	Me	A58
CH=CH ₂	Me	Me	Me	A63
CH=CH ₂	Me	Me	Me	A64
CH=CH ₂	Me	Me	Me	A65
CH=CH ₂	Me	Me	Me	A67

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Me	Et	F	H
Me	Me	Et	Cl	H
Me	Me	Et	Br	H
Me	Me	Et	I	H
Me	Me	Et	CN	H
Me	Me	Et	NO ₂	H
CH=CH ₂	Me	Et	Me	H
c-Bu	Me	Et	Me	H
c-Pen	Me	Et	Me	H
c-Hex	Me	Et	Me	H
Ph	Me	Et	Me	H
CF ₃	Me	Et	Me	H
CH ₂ Cl	Me	Et	Me	H
CH ₂ OMe	Me	Et	Me	H
DI-32a	Me	Et	Me	H
Me	Me	Et	Me	H
Me	Me	Et	Me	A1
Me	Me	Et	Me	A2
Me	Me	Et	Me	A3
Me	Me	Et	Me	A4
Me	Me	Et	Me	A5
Me	Me	Et	Me	A6
Me	Me	Et	Me	A7
Me	Me	Et	Me	A8
Me	Me	Et	Me	A9
Me	Me	Et	Me	A10
Me	Me	Et	Me	A11
Me	Me	Et	Me	A12
Me	Me	Et	Me	A13
Me	Me	Et	Me	A14
Me	Me	Et	Me	A15
Me	Me	Et	Me	A16
Me	Me	Et	Me	A17
Me	Me	Et	Me	A18
Me	Me	Et	Me	A19
Me	Me	Et	Me	A20
Me	Me	Et	Me	A21
Me	Me	Et	Me	A22
Me	Me	Et	Me	A23

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
CH=CH ₂	Me	Me	Me	A69
CH=CH ₂	Me	Me	Me	A72
CH=CH ₂	Me	Me	Me	A73
CH=CH ₂	Me	Me	Me	A74
CH=CH ₂	Me	Me	Me	A75
CH=CH ₂	Me	Me	Me	A76
CH=CH ₂	Me	Me	Me	A77
CH=CH ₂	Me	Me	Me	A81
CH=CH ₂	Me	Me	Me	A83
CH=CH ₂	Me	Me	Me	A88
CH=CH ₂	Me	Me	Me	A91
CH=CH ₂	Me	Me	Me	A97
CH=CH ₂	Me	Me	Me	A98
CH=CH ₂	Me	Me	Me	A102
Ph	Me	Me	Me	A1
Ph	Me	Me	Me	A13
Ph	Me	Me	Me	A14
Ph	Me	Me	Me	A15
Ph	Me	Me	Me	A16
Ph	Me	Me	Me	A20
Ph	Me	Me	Me	A23
Ph	Me	Me	Me	A24
Ph	Me	Me	Me	A25
Ph	Me	Me	Me	A26
Ph	Me	Me	Me	A27
Ph	Me	Me	Me	A28
Ph	Me	Me	Me	A29
Ph	Me	Me	Me	A34
Ph	Me	Me	Me	A35
Ph	Me	Me	Me	A36
Ph	Me	Me	Me	A37
Ph	Me	Me	Me	A42
Ph	Me	Me	Me	A58
Ph	Me	Me	Me	A63
Ph	Me	Me	Me	A64
Ph	Me	Me	Me	A65
Ph	Me	Me	Me	A67
Ph	Me	Me	Me	A69
Ph	Me	Me	Me	A72

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Et	Me	A24
Me	Me	Et	Me	A25
Me	Me	Et	Me	A26
Me	Me	Et	Me	A27
Me	Me	Et	Me	A28
Me	Me	Et	Me	A29
Me	Me	Et	Me	A30
Me	Me	Et	Me	A31
Me	Me	Et	Me	A32
Me	Me	Et	Me	A33
Me	Me	Et	Me	A34
Me	Me	Et	Me	A35
Me	Me	Et	Me	A36
Me	Me	Et	Me	A37
Me	Me	Et	Me	A38
Me	Me	Et	Me	A39
Me	Me	Et	Me	A40
Me	Me	Et	Me	A41
Me	Me	Et	Me	A42
Me	Me	Et	Me	A43
Me	Me	Et	Me	A44
Me	Me	Et	Me	A45
Me	Me	Et	Me	A46
Me	Me	Et	Me	A47
Me	Me	Et	Me	A48
Me	Me	Et	Me	A49
Me	Me	Et	Me	A50
Me	Me	Et	Me	A51
Me	Me	Et	Me	A52
Me	Me	Et	Me	A53
Me	Me	Et	Me	A54
Me	Me	Et	Me	A55
Me	Me	Et	Me	A56
Me	Me	Et	Me	A57
Me	Me	Et	Me	A58
Me	Me	Et	Me	A59
Me	Me	Et	Me	A60
Me	Me	Et	Me	A61
Me	Me	Et	Me	A62

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Ph	Me	Me	Me	A73
Ph	Me	Me	Me	A74
Ph	Me	Me	Me	A75
Ph	Me	Me	Me	A76
Ph	Me	Me	Me	A77
Ph	Me	Me	Me	A81
Ph	Me	Me	Me	A83
Ph	Me	Me	Me	A88
Ph	Me	Me	Me	A91
Ph	Me	Me	Me	A97
Ph	Me	Me	Me	A98
Ph	Me	Me	Me	A102
Ph	Me	Me	Me	A1
Ph	Me	Me	Me	A13
Ph	Me	Me	Me	A14
Ph	Me	Me	Me	A15
Ph	Me	Me	Me	A16
Ph	Me	Me	Me	A20
Ph	Me	Me	Me	A23
Ph	Me	Me	Me	A24
Ph	Me	Me	Me	A25
Ph	Me	Me	Me	A26
Ph	Me	Me	Me	A27
Ph	Me	Me	Me	A28
Ph	Me	Me	Me	A29
Ph	Me	Me	Me	A34
Ph	Me	Me	Me	A35
Ph	Me	Me	Me	A36
Ph	Me	Me	Me	A37
Ph	Me	Me	Me	A42
Ph	Me	Me	Me	A58
Ph	Me	Me	Me	A63
Ph	Me	Me	Me	A64
Ph	Me	Me	Me	A65
Ph	Me	Me	Me	A67
Ph	Me	Me	Me	A69
Ph	Me	Me	Me	A72
Ph	Me	Me	Me	A73
Ph	Me	Me	Me	A74

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Et	Me	A63
Me	Me	Et	Me	A64
Me	Me	Et	Me	A65
Me	Me	Et	Me	A66
Me	Me	Et	Me	A67
Me	Me	Et	Me	A68
Me	Me	Et	Me	A69
Me	Me	Et	Me	A70
Me	Me	Et	Me	A71
Me	Me	Et	Me	A72
Me	Me	Et	Me	A73
Me	Me	Et	Me	A74
Me	Me	Et	Me	A75
Me	Me	Et	Me	A76
Me	Me	Et	Me	A77
Me	Me	Et	Me	A78
Me	Me	Et	Me	A79
Me	Me	Et	Me	A80
Me	Me	Et	Me	A81
Me	Me	Et	Me	A82
Me	Me	Et	Me	A83
Me	Me	Et	Me	A84
Me	Me	Et	Me	A85
Me	Me	Et	Me	A86
Me	Me	Et	Me	A87
Me	Me	Et	Me	A88
Me	Me	Et	Me	A89
Me	Me	Et	Me	A90
Me	Me	Et	Me	A91
Me	Me	Et	Me	A92
Me	Me	Et	Me	A93
Me	Me	Et	Me	A94
Me	Me	Et	Me	A95
Me	Me	Et	Me	A96
Me	Me	Et	Me	A97
Me	Me	Et	Me	A98
Me	Me	Et	Me	A99
Me	Me	Et	Me	A100
Me	Me	Et	Me	A101

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Ph	Me	Me	Me	A75
Ph	Me	Me	Me	A76
Ph	Me	Me	Me	A77
Ph	Me	Me	Me	A81
Ph	Me	Me	Me	A83
Ph	Me	Me	Me	A88
Ph	Me	Me	Me	A91
Ph	Me	Me	Me	A97
Ph	Me	Me	Me	A98
Ph	Me	Me	Me	A102
Ph	Me	Me	Me	A112
Ph	Me	Me	Me	A113
Ph	Me	Me	Me	A114
c-Pr	Me	Me	Me	H
c-Pr	Me	Me	Me	A1
c-Pr	Me	Me	Me	A2
c-Pr	Me	Me	Me	A3
c-Pr	Me	Me	Me	A4
c-Pr	Me	Me	Me	A5
c-Pr	Me	Me	Me	A6
c-Pr	Me	Me	Me	A7
c-Pr	Me	Me	Me	A8
c-Pr	Me	Me	Me	A9
c-Pr	Me	Me	Me	A10
c-Pr	Me	Me	Me	A11
c-Pr	Me	Me	Me	A12
c-Pr	Me	Me	Me	A13
c-Pr	Me	Me	Me	A14
c-Pr	Me	Me	Me	A15
c-Pr	Me	Me	Me	A16
c-Pr	Me	Me	Me	A17
c-Pr	Me	Me	Me	A18
c-Pr	Me	Me	Me	A19
c-Pr	Me	Me	Me	A20
c-Pr	Me	Me	Me	A21
c-Pr	Me	Me	Me	A22
c-Pr	Me	Me	Me	A23
c-Pr	Me	Me	Me	A24
c-Pr	Me	Me	Me	A25

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Et	Me	A102
Me	Me	Et	Me	A103
Me	Me	Et	Me	A104
Me	Me	Et	Me	A105
Me	Me	Et	Me	A106
Me	Me	Et	Me	A107
Me	Me	Et	Me	A108
Me	Me	Et	Me	A109
Me	Me	Et	Me	A110
Me	Me	Et	Me	A111
Me	Me	Et	Me	A112
Me	Me	Et	Me	A113
Me	Me	Et	Me	A114
c-Pr	Me	Et	Me	H
c-Pr	Me	Et	Me	A1
c-Pr	Me	Et	Me	A2
c-Pr	Me	Et	Me	A3
c-Pr	Me	Et	Me	A4
c-Pr	Me	Et	Me	A5
c-Pr	Me	Et	Me	A6
c-Pr	Me	Et	Me	A7
c-Pr	Me	Et	Me	A8
c-Pr	Me	Et	Me	A9
c-Pr	Me	Et	Me	A10
c-Pr	Me	Et	Me	A11
c-Pr	Me	Et	Me	A12
c-Pr	Me	Et	Me	A13
c-Pr	Me	Et	Me	A14
c-Pr	Me	Et	Me	A15
c-Pr	Me	Et	Me	A16
c-Pr	Me	Et	Me	A17
c-Pr	Me	Et	Me	A18
c-Pr	Me	Et	Me	A19
c-Pr	Me	Et	Me	A20
c-Pr	Me	Et	Me	A21
c-Pr	Me	Et	Me	A22
c-Pr	Me	Et	Me	A23
c-Pr	Me	Et	Me	A24
c-Pr	Me	Et	Me	A25

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
c-Pr	Me	Me	Me	A26
c-Pr	Me	Me	Me	A27
c-Pr	Me	Me	Me	A28
c-Pr	Me	Me	Me	A29
c-Pr	Me	Me	Me	A30
c-Pr	Me	Me	Me	A31
c-Pr	Me	Me	Me	A32
c-Pr	Me	Me	Me	A33
c-Pr	Me	Me	Me	A34
c-Pr	Me	Me	Me	A35
c-Pr	Me	Me	Me	A36
c-Pr	Me	Me	Me	A37
c-Pr	Me	Me	Me	A38
c-Pr	Me	Me	Me	A39
c-Pr	Me	Me	Me	A40
c-Pr	Me	Me	Me	A41
c-Pr	Me	Me	Me	A42
c-Pr	Me	Me	Me	A43
c-Pr	Me	Me	Me	A44
c-Pr	Me	Me	Me	A45
c-Pr	Me	Me	Me	A46
c-Pr	Me	Me	Me	A47
c-Pr	Me	Me	Me	A48
c-Pr	Me	Me	Me	A49
c-Pr	Me	Me	Me	A50
c-Pr	Me	Me	Me	A51
c-Pr	Me	Me	Me	A52
c-Pr	Me	Me	Me	A53
c-Pr	Me	Me	Me	A54
c-Pr	Me	Me	Me	A55
c-Pr	Me	Me	Me	A56
c-Pr	Me	Me	Me	A57
c-Pr	Me	Me	Me	A58
c-Pr	Me	Me	Me	A59
c-Pr	Me	Me	Me	A60
c-Pr	Me	Me	Me	A61
c-Pr	Me	Me	Me	A62
c-Pr	Me	Me	Me	A63
c-Pr	Me	Me	Me	A64

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
c-Pr	Me	Et	Me	A26
c-Pr	Me	Et	Me	A27
c-Pr	Me	Et	Me	A28
c-Pr	Me	Et	Me	A29
c-Pr	Me	Et	Me	A30
c-Pr	Me	Et	Me	A31
c-Pr	Me	Et	Me	A32
c-Pr	Me	Et	Me	A33
c-Pr	Me	Et	Me	A34
c-Pr	Me	Et	Me	A35
c-Pr	Me	Et	Me	A36
c-Pr	Me	Et	Me	A37
c-Pr	Me	Et	Me	A38
c-Pr	Me	Et	Me	A39
c-Pr	Me	Et	Me	A40
c-Pr	Me	Et	Me	A41
c-Pr	Me	Et	Me	A42
c-Pr	Me	Et	Me	A43
c-Pr	Me	Et	Me	A44
c-Pr	Me	Et	Me	A45
c-Pr	Me	Et	Me	A46
c-Pr	Me	Et	Me	A47
c-Pr	Me	Et	Me	A48
c-Pr	Me	Et	Me	A49
c-Pr	Me	Et	Me	A50
c-Pr	Me	Et	Me	A51
c-Pr	Me	Et	Me	A52
c-Pr	Me	Et	Me	A53
c-Pr	Me	Et	Me	A54
c-Pr	Me	Et	Me	A55
c-Pr	Me	Et	Me	A56
c-Pr	Me	Et	Me	A57
c-Pr	Me	Et	Me	A58
c-Pr	Me	Et	Me	A59
c-Pr	Me	Et	Me	A60
c-Pr	Me	Et	Me	A61
c-Pr	Me	Et	Me	A62
c-Pr	Me	Et	Me	A63
c-Pr	Me	Et	Me	A64

Table 1 (continued)

R ^b	Z ^a	Z ^e	Z ^c	A
c-Pr	Me	Me	Me	A65
c-Pr	Me	Me	Me	A66
c-Pr	Me	Me	Me	A67
c-Pr	Me	Me	Me	A68
c-Pr	Me	Me	Me	A69
c-Pr	Me	Me	Me	A70
c-Pr	Me	Me	Me	A71
c-Pr	Me	Me	Me	A72
c-Pr	Me	Me	Me	A73
c-Pr	Me	Me	Me	A74
c-Pr	Me	Me	Me	A75
c-Pr	Me	Me	Me	A76
c-Pr	Me	Me	Me	A77
c-Pr	Me	Me	Me	A78
c-Pr	Me	Me	Me	A79
c-Pr	Me	Me	Me	A80
c-Pr	Me	Me	Me	A81
c-Pr	Me	Me	Me	A82
c-Pr	Me	Me	Me	A83
c-Pr	Me	Me	Me	A84
c-Pr	Me	Me	Me	A85
c-Pr	Me	Me	Me	A86
c-Pr	Me	Me	Me	A87
c-Pr	Me	Me	Me	A88
c-Pr	Me	Me	Me	A89
c-Pr	Me	Me	Me	A90
c-Pr	Me	Me	Me	A91
c-Pr	Me	Me	Me	A92
c-Pr	Me	Me	Me	A93
c-Pr	Me	Me	Me	A94
c-Pr	Me	Me	Me	A95
c-Pr	Me	Me	Me	A96
c-Pr	Me	Me	Me	A97
c-Pr	Me	Me	Me	A98
c-Pr	Me	Me	Me	A99
c-Pr	Me	Me	Me	A100
c-Pr	Me	Me	Me	A101
c-Pr	Me	Me	Me	A102
c-Pr	Me	Me	Me	A103

Table 1 (continued)

R ^b	Z ^a	Z ^e	Z ^c	A
c-Pr	Me	Et	Me	A65
c-Pr	Me	Et	Me	A66
c-Pr	Me	Et	Me	A67
c-Pr	Me	Et	Me	A68
c-Pr	Me	Et	Me	A69
c-Pr	Me	Et	Me	A70
c-Pr	Me	Et	Me	A71
c-Pr	Me	Et	Me	A72
c-Pr	Me	Et	Me	A73
c-Pr	Me	Et	Me	A74
c-Pr	Me	Et	Me	A75
c-Pr	Me	Et	Me	A76
c-Pr	Me	Et	Me	A77
c-Pr	Me	Et	Me	A78
c-Pr	Me	Et	Me	A79
c-Pr	Me	Et	Me	A80
c-Pr	Me	Et	Me	A81
c-Pr	Me	Et	Me	A82
c-Pr	Me	Et	Me	A83
c-Pr	Me	Et	Me	A84
c-Pr	Me	Et	Me	A85
c-Pr	Me	Et	Me	A86
c-Pr	Me	Et	Me	A87
c-Pr	Me	Et	Me	A88
c-Pr	Me	Et	Me	A89
c-Pr	Me	Et	Me	A90
c-Pr	Me	Et	Me	A91
c-Pr	Me	Et	Me	A92
c-Pr	Me	Et	Me	A93
c-Pr	Me	Et	Me	A94
c-Pr	Me	Et	Me	A95
c-Pr	Me	Et	Me	A96
c-Pr	Me	Et	Me	A97
c-Pr	Me	Et	Me	A98
c-Pr	Me	Et	Me	A99
c-Pr	Me	Et	Me	A100
c-Pr	Me	Et	Me	A101
c-Pr	Me	Et	Me	A102
c-Pr	Me	Et	Me	A103

Table 1 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
c-Pr	Me	Me	Me	A104
c-Pr	Me	Me	Me	A105
c-Pr	Me	Me	Me	A106
c-Pr	Me	Me	Me	A107
c-Pr	Me	Me	Me	A108
c-Pr	Me	Me	Me	A109
c-Pr	Me	Me	Me	A110
c-Pr	Me	Me	Me	A111
c-Pr	Me	Me	Me	A112
c-Pr	Me	Me	Me	A113
c-Pr	Me	Me	Me	A114
D1-108b-1	Me	Me	Me	H
D1-108b-4	Me	Me	Me	H
D1-108b-8	Me	Me	Me	H
D1-108b-16	Me	Me	Me	H
D1-108b-17	Me	Me	Me	H
D1-108b-18	Me	Me	Me	H
D1-108b-19	Me	Me	Me	H
CH ₂ Pr-c	Me	Me	Me	H
CH ₂ Bu-c	Me	Me	Me	H
CH ₂ Pen-c	Me	Me	Me	H
CH ₂ Hex-c	Me	Me	Me	H
Me	Me	Me	c-Pr	H
Me	Me	Me	CH=CH ₂	H
Me	Me	Me	CH=CHPr-n	H
Me	Me	Me	CH=CHPh	H
Me	Me	Me	C(O)Me	H
Me	Me	Me	C(O)OMe	H
Me	Me	Me	C(=NOMe)Me	H
Me	Me	Me	OH	H
Me	Me	Me	OMe	H
Me	Me	Me	OCH ₂ CH ₂ OMe	H
Me	Me	Me	OCH ₂ Ph	H
Me	Me	Me	OCH ₂ (D1-34a)	H
Me	Me	Me	OPh	H
Me	Me	Me	O(D1-32b-1)	H
Me	Me	Me	Me	A115
Me	Me	Me	SMe	H
Me	Me	Me	S(O)Me	H

Table 1 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
c-Pr	Me	Et	Me	A104
c-Pr	Me	Et	Me	A105
c-Pr	Me	Et	Me	A106
c-Pr	Me	Et	Me	A107
c-Pr	Me	Et	Me	A108
c-Pr	Me	Et	Me	A109
c-Pr	Me	Et	Me	A110
c-Pr	Me	Et	Me	A111
c-Pr	Me	Et	Me	A112
c-Pr	Me	Et	Me	A113
c-Pr	Me	Et	Me	A114
D1-108b-1	Me	Et	Me	H
D1-108b-4	Me	Et	Me	H
D1-108b-8	Me	Et	Me	H
D1-108b-16	Me	Et	Me	H
D1-108b-17	Me	Et	Me	H
D1-108b-18	Me	Et	Me	H
D1-108b-19	Me	Et	Me	H
CH ₂ Pr-c	Me	Et	Me	H
CH ₂ Bu-c	Me	Et	Me	H
CH ₂ Pen-c	Me	Et	Me	H
CH ₂ Hex-c	Me	Et	Me	H
Me	Me	Et	c-Pr	H
Me	Me	Et	CH=CH ₂	H
Me	Me	Et	CH=CHPr-n	H
Me	Me	Et	CH=CHPh	H
Me	Me	Et	C(O)Me	H
Me	Me	Et	C(O)OMe	H
Me	Me	Et	C(=NOMe)Me	H
Me	Me	Et	OH	H
Me	Me	Et	OMe	H
Me	Me	Et	OCH ₂ CH ₂ OMe	H
Me	Me	Et	OCH ₂ Ph	H
Me	Me	Et	OCH ₂ (D1-34a)	H
Me	Me	Et	OPh	H
Me	Me	Et	O(D1-32b-1)	H
Me	Me	Et	Me	A115
Me	Me	Et	SMe	H
Me	Me	Et	S(O)Me	H

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Me	S(O) ₂ Me	H
Me	Me	Me	NHC(O)OBu-t	H
Me	Me	Me	H	H
Me	Me	Me	Br	A1
Me	Me	Me	Br	A2
Me	Me	Me	Br	A3
Me	Me	Me	Br	A4
Me	Me	Me	Br	A5
Me	Me	Me	Br	A6
Me	Me	Me	Br	A7
Me	Me	Me	Br	A8
Me	Me	Me	Br	A9
Me	Me	Me	Br	A10
Me	Me	Me	Br	A11
Me	Me	Me	Br	A12
Me	Me	Me	Br	A13
Me	Me	Me	Br	A14
Me	Me	Me	Br	A15
Me	Me	Me	Br	A16
Me	Me	Me	Br	A17
Me	Me	Me	Br	A18
Me	Me	Me	Br	A19
Me	Me	Me	Br	A20
Me	Me	Me	Br	A21
Me	Me	Me	Br	A22
Me	Me	Me	Br	A23
Me	Me	Me	Br	A24
Me	Me	Me	Br	A25
Me	Me	Me	Br	A26
Me	Me	Me	Br	A27
Me	Me	Me	Br	A28
Me	Me	Me	Br	A29
Me	Me	Me	Br	A30
Me	Me	Me	Br	A31
Me	Me	Me	Br	A32
Me	Me	Me	Br	A33
Me	Me	Me	Br	A34
Me	Me	Me	Br	A35
Me	Me	Me	Br	A36

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Et	S(O) ₂ Me	H
Me	Me	Et	NHC(O)OBu-t	H
Me	Me	Et	H	H
Me	Me	Et	Br	A1
Me	Me	Et	Br	A2
Me	Me	Et	Br	A3
Me	Me	Et	Br	A4
Me	Me	Et	Br	A5
Me	Me	Et	Br	A6
Me	Me	Et	Br	A7
Me	Me	Et	Br	A8
Me	Me	Et	Br	A9
Me	Me	Et	Br	A10
Me	Me	Et	Br	A11
Me	Me	Et	Br	A12
Me	Me	Et	Br	A13
Me	Me	Et	Br	A14
Me	Me	Et	Br	A15
Me	Me	Et	Br	A16
Me	Me	Et	Br	A17
Me	Me	Et	Br	A18
Me	Me	Et	Br	A19
Me	Me	Et	Br	A20
Me	Me	Et	Br	A21
Me	Me	Et	Br	A22
Me	Me	Et	Br	A23
Me	Me	Et	Br	A24
Me	Me	Et	Br	A25
Me	Me	Et	Br	A26
Me	Me	Et	Br	A27
Me	Me	Et	Br	A28
Me	Me	Et	Br	A29
Me	Me	Et	Br	A30
Me	Me	Et	Br	A31
Me	Me	Et	Br	A32
Me	Me	Et	Br	A33
Me	Me	Et	Br	A34
Me	Me	Et	Br	A35
Me	Me	Et	Br	A36

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Me	Br	A37
Me	Me	Me	Br	A38
Me	Me	Me	Br	A39
Me	Me	Me	Br	A40
Me	Me	Me	Br	A41
Me	Me	Me	Br	A42
Me	Me	Me	Br	A43
Me	Me	Me	Br	A44
Me	Me	Me	Br	A45
Me	Me	Me	Br	A46
Me	Me	Me	Br	A47
Me	Me	Me	Br	A48
Me	Me	Me	Br	A49
Me	Me	Me	Br	A50
Me	Me	Me	Br	A51
Me	Me	Me	Br	A52
Me	Me	Me	Br	A53
Me	Me	Me	Br	A54
Me	Me	Me	Br	A55
Me	Me	Me	Br	A56
Me	Me	Me	Br	A57
Me	Me	Me	Br	A58
Me	Me	Me	Br	A59
Me	Me	Me	Br	A60
Me	Me	Me	Br	A61
Me	Me	Me	Br	A62
Me	Me	Me	Br	A63
Me	Me	Me	Br	A64
Me	Me	Me	Br	A65
Me	Me	Me	Br	A66
Me	Me	Me	Br	A67
Me	Me	Me	Br	A68
Me	Me	Me	Br	A69
Me	Me	Me	Br	A70
Me	Me	Me	Br	A71
Me	Me	Me	Br	A72
Me	Me	Me	Br	A73
Me	Me	Me	Br	A74
Me	Me	Me	Br	A75

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Et	Br	A37
Me	Me	Et	Br	A38
Me	Me	Et	Br	A39
Me	Me	Et	Br	A40
Me	Me	Et	Br	A41
Me	Me	Et	Br	A42
Me	Me	Et	Br	A43
Me	Me	Et	Br	A44
Me	Me	Et	Br	A45
Me	Me	Et	Br	A46
Me	Me	Et	Br	A47
Me	Me	Et	Br	A48
Me	Me	Et	Br	A49
Me	Me	Et	Br	A50
Me	Me	Et	Br	A51
Me	Me	Et	Br	A52
Me	Me	Et	Br	A53
Me	Me	Et	Br	A54
Me	Me	Et	Br	A55
Me	Me	Et	Br	A56
Me	Me	Et	Br	A57
Me	Me	Et	Br	A58
Me	Me	Et	Br	A59
Me	Me	Et	Br	A60
Me	Me	Et	Br	A61
Me	Me	Et	Br	A62
Me	Me	Et	Br	A63
Me	Me	Et	Br	A64
Me	Me	Et	Br	A65
Me	Me	Et	Br	A66
Me	Me	Et	Br	A67
Me	Me	Et	Br	A68
Me	Me	Et	Br	A69
Me	Me	Et	Br	A70
Me	Me	Et	Br	A71
Me	Me	Et	Br	A72
Me	Me	Et	Br	A73
Me	Me	Et	Br	A74
Me	Me	Et	Br	A75

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Me	Br	A 76
Me	Me	Me	Br	A 77
Me	Me	Me	Br	A 78
Me	Me	Me	Br	A 79
Me	Me	Me	Br	A 80
Me	Me	Me	Br	A 81
Me	Me	Me	Br	A 82
Me	Me	Me	Br	A 83
Me	Me	Me	Br	A 84
Me	Me	Me	Br	A 85
Me	Me	Me	Br	A 86
Me	Me	Me	Br	A 87
Me	Me	Me	Br	A 88
Me	Me	Me	Br	A 89
Me	Me	Me	Br	A 90
Me	Me	Me	Br	A 91
Me	Me	Me	Br	A 92
Me	Me	Me	Br	A 93
Me	Me	Me	Br	A 94
Me	Me	Me	Br	A 95
Me	Me	Me	Br	A 96
Me	Me	Me	Br	A 97
Me	Me	Me	Br	A 98
Me	Me	Me	Br	A 99
Me	Me	Me	Br	A 100
Me	Me	Me	Br	A 101
Me	Me	Me	Br	A 102
Me	Me	Me	Br	A 103
Me	Me	Me	Br	A 104
Me	Me	Me	Br	A 105
Me	Me	Me	Br	A 106
Me	Me	Me	Br	A 107
Me	Me	Me	Br	A 108
Me	Me	Me	Br	A 109
Me	Me	Me	Br	A 110
Me	Me	Me	Br	A 111
Me	Me	Me	Br	A 112
Me	Me	Me	Br	A 113
Me	Me	Me	Br	A 114
Me	Me	Me	Br	A 115
Me	Me	Me	Br	A 116

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Et	Br	A 76
Me	Me	Et	Br	A 77
Me	Me	Et	Br	A 78
Me	Me	Et	Br	A 79
Me	Me	Et	Br	A 80
Me	Me	Et	Br	A 81
Me	Me	Et	Br	A 82
Me	Me	Et	Br	A 83
Me	Me	Et	Br	A 84
Me	Me	Et	Br	A 85
Me	Me	Et	Br	A 86
Me	Me	Et	Br	A 87
Me	Me	Et	Br	A 88
Me	Me	Et	Br	A 89
Me	Me	Et	Br	A 90
Me	Me	Et	Br	A 91
Me	Me	Et	Br	A 92
Me	Me	Et	Br	A 93
Me	Me	Et	Br	A 94
Me	Me	Et	Br	A 95
Me	Me	Et	Br	A 96
Me	Me	Et	Br	A 97
Me	Me	Et	Br	A 98
Me	Me	Et	Br	A 99
Me	Me	Et	Br	A 100
Me	Me	Et	Br	A 101
Me	Me	Et	Br	A 102
Me	Me	Et	Br	A 103
Me	Me	Et	Br	A 104
Me	Me	Et	Br	A 105
Me	Me	Et	Br	A 106
Me	Me	Et	Br	A 107
Me	Me	Et	Br	A 108
Me	Me	Et	Br	A 109
Me	Me	Et	Br	A 110
Me	Me	Et	Br	A 111
Me	Me	Et	Br	A 112
Me	Me	Et	Br	A 113
Me	Me	Et	Br	A 114
Me	Me	Et	Br	A 115
Me	Me	Et	Br	A 116

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Et	Et	F	H
Me	Et	Et	Cl	H
Me	Et	Et	Br	H
Me	Et	Et	I	H
Me	Et	Et	CN	H
Me	Et	Et	NO ₂	H
CH=CH ₂	Et	Et	Me	H
c-Bu	Et	Et	Me	H
c-Pen	Et	Et	Me	H
c-Hex	Et	Et	Me	H
Ph	Et	Et	Me	H
CF ₃	Et	Et	Me	H
CH ₂ Cl	Et	Et	Me	H
CH ₂ OMe	Et	Et	Me	H
D1-32a	Et	Et	Me	H
Me	Et	Et	Me	H
Me	Et	Et	Me	A1
Me	Et	Et	Me	A2
Me	Et	Et	Me	A3
Me	Et	Et	Me	A4
Me	Et	Et	Me	A5
Me	Et	Et	Me	A6
Me	Et	Et	Me	A7
Me	Et	Et	Me	A8
Me	Et	Et	Me	A9
Me	Et	Et	Me	A10
Me	Et	Et	Me	A11
Me	Et	Et	Me	A12
Me	Et	Et	Me	A13
Me	Et	Et	Me	A14
Me	Et	Et	Me	A15
Me	Et	Et	Me	A16
Me	Et	Et	Me	A17
Me	Et	Et	Me	A18
Me	Et	Et	Me	A19
Me	Et	Et	Me	A20
Me	Et	Et	Me	A21
Me	Et	Et	Me	A22
Me	Et	Et	Me	A23

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	n-Pr	F	H
Me	Me	n-Pr	Cl	H
Me	Me	n-Pr	Br	H
Me	Me	n-Pr	I	H
Me	Me	n-Pr	CN	H
Me	Me	n-Pr	NO ₂	H
CH=CH ₂	Me	n-Pr	Me	H
c-Bu	Me	n-Pr	Me	H
c-Pen	Me	n-Pr	Me	H
c-Hex	Me	n-Pr	Me	H
Ph	Me	n-Pr	Me	H
CF ₃	Me	n-Pr	Me	H
CH ₂ Cl	Me	n-Pr	Me	H
CH ₂ OMe	Me	n-Pr	Me	H
D1-32a	Me	n-Pr	Me	H
Me	Me	n-Pr	Me	H
Me	Me	n-Pr	Me	A1
Me	Me	n-Pr	Me	A2
Me	Me	n-Pr	Me	A3
Me	Me	n-Pr	Me	A4
Me	Me	n-Pr	Me	A5
Me	Me	n-Pr	Me	A6
Me	Me	n-Pr	Me	A7
Me	Me	n-Pr	Me	A8
Me	Me	n-Pr	Me	A9
Me	Me	n-Pr	Me	A10
Me	Me	n-Pr	Me	A11
Me	Me	n-Pr	Me	A12
Me	Me	n-Pr	Me	A13
Me	Me	n-Pr	Me	A14
Me	Me	n-Pr	Me	A15
Me	Me	n-Pr	Me	A16
Me	Me	n-Pr	Me	A17
Me	Me	n-Pr	Me	A18
Me	Me	n-Pr	Me	A19
Me	Me	n-Pr	Me	A20
Me	Me	n-Pr	Me	A21
Me	Me	n-Pr	Me	A22
Me	Me	n-Pr	Me	A23

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Et	Et	Me	A24
Me	Et	Et	Me	A25
Me	Et	Et	Me	A26
Me	Et	Et	Me	A27
Me	Et	Et	Me	A28
Me	Et	Et	Me	A29
Me	Et	Et	Me	A30
Me	Et	Et	Me	A31
Me	Et	Et	Me	A32
Me	Et	Et	Me	A33
Me	Et	Et	Me	A34
Me	Et	Et	Me	A35
Me	Et	Et	Me	A36
Me	Et	Et	Me	A37
Me	Et	Et	Me	A38
Me	Et	Et	Me	A39
Me	Et	Et	Me	A40
Me	Et	Et	Me	A41
Me	Et	Et	Me	A42
Me	Et	Et	Me	A43
Me	Et	Et	Me	A44
Me	Et	Et	Me	A45
Me	Et	Et	Me	A46
Me	Et	Et	Me	A47
Me	Et	Et	Me	A48
Me	Et	Et	Me	A49
Me	Et	Et	Me	A50
Me	Et	Et	Me	A51
Me	Et	Et	Me	A52
Me	Et	Et	Me	A53
Me	Et	Et	Me	A54
Me	Et	Et	Me	A55
Me	Et	Et	Me	A56
Me	Et	Et	Me	A57
Me	Et	Et	Me	A58
Me	Et	Et	Me	A59
Me	Et	Et	Me	A60
Me	Et	Et	Me	A61
Me	Et	Et	Me	A62

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	n-Pr	Me	A24
Me	Me	n-Pr	Me	A25
Me	Me	n-Pr	Me	A26
Me	Me	n-Pr	Me	A27
Me	Me	n-Pr	Me	A28
Me	Me	n-Pr	Me	A29
Me	Me	n-Pr	Me	A30
Me	Me	n-Pr	Me	A31
Me	Me	n-Pr	Me	A32
Me	Me	n-Pr	Me	A33
Me	Me	n-Pr	Me	A34
Me	Me	n-Pr	Me	A35
Me	Me	n-Pr	Me	A36
Me	Me	n-Pr	Me	A37
Me	Me	n-Pr	Me	A38
Me	Me	n-Pr	Me	A39
Me	Me	n-Pr	Me	A40
Me	Me	n-Pr	Me	A41
Me	Me	n-Pr	Me	A42
Me	Me	n-Pr	Me	A43
Me	Me	n-Pr	Me	A44
Me	Me	n-Pr	Me	A45
Me	Me	n-Pr	Me	A46
Me	Me	n-Pr	Me	A47
Me	Me	n-Pr	Me	A48
Me	Me	n-Pr	Me	A49
Me	Me	n-Pr	Me	A50
Me	Me	n-Pr	Me	A51
Me	Me	n-Pr	Me	A52
Me	Me	n-Pr	Me	A53
Me	Me	n-Pr	Me	A54
Me	Me	n-Pr	Me	A55
Me	Me	n-Pr	Me	A56
Me	Me	n-Pr	Me	A57
Me	Me	n-Pr	Me	A58
Me	Me	n-Pr	Me	A59
Me	Me	n-Pr	Me	A60
Me	Me	n-Pr	Me	A61
Me	Me	n-Pr	Me	A62

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Et	Et	Me	A63
Me	Et	Et	Me	A64
Me	Et	Et	Me	A65
Me	Et	Et	Me	A66
Me	Et	Et	Me	A67
Me	Et	Et	Me	A68
Me	Et	Et	Me	A69
Me	Et	Et	Me	A70
Me	Et	Et	Me	A71
Me	Et	Et	Me	A72
Me	Et	Et	Me	A73
Me	Et	Et	Me	A74
Me	Et	Et	Me	A75
Me	Et	Et	Me	A76
Me	Et	Et	Me	A77
Me	Et	Et	Me	A78
Me	Et	Et	Me	A79
Me	Et	Et	Me	A80
Me	Et	Et	Me	A81
Me	Et	Et	Me	A82
Me	Et	Et	Me	A83
Me	Et	Et	Me	A84
Me	Et	Et	Me	A85
Me	Et	Et	Me	A86
Me	Et	Et	Me	A87
Me	Et	Et	Me	A88
Me	Et	Et	Me	A89
Me	Et	Et	Me	A90
Me	Et	Et	Me	A91
Me	Et	Et	Me	A92
Me	Et	Et	Me	A93
Me	Et	Et	Me	A94
Me	Et	Et	Me	A95
Me	Et	Et	Me	A96
Me	Et	Et	Me	A97
Me	Et	Et	Me	A98
Me	Et	Et	Me	A99
Me	Et	Et	Me	A100
Me	Et	Et	Me	A101

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Me	n-Pr	Me	A63
Me	Me	n-Pr	Me	A64
Me	Me	n-Pr	Me	A65
Me	Me	n-Pr	Me	A66
Me	Me	n-Pr	Me	A67
Me	Me	n-Pr	Me	A68
Me	Me	n-Pr	Me	A69
Me	Me	n-Pr	Me	A70
Me	Me	n-Pr	Me	A71
Me	Me	n-Pr	Me	A72
Me	Me	n-Pr	Me	A73
Me	Me	n-Pr	Me	A74
Me	Me	n-Pr	Me	A75
Me	Me	n-Pr	Me	A76
Me	Me	n-Pr	Me	A77
Me	Me	n-Pr	Me	A78
Me	Me	n-Pr	Me	A79
Me	Me	n-Pr	Me	A80
Me	Me	n-Pr	Me	A81
Me	Me	n-Pr	Me	A82
Me	Me	n-Pr	Me	A83
Me	Me	n-Pr	Me	A84
Me	Me	n-Pr	Me	A85
Me	Me	n-Pr	Me	A86
Me	Me	n-Pr	Me	A87
Me	Me	n-Pr	Me	A88
Me	Me	n-Pr	Me	A89
Me	Me	n-Pr	Me	A90
Me	Me	n-Pr	Me	A91
Me	Me	n-Pr	Me	A92
Me	Me	n-Pr	Me	A93
Me	Me	n-Pr	Me	A94
Me	Me	n-Pr	Me	A95
Me	Me	n-Pr	Me	A96
Me	Me	n-Pr	Me	A97
Me	Me	n-Pr	Me	A98
Me	Me	n-Pr	Me	A99
Me	Me	n-Pr	Me	A100
Me	Me	n-Pr	Me	A101

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Et	Et	Me	A 102
Me	Et	Et	Me	A 103
Me	Et	Et	Me	A 104
Me	Et	Et	Me	A 105
Me	Et	Et	Me	A 106
Me	Et	Et	Me	A 107
Me	Et	Et	Me	A 108
Me	Et	Et	Me	A 109
Me	Et	Et	Me	A 110
Me	Et	Et	Me	A 111
Me	Et	Et	Me	A 112
Me	Et	Et	Me	A 113
Me	Et	Et	Me	A 114
c-Pr	Et	Et	Me	H
c-Pr	Et	Et	Me	A 1
c-Pr	Et	Et	Me	A 2
c-Pr	Et	Et	Me	A 3
c-Pr	Et	Et	Me	A 4
c-Pr	Et	Et	Me	A 5
c-Pr	Et	Et	Me	A 6
c-Pr	Et	Et	Me	A 7
c-Pr	Et	Et	Me	A 8
c-Pr	Et	Et	Me	A 9
c-Pr	Et	Et	Me	A 10
c-Pr	Et	Et	Me	A 11
c-Pr	Et	Et	Me	A 12
c-Pr	Et	Et	Me	A 13
c-Pr	Et	Et	Me	A 14
c-Pr	Et	Et	Me	A 15
c-Pr	Et	Et	Me	A 16
c-Pr	Et	Et	Me	A 17
c-Pr	Et	Et	Me	A 18
c-Pr	Et	Et	Me	A 19
c-Pr	Et	Et	Me	A 20
c-Pr	Et	Et	Me	A 21
c-Pr	Et	Et	Me	A 22
c-Pr	Et	Et	Me	A 23
c-Pr	Et	Et	Me	A 24
c-Pr	Et	Et	Me	A 25

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Me	n-Pr	Me	A 102
Me	Me	n-Pr	Me	A 103
Me	Me	n-Pr	Me	A 104
Me	Me	n-Pr	Me	A 105
Me	Me	n-Pr	Me	A 106
Me	Me	n-Pr	Me	A 107
Me	Me	n-Pr	Me	A 108
Me	Me	n-Pr	Me	A 109
Me	Me	n-Pr	Me	A 110
Me	Me	n-Pr	Me	A 111
Me	Me	n-Pr	Me	A 112
Me	Me	n-Pr	Me	A 113
Me	Me	n-Pr	Me	A 114
c-Pr	Me	n-Pr	Me	H
c-Pr	Me	n-Pr	Me	A 1
c-Pr	Me	n-Pr	Me	A 2
c-Pr	Me	n-Pr	Me	A 3
c-Pr	Me	n-Pr	Me	A 4
c-Pr	Me	n-Pr	Me	A 5
c-Pr	Me	n-Pr	Me	A 6
c-Pr	Me	n-Pr	Me	A 7
c-Pr	Me	n-Pr	Me	A 8
c-Pr	Me	n-Pr	Me	A 9
c-Pr	Me	n-Pr	Me	A 10
c-Pr	Me	n-Pr	Me	A 11
c-Pr	Me	n-Pr	Me	A 12
c-Pr	Me	n-Pr	Me	A 13
c-Pr	Me	n-Pr	Me	A 14
c-Pr	Me	n-Pr	Me	A 15
c-Pr	Me	n-Pr	Me	A 16
c-Pr	Me	n-Pr	Me	A 17
c-Pr	Me	n-Pr	Me	A 18
c-Pr	Me	n-Pr	Me	A 19
c-Pr	Me	n-Pr	Me	A 20
c-Pr	Me	n-Pr	Me	A 21
c-Pr	Me	n-Pr	Me	A 22
c-Pr	Me	n-Pr	Me	A 23
c-Pr	Me	n-Pr	Me	A 24
c-Pr	Me	n-Pr	Me	A 25

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
c-Pr	Et	Et	Me	A 26
c-Pr	Et	Et	Me	A 27
c-Pr	Et	Et	Me	A 28
c-Pr	Et	Et	Me	A 29
c-Pr	Et	Et	Me	A 30
c-Pr	Et	Et	Me	A 31
c-Pr	Et	Et	Me	A 32
c-Pr	Et	Et	Me	A 33
c-Pr	Et	Et	Me	A 34
c-Pr	Et	Et	Me	A 35
c-Pr	Et	Et	Me	A 36
c-Pr	Et	Et	Me	A 37
c-Pr	Et	Et	Me	A 38
c-Pr	Et	Et	Me	A 39
c-Pr	Et	Et	Me	A 40
c-Pr	Et	Et	Me	A 41
c-Pr	Et	Et	Me	A 42
c-Pr	Et	Et	Me	A 43
c-Pr	Et	Et	Me	A 44
c-Pr	Et	Et	Me	A 45
c-Pr	Et	Et	Me	A 46
c-Pr	Et	Et	Me	A 47
c-Pr	Et	Et	Me	A 48
c-Pr	Et	Et	Me	A 49
c-Pr	Et	Et	Me	A 50
c-Pr	Et	Et	Me	A 51
c-Pr	Et	Et	Me	A 52
c-Pr	Et	Et	Me	A 53
c-Pr	Et	Et	Me	A 54
c-Pr	Et	Et	Me	A 55
c-Pr	Et	Et	Me	A 56
c-Pr	Et	Et	Me	A 57
c-Pr	Et	Et	Me	A 58
c-Pr	Et	Et	Me	A 59
c-Pr	Et	Et	Me	A 60
c-Pr	Et	Et	Me	A 61
c-Pr	Et	Et	Me	A 62
c-Pr	Et	Et	Me	A 63
c-Pr	Et	Et	Me	A 64

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
c-Pr	Me	n-Pr	Me	A 26
c-Pr	Me	n-Pr	Me	A 27
c-Pr	Me	n-Pr	Me	A 28
c-Pr	Me	n-Pr	Me	A 29
c-Pr	Me	n-Pr	Me	A 30
c-Pr	Me	n-Pr	Me	A 31
c-Pr	Me	n-Pr	Me	A 32
c-Pr	Me	n-Pr	Me	A 33
c-Pr	Me	n-Pr	Me	A 34
c-Pr	Me	n-Pr	Me	A 35
c-Pr	Me	n-Pr	Me	A 36
c-Pr	Me	n-Pr	Me	A 37
c-Pr	Me	n-Pr	Me	A 38
c-Pr	Me	n-Pr	Me	A 39
c-Pr	Me	n-Pr	Me	A 40
c-Pr	Me	n-Pr	Me	A 41
c-Pr	Me	n-Pr	Me	A 42
c-Pr	Me	n-Pr	Me	A 43
c-Pr	Me	n-Pr	Me	A 44
c-Pr	Me	n-Pr	Me	A 45
c-Pr	Me	n-Pr	Me	A 46
c-Pr	Me	n-Pr	Me	A 47
c-Pr	Me	n-Pr	Me	A 48
c-Pr	Me	n-Pr	Me	A 49
c-Pr	Me	n-Pr	Me	A 50
c-Pr	Me	n-Pr	Me	A 51
c-Pr	Me	n-Pr	Me	A 52
c-Pr	Me	n-Pr	Me	A 53
c-Pr	Me	n-Pr	Me	A 54
c-Pr	Me	n-Pr	Me	A 55
c-Pr	Me	n-Pr	Me	A 56
c-Pr	Me	n-Pr	Me	A 57
c-Pr	Me	n-Pr	Me	A 58
c-Pr	Me	n-Pr	Me	A 59
c-Pr	Me	n-Pr	Me	A 60
c-Pr	Me	n-Pr	Me	A 61
c-Pr	Me	n-Pr	Me	A 62
c-Pr	Me	n-Pr	Me	A 63
c-Pr	Me	n-Pr	Me	A 64

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
c-Pr	Et	Et	Me	A65
c-Pr	Et	Et	Me	A66
c-Pr	Et	Et	Me	A67
c-Pr	Et	Et	Me	A68
c-Pr	Et	Et	Me	A69
c-Pr	Et	Et	Me	A70
c-Pr	Et	Et	Me	A71
c-Pr	Et	Et	Me	A72
c-Pr	Et	Et	Me	A73
c-Pr	Et	Et	Me	A74
c-Pr	Et	Et	Me	A75
c-Pr	Et	Et	Me	A76
c-Pr	Et	Et	Me	A77
c-Pr	Et	Et	Me	A78
c-Pr	Et	Et	Me	A79
c-Pr	Et	Et	Me	A80
c-Pr	Et	Et	Me	A81
c-Pr	Et	Et	Me	A82
c-Pr	Et	Et	Me	A83
c-Pr	Et	Et	Me	A84
c-Pr	Et	Et	Me	A85
c-Pr	Et	Et	Me	A86
c-Pr	Et	Et	Me	A87
c-Pr	Et	Et	Me	A88
c-Pr	Et	Et	Me	A89
c-Pr	Et	Et	Me	A90
c-Pr	Et	Et	Me	A91
c-Pr	Et	Et	Me	A92
c-Pr	Et	Et	Me	A93
c-Pr	Et	Et	Me	A94
c-Pr	Et	Et	Me	A95
c-Pr	Et	Et	Me	A96
c-Pr	Et	Et	Me	A97
c-Pr	Et	Et	Me	A98
c-Pr	Et	Et	Me	A99
c-Pr	Et	Et	Me	A100
c-Pr	Et	Et	Me	A101
c-Pr	Et	Et	Me	A102
c-Pr	Et	Et	Me	A103

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
c-Pr	Me	n-Pr	Me	A65
c-Pr	Me	n-Pr	Me	A66
c-Pr	Me	n-Pr	Me	A67
c-Pr	Me	n-Pr	Me	A68
c-Pr	Me	n-Pr	Me	A69
c-Pr	Me	n-Pr	Me	A70
c-Pr	Me	n-Pr	Me	A71
c-Pr	Me	n-Pr	Me	A72
c-Pr	Me	n-Pr	Me	A73
c-Pr	Me	n-Pr	Me	A74
c-Pr	Me	n-Pr	Me	A75
c-Pr	Me	n-Pr	Me	A76
c-Pr	Me	n-Pr	Me	A77
c-Pr	Me	n-Pr	Me	A78
c-Pr	Me	n-Pr	Me	A79
c-Pr	Me	n-Pr	Me	A80
c-Pr	Me	n-Pr	Me	A81
c-Pr	Me	n-Pr	Me	A82
c-Pr	Me	n-Pr	Me	A83
c-Pr	Me	n-Pr	Me	A84
c-Pr	Me	n-Pr	Me	A85
c-Pr	Me	n-Pr	Me	A86
c-Pr	Me	n-Pr	Me	A87
c-Pr	Me	n-Pr	Me	A88
c-Pr	Me	n-Pr	Me	A89
c-Pr	Me	n-Pr	Me	A90
c-Pr	Me	n-Pr	Me	A91
c-Pr	Me	n-Pr	Me	A92
c-Pr	Me	n-Pr	Me	A93
c-Pr	Me	n-Pr	Me	A94
c-Pr	Me	n-Pr	Me	A95
c-Pr	Me	n-Pr	Me	A96
c-Pr	Me	n-Pr	Me	A97
c-Pr	Me	n-Pr	Me	A98
c-Pr	Me	n-Pr	Me	A99
c-Pr	Me	n-Pr	Me	A100
c-Pr	Me	n-Pr	Me	A101
c-Pr	Me	n-Pr	Me	A102
c-Pr	Me	n-Pr	Me	A103

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
c-Pr	Et	Et	Me	A104
c-Pr	Et	Et	Me	A105
c-Pr	Et	Et	Me	A106
c-Pr	Et	Et	Me	A107
c-Pr	Et	Et	Me	A108
c-Pr	Et	Et	Me	A109
c-Pr	Et	Et	Me	A110
c-Pr	Et	Et	Me	A111
c-Pr	Et	Et	Me	A112
c-Pr	Et	Et	Me	A113
c-Pr	Et	Et	Me	A114
D1-108b-1	Et	Et	Me	H
D1-108b-4	Et	Et	Me	H
D1-108b-8	Et	Et	Me	H
D1-108b-16	Et	Et	Me	H
D1-108b-17	Et	Et	Me	H
D1-108b-18	Et	Et	Me	H
D1-108b-19	Et	Et	Me	H
CH ₂ Pr-c	Et	Et	Me	H
CH ₂ Bu-c	Et	Et	Me	H
CH ₂ Pen-c	Et	Et	Me	H
CH ₂ Hex-c	Et	Et	Me	H
Me	Et	Et	c-Pr	H
Me	Et	Et	CH=CH ₂	H
Me	Et	Et	CH=CHPr-n	H
Me	Et	Et	CH=CHPh	H
Me	Et	Et	C(O)Me	H
Me	Et	Et	C(O)OMe	H
Me	Et	Et	C(=NOMe)Me	H
Me	Et	Et	OH	H
Me	Et	Et	OMe	H
Me	Et	Et	OCH ₂ CH ₂ OMe	H
Me	Et	Et	OCH ₂ Ph	H
Me	Et	Et	OCH ₂ (D1-34a)	H
Me	Et	Et	OPh	H
Me	Et	Et	O(D1-32b-1)	H
Me	Et	Et	Me	A115
Me	Et	Et	SMe	H
Me	Et	Et	S(O)Me	H

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
c-Pr	Me	n-Pr	Me	A104
c-Pr	Me	n-Pr	Me	A105
c-Pr	Me	n-Pr	Me	A106
c-Pr	Me	n-Pr	Me	A107
c-Pr	Me	n-Pr	Me	A108
c-Pr	Me	n-Pr	Me	A109
c-Pr	Me	n-Pr	Me	A110
c-Pr	Me	n-Pr	Me	A111
c-Pr	Me	n-Pr	Me	A112
c-Pr	Me	n-Pr	Me	A113
c-Pr	Me	n-Pr	Me	A114
D1-108b-1	Me	n-Pr	Me	H
D1-108b-4	Me	n-Pr	Me	H
D1-108b-8	Me	n-Pr	Me	H
D1-108b-16	Me	n-Pr	Me	H
D1-108b-17	Me	n-Pr	Me	H
D1-108b-18	Me	n-Pr	Me	H
D1-108b-19	Me	n-Pr	Me	H
CH ₂ Pr-c	Me	n-Pr	Me	H
CH ₂ Bu-c	Me	n-Pr	Me	H
CH ₂ Pen-c	Me	n-Pr	Me	H
CH ₂ Hex-c	Me	n-Pr	Me	H
Me	Me	n-Pr	c-Pr	H
Me	Me	n-Pr	CH=CH ₂	H
Me	Me	n-Pr	CH=CHPr-n	H
Me	Me	n-Pr	CH=CHPh	H
Me	Me	n-Pr	C(O)Me	H
Me	Me	n-Pr	C(O)OMe	H
Me	Me	n-Pr	C(=NOMe)Me	H
Me	Me	n-Pr	OH	H
Me	Me	n-Pr	OMe	H
Me	Me	n-Pr	OCH ₂ CH ₂ OMe	H
Me	Me	n-Pr	OCH ₂ Ph	H
Me	Me	n-Pr	OCH ₂ (D1-34a)	H
Me	Me	n-Pr	OPh	H
Me	Me	n-Pr	O(D1-32b-1)	H
Me	Me	n-Pr	Me	A115
Me	Me	n-Pr	SMe	H
Me	Me	n-Pr	S(O)Me	H

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Et	Et	S(O) ₂ Me	H
Me	Et	Et	NHC(O)OBu-t	H
Me	Et	Et	H	H
Me	Et	Et	Br	A 1
Me	Et	Et	Br	A 2
Me	Et	Et	Br	A 3
Me	Et	Et	Br	A 4
Me	Et	Et	Br	A 5
Me	Et	Et	Br	A 6
Me	Et	Et	Br	A 7
Me	Et	Et	Br	A 8
Me	Et	Et	Br	A 9
Me	Et	Et	Br	A 10
Me	Et	Et	Br	A 11
Me	Et	Et	Br	A 12
Me	Et	Et	Br	A 13
Me	Et	Et	Br	A 14
Me	Et	Et	Br	A 15
Me	Et	Et	Br	A 16
Me	Et	Et	Br	A 17
Me	Et	Et	Br	A 18
Me	Et	Et	Br	A 19
Me	Et	Et	Br	A 20
Me	Et	Et	Br	A 21
Me	Et	Et	Br	A 22
Me	Et	Et	Br	A 23
Me	Et	Et	Br	A 24
Me	Et	Et	Br	A 25
Me	Et	Et	Br	A 26
Me	Et	Et	Br	A 27
Me	Et	Et	Br	A 28
Me	Et	Et	Br	A 29
Me	Et	Et	Br	A 30
Me	Et	Et	Br	A 31
Me	Et	Et	Br	A 32
Me	Et	Et	Br	A 33
Me	Et	Et	Br	A 34
Me	Et	Et	Br	A 35
Me	Et	Et	Br	A 36

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Me	n-Pr	S(O) ₂ Me	H
Me	Me	n-Pr	NHC(O)OBu-t	H
Me	Me	n-Pr	H	H
Me	Me	n-Pr	Br	A 1
Me	Me	n-Pr	Br	A 2
Me	Me	n-Pr	Br	A 3
Me	Me	n-Pr	Br	A 4
Me	Me	n-Pr	Br	A 5
Me	Me	n-Pr	Br	A 6
Me	Me	n-Pr	Br	A 7
Me	Me	n-Pr	Br	A 8
Me	Me	n-Pr	Br	A 9
Me	Me	n-Pr	Br	A 10
Me	Me	n-Pr	Br	A 11
Me	Me	n-Pr	Br	A 12
Me	Me	n-Pr	Br	A 13
Me	Me	n-Pr	Br	A 14
Me	Me	n-Pr	Br	A 15
Me	Me	n-Pr	Br	A 16
Me	Me	n-Pr	Br	A 17
Me	Me	n-Pr	Br	A 18
Me	Me	n-Pr	Br	A 19
Me	Me	n-Pr	Br	A 20
Me	Me	n-Pr	Br	A 21
Me	Me	n-Pr	Br	A 22
Me	Me	n-Pr	Br	A 23
Me	Me	n-Pr	Br	A 24
Me	Me	n-Pr	Br	A 25
Me	Me	n-Pr	Br	A 26
Me	Me	n-Pr	Br	A 27
Me	Me	n-Pr	Br	A 28
Me	Me	n-Pr	Br	A 29
Me	Me	n-Pr	Br	A 30
Me	Me	n-Pr	Br	A 31
Me	Me	n-Pr	Br	A 32
Me	Me	n-Pr	Br	A 33
Me	Me	n-Pr	Br	A 34
Me	Me	n-Pr	Br	A 35
Me	Me	n-Pr	Br	A 36

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Et	Et	Br	A37
Me	Et	Et	Br	A38
Me	Et	Et	Br	A39
Me	Et	Et	Br	A40
Me	Et	Et	Br	A41
Me	Et	Et	Br	A42
Me	Et	Et	Br	A43
Me	Et	Et	Br	A44
Me	Et	Et	Br	A45
Me	Et	Et	Br	A46
Me	Et	Et	Br	A47
Me	Et	Et	Br	A48
Me	Et	Et	Br	A49
Me	Et	Et	Br	A50
Me	Et	Et	Br	A51
Me	Et	Et	Br	A52
Me	Et	Et	Br	A53
Me	Et	Et	Br	A54
Me	Et	Et	Br	A55
Me	Et	Et	Br	A56
Me	Et	Et	Br	A57
Me	Et	Et	Br	A58
Me	Et	Et	Br	A59
Me	Et	Et	Br	A60
Me	Et	Et	Br	A61
Me	Et	Et	Br	A62
Me	Et	Et	Br	A63
Me	Et	Et	Br	A64
Me	Et	Et	Br	A65
Me	Et	Et	Br	A66
Me	Et	Et	Br	A67
Me	Et	Et	Br	A68
Me	Et	Et	Br	A69
Me	Et	Et	Br	A70
Me	Et	Et	Br	A71
Me	Et	Et	Br	A72
Me	Et	Et	Br	A73
Me	Et	Et	Br	A74
Me	Et	Et	Br	A75

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	n-Pr	Br	A37
Me	Me	n-Pr	Br	A38
Me	Me	n-Pr	Br	A39
Me	Me	n-Pr	Br	A40
Me	Me	n-Pr	Br	A41
Me	Me	n-Pr	Br	A42
Me	Me	n-Pr	Br	A43
Me	Me	n-Pr	Br	A44
Me	Me	n-Pr	Br	A45
Me	Me	n-Pr	Br	A46
Me	Me	n-Pr	Br	A47
Me	Me	n-Pr	Br	A48
Me	Me	n-Pr	Br	A49
Me	Me	n-Pr	Br	A50
Me	Me	n-Pr	Br	A51
Me	Me	n-Pr	Br	A52
Me	Me	n-Pr	Br	A53
Me	Me	n-Pr	Br	A54
Me	Me	n-Pr	Br	A55
Me	Me	n-Pr	Br	A56
Me	Me	n-Pr	Br	A57
Me	Me	n-Pr	Br	A58
Me	Me	n-Pr	Br	A59
Me	Me	n-Pr	Br	A60
Me	Me	n-Pr	Br	A61
Me	Me	n-Pr	Br	A62
Me	Me	n-Pr	Br	A63
Me	Me	n-Pr	Br	A64
Me	Me	n-Pr	Br	A65
Me	Me	n-Pr	Br	A66
Me	Me	n-Pr	Br	A67
Me	Me	n-Pr	Br	A68
Me	Me	n-Pr	Br	A69
Me	Me	n-Pr	Br	A70
Me	Me	n-Pr	Br	A71
Me	Me	n-Pr	Br	A72
Me	Me	n-Pr	Br	A73
Me	Me	n-Pr	Br	A74
Me	Me	n-Pr	Br	A75

Table 1 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Et	Et	Br	A 76
Me	Et	Et	Br	A 77
Me	Et	Et	Br	A 78
Me	Et	Et	Br	A 79
Me	Et	Et	Br	A 80
Me	Et	Et	Br	A 81
Me	Et	Et	Br	A 82
Me	Et	Et	Br	A 83
Me	Et	Et	Br	A 84
Me	Et	Et	Br	A 85
Me	Et	Et	Br	A 86
Me	Et	Et	Br	A 87
Me	Et	Et	Br	A 88
Me	Et	Et	Br	A 89
Me	Et	Et	Br	A 90
Me	Et	Et	Br	A 91
Me	Et	Et	Br	A 92
Me	Et	Et	Br	A 93
Me	Et	Et	Br	A 94
Me	Et	Et	Br	A 95
Me	Et	Et	Br	A 96
Me	Et	Et	Br	A 97
Me	Et	Et	Br	A 98
Me	Et	Et	Br	A 99
Me	Et	Et	Br	A 100
Me	Et	Et	Br	A 101
Me	Et	Et	Br	A 102
Me	Et	Et	Br	A 103
Me	Et	Et	Br	A 104
Me	Et	Et	Br	A 105
Me	Et	Et	Br	A 106
Me	Et	Et	Br	A 107
Me	Et	Et	Br	A 108
Me	Et	Et	Br	A 109
Me	Et	Et	Br	A 110
Me	Et	Et	Br	A 111
Me	Et	Et	Br	A 112
Me	Et	Et	Br	A 113
Me	Et	Et	Br	A 114
Me	Et	Et	Br	A 115
Me	Et	Et	Br	A 116

Table 1 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	n-Pr	Br	A 76
Me	Me	n-Pr	Br	A 77
Me	Me	n-Pr	Br	A 78
Me	Me	n-Pr	Br	A 79
Me	Me	n-Pr	Br	A 80
Me	Me	n-Pr	Br	A 81
Me	Me	n-Pr	Br	A 82
Me	Me	n-Pr	Br	A 83
Me	Me	n-Pr	Br	A 84
Me	Me	n-Pr	Br	A 85
Me	Me	n-Pr	Br	A 86
Me	Me	n-Pr	Br	A 87
Me	Me	n-Pr	Br	A 88
Me	Me	n-Pr	Br	A 89
Me	Me	n-Pr	Br	A 90
Me	Me	n-Pr	Br	A 91
Me	Me	n-Pr	Br	A 92
Me	Me	n-Pr	Br	A 93
Me	Me	n-Pr	Br	A 94
Me	Me	n-Pr	Br	A 95
Me	Me	n-Pr	Br	A 96
Me	Me	n-Pr	Br	A 97
Me	Me	n-Pr	Br	A 98
Me	Me	n-Pr	Br	A 99
Me	Me	n-Pr	Br	A 100
Me	Me	n-Pr	Br	A 101
Me	Me	n-Pr	Br	A 102
Me	Me	n-Pr	Br	A 103
Me	Me	n-Pr	Br	A 104
Me	Me	n-Pr	Br	A 105
Me	Me	n-Pr	Br	A 106
Me	Me	n-Pr	Br	A 107
Me	Me	n-Pr	Br	A 108
Me	Me	n-Pr	Br	A 109
Me	Me	n-Pr	Br	A 110
Me	Me	n-Pr	Br	A 111
Me	Me	n-Pr	Br	A 112
Me	Me	n-Pr	Br	A 113
Me	Me	n-Pr	Br	A 114
Me	Me	n-Pr	Br	A 115
Me	Me	n-Pr	Br	A 116

Table 1. (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
H	Me	Me	F	H
H	Me	Me	Cl	H
H	Me	Me	Br	H
H	Me	Me	I	H
H	Me	Me	CN	H
H	Me	Me	NO ₂	H
H	Me	Me	Me	H
H	Me	Me	Me	A1
H	Me	Me	Me	A2
H	Me	Me	Me	A3
H	Me	Me	Me	A4
H	Me	Me	Me	A5
H	Me	Me	Me	A6
H	Me	Me	Me	A7
H	Me	Me	Me	A8
H	Me	Me	Me	A9
H	Me	Me	Me	A10
H	Me	Me	Me	A11
H	Me	Me	Me	A12
H	Me	Me	Me	A13
H	Me	Me	Me	A14
H	Me	Me	Me	A15
H	Me	Me	Me	A16
H	Me	Me	Me	A17
H	Me	Me	Me	A18
H	Me	Me	Me	A19
H	Me	Me	Me	A20
H	Me	Me	Me	A21
H	Me	Me	Me	A22
H	Me	Me	Me	A23
H	Me	Me	Me	A24
H	Me	Me	Me	A25
H	Me	Me	Me	A26
H	Me	Me	Me	A27
H	Me	Me	Me	A28
H	Me	Me	Me	A29
H	Me	Me	Me	A30
H	Me	Me	Me	A31
H	Me	Me	Me	A32

Table 1. (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
H	Et	Et	F	H
H	Et	Et	Cl	H
H	Et	Et	Br	H
H	Et	Et	I	H
H	Et	Et	CN	H
H	Et	Et	NO ₂	H
H	Et	Et	Me	H
H	Et	Et	Me	A1
H	Et	Et	Me	A2
H	Et	Et	Me	A3
H	Et	Et	Me	A4
H	Et	Et	Me	A5
H	Et	Et	Me	A6
H	Et	Et	Me	A7
H	Et	Et	Me	A8
H	Et	Et	Me	A9
H	Et	Et	Me	A10
H	Et	Et	Me	A11
H	Et	Et	Me	A12
H	Et	Et	Me	A13
H	Et	Et	Me	A14
H	Et	Et	Me	A15
H	Et	Et	Me	A16
H	Et	Et	Me	A17
H	Et	Et	Me	A18
H	Et	Et	Me	A19
H	Et	Et	Me	A20
H	Et	Et	Me	A21
H	Et	Et	Me	A22
H	Et	Et	Me	A23
H	Et	Et	Me	A24
H	Et	Et	Me	A25
H	Et	Et	Me	A26
H	Et	Et	Me	A27
H	Et	Et	Me	A28
H	Et	Et	Me	A29
H	Et	Et	Me	A30
H	Et	Et	Me	A31
H	Et	Et	Me	A32

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
H	Me	Me	Me	A33
H	Me	Me	Me	A34
H	Me	Me	Me	A35
H	Me	Me	Me	A36
H	Me	Me	Me	A37
H	Me	Me	Me	A38
H	Me	Me	Me	A39
H	Me	Me	Me	A40
H	Me	Me	Me	A41
H	Me	Me	Me	A42
H	Me	Me	Me	A43
H	Me	Me	Me	A44
H	Me	Me	Me	A45
H	Me	Me	Me	A46
H	Me	Me	Me	A47
H	Me	Me	Me	A48
H	Me	Me	Me	A49
H	Me	Me	Me	A50
H	Me	Me	Me	A51
H	Me	Me	Me	A52
H	Me	Me	Me	A53
H	Me	Me	Me	A54
H	Me	Me	Me	A55
H	Me	Me	Me	A56
H	Me	Me	Me	A57
H	Me	Me	Me	A58
H	Me	Me	Me	A59
H	Me	Me	Me	A60
H	Me	Me	Me	A61
H	Me	Me	Me	A62
H	Me	Me	Me	A63
H	Me	Me	Me	A64
H	Me	Me	Me	A65
H	Me	Me	Me	A66
H	Me	Me	Me	A67
H	Me	Me	Me	A68
H	Me	Me	Me	A69
H	Me	Me	Me	A70
H	Me	Me	Me	A71

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
H	Et	Et	Me	A33
H	Et	Et	Me	A34
H	Et	Et	Me	A35
H	Et	Et	Me	A36
H	Et	Et	Me	A37
H	Et	Et	Me	A38
H	Et	Et	Me	A39
H	Et	Et	Me	A40
H	Et	Et	Me	A41
H	Et	Et	Me	A42
H	Et	Et	Me	A43
H	Et	Et	Me	A44
H	Et	Et	Me	A45
H	Et	Et	Me	A46
H	Et	Et	Me	A47
H	Et	Et	Me	A48
H	Et	Et	Me	A49
H	Et	Et	Me	A50
H	Et	Et	Me	A51
H	Et	Et	Me	A52
H	Et	Et	Me	A53
H	Et	Et	Me	A54
H	Et	Et	Me	A55
H	Et	Et	Me	A56
H	Et	Et	Me	A57
H	Et	Et	Me	A58
H	Et	Et	Me	A59
H	Et	Et	Me	A60
H	Et	Et	Me	A61
H	Et	Et	Me	A62
H	Et	Et	Me	A63
H	Et	Et	Me	A64
H	Et	Et	Me	A65
H	Et	Et	Me	A66
H	Et	Et	Me	A67
H	Et	Et	Me	A68
H	Et	Et	Me	A69
H	Et	Et	Me	A70
H	Et	Et	Me	A71

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
H	Me	Me	Me	A72
H	Me	Me	Me	A73
H	Me	Me	Me	A74
H	Me	Me	Me	A75
H	Me	Me	Me	A76
H	Me	Me	Me	A77
H	Me	Me	Me	A78
H	Me	Me	Me	A79
H	Me	Me	Me	A80
H	Me	Me	Me	A81
H	Me	Me	Me	A82
H	Me	Me	Me	A83
H	Me	Me	Me	A84
H	Me	Me	Me	A85
H	Me	Me	Me	A86
H	Me	Me	Me	A87
H	Me	Me	Me	A88
H	Me	Me	Me	A89
H	Me	Me	Me	A90
H	Me	Me	Me	A91
H	Me	Me	Me	A92
H	Me	Me	Me	A93
H	Me	Me	Me	A94
H	Me	Me	Me	A95
H	Me	Me	Me	A96
H	Me	Me	Me	A97
H	Me	Me	Me	A98
H	Me	Me	Me	A99
H	Me	Me	Me	A100
H	Me	Me	Me	A101
H	Me	Me	Me	A102
H	Me	Me	Me	A103
H	Me	Me	Me	A104
H	Me	Me	Me	A105
H	Me	Me	Me	A106
H	Me	Me	c-Pr	H
H	Me	Me	CH=CH ₂	H
H	Me	Me	CH=CHPr-n	H
H	Me	Me	CH=CHPh	H

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
H	Et	Et	Me	A72
H	Et	Et	Me	A73
H	Et	Et	Me	A74
H	Et	Et	Me	A75
H	Et	Et	Me	A76
H	Et	Et	Me	A77
H	Et	Et	Me	A78
H	Et	Et	Me	A79
H	Et	Et	Me	A80
H	Et	Et	Me	A81
H	Et	Et	Me	A82
H	Et	Et	Me	A83
H	Et	Et	Me	A84
H	Et	Et	Me	A85
H	Et	Et	Me	A86
H	Et	Et	Me	A87
H	Et	Et	Me	A88
H	Et	Et	Me	A89
H	Et	Et	Me	A90
H	Et	Et	Me	A91
H	Et	Et	Me	A92
H	Et	Et	Me	A93
H	Et	Et	Me	A94
H	Et	Et	Me	A95
H	Et	Et	Me	A96
H	Et	Et	Me	A97
H	Et	Et	Me	A98
H	Et	Et	Me	A99
H	Et	Et	Me	A100
H	Et	Et	Me	A101
H	Et	Et	Me	A102
H	Et	Et	Me	A103
H	Et	Et	Me	A104
H	Et	Et	Me	A105
H	Et	Et	Me	A106
H	Et	Et	c-Pr	H
H	Et	Et	CH=CH ₂	H
H	Et	Et	CH=CHPr-n	H
H	Et	Et	CH=CHPh	H

Table 1 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
H	Me	Me	C(O)Me	H
H	Me	Me	C(O)OMe	H
H	Me	Me	C(=NOMe)Me	H
H	Me	Me	OH	H
H	Me	Me	OMe	H
H	Me	Me	OCH ₂ CH ₂ OMe	H
H	Me	Me	OCH ₂ Ph	H
H	Me	Me	OCH ₂ (D1-34a)	H
H	Me	Me	OPh	H
H	Me	Me	O(D1-32b-1)	H
H	Me	Me	OCH ₂ CF ₃	H
H	Me	Me	SMe	H
H	Me	Me	S(O)Me	H
H	Me	Me	S(O) ₂ Me	H
H	Me	Me	NHC(O)OBu-t	H
Me	Me	Me	Me	A116
Me	Me	Et	Me	A116
CF ₃	Me	Me	Me	A1
CF ₃	Me	Me	Me	A13
CF ₃	Me	Me	Me	A14
CF ₃	Me	Me	Me	A15
CF ₃	Me	Me	Me	A16
CF ₃	Me	Me	Me	A20
CF ₃	Me	Me	Me	A23
CF ₃	Me	Me	Me	A24
CF ₃	Me	Me	Me	A25
CF ₃	Me	Me	Me	A26
CF ₃	Me	Me	Me	A27
CF ₃	Me	Me	Me	A28
CF ₃	Me	Me	Me	A29
CF ₃	Me	Me	Me	A34
CF ₃	Me	Me	Me	A35
CF ₃	Me	Me	Me	A36
CF ₃	Me	Me	Me	A37
CF ₃	Me	Me	Me	A42
CF ₃	Me	Me	Me	A58
CF ₃	Me	Me	Me	A63
CF ₃	Me	Me	Me	A64
CF ₃	Me	Me	Me	A65

Table 1 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
H	Et	Et	C(O)Me	H
H	Et	Et	C(O)OMe	H
H	Et	Et	C(=NOMe)Me	H
H	Et	Et	OH	H
H	Et	Et	OMe	H
H	Et	Et	OCH ₂ CH ₂ OMe	H
H	Et	Et	OCH ₂ Ph	H
H	Et	Et	OCH ₂ (D1-34a)	H
H	Et	Et	OPh	H
H	Et	Et	O(D1-32b-1)	H
H	Et	Et	OCH ₂ CF ₃	H
H	Et	Et	SMe	H
H	Et	Et	S(O)Me	H
H	Et	Et	S(O) ₂ Me	H
H	Et	Et	NHC(O)OBu-t	H
Me	Et	Et	Me	A116
Me	Me	n-Pr	Me	A116
CH ₂ OMe	Me	Me	Me	A1
CH ₂ OMe	Me	Me	Me	A13
CH ₂ OMe	Me	Me	Me	A14
CH ₂ OMe	Me	Me	Me	A15
CH ₂ OMe	Me	Me	Me	A16
CH ₂ OMe	Me	Me	Me	A20
CH ₂ OMe	Me	Me	Me	A23
CH ₂ OMe	Me	Me	Me	A24
CH ₂ OMe	Me	Me	Me	A25
CH ₂ OMe	Me	Me	Me	A26
CH ₂ OMe	Me	Me	Me	A27
CH ₂ OMe	Me	Me	Me	A28
CH ₂ OMe	Me	Me	Me	A29
CH ₂ OMe	Me	Me	Me	A34
CH ₂ OMe	Me	Me	Me	A35
CH ₂ OMe	Me	Me	Me	A36
CH ₂ OMe	Me	Me	Me	A37
CH ₂ OMe	Me	Me	Me	A42
CH ₂ OMe	Me	Me	Me	A58
CH ₂ OMe	Me	Me	Me	A63
CH ₂ OMe	Me	Me	Me	A64
CH ₂ OMe	Me	Me	Me	A65

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
CF ₃	Me	Me	Me	A67
CF ₃	Me	Me	Me	A69
CF ₃	Me	Me	Me	A72
CF ₃	Me	Me	Me	A73
CF ₃	Me	Me	Me	A74
CF ₃	Me	Me	Me	A75
CF ₃	Me	Me	Me	A76
CF ₃	Me	Me	Me	A77
CF ₃	Me	Me	Me	A81
CF ₃	Me	Me	Me	A83
CF ₃	Me	Me	Me	A88
CF ₃	Me	Me	Me	A91
CF ₃	Me	Me	Me	A97
CF ₃	Me	Me	Me	A98
CF ₃	Me	Me	Me	A102
D1-32a	Me	Me	Me	A1
D1-32a	Me	Me	Me	A13
D1-32a	Me	Me	Me	A14
D1-32a	Me	Me	Me	A15
D1-32a	Me	Me	Me	A16
D1-32a	Me	Me	Me	A20
D1-32a	Me	Me	Me	A23
D1-32a	Me	Me	Me	A24
D1-32a	Me	Me	Me	A25
D1-32a	Me	Me	Me	A26
D1-32a	Me	Me	Me	A27
D1-32a	Me	Me	Me	A28
D1-32a	Me	Me	Me	A29
D1-32a	Me	Me	Me	A34
D1-32a	Me	Me	Me	A35
D1-32a	Me	Me	Me	A36
D1-32a	Me	Me	Me	A37
D1-32a	Me	Me	Me	A42
D1-32a	Me	Me	Me	A58
D1-32a	Me	Me	Me	A63
D1-32a	Me	Me	Me	A64
D1-32a	Me	Me	Me	A65
D1-32a	Me	Me	Me	A67
D1-32a	Me	Me	Me	A69

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
CH ₂ OMe	Me	Me	Me	A67
CH ₂ OMe	Me	Me	Me	A69
CH ₂ OMe	Me	Me	Me	A72
CH ₂ OMe	Me	Me	Me	A73
CH ₂ OMe	Me	Me	Me	A74
CH ₂ OMe	Me	Me	Me	A75
CH ₂ OMe	Me	Me	Me	A76
CH ₂ OMe	Me	Me	Me	A77
CH ₂ OMe	Me	Me	Me	A81
CH ₂ OMe	Me	Me	Me	A83
CH ₂ OMe	Me	Me	Me	A88
CH ₂ OMe	Me	Me	Me	A91
CH ₂ OMe	Me	Me	Me	A97
CH ₂ OMe	Me	Me	Me	A98
CH ₂ OMe	Me	Me	Me	A102
D1-108b-1	Me	Me	Me	A1
D1-108b-1	Me	Me	Me	A13
D1-108b-1	Me	Me	Me	A14
D1-108b-1	Me	Me	Me	A15
D1-108b-1	Me	Me	Me	A16
D1-108b-1	Me	Me	Me	A20
D1-108b-1	Me	Me	Me	A23
D1-108b-1	Me	Me	Me	A24
D1-108b-1	Me	Me	Me	A25
D1-108b-1	Me	Me	Me	A26
D1-108b-1	Me	Me	Me	A27
D1-108b-1	Me	Me	Me	A28
D1-108b-1	Me	Me	Me	A29
D1-108b-1	Me	Me	Me	A34
D1-108b-1	Me	Me	Me	A35
D1-108b-1	Me	Me	Me	A36
D1-108b-1	Me	Me	Me	A37
D1-108b-1	Me	Me	Me	A42
D1-108b-1	Me	Me	Me	A58
D1-108b-1	Me	Me	Me	A63
D1-108b-1	Me	Me	Me	A64
D1-108b-1	Me	Me	Me	A65
D1-108b-1	Me	Me	Me	A67
D1-108b-1	Me	Me	Me	A69

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
D1-32a	Me	Me	Me	A72
D1-32a	Me	Me	Me	A73
D1-32a	Me	Me	Me	A74
D1-32a	Me	Me	Me	A75
D1-32a	Me	Me	Me	A76
D1-32a	Me	Me	Me	A77
D1-32a	Me	Me	Me	A81
D1-32a	Me	Me	Me	A83
D1-32a	Me	Me	Me	A88
D1-32a	Me	Me	Me	A91
D1-32a	Me	Me	Me	A97
D1-32a	Me	Me	Me	A98
D1-32a	Me	Me	Me	A102
CH ₂ Pr-c	Me	Me	Me	A1
CH ₂ Pr-c	Me	Me	Me	A13
CH ₂ Pr-c	Me	Me	Me	A14
CH ₂ Pr-c	Me	Me	Me	A15
CH ₂ Pr-c	Me	Me	Me	A16
CH ₂ Pr-c	Me	Me	Me	A20
CH ₂ Pr-c	Me	Me	Me	A23
CH ₂ Pr-c	Me	Me	Me	A24
CH ₂ Pr-c	Me	Me	Me	A25
CH ₂ Pr-c	Me	Me	Me	A26
CH ₂ Pr-c	Me	Me	Me	A27
CH ₂ Pr-c	Me	Me	Me	A28
CH ₂ Pr-c	Me	Me	Me	A29
CH ₂ Pr-c	Me	Me	Me	A34
CH ₂ Pr-c	Me	Me	Me	A35
CH ₂ Pr-c	Me	Me	Me	A36
CH ₂ Pr-c	Me	Me	Me	A37
CH ₂ Pr-c	Me	Me	Me	A42
CH ₂ Pr-c	Me	Me	Me	A58
CH ₂ Pr-c	Me	Me	Me	A63
CH ₂ Pr-c	Me	Me	Me	A64
CH ₂ Pr-c	Me	Me	Me	A65
CH ₂ Pr-c	Me	Me	Me	A67
CH ₂ Pr-c	Me	Me	Me	A69
CH ₂ Pr-c	Me	Me	Me	A72
CH ₂ Pr-c	Me	Me	Me	A73

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
D1-108b-1	Me	Me	Me	A72
D1-108b-1	Me	Me	Me	A73
D1-108b-1	Me	Me	Me	A74
D1-108b-1	Me	Me	Me	A75
D1-108b-1	Me	Me	Me	A76
D1-108b-1	Me	Me	Me	A77
D1-108b-1	Me	Me	Me	A81
D1-108b-1	Me	Me	Me	A83
D1-108b-1	Me	Me	Me	A88
D1-108b-1	Me	Me	Me	A91
D1-108b-1	Me	Me	Me	A97
D1-108b-1	Me	Me	Me	A98
D1-108b-1	Me	Me	Me	A102
D1-108b-8	Me	Me	Me	A1
D1-108b-8	Me	Me	Me	A13
D1-108b-8	Me	Me	Me	A14
D1-108b-8	Me	Me	Me	A15
D1-108b-8	Me	Me	Me	A16
D1-108b-8	Me	Me	Me	A20
D1-108b-8	Me	Me	Me	A23
D1-108b-8	Me	Me	Me	A24
D1-108b-8	Me	Me	Me	A25
D1-108b-8	Me	Me	Me	A26
D1-108b-8	Me	Me	Me	A27
D1-108b-8	Me	Me	Me	A28
D1-108b-8	Me	Me	Me	A29
D1-108b-8	Me	Me	Me	A34
D1-108b-8	Me	Me	Me	A35
D1-108b-8	Me	Me	Me	A36
D1-108b-8	Me	Me	Me	A37
D1-108b-8	Me	Me	Me	A42
D1-108b-8	Me	Me	Me	A58
D1-108b-8	Me	Me	Me	A63
D1-108b-8	Me	Me	Me	A64
D1-108b-8	Me	Me	Me	A65
D1-108b-8	Me	Me	Me	A67
D1-108b-8	Me	Me	Me	A69
D1-108b-8	Me	Me	Me	A72
D1-108b-8	Me	Me	Me	A73

Table 1 (continued)

R ^b	Z ^a	Z ^c	Z ^c	A
CH ₂ Pr-c	Me	Me	Me	A74
CH ₂ Pr-c	Me	Me	Me	A75
CH ₂ Pr-c	Me	Me	Me	A76
CH ₂ Pr-c	Me	Me	Me	A77
CH ₂ Pr-c	Me	Me	Me	A81
CH ₂ Pr-c	Me	Me	Me	A83
CH ₂ Pr-c	Me	Me	Me	A88
CH ₂ Pr-c	Me	Me	Me	A91
CH ₂ Pr-c	Me	Me	Me	A97
CH ₂ Pr-c	Me	Me	Me	A98
CH ₂ Pr-c	Me	Me	Me	A102
D1-108b-4	Me	Me	Me	A1
D1-108b-4	Me	Me	Me	A13
D1-108b-4	Me	Me	Me	A14
D1-108b-4	Me	Me	Me	A15
D1-108b-4	Me	Me	Me	A16
D1-108b-4	Me	Me	Me	A20
D1-108b-4	Me	Me	Me	A23
D1-108b-4	Me	Me	Me	A24
D1-108b-4	Me	Me	Me	A25
D1-108b-4	Me	Me	Me	A26
D1-108b-4	Me	Me	Me	A27
D1-108b-4	Me	Me	Me	A28
D1-108b-4	Me	Me	Me	A29
D1-108b-4	Me	Me	Me	A34
D1-108b-4	Me	Me	Me	A35
D1-108b-4	Me	Me	Me	A36
D1-108b-4	Me	Me	Me	A37
D1-108b-4	Me	Me	Me	A42
D1-108b-4	Me	Me	Me	A58
D1-108b-4	Me	Me	Me	A63
D1-108b-4	Me	Me	Me	A64
D1-108b-4	Me	Me	Me	A65
D1-108b-4	Me	Me	Me	A67
D1-108b-4	Me	Me	Me	A69
D1-108b-4	Me	Me	Me	A72
D1-108b-4	Me	Me	Me	A73
D1-108b-4	Me	Me	Me	A74
D1-108b-4	Me	Me	Me	A75

Table 1 (continued)

R ^b	Z ^a	Z ^c	Z ^c	A
D1-108b-8	Me	Me	Me	A74
D1-108b-8	Me	Me	Me	A75
D1-108b-8	Me	Me	Me	A76
D1-108b-8	Me	Me	Me	A77
D1-108b-8	Me	Me	Me	A81
D1-108b-8	Me	Me	Me	A83
D1-108b-8	Me	Me	Me	A88
D1-108b-8	Me	Me	Me	A91
D1-108b-8	Me	Me	Me	A97
D1-108b-8	Me	Me	Me	A98
D1-108b-8	Me	Me	Me	A102
Me	Me	Me	CN	A1
Me	Me	Me	CN	A13
Me	Me	Me	CN	A14
Me	Me	Me	CN	A15
Me	Me	Me	CN	A16
Me	Me	Me	CN	A20
Me	Me	Me	CN	A23
Me	Me	Me	CN	A24
Me	Me	Me	CN	A25
Me	Me	Me	CN	A26
Me	Me	Me	CN	A27
Me	Me	Me	CN	A28
Me	Me	Me	CN	A29
Me	Me	Me	CN	A34
Me	Me	Me	CN	A35
Me	Me	Me	CN	A36
Me	Me	Me	CN	A37
Me	Me	Me	CN	A42
Me	Me	Me	CN	A58
Me	Me	Me	CN	A63
Me	Me	Me	CN	A64
Me	Me	Me	CN	A65
Me	Me	Me	CN	A67
Me	Me	Me	CN	A69
Me	Me	Me	CN	A72
Me	Me	Me	CN	A73
Me	Me	Me	CN	A74
Me	Me	Me	CN	A75

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
D1-108b-4	Me	Me	Me	A76
D1-108b-4	Me	Me	Me	A77
D1-108b-4	Me	Me	Me	A81
D1-108b-4	Me	Me	Me	A83
D1-108b-4	Me	Me	Me	A88
D1-108b-4	Me	Mc	Me	A91
D1-108b-4	Me	Me	Me	A97
D1-108b-4	Me	Me	Me	A98
D1-108b-4	Me	Mc	Me	A102
Me	Me	Me	NO ₂	A1
Mc	Me	Me	NO ₂	A13
Me	Me	Me	NO ₂	A14
Me	Me	Me	NO ₂	A15
Mc	Me	Me	NO ₂	A16
Me	Me	Me	NO ₂	A20
Mc	Me	Me	NO ₂	A23
Me	Me	Me	NO ₂	A24
Me	Me	Me	NO ₂	A25
Me	Me	Me	NO ₂	A26
Mc	Me	Me	NO ₂	A27
Me	Me	Me	NO ₂	A28
Mc	Me	Me	NO ₂	A29
Me	Me	Me	NO ₂	A34
Me	Mc	Me	NO ₂	A35
Me	Me	Me	NO ₂	A36
Me	Me	Me	NO ₂	A37
Mc	Me	Me	NO ₂	A42
Me	Me	Me	NO ₂	A58
Me	Me	Me	NO ₂	A63
Mc	Me	Me	NO ₂	A64
Me	Me	Me	NO ₂	A65
Me	Me	Me	NO ₂	A67
Me	Me	Me	NO ₂	A69
Me	Me	Me	NO ₂	A72
Me	Me	Me	NO ₂	A73
Me	Me	Me	NO ₂	A74
Me	Me	Me	NO ₂	A75
Me	Me	Me	NO ₂	A76
Me	Me	Me	NO ₂	A77

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
D1-108b-8	Me	Me	CN	A76
D1-108b-8	Me	Me	CN	A77
D1-108b-8	Me	Me	CN	A81
D1-108b-8	Mc	Me	CN	A83
D1-108b-8	Me	Me	CN	A88
D1-108b-8	Me	Me	CN	A91
D1-108b-8	Me	Me	CN	A97
D1-108b-8	Me	Me	CN	A98
D1-108b-8	Mc	Me	CN	A102
Me	Me	Me	c-Pr	A1
Me	Me	Me	c-Pr	A13
Mc	Me	Me	c-Pr	A14
Me	Me	Me	c-Pr	A15
Me	Me	Me	c-Pr	A16
Me	Me	Me	c-Pr	A20
Mc	Me	Me	c-Pr	A23
Me	Me	Me	c-Pr	A24
Me	Me	Me	c-Pr	A25
Me	Me	Me	c-Pr	A26
Me	Me	Me	c-Pr	A27
Me	Me	Me	c-Pr	A28
Me	Me	Me	c-Pr	A29
Me	Me	Me	c-Pr	A34
Me	Me	Me	c-Pr	A35
Me	Me	Me	c-Pr	A36
Me	Me	Me	c-Pr	A37
Me	Me	Me	c-Pr	A42
Me	Me	Me	c-Pr	A58
Me	Me	Me	c-Pr	A63
Me	Me	Me	c-Pr	A64
Me	Me	Me	c-Pr	A65
Me	Me	Me	c-Pr	A67
Me	Me	Me	c-Pr	A69
Me	Me	Me	c-Pr	A72
Me	Me	Me	c-Pr	A73
Me	Me	Me	c-Pr	A74
Me	Me	Me	c-Pr	A75
Mc	Me	Me	c-Pr	A76
Me	Me	Me	c-Pr	A77

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Me	Me	NO ₂	A81
Me	Me	Me	NO ₂	A83
Me	Me	Me	NO ₂	A88
Me	Me	Me	NO ₂	A91
Me	Me	Me	NO ₂	A97
Me	Me	Me	NO ₂	A98
Me	Me	Me	NO ₂	A102
Me	Me	Me	CH=CH ₂	A1
Me	Me	Me	CH=CH ₂	A13
Me	Me	Me	CH=CH ₂	A14
Me	Me	Me	CH=CH ₂	A15
Me	Me	Me	CH=CH ₂	A16
Me	Me	Me	CH=CH ₂	A20
Me	Me	Me	CH=CH ₂	A23
Me	Me	Me	CH=CH ₂	A24
Me	Me	Me	CH=CH ₂	A25
Me	Me	Me	CH=CH ₂	A26
Me	Me	Me	CH=CH ₂	A27
Me	Me	Me	CH=CH ₂	A28
Me	Me	Me	CH=CH ₂	A29
Me	Me	Me	CH=CH ₂	A34
Me	Me	Me	CH=CH ₂	A35
Me	Me	Me	CH=CH ₂	A36
Me	Me	Me	CH=CH ₂	A37
Me	Me	Me	CH=CH ₂	A42
Me	Me	Me	CH=CH ₂	A58
Me	Me	Me	CH=CH ₂	A63
Me	Me	Me	CH=CH ₂	A64
Me	Me	Me	CH=CH ₂	A65
Me	Me	Me	CH=CH ₂	A67
Me	Me	Me	CH=CH ₂	A69
Me	Me	Me	CH=CH ₂	A72
Me	Me	Me	CH=CH ₂	A73
Me	Me	Me	CH=CH ₂	A74
Me	Me	Me	CH=CH ₂	A75
Me	Me	Me	CH=CH ₂	A76
Me	Me	Me	CH=CH ₂	A77
Me	Me	Me	CH=CH ₂	A81
Me	Me	Me	CH=CH ₂	A83

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Me	Me	c-Pr	A81
Me	Me	Me	c-Pr	A83
Me	Me	Me	c-Pr	A88
Me	Me	Me	c-Pr	A91
Me	Me	Me	c-Pr	A97
Me	Me	Me	c-Pr	A98
Me	Me	Me	c-Pr	A102
Me	Me	Me	CH=CHPh	A1
Me	Me	Me	CH=CHPh	A13
Me	Me	Me	CH=CHPh	A14
Me	Me	Me	CH=CHPh	A15
Me	Me	Me	CH=CHPh	A16
Me	Me	Me	CH=CHPh	A20
Me	Me	Me	CH=CHPh	A23
Me	Me	Me	CH=CHPh	A24
Me	Me	Me	CH=CHPh	A25
Me	Me	Me	CH=CHPh	A26
Me	Me	Me	CH=CHPh	A27
Me	Me	Me	CH=CHPh	A28
Me	Me	Me	CH=CHPh	A29
Me	Me	Me	CH=CHPh	A34
Me	Me	Me	CH=CHPh	A35
Me	Me	Me	CH=CHPh	A36
Me	Me	Me	CH=CHPh	A37
Me	Me	Me	CH=CHPh	A42
Me	Me	Me	CH=CHPh	A58
Me	Me	Me	CH=CHPh	A63
Me	Me	Me	CH=CHPh	A64
Me	Me	Me	CH=CHPh	A65
Me	Me	Me	CH=CHPh	A67
Me	Me	Me	CH=CHPh	A69
Me	Me	Me	CH=CHPh	A72
Me	Me	Me	CH=CHPh	A73
Me	Me	Me	CH=CHPh	A74
Me	Me	Me	CH=CHPh	A75
Me	Me	Me	CH=CHPh	A76
Me	Me	Me	CH=CHPh	A77
Me	Me	Me	CH=CHPh	A81
Me	Me	Me	CH=CHPh	A83

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	Λ
Me	Me	Me	CH=CH ₂	A 88
Me	Me	Me	CH=CH ₂	A 91
Me	Me	Me	CH=CH ₂	A 97
Me	Me	Me	CH=CH ₂	A 98
Me	Me	Me	CH=CH ₂	A 102
Me	Me	Me	C(O)Me	A 1
Me	Me	Me	C(O)Me	A 13
Me	Me	Me	C(O)Me	A 14
Me	Me	Me	C(O)Me	A 15
Me	Me	Me	C(O)Me	A 16
Me	Me	Me	C(O)Me	A 20
Me	Me	Me	C(O)Me	A 23
Me	Me	Me	C(O)Me	A 24
Me	Me	Me	C(O)Me	A 25
Me	Me	Me	C(O)Me	A 26
Me	Me	Me	C(O)Me	A 27
Me	Me	Me	C(O)Me	A 28
Me	Me	Me	C(O)Me	A 29
Me	Me	Me	C(O)Me	A 34
Me	Me	Me	C(O)Me	A 35
Me	Me	Me	C(O)Me	A 36
Me	Me	Me	C(O)Me	A 37
Me	Me	Me	C(O)Me	A 42
Me	Me	Me	C(O)Me	A 58
Me	Me	Me	C(O)Me	A 63
Me	Me	Me	C(O)Me	A 64
Me	Me	Me	C(O)Me	A 65
Me	Me	Me	C(O)Me	A 67
Me	Me	Me	C(O)Me	A 69
Me	Me	Me	C(O)Me	A 72
Me	Me	Me	C(O)Me	A 73
Me	Me	Me	C(O)Me	A 74
Me	Me	Me	C(O)Me	A 75
Me	Me	Me	C(O)Me	A 76
Me	Me	Me	C(O)Me	A 77
Me	Me	Me	C(O)Me	A 81
Me	Me	Me	C(O)Me	A 83
Me	Me	Me	C(O)Me	A 88
Me	Me	Me	C(O)Me	A 91
Me	Me	Me	C(O)Me	A 97
Me	Me	Me	C(O)Me	A 98

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	Λ
Me	Me	Me	CH=CHPh	A 88
Me	Me	Me	CH=CHPh	A 91
Me	Me	Me	CH=CHPh	A 97
Me	Me	Me	CH=CHPh	A 98
Me	Me	Me	CH=CHPh	A 102
Me	Me	Me	C(O)OMe	A 1
Me	Me	Me	C(O)OMe	A 13
Me	Me	Me	C(O)OMe	A 14
Me	Me	Me	C(O)OMe	A 15
Me	Me	Me	C(O)OMe	A 16
Me	Me	Me	C(O)OMe	A 20
Me	Me	Me	C(O)OMe	A 23
Me	Me	Me	C(O)OMe	A 24
Me	Me	Me	C(O)OMe	A 25
Me	Me	Me	C(O)OMe	A 26
Me	Me	Me	C(O)OMe	A 27
Me	Me	Me	C(O)OMe	A 28
Me	Me	Me	C(O)OMe	A 29
Me	Me	Me	C(O)OMe	A 34
Me	Me	Me	C(O)OMe	A 35
Me	Me	Me	C(O)OMe	A 36
Me	Me	Me	C(O)OMe	A 37
Me	Me	Me	C(O)OMe	A 42
Me	Me	Me	C(O)OMe	A 58
Me	Me	Me	C(O)OMe	A 63
Me	Me	Me	C(O)OMe	A 64
Me	Me	Me	C(O)OMe	A 65
Me	Me	Me	C(O)OMe	A 67
Me	Me	Me	C(O)OMe	A 69
Me	Me	Me	C(O)OMe	A 72
Me	Me	Me	C(O)OMe	A 73
Me	Me	Me	C(O)OMe	A 74
Me	Me	Me	C(O)OMe	A 75
Me	Me	Me	C(O)OMe	A 76
Me	Me	Me	C(O)OMe	A 77
Me	Me	Me	C(O)OMe	A 81
Me	Me	Me	C(O)OMe	A 83
Me	Me	Me	C(O)OMe	A 88
Me	Me	Me	C(O)OMe	A 91
Me	Me	Me	C(O)OMe	A 97
Me	Me	Me	C(O)OMe	A 98

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Me	C(=NOMe)Me	A1
Me	Me	Me	C(=NOMe)Me	A13
Me	Me	Me	C(=NOMe)Me	A14
Me	Me	Me	C(=NOMe)Me	A15
Me	Me	Me	C(=NOMe)Me	A16
Me	Me	Me	C(=NOMe)Me	A20
Me	Me	Me	C(=NOMe)Me	A23
Me	Me	Me	C(=NOMe)Me	A24
Me	Me	Me	C(=NOMe)Me	A25
Me	Me	Me	C(=NOMe)Me	A26
Me	Me	Me	C(=NOMe)Me	A27
Me	Me	Me	C(=NOMe)Me	A28
Me	Me	Me	C(=NOMe)Me	A29
Me	Me	Me	C(=NOMe)Me	A34
Me	Me	Me	C(=NOMe)Me	A35
Me	Me	Me	C(=NOMe)Me	A36
Me	Me	Me	C(=NOMe)Me	A37
Me	Me	Me	C(=NOMe)Me	A42
Me	Me	Me	C(=NOMe)Me	A58
Me	Me	Me	C(=NOMe)Me	A63
Me	Me	Me	C(=NOMe)Me	A64
Me	Me	Me	C(=NOMe)Me	A65
Me	Me	Me	C(=NOMe)Me	A67
Me	Me	Me	C(=NOMe)Me	A69
Me	Me	Me	C(=NOMe)Me	A72
Me	Me	Me	C(=NOMe)Me	A73
Me	Me	Me	C(=NOMe)Me	A74
Me	Me	Me	C(=NOMe)Me	A75
Me	Me	Me	C(=NOMe)Me	A76
Me	Me	Me	C(=NOMe)Me	A77
Me	Me	Me	C(=NOMe)Me	A81
Me	Me	Me	C(=NOMe)Me	A83
Me	Me	Me	C(=NOMe)Me	A88
Me	Me	Me	C(=NOMe)Me	A91
Me	Me	Me	C(=NOMe)Me	A97
Me	Me	Me	C(=NOMe)Me	A98
Me	Me	Me	C(=NOMe)Me	A102
Me	Me	Me	OMe	A1
Me	Me	Me	OMe	A13

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Me	OH	A1
Me	Me	Me	OH	A13
Me	Me	Me	OH	A14
Me	Me	Me	OH	A15
Me	Me	Me	OH	A16
Me	Me	Me	OH	A20
Me	Me	Me	OH	A23
Me	Me	Me	OH	A24
Me	Me	Me	OH	A25
Me	Me	Me	OH	A26
Me	Me	Me	OH	A27
Me	Me	Me	OH	A28
Me	Me	Me	OH	A29
Me	Me	Me	OH	A34
Me	Me	Me	OH	A35
Me	Me	Me	OH	A36
Me	Me	Me	OH	A37
Me	Me	Me	OH	A42
Me	Me	Me	OH	A58
Me	Me	Me	OH	A63
Me	Me	Me	OH	A64
Me	Me	Me	OH	A65
Me	Me	Me	OH	A67
Me	Me	Me	OH	A69
Me	Me	Me	OH	A72
Me	Me	Me	OH	A73
Me	Me	Me	OH	A74
Me	Me	Me	OH	A75
Me	Me	Me	OH	A76
Me	Me	Me	OH	A77
Me	Me	Me	OH	A81
Me	Me	Me	OH	A83
Me	Me	Me	OH	A88
Me	Me	Me	OH	A91
Me	Me	Me	OH	A97
Me	Me	Me	OH	A98
Me	Me	Me	OH	A102
Me	Me	Me	OCH ₂ OMe	A1
Me	Me	Me	OCH ₂ OMe	A13

Table 1 (continued)

R ^b	Z ^a	Z ^c	Z ^c	A
Me	Me	Me	OMe	A14
Me	Me	Me	OMe	A15
Me	Me	Me	OMe	A16
Me	Me	Me	OMe	A20
Me	Me	Me	OMe	A23
Me	Me	Me	OMe	A24
Me	Me	Me	OMe	A25
Me	Me	Me	OMe	A26
Me	Me	Me	OMe	A27
Me	Me	Me	OMe	A28
Me	Me	Me	OMe	A29
Me	Me	Me	OMe	A34
Me	Me	Me	OMe	A35
Me	Me	Me	OMe	A36
Me	Me	Me	OMe	A37
Me	Me	Me	OMe	A42
Me	Me	Me	OMe	A58
Me	Me	Me	OMe	A63
Me	Me	Me	OMe	A64
Me	Me	Me	OMe	A65
Me	Me	Me	OMe	A67
Me	Me	Me	OMe	A69
Me	Me	Me	OMe	A72
Me	Me	Me	OMe	A73
Me	Me	Me	OMe	A74
Me	Me	Me	OMe	A75
Me	Me	Me	OMe	A76
Me	Me	Me	OMe	A77
Me	Me	Me	OMe	A81
Me	Me	Me	OMe	A83
Me	Me	Me	OMe	A88
Me	Me	Me	OMe	A91
Me	Me	Me	OMe	A97
Me	Me	Me	OMe	A98
Me	Me	Me	OMe	A102
Me	Me	Me	OCH ₂ Ph	A1
Me	Me	Me	OCH ₂ Ph	A13
Me	Me	Me	OCH ₂ Ph	A14
Me	Me	Me	OCH ₂ Ph	A15

Table 1 (continued)

R ^b	Z ^a	Z ^c	Z ^c	A
Me	Me	Me	OCH ₂ OMe	A14
Me	Me	Me	OCH ₂ OMe	A15
Me	Me	Me	OCH ₂ OMe	A16
Me	Me	Me	OCH ₂ OMe	A20
Me	Me	Me	OCH ₂ OMe	A23
Me	Me	Me	OCH ₂ OMe	A24
Me	Me	Me	OCH ₂ OMe	A25
Me	Me	Me	OCH ₂ OMe	A26
Me	Me	Me	OCH ₂ OMe	A27
Me	Me	Me	OCH ₂ OMe	A28
Me	Me	Me	OCH ₂ OMe	A29
Me	Me	Me	OCH ₂ OMe	A34
Me	Me	Me	OCH ₂ OMe	A35
Me	Me	Me	OCH ₂ OMe	A36
Me	Me	Me	OCH ₂ OMe	A37
Me	Me	Me	OCH ₂ OMe	A42
Me	Me	Me	OCH ₂ OMe	A58
Me	Me	Me	OCH ₂ OMe	A63
Me	Me	Me	OCH ₂ OMe	A64
Me	Me	Me	OCH ₂ OMe	A65
Me	Me	Me	OCH ₂ OMe	A67
Me	Me	Me	OCH ₂ OMe	A69
Me	Me	Me	OCH ₂ OMe	A72
Me	Me	Me	OCH ₂ OMe	A73
Me	Me	Me	OCH ₂ OMe	A74
Me	Me	Me	OCH ₂ OMe	A75
Me	Me	Me	OCH ₂ OMe	A76
Me	Me	Me	OCH ₂ OMe	A77
Me	Me	Me	OCH ₂ OMe	A81
Me	Me	Me	OCH ₂ OMe	A83
Me	Me	Me	OCH ₂ OMe	A88
Me	Me	Me	OCH ₂ OMe	A91
Me	Me	Me	OCH ₂ OMe	A97
Me	Me	Me	OCH ₂ OMe	A98
Me	Me	Me	OCH ₂ OMe	A102
Me	Me	Me	OCH ₂ (D1-34a)	A1
Me	Me	Me	OCH ₂ (D1-34a)	A13
Me	Me	Me	OCH ₂ (D1-34a)	A14
Me	Me	Me	OCH ₂ (D1-34a)	A15

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Me	Me	OCH ₂ Ph	A16
Me	Me	Me	OCH ₂ Ph	A20
Me	Me	Me	OCH ₂ Ph	A23
Me	Me	Me	OCH ₂ Ph	A24
Me	Me	Me	OCH ₂ Ph	A25
Me	Me	Me	OCH ₂ Ph	A26
Me	Me	Me	OCH ₂ Ph	A27
Me	Me	Me	OCH ₂ Ph	A28
Me	Me	Me	OCH ₂ Ph	A29
Me	Me	Me	OCH ₂ Ph	A34
Me	Me	Me	OCH ₂ Ph	A35
Me	Me	Me	OCH ₂ Ph	A36
Me	Me	Me	OCH ₂ Ph	A37
Me	Me	Me	OCH ₂ Ph	A42
Me	Me	Me	OCH ₂ Ph	A58
Me	Me	Me	OCH ₂ Ph	A63
Me	Me	Me	OCH ₂ Ph	A64
Me	Me	Me	OCH ₂ Ph	A65
Me	Me	Me	OCH ₂ Ph	A67
Me	Me	Me	OCH ₂ Ph	A69
Me	Me	Me	OCH ₂ Ph	A72
Me	Me	Me	OCH ₂ Ph	A73
Me	Me	Me	OCH ₂ Ph	A74
Me	Me	Me	OCH ₂ Ph	A75
Me	Me	Me	OCH ₂ Ph	A76
Me	Me	Me	OCH ₂ Ph	A77
Me	Me	Me	OCH ₂ Ph	A81
Me	Me	Me	OCH ₂ Ph	A83
Me	Me	Me	OCH ₂ Ph	A88
Me	Me	Me	OCH ₂ Ph	A91
Me	Me	Me	OCH ₂ Ph	A97
Me	Me	Me	OCH ₂ Ph	A98
Me	Me	Me	OCH ₂ Ph	A102
Me	Me	Me	OPh	A1
Me	Me	Me	OPh	A13
Me	Me	Me	OPh	A14
Me	Me	Me	OPh	A15
Me	Me	Me	OPh	A16
Me	Me	Me	OPh	A20

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Me	Me	OCH ₂ (D1-34a)	A16
Me	Me	Me	OCH ₂ (D1-34a)	A20
Me	Me	Me	OCH ₂ (D1-34a)	A23
Me	Me	Me	OCH ₂ (D1-34a)	A24
Me	Me	Me	OCH ₂ (D1-34a)	A25
Me	Me	Me	OCH ₂ (D1-34a)	A26
Me	Me	Me	OCH ₂ (D1-34a)	A27
Me	Me	Me	OCH ₂ (D1-34a)	A28
Me	Me	Me	OCH ₂ (D1-34a)	A29
Me	Me	Me	OCH ₂ (D1-34a)	A34
Me	Me	Me	OCH ₂ (D1-34a)	A35
Me	Me	Me	OCH ₂ (D1-34a)	A36
Me	Me	Me	OCH ₂ (D1-34a)	A37
Me	Me	Me	OCH ₂ (D1-34a)	A42
Me	Me	Me	OCH ₂ (D1-34a)	A58
Me	Me	Me	OCH ₂ (D1-34a)	A63
Me	Me	Me	OCH ₂ (D1-34a)	A64
Me	Me	Me	OCH ₂ (D1-34a)	A65
Me	Me	Me	OCH ₂ (D1-34a)	A67
Me	Me	Me	OCH ₂ (D1-34a)	A69
Me	Me	Me	OCH ₂ (D1-34a)	A72
Me	Me	Me	OCH ₂ (D1-34a)	A73
Me	Me	Me	OCH ₂ (D1-34a)	A74
Me	Me	Me	OCH ₂ (D1-34a)	A75
Me	Me	Me	OCH ₂ (D1-34a)	A76
Me	Me	Me	OCH ₂ (D1-34a)	A77
Me	Me	Me	OCH ₂ (D1-34a)	A81
Me	Me	Me	OCH ₂ (D1-34a)	A83
Me	Me	Me	OCH ₂ (D1-34a)	A88
Me	Me	Me	OCH ₂ (D1-34a)	A91
Me	Me	Me	OCH ₂ (D1-34a)	A97
Me	Me	Me	OCH ₂ (D1-34a)	A98
Me	Me	Me	OCH ₂ (D1-34a)	A102
Me	Me	Me	O(D1-32b-1)	A1
Me	Me	Me	O(D1-32b-1)	A13
Me	Me	Me	O(D1-32b-1)	A14
Me	Me	Me	O(D1-32b-1)	A15
Me	Me	Me	O(D1-32b-1)	A16
Me	Me	Me	O(D1-32b-1)	A20

Table 1 (continued)

R ^b	Z ^a	Z ^c	Z ^c	A
Me	Me	Me	OPh	A23
Me	Me	Me	OPh	A24
Me	Me	Me	OPh	A25
Me	Me	Me	OPh	A26
Me	Me	Me	OPh	A27
Me	Me	Me	OPh	A28
Me	Me	Me	OPh	A29
Me	Me	Me	OPh	A34
Me	Me	Me	OPh	A35
Me	Me	Me	OPh	A36
Me	Me	Me	OPh	A37
Me	Me	Me	OPh	A42
Me	Me	Me	OPh	A58
Me	Me	Me	OPh	A63
Me	Me	Me	OPh	A64
Me	Me	Me	OPh	A65
Me	Me	Me	OPh	A67
Me	Me	Me	OPh	A69
Me	Me	Me	OPh	A72
Me	Me	Me	OPh	A73
Me	Me	Me	OPh	A74
Me	Me	Me	OPh	A75
Me	Me	Me	OPh	A76
Me	Me	Me	OPh	A77
Me	Me	Me	OPh	A81
Me	Me	Me	OPh	A83
Me	Me	Me	OPh	A88
Me	Me	Me	OPh	A91
Me	Me	Me	OPh	A97
Me	Me	Me	OPh	A98
Me	Me	Me	OPh	A102
Me	Me	Me	SMe	A1
Me	Me	Me	SMe	A13
Me	Me	Me	SMe	A14
Me	Me	Me	SMe	A15
Me	Me	Me	SMe	A16
Me	Me	Me	SMe	A20
Me	Me	Me	SMe	A23
Me	Me	Me	SMe	A24

Table 1 (continued)

R ^b	Z ^a	Z ^c	Z ^c	A
Me	Me	Me	O(D1-32b-1)	A23
Me	Me	Me	O(D1-32b-1)	A24
Me	Me	Me	O(D1-32b-1)	A25
Me	Me	Me	O(D1-32b-1)	A26
Me	Me	Me	O(D1-32b-1)	A27
Me	Me	Me	O(D1-32b-1)	A28
Me	Me	Me	O(D1-32b-1)	A29
Me	Me	Me	O(D1-32b-1)	A34
Me	Me	Me	O(D1-32b-1)	A35
Me	Me	Me	O(D1-32b-1)	A36
Me	Me	Me	O(D1-32b-1)	A37
Me	Me	Me	O(D1-32b-1)	A42
Me	Me	Me	O(D1-32b-1)	A58
Me	Me	Me	O(D1-32b-1)	A63
Me	Me	Me	O(D1-32b-1)	A64
Me	Me	Me	O(D1-32b-1)	A65
Me	Me	Me	O(D1-32b-1)	A67
Me	Me	Me	O(D1-32b-1)	A69
Me	Me	Me	O(D1-32b-1)	A72
Me	Me	Me	O(D1-32b-1)	A73
Me	Me	Me	O(D1-32b-1)	A74
Me	Me	Me	O(D1-32b-1)	A75
Me	Me	Me	O(D1-32b-1)	A76
Me	Me	Me	O(D1-32b-1)	A77
Me	Me	Me	O(D1-32b-1)	A81
Me	Me	Me	O(D1-32b-1)	A83
Me	Me	Me	O(D1-32b-1)	A88
Me	Me	Me	O(D1-32b-1)	A91
Me	Me	Me	O(D1-32b-1)	A97
Me	Me	Me	O(D1-32b-1)	A98
Me	Me	Me	O(D1-32b-1)	A102
Me	Me	Me	NHC(O)OBu-t	A1
Me	Me	Me	NIIC(O)OBu-t	A13
Me	Me	Me	NHC(O)OBu-t	A14
Me	Me	Me	NHC(O)OBu-t	A15
Me	Me	Me	NHC(O)OBu-t	A16
Me	Me	Me	NHC(O)OBu-t	A20
Me	Me	Me	NIIC(O)OBu-t	A23
Me	Me	Me	NHC(O)OBu-t	A24

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Me	SMe	A25
Me	Me	Me	SMe	A26
Me	Me	Me	SMe	A27
Me	Me	Me	SMe	A28
Me	Me	Me	SMe	A29
Me	Me	Me	SMe	A34
Me	Me	Me	SMe	A35
Me	Me	Me	SMe	A36
Me	Me	Me	SMe	A37
Me	Me	Me	SMe	A42
Me	Me	Me	SMe	A58
Me	Me	Me	SMe	A63
Me	Me	Me	SMe	A64
Me	Me	Me	SMe	A65
Me	Me	Me	SMe	A67
Me	Me	Me	SMe	A69
Me	Me	Me	SMe	A72
Me	Me	Me	SMe	A73
Me	Me	Me	SMe	A74
Me	Me	Me	SMe	A75
Me	Me	Me	SMe	A76
Me	Me	Me	SMe	A77
Me	Me	Me	SMe	A81
Me	Me	Me	SMe	A83
Me	Me	Me	SMe	A88
Me	Me	Me	SMe	A91
Me	Me	Me	SMe	A97
Me	Me	Me	SMe	A98
Me	Me	Me	SMe	A102
Me	Me	Me	Me	A1
Me	Me	Me	Me	A2
Me	Me	Me	Me	A3
Me	Me	Me	Me	A4
Me	Me	Me	Me	A5
Me	Me	Me	Me	A6
Me	Me	Me	Me	A7
Me	Me	Me	Me	A8
Me	Me	Me	Me	A9
Me	Me	Me	Me	A10

Table 1 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Me	NHC(O)OBu-t	A25
Me	Me	Me	NHC(O)OBu-t	A26
Me	Me	Me	NHC(O)OBu-t	A27
Me	Me	Me	NHC(O)OBu-t	A28
Me	Me	Me	NHC(O)OBu-t	A29
Me	Me	Me	NHC(O)OBu-t	A34
Me	Me	Me	NHC(O)OBu-t	A35
Me	Me	Me	NHC(O)OBu-t	A36
Me	Me	Me	NHC(O)OBu-t	A37
Me	Me	Me	NHC(O)OBu-t	A42
Me	Me	Me	NHC(O)OBu-t	A58
Me	Me	Me	NHC(O)OBu-t	A63
Me	Me	Me	NHC(O)OBu-t	A64
Me	Me	Me	NHC(O)OBu-t	A65
Me	Me	Me	NHC(O)OBu-t	A67
Me	Me	Me	NHC(O)OBu-t	A69
Me	Me	Me	NHC(O)OBu-t	A72
Me	Me	Me	NHC(O)OBu-t	A73
Me	Me	Me	NHC(O)OBu-t	A74
Me	Me	Me	NHC(O)OBu-t	A75
Me	Me	Me	NHC(O)OBu-t	A76
Me	Me	Me	NHC(O)OBu-t	A77
Me	Me	Me	NHC(O)OBu-t	A81
Me	Me	Me	NHC(O)OBu-t	A83
Me	Me	Me	NHC(O)OBu-t	A88
Me	Me	Me	NHC(O)OBu-t	A91
Me	Me	Me	NHC(O)OBu-t	A97
Me	Me	Me	NHC(O)OBu-t	A98
Me	Me	Me	NHC(O)OBu-t	A102
Me	Me	Me	Me	A11
Me	Me	Me	Me	A12
Me	Me	Me	Me	A13
Me	Me	Me	Me	A14
Me	Me	Me	Me	A15
Me	Me	Me	Me	A16
Me	Me	Me	Me	A17
Me	Me	Me	Me	A18
Me	Me	Me	Me	A19
Me	Me	Me	Me	A20

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Me	Me	Me	A21
Me	Me	Me	Me	A22
Me	Me	Me	Me	A23
Me	Me	Me	Me	A24
Me	Me	Me	Me	A25
Me	Me	Me	Me	A26
Me	Me	Me	Me	A27
Me	Me	Me	Me	A28
Me	Me	Me	Me	A29
Me	Me	Me	Me	A30
Me	Me	Me	Me	A31
Me	Me	Me	Me	A32
Me	Me	Me	Me	A33
Me	Me	Me	Me	A34
Me	Me	Me	Me	A35
Me	Me	Me	Me	A36
Me	Me	Me	Me	A37
Me	Me	Me	Me	A38
Me	Me	Me	Me	A39
Me	Me	Me	Me	A40
Me	Me	Me	Me	A41
Me	Me	Me	Me	A42
Me	Me	Me	Me	A43
Me	Me	Me	Me	A44
Me	Me	Me	Me	A45
Me	Me	Me	Me	A46
Me	Me	Me	Me	A47
Me	Me	Me	Me	A48
Me	Me	Me	Me	A49
Me	Me	Me	Me	A50
Me	Me	Me	Me	A51
Me	Me	Me	Me	A52
Me	Me	Me	Me	A53
Me	Me	Me	Me	A54
Me	Me	Me	Me	A55
Me	Me	Me	Me	A56
Me	Me	Me	Me	A57
Me	Me	Me	Me	A58
Me	Me	Me	Me	A59

Table 1 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Me	Me	Me	A60
Me	Me	Me	Me	A61
Me	Me	Me	Me	A62
Me	Me	Me	Me	A63
Me	Me	Me	Me	A64
Me	Me	Me	Me	A65
Me	Me	Me	Me	A66
Me	Me	Me	Me	A67
Me	Me	Me	Me	A68
Me	Me	Me	Me	A69
Me	Me	Me	Me	A70
Me	Me	Me	Me	A71
Me	Me	Me	Me	A72
Me	Me	Me	Me	A73
Me	Me	Me	Me	A74
Me	Me	Me	Me	A75
Me	Me	Me	Me	A76
Me	Me	Me	Me	A77
Me	Me	Me	Me	A78
Me	Me	Me	Me	A79
Me	Me	Me	Me	A80
Me	Me	Me	Me	A81
Me	Me	Me	Me	A82
Me	Me	Me	Me	A83
Me	Me	Me	Me	A84
Me	Me	Me	Me	A85
Me	Me	Me	Me	A86
Me	Me	Me	Me	A87
Me	Me	Me	Me	A88
Me	Me	Me	Me	A89
Me	Me	Me	Me	A90
Me	Me	Me	Me	A91
Me	Me	Me	Me	A92
Me	Me	Me	Me	A93
Me	Me	Me	Me	A94
Me	Me	Me	Me	A95
Me	Me	Me	Me	A96
Me	Me	Me	Me	A97
Me	Me	Me	Me	A98

Table 1 (continued)				
R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Me	Me	Me	A99
Me	Me	Me	Me	A100
Me	Me	Me	Me	A101
Me	Me	Me	Me	A102
Me	Me	Me	Me	A103
Me	Me	Me	Me	A104
Me	Me	Me	Me	A105
Me	Me	Me	Me	A106
Me	Me	Me	Me	A107
Me	Me	Me	D1-103-1	H
Me	Me	Me	D1-103-2	H
Me	Et	Et	D1-103-1	H
Me	Et	Et	D1-103-2	H

Table 1 (continued)				
R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Me	Me	Me	A108
Me	Me	Me	Me	A109
Me	Me	Me	Me	A110
Me	Me	Me	Me	A111
Me	Me	Me	Me	A112
Me	Me	Me	Me	A113
Me	Me	Me	Me	A114
Me	Me	Me	Me	A115
Me	Me	Me	D1-103-3	H
Me	Me	Me	D1-103-4	H
Me	Et	Et	D1-103-3	H
Me	Et	Et	D1-103-4	H

[0207] [Table 2]




Table 2				
R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Me	C≡CMe	H
Me	Me	Me	C≡CMe	A39
Me	Me	Me	C≡CMe	A40
Me	Me	Me	C≡CMe	A41
c-Pr	Me	Me	C≡CMe	H
c-Pr	Me	Me	C≡CMe	A39
c-Pr	Me	Me	C≡CMe	A40
c-Pr	Me	Me	C≡CMe	A41
c-Bu	Me	Me	C≡CMe	H
c-Bu	Me	Me	C≡CMe	A39
c-Bu	Me	Me	C≡CMe	A40
c-Bu	Me	Me	C≡CMe	A41
c-Pen	Me	Me	C≡CMe	H
c-Pen	Me	Me	C≡CMe	A39
c-Pen	Me	Me	C≡CMe	A40
c-Pen	Me	Me	C≡CMe	A41
c-Hex	Me	Me	C≡CMe	H
c-Hex	Me	Me	C≡CMe	A39
c-Hex	Me	Me	C≡CMe	A40
c-Hex	Me	Me	C≡CMe	A41
Me	Me	Me	C≡CSi(Me) ₃	H
Me	Me	Me	C≡CSi(Me) ₃	A39
Me	Me	Me	C≡CSi(Me) ₃	A40
Me	Me	Me	C≡CSi(Me) ₃	A41
c-Pr	Me	Me	C≡CSi(Me) ₃	H
c-Pr	Me	Me	C≡CSi(Me) ₃	A39
c-Pr	Me	Me	C≡CSi(Me) ₃	A40
c-Pr	Me	Me	C≡CSi(Me) ₃	A41
c-Bu	Me	Me	C≡CSi(Me) ₃	H
c-Bu	Me	Me	C≡CSi(Me) ₃	A39
c-Bu	Me	Me	C≡CSi(Me) ₃	A40
c-Bu	Me	Me	C≡CSi(Me) ₃	A41
c-Pen	Me	Me	C≡CSi(Me) ₂	H
c-Pen	Me	Me	C≡CSi(Me) ₃	A39
c-Pen	Me	Me	C≡CSi(Me) ₃	A40
c-Pen	Me	Me	C≡CSi(Me) ₃	A41
c-Hex	Me	Me	C≡CSi(Me) ₃	H
c-Hex	Me	Me	C≡CSi(Me) ₃	A39
c-Hex	Me	Me	C≡CSi(Me) ₃	A40

Table 2 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Et	C≡CMe	H
Me	Me	Et	C≡CMe	A39
Me	Me	Et	C≡CMe	A40
Me	Me	Et	C≡CMe	A41
c-Pr	Me	Et	C≡CMe	H
c-Pr	Me	Et	C≡CMe	A39
c-Pr	Me	Et	C≡CMe	A40
c-Pr	Me	Et	C≡CMe	A41
c-Bu	Me	Et	C≡CMe	H
c-Bu	Me	Et	C≡CMe	A39
c-Bu	Me	Et	C≡CMe	A40
c-Bu	Me	Et	C≡CMe	A41
c-Pen	Me	Et	C≡CMe	H
c-Pen	Me	Et	C≡CMe	A39
c-Pen	Me	Et	C≡CMe	A40
c-Pen	Me	Et	C≡CMe	A41
c-Hex	Me	Et	C≡CMe	H
c-Hex	Me	Et	C≡CMe	A39
c-Hex	Me	Et	C≡CMe	A40
c-Hex	Me	Et	C≡CMe	A41
Me	Me	Et	C≡CSi(Me) ₃	H
Me	Me	Et	C≡CSi(Me) ₃	A39
Me	Me	Et	C≡CSi(Me) ₃	A40
Me	Me	Et	C≡CSi(Me) ₃	A41
c-Pr	Me	Et	C≡CSi(Me) ₃	H
c-Pr	Me	Et	C≡CSi(Me) ₃	A39
c-Pr	Me	Et	C≡CSi(Me) ₃	A40
c-Pr	Me	Et	C≡CSi(Me) ₃	A41
c-Bu	Me	Et	C≡CSi(Me) ₃	H
c-Bu	Me	Et	C≡CSi(Me) ₃	A39
c-Bu	Me	Et	C≡CSi(Me) ₃	A40
c-Bu	Me	Et	C≡CSi(Me) ₃	A41
c-Pen	Me	Et	C≡CSi(Me) ₂	H
c-Pen	Me	Et	C≡CSi(Me) ₃	A39
c-Pen	Me	Et	C≡CSi(Me) ₃	A40
c-Pen	Me	Et	C≡CSi(Me) ₃	A41
c-Hex	Me	Et	C≡CSi(Me) ₃	H
c-Hex	Me	Et	C≡CSi(Me) ₃	A39
c-Hex	Me	Et	C≡CSi(Me) ₃	A40

Table 2 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
c-Hex	Me	Me	C≡CSi(Me) ₃	A41
Me	Me	Me	C≡CPr-c	H
Me	Me	Me	C≡CPr-c	A39
Me	Me	Me	C≡CPr-c	A40
Me	Me	Me	C≡CPr-c	A41
c-Pr	Me	Me	C≡CPr-c	H
c-Pr	Me	Me	C≡CPr-c	A39
c-Pr	Me	Me	C≡CPr-c	A40
c-Pr	Me	Me	C≡CPr-c	A41
c-Bu	Me	Me	C≡CPr-c	H
c-Bu	Me	Me	C≡CPr-c	A39
c-Bu	Me	Me	C≡CPr-c	A40
c-Bu	Me	Me	C≡CPr-c	A41
c-Pen	Me	Me	C≡CPr-c	H
c-Pen	Me	Me	C≡CPr-c	A39
c-Pen	Me	Me	C≡CPr-c	A40
c-Pen	Me	Me	C≡CPr-c	A41
c-Hex	Me	Me	C≡CPr-c	H
c-Hex	Me	Me	C≡CPr-c	A39
c-Hex	Me	Me	C≡CPr-c	A40
c-Hex	Me	Me	C≡CPr-c	A41
Me	Me	Me	C≡CC(Me) ₂ OH	H
Me	Me	Me	C≡CC(Me) ₂ OH	A39
Me	Me	Me	C≡CC(Me) ₂ OH	A40
Me	Me	Me	C≡CC(Me) ₂ OH	A41
Me	Me	Me	C≡CCH ₂ OH	H
Me	Me	Me	C≡CCH ₂ OH	A39
Me	Me	Me	C≡CCH ₂ OH	A40
Me	Me	Me	C≡CCH ₂ OH	A41
Me	Me	Me	Ph	H
Me	Me	Me	Ph	Me
Me	Me	Me	Ph	A11
Me	Me	Me	Ph	A34
Me	Me	Me	Ph	A35
Me	Me	Me	Ph	A37
Me	Me	Me	Ph	A39
Me	Me	Me	Ph	A40
Me	Me	Me	Ph	A41
Me	Me	Me	Ph	A73

Table 2 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
c-Hex	Me	Et	C≡CSi(Me) ₃	A41
Me	Me	Et	C≡CPr-c	H
Me	Me	Et	C≡CPr-c	A39
Me	Me	Et	C≡CPr-c	A40
Me	Me	Et	C≡CPr-c	A41
c-Pr	Me	Et	C≡CPr-c	H
c-Pr	Me	Et	C≡CPr-c	A39
c-Pr	Me	Et	C≡CPr-c	A40
c-Pr	Me	Et	C≡CPr-c	A41
c-Bu	Me	Et	C≡CPr-c	H
c-Bu	Me	Et	C≡CPr-c	A39
c-Bu	Me	Et	C≡CPr-c	A40
c-Bu	Me	Et	C≡CPr-c	A41
c-Pen	Me	Et	C≡CPr-c	H
c-Pen	Me	Et	C≡CPr-c	A39
c-Pen	Me	Et	C≡CPr-c	A40
c-Pen	Me	Et	C≡CPr-c	A41
c-Hex	Me	Et	C≡CPr-c	H
c-Hex	Me	Et	C≡CPr-c	A39
c-Hex	Me	Et	C≡CPr-c	A40
c-Hex	Me	Et	C≡CPr-c	A41
Me	Me	Et	C≡CC(Me) ₂ OH	H
Me	Me	Et	C≡CC(Me) ₂ OH	A39
Me	Me	Et	C≡CC(Me) ₂ OH	A40
Me	Me	Et	C≡CC(Me) ₂ OH	A41
Me	Me	Et	C≡CCH ₂ OH	H
Me	Me	Et	C≡CCH ₂ OH	A39
Me	Me	Et	C≡CCH ₂ OH	A40
Me	Me	Et	C≡CCH ₂ OH	A41
Me	Me	Et	Ph	H
Me	Me	Et	Ph	Me
Me	Me	Et	Ph	A11
Me	Me	Et	Ph	A34
Me	Me	Et	Ph	A35
Me	Me	Et	Ph	A37
Me	Me	Et	Ph	A39
Me	Me	Et	Ph	A40
Me	Me	Et	Ph	A41
Me	Me	Et	Ph	A73

Table 2 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Me	Ph	A75
Me	Me	Me	Ph	A83
Me	Me	Me	Ph	A84
Me	Me	Me	Ph	A85
Me	Me	Me	Ph	A91
Me	Me	Me	D1-108b-1	H
Me	Me	Me	D1-108b-1	Me
Me	Me	Me	D1-108b-1	A11
Me	Me	Me	D1-108b-1	A34
Me	Me	Me	D1-108b-1	A35
Me	Me	Me	D1-108b-1	A37
Me	Me	Me	D1-108b-1	A39
Me	Me	Me	D1-108b-1	A40
Me	Me	Me	D1-108b-1	A41
Me	Me	Me	D1-108b-1	A73
Me	Me	Me	D1-108b-1	A75
Me	Me	Me	D1-108b-1	A83
Me	Me	Me	D1-108b-1	A84
Me	Me	Me	D1-108b-1	A85
Me	Me	Me	D1-108b-2	A91
Me	Me	Me	D1-108b-3	H
Me	Me	Me	D1-108b-4	H
Me	Me	Me	D1-108b-4	Me
Me	Me	Me	D1-108b-4	A11
Me	Me	Me	D1-108b-4	A34
Me	Me	Me	D1-108b-4	A35
Me	Me	Me	D1-108b-4	A37
Me	Me	Me	D1-108b-4	A39
Me	Me	Me	D1-108b-4	A40
Me	Me	Me	D1-108b-4	A41
Me	Me	Me	D1-108b-4	A73
Me	Me	Me	D1-108b-4	A75
Me	Me	Me	D1-108b-4	A83
Me	Me	Me	D1-108b-4	A84
Me	Me	Me	D1-108b-4	A85
Me	Me	Me	D1-108b-4	A91
Me	Me	Me	D1-108b-5	H
Me	Me	Me	D1-108b-6	H
Me	Me	Me	D1-108b-7	H

Table 2 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Et	Ph	A75
Me	Me	Et	Ph	A83
Me	Me	Et	Ph	A84
Me	Me	Et	Ph	A85
Me	Me	Et	Ph	A91
Me	Me	Et	D1-108b-1	H
Me	Me	Et	D1-108b-1	Me
Me	Me	Et	D1-108b-1	A11
Me	Me	Et	D1-108b-1	A34
Me	Me	Et	D1-108b-1	A35
Me	Me	Et	D1-108b-1	A37
Me	Me	Et	D1-108b-1	A39
Me	Me	Et	D1-108b-1	A40
Me	Me	Et	D1-108b-1	A41
Me	Me	Et	D1-108b-1	A73
Me	Me	Et	D1-108b-1	A75
Me	Me	Et	D1-108b-1	A83
Me	Me	Et	D1-108b-1	A84
Me	Me	Et	D1-108b-1	A85
Me	Me	Et	D1-108b-2	A91
Me	Me	Et	D1-108b-3	H
Me	Me	Et	D1-108b-4	H
Me	Me	Et	D1-108b-4	Me
Me	Me	Et	D1-108b-4	A11
Me	Me	Et	D1-108b-4	A34
Me	Me	Et	D1-108b-4	A35
Me	Me	Et	D1-108b-4	A37
Me	Me	Et	D1-108b-4	A39
Me	Me	Et	D1-108b-4	A40
Me	Me	Et	D1-108b-4	A41
Me	Me	Et	D1-108b-4	A73
Me	Me	Et	D1-108b-4	A75
Me	Me	Et	D1-108b-4	A83
Me	Me	Et	D1-108b-4	A84
Me	Me	Et	D1-108b-4	A85
Me	Me	Et	D1-108b-4	A91
Me	Me	Et	D1-108b-5	H
Me	Me	Et	D1-108b-6	H
Me	Me	Et	D1-108b-7	H

Table 2 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Me	D1-108b-8	H
Me	Me	Me	D1-108b-8	Me
Me	Me	Me	D1-108b-8	A11
Me	Me	Me	D1-108b-8	A34
Me	Me	Me	D1-108b-8	A35
Me	Me	Me	D1-108b-8	A37
Me	Me	Me	D1-108b-8	A39
Me	Me	Me	D1-108b-8	A40
Me	Me	Me	D1-108b-8	A41
Me	Me	Me	D1-108b-8	A73
Me	Me	Me	D1-108b-8	A75
Me	Me	Me	D1-108b-8	A83
Me	Me	Me	D1-108b-8	A84
Me	Me	Me	D1-108b-8	A85
Me	Me	Me	D1-108b-8	A91
Me	Me	Me	D1-108b-9	H
Me	Me	Me	D1-108b-9	Me
Me	Me	Me	D1-108b-9	A11
Me	Me	Me	D1-108b-9	A34
Me	Me	Me	D1-108b-9	A35
Me	Me	Me	D1-108b-9	A37
Me	Me	Me	D1-108b-9	A39
Me	Me	Me	D1-108b-9	A40
Me	Me	Me	D1-108b-9	A41
Me	Me	Me	D1-108b-9	A73
Me	Me	Me	D1-108b-9	A75
Me	Me	Me	D1-108b-9	A83
Me	Me	Me	D1-108b-9	A84
Me	Me	Me	D1-108b-9	A85
Me	Me	Me	D1-108b-9	A91
Me	Me	Me	D1-108b-10	H
Me	Me	Me	D1-108b-10	Me
Me	Me	Me	D1-108b-10	A11
Me	Me	Me	D1-108b-10	A34
Me	Me	Me	D1-108b-10	A35
Me	Me	Me	D1-108b-10	A37
Me	Me	Me	D1-108b-10	A39
Me	Me	Me	D1-108b-10	A40
Me	Me	Me	D1-108b-10	A41

Table 2 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Et	D1-108b-8	H
Me	Me	Et	D1-108b-8	Me
Me	Me	Et	D1-108b-8	A11
Me	Me	Et	D1-108b-8	A34
Me	Me	Et	D1-108b-8	A35
Me	Me	Et	D1-108b-8	A37
Me	Me	Et	D1-108b-8	A39
Me	Me	Et	D1-108b-8	A40
Me	Me	Et	D1-108b-8	A41
Me	Me	Et	D1-108b-8	A73
Me	Me	Et	D1-108b-8	A75
Me	Me	Et	D1-108b-8	A83
Me	Me	Et	D1-108b-8	A84
Me	Me	Et	D1-108b-8	A85
Me	Me	Et	D1-108b-8	A91
Me	Me	Et	D1-108b-9	H
Me	Me	Et	D1-108b-9	Me
Me	Me	Et	D1-108b-9	A11
Me	Me	Et	D1-108b-9	A34
Me	Me	Et	D1-108b-9	A35
Me	Me	Et	D1-108b-9	A37
Me	Me	Et	D1-108b-9	A39
Me	Me	Et	D1-108b-9	A40
Me	Me	Et	D1-108b-9	A41
Me	Me	Et	D1-108b-9	A73
Me	Me	Et	D1-108b-9	A75
Me	Me	Et	D1-108b-9	A83
Me	Me	Et	D1-108b-9	A84
Me	Me	Et	D1-108b-9	A85
Me	Me	Et	D1-108b-9	A91
Me	Me	Et	D1-108b-10	H
Me	Me	Et	D1-108b-10	Me
Me	Me	Et	D1-108b-10	A11
Me	Me	Et	D1-108b-10	A34
Me	Me	Et	D1-108b-10	A35
Me	Me	Et	D1-108b-10	A37
Me	Me	Et	D1-108b-10	A39
Me	Me	Et	D1-108b-10	A40
Me	Me	Et	D1-108b-10	A41

Table 2 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Me	D1-108b-10	A73
Me	Me	Me	D1-108b-10	A75
Me	Me	Me	D1-108b-10	A83
Me	Me	Me	D1-108b-10	A84
Me	Me	Me	D1-108b-10	A85
Me	Me	Me	D1-108b-10	A91
Me	Me	Me	D1-108b-11	H
Me	Me	Me	D1-108b-12	H
Me	Me	Me	D1-108b-12	Me
Me	Me	Me	D1-108b-12	A11
Me	Me	Me	D1-108b-12	A34
Me	Me	Me	D1-108b-12	A35
Me	Me	Me	D1-108b-12	A37
Me	Me	Me	D1-108b-12	A39
Me	Me	Me	D1-108b-12	A40
Me	Me	Me	D1-108b-12	A41
Me	Me	Me	D1-108b-12	A73
Me	Me	Me	D1-108b-12	A75
Me	Me	Me	D1-108b-12	A83
Me	Me	Me	D1-108b-12	A84
Me	Me	Me	D1-108b-12	A85
Me	Me	Me	D1-108b-12	A91
Me	Me	Me	D1-108b-13	H
Me	Me	Me	D1-108b-14	H
Me	Me	Me	D1-108b-15	H
Me	Me	Me	D1-108b-16	H
Me	Me	Me	D1-108b-17	H
Me	Me	Me	D1-108b-18	H
Me	Me	Me	D1-108b-19	H
Me	Me	Me	D1-2a	H
Me	Me	Me	D1-2b	H
Me	Me	Me	D1-7a	H
Me	Me	Me	D1-7b-1	H
Me	Me	Me	D1-7b-1	A39
Me	Me	Me	D1-7b-1	A40
Me	Me	Me	D1-7b-1	A41
c-Pr	Me	Me	D1-7b-1	H
c-Pr	Me	Me	D1-7b-1	A39
c-Pr	Me	Me	D1-7b-1	A40

Table 2 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Et	D1-108b-10	A73
Me	Me	Et	D1-108b-10	A75
Me	Me	Et	D1-108b-10	A83
Me	Me	Et	D1-108b-10	A84
Me	Me	Et	D1-108b-10	A85
Me	Me	Et	D1-108b-10	A91
Me	Me	Et	D1-108b-11	H
Me	Me	Et	D1-108b-12	H
Me	Me	Et	D1-108b-12	Me
Me	Me	Et	D1-108b-12	A11
Me	Me	Et	D1-108b-12	A34
Me	Me	Et	D1-108b-12	A35
Me	Me	Et	D1-108b-12	A37
Me	Me	Et	D1-108b-12	A39
Me	Me	Et	D1-108b-12	A40
Me	Me	Et	D1-108b-12	A41
Me	Me	Et	D1-108b-12	A73
Me	Me	Et	D1-108b-12	A75
Me	Me	Et	D1-108b-12	A83
Me	Me	Et	D1-108b-12	A84
Me	Me	Et	D1-108b-12	A85
Me	Me	Et	D1-108b-12	A91
Me	Me	Et	D1-108b-13	H
Me	Me	Et	D1-108b-14	H
Me	Me	Et	D1-108b-15	H
Me	Me	Et	D1-108b-16	H
Me	Me	Et	D1-108b-17	H
Me	Me	Et	D1-108b-18	H
Me	Me	Et	D1-108b-19	H
Me	Me	Et	D1-2a	H
Me	Me	Et	D1-2b	H
Me	Me	Et	D1-7a	H
Me	Me	Et	D1-7b-1	H
Me	Me	Et	D1-7b-1	A39
Me	Me	Et	D1-7b-1	A40
Me	Me	Et	D1-7b-1	A41
c-Pr	Me	Et	D1-7b-1	H
c-Pr	Me	Et	D1-7b-1	A39
c-Pr	Me	Et	D1-7b-1	A40

Table 2 (continued)				
R ⁶	Z ^a	Z ^c	Z ^c	A
c-Pr	Me	Me	D1-7b-1	A41
c-Bu	Me	Me	D1-7b-1	H
c-Bu	Me	Me	D1-7b-1	A39
c-Bu	Me	Me	D1-7b-1	A40
c-Bu	Me	Me	D1-7b-1	A41
c-Pen	Me	Me	D1-7b-1	H
c-Pen	Me	Me	D1-7b-1	A39
c-Pen	Me	Me	D1-7b-1	A40
c-Pen	Me	Me	D1-7b-1	A41
c-Hex	Me	Me	D1-7b-1	H
c-Hex	Me	Me	D1-7b-1	A39
c-Hex	Me	Me	D1-7b-1	A40
c-Hex	Me	Me	D1-7b-1	A41
Me	Me	Me	D1-7b-2	H
Me	Me	Me	D1-7b-2	A39
Me	Me	Me	D1-7b-2	A40
Me	Me	Me	D1-7b-2	A41
c-Pr	Me	Me	D1-7b-2	H
c-Pr	Me	Me	D1-7b-2	A39
c-Pr	Me	Me	D1-7b-2	A40
c-Pr	Me	Me	D1-7b-2	A41
c-Bu	Me	Me	D1-7b-2	H
c-Bu	Me	Me	D1-7b-2	A39
c-Bu	Me	Me	D1-7b-2	A40
c-Bu	Me	Me	D1-7b-2	A41
c-Pen	Me	Me	D1-7b-2	H
c-Pen	Me	Me	D1-7b-2	A39
c-Pen	Me	Me	D1-7b-2	A40
c-Pen	Me	Me	D1-7b-2	A41
c-Hex	Me	Me	D1-7b-2	H
c-Hex	Me	Me	D1-7b-2	A39
c-Hex	Me	Me	D1-7b-2	A40
c-Hex	Me	Me	D1-7b-2	A41
Me	Me	Me	D1-7b-3	H
Me	Me	Me	D1-7b-3	A39
Me	Me	Me	D1-7b-3	A40
Me	Me	Me	D1-7b-3	A41
c-Pr	Me	Me	D1-7b-3	H
c-Pr	Me	Me	D1-7b-3	A39

Table 2 (continued)				
R ⁶	Z ^a	Z ^c	Z ^c	A
c-Pr	Me	Et	D1-7b-1	A41
c-Bu	Me	Et	D1-7b-1	H
c-Bu	Me	Et	D1-7b-1	A39
c-Bu	Me	Et	D1-7b-1	A40
c-Bu	Me	Et	D1-7b-1	A41
c-Pen	Me	Et	D1-7b-1	H
c-Pen	Me	Et	D1-7b-1	A39
c-Pen	Me	Et	D1-7b-1	A40
c-Pen	Me	Et	D1-7b-1	A41
c-Hex	Me	Et	D1-7b-1	H
c-Hex	Me	Et	D1-7b-1	A39
c-Hex	Me	Et	D1-7b-1	A40
c-Hex	Me	Et	D1-7b-1	A41
Me	Me	Et	D1-7b-2	H
Me	Me	Et	D1-7b-2	A39
Me	Me	Et	D1-7b-2	A40
Me	Me	Et	D1-7b-2	A41
c-Pr	Me	Et	D1-7b-2	H
c-Pr	Me	Et	D1-7b-2	A39
c-Pr	Me	Et	D1-7b-2	A40
c-Pr	Me	Et	D1-7b-2	A41
c-Bu	Me	Et	D1-7b-2	H
c-Bu	Me	Et	D1-7b-2	A39
c-Bu	Me	Et	D1-7b-2	A40
c-Bu	Me	Et	D1-7b-2	A41
c-Pen	Me	Et	D1-7b-2	H
c-Pen	Me	Et	D1-7b-2	A39
c-Pen	Me	Et	D1-7b-2	A40
c-Pen	Me	Et	D1-7b-2	A41
c-Hex	Me	Et	D1-7b-2	H
c-Hex	Me	Et	D1-7b-2	A39
c-Hex	Me	Et	D1-7b-2	A40
c-Hex	Me	Et	D1-7b-2	A41
Me	Me	Et	D1-7b-3	H
Me	Me	Et	D1-7b-3	A39
Me	Me	Et	D1-7b-3	A40
Me	Me	Et	D1-7b-3	A41
c-Pr	Me	Et	D1-7b-3	H
c-Pr	Me	Et	D1-7b-3	A39

Table 2 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
c-Pr	Me	Me	D1-7b-3	A40
c-Pr	Me	Me	D1-7b-3	A41
c-Bu	Me	Me	D1-7b-3	H
c-Bu	Me	Me	D1-7b-3	A39
c-Bu	Me	Me	D1-7b-3	A40
c-Bu	Me	Me	D1-7b-3	A41
c-Pen	Me	Me	D1-7b-3	H
c-Pen	Me	Me	D1-7b-3	A39
c-Pen	Me	Me	D1-7b-3	A40
c-Pen	Me	Me	D1-7b-3	A41
c-Hex	Me	Me	D1-7b-3	H
c-Hex	Me	Me	D1-7b-3	A39
c-Hex	Me	Me	D1-7b-3	A40
c-Hex	Me	Me	D1-7b-3	A41
Me	Me	Me	D1-7b-4	H
Me	Me	Me	D1-7b-4	A39
Me	Me	Me	D1-7b-4	A40
Me	Me	Me	D1-7b-4	A41
c-Pr	Me	Me	D1-7b-4	H
c-Pr	Me	Me	D1-7b-4	A39
c-Pr	Me	Me	D1-7b-4	A40
c-Pr	Me	Me	D1-7b-4	A41
c-Bu	Me	Me	D1-7b-4	H
c-Bu	Me	Me	D1-7b-4	A39
c-Bu	Me	Me	D1-7b-4	A40
c-Bu	Me	Me	D1-7b-4	A41
c-Pen	Me	Me	D1-7b-4	H
c-Pen	Me	Me	D1-7b-4	A39
c-Pen	Me	Me	D1-7b-4	A40
c-Pen	Me	Me	D1-7b-4	A41
c-Hex	Me	Me	D1-7b-4	H
c-Hex	Me	Me	D1-7b-4	A39
c-Hex	Me	Me	D1-7b-4	A40
c-Hex	Me	Me	D1-7b-4	A41
Me	Me	Me	D1-10a	H
Me	Me	Me	D1-11a	H
Me	Me	Me	D1-11b-1	H
Me	Me	Me	D1-11b-2	H
Me	Me	Me	D1-11b-3	H

Table 2 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
c-Pr	Me	Et	D1-7b-3	A40
c-Pr	Me	Et	D1-7b-3	A41
c-Bu	Me	Et	D1-7b-3	H
c-Bu	Me	Et	D1-7b-3	A39
c-Bu	Me	Et	D1-7b-3	A40
c-Bu	Me	Et	D1-7b-3	A41
c-Pen	Me	Et	D1-7b-3	H
c-Pen	Me	Et	D1-7b-3	A39
c-Pen	Me	Et	D1-7b-3	A40
c-Pen	Me	Et	D1-7b-3	A41
c-Hex	Me	Et	D1-7b-3	H
c-Hex	Me	Et	D1-7b-3	A39
c-Hex	Me	Et	D1-7b-3	A40
c-Hex	Me	Et	D1-7b-3	A41
Me	Me	Et	D1-7b-4	H
Me	Me	Et	D1-7b-4	A39
Me	Me	Et	D1-7b-4	A40
Me	Me	Et	D1-7b-4	A41
c-Pr	Me	Et	D1-7b-4	H
c-Pr	Me	Et	D1-7b-4	A39
c-Pr	Me	Et	D1-7b-4	A40
c-Pr	Me	Et	D1-7b-4	A41
c-Bu	Me	Et	D1-7b-4	H
c-Bu	Me	Et	D1-7b-4	A39
c-Bu	Me	Et	D1-7b-4	A40
c-Bu	Me	Et	D1-7b-4	A41
c-Pen	Me	Et	D1-7b-4	H
c-Pen	Me	Et	D1-7b-4	A39
c-Pen	Me	Et	D1-7b-4	A40
c-Pen	Me	Et	D1-7b-4	A41
c-Hex	Me	Et	D1-7b-4	H
c-Hex	Me	Et	D1-7b-4	A39
c-Hex	Me	Et	D1-7b-4	A40
c-Hex	Me	Et	D1-7b-4	A41
Me	Me	Et	D1-10a	H
Me	Me	Et	D1-11a	H
Me	Me	Et	D1-11b-1	H
Me	Me	Et	D1-11b-2	H
Me	Me	Et	D1-11b-3	H

Table 2 (continued)				
R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Me	Me	D1-11b-4	H
Me	Me	Me	D1-22a	H
Me	Me	Me	D1-22b-1	H
Me	Me	Me	D1-22b-2	H
Me	Me	Me	D1-22b-3	H
Me	Me	Me	D1-22b-4	H
Me	Me	Me	D1-32a	H
Me	Me	Me	D1-32b-1	H
Me	Me	Me	D1-32b-2	H
Me	Me	Me	D1-32b-3	H
Me	Me	Me	D1-32b-4	H
Me	Me	Me	D1-32b-5	H
Me	Me	Me	D1-33a	H
Me	Me	Me	D1-33b-1	H
Me	Me	Me	D1-33b-2	H
Me	Me	Me	D1-33b-3	H
Me	Me	Me	D1-33b-4	H
Me	Me	Me	D1-34a	H
Me	Me	Me	D1-37a	H
Me	Me	Me	D1-37b-1	H
Me	Me	Me	C≡CH	H
Me	Me	Me	C≡CH	A39
Me	Me	Me	C≡CH	A40
Me	Me	Me	C≡CH	A41
c-Pr	Me	Me	C≡CH	H
c-Pr	Me	Me	C≡CH	A39
c-Pr	Me	Me	C≡CH	A40
c-Pr	Me	Me	C≡CH	A41
c-Bu	Me	Me	C≡CH	H
c-Bu	Me	Me	C≡CH	A39
c-Bu	Me	Me	C≡CH	A40
c-Bu	Me	Me	C≡CH	A41
c-Pen	Me	Me	C≡CH	H
c-Pen	Me	Me	C≡CH	A39
c-Pen	Me	Me	C≡CH	A40
c-Pen	Me	Me	C≡CH	A41
c-Hex	Me	Me	C≡CH	H
c-Hex	Me	Me	C≡CH	A39

Table 2 (continued)				
R ⁶	Z ^a	Z ^c	Z ^c	A
Me	Me	Et	D1-11b-4	H
Me	Me	Et	D1-22a	H
Me	Me	Et	D1-22b-1	H
Me	Me	Et	D1-22b-2	H
Me	Me	Et	D1-22b-3	H
Me	Me	Et	D1-22b-4	H
Me	Me	Et	D1-32a	H
Me	Me	Et	D1-32b-1	H
Me	Me	Et	D1-32b-2	H
Me	Me	Et	D1-32b-3	H
Me	Me	Et	D1-32b-4	H
Me	Me	Et	D1-32b-5	H
Me	Me	Et	D1-33a	H
Me	Me	Et	D1-33b-1	H
Me	Me	Et	D1-33b-2	H
Me	Me	Et	D1-33b-3	H
Me	Me	Et	D1-33b-4	H
Me	Me	Et	D1-34a	H
Me	Me	Et	D1-37a	H
Me	Me	Et	D1-37b-1	H
Me	Me	Et	C≡CH	H
Me	Me	Et	C≡CH	A39
Me	Me	Et	C≡CH	A40
Me	Me	Et	C≡CH	A41
c-Pr	Me	Et	C≡CH	H
c-Pr	Me	Et	C≡CH	A39
c-Pr	Me	Et	C≡CH	A40
c-Pr	Me	Et	C≡CH	A41
c-Bu	Me	Et	C≡CH	H
c-Bu	Me	Et	C≡CH	A39
c-Bu	Me	Et	C≡CH	A40
c-Bu	Me	Et	C≡CH	A41
c-Pen	Me	Et	C≡CH	H
c-Pen	Me	Et	C≡CH	A39
c-Pen	Me	Et	C≡CH	A40
c-Pen	Me	Et	C≡CH	A41
c-Hex	Me	Et	C≡CH	H
c-Hex	Me	Et	C≡CH	A39

Table 2 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
c-Hex	Me	Me	C≡CH	A40
c-Hex	Me	Me	C≡CH	A41
Me	Me	Me	C≡CBu-c	H
Me	Me	Me	C≡CBu-c	A39
Me	Me	Me	C≡CBu-c	A40
Me	Me	Me	C≡CBu-c	A41
c-Pr	Me	Me	C≡CBu-c	H
c-Pr	Me	Me	C≡CBu-c	A39
c-Pr	Me	Me	C≡CBu-c	A40
c-Pr	Me	Me	C≡CBu-c	A41
c-Bu	Me	Me	C≡CBu-c	H
c-Bu	Me	Me	C≡CBu-c	A39
c-Bu	Me	Me	C≡CBu-c	A40
c-Bu	Me	Me	C≡CBu-c	A41
c-Pen	Me	Me	C≡CBu-c	H
c-Pen	Me	Me	C≡CBu-c	A39
c-Pen	Me	Me	C≡CBu-c	A40
c-Pen	Me	Me	C≡CBu-c	A41
c-Hex	Me	Me	C≡CBu-c	H
c-Hex	Me	Me	C≡CBu-c	A39
c-Hex	Me	Me	C≡CBu-c	A40
c-Hex	Me	Me	C≡CBu-c	A41
Me	Me	Me	C≡CPen-c	H
Me	Me	Me	C≡CPen-c	A39
Me	Me	Me	C≡CPen-c	A40
Me	Me	Me	C≡CPen-c	A41
c-Pr	Me	Me	C≡CPen-c	H
c-Pr	Me	Me	C≡CPen-c	A39
c-Pr	Me	Me	C≡CPen-c	A40
c-Pr	Me	Me	C≡CPen-c	A41
c-Bu	Me	Me	C≡CPen-c	H
c-Bu	Me	Me	C≡CPen-c	A39
c-Bu	Me	Me	C≡CPen-c	A40
c-Bu	Me	Me	C≡CPen-c	A41
c-Pen	Me	Me	C≡CPen-c	H
c-Pen	Me	Me	C≡CPen-c	A39
c-Pen	Me	Me	C≡CPen-c	A40

Table 2 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	A
c-Hex	Me	Et	C≡CH	A40
c-Hex	Me	Et	C≡CH	A41
Me	Me	Et	C≡CBu-c	H
Me	Me	Et	C≡CBu-c	A39
Me	Me	Et	C≡CBu-c	A40
Me	Me	Et	C≡CBu-c	A41
c-Pr	Me	Et	C≡CBu-c	H
c-Pr	Me	Et	C≡CBu-c	A39
c-Pr	Me	Et	C≡CBu-c	A40
c-Pr	Me	Et	C≡CBu-c	A41
c-Bu	Me	Et	C≡CBu-c	H
c-Bu	Me	Et	C≡CBu-c	A39
c-Bu	Me	Et	C≡CBu-c	A40
c-Bu	Me	Et	C≡CBu-c	A41
c-Pen	Me	Et	C≡CBu-c	H
c-Pen	Me	Et	C≡CBu-c	A39
c-Pen	Me	Et	C≡CBu-c	A40
c-Pen	Me	Et	C≡CBu-c	A41
c-Hex	Me	Et	C≡CBu-c	H
c-Hex	Me	Et	C≡CBu-c	A39
c-Hex	Me	Et	C≡CBu-c	A40
c-Hex	Me	Et	C≡CBu-c	A41
Me	Me	Et	C≡CPen-c	H
Me	Me	Et	C≡CPen-c	A39
Me	Me	Et	C≡CPen-c	A40
Me	Me	Et	C≡CPen-c	A41
c-Pr	Me	Et	C≡CPen-c	H
c-Pr	Me	Et	C≡CPen-c	A39
c-Pr	Me	Et	C≡CPen-c	A40
c-Pr	Me	Et	C≡CPen-c	A41
c-Bu	Me	Et	C≡CPen-c	H
c-Bu	Me	Et	C≡CPen-c	A39
c-Bu	Me	Et	C≡CPen-c	A40
c-Bu	Me	Et	C≡CPen-c	A41
c-Pen	Me	Et	C≡CPen-c	H
c-Pen	Me	Et	C≡CPen-c	A39
c-Pen	Me	Et	C≡CPen-c	A40

Table 2 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
c-Pen	Me	Me	C≡CPen-c	A41
c-Hex	Me	Me	C≡CPen-c	H
c-Hex	Me	Me	C≡CPen-c	A39
c-Hex	Me	Me	C≡CPen-c	A40
c-Hex	Me	Me	C≡CPen-c	A41
Me	Me	Me	C≡CHex-c	H
Me	Me	Me	C≡CHex-c	A39
Me	Me	Me	C≡CHex-c	A40
Me	Me	Me	C≡CHex-c	A41
c-Pr	Me	Me	C≡CHex-c	H
c-Pr	Me	Me	C≡CHex-c	A39
c-Pr	Me	Me	C≡CHex-c	A40
c-Pr	Me	Me	C≡CHex-c	A41
c-Bu	Me	Me	C≡CHex-c	H
c-Bu	Me	Me	C≡CHex-c	A39
c-Bu	Me	Me	C≡CHex-c	A40
c-Bu	Me	Me	C≡CHex-c	A41
c-Pen	Me	Me	C≡CHex-c	H
c-Pen	Me	Me	C≡CHex-c	A39
c-Pen	Me	Me	C≡CHex-c	A40
c-Pen	Me	Me	C≡CHex-c	A41
c-Hex	Me	Me	C≡CHex-c	H
c-Hex	Me	Me	C≡CHex-c	A39
c-Hex	Me	Me	C≡CHex-c	A40
c-Hex	Me	Me	C≡CHex-c	A41

Table 2 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
c-Pen	Me	Et	C≡CPen-c	A41
c-Hex	Me	Et	C≡CPen-c	H
c-Hex	Me	Et	C≡CPen-c	A39
c-Hex	Me	Et	C≡CPen-c	A40
c-Hex	Me	Et	C≡CPen-c	A41
Me	Me	Et	C≡CHex-c	H
Me	Me	Et	C≡CHex-c	A39
Me	Me	Et	C≡CHex-c	A40
Me	Me	Et	C≡CHex-c	A41
c-Pr	Me	Et	C≡CHex-c	H
c-Pr	Me	Et	C≡CHex-c	A39
c-Pr	Me	Et	C≡CHex-c	A40
c-Pr	Me	Et	C≡CHex-c	A41
c-Bu	Me	Et	C≡CHex-c	H
c-Bu	Me	Et	C≡CHex-c	A39
c-Bu	Me	Et	C≡CHex-c	A40
c-Bu	Me	Et	C≡CHex-c	A41
c-Pen	Me	Et	C≡CHex-c	H
c-Pen	Me	Et	C≡CHex-c	A39
c-Pen	Me	Et	C≡CHex-c	A40
c-Pen	Me	Et	C≡CHex-c	A41
c-Hex	Me	Et	C≡CHex-c	H
c-Hex	Me	Et	C≡CHex-c	A39
c-Hex	Me	Et	C≡CHex-c	A40
c-Hex	Me	Et	C≡CHex-c	A41

Table 2 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Et	Et	C≡CMe	H
Me	Et	Et	C≡CMe	A39
Me	Et	Et	C≡CMe	A40
Me	Et	Et	C≡CMe	A41
c-Pr	Et	Et	C≡CMe	H
c-Pr	Et	Et	C≡CMe	A39
c-Pr	Et	Et	C≡CMe	A40
c-Pr	Et	Et	C≡CMe	A41
c-Bu	Et	Et	C≡CMe	H
c-Bu	Et	Et	C≡CMe	A39
c-Bu	Et	Et	C≡CMe	A40
c-Bu	Et	Et	C≡CMe	A41
c-Pen	Et	Et	C≡CMe	H
c-Pen	Et	Et	C≡CMe	A39
c-Pen	Et	Et	C≡CMe	A40
c-Pen	Et	Et	C≡CMe	A41
c-Hex	Et	Et	C≡CMe	H
c-Hex	Et	Et	C≡CMe	A39
c-Hex	Et	Et	C≡CMe	A40
c-Hex	Et	Et	C≡CMe	A41
Me	Et	Et	C≡CSi(Me) ₃	H
Me	Et	Et	C≡CSi(Me) ₃	A39
Me	Et	Et	C≡CSi(Me) ₃	A40
Me	Et	Et	C≡CSi(Me) ₃	A41
c-Pr	Et	Et	C≡CSi(Me) ₃	H
c-Pr	Et	Et	C≡CSi(Me) ₃	A39
c-Pr	Et	Et	C≡CSi(Me) ₃	A40
c-Pr	Et	Et	C≡CSi(Me) ₃	A41
c-Bu	Et	Et	C≡CSi(Me) ₃	H
c-Bu	Et	Et	C≡CSi(Me) ₃	A39
c-Bu	Et	Et	C≡CSi(Me) ₃	A40
c-Bu	Et	Et	C≡CSi(Me) ₃	A41
c-Pen	Et	Et	C≡CSi(Me) ₂	H
c-Pen	Et	Et	C≡CSi(Me) ₃	A39
c-Pen	Et	Et	C≡CSi(Me) ₃	A40
c-Pen	Et	Et	C≡CSi(Me) ₃	A41
c-Hex	Et	Et	C≡CSi(Me) ₃	H
c-Hex	Et	Et	C≡CSi(Me) ₃	A39
c-Hex	Et	Et	C≡CSi(Me) ₃	A40

Table 2 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	n-Pr	C≡CMe	H
Me	Me	n-Pr	C≡CMe	A39
Me	Me	n-Pr	C≡CMe	A40
Me	Me	n-Pr	C≡CMe	A41
c-Pr	Me	n-Pr	C≡CMe	H
c-Pr	Me	n-Pr	C≡CMe	A39
c-Pr	Me	n-Pr	C≡CMe	A40
c-Pr	Me	n-Pr	C≡CMe	A41
c-Bu	Me	n-Pr	C≡CMe	H
c-Bu	Me	n-Pr	C≡CMe	A39
c-Bu	Me	n-Pr	C≡CMe	A40
c-Bu	Me	n-Pr	C≡CMe	A41
c-Pen	Me	n-Pr	C≡CMe	H
c-Pen	Me	n-Pr	C≡CMe	A39
c-Pen	Me	n-Pr	C≡CMe	A40
c-Pen	Me	n-Pr	C≡CMe	A41
c-Hex	Me	n-Pr	C≡CMe	H
c-Hex	Me	n-Pr	C≡CMe	A39
c-Hex	Me	n-Pr	C≡CMe	A40
c-Hex	Me	n-Pr	C≡CMe	A41
Me	Me	n-Pr	C≡CSi(Me) ₃	H
Me	Me	n-Pr	C≡CSi(Me) ₃	A39
Me	Me	n-Pr	C≡CSi(Me) ₃	A40
Me	Me	n-Pr	C≡CSi(Me) ₃	A41
c-Pr	Me	n-Pr	C≡CSi(Me) ₃	H
c-Pr	Me	n-Pr	C≡CSi(Me) ₃	A39
c-Pr	Me	n-Pr	C≡CSi(Me) ₃	A40
c-Pr	Me	n-Pr	C≡CSi(Me) ₃	A41
c-Bu	Me	n-Pr	C≡CSi(Me) ₃	H
c-Bu	Me	n-Pr	C≡CSi(Me) ₃	A39
c-Bu	Me	n-Pr	C≡CSi(Me) ₃	A40
c-Bu	Me	n-Pr	C≡CSi(Me) ₃	A41
c-Pen	Me	n-Pr	C≡CSi(Me) ₂	H
c-Pen	Me	n-Pr	C≡CSi(Me) ₃	A39
c-Pen	Me	n-Pr	C≡CSi(Me) ₃	A40
c-Pen	Me	n-Pr	C≡CSi(Me) ₃	A41
c-Hex	Me	n-Pr	C≡CSi(Me) ₃	H
c-Hex	Me	n-Pr	C≡CSi(Me) ₃	A39
c-Hex	Me	n-Pr	C≡CSi(Me) ₃	A40

Table 2 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
c-Hex	Et	Et	C≡CSi(Me) ₃	A41
Me	Et	Et	C≡CPr-c	H
Me	Et	Et	C≡CPr-c	A39
Me	Et	Et	C≡CPr-c	A40
Me	Et	Et	C≡CPr-c	A41
c-Pr	Et	Et	C≡CPr-c	H
c-Pr	Et	Et	C≡CPr-c	A39
c-Pr	Et	Et	C≡CPr-c	A40
c-Pr	Et	Et	C≡CPr-c	A41
c-Bu	Et	Et	C≡CPr-c	H
c-Bu	Et	Et	C≡CPr-c	A39
c-Bu	Et	Et	C≡CPr-c	A40
c-Bu	Et	Et	C≡CPr-c	A41
c-Pen	Et	Et	C≡CPr-c	H
c-Pen	Et	Et	C≡CPr-c	A39
c-Pen	Et	Et	C≡CPr-c	A40
c-Pen	Et	Et	C≡CPr-c	A41
c-Hex	Et	Et	C≡CPr-c	H
c-Hex	Et	Et	C≡CPr-c	A39
c-Hex	Et	Et	C≡CPr-c	A40
c-Hex	Et	Et	C≡CPr-c	A41
Me	Et	Et	C≡CC(Me) ₂ OH	H
Me	Et	Et	C≡CC(Me) ₂ OH	A39
Me	Et	Et	C≡CC(Me) ₂ OH	A40
Me	Et	Et	C≡CC(Me) ₂ OH	A41
Me	Et	Et	C≡CCH ₂ OH	H
Me	Et	Et	C≡CCH ₂ OH	A39
Me	Et	Et	C≡CCH ₂ OH	A40
Me	Et	Et	C≡CCH ₂ OH	A41
Me	Et	Et	Ph	H
Me	Et	Et	Ph	Me
Me	Et	Et	Ph	A11
Me	Et	Et	Ph	A34
Me	Et	Et	Ph	A35
Me	Et	Et	Ph	A37
Me	Et	Et	Ph	A39
Me	Et	Et	Ph	A40
Me	Et	Et	Ph	A41
Me	Et	Et	Ph	A73

Table 2 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
c-Hex	Me	n-Pr	C≡CSi(Me) ₃	A41
Me	Me	n-Pr	C≡CPr-c	H
Me	Me	n-Pr	C≡CPr-c	A39
Me	Me	n-Pr	C≡CPr-c	A40
Me	Me	n-Pr	C≡CPr-c	A41
c-Pr	Me	n-Pr	C≡CPr-c	H
c-Pr	Me	n-Pr	C≡CPr-c	A39
c-Pr	Me	n-Pr	C≡CPr-c	A40
c-Pr	Me	n-Pr	C≡CPr-c	A41
c-Bu	Me	n-Pr	C≡CPr-c	H
c-Bu	Me	n-Pr	C≡CPr-c	A39
c-Bu	Me	n-Pr	C≡CPr-c	A40
c-Bu	Me	n-Pr	C≡CPr-c	A41
c-Pen	Me	n-Pr	C≡CPr-c	H
c-Pen	Me	n-Pr	C≡CPr-c	A39
c-Pen	Me	n-Pr	C≡CPr-c	A40
c-Pen	Me	n-Pr	C≡CPr-c	A41
c-Hex	Me	n-Pr	C≡CPr-c	H
c-Hex	Me	n-Pr	C≡CPr-c	A39
c-Hex	Me	n-Pr	C≡CPr-c	A40
c-Hex	Me	n-Pr	C≡CPr-c	A41
Me	Me	n-Pr	C≡CC(Me) ₂ OH	H
Me	Me	n-Pr	C≡CC(Me) ₂ OH	A39
Me	Me	n-Pr	C≡CC(Me) ₂ OH	A40
Me	Me	n-Pr	C≡CC(Me) ₂ OH	A41
Me	Me	n-Pr	C≡CCH ₂ OH	H
Me	Me	n-Pr	C≡CCH ₂ OH	A39
Me	Me	n-Pr	C≡CCH ₂ OH	A40
Me	Me	n-Pr	C≡CCH ₂ OH	A41
Me	Me	n-Pr	Ph	H
Me	Me	n-Pr	Ph	Me
Me	Me	n-Pr	Ph	A11
Me	Me	n-Pr	Ph	A34
Me	Me	n-Pr	Ph	A35
Me	Me	n-Pr	Ph	A37
Me	Me	n-Pr	Ph	A39
Me	Me	n-Pr	Ph	A40
Me	Me	n-Pr	Ph	A41
Me	Me	n-Pr	Ph	A73

Table 2 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Et	Et	Ph	A75
Me	Et	Et	Ph	A83
Me	Et	Et	Ph	A84
Me	Et	Et	Ph	A85
Me	Et	Et	Ph	A91
Me	Et	Et	D1-108b-1	H
Me	Et	Et	D1-108b-1	Me
Me	Et	Et	D1-108b-1	A11
Me	Et	Et	D1-108b-1	A34
Me	Et	Et	D1-108b-1	A35
Me	Et	Et	D1-108b-1	A37
Me	Et	Et	D1-108b-1	A39
Me	Et	Et	D1-108b-1	A40
Me	Et	Et	D1-108b-1	A41
Me	Et	Et	D1-108b-1	A73
Me	Et	Et	D1-108b-1	A75
Me	Et	Et	D1-108b-1	A83
Me	Et	Et	D1-108b-1	A84
Me	Et	Et	D1-108b-1	A85
Me	Et	Et	D1-108b-2	A91
Me	Et	Et	D1-108b-3	H
Me	Et	Et	D1-108b-4	H
Me	Et	Et	D1-108b-4	Me
Me	Et	Et	D1-108b-4	A11
Me	Et	Et	D1-108b-4	A34
Me	Et	Et	D1-108b-4	A35
Me	Et	Et	D1-108b-4	A37
Me	Et	Et	D1-108b-4	A39
Me	Et	Et	D1-108b-4	A40
Me	Et	Et	D1-108b-4	A41
Me	Et	Et	D1-108b-4	A73
Me	Et	Et	D1-108b-4	A75
Me	Et	Et	D1-108b-4	A83
Me	Et	Et	D1-108b-4	A84
Me	Et	Et	D1-108b-4	A85
Me	Et	Et	D1-108b-4	A91
Me	Et	Et	D1-108b-5	H
Me	Et	Et	D1-108b-6	H
Me	Et	Et	D1-108b-7	H

Table 2 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	n-Pr	Ph	A75
Me	Me	n-Pr	Ph	A83
Me	Me	n-Pr	Ph	A84
Me	Me	n-Pr	Ph	A85
Me	Me	n-Pr	Ph	A91
Me	Me	n-Pr	D1-108b-1	H
Me	Me	n-Pr	D1-108b-1	Me
Me	Me	n-Pr	D1-108b-1	A11
Me	Me	n-Pr	D1-108b-1	A34
Me	Me	n-Pr	D1-108b-1	A35
Me	Me	n-Pr	D1-108b-1	A37
Me	Me	n-Pr	D1-108b-1	A39
Me	Me	n-Pr	D1-108b-1	A40
Me	Me	n-Pr	D1-108b-1	A41
Me	Me	n-Pr	D1-108b-1	A73
Me	Me	n-Pr	D1-108b-1	A75
Me	Me	n-Pr	D1-108b-1	A83
Me	Me	n-Pr	D1-108b-1	A84
Me	Me	n-Pr	D1-108b-1	A85
Me	Me	n-Pr	D1-108b-2	A91
Me	Me	n-Pr	D1-108b-3	H
Me	Me	n-Pr	D1-108b-4	H
Me	Me	n-Pr	D1-108b-4	Me
Me	Me	n-Pr	D1-108b-4	A11
Me	Me	n-Pr	D1-108b-4	A34
Me	Me	n-Pr	D1-108b-4	A35
Me	Me	n-Pr	D1-108b-4	A37
Me	Me	n-Pr	D1-108b-4	A39
Me	Me	n-Pr	D1-108b-4	A40
Me	Me	n-Pr	D1-108b-4	A41
Me	Me	n-Pr	D1-108b-4	A73
Me	Me	n-Pr	D1-108b-4	A75
Me	Me	n-Pr	D1-108b-4	A83
Me	Me	n-Pr	D1-108b-4	A84
Me	Me	n-Pr	D1-108b-4	A85
Me	Me	n-Pr	D1-108b-4	A91
Me	Me	n-Pr	D1-108b-5	H
Me	Me	n-Pr	D1-108b-6	H
Me	Me	n-Pr	D1-108b-7	H

Table 2 (continued)				
R ^b	Z ^a	Z ^c	Z ^c	A
Me	Et	Et	D1-108b-8	H
Me	Et	Et	D1-108b-8	Me
Me	Et	Et	D1-108b-8	A11
Me	Et	Et	D1-108b-8	A34
Me	Et	Et	D1-108b-8	A35
Me	Et	Et	D1-108b-8	A37
Me	Et	Et	D1-108b-8	A39
Me	Et	Et	D1-108b-8	A40
Me	Et	Et	D1-108b-8	A41
Me	Et	Et	D1-108b-8	A73
Me	Et	Et	D1-108b-8	A75
Me	Et	Et	D1-108b-8	A83
Me	Et	Et	D1-108b-8	A84
Me	Et	Et	D1-108b-8	A85
Me	Et	Et	D1-108b-8	A91
Me	Et	Et	D1-108b-9	H
Me	Et	Et	D1-108b-9	Me
Me	Et	Et	D1-108b-9	A11
Me	Et	Et	D1-108b-9	A34
Me	Et	Et	D1-108b-9	A35
Me	Et	Et	D1-108b-9	A37
Me	Et	Et	D1-108b-9	A39
Me	Et	Et	D1-108b-9	A40
Me	Et	Et	D1-108b-9	A41
Me	Et	Et	D1-108b-9	A73
Me	Et	Et	D1-108b-9	A75
Me	Et	Et	D1-108b-9	A83
Me	Et	Et	D1-108b-9	A84
Me	Et	Et	D1-108b-9	A85
Me	Et	Et	D1-108b-9	A91
Me	Et	Et	D1-108b-10	H
Me	Et	Et	D1-108b-10	Me
Me	Et	Et	D1-108b-10	A11
Me	Et	Et	D1-108b-10	A34
Me	Et	Et	D1-108b-10	A35
Me	Et	Et	D1-108b-10	A37
Me	Et	Et	D1-108b-10	A39
Me	Et	Et	D1-108b-10	A40
Me	Et	Et	D1-108b-10	A41

Table 2 (continued)				
R ^b	Z ^a	Z ^c	Z ^c	A
Me	Me	n-Pr	D1-108b-8	H
Me	Me	n-Pr	D1-108b-8	Me
Me	Me	n-Pr	D1-108b-8	A11
Me	Me	n-Pr	D1-108b-8	A34
Me	Me	n-Pr	D1-108b-8	A35
Me	Me	n-Pr	D1-108b-8	A37
Me	Me	n-Pr	D1-108b-8	A39
Me	Me	n-Pr	D1-108b-8	A40
Me	Me	n-Pr	D1-108b-8	A41
Me	Me	n-Pr	D1-108b-8	A73
Me	Me	n-Pr	D1-108b-8	A75
Me	Me	n-Pr	D1-108b-8	A83
Me	Me	n-Pr	D1-108b-8	A84
Me	Me	n-Pr	D1-108b-8	A85
Me	Me	n-Pr	D1-108b-8	A91
Me	Me	n-Pr	D1-108b-9	H
Me	Me	n-Pr	D1-108b-9	Me
Me	Me	n-Pr	D1-108b-9	A11
Me	Me	n-Pr	D1-108b-9	A34
Me	Me	n-Pr	D1-108b-9	A35
Me	Me	n-Pr	D1-108b-9	A37
Me	Me	n-Pr	D1-108b-9	A39
Me	Me	n-Pr	D1-108b-9	A40
Me	Me	n-Pr	D1-108b-9	A41
Me	Me	n-Pr	D1-108b-9	A73
Me	Me	n-Pr	D1-108b-9	A75
Me	Me	n-Pr	D1-108b-9	A83
Me	Me	n-Pr	D1-108b-9	A84
Me	Me	n-Pr	D1-108b-9	A85
Me	Me	n-Pr	D1-108b-9	A91
Me	Me	n-Pr	D1-108b-10	H
Me	Me	n-Pr	D1-108b-10	Me
Me	Me	n-Pr	D1-108b-10	A11
Me	Me	n-Pr	D1-108b-10	A34
Me	Me	n-Pr	D1-108b-10	A35
Me	Me	n-Pr	D1-108b-10	A37
Me	Me	n-Pr	D1-108b-10	A39
Me	Me	n-Pr	D1-108b-10	A40
Me	Me	n-Pr	D1-108b-10	A41

Table 2 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Et	Et	D1-108b-10	A 73
Me	Et	Et	D1-108b-10	A 75
Me	Et	Et	D1-108b-10	A 83
Me	Et	Et	D1-108b-10	A 84
Me	Et	Et	D1-108b-10	A 85
Me	Et	Et	D1-108b-10	A 91
Me	Et	Et	D1-108b-11	H
Me	Et	Et	D1-108b-12	H
Me	Et	Et	D1-108b-12	Me
Me	Et	Et	D1-108b-12	A 11
Me	Et	Et	D1-108b-12	A 34
Me	Et	Et	D1-108b-12	A 35
Me	Et	Et	D1-108b-12	A 37
Me	Et	Et	D1-108b-12	A 39
Me	Et	Et	D1-108b-12	A 40
Me	Et	Et	D1-108b-12	A 41
Me	Et	Et	D1-108b-12	A 73
Me	Et	Et	D1-108b-12	A 75
Me	Et	Et	D1-108b-12	A 83
Me	Et	Et	D1-108b-12	A 84
Me	Et	Et	D1-108b-12	A 85
Me	Et	Et	D1-108b-12	A 91
Me	Et	Et	D1-108b-13	H
Me	Et	Et	D1-108b-14	H
Me	Et	Et	D1-108b-15	H
Me	Et	Et	D1-108b-16	H
Me	Et	Et	D1-108b-17	H
Me	Et	Et	D1-108b-18	H
Me	Et	Et	D1-108b-19	H
Me	Et	Et	D1-2a	H
Me	Et	Et	D1-2b	H
Me	Et	Et	D1-7a	H
Me	Et	Et	D1-7b-1	H
Me	Et	Et	D1-7b-1	A 39
Me	Et	Et	D1-7b-1	A 40
Me	Et	Et	D1-7b-1	A 41
c-Pr	Et	Et	D1-7b-1	H
c-Pr	Et	Et	D1-7b-1	A 39
c-Pr	Et	Et	D1-7b-1	A 40

Table 2 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	n-Pr	D1-108b-10	A 73
Me	Me	n-Pr	D1-108b-10	A 75
Me	Me	n-Pr	D1-108b-10	A 83
Me	Me	n-Pr	D1-108b-10	A 84
Me	Me	n-Pr	D1-108b-10	A 85
Me	Me	n-Pr	D1-108b-10	A 91
Me	Me	n-Pr	D1-108b-11	H
Me	Me	n-Pr	D1-108b-12	H
Me	Me	n-Pr	D1-108b-12	Me
Me	Me	n-Pr	D1-108b-12	A 11
Me	Me	n-Pr	D1-108b-12	A 34
Me	Me	n-Pr	D1-108b-12	A 35
Me	Me	n-Pr	D1-108b-12	A 37
Me	Me	n-Pr	D1-108b-12	A 39
Me	Me	n-Pr	D1-108b-12	A 40
Me	Me	n-Pr	D1-108b-12	A 41
Me	Me	n-Pr	D1-108b-12	A 73
Me	Me	n-Pr	D1-108b-12	A 75
Me	Me	n-Pr	D1-108b-12	A 83
Me	Me	n-Pr	D1-108b-12	A 84
Me	Me	n-Pr	D1-108b-12	A 85
Me	Me	n-Pr	D1-108b-12	A 91
Me	Me	n-Pr	D1-108b-13	H
Me	Me	n-Pr	D1-108b-14	H
Me	Me	n-Pr	D1-108b-15	H
Me	Me	n-Pr	D1-108b-16	H
Me	Me	n-Pr	D1-108b-17	H
Me	Me	n-Pr	D1-108b-18	H
Me	Me	n-Pr	D1-108b-19	H
Me	Me	n-Pr	D1-2a	H
Me	Me	n-Pr	D1-2b	H
Me	Me	n-Pr	D1-7a	H
Me	Me	n-Pr	D1-7b-1	H
Me	Me	n-Pr	D1-7b-1	A 39
Me	Me	n-Pr	D1-7b-1	A 40
Me	Me	n-Pr	D1-7b-1	A 41
c-Pr	Me	n-Pr	D1-7b-1	H
c-Pr	Me	n-Pr	D1-7b-1	A 39
c-Pr	Me	n-Pr	D1-7b-1	A 40

Table 2 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
c-Pr	Et	Et	D1-7b-1	A41
c-Bu	Et	Et	D1-7b-1	H
c-Bu	Et	Et	D1-7b-1	A39
c-Bu	Et	Et	D1-7b-1	A40
c-Bu	Et	Et	D1-7b-1	A41
c-Pen	Et	Et	D1-7b-1	H
c-Pen	Et	Et	D1-7b-1	A39
c-Pen	Et	Et	D1-7b-1	A40
c-Pen	Et	Et	D1-7b-1	A41
c-Hex	Et	Et	D1-7b-1	H
c-Hex	Et	Et	D1-7b-1	A39
c-Hex	Et	Et	D1-7b-1	A40
c-Hex	Et	Et	D1-7b-1	A41
Me	Et	Et	D1-7b-2	H
Me	Et	Et	D1-7b-2	A39
Me	Et	Et	D1-7b-2	A40
Me	Et	Et	D1-7b-2	A41
c-Pr	Et	Et	D1-7b-2	H
c-Pr	Et	Et	D1-7b-2	A39
c-Pr	Et	Et	D1-7b-2	A40
c-Pr	Et	Et	D1-7b-2	A41
c-Bu	Et	Et	D1-7b-2	H
c-Bu	Et	Et	D1-7b-2	A39
c-Bu	Et	Et	D1-7b-2	A40
c-Bu	Et	Et	D1-7b-2	A41
c-Pen	Et	Et	D1-7b-2	H
c-Pen	Et	Et	D1-7b-2	A39
c-Pen	Et	Et	D1-7b-2	A40
c-Pen	Et	Et	D1-7b-2	A41
c-Hex	Et	Et	D1-7b-2	H
c-Hex	Et	Et	D1-7b-2	A39
c-Hex	Et	Et	D1-7b-2	A40
c-Hex	Et	Et	D1-7b-2	A41
Me	Et	Et	D1-7b-3	H
Me	Et	Et	D1-7b-3	A39
Me	Et	Et	D1-7b-3	A40
Me	Et	Et	D1-7b-3	A41
c-Pr	Et	Et	D1-7b-3	H
c-Pr	Et	Et	D1-7b-3	A39

Table 2 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
c-Pr	Me	n-Pr	D1-7b-1	A41
c-Bu	Me	n-Pr	D1-7b-1	H
c-Bu	Me	n-Pr	D1-7b-1	A39
c-Bu	Me	n-Pr	D1-7b-1	A40
c-Bu	Me	n-Pr	D1-7b-1	A41
c-Pen	Me	n-Pr	D1-7b-1	H
c-Pen	Me	n-Pr	D1-7b-1	A39
c-Pen	Me	n-Pr	D1-7b-1	A40
c-Pen	Me	n-Pr	D1-7b-1	A41
c-Hex	Me	n-Pr	D1-7b-1	H
c-Hex	Me	n-Pr	D1-7b-1	A39
c-Hex	Me	n-Pr	D1-7b-1	A40
c-Hex	Me	n-Pr	D1-7b-1	A41
Me	Me	n-Pr	D1-7b-2	H
Me	Me	n-Pr	D1-7b-2	A39
Me	Me	n-Pr	D1-7b-2	A40
Me	Me	n-Pr	D1-7b-2	A41
c-Pr	Me	n-Pr	D1-7b-2	H
c-Pr	Me	n-Pr	D1-7b-2	A39
c-Pr	Me	n-Pr	D1-7b-2	A40
c-Pr	Me	n-Pr	D1-7b-2	A41
c-Bu	Me	n-Pr	D1-7b-2	H
c-Bu	Me	n-Pr	D1-7b-2	A39
c-Bu	Me	n-Pr	D1-7b-2	A40
c-Bu	Me	n-Pr	D1-7b-2	A41
c-Pen	Me	n-Pr	D1-7b-2	H
c-Pen	Me	n-Pr	D1-7b-2	A39
c-Pen	Me	n-Pr	D1-7b-2	A40
c-Pen	Me	n-Pr	D1-7b-2	A41
c-Hex	Me	n-Pr	D1-7b-2	H
c-Hex	Me	n-Pr	D1-7b-2	A39
c-Hex	Me	n-Pr	D1-7b-2	A40
c-Hex	Me	n-Pr	D1-7b-2	A41
Me	Me	n-Pr	D1-7b-3	H
Me	Me	n-Pr	D1-7b-3	A39
Me	Me	n-Pr	D1-7b-3	A40
Me	Me	n-Pr	D1-7b-3	A41
c-Pr	Me	n-Pr	D1-7b-3	H
c-Pr	Me	n-Pr	D1-7b-3	A39

Table 2 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	Λ
c-Pr	Et	Et	D1-7b-3	A40
c-Pr	Et	Et	D1-7b-3	A41
c-Bu	Et	Et	D1-7b-3	H
c-Bu	Et	Et	D1-7b-3	A39
c-Bu	Et	Et	D1-7b-3	A40
c-Bu	Et	Et	D1-7b-3	A41
c-Pen	Et	Et	D1-7b-3	H
c-Pen	Et	Et	D1-7b-3	A39
c-Pen	Et	Et	D1-7b-3	A40
c-Pen	Et	Et	D1-7b-3	A41
c-Hex	Et	Et	D1-7b-3	H
c-Hex	Et	Et	D1-7b-3	A39
c-Hex	Et	Et	D1-7b-3	A40
c-Hex	Et	Et	D1-7b-3	A41
Me	Et	Et	D1-7b-4	H
Me	Et	Et	D1-7b-4	A39
Me	Et	Et	D1-7b-4	A40
Me	Et	Et	D1-7b-4	A41
c-Pr	Et	Et	D1-7b-4	H
c-Pr	Et	Et	D1-7b-4	A39
c-Pr	Et	Et	D1-7b-4	A40
c-Pr	Et	Et	D1-7b-4	A41
c-Bu	Et	Et	D1-7b-4	H
c-Bu	Et	Et	D1-7b-4	A39
c-Bu	Et	Et	D1-7b-4	A40
c-Bu	Et	Et	D1-7b-4	A41
c-Pen	Et	Et	D1-7b-4	H
c-Pen	Et	Et	D1-7b-4	A39
c-Pen	Et	Et	D1-7b-4	A40
c-Pen	Et	Et	D1-7b-4	A41
c-Hex	Et	Et	D1-7b-4	H
c-Hex	Et	Et	D1-7b-4	A39
c-Hex	Et	Et	D1-7b-4	A40
c-Hex	Et	Et	D1-7b-4	A41
Me	Et	Et	D1-10a	H
Me	Et	Et	D1-11a	H
Me	Et	Et	D1-11b-1	H
Me	Et	Et	D1-11b-2	H
Me	Et	Et	D1-11b-3	H

Table 2 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	Λ
c-Pr	Me	n-Pr	D1-7b-3	A40
c-Pr	Me	n-Pr	D1-7b-3	A41
c-Bu	Me	n-Pr	D1-7b-3	H
c-Bu	Me	n-Pr	D1-7b-3	A39
c-Bu	Me	n-Pr	D1-7b-3	A40
c-Bu	Me	n-Pr	D1-7b-3	A41
c-Pen	Me	n-Pr	D1-7b-3	H
c-Pen	Me	n-Pr	D1-7b-3	A39
c-Pen	Me	n-Pr	D1-7b-3	A40
c-Pen	Me	n-Pr	D1-7b-3	A41
c-Hex	Me	n-Pr	D1-7b-3	H
c-Hex	Me	n-Pr	D1-7b-3	A39
c-Hex	Me	n-Pr	D1-7b-3	A40
c-Hex	Me	n-Pr	D1-7b-3	A41
Me	Me	n-Pr	D1-7b-4	H
Me	Me	n-Pr	D1-7b-4	A39
Me	Me	n-Pr	D1-7b-4	A40
Me	Me	n-Pr	D1-7b-4	A41
c-Pr	Me	n-Pr	D1-7b-4	H
c-Pr	Me	n-Pr	D1-7b-4	A39
c-Pr	Me	n-Pr	D1-7b-4	A40
c-Pr	Me	n-Pr	D1-7b-4	A41
c-Bu	Me	n-Pr	D1-7b-4	H
c-Bu	Me	n-Pr	D1-7b-4	A39
c-Bu	Me	n-Pr	D1-7b-4	A40
c-Bu	Me	n-Pr	D1-7b-4	A41
c-Pen	Me	n-Pr	D1-7b-4	H
c-Pen	Me	n-Pr	D1-7b-4	A39
c-Pen	Me	n-Pr	D1-7b-4	A40
c-Pen	Me	n-Pr	D1-7b-4	A41
c-Hex	Me	n-Pr	D1-7b-4	H
c-Hex	Me	n-Pr	D1-7b-4	A39
c-Hex	Me	n-Pr	D1-7b-4	A40
c-Hex	Me	n-Pr	D1-7b-4	A41
Me	Me	n-Pr	D1-10a	H
Me	Me	n-Pr	D1-11a	H
Me	Me	n-Pr	D1-11b-1	H
Me	Me	n-Pr	D1-11b-2	H
Me	Me	n-Pr	D1-11b-3	H

Table 2 (continued)				
R ⁶	Z ^a	Z ^c	Z ^c	Λ
Me	Et	Et	D1-11b-4	H
Me	Et	Et	D1-22a	H
Me	Et	Et	D1-22b-1	H
Me	Et	Et	D1-22b-2	H
Me	Et	Et	D1-22b-3	H
Me	Et	Et	D1-22b-4	H
Me	Et	Et	D1-32a	H
Me	Et	Et	D1-32b-1	H
Me	Et	Et	D1-32b-2	H
Me	Et	Et	D1-32b-3	H
Me	Et	Et	D1-32b-4	H
Me	Et	Et	D1-32b-5	H
Me	Et	Et	D1-33a	H
Me	Et	Et	D1-33b-1	H
Me	Et	Et	D1-33b-2	H
Me	Et	Et	D1-33b-3	H
Me	Et	Et	D1-33b-4	H
Me	Et	Et	D1-34a	H
Me	Et	Et	D1-37a	H
Me	Et	Et	D1-37b-1	H
Me	Et	Et	C≡CH	H
Me	Et	Et	C≡CH	A39
Me	Et	Et	C≡CH	A40
Me	Et	Et	C≡CH	A41
c-Pr	Et	Et	C≡CH	H
c-Pr	Et	Et	C≡CH	A39
c-Pr	Et	Et	C≡CH	A40
c-Pr	Et	Et	C≡CH	A41
c-Bu	Et	Et	C≡CH	H
c-Bu	Et	Et	C≡CH	A39
c-Bu	Et	Et	C≡CH	A40
c-Bu	Et	Et	C≡CH	A41
c-Pen	Et	Et	C≡CH	H
c-Pen	Et	Et	C≡CH	A39
c-Pen	Et	Et	C≡CH	A40
c-Pen	Et	Et	C≡CH	A41
c-Hex	Et	Et	C≡CH	H
c-Hex	Et	Et	C≡CH	A39

Table 2 (continued)				
R ⁶	Z ^a	Z ^c	Z ^c	Λ
Me	Me	n-Pr	D1-11b-4	H
Me	Me	n-Pr	D1-22a	H
Me	Me	n-Pr	D1-22b-1	H
Me	Me	n-Pr	D1-22b-2	H
Me	Me	n-Pr	D1-22b-3	H
Me	Me	n-Pr	D1-22b-4	H
Me	Me	n-Pr	D1-32a	H
Me	Me	n-Pr	D1-32b-1	H
Me	Me	n-Pr	D1-32b-2	H
Me	Me	n-Pr	D1-32b-3	H
Me	Me	n-Pr	D1-32b-4	H
Me	Me	n-Pr	D1-32b-5	H
Me	Me	n-Pr	D1-33a	H
Me	Me	n-Pr	D1-33b-1	H
Me	Me	n-Pr	D1-33b-2	H
Me	Me	n-Pr	D1-33b-3	H
Me	Me	n-Pr	D1-33b-4	H
Me	Me	n-Pr	D1-34a	H
Me	Me	n-Pr	D1-37a	H
Me	Me	n-Pr	D1-37b-1	H
Me	Me	n-Pr	C≡CH	H
Me	Me	n-Pr	C≡CH	A39
Me	Me	n-Pr	C≡CH	A40
Me	Me	n-Pr	C≡CH	A41
c-Pr	Me	n-Pr	C≡CH	H
c-Pr	Me	n-Pr	C≡CH	A39
c-Pr	Me	n-Pr	C≡CH	A40
c-Pr	Me	n-Pr	C≡CH	A41
c-Bu	Me	n-Pr	C≡CH	H
c-Bu	Me	n-Pr	C≡CH	A39
c-Bu	Me	n-Pr	C≡CH	A40
c-Bu	Me	n-Pr	C≡CH	A41
c-Pen	Me	n-Pr	C≡CH	H
c-Pen	Me	n-Pr	C≡CH	A39
c-Pen	Me	n-Pr	C≡CH	A40
c-Pen	Me	n-Pr	C≡CH	A41
c-Hex	Me	n-Pr	C≡CH	H
c-Hex	Me	n-Pr	C≡CH	A39

Table 2 (continued)				
R ⁶	Z ^a	Z ^c	Z ^c	A
c-Hex	Et	Et	C≡CH	A40
c-Hex	Et	Et	C≡CH	A41
Me	Et	Et	C≡CBu-c	H
Me	Et	Et	C≡CBu-c	A39
Me	Et	Et	C≡CBu-c	A40
Me	Et	Et	C≡CBu-c	A41
c-Pr	Et	Et	C≡CBu-c	H
c-Pr	Et	Et	C≡CBu-c	A39
c-Pr	Et	Et	C≡CBu-c	A40
c-Pr	Et	Et	C≡CBu-c	A41
c-Bu	Et	Et	C≡CBu-c	H
c-Bu	Et	Et	C≡CBu-c	A39
c-Bu	Et	Et	C≡CBu-c	A40
c-Bu	Et	Et	C≡CBu-c	A41
c-Pen	Et	Et	C≡CBu-c	H
c-Pen	Et	Et	C≡CBu-c	A39
c-Pen	Et	Et	C≡CBu-c	A40
c-Pen	Et	Et	C≡CBu-c	A41
c-Hex	Et	Et	C≡CBu-c	H
c-Hex	Et	Et	C≡CBu-c	A39
c-Hex	Et	Et	C≡CBu-c	A40
c-Hex	Et	Et	C≡CBu-c	A41
Me	Et	Et	C≡CPen-c	H
Me	Et	Et	C≡CPen-c	A39
Me	Et	Et	C≡CPen-c	A40
Me	Et	Et	C≡CPen-c	A41
c-Pr	Et	Et	C≡CPen-c	H
c-Pr	Et	Et	C≡CPen-c	A39
c-Pr	Et	Et	C≡CPen-c	A40
c-Pr	Et	Et	C≡CPen-c	A41
c-Bu	Et	Et	C≡CPen-c	H
c-Bu	Et	Et	C≡CPen-c	A39
c-Bu	Et	Et	C≡CPen-c	A40
c-Bu	Et	Et	C≡CPen-c	A41
c-Pen	Et	Et	C≡CPen-c	H
c-Pen	Et	Et	C≡CPen-c	A39
c-Pen	Et	Et	C≡CPen-c	A40

Table 2 (continued)				
R ⁶	Z ^a	Z ^c	Z ^c	A
c-Hex	Me	n-Pr	C≡CH	A40
c-Hex	Me	n-Pr	C≡CH	A41
Me	Me	n-Pr	C≡CBu-c	H
Me	Me	n-Pr	C≡CBu-c	A39
Me	Me	n-Pr	C≡CBu-c	A40
Me	Me	n-Pr	C≡CBu-c	A41
c-Pr	Me	n-Pr	C≡CBu-c	H
c-Pr	Me	n-Pr	C≡CBu-c	A39
c-Pr	Me	n-Pr	C≡CBu-c	A40
c-Pr	Me	n-Pr	C≡CBu-c	A41
c-Bu	Me	n-Pr	C≡CBu-c	H
c-Bu	Me	n-Pr	C≡CBu-c	A39
c-Bu	Me	n-Pr	C≡CBu-c	A40
c-Bu	Me	n-Pr	C≡CBu-c	A41
c-Pen	Me	n-Pr	C≡CBu-c	H
c-Pen	Me	n-Pr	C≡CBu-c	A39
c-Pen	Me	n-Pr	C≡CBu-c	A40
c-Pen	Me	n-Pr	C≡CBu-c	A41
c-Hex	Me	n-Pr	C≡CBu-c	H
c-Hex	Me	n-Pr	C≡CBu-c	A39
c-Hex	Me	n-Pr	C≡CBu-c	A40
c-Hex	Me	n-Pr	C≡CBu-c	A41
Me	Me	n-Pr	C≡CPen-c	H
Me	Me	n-Pr	C≡CPen-c	A39
Me	Me	n-Pr	C≡CPen-c	A40
Me	Me	n-Pr	C≡CPen-c	A41
c-Pr	Me	n-Pr	C≡CPen-c	H
c-Pr	Me	n-Pr	C≡CPen-c	A39
c-Pr	Me	n-Pr	C≡CPen-c	A40
c-Pr	Me	n-Pr	C≡CPen-c	A41
c-Bu	Me	n-Pr	C≡CPen-c	H
c-Bu	Me	n-Pr	C≡CPen-c	A39
c-Bu	Me	n-Pr	C≡CPen-c	A40
c-Bu	Me	n-Pr	C≡CPen-c	A41
c-Pen	Me	n-Pr	C≡CPen-c	H
c-Pen	Me	n-Pr	C≡CPen-c	A39
c-Pen	Me	n-Pr	C≡CPen-c	A40

Table 2 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
c-Pen	Et	Et	C≡ CPen-c	A41
c-Hex	Et	Et	C≡ CPen-c	H
c-Hex	Et	Et	C≡ CPen-c	A39
c-Hex	Et	Et	C≡ CPen-c	A40
c-Hex	Et	Et	C≡ CPen-c	A41
Me	Et	Et	C≡ CHex-c	H
Me	Et	Et	C≡ CHex-c	A39
Me	Et	Et	C≡ CHex-c	A40
Me	Et	Et	C≡ CHex-c	A41
c-Pr	Et	Et	C≡ CHex-c	H
c-Pr	Et	Et	C≡ CHex-c	A39
c-Pr	Et	Et	C≡ CHex-c	A40
c-Pr	Et	Et	C≡ CHex-c	A41
c-Bu	Et	Et	C≡ CHex-c	H
c-Bu	Et	Et	C≡ CHex-c	A39
c-Bu	Et	Et	C≡ CHex-c	A40
c-Bu	Et	Et	C≡ CHex-c	A41
c-Pen	Et	Et	C≡ CHex-c	H
c-Pen	Et	Et	C≡ CHex-c	A39
c-Pen	Et	Et	C≡ CHex-c	A40
c-Pen	Et	Et	C≡ CHex-c	A41
c-Hex	Et	Et	C≡ CHex-c	H
c-Hex	Et	Et	C≡ CHex-c	A39
c-Hex	Et	Et	C≡ CHex-c	A40
c-Hex	Et	Et	C≡ CHex-c	A41

Table 2 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
c-Pen	Me	n-Pr	C≡ CPen-c	A41
c-Hex	Me	n-Pr	C≡ CPen-c	H
c-Hex	Me	n-Pr	C≡ CPen-c	A39
c-Hex	Me	n-Pr	C≡ CPen-c	A40
c-Hex	Me	n-Pr	C≡ CPen-c	A41
Me	Me	n-Pr	C≡ CHex-c	H
Me	Me	n-Pr	C≡ CHex-c	A39
Me	Me	n-Pr	C≡ CHex-c	A40
Me	Me	n-Pr	C≡ CHex-c	A41
c-Pr	Me	n-Pr	C≡ CHex-c	H
c-Pr	Me	n-Pr	C≡ CHex-c	A39
c-Pr	Me	n-Pr	C≡ CHex-c	A40
c-Pr	Me	n-Pr	C≡ CHex-c	A41
c-Bu	Me	n-Pr	C≡ CHex-c	H
c-Bu	Me	n-Pr	C≡ CHex-c	A39
c-Bu	Me	n-Pr	C≡ CHex-c	A40
c-Bu	Me	n-Pr	C≡ CHex-c	A41
c-Pen	Me	n-Pr	C≡ CHex-c	H
c-Pen	Me	n-Pr	C≡ CHex-c	A39
c-Pen	Me	n-Pr	C≡ CHex-c	A40
c-Pen	Me	n-Pr	C≡ CHex-c	A41
c-Hex	Me	n-Pr	C≡ CHex-c	H
c-Hex	Me	n-Pr	C≡ CHex-c	A39
c-Hex	Me	n-Pr	C≡ CHex-c	A40
c-Hex	Me	n-Pr	C≡ CHex-c	A41


Table 2 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Me	Ph	A 74
Me	Me	Me	D1-108b-1	A 74
Me	Me	Me	D1-108b-2	H
Me	Me	Me	D1-108b-4	A 74
Me	Me	Me	D1-108b-8	A 74
Me	Me	Me	D1-108b-9	A 74
Me	Me	Me	D1-108b-10	A 74
Me	Me	Me	D1-108b-12	A 74
Me	Et	Et	Ph	A 74
Me	Et	Et	D1-108b-1	A 74
Me	Et	Et	D1-108b-2	H
Me	Et	Et	D1-108b-4	A 74
Me	Et	Et	D1-108b-8	A 74
Me	Et	Et	D1-108b-9	A 74
Me	Et	Et	D1-108b-10	A 74
Me	Et	Et	D1-108b-12	A 74

Table 2 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	Me	Et	Ph	A 74
Me	Me	Et	D1-108b-1	A 74
Me	Me	Et	D1-108b-2	H
Me	Me	Et	D1-108b-4	A 74
Me	Me	Et	D1-108b-8	A 74
Me	Me	Et	D1-108b-9	A 74
Me	Me	Et	D1-108b-10	A 74
Me	Me	Et	D1-108b-12	A 74
Me	Me	n-Pr	Ph	A 74
Me	Me	n-Pr	D1-108b-1	A 74
Me	Me	n-Pr	D1-108b-2	H
Me	Me	n-Pr	D1-108b-4	A 74
Me	Me	n-Pr	D1-108b-8	A 74
Me	Me	n-Pr	D1-108b-9	A 74
Me	Me	n-Pr	D1-108b-10	A 74
Me	Me	n-Pr	D1-108b-12	A 74

[0208] [Table 3]























Table 3

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	OMe	Me	Me	H
Me	OMe	Me	Me	A13
Me	OMe	Me	Me	A14
Me	OMe	Me	Me	A16
Me	OMe	Me	Me	A35
Me	OMe	Me	Me	A38
Me	OMe	Me	Me	A39
Me	OMe	Me	Me	A40
Me	OMe	Me	Me	A41
Me	OMe	Me	Me	A73
Me	OMe	Me	Me	A74
Me	OMe	Me	Me	A75
Me	OMe	Me	Me	A81
Me	OMe	Me	Me	A82
Me	OMe	Me	Me	A83
Me	OMe	Me	Me	A84
Me	OMe	Me	Me	A85
Me	OMe	Me	Me	A86
Me	OMe	Me	Me	A87
Me	OMe	Me	Me	A91
Me	OMe	Me	Me	A92
Me	OMe	Me	Me	A93
Me	OMe	Me	Me	A94
Me	OMe	Me	Me	A95
Me	OMe	Me	Me	A97
Et	OMe	Me	Me	H
Et	OMe	Me	Me	A13
Et	OMe	Me	Me	A14
Et	OMe	Me	Me	A16
Et	OMe	Me	Me	A35
Et	OMe	Me	Me	A38
Et	OMe	Me	Me	A39
Et	OMe	Me	Me	A40
Et	OMe	Me	Me	A41
Et	OMe	Me	Me	A73
Et	OMe	Me	Me	A74
Et	OMe	Me	Me	A75
Et	OMe	Me	Me	A81
Et	OMe	Me	Me	A82

Table 3 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Me	OMe	Et	Me	H
Me	OMe	Et	Me	A13
Me	OMe	Et	Me	A14
Me	OMe	Et	Me	A16
Me	OMe	Et	Me	A35
Me	OMe	Et	Me	A38
Me	OMe	Et	Me	A39
Me	OMe	Et	Me	A40
Me	OMe	Et	Me	A41
Me	OMe	Et	Me	A73
Me	OMe	Et	Me	A74
Me	OMe	Et	Me	A75
Me	OMe	Et	Me	A81
Me	OMe	Et	Me	A82
Me	OMe	Et	Me	A83
Me	OMe	Et	Me	A84
Me	OMe	Et	Me	A85
Me	OMe	Et	Me	A86
Me	OMe	Et	Me	A87
Me	OMe	Et	Me	A91
Me	OMe	Et	Me	A92
Me	OMe	Et	Me	A93
Me	OMe	Et	Me	A94
Me	OMe	Et	Me	A95
Me	OMe	Et	Me	A97
Et	OMe	Et	Me	H
Et	OMe	Et	Me	A13
Et	OMe	Et	Me	A14
Et	OMe	Et	Me	A16
Et	OMe	Et	Me	A35
Et	OMe	Et	Me	A38
Et	OMe	Et	Me	A39
Et	OMe	Et	Me	A40
Et	OMe	Et	Me	A41
Et	OMe	Et	Me	A73
Et	OMe	Et	Me	A74
Et	OMe	Et	Me	A75
Et	OMe	Et	Me	A81
Et	OMe	Et	Me	A82

Table 3 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	Λ
Me	OMe	n-Pr	Me	H
Me	OMe	n-Pr	Me	A13
Me	OMe	n-Pr	Me	A14
Me	OMe	n-Pr	Me	A16
Me	OMe	n-Pr	Me	A35
Me	OMe	n-Pr	Me	A38
Me	OMe	n-Pr	Me	A39
Me	OMe	n-Pr	Me	A40
Me	OMe	n-Pr	Me	A41
Me	OMe	n-Pr	Me	A73
Me	OMe	n-Pr	Me	A74
Me	OMe	n-Pr	Me	A75
Me	OMe	n-Pr	Me	A81
Me	OMe	n-Pr	Me	A82
Me	OMe	n-Pr	Me	A83
Me	OMe	n-Pr	Me	A84
Me	OMe	n-Pr	Me	A85
Me	OMe	n-Pr	Me	A86
Me	OMe	n-Pr	Me	A87
Me	OMe	n-Pr	Me	A91
Me	OMe	n-Pr	Me	A92
Me	OMe	n-Pr	Me	A93
Me	OMe	n-Pr	Me	A94
Me	OMe	n-Pr	Me	A95
Me	OMe	n-Pr	Me	A97
Et	OMe	n-Pr	Me	H
Et	OMe	n-Pr	Me	A13
Et	OMe	n-Pr	Me	A14
Et	OMe	n-Pr	Me	A16
Et	OMe	n-Pr	Me	A35
Et	OMe	n-Pr	Me	A38
Et	OMe	n-Pr	Me	A39
Et	OMe	n-Pr	Me	A40
Et	OMe	n-Pr	Me	A41
Et	OMe	n-Pr	Me	A73
Et	OMe	n-Pr	Me	A74
Et	OMe	n-Pr	Me	A75
Et	OMe	n-Pr	Me	A81
Et	OMe	n-Pr	Me	A82

Table 3 (continued)

R ⁶	Z ^a	Z ^c	Z ^c	Λ
Me	OEt	Me	Me	H
Me	OEt	Me	Me	A13
Me	OEt	Me	Me	A14
Me	OEt	Me	Me	A16
Me	OEt	Me	Me	A35
Me	OEt	Me	Me	A38
Me	OEt	Me	Me	A39
Me	OEt	Me	Me	A40
Me	OEt	Me	Me	A41
Me	OEt	Me	Me	A73
Me	OEt	Me	Me	A74
Me	OEt	Me	Me	A75
Me	OEt	Me	Me	A81
Me	OEt	Me	Me	A82
Me	OEt	Me	Me	A83
Me	OEt	Me	Me	A84
Me	OEt	Me	Me	A85
Me	OEt	Me	Me	A86
Me	OEt	Me	Me	A87
Me	OEt	Me	Me	A91
Me	OEt	Me	Me	A92
Me	OEt	Me	Me	A93
Me	OEt	Me	Me	A94
Me	OEt	Me	Me	A95
Me	OEt	Me	Me	A97
Et	OEt	Me	Me	H
Et	OEt	Me	Me	A13
Et	OEt	Me	Me	A14
Et	OEt	Me	Me	A16
Et	OEt	Me	Me	A35
Et	OEt	Me	Me	A38
Et	OEt	Me	Me	A39
Et	OEt	Me	Me	A40
Et	OEt	Me	Me	A41
Et	OEt	Me	Me	A73
Et	OEt	Me	Me	A74
Et	OEt	Me	Me	A75
Et	OEt	Me	Me	A81
Et	OEt	Me	Me	A82

Table 3 (continued)				
R ⁶	Z ^a	Z ^c	Z ^c	A
Me	OEt	Et	Me	H
Me	OEt	Et	Me	A13
Me	OEt	Et	Me	A14
Me	OEt	Et	Me	A16
Me	OEt	Et	Me	A35
Me	OEt	Et	Me	A38
Me	OEt	Et	Me	A39
Me	OEt	Et	Me	A40
Me	OEt	Et	Me	A41
Me	OEt	Et	Me	A73
Me	OEt	Et	Me	A74
Me	OEt	Et	Me	A75
Me	OEt	Et	Me	A81
Me	OEt	Et	Me	A82
Me	OEt	Et	Me	A83
Me	OEt	Et	Me	A84
Me	OEt	Et	Me	A85
Me	OEt	Et	Me	A86
Me	OEt	Et	Me	A87
Me	OEt	Et	Me	A91
Me	OEt	Et	Me	A92
Me	OEt	Et	Me	A93
Me	OEt	Et	Me	A94
Me	OEt	Et	Me	A95
Me	OEt	Et	Me	A97
Et	OEt	Et	Me	H
Et	OEt	Et	Me	A13
Et	OEt	Et	Me	A14
Et	OEt	Et	Me	A16
Et	OEt	Et	Me	A35
Et	OEt	Et	Me	A38
Et	OEt	Et	Me	A39
Et	OEt	Et	Me	A40
Et	OEt	Et	Me	A41
Et	OEt	Et	Me	A73
Et	OEt	Et	Me	A74
Et	OEt	Et	Me	A75
Et	OEt	Et	Me	A81
Et	OEt	Et	Me	A82

Table 3 (continued)				
R ⁶	Z ^a	Z ^c	Z ^c	A
Me	OMe	Me	Et	H
Me	OMe	Me	Et	A13
Me	OMe	Me	Et	A14
Me	OMe	Me	Et	A16
Me	OMe	Me	Et	A35
Me	OMe	Me	Et	A38
Me	OMe	Me	Et	A39
Me	OMe	Me	Et	A40
Me	OMe	Me	Et	A41
Me	OMe	Me	Et	A73
Me	OMe	Me	Et	A74
Me	OMe	Me	Et	A75
Me	OMe	Me	Et	A81
Me	OMe	Me	Et	A82
Me	OMe	Me	Et	A83
Me	OMe	Me	Et	A84
Me	OMe	Me	Et	A85
Me	OMe	Me	Et	A86
Me	OMe	Me	Et	A87
Me	OMe	Me	Et	A91
Me	OMe	Me	Et	A92
Me	OMe	Me	Et	A93
Me	OMe	Me	Et	A94
Me	OMe	Me	Et	A95
Me	OMe	Me	Et	A97
Et	OMe	Me	Et	H
Et	OMe	Me	Et	A13
Et	OMe	Me	Et	A14
Et	OMe	Me	Et	A16
Et	OMe	Me	Et	A35
Et	OMe	Me	Et	A38
Et	OMe	Me	Et	A39
Et	OMe	Me	Et	A40
Et	OMe	Me	Et	A41
Et	OMe	Me	Et	A73
Et	OMe	Me	Et	A74
Et	OMe	Me	Et	A75
Et	OMe	Me	Et	A81
Et	OMe	Me	Et	A82

Table 3 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Et	OMe	Me	Me	A83
Et	OMe	Me	Me	A84
Et	OMe	Me	Me	A85
Et	OMe	Me	Me	A86
Et	OMe	Me	Me	A87
Et	OMe	Me	Me	A91
Et	OMe	Me	Me	A92
Et	OMe	Me	Me	A93
Et	OMe	Me	Me	A94
Et	OMe	Me	Me	A95
Et	OMe	Me	Me	A97
Et	OMe	n-Pr	Me	A83
Et	OMe	n-Pr	Me	A84
Et	OMe	n-Pr	Me	A85
Et	OMe	n-Pr	Me	A86
Et	OMe	n-Pr	Me	A87
Et	OMe	n-Pr	Me	A91
Et	OMe	n-Pr	Me	A92
Et	OMe	n-Pr	Me	A93
Et	OMe	n-Pr	Me	A94
Et	OMe	n-Pr	Me	A95
Et	OMe	n-Pr	Me	A97
Et	OEt	Et	Me	A83
Et	OEt	Et	Me	A84
Et	OEt	Et	Me	A85
Et	OEt	Et	Me	A86
Et	OEt	Et	Me	A87
Et	OEt	Et	Me	A91
Et	OEt	Et	Me	A92
Et	OEt	Et	Me	A93
Et	OEt	Et	Me	A94
Et	OEt	Et	Me	A95
Et	OEt	Et	Me	A97

Table 3 (continued)

R ⁶	Z ^a	Z ^e	Z ^c	A
Et	OMe	Et	Me	A83
Et	OMe	Et	Me	A84
Et	OMe	Et	Me	A85
Et	OMe	Et	Me	A86
Et	OMe	Et	Me	A87
Et	OMe	Et	Me	A91
Et	OMe	Et	Me	A92
Et	OMe	Et	Me	A93
Et	OMe	Et	Me	A94
Et	OMe	Et	Me	A95
Et	OMe	Et	Me	A97
Et	OEt	Me	Me	A83
Et	OEt	Me	Me	A84
Et	OEt	Me	Me	A85
Et	OEt	Me	Me	A86
Et	OEt	Me	Me	A87
Et	OEt	Me	Me	A91
Et	OEt	Me	Me	A92
Et	OEt	Me	Me	A93
Et	OEt	Me	Me	A94
Et	OEt	Me	Me	A95
Et	OEt	Me	Me	A97
Et	OMe	Me	Et	A83
Et	OMe	Me	Et	A84
Et	OMe	Me	Et	A85
Et	OMe	Me	Et	A86
Et	OMe	Me	Et	A87
Et	OMe	Me	Et	A91
Et	OMe	Me	Et	A92
Et	OMe	Me	Et	A93
Et	OMe	Me	Et	A94
Et	OMe	Me	Et	A95
Et	OMe	Me	Et	A97




Table 4

R ⁶	Z ^a	Z ^c	Z ^e	A
Me	Me	Me	OCH ₂ CF ₃	H
Me	Et	Et	OCH ₂ CF ₃	H
Me	Me	Me	OCF ₃	H
Me	Et	Et	OCF ₃	H
Me	Me	Me	OCF ₂ H	H
Me	Et	Et	OCF ₂ H	H
Me	Me	Me	OCF ₂ Cl	H
Me	Et	Et	OCF ₂ Cl	H
Me	Me	Me	OCF ₂ Br	H
Me	Et	Et	OCF ₂ Br	H
Me	Me	Me	O(D1-32a)	H
Me	Me	Me	O(D1-32b-2)	H
Me	Me	Me	O(D1-32b-3)	H
Me	Me	Me	O(D1-32b-4)	H
Me	Me	Me	O(D1-32b-5)	H
Me	Me	Me	O(D1-33a)	H
Me	Me	Me	O(D1-33b-1)	H
Me	Me	Me	O(D1-33b-2)	H
Me	Me	Me	O(D1-33b-3)	H
Me	Me	Me	O(D1-33b-4)	H

Table 4 (continued)

R ⁶	Z ^a	Z ^c	Z ^e	A
Me	Me	Et	OCH ₂ CF ₃	H
Me	Me	n-Pr	OCH ₂ CF ₃	H
Me	Me	Et	OCF ₃	H
Me	Me	n-Pr	OCF ₃	H
Me	Me	Et	OCF ₂ H	H
Me	Me	n-Pr	OCF ₂ H	H
Me	Me	Et	OCF ₂ Cl	H
Me	Me	n-Pr	OCF ₂ Cl	H
Me	Me	Et	OCF ₂ Br	H
Me	Me	n-Pr	OCF ₂ Br	H
Me	Et	Et	O(D1-32a)	H
Me	Et	Et	O(D1-32b-2)	H
Me	Et	Et	O(D1-32b-3)	H
Me	Et	Et	O(D1-32b-4)	H
Me	Et	Et	O(D1-32b-5)	H
Me	Me	Me	O(D1-33a)	H
Me	Me	Me	O(D1-33b-1)	H
Me	Me	Me	O(D1-33b-2)	H
Me	Me	Me	O(D1-33b-3)	H
Me	Me	Me	O(D1-33b-4)	H

Table 4 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
Me	OMe	Me	Ph	H
Me	OMe	Me	Ph	A39
Me	OMe	Me	Ph	A40
Me	OMe	Me	Ph	A41
Me	OMe	Me	D1-108b-4	H
Me	OMe	Me	D1-108b-4	A39
Me	OMe	Me	D1-108b-4	A40
Me	OMe	Me	D1-108b-4	A41
Me	OMe	Me	D1-108b-4	A74
Me	OMe	Me	D1-108b-4	A75
Me	OMe	Me	D1-108b-4	A84
Me	OMe	Me	D1-108b-4	A85
Me	OMe	Me	D1-108b-4	A86
Me	OMe	Me	D1-108b-4	A87
Me	OMe	Me	D1-108b-8	H
Me	OMe	Me	D1-108b-8	A39
Me	OMe	Me	D1-108b-8	A40
Me	OMe	Me	D1-108b-8	A41
Me	OMe	Me	D1-108b-8	A74
Me	OMe	Me	D1-108b-8	A75
Me	OMe	Me	D1-108b-8	A84
Me	OMe	Me	D1-108b-8	A85
Me	OMe	Me	D1-108b-8	A86
Me	OMe	Me	D1-108b-8	A87
Me	OMe	Me	Br	H
Me	SMe	Me	Me	H
c-Pr	OMe	Me	Me	H
c-Pr	OMe	Me	Me	A12
c-Pr	OMe	Me	Me	A13
c-Pr	OMe	Me	Me	A74
c-Bu	OMe	Me	Me	H
c-Bu	OMe	Me	Me	A12
c-Bu	OMe	Me	Me	A13
c-Bu	OMe	Me	Me	A74
c-Pen	OMe	Me	Me	H
c-Pen	OMe	Me	Me	A12
c-Pen	OMe	Me	Me	A13
c-Pen	OMe	Me	Me	A74
c-Hex	OMe	Me	Me	H

Table 4 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
Me	OMe	Et	Ph	H
Me	OMe	Et	Ph	A39
Me	OMe	Et	Ph	A40
Me	OMe	Et	Ph	A41
Me	OMe	Et	D1-108b-4	H
Me	OMe	Et	D1-108b-4	A39
Me	OMe	Et	D1-108b-4	A40
Me	OMe	Et	D1-108b-4	A41
Me	OMe	Et	D1-108b-4	A74
Me	OMe	Et	D1-108b-4	A75
Me	OMe	Et	D1-108b-4	A84
Me	OMe	Et	D1-108b-4	A85
Me	OMe	Et	D1-108b-4	A86
Me	OMe	Et	D1-108b-4	A87
Me	OMe	Et	D1-108b-8	H
Me	OMe	Et	D1-108b-8	A39
Me	OMe	Et	D1-108b-8	A40
Me	OMe	Et	D1-108b-8	A41
Me	OMe	Et	D1-108b-8	A74
Me	OMe	Et	D1-108b-8	A75
Me	OMe	Et	D1-108b-8	A84
Me	OMe	Et	D1-108b-8	A85
Me	OMe	Et	D1-108b-8	A86
Me	OMe	Et	D1-108b-8	A87
Me	OMe	Et	Br	H
Me	SMe	Et	Me	H
c-Pr	OMe	Et	Me	H
c-Pr	OMe	Et	Me	A12
c-Pr	OMe	Et	Me	A13
c-Pr	OMe	Et	Me	A74
c-Bu	OMe	Et	Me	H
c-Bu	OMe	Et	Me	A12
c-Bu	OMe	Et	Me	A13
c-Bu	OMe	Et	Me	A74
c-Pen	OMe	Et	Me	H
c-Pen	OMe	Et	Me	A12
c-Pen	OMe	Et	Me	A13
c-Pen	OMe	Et	Me	A74
c-Hex	OMe	Et	Me	H

Table 4 (continued)				
R ⁶	Z ^a	Z ^c	Z ^c	A
Me	OMe	n-Pr	Ph	H
Me	OMe	n-Pr	Ph	A39
Me	OMe	n-Pr	Ph	A40
Me	OMe	n-Pr	Ph	A41
Me	OMe	n-Pr	D1-108b-4	H
Me	OMe	n-Pr	D1-108b-4	A39
Me	OMe	n-Pr	D1-108b-4	A40
Me	OMe	n-Pr	D1-108b-4	A41
Me	OMe	n-Pr	D1-108b-4	A74
Me	OMe	n-Pr	D1-108b-4	A75
Me	OMe	n-Pr	D1-108b-4	A84
Me	OMe	n-Pr	D1-108b-4	A85
Me	OMe	n-Pr	D1-108b-4	A86
Me	OMe	n-Pr	D1-108b-4	A87
Me	OMe	n-Pr	D1-108b-8	H
Me	OMe	n-Pr	D1-108b-8	A39
Me	OMe	n-Pr	D1-108b-8	A40
Me	OMe	n-Pr	D1-108b-8	A41
Me	OMe	n-Pr	D1-108b-8	A74
Me	OMe	n-Pr	D1-108b-8	A75
Me	OMe	n-Pr	D1-108b-8	A84
Me	OMe	n-Pr	D1-108b-8	A85
Me	OMe	n-Pr	D1-108b-8	A86
Me	OMe	n-Pr	D1-108b-8	A87
Me	OMe	n-Pr	Br	H
Me	SMe	n-Pr	Me	H
c-Pr	OMe	n-Pr	Me	H
c-Pr	OMe	n-Pr	Me	A12
c-Pr	OMe	n-Pr	Me	A13
c-Pr	OMe	n-Pr	Me	A74
c-Bu	OMe	n-Pr	Me	H
c-Bu	OMe	n-Pr	Me	A12
c-Bu	OMe	n-Pr	Me	A13
c-Bu	OMe	n-Pr	Me	A74
c-Pen	OMe	n-Pr	Me	H
c-Pen	OMe	n-Pr	Me	A12
c-Pen	OMe	n-Pr	Me	A13
c-Pen	OMe	n-Pr	Me	A74
c-Hex	OMe	n-Pr	Me	H

Table 4 (continued)				
R ⁶	Z ^a	Z ^c	Z ^c	A
Me	OEt	Me	Ph	H
Me	OEt	Me	Ph	A39
Me	OEt	Me	Ph	A40
Me	OEt	Me	Ph	A41
Me	OEt	Me	D1-108b-4	H
Me	OEt	Me	D1-108b-4	A39
Me	OEt	Me	D1-108b-4	A40
Me	OEt	Me	D1-108b-4	A41
Me	OEt	Me	D1-108b-4	A74
Me	OEt	Me	D1-108b-4	A75
Me	OEt	Me	D1-108b-4	A84
Me	OEt	Me	D1-108b-4	A85
Me	OEt	Me	D1-108b-4	A86
Me	OEt	Me	D1-108b-4	A87
Me	OEt	Me	D1-108b-8	H
Me	OEt	Me	D1-108b-8	A39
Me	OEt	Me	D1-108b-8	A40
Me	OEt	Me	D1-108b-8	A41
Me	OEt	Me	D1-108b-8	A74
Me	OEt	Me	D1-108b-8	A75
Me	OEt	Me	D1-108b-8	A84
Me	OEt	Me	D1-108b-8	A85
Me	OEt	Me	D1-108b-8	A86
Me	OEt	Me	D1-108b-8	A87
Me	OEt	Me	Br	H
Me	SEt	Me	Me	H
c-Pr	OEt	Me	Me	H
c-Pr	OEt	Me	Me	A12
c-Pr	OEt	Me	Me	A13
c-Pr	OEt	Me	Me	A74
c-Bu	OEt	Me	Me	H
c-Bu	OEt	Me	Me	A12
c-Bu	OEt	Me	Me	A13
c-Bu	OEt	Me	Me	A74
c-Pr	OEt	Me	Me	H
c-Pen	OEt	Me	Me	A12
c-Pen	OEt	Me	Me	A13
c-Pen	OEt	Me	Me	A74
c-Hex	OEt	Me	Me	H

Table 4 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
Me	OEt	Et	Ph	H
Me	OFt	Et	Ph	A39
Me	OEt	Et	Ph	A40
Me	OFt	Et	Ph	A41
Me	OEt	Et	D1-108b-4	H
Me	OFt	Et	D1-108b-4	A39
Me	OEt	Et	D1-108b-4	A40
Me	OEt	Et	D1-108b-4	A41
Me	OEt	Et	D1-108b-4	A74
Me	OEt	Et	D1-108b-4	A75
Me	OEt	Et	D1-108b-4	A84
Me	OEt	Et	D1-108b-4	A85
Me	OEt	Et	D1-108b-4	A86
Me	OFt	Et	D1-108b-4	A87
Me	OEt	Et	D1-108b-8	H
Me	OEt	Et	D1-108b-8	A39
Me	OEt	Et	D1-108b-8	A40
Me	OEt	Et	D1-108b-8	A41
Me	OEt	Et	D1-108b-8	A74
Me	OEt	Et	D1-108b-8	A75
Me	OEt	Et	D1-108b-8	A84
Me	OEt	Et	D1-108b-8	A85
Me	OEt	Et	D1-108b-8	A86
Me	OEt	Et	D1-108b-8	A87
Me	OEt	Et	Br	H
Me	SEt	Et	Me	H
c-Pr	OEt	Et	Me	H
c-Pr	OEt	Et	Me	A12
c-Pr	OEt	Et	Me	A13
c-Pr	OEt	Et	Me	A74
c-Bu	OEt	Et	Me	H
c-Bu	OEt	Et	Me	A12
c-Bu	OEt	Et	Me	A13
c-Bu	OEt	Et	Me	A74
c-Pen	OEt	Et	Me	H
c-Pen	OFt	Et	Me	A12
Me	OMe	F	Br	H
Me	OMe	F	Ph	H
Me	OMe	F	Me	H

Table 4 (continued)				
R ⁶	Z ^a	Z ^e	Z ^c	A
c-Hex	OMe	Me	Me	A12
c-Hex	OMe	Me	Me	A13
c-Hex	OMe	Me	Me	A74
Me	OMe	Me	Me	H
Me	OMe	Br	Me	H
Me	Me	Me	Me	H
c-Hex	OMe	n-Pr	Me	A12
c-Hex	OMe	n-Pr	Me	A13
c-Hex	OMe	n-Pr	Me	A74
Me	OMe	n-Pr	Me	H
Me	OMe	n-Pr	Me	H
Me	Me	n-Pr	Me	H
Me	OMe	F	Br	H
Me	OMe	F	Ph	H
Me	OMe	F	Me	H
c-Hex	OMe	Et	Me	A12
c-Hex	OMe	Et	Me	A13
c-Hex	OMe	Et	Me	A74
Me	OMe	Et	Me	H
Me	OMe	Et	Me	H
Me	Me	Et	Me	H
c-Hex	OEt	Me	Me	A12
c-Hex	OEt	Me	Me	A13
c-Hex	OEt	Me	Me	A74
Me	OMe	Et	Me	H
Me	OMe	Et	Me	H
Me	Et	Et	Me	H
Me	OEt	F	Br	H
Me	OEt	F	Ph	H
Me	OEt	F	Me	H
c-Pen	OEt	Et	Me	A13
c-Pen	OEt	Et	Me	A74
c-Hex	OEt	Et	Me	H
c-Hex	OEt	Et	Me	A12
c-Hex	OEt	Et	Me	A13
c-Hex	OEt	Et	Me	A74
Me	OEt	F	Br	H
Me	OEt	F	Ph	H
Me	OEt	F	Me	H

[0210] The compound of the present invention can be used in both treatment

methods of soil application and foliage application under flooding as a herbicide for paddy fields. Examples of paddy field weeds may include *Potamogetonaceae* weeds represented by *Potamogeton distinctus*; *Alismataceae* weeds represented by *Alisma canaliculatum*, *Sagittaria pygmaea*, and *Sagittaria trifolia*; *Gramineae* weeds represented by *Leptochloa chinensis*, *Echinochloa crus-galli*, *Echinochloa oryzicola*, *Homalocenchrus japonocus*, and *Paspalum distichum*; *Cyperaceae* weeds represented by *Eleocharis kuroguwai*, *Scirpus juncooides*, *Scirpus nipponicus*, *Cyperus serotinus*, *Cyperus difformis*, and *Cyperus hakonensis*; *Lemnaceae* weeds represented by *Spirodela polyrhiza* and *Lemna paucicostata*; *Commelinaceae* weeds represented by *Murdannia keisak*; *Pontederiaceae* weeds represented by *Monochoria korsakowii* and *Monochoria vaginalis*; *Elatinaceae* weeds represented by *Elatine triandra*; *Lythraceae* weeds represented by *Ammannia multiflora* and *Rotala indica*; *Oenotheraceae* weeds represented by *Lidwigia epilobioides*; *Scrophulariaceae* weeds represented by *Dopatrium junceum*, *Gratiola japonica*, *Limnophila sessilifolia*, *Lindernia pyxidaria*, and *Lindernia dubia*; *Leguminosae* weeds such as *Aeschynomene indica*, and *Compositae* weeds represented by, *Bidens frondosa* and *Bidens tripartita*.

[0211] The compound of the present invention can also be used in any treatment methods of soil treatment, soil incorporation treatment, and foliage treatment as a herbicide for farmlands and orchards. Examples of the farmland weeds may include broad-leaved weeds such as *Solanaceae* weeds represented by *Solanum nigrum* and *Datura stramonium*; *Geraniaceae* weeds represented by *Granium carolinianum*; *Malvaceae* weeds represented by *Abutilon theophrasti* and *Sida spinosa*; *Convolvulaceae* weeds represented by *Ipomoea* spp. such as *Ipomoea purpurea* and *Calystegia* spp.; *Amaranthaceae* weeds represented by *Amaranthus lividus* and *Amaranthus retroflexus*; *Compositae* weeds represented by *Xanthium pensylvanicum*, *Ambrosia artemisiaefolia*, *Helianthus annuus*, *Galinsoga ciliata*, *Cirsium arvense*, *Senecio vulgaris*, and *Erigeron annuus*; *Cruciferae* weeds represented by

Rorippa indica, *Sinapis arvensis*, and *Capsella Bursapastoris*; *Polygonaceae* weeds represented by *Polygonum Blumei* and *Polygonum convolvulus*; *Portulacaceae* weeds represented by *Portulaca oleracea*; *Chenopodiaceae* weeds represented by *Chenopodium album*, *Chenopodium ficifolium*, and *Kochia scoparia*; *Caryophyllaceae* weeds represented by *Stellaria media*; *Scrophulariaceae* weeds represented by *Veronica persica*; *Commelinaceae* weeds represented by *Commelina communis*; *Labiatae* weeds represented by *Lamium amplexicaule* and *Lamium purpureum*; *Euphorbiaceae* weeds represented by *Euphorbia supina* and *Euphorbia maculata*; *Rubiaceae* weeds represented by *Galium spurium* and *Rubia akane*; *Violaceae* weeds represented by *Viola mandshurica*; *Leguminosae* weeds represented by *Sesbania exaltata* and *Cassia obtusifolia*; and *Oxalidaceae* represented by *Oxalis courniculata*; *Graminaceous* weeds represented by *Sorgham bicolor*, *Panicum dichotomiflorum*, *Sorghum halepense*, *Echinochloa crus-galli* var. *Crus-galli*, *Echinochloa crus-galli* var. *Praticola*, *Echinochloa utilis*, *Digitaria ciliaris*, *Avena fatua*, *Alopecurus myosuroides*, *Eleusine indica*, *Setaria viridis*, *Setaria faberi*, and *Alopecurus aegualis*; and *Cyperaceous* weeds represented by *Cyperus rotundus* and *Cyperus esculentus*.

[0212] The compound of the present invention can be used in any application methods of soil application, soil incorporation application, and foliage application in non-agricultural lands such as turfs, play grounds, open grounds, side of roads, and line ends other than the agricultural and horticultural fields such as paddy fields, farmlands, and orchards. As weeds in these non-agricultural lands, the following examples of the weeds are exemplified in addition to the weeds described in farmlands and orchards. The examples of the weed may include *Poa annua*, *Taraxacumofficinale*, *Conyza sumatrensis*, *Cardamine flexuosa*, *Trifoliumrepens*, *Hydrocotyle sibthorpioides*, *Plantago asiatica*, *Cyperus brevifolius*, *Kyllinga brevifolia*, and *Equisetum arvense*.

[0213] The compound of the present invention may be applied in a mixed state

with other herbicides, various insecticides, bactericides, plant growth regulators, or synergists at the time of herbicide formulation or spray, if necessary.

[0214] In particular, by applying the herbicide in a mixed state with another herbicide, reduction in cost due to reduction in an application amount, expansion in
 5 herbicidal spectrum due to synergistic action of mixed herbicides, and a higher herbicidal effect can be expected. At this time, a combination of a plurality of known herbicides at the same time is also possible.

[0215] Examples of the preferable herbicide used by mixing with the compound of the present invention may include acetochlor/general name, acifluorfen/general name,
 10 aclonifen/general name, alachlor/general name, alloxydim/general name, alloxydim-sodium/general name, ametryn/general name, amicarbazone/general name, amidosulfuron/general name, aminocyclopirachlor/general name, aminocyclopirachlor-salts and esters, aminopyralid/general name, aminopyralid-salts and esters, amiprofos-methyl/general name, amitrol/general name, anilofos/general name, --
 15 asulam/general name, atrazine/general name, azafenidin/general name, azimsulfuron/general name, beflubutamid/general name, benazolin-ethyl/general name, bencarbazone/general name, benfluralin (benefin)/general name, benfuresate/general name, bensulfuron-methyl/general name, bensulide/general name, bentazone/general name, bentazone-sodium/general name, bentazone-salts, benthocarb/general name,
 20 benzfendizone/general name, benzobicyclon/general name, benzofenap/general name, bialaphos/general name, bialaphos-sodium/general name, bicyclopyrone/general name, bifenox/general name, bispyribac/general name, bispyribac-sodium/general name, bromacil/general name, bromobutide/general name, bromofenoxim/general name, bromoxynil/general name, bromoxynil-salts and esters, butachlor/general name,
 25 butafenacil/general name, butamifos/general name, butenachlor/general name, butralin/general name, butroxydim/general name, butylate/general name,

cafenstrole/general name, carbetamide/general name, carfentrazone-ethyl,
 chlomethoxyfen/general name, chlomethoxynil/general name, chloramben/general name,
 chloramben-salts and esters, chloransulam-methyl/general name,
 chlorflurenol-methyl/general name, chloridazon/general name, chlorimuron-ethyl/general
 5 name, chlorobromuron/general name, chlorotoluron/general name, chloroxuron/general
 name, chlorphtalim/general name, chlorpropham/general name, chlorpropham/general name,
 chlorsulfuron/general name, chlorthal-dimethyl/general name, chlorthiamid/general name,
 cinidon-ethyl/general name, cinmethylin/general name, cinosulfuron/general name,
 clethodim/general name, clodinafop/general name, clodinafop-propargyl/general name,
 10 clomazone/general name, clomeprop/general name, clopyralid/general name,
 clopyralid-salts and esters, CNP/general name, cumyluron/general name, cyanazin/general
 name, cycloate/general name, cyclopyrimorate/general name (SW-065/test name),
 cyclosulfamuron/general name, cycloxydim/general name, cyhalofop-butyl/general name,
 DAH-500/test name, dalapon/general name, dazomet/general name, desmedipham/general
 15 name, desmetryn/general name, dicamba/general name, dicamba-salts and esters,
 dichlobenil/general name, diclofop/general name, diclofop-methyl/general name,
 dichlorprop/general name, dichlorprop-salts and esters, dichlorprop-P/general name,
 dichlorprop-P-salts and esters, diclosulam/general name, difenzoquat/general name,
 diflufenican/general name, diflufenzopyr/general name, diflufenzopyr-sodium/general name,
 20 dimepiperate/general name, dimethametryn/general name, dimethachlor/general name,
 dimethenamid/general name, dimethenamid-p/general name, dimethipin/general name,
 dinitramine/general name, dinoseb/general name, dinoterb/general name, DNOC/general
 name, diphenamid/general name, diquqt/general name, dithiopyl/general name,
 diuron/general name, DSMA/general name, dymron/general name, endothal/general name,
 25 EPTC/general name, esprocarb/general name, ethalfluralin/general name,
 ethametsulfuron-methyl/general name, ethofumesate/general name, etobenzanid/general

name, ethoxysulfuron/general name, flazasulfuron/general name, fenoxaprop/general name,
 fenoxaprop-ethyl/general name, fenoxasulfone/general name, fenquionotrion/general name,
 fentrazamide/general name, flamprop/general name, flazasulfuron/general name,
 florasulam/general name, fluazifop/general name, fluazifop-butyl/general name,
 5 fluazolate/general name, flucarbazone-sodium/general name, flucetosulfuron/general name,
 flucloralin/general name, flufenacet/general name, flufenpyl-ethyl/general name,
 flumetsulam/general name, flumiclorac-pentyl/general name, flumioxazin/general name,
 fluometuron/general name, fluoroglycofen-ethyl/general name, flupyrsulfuron/general name,
 flupoxam/general name, flurenol/general name, fluridone/general name,
 10 flurochloridone/general name, fluroxypyr/general name, fluroxypyr-esters,
 flurprimidol/general name, flurtamone/general name, fluthiacet-methyl/general name,
 fomesafen/general name, foramsulfuron/general name, fosamine/general name,
 glufosinate/general name, glufosinate-ammonium/general name, glyphosate/general name,
 glyphosate-ammonium/general name, glyphosate-iso-propylammonium/general name,—
 15 glyphosate-potassium/general name, glyphosate-sodium/general name,
 glyphosate-trimesium/general name, halauxifen/general name, halauxifen-salts and esters,
 halosafen/general name, halosulfuron/general name, halosulfuron-methyl/general name,
 haloxyfop/general name, haloxyfop-methyl/general name, hexazinone/general name,
 imazamethabenz-methyl/general name, imazamox/general name, imazapic/general name,
 20 imazapyr/general name, imazethapyr/general name, imazaquin/general name,
 imazosulfuron/general name, indanofan/general name, indaziflam/general name,
 iodosulfuron-methyl-sodium/general name, ioxynil octanoate/general name, ioxynil-salts
 and esters, ipfencarbazone/general name, isoproturon/general name, isouron/general name,
 isoxaben/general name, isoxaflutole/general name, karbutilate/general name,
 25 lactofen/general name, lenacil/general name, linuron/general name, maleic
 hydrazide/general name, MCPA/general name, MCPA-salts and esters, MCPB/general name,

MCPB-salts and esters, mecoprop (MCP)/general name, mecoprop-salts and esters,
 mecoprop-P (MCP-P)/general name, mecoprop-P-salts and esters, mefenacet/general name,
 mefluidide/general name, mesosulfuron-methyl/general name, mesotrione/general name,
 metam/general name, metamifop/general name, metamitron/general name,
 5 metazachlor/general name, methabenzthiazuron/general name, metazosulfuron/general
 name, methiozolin/general name, methyl azide/general name, methyl bromide/general name,
 methyl dymron/general name, methyl iodide/general name, metobenzuron/general name,
 metolachlor/general name, metolachlor-S/general name, metosulam/general name,
 metribuzin/general name, metsulfuron-methyl/general name, metoxuron/general name,
 10 molinate/general name, monolinuron/general name, monosulfuron/general name,
 monosulfuron-methyl/general name, MSMA/general name, naproanilide/general name,
 napropamide/general name, naptalam/general name, naptalam-sodium/general name,
 neburon/general name, nicosulfuron/general name, norflurazon/general name, OK-701/test
 name, oleic acid/general name, orbencarb/general name, orthosulfamuron/general name,
 15 oryzalin/general name, oxadiargyl/general name, oxadiazon/general name,
 oxasulfuron/general name, oxaziclomefone/general name, oxyfluorfen/general name,
 paraquat/general name, pelargonic acid/general name, pendimethalin/general name,
 penoxsulam/general name, pentanochlor/general name, pentoxazone/general name,
 pethoxamid/general name, phenmedipham-ethyl/general name, picloram/general name,
 20 picloram-salts and esters, picolinafen/general name, pinoxaden/general name,
 piperophos/general name, pretilachlor/general name, primisulfuron-methyl/general name,
 prodiamine/general name, profluazol/general name, profoxydim/general name,
 prometon/general name, prometryn/general name, propachlor/general name,
 propanil/general name, propaquizafop/general name, propazin/general name,
 25 propham/general name, propisochlor/general name, propoxycarbazone-sodium/general
 name, propyrisulfuron/general name, propyzamide/general name, prosulfocarb/general

name, prosulfuron/general name, pyraclonil/general name, pyraflufen-ethyl/general name,
 pyrasulfotole/general name, pyrazolynate/general name, pyrazosulfuron/general name,
 pyrazosulfuron-ethyl/general name, pyrazoxyfen/general name, pyribenzoxim/general name,
 pyributicarb/general name, pyridafol/general name, pyridate/general name,
 5 pyriftalid/general name, pyriminobac-methyl/general name, pyrimisulfan/general name,
 pyriothiobac-sodium/general name, pyroxasulfone/general name, pyroxsulam/general name,
 quinclorac/general name, quinmerac/general name, quinoclamine/general name,
 quizalofop/general name, quizalofop-ethyl/general name, quizalofop-tefuryl/general name,
 quizalofop-P/general name, quizalofop-P-ethyl/general name, quizalofop-P-tefuryl/general
 10 name, rimsulfuron/general name, saflufenacil/general name, sethoxydim/general name,
 siduron/general name, simazine/general name, simetryn/general name, SL-261/test name,
 sulcotrione/general name, sulfentrazone/general name, sulfometuron-methyl/general name,
 sulfosulfuron/general name, TCBA (2,3,6-TBA)/general name, 2,3,6-TBA-salts and esters,
 TCTP (chlorthal-dimethyl, tetrachlorothiophene)/general name, tebutam/general name,
 15 tebuthiuron/general name, tefuryltrione/general name, tembotrione/general name,
 tepraloxydim/general name, terbacil/general name, terbumeton/general name,
 terbuthylazine/general name, terbutryn/general name, tetrapion (flupropanate)/general name,
 thenylchlor/general name, thiazafluron/general name, thiazopyr/general name,
 thidiazimin/general name, thidiazuron/general name, thien carbazone-methyl/general name,
 20 thifensulfuron-methyl/general name, tolpyralate/general name, topramezon/general name,
 tralkoxydim/general name, triafamone/general name, triallate/general name,
 triasulfuron/general name, triaziflam/general name, tribenuron-methyl/general name,
 triclopyr/general name, triclopyr-salts and esters, tridiphane/general name, trietazine/general
 name, trifludimoxadin/general name, trifloxysulfuron/general name, trifluralin/general
 25 name, triflusulfuron-methyl/general name, tritosulfuron/general name, 2,4-PA/general name,
 2,4-PA-salts and esters, 2,4-DB/general name, and 2,4-DB-salts and esters. These

components may be used singly or in combination of two or more of them. When these components are mixed, the ratio may be freely selected.

[0216] Examples of safeners may include AD-67, benoxacor/general name, cloquintocet-mexyl/general name, cyomerinil/general name, dichlormid/general name, 5 dicyclonone/general name, cyprosulfamide/general name, diethorate/general name, DKA-24, dymron/general name, fenclorazole-ethyl/general name, fenclorim/general name, HEXIM/general name, flurazole/general name, fluxofenim/general name, furilazole/general name, isoxadifen/general name, isoxadifen-ethyl/general name, MCPA, mecoprop/general name, mefenpyr/general name, mefenpyr-ethyl/general name, mefenpyr-diethyl/general 10 name, mephenate/general name, MG-191, NA (Naphthalic anhydride), OM (Octamethylene-diamine), oxabetrinil/general name, PPG-1292, and R-29148. These components may be used singly or in combination of two or more of them. When these components are mixed, the ratio may be freely selected.

[0217] When the compound of the present invention is applied as the herbicide, 15 the compound is usually mixed with an appropriate solid carrier or liquid carrier. Surfactants, penetrating agents, spreading agents, thickeners, antifreeze agents, binders, anti-caking agents, disintegrating agents and stabilizing agents can be further added, if desired. The herbicide can be applied to practical uses by any herbicide formulation of the herbicide form such as water-dispersible agents, emulsion agents, flowable agents, 20 dry-flowable agents, liquid agents, powder agents, granule agents, or gel agents. From the viewpoint of power saving and improvement in safety, any of the herbicide formulation of the herbicide form can be supplied by encapsulating in a water-soluble package.

[0218] Examples of the solid carriers may include natural minerals such as quartz, kaolinite, pyrophyllite, sericite, talc, bentonite, acid clay, attapulgite, zeolite, and 25 diatomaceous earth; inorganic salts such as calcium carbonate, ammonium sulfate, sodium sulfate and potassium chloride; and synthetic silicic acid and synthetic silicates.

[0219] Examples of the liquid carriers may include alcohols such as ethylene glycol, propylene glycol, and isopropanol (2-propanol); aromatic hydrocarbons such as xylene, alkylbenzenes, and alkylnaphthalenes; ethers such as butylcellosolve; ketones such as cyclohexanone; esters such as γ -butyrolactone; acid amide such as N-methylpyrrolidone and N-octylpyrrolidone; vegetable oils such as soybean oil, rapeseed oil, cotton seed oil, and castor oil; and water.

[0220] These solid carriers and liquid carriers may be used singly or in combination of two or more of them.

[0221] Examples of the surfactant may include nonionic surfactants such as polyoxyethylene alkyl ethers, polyoxyethylene alkylaryl ethers, polyoxyethylene styrylphenyl ethers, polyoxyethylene-polyoxypropylene block copolymers, polyoxyethylene fatty acid esters, sorbitan fatty acid esters, and polyoxyethylene sorbitan fatty acid esters; anionic surfactants such as alkyl sulfates, alkylbenzene sulfonates, lignin sulfonates, alkyl sulfosuccinates, naphthalene sulfonate, alkylnaphthalene sulfonates, salts of formalin condensate of naphthalene sulfonic acid, salts of formalin condensate of alkylnaphthalene sulfonic acids, polyoxyethylene alkylaryl ether sulfates and phosphates, polyoxyethylene styrylphenyl ether sulfates and phosphates, polycarboxylates, and polystyrene sulfonates; cationic surfactants such as alkylamine salts and alkyl quaternary ammonium salts; and amphoteric surfactants such as amino acid-type surfactants and betaine-type surfactants.

[0222] The content of the surfactants is not particularly limited. Usually, the content is preferably in a range of 0.05 part by mass to 20 parts by mass relative to 100 parts by mass of the herbicide formulation of the present invention. These surfactants may be used singly or in combination of two or more of them.

[0223] The compound of the present invention may be applied in a mixed state with other herbicides, various insecticides, bactericides, plant growth regulators, or synergists at the time of herbicide formulation or spray, if necessary.

[0224] In particular, by applying the herbicide in a mixed state with another herbicide, reduction in cost due to reduction in an application amount, expansion in herbicidal spectrum due to synergistic action of mixed herbicides, and a higher herbicidal effect can be expected. At this time, a combination of a plurality of known herbicides at the same time is also possible.

[0225] Although the application amount of the compound of the present invention varies depending on an application stage, an application time, an application method, and a cultivated crop, the appropriate application amount is generally 0.005 kg to 50 kg per hectare (ha) as the amount of the active component.

[0226] The formulation examples of the herbicide formulations when the compound of the present invention is used will be described. However, the formulation examples of the present invention are not limited to these examples. Hereinafter, the term "part" in the formulation examples means part by mass.

Water-dispersible agent

Compound of the present invention	0.1 part to 80 parts
Solid carrier	5 parts to 98.9 parts
Surfactant	1 part to 10 parts
Others	0 part to 5 parts

Examples of Others may include anti-caking agents and stabilizing agents.

Emulsion agent

Compound of the present invention	0.1 part to 30 parts
Liquid carrier	45 parts to 95 parts
Surfactant	4.9 parts to 15 parts
Others	0 part to 10 parts

Examples of Others may include spreading agents and stabilizing agents.

Flowable agent

Compound of the present invention	0.1 part to 70 parts
Liquid carrier	15 parts to 98.89 parts
Surfactant	1 part to 12 parts
Others	0.01 part to 30 parts

5 Examples of Others may include antifreeze agents and thickeners.

Dry flowable agent

Compound of the present invention	0.1 part to 90 parts
Solid carrier	0 part to 98.9 parts
Surfactant	1 part to 20 parts
10 Others	0 part to 10 parts

 Examples of Others may include binders and stabilizing agents.

Liquid agent

Compound of the present invention	0.01 part to 70 parts
Liquid carrier	20 parts to 99.99 parts
15 Others	0 part to 10 parts

 Examples of Others may include antifreeze agents and spreading agents.

Granule agent

Compound of the present invention	0.01 part to 80 parts
Solid carrier	10 parts to 99.99 parts
20 Others	0 part to 10 parts

 Examples of Others may include binders and stabilizing agents.

Powder agent

Compound of the present invention	0.01 part to 30 parts
Solid carrier	65 parts to 99.99 parts
25 Others	0 part to 10 parts

 Examples of Others may include anti-drift agent and stabilizing agents.

[0227] When the formulation is used, the formulation is applied as it is or by diluting the formulation to 1 to 10000 times with water.

[0228] Herbicide formulation example

Examples of agricultural chemical formulation containing the compound of the present invention as the active component will be described. The present invention, however, is not limited to these examples. Hereinafter, the term "part" in the formulation examples means part by mass.

[Formulation Example 1] Water-dispersible agent

Compound of the present invention No. 1-001	20 parts
10 Pyrophyllite	76 parts
Sorpol 5039	2 parts
(Anionic surfactant: manufactured by TOHO Chemical Industry Co., Ltd., trade name)	
CARPLEX #80	2 parts
(Synthetic hydrated silicic acid: Shionogi & Co., Ltd., trade name)	

15 The above components are homogeneously mixed and pulverized to form the water-dispersible agent.

[Formulation Example 2] Emulsion agent

Compound of the present invention No. 1-001	5 parts
Xylene	75 parts
20 N-methylpyrrolidone	15 parts
Sorpol 2680	5 parts
(Anionic surfactant: manufactured by TOHO Chemical Industry Co., Ltd., trade name)	

The above components are homogeneously mixed to form the emulsion agent.

[Formulation Example 3] Flowable agent

25 Compound of the present invention No. 1-001	25 parts
Agrisol S-710	10 parts

(Nonionic surfactant: Kao Corporation, trade name)

Lunox 1000C 0.5 part

(Anionic surfactant: manufactured by TOHO Chemical Industry Co., Ltd., trade name)

Xanthan gum 0.02 part

5 Water 64.48 parts

The above components are homogeneously mixed and thereafter the mixture was wet-pulverized to form the flowable agent.

[Formulation Example 4] Dry flowable agent

Compound of the present invention No. 1-001 75 parts

10 HITENOL NE-15 5 parts

(Anionic surfactant: manufactured by DKS Co. Ltd., trade name)

Vanillex N 10 parts

(Anionic surfactant: manufactured by NIPPON PAPER INDUSTRIES CO., LTD., trade name)

15 CARPLEX #80 10 parts

(Synthetic hydrated silicic acid: Shionogi & Co., Ltd., trade name)

The above components are homogeneously mixed and pulverized. Thereafter, a small amount of water was added to the mixture and the resultant mixture was stirred, mixed, and kneaded. The obtained mixture was granulated with an extruding-type

20 granulator. The resultant granules are dried to form the dry flowable agent.

[Formulation Example 5] Granular agent

Compound of the present invention No. 1-001 1 part

Bentonite 55 parts

Talc 44 parts

25 The above components are homogeneously mixed and pulverized. Thereafter, a small amount of water was added to the mixture and the resultant mixture was stirred,

mixed, and kneaded. The obtained mixture was granulated with an extruding-type granulator. The resultant granules are dried to form the granular agent.

[Examples]

[0229] Hereinafter, in the herbicide of the present invention, the present invention will be further described in detail by specifically describing Synthesis Examples and Test Examples of the ketone or oxime compound of Formula (1) used as the active component as Examples. The present invention, however, is not limited to these Examples.

[0230] As a medium pressure preparative liquid chromatography described in Synthesis Examples, medium pressure preparative apparatus; YFLC-Wprep (flow rate: 18 ml/min, 40 μ m silica gel packed column) manufactured by Yamazen Corporation was used.

[0231] Discover manufactured by CEM Co., Ltd. was used as a microwave synthesizing apparatus, and a sealed container dedicated for the apparatus was used as a reaction container.

10AVP System manufactured by Shimadzu Corporation was used as a high performance liquid chromatography.

[0232] The chemical shift values of proton nuclear magnetic resonance in Examples were measured at 300 MHz using Me₄Si (tetramethylsilane) as a reference substance. Solvents used in measurement are described in Synthesis Examples below. The symbols of the chemical shift values of proton nuclear magnetic resonance in Examples have the following meanings.

s: singlet, brs: broad singlet, d: doublet, t: triplet, and m: multiplet

[0233] Synthesis Examples

Synthesis Example 1: Production of

2-mesityl-3-methoxy-5-{2-(methoxyimino)propyl}cyclopent-2-enone (Compound No. 1-001)

The mixed solution of 0.5 g of 2-mesityl-3-methoxycyclopent-2-enone synthesized by

the method described in WO 2010/000773 Pamphlet and 10 ml of tetrahydrofuran was cooled to -78°C under a nitrogen atmosphere, and thereafter 2.3 ml of lithium diisopropylamide (the mixed solution of about 1.5 mol/L of n-hexane and tetrahydrofuran, manufactured by KANTO CHEMICAL CO., INC.) was added dropwise. After completion of the dropwise addition, the reaction mixture was stirred at the same temperature for 30 minutes. After completion of the stirring, 0.34 g of 1-chloropropan-2-one O-methyl oxime was added to the reaction mixture. After completion of the addition, the reaction solution was stirred at -78°C for 20 minutes. Thereafter the temperature of the reaction solution was raised to room temperature and the reaction solution was stirred at the same temperature for 15 hours. After completion of the reaction, the reaction mixture was added to ice water and the resultant mixture was extracted with 20 ml of ethyl acetate. The obtained organic phase was washed with water and dehydrated and dried with anhydrous sodium sulfate. Thereafter, the solvent was distilled away under reduced pressure. The obtained residue was purified with medium pressure preparative liquid chromatography eluting the residue with n-hexane-ethyl acetate [1:1 (volume ratio, the same applies hereinafter)] to give 76 mg of the target compound as a white solid.

Melting point 92°C to 98°C

[0234] Synthesis Example 2: Production of
3-hydroxy-2-mesityl-5-(2-oxopropyl)cyclopent-2-enone (Compound No. 2-001)

To the mixed solution of 60 mg of 2-mesityl-3-methoxy-5-{2-(methoxyimino)propyl}cyclopent-2-enone and 1 ml of acetone, 1 ml of 2 M hydrochloric acid aqueous solution was added. After completion of the addition, the reaction mixture was stirred at 50°C for 4 hours. After completion of the reaction, 5 ml of ethyl acetate was added to the reaction mixture to take out the organic phase. The obtained organic phase was washed with water and dehydrated and dried with

anhydrous sodium sulfate. Thereafter, the solvent was distilled away under reduced pressure to give 56 mg of the target compound as a white solid.

Melting point; 183°C to 185°C

[0235] Synthesis Example 3: Production of

5 3-hydroxy-2-mesityl-5-{2-(methoxyimino)propyl}cyclopent-2-enone (Compound No. 1-002)

To the mixed solution of 50 mg of 3-hydroxy-2-mesityl-5-(2-oxopropyl)cyclopent-2-enone, 2 ml of methanol, and 1 ml of water, 24 mg of O-methylhydroxylamine hydrochloride was added. After completion of the addition, the reaction mixture was stirred at 50°C for 1 hour. After completion of the reaction, the solvent was distilled away from the reaction mixture under reduced pressure. After 10 ml of ethyl acetate was added to the obtained residue, the mixture was washed with water. The obtained organic phase was dehydrated and dried with saturated sodium chloride aqueous solution and then anhydrous sodium sulfate in this order and the solvent was distilled away under reduced pressure to give 31 mg of the target compound as a white solid.

Melting point; 170°C to 173°C

[0236] Synthesis Example 4: Production of

20 2-mesityl-4-{2-(methoxyimino)propyl}-3-oxocyclopent-1-en-1-yl pivalate (Compound No. 1-004)

To the mixed solution of 150 mg of 3-hydroxy-2-mesityl-5-{2-(methoxyimino)propyl}cyclopent-2-enone and 5 ml of dichloromethane, 139 mg of triethylamine, 6 mg of 4-dimethylaminopyridine, and 186 mg of pivalic anhydride were sequentially added. After completion of the addition, the reaction mixture was stirred at room temperature for 15 hours. After completion of the reaction, 5 ml of water was added to the reaction mixture and the resultant mixture was

extracted with 10 ml of chloroform. The obtained organic phase was dehydrated and dried with anhydrous sodium sulfate, and thereafter the solvent was distilled away under reduced pressure. After the solvent was distilled away, the obtained residue was purified with medium pressure preparative liquid chromatography eluting the residue with hexane-ethyl acetate (2:1) to give 150 mg of the target compound as a colorless oily product.

^1H NMR (CDCl_3 , Me_4Si , 300 MHz) δ 6.85-6.81 (m, 2H), 3.87-3.82 (m, 3H), 3.70-2.18 (m, 8H), 2.15-1.78 (m, 9H), 1.08 and 1.06 (s, 9H).

[0237] Synthesis Example 5: Production of

2-(4-bromo-2-methoxy-6-methylphenyl)-3-hydroxy-5-(2-oxopropyl)cyclopent-2-enone

10 (Compound No. 7-027)

Process 1: Production of 5-bromo-2-iodo-1-methoxy-3-methylbenzene

The mixed solution of 15.7 g of 4-bromo-2-methoxy-6-methylaniline synthesized by the method described in WO 2005/028479 Pamphlet, 130 ml of concentrated hydrochloric acid, and 130 ml of water was cooled to 0°C. To the mixed solution, 5.5 g of sodium nitrite was added, while maintaining the temperature at 5°C or lower and the resultant reaction solution was further stirred for 30 minutes. Subsequently, the mixed solution of 13.3 g of potassium iodide and 65 ml of water was added to the reaction solution while maintaining the temperature at 5°C or lower and thereafter the resultant reaction solution was stirred at room temperature for 15 hours. After completion of the reaction, the reaction solution was extracted with 200 ml of 1,2-dichloroethane. The obtained organic phase was washed with 200 ml of 1 mol/L of a sodium hydroxide aqueous solution, 200 ml of 1 mol/L of a sodium sulfite aqueous solution, 200 ml of 1 mol/L of a hydrochloric acid aqueous solution, and 200 ml of a saturated sodium hydrogencarbonate solution in this order. Subsequently, the obtained organic phase was dehydrated and dried with saturated sodium chloride aqueous solution and then anhydrous sodium sulfate in this order and the solvent was distilled away under reduced pressure. The obtained residue was purified with

medium pressure preparative liquid chromatography eluting the residue with n-hexane-ethyl acetate (10:1) to give 10.3 g of the target compound as a brown solid.

Melting point; 72°C to 75°C

Process 2: Production of (4-bromo-2-methoxy-6-methylphenyl)(furan-2-yl)methanol.

5 The mixed solution of 5 g of 5-bromo-2-iodo-1-methoxy-3-methylbenzene and 50 ml of tetrahydrofuran was cooled to -70°C under a nitrogen atmosphere. To the mixed solution, 8.1 ml of an isopropylmagnesium chloride-lithium chloride complex (about 1 mol/L of a tetrahydrofuran solution, manufactured by Tokyo Chemical Industry Co., Ltd.) and then 4.6 ml of isopropyl magnesium chloride (about 1 mol/L of a tetrahydrofuran
10 solution, manufactured by Tokyo Chemical Industry Co., Ltd.) were sequentially added and the resultant mixture was stirred for 30 minutes. Thereafter, the mixed solution of 2.2 g of furfural and 20 ml of tetrahydrofuran was added to the mixture. After completion of the addition, the temperature of the resultant reaction solution was raised to room temperature and the reaction solution was stirred at the same temperature for 15 hours. After
15 completion of the reaction, 50 ml of saturated ammonium chloride aqueous solution was added to the reaction solution and the solvent was distilled away under reduced pressure until the amount of the solvent reached to a half amount. The obtained residue was extracted with 30 ml of ethyl acetate, dehydrated and dried with saturated sodium chloride aqueous solution and then anhydrous sodium sulfate in this order, followed by distilling
20 away the solvent under reduced pressure. The obtained residue was purified with medium pressure preparative liquid chromatography eluting the residue with n-hexane-ethyl acetate (gradient from 20:1 to 10:1) to give 4.6 g of the target compound as a yellow oily product.

¹H NMR (CDCl₃, Me₄Si, 300 MHz) δ 7.38-7.34 (m, 1H), 7.00 (brs, 1H), 6.97 (brs, 1H), 6.37-6.20 (m, 1H), 6.03-5.92 (m, 2H), 3.83 (s, 3H), 4.21 (d, J = 10.8 Hz, 1H), 2.31 (s, 3H).

25 Process 3: Production of

5-(4-bromo-2-methoxy-6-methylphenyl)-4-hydroxycyclopent-2-enone

The mixed solution of 2.6 g of polyphosphoric acid, 10 ml of acetone, and 4 ml of water was added to the mixed solution of 4.6 g of (4-bromo-2-methoxy-6-methylphenyl)(furan-2-yl)methanol, 35 ml of acetone, and 10 ml of water and the resultant reaction mixture was stirred at 55°C for 1 hour. After completion of the reaction, the solvent was distilled away under reduced pressure until the volume of the reaction mixture reached a half volume. To the obtained residue, 30 ml of water was added and the resultant mixture was extracted with 30 ml of ethyl acetate. The obtained organic phase was dehydrated and dried with saturated sodium chloride aqueous solution and then anhydrous sodium sulfate in this order and the solvent was distilled away under reduced pressure. The obtained residue was purified with medium pressure preparative liquid chromatography eluting the residue with n-hexane-ethyl acetate (gradient from 4:1 to 1:2) to give 3.1 g of the target compound as a brown oily product.

¹H NMR (CDCl₃, Me₄Si, 300 MHz) δ 7.52-7.46 (m, 1H), 7.02 (brs, 1H), 6.84 (brs, 1H), 6.36-6.28 (m, 1H), 5.09-5.01 (m, 1H), 3.86-3.52 (m, 5H), 2.36 (s, 3H).

Process 4: Production of 2-(4-bromo-2-methoxy-6-methylphenyl)cyclopent-4-ene-1,3-dione

To the mixed solution of 1.6 g of chromium oxide (trivalent) and 8.6 ml of water, 1.1 ml of concentrated sulfuric acid was added under cooling with ice. The reaction solution was added to a separately prepared mixed solution of 3.1 g of 5-(4-bromo-2-methoxy-6-methylphenyl)-4-hydroxycyclopent-2-enone and 28 ml of acetone under cooling with ice and the resultant reaction solution was stirred for 25 minutes. After completion of the reaction, 30 ml of isopropyl alcohol was added to the reaction solution and the solvent was distilled away under reduced pressure. To the obtained residue, 30 ml of ethyl acetate was added and the resultant mixture was dehydrated and dried with saturated sodium chloride aqueous solution and then anhydrous sodium sulfate in this order, followed by distilling away the solvent under reduced pressure. The obtained solid was

washed with diisopropyl ether to give 1.8 g of the target compound as a yellow solid.

Melting point; 104°C to 107°C

Process 5: Production of

2-(4-bromo-2-methoxy-6-methylphenyl)-3-hydroxy-5-(2-oxopropyl)cyclopent-2-enone

5 To the mixed solution of 1.8 g of
2-(4-bromo-2-methoxy-6-methylphenyl)cyclopent-4-ene-1,3-dione and 30 ml of
N,N-dimethylformamide, 1.7 g of potassium carbonate and 0.85 g of methyl acetoacetate
were sequentially added, and the resultant reaction solution was stirred at room temperature
for 15 hours. After completion of the reaction, 1 mol/L of a hydrochloric acid aqueous
10 solution was added to the reaction solution to adjust the pH to 3 and the mixture was
extracted with 30 ml of ethyl acetate. The obtained organic phase was dehydrated and
dried with saturated sodium chloride aqueous solution and then anhydrous sodium sulfate in
this order and the solvent was distilled away under reduced pressure. To the obtained
residue, 20 ml of methanol and 5 ml of water were added, and 1 g of potassium hydroxide
15 was further added to the resultant mixture, followed by stirring the obtained mixture at
room temperature for 15 hours. After completion of the reaction, the solvent was distilled
away under reduced pressure. To the obtained residue, 20 ml of 1 mol/L of a hydrochloric
acid aqueous solution was added and the resultant mixture was extracted with 20 ml of ethyl
acetate. The obtained organic phase was dehydrated and dried with saturated sodium
20 chloride aqueous solution and then anhydrous sodium sulfate in this order and the solvent
was distilled away under reduced pressure to give 1.8 g of the target compound as a brown
viscous product.

¹H NMR (CDCl₃, Me₄Si, 300 MHz) δ 7.02 (brs, 1H), 6.88 (brs, 1H), 3.91-3.62 (m, 3H),
3.51-1.97 (m, 12H).

25 [0238] Synthesis Example 6: Production of

2-(4-bromo-2-methoxy-6-methylphenyl)-3-hydroxy-5-{2-(methoxyimino)propyl}cyclopent

-2-enone (Compound No. 6-076)

This compound was produced from 2-(4-bromo-2-methoxy-6-methylphenyl)-3-hydroxy-5-(2-oxopropyl)cyclopent-2-enone by a similar method to the method in Synthesis Example 3.

5 Melting point; 150°C to 153°C

[0239] Synthesis Example 7: Production of 2-(4'-chloro-3-methoxy-5-methyl-[1,1'-biphenyl]-4-yl)-3-hydroxy-5-{2-(methoxyimino)propyl}cyclopent-2-enone (Compound No. 6-077)

To the mixed solution of 1.1 g of

10 2-(4-bromo-2-methoxy-6-methylphenyl)-3-hydroxy-5-{2-(methoxyimino)propyl}cyclopent-2-enone, 540 mg of 4-chlorophenylboronic acid, 8 ml of 1,4-dioxane, and 2.5 ml of water, 2.2 g of tripotassium phosphate and 237 mg of [1,1'-bis(diphenylphosphino)ferrocene] palladium (II) dichloride dichloromethane adducts were sequentially added. After completion of the addition, the reaction container was purged with nitrogen gas and
15 thereafter the resultant mixture was stirred at 100°C for 2 hours. After completion of the reaction, 1 mol/L of a hydrochloric acid aqueous solution was added to the reaction mixture to adjust the pH to 3 and the obtained mixture was extracted with 10 ml of ethyl acetate. The obtained organic phase was dehydrated and dried with saturated sodium chloride aqueous solution and then anhydrous sodium sulfate in this order and thereafter the solvent
20 was distilled away under reduced pressure. The obtained residue was purified with medium pressure preparative liquid chromatography eluting the residue with n-hexane-ethyl acetate (gradient from 8:1 to 1:1) to give 1.1 g of the target compound as an orange viscous product.

¹H NMR (CDCl₃, Me₄Si, 300 MHz) δ 11.36 (brs, 1H), 7.59-7.34 (m, 4H), 7.09-6.87 (m, 2H), 4.00-3.78 (m, 6H), 3.54-3.32 (m, 1H), 3.09-2.50 and 2.38-1.81 (m, 10H).

[0240] Synthesis Example 8: Production of

2-(4'-chloro-3-methoxy-5-methyl-[1,1'-biphenyl]-4-yl)-4-{2-(methoxyimino)propyl}-3-oxo
cyclopent-1-ene-1-yl morpholine-4-carboxylate (Compound No. 6-078)

To the mixed solution of 70 mg of

2-(4'-chloro-3-methoxy-5-methyl-[1,1'-biphenyl]-4-yl)-3-hydroxy-5-{2-(methoxyimino)pro
pyl}cyclopent-2-enone and 3 ml of N,N-dimethylformamide, 35 mg of potassium carbonate
and then 31 mg of 4-morpholinylcarbonyl chloride were sequentially added, and the
resultant reaction solution was stirred at room temperature for 3 hours. After completion
of the reaction, 5 ml of water was added to the reaction solution and the resultant mixture
was extracted with 5 ml of ethyl acetate. The obtained organic phase was dehydrated and
dried with saturated sodium chloride aqueous solution and then anhydrous sodium sulfate in
this order and thereafter the solvent was distilled away under reduced pressure. The
obtained residue was purified with medium pressure preparative liquid chromatography
eluting the residue with n-hexane-ethyl acetate (gradient from 3:1 to 1:1) to give 77 mg of
the target compound as a colorless oily product.

¹H NMR (CDCl₃, Me₄Si, 300 MHz) δ 7.58-7.34 (m, 4H), 7.03 (s, 1H), 6.90-6.86 (m, 1H),
3.92-3.22 (m, 15H), 3.09-2.68 (m, 3H), 2.40-2.13 (m, 4H), 1.88 (s, 3H).

[0241] Synthesis Example 9: Production of

3-hydroxy-2-(2-methoxy-4,6-dimethylphenyl)-5-{2-(methoxyimino)propyl}cyclopent-2-en
one (Compound No. 6-037)

To the mixed solution of 1 g of

2-(4-bromo-2-methoxy-6-methylphenyl)-3-hydroxy-5-{2-(methoxyimino)propyl}cyclopent
-2-enone, 326 mg of trimethylboroxine, and 25 ml of 1,4-dioxane, 1.1 g of potassium
carbonate and 424 mg of [1,1'-bis(diphenylphosphino)ferrocene] palladium (II) dichloride
dichloromethane adduct were sequentially added. After completion of the addition, the
reaction container was purged with nitrogen gas and thereafter the resultant reaction mixture
was stirred at 90°C for 3 hours. After completion of the reaction, 1 mol/L of a

hydrochloric acid aqueous solution was added to the reaction mixture to adjust the pH to 3 and the obtained mixture was extracted with 25 ml of ethyl acetate. The obtained organic phase was dehydrated and dried with saturated sodium chloride aqueous solution and then anhydrous sodium sulfate in this order and thereafter the solvent was distilled away under reduced pressure. The obtained residue was purified with medium pressure preparative liquid chromatography eluting the residue with n-hexane-ethyl acetate (1:1) to give 496 mg of the target compound as an orange viscous product.


¹H NMR (CDCl₃, Me₄Si, 300 MHz) δ 11.00 (brs, 1H), 6.78-6.53 (m, 2H), 4.05-3.70 (m, 6H), 3.50-3.28 (m, 1H), 3.00-2.55 (m, 3H), 2.40-1.80 (m, 10H).

[0242] Synthesis Example 10: Production of mixture of 3-(benzyloxy)-2-mesityl-5-{2-(methoxyimino)propyl}cyclopent-2-enone and 3-(benzyloxy)-2-mesityl-4-{2-(methoxyimino)propyl}cyclopent-2-enone (Compound No. 1-009)

To the mixed solution of 500 mg of 3-hydroxy-2-mesityl-5-{2-(methoxyimino)propyl}cyclopent-2-enone and 6 ml of acetone, 458 mg of potassium carbonate and then 341 mg of benzyl bromide were sequentially added, and the resultant reaction solution was stirred at room temperature for 18 hours. After completion of the reaction, 20 ml of water was added to the reaction solution and the resultant mixture was extracted with 20 ml of ethyl acetate. The obtained organic phase was washed with water, dehydrated and dried with saturated sodium chloride aqueous solution and then anhydrous sodium sulfate in this order and thereafter the solvent was distilled away under reduced pressure. The obtained residue was purified with medium pressure preparative liquid chromatography eluting the residue with n-hexane-ethyl acetate (gradient from 5:1 to 1:1) to give 680 mg of the target compound as a colorless oily product.

¹H NMR (CDCl₃, Me₄Si, 300 MHz) δ 7.28-7.03 (m, 5H), 6.92-6.80 (m, 2H), 4.97-4.92 and 4.73-4.68 (m, 2H), 3.86-3.77 (m, 3H), 3.31-1.80 (m, 17H).

The obtained target compound was a mixture of 1-009a-1, 1-009a-2, 1-009b-1, and 1-009b-2 and the mixing ratio thereof was 16: 3: 8: 1. The mixing ratio was determined by qualitative analysis with high performance liquid chromatography [mobile phase; {(acetonitrile: water = 4:1) + acetic acid of a volume ratio of 1%}, measurement wavelength: 254 nm]. The structures of 1-009a-1, 1-009a-2, 1-009b-1 and 1-009b-2 are as follows.



[0243] Synthesis Example 11: Production of

3-(benzyloxy)-2-mesityl-5-{2-(methoxyimino)propyl}-5-methylcyclopent-2-enone

(Compound No. 11-001) and

3-(benzyloxy)-2-mesityl-4-{2-(methoxyimino)propyl}-5-methylcyclopent-2-enone

(Compound No. 12-001)

The mixed solution of the mixture of 611 mg of

3-(benzyloxy)-2-mesityl-5-{2-(methoxyimino)propyl}cyclopent-2-enone and

3-(benzyloxy)-2-mesityl-4-{2-(methoxyimino)propyl}cyclopent-2-enone (Compound No.

1-009) and 7 ml of tetrahydrofuran was cooled to -78°C under a nitrogen atmosphere and

thereafter 1.7 ml of lithium diisopropylamide (mixed solution of about 1.5 mol/L of

n-hexane and tetrahydrofuran, manufactured by KANTO CHEMICAL CO., INC.) was

added dropwise to the mixed solution. After completion of the dropwise addition, the

reaction mixture was stirred at the same temperature for 30 minutes. After completion of

the stirring, 244 mg of iodomethane was added to the reaction mixture. After completion

of the addition, the reaction mixture was warmed to room temperature and stirred at the

same temperature for 30 minutes. After completion of the reaction, the reaction mixture was added to 30 ml of ice water and the resultant mixture was extracted with 20 ml of ethyl acetate. The obtained organic phase was washed with water, dehydrated and dried with anhydrous sodium sulfate and thereafter the solvent was distilled away under reduced pressure. The obtained residue was purified by high performance liquid chromatography eluting the residue with acetonitrile-water [4:1 (volume ratio)] to give 173 mg of Compound No. 11-001 as a colorless oily product and 86 mg of Compound No. 12-001 as a colorless oily product.

Compound No. 11-001: ^1H NMR (CDCl_3 , Me_4Si , 300 MHz) δ 7.39-7.12 (m, 5H), 6.86 (brs, 2H), 4.96 (s, 2H), 3.81 (s, 3H), 3.27-3.13 (m, 1H), 2.61-2.22 (m, 6H), 2.06 (brs, 6H), 1.87-1.77 (m, 3H), 1.26 (s, 3H).

Compound No. 12-001: ^1H NMR (CDCl_3 , Me_4Si , 300 MHz) δ 7.37-7.25 (m, 3H), 7.14-7.04 (m, 2H), 6.86 (brs, 2H), 4.71 (s, 2H), 3.83 (s, 3H), 2.88-2.77 (m, 2H), 2.47-2.23 (m, 5H), 2.15-2.02 (m, 5H), 1.88 (s, 3H), 1.37-1.22 (m, 3H).

[0244] The synthesis examples of production intermediates for producing the compounds of the present invention will be specifically described as Reaction Example 1 and Reaction Example 2 below. The production intermediates of the present invention, however, are not limited to only these Reaction Examples.

[0245] Reaction Example 1: Production of

2-(2,6-dimethoxy-4-methylphenyl)cyclopent-4-ene-1,3-dione

Process 1: Production of (2,6-dimethoxy-4-methylphenyl)(furan-2-yl)methanol

The mixed solution of 0.69 g of furan and 10 ml of tetrahydrofuran was cooled to -10°C under a nitrogen atmosphere. To the mixed solution, 6.9 ml of n-butyllithium (1.6 M of a tetrahydrofuran solution) was added, and the resultant reaction solution was stirred at the same temperature for 1 hour and 30 minutes. The mixed solution of 2.0 g of 2,6-dimethoxy-4-methylbenzaldehyde and 10 ml of tetrahydrofuran was added at -10°C to

the reaction solution and then the temperature of the resultant reaction solution was raised to room temperature, followed by stirring the resultant reaction solution for 12 hours. After completion of the reaction, the reaction solution was poured to ice water and the resultant mixture was extracted with 20 ml of ethyl acetate. The obtained organic phase was

5 dehydrated and dried with saturated sodium chloride aqueous solution and then anhydrous sodium sulfate in this order and the solvent was distilled away under reduced pressure. The obtained residue was purified with medium pressure preparative liquid chromatography eluting the residue with n-hexane-ethyl acetate (3:1) to give 1.89 g of the target compound as a pale yellow solid.

10 Melting point; 75°C to 85°C

Process 2: Production of 2-(2,6-dimethoxy-4-methylphenyl)cyclopent-4-ene-1,3-dione

The mixed solution of 100 mg of

(2,6-dimethoxy-4-methylphenyl)(furan-2-yl)methanol and 1 ml of water was irradiated with microwaves (200 W) using the microwave synthesizing apparatus and the resultant reaction

15 solution was stirred at 200°C for 30 minutes. After completion of the reaction, the reaction solution was extracted with 3 ml of ethyl acetate. The obtained organic phase was dried with anhydrous sodium sulfate and the solvent was distilled away under reduced pressure. To the obtained residue, 5 ml of dichloromethane and 0.13 g of pyridinium chlorochromate were sequentially added and, after completion of the addition, the resultant

20 reaction solution was stirred at room temperature for 2 hours. After completion of the reaction, 5 ml of isopropyl alcohol was added to the reaction solution and the solvent was distilled away under reduced pressure. To the obtained residue, 10 ml of water was added and the resultant mixture was extracted with 10 ml of ethyl acetate. The obtained organic phase was dehydrated and dried with saturated sodium chloride aqueous solution and then

25 anhydrous sodium sulfate in this order and the solvent was distilled away under reduced pressure. The obtained residue was purified with medium pressure preparative liquid

chromatography eluting the residue with n-hexane-ethyl acetate (2:1) to give 20 mg of the target compound as a yellow solid.

Melting point: 122°C to 126°C

[0246] Reaction Example 2: Production of

5 2-(2-methoxy-4,6-dimethylphenyl)cyclopent-4-ene-1,3-dione

As a yellow solid 0.2 g of

2-(2-methoxy-4,6-dimethylphenyl)cyclopent-4-ene-1,3-dione was obtained by the similar method to Process 1 to Process 4 of Synthesis Example 5 using 10.0 g of

2-methoxy-4,6-dimethylaniline synthesized by the method described in J. Am. Chem. Soc.

10 2000, Vol. 122, P. 5043 as a raw material.

Melting point; 123°C to 125°C

[0247] The compound of the present invention can be synthesized in accordance

with the above production examples. Examples of the compounds of the present invention produced in a similar manner to Synthesis Examples 1 to 11 are listed in Table-5 to Table 20.


15 The present invention, however, is not limited to these examples. In Tables, the expression of Me is methyl group. Similarly, the expression of Et is ethyl group, n-Pr and Pr-n are normal-propyl group, i-Pr and Pr-i are iso-propyl group, c-Pr and Pr-c are cyclopropyl group, n-Bu and Bu-n are normal-butyl group, s-Bu and Bu-s are secondary-butyl group, i-Bu and Bu-i are iso-butyl group, t-Bu and Bu-t are tertiary-butyl group, c-Bu and Bu-c are

20 cyclobutyl group, n-Pen and Pen-n are normal-pentyl group, c-Pen and Pen-c are cyclopentyl group, n-Hex and Hex-n are normal-hexyl group, c-Hex and Hex-c are cyclohexyl group, Hept is heptyl group, Oct is octyl group, and Ph is phenyl group. The structures of D1-1a, D1-2c, D1-5d, D1-5e, D1-6d, D1-7a, D1-7b, D1-8b, D1-10d, D1-11a, D1-22a, D1-32a, D1-32b, D1-33b, D1-34a, D1-37a, D1-81a, D1-84a, D1-103a, D1-103b,


25 D1-103c, D1-103d, D1-103e, D1-103f, D1-103g, D1-103h, D1-103i, D1-103j, D1-103k, D1-103l, D1-103m, D1-103n, D1-108b, D1-108c, D1-108d, and D1-108e are the following

structures. The numbers shown in the structural formulas of D1-5d, D1-5e, D1-6d, D1-7b, D1-10d, D1-32b, and D1-33b are the substitution positions of X^1 . The numbers shown in the structural formula of D1-108b are the substitution positions of Z^3 . The numbers shown in the structural formula of D1-108c are the substitution positions of Z^1 . The numbers
5 shown in the structural formula of D1-108d are the substitution positions of Z^2 .


In Tables, the expression of "m. p." means a "melting point", the expression of "*1" means "resinous", and the expression of "decomp." means decomposition.




D1-1a




D1-2c




D1-5d




D1-5e




D1-6d




D1-7a




D1-7b




D1-10d




D1-11a




D1-22a




D1-32a




D1-32b




D1-33b




D1-34a




D1-37a




D1-81a




D1-84a




D1-103a




D1-103b




D1-103c




D1-103d




D1-103e




D1-103f




D1-103g




D1-103h




D1-103i




D1-103j




D1-103k




D1-103l




D1-108b



D1-108c






D1-108d




D1-108e

172

**D1-8b****D1-103m****D1-103n**

[0248] [Table 5]



No.	R ⁶	R ⁷	A	m.p.(°C)
1-001	Me	Me	Me	92-98
1-002	Me	Me	H	170-173
1-003	Me	Et	H	135-140
1-004	Me	Me	C(O)Bu-t	*1
1-005	Me	Me	C(O)Me	*1
1-006	Me	Me	S(O) ₂ Me	*1
1-007	Me	Me	CH ₂ CH=CH ₂	*1
1-008	Me	Me	CH ₂ C≡CH	*1
1-009	Me	Me	CH ₂ Ph	*1
1-010	Me	Me	C(O)Ph	*1
1-011	Me	Me	CH ₂ CH ₂ SMe	*1
1-012	Me	Me	CH ₂ C(O)OMe	*1
1-013	Me	Me	CH ₂ CN	*1
1-014	Me	Me	C(O)OMe	*1
1-015	Me	Me	C(O)Pr-c	*1
1-016	Me	Me	C(O)C(Me) ₂ CH ₂ Cl	*1
1-017	Me	Me	C(O)C(Me) ₂ OPh	*1
1-018	Me	CH ₂ CH=CH ₂	H	119-120
1-019	Me	CH ₂ C≡CH	H	113-114
1-020	Me	CH ₂ Ph	H	190-192
1-022	Me	CH ₂ (D1-32a)	H	118-120
1-023	Me	CH ₂ C(O)OMe	H	100-102
1-024	Me	CH ₂ Pr-c	H	138-140
1-025	Me	CH ₂ C(O)(D1-103a)	H	152-156
1-026	Me	CH ₂ {D1-108c(2-F)}	H	198-200
1-027	Me	CH ₂ CH(OH)Me	H	143-144
1-028	Me	CH ₂ CF ₃	H	172-174
1-029	Me	CH ₂ CH ₂ SMe	H	94-102
1-031	Me	Me	CH ₂ C≡CSi(Me) ₃	*1
1-033	Me	Me	C(O)Oct-n	*1

[Table 5] continued

No.	R ⁶	R ⁷	A	m.p.(°C)
1-034	Me	Me	C(O)C(Me) ₂ OC(O)Me	*1
1-035	Me	Me	C(O)CH ₂ CH ₂ Hex-c	*1
1-036	Me	Me	C(O)(D1-103b)	*1
1-037	Me	Me	CH ₂ CH ₂ OMe	*1
1-038	Et	Me	H	147-149
1-039	Me	Me	C(O)C(Me) ₂ F	*1
1-040	CH ₂ OMe	Me	H	150-153
1-041	Me	CH ₂ CH ₂ OMe	H	129-132
1-042	Me	Me	C(O)CH(Me)Cl	*1
1-043	Me	Me	C(O)CH ₂ OPh	*1
1-044	Me	Me	C(O)CH ₂ O{D1-108d(4-Cl)}	*1
1-045	D1-32a	Me	H	*1
1-046	c-Pr	Me	H	*1
1-047	Ph	Me	H	*1
1-048	i-Pr	Me	H	*1
1-050	H	Me	H	96-108
1-051	Me	Me	C(O)C(Me) ₂ O{D1-108d(4-Cl)}	*1
1-052	Me	i-Pr	H	93-95
1-053	Me	t-Bu	H	145-147
1-054	Me	n-Hept	H	136-137
1-055	Me	CH ₂ CH ₂ Si(Me) ₃	H	133-135
1-056	Me	CH ₂ CH=CHCl	H	100-102
1-057	Me	Ph	H	149-151
1-058	Me	H	H	95-98
1-059	t-Bu	Me	H	163-164
1-060	Me	Me	C(O)CH(Me)OPh	*1
1-062	n-Pr	Me	H	134-137
1-063	c-Pr	Me	C(O)CH ₂ OPh	*1
1-064	Me	Me	C(O)C(Me) ₂ O{D1-108d(2-Cl)}	*1
1-065	Me	Me	C(O)C(Me) ₂ O{D1-108d(3-Cl)}	*1
1-066	s-Bu	Me	H	154-156
1-067	Me	Me	C(O)CH ₂ O{D1-108d(2-OMe)}	*1
1-068	Me	Me	C(O)CH ₂ O{D1-108d(3-OMe)}	*1
1-069	Me	Me	C(O)CH ₂ O{D1-108d(4-OMe)}	*1
1-070	CH ₂ Pr-c	Me	H	153-155
1-071	Me	Me	C(O)CH ₂ O{D1-108d(2-NO ₂)}	*1
1-072	Me	Me	C(O)CH ₂ O{D1-108d(4-Me)}	*1
1-073	Me	Me	C(O)CH ₂ O{D1-108d(4-F)}	*1
1-074	Me	Me	C(O)CH ₂ O{D1-108d(3-CN)}	*1
1-075	Me	Me	C(O)CH ₂ O{D1-108d[2,4-(Cl) ₂]}	*1
1-076	Me	Me	C(O)(D1-81a)	*1
1-077	CH ₂ Cl	Me	Me	*1
1-078	c-Pen	Me	H	161-163
1-079	Me	Me	C(O)CH ₂ O{D1-108d(4-CHO)}	*1

[Table 5] continued

No.	R ⁶	R ⁷	A	m.p.(°C)
1-080	Me	Me	C(O)CH ₂ O{D1-108d[4-C(O)Me]}	*1
1-081	Me	Me	C(O)CH ₂ O{D1-108d(4-Br)}	*1
1-082	Me	Me	C(O)CH ₂ O{D1-108d(4-I)}	*1
1-083	Me	Me	C(O)CH ₂ O(D1-108e)	*1
1-084	CH ₂ Cl	Me	H	159-161
1-085	c-Hex	Me	H	149-152
1-086	CH=CH ₂	Me	H	115-117
1-087	Me	Me	C(O)CH(Me)O(D1-103d)	*1
1-088	Me	Me	C(O)(D1-103e)	*1
1-089	Me	Me	C(O)(D1-103f)	*1
1-090	Me	Me	C(O)CH=CHPr-n	*1
1-091	Me	Me	C(O)CH=CH(D1-1a)	*1
1-092	Me	Me	C(O)CH ₂ OCH ₂ CF ₃	*1
1-093	Me	Me	C(O)CH ₂ OMe	*1
1-094	Me	Me	C(O)CH ₂ OCH ₂ Ph	*1
1-095	Me	Me	C(O)C≡CMe	*1
1-096	Me	Me	C(O)C≡CSi(Me) ₃	*1
1-097	CF ₃	Me	H	115-118
1-098	Me	Me	C(O)C(=NOMe)CH ₂ SMe	*1
1-099	Me	Me	C(O){D1-6d(4,5-Cl ₂)}	*1
1-100	Me	Me	C(O){D1-5d(5-Me)}	*1
1-101	Me	Me	C(O){D1-10d(2,5-Me ₂)}	*1
1-102	Me	CH ₂ CN	H	163-166
1-103	Me	Me	C(O){D1-5e(5-Pr-c)}	*1
1-104	Me	Me	C(O)(D1-103a)	*1
1-105	Me	CH ₂ C(=NOMe)Me	H	118-122
1-106	Me	c-Pen	H	120-122
1-107	Me	Me	S(O) ₂ C ₈ H ₁₇	*1
1-108	Me	Me	C(O)N(Me) ₂	*1
1-109	Me	CH ₂ (D1-103g)	H	155-158
1-110	Me	CH ₂ CH ₂ S(O) ₂ Me	H	130-132
1-111	Me	CH ₂ (D1-84a)	H	150-153
1-112	Me	CH ₂ {D1-108c(4-OMe)}	H	179-180
1-113	Me	CH ₂ {D1-108c(2-Cl)}	H	194-197
1-114	Me	CH ₂ {D1-108c(3-Cl)}	H	188-193
1-115	Me	CH ₂ {D1-108c(2-Cl,6-F)}	H	225-228
1-116	Me	CH ₂ {D1-108c(2-CF ₃)}	H	147-154
1-117	Me	CH ₂ {D1-108c(3-CF ₃)}	H	143-154
1-118	Me	CH ₂ {D1-108c[4-C(O)OMe]}	H	183-189
1-119	Me	CH ₂ {D1-108c(2-NO ₂)}	H	177-179
1-120	Me	D1-103h	H	162-166
1-121	Me	CH ₂ CH(Cl)Me	H	182-185
1-122	Me	Me	SO ₂ N(Me) ₂	*1
1-123	Me	n-Pr	H	123-126

Table 5 (continued)

No.	R ⁶	R ⁷	A	m.p.(°C)
1-124	Me	CH ₂ C(O)NH ₂	H	120-123
1-125	Me	CH ₂ CH ₂ S(O)Me	H	*1
1-126	Me	Me	C(O)N(Me)(CH ₂) ₄ Cl	*1
1-127	Me	Me	C(O)N(i-Pr)Ph	*1
1-128	Me	Me	C(O)N(i-Pr){D1-108d(4-F)}	*1
1-129	Me	Me	C(O)N(i-Pr){D1-108d(2,4-F ₂)}	*1
1-130	Me	Me	C(O)N(Et)CH ₂ C(Me)=CH ₂	*1
1-131	c-Pr	CH ₂ CF ₃	H	137-138
1-132	Me	CH ₂ CH ₂ NH ₂	H	209(decomp.)
1-133	D1-108c(4-F)	Me	H	181-183
1-134	Me	Me	C(O)CH ₂ SPh	*1
1-135	Me	CH ₂ CH(Br)Me	H	179-181
1-136	Me	CH ₂ {D1-108c(4-F)}	H	171-180
1-137	Me	CH ₂ {D1-108c(4-Cl)}	H	135-150
1-138	Me	CH ₂ {D1-108c(4-CF ₃)}	H	168-173
1-139	Me	Me	C(O)CH ₂ N(Me)C(O)Ph	*1
1-140	Me	Me	C(O)CH(Et)O(D1-103i)	*1
1-141	Me	Me	C(S)N(Me) ₂	*1
1-142	Me	Me	SO ₂ (CH ₂) ₃ Cl	*1
1-143	Me	Me	SO ₂ Pr-c	*1
1-144	Me	Me	SO ₂ (CH ₂) ₂ Si(Me) ₃	*1
1-145	Me	Me	C(O)OCH ₂ Ph	*1
1-146	Me	Me	C(O)OCH ₂ CH=CH ₂	*1
1-147	Me	Me	C(O)O(CH ₂) ₂ OMe	*1
1-148	Me	Me	C(O)C(Me) ₂ {D1-108d(4-Cl)}	*1
1-149	Me	Me	C(O){D1-108d(4-CF ₃)}	*1
1-150	Me	Me	C(O)(D1-103j)	*1
1-151	Me	Me	C(O)(D1-103k)	*1
1-152	Me	Me	C(O)(D1-103l)	*1
1-153	Me	Me	C(O)N(CH ₂ CH=CH ₂) ₂	*1
1-154	Me	Me	C(O){D1-108d(2-CF ₃)}	90-92
1-155	Me	Me	C(O){D1-108d(2-OCF ₃)}	*1
1-156	Me	Me	C(O)CH ₂ {D1-108d(4-OMe)}	*1
1-157	Me	Me	C(O)N(Ph) ₂	165-168
1-158	Me	Me	C(O)N(i-Pr) ₂	74-75
1-159	Me	Me	C(O)N(Me)Ph	*1
1-160	Me	Me	C(O)(D1-8b)	*1
1-161	Me	Me	SO ₂ {D1-108d(4-Me)}	*1
1-162	Me	Me	C(O){D1-108d[2-Cl,3-C(O)OMe,4-SO ₂ Me]}	*1
1-163	Me	Me	C(O)CH(Me)O(D1-103m)	*1
1-164	D1-108c(4-Me)	Me	H	*1
1-165	Me	Me	c-Pen	*1
1-166	Me	Me	CH ₂ C(Cl)=CHCl	*1

Compound No. 1-009 of the present invention is the mixture of Compound Nos.


1-009a-1, 1-009a-2, 1-009b-1, and 1-009b-2 in Synthesis Example 10 described above.

Compound Nos. 1-009a-1 and 1-009a-2 and Compound Nos. 1-009b-1 and 1-009b-2 are

5 respective geometric isomers of the oxime moiety.


177

[0249] [Table 6]




No.	R ⁶	R ⁷	R ^{8a}	R ^{9a}	A	m.p. (°C)
1-021	Me	Me	C(=NOMe)Me	H	H	163-164
1-030	H	Me	Me	Me	H	176-180
1-032	Me	Me	Me	H	H	199-206
1-049	Me	Me	D1-108c(4-F)	H	H	160-168
1-061	Me	Me	CF ₃	H	H	155-158

[0250] [Table 7]




No.	R ⁶	R ^{8a}	R ^{9a}	A	m.p.(°C)
2-001	Me	H	H	H	183-185
2-002	Me	C(O)Me	H	H	190-193
2-003	Me	C(O)OMe	H	H	155-158
2-004	Me	C(O)OEt	Me	H	154-163
2-005	Me	Me	H	H	153-158
2-006	Et	H	H	H	197-198
2-007	CH ₂ OMe	H	H	H	143-145
2-008	Ph	C(O)OEt	H	H	*1
2-009	i-Pr	C(O)OEt	H	H	150-153
2-010	CF ₃	C(O)OEt	H	H	*1
2-011	CH ₂ Ph	C(O)OEt	H	H	110-114
2-012	Me	C(O)OEt	Et	H	140-144
2-013	D1-32a	C(O)OEt	H	H	79-88
2-014	c-Pr	C(O)OMe	H	H	204-206
2-015	CH ₂ Ph	H	H	H	*1
2-016	i-Pr	H	H	H	139-144
2-017	c-Pr	H	H	H	191-192
2-018	Me	H	H	C(O)Bu-t	*1
2-019	t-Bu	C(O)OMe	H	H	192-194
2-020	n-Pr	C(O)OMe	H	H	164-167
2-021	n-Pr	H	H	H	190-193
2-022	t-Bu	H	H	H	50-54
2-023	Me	C(O)OMe	Et	H	160-163
2-024	s-Bu	H	H	H	112-115
2-025	CH ₂ Pr-c	C(O)OEt	H	H	132-134
2-026	CH ₂ Pr-c	H	H	H	195-197
2-027	c-Pen	C(O)OEt	H	H	168-170
2-028	c-Pen	H	H	H	147-149
2-029	c-Hex	C(O)OEt	H	H	154-157
2-030	c-Hex	H	H	H	167-169
2-031	CH=CH ₂	H	H	H	123-126
2-032	D1-108c(4-F)	H	H	H	194-196

[0251] [Table 8]




No.	R ⁶	R ⁷	A	m.p.(°C)
3-001	H	Me	H	*1
3-002	Me	Me	H	*1

[0252] [Table 9]




No.	R ⁶	R ⁷	R ^{8a}	R ^{8b}	R ^{9a}	R ^{9b}	A	m.p. (°C)
4-001	Et	Me	H	H	H	H	H	*1

[0253] [Table 10]



No.	R ⁶	R ^{8a}	R ^{8b}	R ^{9a}	R ^{9b}	A	m.p. (°C)
5-001	Et	H	H	H	H	H	*1
5-002	Et	H	H	H	H	Me	*1

[0254] [Table 11]



No.	Z ^a	Z ^c	Z ^e	R ^{8a}	A	m.p. (°C)
6-001	Et	Br	Me	H	H	151-153
6-002	Et	Br	Me	C(O)OMe	H	184-188
6-003	Me	Br	Me	H	H	164-166
6-004	Me	D1-7b(X ¹ =4-Cl)	Me	H	H	*1
6-005	Et	D1-7b(X ¹ =4-Cl)	Me	H	H	*1
6-006	Et	C≡CMe	Me	H	H	*1
6-007	Et	Me	Me	H	H	122-125
6-008	Et	C≡CSi(Me) ₃	Me	H	H	*1
6-009	Me	C≡CMe	Me	H	H	60-65
6-010	Me	C≡CPr-c	Me	H	H	*1
6-011	Me	Br	Me	H	Me	*1
6-012	Me	Ph	Me	H	Me	*1
6-013	Me	D1-108b(4-Me)	Me	H	Me	*1
6-014	Me	D1-108b(4-CF ₃)	Me	H	Me	*1
6-015	Me	Ph	Me	H	H	167-169
6-016	Me	D1-108b(4-CF ₃)	Me	H	H	163-164
6-017	Me	D1-108b(4-OMe)	Me	H	H	155-157
6-018	Me	D1-108b(4-Me)	Me	H	H	137-139
6-019	Me	D1-108b(4-Cl)	Me	H	Me	*1
6-020	Me	D1-108b(4-OMe)	Me	H	Me	124-125
6-021	Me	D1-108b(4-SMe)	Me	H	Me	65-66
6-022	Me	S(D1-103c)	Me	H	H	*1
6-023	Me	C(O)OMe	Me	H	H	*1
6-024	Me	SMe	Me	H	H	*1
6-025	Me	C≡CCH ₂ OH	Me	H	H	*1
6-026	Me	C(O)Me	Me	H	H	*1
6-027	Me	CN	Me	H	H	181-184
6-028	Me	D1-32a	Me	H	Me	151-154
6-029	Me	D1-108b(4-Cl)	Me	H	H	145-150

[Table 11] continued

No.	Z ^a	Z ^c	Z ^e	R ^{8a}	A	m.p. (°C)
6-030	Me	D1-108b(4-SMe)	Me	H	H	167-169
6-031	Me	CH=CH ₂	Me	H	H	166-172
6-032	Me	NO ₂	Me	H	H	181-183
6-033	Me	NHC(O)OBu-t	Me	H	H	*1
6-034	Me	D1-108b(3-Cl)	Me	H	H	197-199
6-035	Me	D1-33b(6-Cl)	Me	H	H	*1
6-036	Me	C≡CC(Me) ₂ OH	Me	H	H	*1
6-037	OMe	Me	Me	H	H	*1
6-038	Br	Me	Me	H	H	*1
6-039	Me	c-Pr	Me	H	Me	*1
6-040	Me	D1-7a	Me	H	Me	129-132
6-041	Me	OPh	Me	H	Me	*1
6-042	Me	OCH ₂ CF ₃	Me	H	Me	117-119
6-043	Me	D1-108b(4-OCF ₃)	Me	H	Me	*1
6-044	Me	D1-37a	Me	H	Me	166-169
6-045	Me	OCH ₂ Ph	Me	H	Me	*1
6-046	Me	OCH ₂ (D1-34a)	Me	H	Me	*1
6-047	Me	O{D1-32b(5-CF ₃)}	Me	H	Me	*1
6-048	Me	OMe	Me	H	Me	82-85
6-049	Me	OCH ₂ CF ₃	Me	H	H	165-172
6-050	Me	c-Pr	Me	H	H	170-178
6-051	Me	D1-32a	Me	H	H	*1
6-052	Me	OPh	Me	H	H	*1
6-053	Me	OCH ₂ (D1-34a)	Me	H	H	118-122
6-054	Me	O{D1-32b(5-CF ₃)}	Me	H	H	169-172
6-055	Me	OMe	Me	H	H	141-143
6-056	Me	D1-108b(4-OCF ₃)	Me	H	H	161-163
6-057	Me	D1-37a	Me	H	H	183-188
6-058	Me	D1-108b(4-F)	Me	H	H	159-161
6-059	Me	D1-108b(4-F)	Me	H	C(O)(D1-103a)	*1
6-060	Me	D1-108b(4-F)	Me	H	S(O) ₂ N(Me) ₂	*1
6-061	Me	D1-108b(4-Cl)	Me	H	C(O)CH ₂ OPh	*1
6-062	Me	D1-108b(4-Cl)	Me	H	C(O)(D1-103a)	*1
6-063	Me	D1-108b(4-Cl)	Me	H	C(O)N(Me) ₂	*1
6-064	Et	D1-108b(4-Cl)	Me	H	C(O)(D1-103a)	*1
6-065	Me	C(=NOMe)Me	Me	H	H	177-180
6-066	Et	D1-108b(4-Cl)	Me	H	H	165-167
6-067	Me	CH=CHPr-n	Me	H	Me	*1
6-068	Me	CH=CHPh	Me	H	Me	125-126
6-069	Me	OH	Me	H	Me	192-195
6-070	Me	OCH ₂ (D1-34a)	Me	H	H	*1


[Table 11] continued

No.	Z ^a	Z ^c	Z ^e	R ^{8a}	A	m.p. (°C)
6-071	Me	CH=CHPr-n	Me	H	H	171-177
6-072	Me	CH=CHPh	Me	H	H	150-152
6-073	Me	D1-7a	Me	H	H	200-203
6-074	Me	D1-22a	Me	H	H	164-167
6-075	SMe	Me	Me	H	H	*1
6-076	OMe	Br	Me	H	H	150-153
6-077	OMe	D1-108b(4-Cl)	Me	H	H	*1
6-078	OMe	D1-108b(4-Cl)	Me	H	C(O)(D1-103a)	*1
6-079	OMe	D1-108b(4-Cl)	Me	H	C(O)CH ₂ OPh	*1
6-080	Me	D1-108b(4-Cl)	Me	H	C(O)CH ₂ CH ₂ CH ₂ C(O)Me	*1
6-081	OMe	D1-108b(4-Cl)	Me	H	C(O)N(Me) ₂	*1
6-082	Me	D1-108b(4-Cl)	Me	H	C(O)SBu-t	*1
6-083	Me	D1-108b(4-Cl)	Me	H	CH ₂ OC(O)Ph	*1
6-084	Me	D1-108b(2-F,4-Cl)	Me	H	H	175-177
6-085	Me	D1-108b(3-Cl,4-F)	Me	H	H	187-190
6-086	Me	D1-108b(4-Cl)	Me	H	C(O)CH(Me)CH ₂ SMe	*1
6-087	Me	D1-108b(3,5-Cl ₂)	Me	H	H	205-215
6-088	Me	D1-108b(2,4-Cl ₂)	Me	H	H	148-151
6-089	Me	D1-108b(2-F,4-Cl)	Me	H	C(O)(D1-103a)	*1
6-090	Me	D1-108b(2,4-Cl ₂)	Me	H	C(O)(D1-103a)	*1
6-091	OMe	Me	Me	H	C(O)CH ₂ OPh	*1
6-092	Me	D1-108b(2,4-Cl ₂)	Me	H	C(O)CH ₂ OPh	*1
6-093	Me	D1-108b(3-Cl,4-F)	Me	H	C(O)(D1-103a)	*1
6-094	OMe	Me	Me	H	C(O)(D1-103a)	*1
6-095	OMe	Me	Me	H	S(O) ₂ N(Me) ₂	*1
6-096	OMe	Br	F	H	H	157-159
6-097	Me	OCH ₂ CH ₂ OMe	Me	H	Me	*1
6-098	Me	OCH ₂ CH ₂ OMe	Me	H	H	119-121
6-099	OMe	Ph	Me	H	H	175-177
6-100	OMe	Ph	Me	H	C(O)CH ₂ OPh	*1
6-101	Me	D1-11a	Me	H	Me	*1
6-102	Me	D1-22a	Me	H	Me	103-104
6-103	OMe	Me	OMe	H	H	171-175
6-104	Me	D1-108b(3,4,5-F ₃)	Me	H	H	161-163
6-105	Me	D1-34a	Me	H	H	*1
6-106	Me	D1-2c	Me	H	H	204-207
6-107	OMe	Ph	F	H	H	175-177
6-108	OMe	Me	F	H	H	*1
6-109	OMe	Me	Me	H	C(O)N(Me) ₂	*1
6-110	OMe	Me	Me	H	C(O)(D1-103j)	*1
6-111	OMe	Me	Me	H	C(O)(D1-103k)	*1
6-112	Me	H	Me	H	H	167-170
6-113	OMe	Br	Me	Me	H	*1

[Table 11] continued

No.	Z ^a	Z ^c	Z ^e	R ^{8a}	A	m. p. (°C)
6-114	OMe	Me	Me	Me	H	*1
6-115	OMe	Me	Me	H	C(O)N(Et) ₂	*1
6-116	OMe	Me	Me	H	C(S)N(Et) ₂	*1
6-117	OMe	Me	Me	H	C(O)Bu-t	*1
6-118	OMe	Me	Me	H	C(O){D1-108d[4-C(O)N(Me) ₂]}	*1
6-119	OMe	Me	Me	H	C(S)OPh	*1
6-120	OMe	Me	Me	H	C(O)CH=CH ₂	*1
6-121	OMe	Me	Me	H	C(O)Ph	*1
6-122	OMe	Me	Me	H	C(O)CH ₂ OC(O)Me	*1
6-123	OMe	Me	Me	Me	C(O)Bu-t	*1
6-124	OMe	Me	Me	H	C(O)SBu-t	*1
6-125	OMe	Me	Me	H	C(S)N(Me) ₂	*1
6-126	OMe	Me	Me	H	C(O)CH ₂ CH ₂ CH ₂ Cl	*1
6-127	OMe	Me	Me	Me	C(O)(D1-103a)	*1


[0255] [Table 12]




184

No.	Z ^a	Z ^c	Z ^e	R ^{8a}	A	m.p. (°C)
7-001	Et	Br	Me	C(O)OMe	H	*1
7-002	Me	Br	Me	H	H	203-204
7-003	Et	Br	Me	H	H	170-172
7-004	Me	Ph	Me	H	H	196-200
7-005	Me	D1-108b(4-CF ₃)	Me	H	H	174-176
7-006	Me	D1-108b(4-OMe)	Me	H	H	170-171
7-007	Me	D1-108b(4-Me)	Me	H	H	90-93
7-008	Me	D1-108b(4-Cl)	Me	H	H	173-175
7-009	Me	D1-108b(4-SMe)	Me	H	H	179-184
7-010	Me	C≡CMe	Me	H	H	207-209
7-011	Br	Me	Me	H	H	182-186
7-012	Me	D1-32a	Me	H	H	118-122
7-013	Me	c-Pr	Me	H	H	176-183
7-014	Me	OPh	Me	H	H	142-148
7-015	Me	OCH ₂ CF ₃	Me	H	H	122-125
7-016	Me	D1-108b(4-OCF ₃)	Me	H	H	169-172
7-017	Me	D1-37a	Me	H	H	*1
7-018	Me	OCH ₂ Ph	Me	H	H	156-158
7-019	Me	O{D1-32b(5-CF ₃)}	Me	H	H	100-102
7-020	Me	OMe	Me	H	H	204-207
7-021	Me	OCH ₂ (D1-34a)	Me	H	H	187(decomp.)
7-022	Me	CH=CHPr-n	Me	H	H	106-116
7-023	Me	CH=CHPh	Me	H	H	181-185
7-024	Me	D1-7a	Me	H	H	184-187
7-025	Me	D1-11a	Me	H	H	61-65
7-026	Me	D1-22a	Me	H	H	54-66
7-027	OMe	Br	Me	H	H	*1
7-028	OMe	Br	F	C(O)OMe	H	210-213
7-029	OMe	Br	F	H	H	163-165
7-030	OMe	Me	Me	H	H	147-152
7-031	OMe	Br	Me	Me	H	93-95

[0256] [Table 13]




No.	Q	R ⁶	A	m.p. (°C)
8-001	O	Me	H	178-182
8-002	O	C(=NOMe)Me	H	50-55
8-003	NOMe	C(=NOMe)Me	H	190(decomp.)



No.	R ⁶	R ⁷	Z ^c	A	m. p. (°C)
9-001	i-Pr	Me	Br	H	93-96
9-002	c-Pr	Me	Br	H	167-168
9-003	i-Pr	Me	C≡CMe	C(O)CH ₂ OPh	*1
9-004	i-Pr	Me	D1-7b(X ¹ =4-Cl)	H	*1
9-005	i-Pr	Me	C≡CSi(Me) ₃	H	*1
9-006	i-Pr	Me	C≡CMe	H	176-178
9-007	c-Pr	Me	D1-7b(X ¹ =4-Cl)	H	*1
9-008	c-Pr	Me	C≡CMe	H	170-173
9-009	c-Pr	CH ₂ CF ₃	Br	H	128-130
9-010	Me	CH ₂ CF ₃	D1-7b(X ¹ =4-Cl)	H	161-184
9-011	Me	CH ₂ CF ₃	C≡CMe	H	158-161
9-012	Me	CH ₂ CF ₃	D1-7b(X ¹ =4-Cl)	C(O)CH ₂ OPh	*1
9-013	Me	CH ₂ CF ₃	C≡CMe	C(O)CH ₂ OPh	*1
9-014	i-Pr	CH ₂ CF ₃	D1-7b(X ¹ =4-Cl)	H	*1
9-015	i-Pr	CH ₂ CF ₃	C≡CMe	H	189-192
9-016	Me	CH ₂ CH ₂ OMe	D1-7b(X ¹ =4-Cl)	H	119-122
9-017	Me	CH ₂ CH ₂ OMe	Br	H	70-74
9-018	i-Pr	CH ₂ CH ₂ OMe	Br	H	*1
9-019	c-Pr	CH ₂ CH ₂ OMe	Br	H	*1
9-020	c-Pr	CH ₂ CH ₂ OMe	D1-7b(X ¹ =4-Cl)	H	*1
9-021	c-Pr	CH ₂ CH ₂ OMe	C≡CMe	H	*1
9-022	i-Pr	CH ₂ CH ₂ OMe	D1-7b(X ¹ =4-Cl)	H	*1
9-023	i-Pr	CH ₂ CH ₂ OMe	C≡CMe	H	*1
9-024	Me	CH ₂ CF ₃	D1-108b(4-Cl)	H	202-204
9-025	Me	CH ₂ CF ₃	D1-108b(4-Cl)	C(O)(D1-103a)	*1
9-026	Me	CH ₂ CF ₃	D1-108b(4-Cl)	C(O)N(Me) ₂	*1
9-027	Me	CH ₂ CF ₃	D1-108b(4-Cl)	C(O)CH ₂ OPh	*1
9-028	c-Pr	Me	Ph	H	202-209
9-029	Me	CH ₂ C(O)N(Me) ₂	Br	H	*1
9-030	Me	D1-103n	Br	H	*1


[0258] [Table 15]

186



No.	R ⁶	R ^{8a}	Z ^c	A	m.p. (°C)
10-001	i-Pr	C(O)OEt	Br	H	143-145
10-002	c-Pr	C(O)OMe	Br	H	171-173
10-003	i-Pr	H	Br	H	151-153
10-004	c-Pr	H	Br	H	171-174


[0259] [Table 16]



No.	R ⁶	R ⁷	R ¹⁰	A	m.p. (°C)
11-001	Me	Me	Me	CH ₂ Ph	*1
11-002	Me	Me	Me	H	165-168


[0260] [Table 17]

187




No.	R ⁶	R ⁷	R ¹¹	A	m.p.(°C)
12-001	Me	Me	Me	CH ₂ Ph	*1
12-002	Me	Me	Me	H	*1

[0261] [Table 18]




No.	Z ^a	Z ^c	Z ^e	R ⁶	A	m.p.(°C)
13-001	OMe	Br	Me	Et	H	*1
13-002	OMe	Me	Me	c-Pr	H	81-84
13-003	OMe	Me	Me	Et	H	81-84
13-004	OMe	Ph	Me	Et	H	178-181
13-005	OMe	Me	Me	c-Pr	C(O)(D1-103a)	*1
13-006	OMe	Me	Me	c-Pr	C(O)Bu-t	*1

[0262] [Table 19]



No.	Z ^a	Z ^c	Z ^e	R ⁶	A	m.p. (°C)
14-001	OMe	Br	Me	c-Pr	H	*1
14-002	OMe	Br	Me	Et	H	*1

[0263] [Table 20]



No.	Z ^a	Z ^c	Z ^e	R ⁷	A	m.p. (°C)
15-001	OMe	Me	Me	CH ₂ C≡CH	H	*1
15-002	OMe	Me	Me	CH ₂ CH=CH ₂	H	*1
15-003	OMe	Me	Me	CH ₂ Pr-c	H	*1
15-004	OMe	Me	Me	CH ₂ CH ₂ OMe	H	*1
15-005	OMe	Me	Me	CH ₂ CF ₃	H	*1
15-006	OMe	Me	Me	CH ₂ CN	H	*1
15-007	OMe	Me	Me	CH ₂ CH ₂ OMe	C(O)(D1-103a)	*1
15-008	OMe	Me	Me	CH ₂ CH ₂ OMe	C(S)N(Me) ₂	*1
15-009	OMe	Me	Me	CH ₂ CF ₃	C(O)Bu-t	*1
15-010	OMe	Me	Me	CH ₂ CF ₃	C(O)N(Me) ₂	*1
15-011	OMe	Me	Me	CH ₂ CN	S(O) ₂ Me	*1
15-012	OMe	Me	Me	CH ₂ CN	C(O)N(Et) ₂	*1
15-013	OMe	Me	Me	CH ₂ C≡CH	C(O)OMe	*1
15-014	OMe	Me	Me	CH ₂ Pr-c	C(O)SBu-t	*1
15-015	OMe	Me	Me	CH ₂ CH=CH ₂	C(O)CH ₂ OPh	*1
15-016	OMe	Me	Me	CH ₂ C≡CH	C(O)(D1-103j)	*1
15-017	OMe	Me	Me	CH ₂ CH=CH ₂	C(O)(D1-103l)	*1
15-018	OMe	Me	Me	CH ₂ Pr-c	C(O)(D1-103k)	*1

5

[0264] In the compounds of the present invention, ¹H-NMR data of the compounds having no description of the melting point are listed in Table 21.

The chemical shift value of proton nuclear magnetic resonance was measured at 300

MHz in a deuteriochloroform solvent using Me₄Si (tetramethylsilane) as a reference material.

The symbols in Table 21 are the following meanings. s: singlet, brs: broad singlet, d:

doublet, t: triplet, and m: multiplet. For the signals that can be analyzed when two or more

structural isomers are present, the chemical shift values of each of the signals are marked

5 with "and".

[0265] [Table 21]

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
1-004;	6.85-6.81(m, 2H), 3.87-3.82(m, 3H), 3.70-2.18(m, 8H), 2.15-1.78(m, 9H), 1.08 and 1.06(s, 9H)
1-005;	6.90-6.85(m, 2H), 3.87-3.82(m, 3H), 3.77-2.18(m, 8H), 2.17-1.98(m, 9H), 1.97-1.83(m, 3H)
1-006;	6.92-6.87(m, 2H), 3.84(s, 3H), 3.37-2.60(m, 7H), 2.40-2.24(m, 4H), 2.13-2.02(m, 6H), 1.97-1.83(m, 3H)
1-007;	6.90-6.85(m, 2H), 5.90-5.67(m, 1H), 5.28-5.07(m, 2H), 4.50-4.40 and 4.23-4.15(m, 2H), 3.88-3.78(m, 3H), 3.00-1.85(m, 17H)
1-008;	6.90-6.80(m, 2H), 4.60-4.48 and 4.38-4.30(m, 2H), 3.90-3.75(m, 3H), 3.31-2.35(m, 6H), 2.33-2.00(m, 9H), 1.97-1.85(m, 3H)
1-009;	7.28-7.03(m, 5H), 6.92-6.80(m, 2H), 4.97-4.92 and 4.73-4.68(m, 2H), 3.86-3.77(m, 3H), 3.31-1.80(m, 17H)
1-009a-1;	7.35-7.30(m, 3H), 7.20-7.15(m, 2H), 6.90-6.85(m, 2H), 4.95(s, 2H), 3.84(s, 3H), 3.00-2.80(m, 3H), 2.65-2.55(m, 1H), 2.27(s, 3H), 2.25-2.15(m, 1H), 2.10-2.00(m, 6H), 1.86(s, 3H)
1-009a-2;	7.35-7.30(m, 3H), 7.20-7.15(m, 2H), 6.90-6.85(m, 2H), 4.95(s, 2H), 3.80(s, 3H), 2.95-2.80(m, 2H), 2.76-2.70(m, 1H), 2.66-2.57(m, 2H), 2.27(s, 3H), 2.10-2.00(m, 6H), 1.91(s, 3H)
1-009b-1;	7.31-7.28(m, 3H), 7.10-7.07(m, 2H), 6.87-6.85(m, 2H), 4.72(s, 2H), 3.84(s, 3H), 3.30-3.20(m, 1H), 2.90-2.80(m, 1H), 2.80-2.70(m, 1H), 2.42-2.37(m, 1H), 2.30-2.23(m, 4H), 2.08-2.05(m, 6H), 1.86(s, 3H)
1-009b-2;	7.32-7.28(m, 3H), 7.10-7.07(m, 2H), 6.88-6.86(m, 2H), 4.74(s, 2H), 3.83(s, 3H), 3.29-3.24(m, 1H), 2.82-2.63(m, 3H), 2.39-2.34(m, 1H), 2.28(s, 3H), 2.10(s, 3H), 2.05(s, 3H), 1.92(s, 3H)
1-010;	7.96-7.15(m, 5H), 6.90-6.87(m, 2H), 3.88-3.75(m, 3H), 3.55-1.83(m, 17H)
1-011;	6.98-6.75(m, 2H), 4.20-4.77(m, 5H), 3.28-2.60(m, 6H), 2.45-1.80(m, 16H)

{Table 21} continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
1-012;	6.92-6.80(m, 2H), 4.69 and 4.53 and 4.35 and 4.25(s, 2H), 3.88-3.58(m, 6H), 3.38-3.28 and 3.00-1.80(m, 17H)
1-013;	6.98-6.87(m, 2H), 4.56 and 4.55 and 4.46 and 4.44(s, 2H), 3.92-3.82(m, 3H), 3.36-3.25 and 3.10-2.60(m, 4H), 2.60-1.80(m, 13H)
1-014;	6.91-6.85(m, 2H), 3.85(s, 3H), 3.77 and 3.70(s, 3H), 3.35-3.18(m, 1H), 3.10-2.65(m, 3H), 2.35-2.22(m, 4H), 2.10-2.02(m, 6H), 1.90-1.83(m, 3H)
1-015;	6.91-6.82(m, 2H), 3.90-3.80(m, 3H), 3.31-3.20(m, 1H), 3.07-2.78(m, 3H), 2.35-2.20(m, 4H), 2.10-2.00(m, 6H), 1.95-1.83(m, 3H), 1.75-1.50(m, 1H), 1.07-0.80(m, 4H)
1-016;	6.91-6.77(m, 2H), 3.90-3.77(m, 3H), 3.68-3.42(m, 2H), 3.28-2.48(m, 4H), 2.35-1.80(m, 13H), 1.37(s, 3H), 1.16(s, 3H)
1-017;	7.17-7.05(m, 2H), 7.00-6.90(m, 1H), 6.87-6.78(m, 2H), 6.65-6.55(m, 2H), 3.87-3.82(m, 3H), 3.56-3.45 and 3.18-2.20(m, 8H), 2.19-1.70(m, 9H), 1.50-1.38(m, 6H)
1-031;	6.90-6.85(m, 2H), 4.55 and 4.34(s, 2H), 3.88-3.80(m, 3H), 3.30-2.35(m, 4H), 2.30-1.80(m, 13H), 1.20-1.10(m, 9H)
1-033;	6.90-6.83(m, 2H), 3.84(s, 3H), 3.28-3.15(m, 1H), 3.07-2.96(m, 1H), 2.90-2.75(m, 2H), 3.40-3.20(m, 6H), 2.06(s, 3H), 2.04(s, 3H), 1.86(s, 3H), 1.58-1.45(m, 2H), 1.35-1.10(m, 10H), 0.92-0.83(m, 3H)
1-034;	6.90-6.80(m, 2H), 3.90-3.80(m, 3H), 3.35-3.22(m, 1H), 3.09-2.98(m, 1H), 2.96-2.70(m, 2H), 2.35-2.20(m, 4H), 2.12-2.00(m, 6H), 1.92-1.78(m, 6H), 1.48-1.35(m, 6H)
1-035;	6.90-6.82(m, 2H), 3.84(s, 3H), 3.28-3.15(m, 1H), 3.08-2.97(m, 1H), 2.90-2.75(m, 2H), 2.50-2.20(m, 8H), 2.10-2.02(m, 6H), 1.86(s, 3H), 1.80-0.70(m, 11H)
1-036;	6.90-6.80(m, 2H), 3.87-3.80(m, 3H), 3.26-3.15(m, 1H), 3.10-3.00(m, 1H), 2.90-2.78(m, 2H), 2.38-2.13(m, 4H), 2.10-2.00(m, 6H), 1.86(s, 3H), 1.58-1.40(m, 5H)
1-037;	6.90-6.80(m, 2H), 4.07-3.52(m, 14H), 2.45-2.00(m, 10H), 1.90-1.84(m, 3H)

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
1-039;	6.90-6.80(m, 2H), 3.84(s, 3H), 3.25-3.13(m, 1H), 3.12-3.01(m, 1H), 2.90-2.75(m, 2H), 2.38-2.20(m, 4H), 2.06(s, 3H), 2.05(s, 3H), 1.84(s, 3H), 1.48-1.35(m, 6H)
1-042;	6.88-6.83(m, 2H), 3.87-3.82(m, 3H), 3.32-2.22(m, 9H), 2.15-2.03(m, 6H), 1.89-1.85(m, 3H), 1.59-1.47(m, 3H)
1-043;	7.28-7.17(m, 2H), 7.02-6.96(m, 1H), 6.89-6.83(m, 2H), 6.74-6.60(m, 2H), 4.65 and 4.62(s, 2H), 3.84(s, 3H), 3.29-3.18(m, 1H), 3.12-3.00(m, 1H), 2.92-2.80(m, 2H), 2.40-2.20(m, 4H), 2.10-2.00(m, 6H), 1.90-1.83(m, 3H)
1-044;	7.28-7.17(m, 2H), 6.88-6.83(m, 2H), 6.63-6.48(m, 2H), 4.62 and 4.58(s, 2H), 3.84(s, 3H), 3.70-2.22(m, 8H), 2.03-1.95(m, 6H), 1.86(s, 3H)
1-045;	8.52-8.47(m, 1H), 8.04-7.98(m, 1H), 7.91-7.83(m, 1H), 7.46-7.38(m, 1H), 6.93-6.85(m, 2H), 4.10(s, 3H), 3.43-3.35(m, 1H), 3.15-2.90(m, 3H), 2.58-2.48(m, 1H), 2.26(s, 3H), 2.17(s, 3H), 2.11(s, 3H) (Proton peak corresponding to OH was not observed)
1-046;	11.85(brs, 1H), 6.95-6.85(m, 2H), 3.95-3.78(m, 3H), 3.40-2.02(m, 14H), 1.08-0.70(m, 5H)
1-047;	8.14-7.34(m, 5H), 6.95-6.85(m, 2H), 4.05-3.88(m, 3H), 3.35-2.00(m, 14H) (Proton peak corresponding to OH was not observed)
1-048;	11.78-11.65(m, 1H), 7.00-6.83(m, 2H), 3.97-3.80(m, 3H), 3.55-2.00(m, 15H), 1.25-1.00(m, 6H)
1-051;	7.06-6.98(m, 2H), 6.87-6.80(m, 2H), 6.52-6.44(m, 2H), 3.87-3.82(m, 3H), 3.62-2.13(m, 8H), 2.08-2.00(m, 6H), 1.87 and 1.82(s, 3H), 1.58-1.40(m, 6H)
1-060;	7.24-7.22(m, 2H), 7.00-6.90(m, 1H), 6.88-6.78(m, 2H), 6.72-6.60(m, 2H), 4.78-4.65(m, 1H), 3.90-3.76(m, 3H), 3.25-2.96(m, 2H), 2.89-2.69(m, 2H), 2.35-2.20(m, 4H), 2.10-1.94(m, 6H), 1.88-1.80(m, 3H), 1.55-1.45(m, 3H)
1-063;	7.30-7.15(m, 2H), 7.03-6.94(m, 1H), 6.89-6.82(m, 2H), 6.75-6.60(m, 2H), 4.67-4.60(m, 2H), 3.88-3.77(m, 3H), 3.33-1.80(m, 14H), 0.90-0.65(m, 5H)

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
1-064;	7.40-7.30(m, 1H), 7.12-6.77(m, 4H), 6.53-6.27(m, 1H), 4.77-4.59(m, 2H), 3.90-2.80(m, 6H), 2.67-2.17(m, 5H), 2.15-1.80(m, 9H)
1-065;	7.18-7.05(m, 1H), 7.00-6.95(m, 1H), 6.88-6.72(m, 3H), 6.60-6.42(m, 1H), 4.65-4.53(m, 2H), 3.88-2.45(m, 7H), 2.37-1.85(m, 13H)
1-067;	7.03-6.68(m, 5H), 6.60-6.38(m, 1H), 4.73-4.65(m, 2H), 3.90-3.80(m, 6H), 3.75-2.15(m, 8H), 2.10-2.00(m, 6H), 1.90-1.82(m, 3H)
1-068;	7.15-7.07(m, 1H), 6.90-6.80(m, 2H), 6.60-6.52(m, 1H), 6.43-6.37(m, 1H), 6.30-6.22(m, 1H), 4.63(s, 2H), 3.83(s, 3H), 3.76(s, 3H), 3.30-3.20(m, 1H), 3.10-3.00(m, 1H), 2.92-2.80(m, 2H), 2.36-2.23(m, 4H), 2.04(s, 3H), 2.03(s, 3H), 1.54(s, 3H)
1-069;	6.92-6.53(m, 6H), 4.70-4.52(m, 2H), 3.84(s, 3H), 3.76(s, 3H), 3.30-2.10(m, 8H), 2.09-1.95(m, 6H), 1.93-1.82(m, 3H)
1-071;	7.88-7.80(m, 1H), 7.40-7.20(m, 1H), 7.14-7.03(m, 1H), 6.90-6.82(m, 2H), 6.57-6.50 and 6.37-6.29(m, 1H), 4.78 and 4.74(s, 2H), 3.87-3.82(m, 3H), 3.70-2.22(m, 8H), 2.14-1.97(m, 6H), 1.90-1.85(m, 3H)
1-072;	7.05-6.97(m, 2H), 6.92-6.85(m, 2H), 6.65-6.50(m, 2H), 4.65-4.55(m, 2H), 3.90-3.80(m, 3H), 3.29-2.79(m, 4H), 2.38-2.22(m, 7H), 2.10-2.02(m, 6H), 1.88-1.72(m, 3H)
1-073;	6.93-6.80(m, 4H), 6.67-6.50(m, 2H), 4.65-4.55(m, 2H), 3.84(s, 3H), 3.28-2.45(m, 4H), 2.35-2.20(m, 4H), 2.10-1.95(m, 6H), 1.93-1.80(m, 3H)
1-074;	7.35-6.70(m, 6H), 4.67 and 4.64(s, 2H), 3.84(s, 3H), 3.30-2.20(m, 8H), 2.15-1.95(m, 6H), 1.92-1.85(m, 3H)
1-075;	7.37-6.12(m, 5H), 4.73-4.65(m, 2H), 3.88-3.80(m, 3H), 3.72-2.20(m, 8H), 2.10-1.95(m, 6H), 1.90-1.82(m, 3H)
1-076;	6.87-6.82(m, 2H), 4.50-4.40(m, 1H), 3.90-3.82(m, 3H), 3.80-1.40(m, 23H)

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
1-077;	6.87(s, 2H), 4.25-4.20(m, 2H), 3.90(s, 3H), 3.72(s, 3H), 3.15-2.90(m, 2H), 2.85-2.70(m, 2H), 2.60-2.50(m, 1H), 2.26(s, 3H), 2.09(s, 6H)
1-079;	9.95-9.87(m, 1H), 7.77-7.68(m, 2H), 6.90-6.65(m, 4H), 4.73 and 4.69(s, 2H), 3.88-3.82(m, 3H), 3.70-2.45(m, 5H), 2.37-1.85(m, 12H)
1-080;	7.88-7.80(m, 2H), 6.86(brs, 2H), 6.75-6.57(m, 2H), 4.70 and 4.67(s, 2H), 3.84(s, 3H), 3.70-3.58 and 3.30-2.45(m, 7H), 2.40-2.22(m, 4H), 2.15-1.95(m, 6H), 1.86(s, 3H)
1-081;	7.33-7.20(m, 2H), 6.86(brs, 2H), 6.58-6.42(m, 2H), 4.61(s, 2H), 3.84(s, 3H), 3.27-3.17(m, 1H), 3.12-3.00(m, 1H), 2.90-2.79(m, 2H), 2.37-2.25(m, 4H), 2.02(s, 3H), 2.00(s, 3H), 1.86(s, 3H)
1-082;	7.52-7.40(m, 2H), 6.86(brs, 2H), 6.48-6.30(m, 2H), 4.61 and 4.57(s, 2H), 3.84(s, 3H), 3.27-3.15(m, 1H), 3.12-3.00(m, 1H), 2.90-2.79(m, 2H), 2.35-2.25(m, 4H), 2.05-1.98(m, 6H), 1.86(s, 3H)
1-083;	7.80-7.70(m, 2H), 7.65-7.58(m, 1H), 7.50-7.30(m, 2H), 7.15-7.05(m, 1H), 6.92-6.85(m, 1H), 6.80(brs, 2H), 4.77 and 4.75(s, 2H), 3.82(s, 3H), 3.32-3.20(m, 1H), 3.12-3.00(m, 1H), 2.95-2.80(m, 2H), 2.35-2.23(m, 4H), 2.08-1.98(m, 6H), 1.86(s, 3H)
1-087;	8.61(s, 1H), 8.06(s, 1H), 7.70-7.61(m, 2H), 7.10-7.05(m, 2H), 6.87-6.65(m, 4H), 4.75-4.69(m, 1H), 3.84(s, 3H), 3.28-2.81(m, 4H), 2.40-1.95(m, 10H), 1.83(s, 3H), 1.52(m, 3H)
1-088;	6.86(brs, 2H), 6.81-6.78(m, 1H), 3.84(s, 3H), 3.38-3.27(m, 1H), 3.09-2.98(m, 1H), 2.95-2.80(m, 2H), 2.55-2.45(m, 4H), 2.35-2.21(m, 4H), 2.10-2.01(m, 6H), 2.00-1.90(m, 2H), 1.86(s, 3H)
1-089;	6.86(brs, 2H), 3.84(s, 3H), 3.40-3.27(m, 1H), 3.10-2.98(m, 1H), 2.97-2.70(m, 4H), 2.58-2.50(m, 2H), 2.35-2.23(m, 4H), 2.10-1.86(m, 11H)
1-090;	7.08-6.97(m, 1H), 6.87(brs, 2H), 5.83-5.75(m, 1H), 3.84(s, 3H), 3.37-3.26(m, 1H), 3.08-2.98(m, 1H), 2.93-2.80(m, 2H), 2.35-2.10(m, 6H), 2.07(s, 3H), 2.06(s, 3H), 1.86(s, 3H), 1.55-1.

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
1-091;	7.52-7.49(m, 1H), 7.40(d, J=15.6Hz, 1H), 6.87(brs, 2H), 6.68-6.65(m, 1H), 6.50-6.47(m, 1H), 6.24(d, J=15.6Hz, 1H), 3.84(s, 3H), 3.40-3.29(m, 1H), 3.10-2.99(m, 1H), 2.98-2.81(m, 2H), 2.35-2.25(m, 4H), 2.09(s, 3H), 2.07(s, 3H), 1.86(s, 3H)
1-092;	6.87(brs, 2H), 4.24 and 4.19(brs, 2H), 3.84(s, 3H), 3.75-2.22(m, 10H), 2.15-2.02(m, 6H), 1.90-1.85(m, 3H)
1-093;	6.86(brs, 2H), 4.05(s, 2H), 3.84(s, 3H), 3.33(s, 3H), 3.32-3.20(m, 1H), 3.10-3.00(m, 1H), 2.92-2.80(m, 2H), 2.35-2.23(m, 4H), 2.10-2.02(m, 6H), 1.87(s, 3H)
1-094;	7.40-7.15(m, 5H), 6.86(brs, 2H), 4.46 and 4.38(s, 2H), 4.11 and 4.08(s, 2H), 3.84 and 3.83(s, 3H), 3.78-2.20(m, 8H), 2.06(s, 3H), 2.04(s, 3H), 1.87(s, 3H)
1-095;	6.88(brs, 2H), 3.84(s, 3H), 3.30-3.18(m, 1H), 3.08-2.98(m, 1H), 2.92-2.79(m, 2H), 2.35-2.23(m, 4H), 2.10-2.03(m, 6H), 1.98(s, 3H), 1.86(s, 3H)
1-096;	6.89(brs, 2H), 3.83(s, 3H), 3.28-3.18(m, 1H), 3.08-2.99(m, 1H), 2.90-2.88(m, 2H), 2.35-2.24(m, 4H), 2.07(s, 3H), 2.06(s, 3H), 1.86(s, 3H), 0.23(s, 9H)
1-098;	6.84(brs, 2H), 4.03(s, 3H), 3.84(s, 3H), 3.39(s, 2H), 3.32-3.20(m, 1H), 3.12-3.00(m, 1H), 2.95-2.80(m, 2H), 2.37-2.22(m, 4H), 2.09(s, 3H), 2.08(s, 3H), 1.92(s, 3H), 1.86(s, 3H)
1-099;	6.87-6.80(m, 2H), 3.84 and 3.78(s, 3H), 3.40-2.28(m, 5H), 2.26-2.22(m, 3H), 2.15-2.08(m, 6H), 1.88 and 1.86(s, 3H)
1-100;	6.85(brs, 2H), 6.32-6.28(m, 1H), 3.84(s, 3H), 3.37-3.28(m, 1H), 3.16-3.05(m, 1H), 3.00-2.80(m, 2H), 2.50-2.45(m, 3H), 2.40-2.29(m, 1H), 2.24(s, 3H), 2.11(s, 3H), 2.10(s, 3H), 1.88(s, 3H)
1-101;	6.87(brs, 2H), 3.84(s, 3H), 3.45-3.33(m, 1H), 3.13-2.80(m, 3H), 2.65(s, 3H), 2.55(s, 3H), 2.37-2.24(m, 4H), 2.10(s, 3H), 2.08(s, 3H), 1.88(s, 3H)
1-103;	8.31(s, 1H), 6.85(brs, 2H), 3.85(s, 3H), 3.55-3.42(m, 1H), 3.13-3.03(m, 2H), 2.92-2.83(m, 1H), 2.38-2.18(m, 4H), 2.09(s, 3H), 2.07(s, 3H), 1.89(s, 3H), 1.65-1.50(m, 1H), 1.23-1.17(m, 2H), 1.03-0.97(m, 2H)

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
1-104;	6.87(brs, 2H), 3.85(s, 3H), 3.70-3.22(m, 10H), 3.08-2.97(m, 1H), 2.96-2.80(m, 2H), 2.32-2.19(m, 3H), 2.08(s, 3H), 2.05(m, 3H), 1.87(s, 3H)
1-107;	6.86(brs, 2H), 3.84(s, 3H), 3.42-3.31(m, 1H), 3.07-2.72(m, 9H), 2.31-2.19(m, 4H), 2.09(s, 3H), 2.06(s, 3H), 1.86(s, 3H)
1-108;	7.27(brs, 2H), 3.84(s, 3H), 3.38-3.23(m, 1H), 3.15-2.78(m, 5H), 2.40-2.01(m, 10H), 1.86(s, 3H), 1.69-1.48(m, 3H), 1.38-1.05(m, 10H)
1-122;	6.86(brs, 2H), 3.85(s, 3H), 3.39-3.28(m, 1H), 3.11-2.59(m, 9H), 2.36-1.98(m, 4H), 2.08(s, 3H), 2.06(s, 3H), 1.54(s, 3H)
1-125;	10.06(brs, 1H), 6.99-6.81(m, 2H), 4.66-4.42(m, 2H), 3.50-3.32(m, 2H), 3.04-1.42(m, 20H)
1-126;	6.86(brs, 2H), 3.84(brs, 3H), 3.58-2.72(m, 12H), 2.35-1.20(m, 16H)
1-127;	7.32-6.62(m, 7H), 4.55-4.28(m, 1H), 3.89-3.79(m, 3H), 3.38-3.20(m, 1H), 3.02-2.65(m, 3H), 2.29-1.44(m, 13H), 1.13-0.87(m, 6H)
1-128;	6.97-6.66(m, 6H), 4.57-4.31(m, 1H), 3.84(s, 3H), 3.38-3.23(m, 1H), 3.04-2.71(m, 3H), 2.30-1.40(m, 13H), 1.17-0.79(m, 6H)
1-129;	6.98-6.43(m, 5H), 4.59-4.40(m, 1H), 3.85(s, 3H), 3.50-3.31(m, 1H), 3.07-2.76(m, 3H), 2.32-1.50(m, 13H), 1.20-0.81(m, 6H)
1-130;	6.84(brs, 2H), 4.92-4.58(m, 2H), 3.84(s, 3H), 3.82-2.77(m, 9H), 2.37-1.32(m, 15H), 1.12-0.81(m, 3H)
1-134;	7.50-7.00(m, 5H), 6.85(brs, 2H), 3.85-3.50(m, 5H), 3.20-2.18(m, 8H), 2.10-1.97(m, 6H), 1.85 and 1.78(s, 3H)
1-139;	7.78-7.57(m, 5H), 6.90-6.82(m, 2H), 4.11(s, 2H), 3.89(s, 3H), 3.85(s, 3H), 3.62-2.20(m, 8H), 2.16-1.85(m, 9H)
1-140;	6.92-6.82(m, 2H), 3.87-3.82(m, 3H), 3.68-3.30(m, 1H), 3.28-2.00(m, 19H), 1.92-1.84(m, 3H)
1-141;	6.89(brs, 2H), 3.84(s, 3H), 3.38-2.78(m, 8H), 2.40-2.25(m, 4H), 2.15-1.82(m, 11H)

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
1-142;	6.88(brs, 2H), 3.85(s, 3H), 3.63-2.22(m, 9H), 2.13-2.02(m, 6H), 1.90-1.82(m, 3H), 1.28-0.70(m, 4H)
1-143;	6.88(brs, 2H), 3.85(s, 3H), 3.42-2.80(m, 6H), 2.40-1.70(m, 13H), 0.85-0.72(m, 2H), -0.07(s, 9H)
1-144;	7.45-7.22(m, 5H), 6.86(brs, 2H), 5.13(s, 2H), 3.84(s, 3H), 3.35-2.22(m, 8H), 2.14-2.00(m, 6H), 1.97-1.80(m, 3H)
1-145;	6.87(brs, 2H), 5.94-5.75(m, 1H), 5.45-5.20(m, 2H), 4.73-4.48(m, 2H), 3.84(s, 3H), 3.34-3.23(m, 1H), 3.10-2.80(m, 3H), 2.40-2.22(m, 4H), 2.07(s, 3H), 2.05(s, 3H), 1.86(s, 3H)
1-146;	6.87(brs, 2H), 4.33-4.15(m, 2H), 3.85(s, 3H), 3.62-3.52(m, 2H), 3.43-3.22(m, 4H), 3.10-2.80(m, 3H), 2.35-2.22(m, 4H), 2.13-2.01(m, 6H), 1.86(s, 3H)
1-147;	6.87(brs, 2H), 4.33-4.15(m, 2H), 3.85(s, 3H), 3.62-3.52(m, 2H), 3.43-3.22(m, 4H), 3.10-2.80(m, 3H), 2.35-2.22(m, 4H), 2.13-2.01(m, 6H), 1.86(s, 3H)
1-148;	7.13-7.08(m, 2H), 6.98-6.92(m, 2H), 6.78(brs, 2H), 3.84(s, 3H), 3.15-2.96(m, 2H), 2.88-2.67(m, 2H), 2.33-2.19(m, 4H), 1.90(s, 3H), 1.87(s, 3H), 1.85(s, 3H), 1.47(s, 3H), 1.47(s, 3H)
1-149;	8.10-7.97(m, 2H), 7.75-7.65(m, 2H), 6.86(brs, 2H), 3.85(s, 3H), 3.45-3.35(m, 1H), 3.18-2.85(m, 3H), 2.42-2.29(m, 1H), 2.25(s, 3H), 2.13(s, 3H), 2.11(s, 3H), 1.89(s, 3H)
1-150;	6.86(s, 2H), 3.84(s, 3H), 3.47-3.32(m, 3H), 3.29-3.19(m, 2H), 3.07-2.80(m, 3H), 2.32-2.19(m, 4H), 2.09(s, 3H), 2.07(s, 3H), 1.90-1.80(m, 7H)
1-151;	6.86(s, 2H), 3.85(s, 3H), 3.44-3.20(m, 5H), 3.08-2.80(m, 3H), 2.32-2.19(m, 4H), 2.08(s, 3H), 2.06(s, 3H), 1.87(s, 3H), 1.64-1.37(m, 6H)
1-152;	6.86(s, 2H), 3.84(s, 3H), 3.51-3.28(m, 5H), 3.08-2.80(m, 3H), 2.40-2.18(m, 11H), 2.08(s, 3H), 2.05(s, 3H), 1.86(s, 3H)
1-153;	6.85(brs, 2H), 5.90-5.42(m, 2H), 5.33-4.74(m, 4H), 4.00-3.58(m, 7H), 3.44-3.30(m, 1H), 3.09-2.80(m, 3H), 2.37-2.18(m, 4H), 2.07(s, 3H), 2.04(s, 3H), 1.87(s, 3H)

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
1-155;	7.83-7.77(m, 1H), 7.65-7.57(m, 1H), 7.39-7.29(m, 2H), 6.85 (brs, 2H), 3.85(s, 3H), 3.40-3.29(m, 1H), 3.18-3.05(m, 1H), 3.03-2.84(m, 2H), 2.41-2.28(m, 1H), 2.25(s, 3H), 2.11(s, 3H), 2.09(s, 3H), 1.88(s, 3H)
1-156;	7.10-6.92(m, 2H), 6.90-6.72(m, 4H), 3.85(s, 3H), 3.80(s, 3H), 3.68-3.53(m, 2H), 3.24-3.12(m, 1H), 3.07-2.74(m, 3H), 2.51-1.82(m, 13H)
1-159;	7.30-6.67(m, 7H), 3.84(s, 3H), 3.41-3.18(m, 4H), 3.10-2.77(m, 3H), 2.30-1.66(m, 13H)
1-160;	6.84(brs, 2H), 3.84(s, 3H), 3.79(s, 3H), 3.40-2.82(m, 4H), 2.35-2.25(m, 1H), 2.25(s, 3H), 2.09(s, 3H), 2.07(s, 3H), 1.87(s, 3H)
1-161;	7.56(d, J=8.4Hz, 2H), 7.20(d, J=8.4Hz, 2H), 6.86(brs, 2H), 3.84(s, 3H), 3.38-2.75(m, 4H), 2.42(s, 3H), 2.41-2.09(m, 1H), 2.25(s, 3H), 1.92(s, 3H), 1.89(s, 3H), 1.85(s, 3H)
1-162;	7.97(d, J=8.1Hz, 1H), 7.75(d, J=8.1Hz, 1H), 6.87(brs, 2H), 4.01(s, 3H), 3.86(s, 3H), 3.42-3.30(m, 1H), 3.20-3.08(m, 4H), 3.05-2.73(m, 2H), 2.43-2.22(m, 4H), 2.14-2.05(m, 6H), 1.98-1.85(m, 3H)
1-163;	7.50-7.44(m, 1H), 7.21-7.13(m, 1H), 6.92-6.70(m, 5H), 6.68-6.55(m, 2H), 4.72-4.59(m, 1H), 3.84(s, 3H), 3.23-2.67(m, 4H), 2.38-2.16(m, 4H), 2.12-1.80 and 1.62-1.40(m, 12H)
1-164;	11.4(brs, 1H), 7.56-7.10(m, 4H), 6.87-6.82(m, 2H), 3.96-3.85(m, 3H), 3.40-2.65(m, 3H), 2.51-1.97(m, 14H)
1-165;	6.85(brs, 2H), 4.85-4.50(m, 1H), 3.90-3.80(m, 3H), 3.20-2.50(m, 4H), 2.38-2.00(m, 10H), 1.90-1.83(m, 3H), 1.75-1.35(m, 8H)
1-166;	6.87(brs, 2H), 6.37-6.05(m, 1H), 4.72-4.30(m, 2H), 3.90-3.80(m, 3H), 3.35-2.55(m, 4H), 2.45-2.03(m, 10H), 1.92-1.85(m, 3H)

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
2-008;	10.05-10.02(m, 1H), 8.08-7.95(m, 2H), 7.80-7.35(m, 3H), 6.95-6.85(m, 2H), 5.23-4.78(m, 1H), 4.25-4.05(m, 2H), 3.90-2.00(m, 12H), 1.30-1.10(m, 3H)
2-010;	7.00-6.85(m, 2H), 4.40-4.25(m, 2H), 4.00-2.02(m, 13H), 1.40-1.22(m, 3H) (Proton peak corresponding to OH was not observed)
2-015;	10.20-9.95(m, 1H), 8.20-7.98(m, 2H), 7.75-7.45(m, 3H), 7.05-6.80(m, 2H), 3.97-3.72(m, 1H), 3.60-3.47(m, 1H), 3.32-2.95(m, 2H), 2.55-2.05(m, 10H)
2-018;	6.84(s, 2H), 3.30-3.20(m, 1H), 3.18-3.07(m, 1H), 3.10-3.00(m, 1H), 2.82-2.68(m, 2H), 2.25(s, 3H), 2.20(s, 3H), 2.08(s, 3H), 2.06(s, 3H), 1.08(s, 9H)
3-001;	7.60-7.48 and 6.95-6.80(m, 3H), 4.07-3.85(m, 4H), 3.85-2.50(m, 3H), 2.35-2.00(m, 9H)
3-002;	6.97-6.83(m, 2H), 3.88(s, 3H), 3.00-2.42(m, 3H), 2.27(s, 3H), 2.15-2.05(m, 6H), 1.86(s, 3H) (Proton peak corresponding to OH was not observed)
4-001;	6.88(s, 2H), 3.84 and 3.82(s, 3H), 2.95-2.71(m, 1H), 2.55-1.96(m, 17H), 1.10(t, J=7.5Hz, 3H) (Proton peak corresponding to OH was not observed)
5-001;	6.88(s, 2H), 2.85-1.99(m, 17H), 1.88-1.78(m, 1H), 1.07(t, J=7.5Hz, 3H) (Proton peak corresponding to OH was not observed)
5-002;	6.86(s, 2H), 3.72(s, 3H), 3.01-2.92(m, 1H), 2.72-1.85(m, 17H), 1.60(t, J=7.5Hz, 3H)
6-004;	11.90-11.60(m, 1H), 8.15-7.55(m, 2H), 7.40-7.25(m, 2H), 4.00-3.80(m, 3H), 3.50-3.35(m, 1H), 3.05-2.55(m, 3H), 2.40-1.90(m, 10H)
6-005;	11.80-11.60(m, 1H), 8.00-7.00(m, 4H), 4.00-3.80(m, 3H), 3.50-3.30(m, 1H), 3.05-1.95(m, 12H), 1.20-1.00(m, 3H)
6-006;	11.60-11.45(m, 1H), 7.15-7.05(m, 2H), 3.95-3.85(m, 3H), 3.50-3.35(m, 1H), 3.00-2.50(m, 3H), 2.50-2.30(m, 2H), 2.30-1.80(m, 10H), 1.20-1.00(m, 3H)

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
6-008;	11.60-11.40(m, 1H), 7.25-7.15(m, 2H), 3.95-3.85(m, 3H), 3.50-3.35(m, 1H), 3.00-2.85(m, 1H), 2.85-2.70(m, 1H), 2.70-2.30(m, 3H), 2.30-2.18(m, 1H), 2.18-2.05(m, 3H), 2.05-1.95(m, 3H), 1.20-1.00(m, 3H), 0.30-0.10(m, 9H)
6-010;	11.52(brs, 1H), 7.21(brs, 2H), 3.95-3.85(m, 3H), 3.45-3.30(m, 1H), 3.00-2.50(m, 3H), 2.25-1.90(m, 10H), 1.50-1.35(m, 1H), 0.90-0.70(m, 4H)
6-011;	7.21(brs, 2H), 3.85(s, 3H), 3.76(s, 3H), 2.95-2.55(m, 5H), 2.11(s, 6H), 1.95(s, 3H)
6-012;	7.63-7.55(m, 2H), 7.48-7.40(m, 2H), 7.40-7.25(m, 3H), 3.86(m, 3H), 3.79(s, 3H), 3.00-2.55(m, 5H), 2.21(s, 6H), 1.95(s, 3H)
6-013;	7.55-7.40(m, 2H), 7.35-7.17(m, 4H), 3.86(s, 3H), 3.78(s, 3H), 3.00-2.55(m, 5H), 2.38(s, 3H), 2.19(s, 6H), 1.95(s, 3H)
6-014;	7.74-7.63(m, 4H), 7.29(brs, 2H), 3.86(s, 3H), 3.81(s, 3H), 3.03-2.57(m, 5H), 2.22(s, 6H), 1.96(s, 3H)
6-019;	7.50(d, J=8.4Hz, 2H), 7.38(d, J=8.4Hz, 2H), 7.25(brs, 2H), 3.86(s, 3H), 3.80(s, 3H), 3.03-2.57(m, 5H), 2.20(s, 6H), 1.96(s, 3H)
6-022;	11.61(brs, 1H), 7.07(brs, 2H), 4.05-4.00(m, 2H), 3.91(s, 3H), 3.50-3.35(m, 1H), 3.20-2.50(m, 7H), 2.30-1.90(m, 10H), 1.60-1.20(m, 9H), 0.95-0.85(m, 6H)
6-023;	11.74(brs, 1H), 7.73(s, 2H), 3.91(s, 3H), 3.88(s, 3H), 3.55-3.35(m, 1H), 3.05-2.50(m, 3H), 2.20-1.90(m, 10H)
6-024;	11.58(brs, 1H), 6.97(brs, 2H), 3.90(s, 3H), 3.50-3.30(m, 1H), 3.00-2.50(m, 3H), 2.44(s, 3H), 2.20-1.90(m, 10H)
6-025;	11.65(brs, 1H), 7.25-7.13(m, 2H), 4.47(s, 2H), 3.91(s, 3H), 3.50-3.31(m, 1H), 3.02-2.50(m, 3H), 2.41-1.79(m, 10H)
6-026;	11.79(brs, 1H), 7.63(s, 2H), 3.91(s, 3H), 3.53-3.31(m, 1H), 3.02-1.90(m, 16H)
6-033;	11.38(brs, 1H), 7.20-7.01(m, 2H), 6.34(s, 1H), 3.91(s, 3H), 2.99-2.50(m, 3H), 2.28-1.90(m, 11H), 1.51(s, 9H)

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
6-035;	11.63(brs, 1H), 7.57-7.27(m, 5H), 3.92(s, 3H), 3.51-3.38(m, 1H), 3.03-2.54(m, 3H), 2.32-2.14(m, 7H), 2.01(s, 3H)
6-036;	11.70(brs, 1H), 7.21(brs, 2H), 3.91(s, 3H), 3.47-3.33(m, 1H), 2.99-2.52(m, 3H), 2.35-1.80(m, 14H), 1.71-1.36(m, 3H)
6-037;	11.00(brs, 1H), 6.78-6.53(m, 2H), 4.05-3.70(m, 6H), 3.50-3.28(m, 1H), 3.00-2.55(m, 3H), 2.40-1.80(m, 10H)
6-038;	11.61(brs, 1H), 7.32-7.25(m, 1H), 7.03-6.96(m, 1H), 3.91(s, 3H), 3.53-3.30(m, 1H), 3.05-2.10(m, 10H), 1.99(m, 3H)
6-039;	6.75(brs, 2H), 3.86(s, 3H), 3.74(s, 3H), 2.97-2.83(m, 3H), 2.63-2.52(m, 1H), 2.25-1.75(m, 2H), 2.09(s, 3H), 2.06(s, 3H), 1.88(s, 3H), 0.95-0.85(m, 2H), 0.70-0.60(m, 2H)
6-041;	7.40-7.30(m, 2H), 7.15-7.00(m, 3H), 6.70(brs, 2H), 3.87(s, 3H), 3.80(s, 3H), 3.02-2.85(m, 3H), 2.65-2.2.55(m, 1H), 2.30-2.15(m, 1H), 2.09(s, 3H), 2.07(s, 3H), 1.89(s, 3H)
6-043;	7.56(d, J=8.8Hz, 2H), 7.30-7.20(m, 4H), 3.87(s, 3H), 3.80(s, 3H), 3.05-2.85(m, 3H), 2.70-2.2.55(m, 1H), 2.25-2.15(m, 1H), 2.22(s, 3H), 2.21(s, 3H), 1.89(s, 3H)
6-045;	7.45-7.25(m, 5H), 6.69(brs, 2H), 5.01(s, 2H), 3.86(s, 3H), 3.76(s, 3H), 3.00-2.85(m, 3H), 2.65-2.50(m, 1H), 2.25-2.15(m, 1H), 2.10(s, 3H), 2.07(s, 3H), 1.88(s, 3H)
6-046;	8.65-8.55(m, 2H), 7.40-7.30(m, 2H), 6.64(brs, 2H), 5.03(s, 2H), 3.84(s, 3H), 3.75(s, 3H), 3.00-2.80(m, 3H), 2.65-2.50(m, 1H), 2.25-2.15(m, 1H), 2.16(s, 3H), 2.08(s, 3H), 1.86(s, 3H)
6-047;	8.46(brs, 1H), 7.90-7.80(m, 1H), 7.00-6.90(m, 1H), 6.84(brs, 2H), 3.86(s, 3H), 3.82(s, 3H), 3.05-2.85(m, 3H), 2.70-2.55(m, 1H), 2.30-2.10(m, 1H), 2.13(s, 3H), 2.10(s, 3H), 1.89(s, 3H)
6-051;	8.70-8.66(m, 1H), 7.78-7.60(m, 3H), 7.26-7.17(m, 2H), 3.91(s, 3H), 3.60-3.35(m, 1H), 3.03-2.91(m, 1H), 2.85-2.55(m, 2H), 2.35-2.18(m, 7H), 2.00(s, 3H)
(Proton peak corresponding to OH was not observed)	

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
6-052;	11.52(brs, 1H), 7.36-7.28(m, 2H), 7.12-7.00(m, 3H), 6.70(brs, 2H), 3.92(s, 3H), 3.46-3.37(m, 1H), 2.95(dd, J=18.0, 7.5Hz, 1H), 2.78(dd, J=18.0, 2.7Hz, 1H), 2.61(dd, J=18.0, 10.8Hz, 1H), 2.25(dd, J=18.0, 2.7Hz, 1H), 2.12(s, 3H), 2.10(s, 3H), 1.99(s, 3H)
6-059;	7.65-7.50(m, 2H), 7.27-7.20(m, 2H), 7.16-7.08(m, 2H), 3.86(s, 3H), 3.72-3.31(m, 9H), 3.13-2.83(m, 3H), 2.39-2.15(m, 7H), 1.90(s, 3H)
6-060;	7.56-7.50(m, 2H), 7.23(s, 2H), 7.14-7.06(m, 2H), 3.86(s, 3H), 3.48-3.33(m, 1H), 3.17-2.72(m, 9H), 2.39-2.18(m, 7H), 1.91-1.87(m, 3H)
6-061;	7.53-7.45(m, 2H), 7.43-7.35(m, 2H), 7.25-7.10(m, 4H), 6.97-6.88(m, 1H), 6.74-6.62(m, 2H), 4.67 and 4.64(s, 2H), 3.84(s, 3H), 3.75-3.65 and 3.34-2.06(m, 11H), 1.87 and 1.86(s, 3H)
6-062;	7.54-7.47(m, 2H), 7.40-7.34(m, 2H), 7.23(brs, 2H), 3.85(s, 3H), 3.70-3.27(m, 9H), 3.12-3.01(m, 1H), 2.98-2.82(m, 2H), 2.29(dd, J=15.3, 11.1Hz, 1H), 2.18(s, 3H), 2.16(s, 3H), 1.88(s, 3H)
6-063;	7.54-7.47(m, 2H), 7.40-7.34(m, 2H), 7.23(brs, 2H), 3.84(s, 3H), 3.40(dd, J=18.6, 6.9Hz, 1H), 3.10-2.80(m, 9H), 2.28(dd, J=15.3, 11.1Hz, 1H), 2.18(s, 3H), 2.17(s, 3H), 1.88(s, 3H)
6-064;	7.55-7.24(m, 6H), 3.86(s, 3H), 3.70-2.80(m, 12H), 2.57-2.04(m, 6H), 1.89(s, 3H), 1.20-1.01(m, 3H)
6-067;	7.01(brs, 2H), 6.31-6.10(m, 2H), 3.84(s, 3H), 3.71(s, 3H), 2.95-2.80(m, 3H), 2.60-2.50(m, 1H), 2.24-2.05(m, 9H), 1.86(s, 3H), 1.50-1.40(m, 2H), 0.97-0.85(m, 3H)
6-070;	8.50-7.82(m, 2H), 7.38-7.10(m, 2H), 6.65-6.25(m, 2H), 5.05-4.75(m, 2H), 3.93-3.80(m, 3H), 3.45-1.82(m, 14H)
(Proton peak corresponding to OH was not observed)	
6-075;	11.45(brs, 1H), 6.90-6.82(m, 2H), 3.89(s, 3H), 3.69-3.33 and 3.05-1.85(m, 17H)
6-077;	11.36(brs, 1H), 7.59-7.34(m, 4H), 7.09-6.87(m, 2H), 4.00-3.78(m, 6H), 3.54-3.32(m, 1H), 3.09-2.50 and 2.38-1.81(m, 10H)

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
6-078;	7.58-7.34(m, 4H), 7.03(s, 1H), 6.90-6.86(m, 1H), 3.92-3.22(m, 15H), 3.09-2.68(m, 3H), 2.40-2.13(m, 4H), 1.88(s, 3H)
6-079;	7.54-7.48(m, 2H), 7.43-7.38(m, 2H), 7.25-7.15(m, 2H), 7.05-6.68(m, 5H), 4.68(s, 2H), 3.87 and 3.84(s, 3H), 3.75 and 3.73(s, 3H), 3.41-2.11(m, 8H), 1.90-1.84(m, 3H)
6-080;	7.54-7.48(m, 2H), 7.41-7.35(m, 2H), 7.22(brs, 2H), 3.88-3.82(m, 3H), 3.58-3.20 and 3.05-2.78 and 2.68-1.70(m, 23H)
6-081;	7.58-7.32(m, 4H), 7.02(brs, 1H), 6.92-6.82(m, 1H), 3.98-3.69(m, 6H), 3.51-3.26(m, 1H), 3.11-2.73(m, 9H), 2.45-2.12(m, 4H), 1.87(s, 3H)
6-082;	7.66-7.12(m, 6H), 4.04-3.79(m, 3H), 3.39-2.79(m, 4H), 2.43-1.82(m, 10H), 1.38(s, 9H)
6-083;	8.12-7.91(m, 2H), 7.72-7.16(m, 9H), 5.92-5.58(m, 2H), 3.92-3.79(m, 3H), 3.42-2.74(m, 4H), 2.52-1.84(m, 10H)
6-086;	7.53-7.48(m, 2H), 7.40-7.36(m, 2H), 7.22(brs, 2H), 3.86(s, 3H), 3.35-2.25(m, 8H), 2.20-2.12(m, 6H), 1.99-1.96(m, 3H), 1.88(s, 3H), 1.18-1.12(m, 3H)
6-089;	7.42-7.30(m, 1H), 7.25-7.12(m, 4H), 3.86(s, 3H), 3.70-3.26(m, 9H), 3.15-2.79(m, 3H), 2.40-2.11(m, 7H), 1.88(s, 3H)
6-090;	7.51-7.45(m, 1H), 7.32-7.19(m, 2H), 7.09(brs, 2H), 3.86(s, 3H), 3.70-3.26(m, 9H), 3.12-2.82(m, 3H), 2.36-2.23(m, 1H), 2.17(s, 3H), 2.14(s, 3H), 1.89(s, 3H)
6-091;	7.29-7.19(m, 2H), 7.03-6.93(m, 1H), 6.85-6.70(m, 2H), 6.67(brs, 1H), 6.54(brs, 1H), 4.65(s, 2H), 3.84 and 3.83(s, 3H), 3.69-3.60(m, 3H), 3.38-2.77(m, 3H), 2.65-2.20 and 2.11-1.99(m, 8H), 1.89-1.79(m, 3H)
6-092;	7.50-7.47(m, 1H), 7.31-6.92(m, 7H), 6.80-6.67(m, 2H), 4.69(s, 2H), 3.85(s, 3H), 3.37-2.78(m, 4H), 2.40-2.28(m, 1H), 2.15-2.02(m, 6H), 1.88(s, 3H)
6-093;	7.65-7.57(m, 1H), 7.48-7.38(m, 1H), 7.25-7.15(m, 3H), 3.86(s, 3H), 3.70-3.30(m, 9H), 3.11-2.82(m, 3H), 2.35-2.24(m, 1H), 2.18(s, 3H), 2.16(s, 3H), 2.05(s, 3H)

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
6-094;	6.66(brs, 1H), 6.57-6.52(m, 1H), 3.85 and 3.84(s, 3H), 3.73-3.27(m, 13H), 3.09-2.77(m, 3H), 2.39-2.20(m, 3H), 2.12-2.04(m, 3H), 1.86(s, 3H)
6-095;	6.66(brs, 1H), 6.55(brs, 1H), 3.86 and 3.84(s, 3H), 3.75-3.65(m, 3H), 3.41-3.18(m, 1H), 3.11-2.02(m, 16H), 1.86(s, 3H)
6-097;	6.63(brs, 2H), 4.13-4.05(m, 2H), 3.85(s, 3H), 3.75-3.68(m, 5H), 3.43(s, 3H), 2.97-2.82(m, 3H), 2.62-2.50(m, 1H), 2.25-2.13(m, 1H), 2.09(s, 3H), 2.06(s, 3H), 1.88(s, 3H)
6-100;	7.67-7.51(m, 2H), 7.50-7.27(m, 5H), 7.14-6.87(m, 5H), 4.64(s, 2H), 4.00-3.71(m, 6H), 3.52-3.30(m, 1H), 3.07-1.85(m, 10H)
6-101;	7.82(s, 1H), 7.25(s, 1H), 7.18(s, 1H), 7.09(brs, 2H), 3.87(s, 3H), 3.85(s, 3H), 3.10-2.55(m, 4H), 2.30-2.15(m, 7H), 1.90(s, 3H)
6-105;	8.49-8.40(m, 1H), 7.57-7.27(m, 5H), 7.14(brs, 1H), 3.76-3.65(m, 3H), 2.80-1.70(m, 14H)
6-108;	11.32(brs, 1H), 6.69-6.47(m, 2H), 4.00-3.71(m, 6H), 3.49-3.31(m, 1H), 3.00-2.62(m, 3H), 2.41-2.13(m, 4H), 1.97(s, 3H)
6-109;	6.66(brs, 1H), 6.60-6.50(m, 1H), 3.97-3.81(m, 3H), 3.79-3.66(m, 3H), 3.49-3.22(m, 1H), 3.10-2.68(m, 9H), 2.44-2.19(m, 4H), 2.18-2.02(m, 3H), 1.98-1.80(m, 3H)
6-110;	6.66(m, 1H), 6.57-6.52(m, 1H), 3.85 and 3.84(s, 3H), 3.70 and 3.68(s, 3H), 3.47-3.20(m, 5H), 3.07-2.78(m, 3H), 2.39-2.17(m, 4H), 2.10 and 2.08(s, 3H), 1.93-1.77(m, 7H)
6-111;	6.66(m, 1H), 6.57-6.50(m, 1H), 3.85 and 3.84(s, 3H), 3.70 and 3.68(s, 3H), 3.50-3.11(m, 5H), 3.06-2.67(m, 3H), 2.38-2.19(m, 4H), 2.09 and 2.07(s, 3H), 1.97-1.83(m, 3H), 1.67-1.38(m, 6H)
6-113;	11.85-11.73 and 10.63-10.52 and 9.65-9.35(m, 1H), 7.07-6.98(m, 1H), 6.92-6.83(m, 1H), 4.33-4.05(m, 1H), 3.93-3.65(m, 6H), 3.57-1.82(m, 9H), 1.38-0.98(m, 3H)

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
6-114;	11.60-11.47 and 10.20-10.07 and 7.72-7.37(m, 1H), 6.80-6.53(m, 2H), 4.43-3.65(m, 6H), 3.58-1.77(m, 13H), 1.40-0.97(m, 3H)
6-115;	6.70-6.45(m, 2H), 3.88-3.77(m, 3H), 3.70-3.60(m, 3H), 3.48-2.62(m, 8H), 2.37-2.13(m, 4H), 2.11-1.99(m, 3H), 1.94-1.78(m, 3H), 1.13-0.82(m, 6H)
6-116;	6.75-6.47(m, 2H), 3.91-3.78(m, 3H), 3.74-3.64(m, 3H), 3.56-3.19(m, 5H), 3.02-2.41(m, 2H), 2.40-1.81(m, 9H), 1.41-1.00(m, 8H)
6-117;	6.71-6.48(m, 2H), 3.93-3.62(m, 6H), 3.31-2.70(m, 3H), 2.42-1.81(m, 11H), 1.21-1.05(m, 9H)
6-118;	8.00-7.94(m, 2H), 7.50-7.41(m, 2H), 6.70-6.63(m, 1H), 6.57-6.49(m, 1H), 3.91-3.60(m, 6H), 3.50-3.22(m, 1H), 3.18-2.82 and 2.46-2.09(m, 16H), 1.90-1.85(m, 3H)
6-119;	7.43-7.28(m, 3H), 6.97-6.87(m, 2H), 6.68(brs, 1H), 6.58(brs, 1H), 3.89-3.82(m, 3H), 3.75-3.67(m, 3H), 3.37-2.78(m, 4H), 2.49-2.28(m, 4H), 2.15-2.06(m, 3H), 1.98-1.82(m, 3H)
6-120;	6.71-6.38(m, 3H), 6.19-5.90(m, 2H), 3.91-3.79(m, 3H), 3.73-3.60(m, 3H), 3.40-3.21(m, 1H), 3.10-2.75 and 2.70-2.20(m, 7H), 2.17-2.00(m, 3H), 1.97-1.80(m, 3H)
6-121;	8.00-7.90(m, 2H), 7.67-7.53(m, 1H), 7.50-7.37(m, 2H), 6.69-6.63(m, 1H), 6.57-6.50(m, 1H), 3.91-3.82(m, 3H), 3.69-3.62(m, 3H), 3.49-3.32(m, 1H), 3.15-2.65(m, 3H), 2.46-2.22(m, 4H), 2.20-2.02(m, 3H), 1.97-1.80(m, 3H)
6-122;	6.67(brs, 1H), 6.55(brs, 1H), 4.72-4.54(m, 2H), 3.91-3.82(m, 3H), 3.78-3.65(m, 3H), 3.40-1.80(m, 17H)
6-123;	6.70-6.47(m, 2H), 4.22-3.50(m, 6H), 3.30-2.40(m, 4H), 2.29(s, 3H), 2.15-1.79(m, 6H), 1.40-1.02(m, 12H)

[Table 21] continued

No.	^1H -NMR (CDCl_3 , Me_4Si , 300MHz)
6-124;	6.72-6.50(m, 2H), 3.96-3.63(m, 6H), 3.38-2.68 and 2.42-1.25(m, 23H)
6-125;	6.79-6.53(m, 2H), 4.00-3.62(m, 6H), 3.30-2.65 and 2.40-1.81(m, 20H)
6-126;	6.67(brs, 1H), 6.56(brs, 1H), 3.98-3.80(m, 3H), 3.79-3.64(m, 3H), 3.58-2.71(m, 6H), 2.69-2.52(m, 2H), 2.42-2.20(m, 4H), 2.19-1.80(m, 8H)
6-127;	6.66(brs, 1H), 6.54(brs, 1H), 3.88-2.83(m, 18H), 2.39-1.77(m, 9H), 1.38-1.02(m, 3H)
7-001;	7.25-7.15(m, 2H), 4.20-4.05(m, 1H), 3.90-3.65(m, 4H), 3.30-2.00(m, 10H), 1.15-1.00(m, 3H) (Proton peak corresponding to OH was not observed)
7-017;	8.90-8.80(m, 2H), 8.03(brs, 2H), 7.70-7.60(m, 1H), 3.00-2.80(m, 3H), 2.70-2.60(m, 1H), 2.35-2.25(m, 1H), 2.12(s, 9H) (Proton peak corresponding to OH was not observed)
7-027;	7.02(brs, 1H), 6.88(brs, 1H), 3.91-3.62(m, 3H), 3.51-1.97(m, 12H)
7-030;	9.05(brs, 1H), 6.81-6.55(m, 2H), 3.86-3.81(m, 3H), 3.52-2.53(m, 3H), 2.52-2.03(m, 11H)
9-003;	7.25-7.19(m, 2H), 7.08(s, 2H), 7.02-6.92(m, 1H), 6.73-6.54(m, 2H), 4.67-4.57(m, 2H), 3.85-3.77(m, 3H), 3.41-2.38(m, 5H), 2.24-1.95(m, 10H), 1.17-0.99(m, 6H)

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
9-004;	11.95(s, 1H), 7.85(s, 1H), 7.59(s, 1H), 7.33(s, 2H), 3.91(s, 3H), 3.50-3.29(m, 2H), 3.03-2.92(m, 1H), 2.87-2.77(m, 1H), 2.50-2.09(m, 8H), 1.17-1.05(m, 6H)
9-005;	11.79(s, 1H), 7.09(s, 2H), 3.91(s, 3H), 3.50-3.25(m, 2H), 3.10-2.75(m, 2H), 2.48-2.35(m, 1H), 2.33-2.21(m, 1H), 2.19-2.00(m, 9H), 1.19-1.05(m, 6H)
9-007;	12.17(s, 1H), 7.85(s, 1H), 7.59(s, 1H), 7.38-7.28(m, 2H), 3.94(s, 3H), 3.38-3.25(m, 1H), 2.92(dd, J=17.7, 7.5Hz, 1H), 2.47-2.35(m, 1H), 2.30-2.07(m, 8H), 1.10-0.82(m, 5H)
9-012;	7.89(s, 1H), 7.64(s, 1H), 7.32(brs, 2H), 7.23-7.11(m, 2H), 6.99-6.88(m, 1H), 6.75-6.61(m, 2H), 4.70-4.59(m, 2H), 4.47-4.32(m, 2H), 3.72-1.83(m, 14H)
9-013;	7.28-7.18(m, 2H), 7.07(brs, 2H), 7.03-6.95(m, 1H), 6.70-6.56(m, 2H), 4.70-4.63(m, 2H), 4.48-4.32(m, 2H), 3.70-3.56(m, 1H), 3.30-1.82(m, 16H)
9-014;	7.82(s, 1H), 7.59(s, 1H), 7.25(brs, 2H), 4.50-4.25(m, 2H), 3.52-3.10(m, 1H), 3.03-1.70(m, 12H), 1.17-0.88(m, 6H)
9-018;	11.60(brs, 1H), 7.20(s, 2H), 4.25-4.05(m, 2H), 3.70-3.20(m, 6H), 3.00-2.70(m, 1H), 2.50-1.80(m, 10H), 1.20-1.00(m, 6H)
9-019;	11.90(brs, 1H), 7.20(brs, 2H), 4.30-4.20(m, 2H), 3.70-3.60(m, 2H), 3.38(s, 3H), 3.35-3.20(m, 1H), 2.90-2.85(m, 1H), 2.55-2.40(m, 1H), 2.25-2.00(m, 9H), 1.10-0.75(m, 4H)
9-020;	11.95(brs, 1H), 7.86(s, 1H), 7.60(s, 1H), 7.32(brs, 2H), 4.36-4.21(m, 2H), 3.71-3.59(m, 2H), 3.45-3.22(m, 4H), 3.00-2.86(m, 1H), 2.56-2.04(m, 10H), 1.15-0.69(m, 4H)
9-021;	11.79(s, 1H), 7.09(brs, 2H), 4.32-4.21(m, 2H), 3.70-3.55(m, 2H), 3.38(s, 3H), 3.35-3.22(m, 1H), 2.96-2.83(m, 1H), 2.52-2.40(m, 1H), 2.30-2.00(m, 12H), 1.09-0.71(m, 4H)
9-022;	11.67(brs, 1H), 7.86(s, 1H), 7.60(s, 1H), 7.33(brs, 2H), 4.29-4.20(m, 2H), 3.69-3.40(m, 7H), 3.03-2.75(m, 2H), 2.52-2.08(m, 8H), 1.18-1.01(m, 6H)
9-023;	11.52(brs, 1H), 7.09(brs, 2H), 4.30-4.12(m, 2H), 3.69-3.17(m, 7H), 3.03-2.73(m, 2H), 2.58-1.91(m, 11H), 1.21-0.99(m, 6H)

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
9-025;	7.58-7.19(m, 6H), 4.50-4.32(m, 2H), 3.72-3.22(m, 9H), 3.14-2.71(m, 3H), 2.41-1.82(m, 10H)
9-026;	7.61-7.21(m, 6H), 4.56-4.32(m, 2H), 3.49-3.30(m, 1H), 3.19-2.67(m, 9H), 2.48-1.87(m, 10H)
9-027;	7.57-7.11(m, 8H), 7.02-6.87(m, 1H), 6.75-6.60(m, 2H), 4.70-4.59(m, 2H), 4.49-4.34(m, 2H), 3.33-1.87(m, 14H)
9-029;	7.07(brs, 2H), 4.75-4.50(m, 2H), 3.10-2.90(m, 6H), 2.85-1.85(m, 14H) (Proton peak corresponding to OH was not observed)
9-030;	12.00-11.76(m, 1H), 7.21(brs, 2H), 6.04-5.95(m, 1H), 5.87-5.70(m, 1H), 4.70-4.57(m, 1H), 3.48-3.33(m, 1H), 3.00-2.53 and 2.30-1.49(m, 19H)
11-001;	7.39-7.12(m, 5H), 6.86(brs, 2H), 4.96(s, 2H), 3.81(s, 3H), 3.27-3.13(m, 1H), 2.61-2.22(m, 6H), 2.06(brs, 6H), 1.87-1.77(m, 3H), 1.26(s, 3H)
12-001;	7.37-7.25(m, 3H), 7.14-7.04(m, 2H), 6.86(brs, 2H), 4.71(s, 2H), 3.83(s, 3H), 2.88-2.77(m, 2H), 2.47-2.23(m, 5H), 2.15-2.02(m, 6H), 1.88(s, 3H), 1.37-1.22(m, 3H)
12-002;	11.31(brs, 1H), 6.87(brs, 2H), 3.89(s, 3H), 2.97-1.20(m, 19H)
13-001;	11.60 and 11.57(brs, 1H), 7.09-6.85(m, 2H), 3.96-3.69(m, 6H), 3.47-3.25(m, 1H), 3.02-2.07(m, 9H), 1.19-1.02(m, 3H)
13-005;	6.66(s, 1H), 6.55(s, 1H), 3.91-2.45 and 2.39-2.00 and 1.97-1.40(m, 26H), 0.94-0.64(m, 4H)
13-006;	6.64(s, 1H), 6.52(s, 1H), 3.95-3.60(m, 6H), 3.36-2.64(m, 3H), 2.60-2.42(m, 1H), 2.38-2.00(m, 7H), 1.97-1.78(m, 1H), 1.13(s, 9H), 0.94-0.61(m, 4H)
14-001;	10.53 and 10.48(brs, 1H), 7.10-6.82(m, 2H), 3.82-3.60(m, 3H), 3.50-3.21 and 3.10-2.79(m, 3H), 2.31-2.07 and 1.31-0.82(m, 10H)
14-002;	10.05 and 9.99(brs, 1H), 7.10-6.83(m, 2H), 3.84-3.59(m, 3H), 3.39-1.02(m, 13H)

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
15-001;	10.10-9.96(m, 1H), 6.85-6.52(m, 2H), 4.81-4.60(m, 2H), 3.92-3.61(m, 3H), 3.53-3.28(m, 1H), 3.04-1.86(m, 14H)
15-002;	10.89-10.70(m, 1H), 6.89-6.51(m, 2H), 6.10-5.84(m, 1H), 5.50-5.11(m, 2H), 4.76-4.50(m, 2H), 3.93-3.60(m, 3H), 3.50-3.23(m, 1H), 3.03-1.84(m, 13H)
15-003;	11.22(brs, 1H), 6.78-6.52(m, 2H), 4.00-3.61(m, 5H), 3.50-3.23(m, 1H), 3.02-2.49(m, 3H), 2.40-1.83(m, 10H), 1.19-1.03(m, 1H), 0.64-0.47(m, 2H), 0.38-0.18(m, 2H)
15-004;	10.90-10.60 and 8.10-7.60(m, 1H), 6.80-6.55(m, 2H), 4.40-4.06(m, 2H), 3.90-3.70(m, 3H), 3.70-3.53(m, 2H), 3.37(s, 3H), 3.03-1.85(m, 14H)
15-005;	6.85-6.50(m, 2H), 4.55-4.32(m, 2H), 3.85-3.67(m, 3H), 3.30-2.25(m, 8H), 2.20-1.85(m, 6H) (Proton peak corresponding to OH was not observed)
15-006;	8.20-7.95 and 7.15-6.95(m, 1H), 6.80-6.55(m, 2H), 4.69(s, 2H), 3.77(s, 3H), 3.45-2.40(m, 4H), 2.33(s, 3H), 2.20-1.85(m, 7H)
15-007;	6.70-6.52(m, 2H), 4.25-4.15(m, 2H), 3.80-3.22(m, 16H), 3.10-2.70(m, 4H), 2.40-2.02(m, 7H), 1.95-1.85(m, 3H)
15-008;	6.70-6.48(m, 2H), 4.25-4.00(m, 2H), 3.75-3.60(m, 5H), 3.57-3.22(m, 6H), 3.20-2.28(m, 11H), 2.20-1.88(m, 6H)
15-009;	6.70-6.48(m, 2H), 4.50-4.35(m, 2H), 3.80-3.63(m, 3H), 3.35-2.50(m, 4H), 2.48-1.85(m, 10H), 1.15-1.10(m, 9H)
15-010;	6.70-6.50(m, 2H), 4.50-4.30(m, 2H), 3.75-3.65(m, 3H), 3.45-3.20(m, 1H), 3.10-2.70(m, 9H), 2.45-1.85(m, 10H)
15-011;	6.72-6.55(m, 2H), 4.72-4.65(m, 2H), 3.73(s, 3H), 3.45-2.70(m, 7H), 2.55-1.90(m, 10H)

[Table 21] continued

No.	¹ H-NMR (CDCl ₃ , Me ₄ Si, 300MHz)
15-012;	6.65(brs, 1H), 6.53(brs, 1H), 4.72-4.68(m, 2H), 3.72-3.68(m, 3H), 3.45-2.70(m, 8H), 2.45-1.85(m, 10H), 1.15-0.90(m, 6H)
15-013;	6.66(brs, 1H), 6.55(brs, 1H), 4.69-4.61(m, 2H), 3.84-3.68(m, 6H), 3.40-2.68 and 2.59-2.23 and 2.20-1.88(m, 15H)
15-014;	6.72-6.47(m, 2H), 3.98-3.80(m, 2H), 3.79-3.63(m, 3H), 3.39-2.60 and 2.41-2.20(m, 7H), 2.17-2.01(m, 4H), 1.98-1.83(m, 3H), 1.65-1.03(m, 10H), 0.63-0.42(m, 2H), 0.37-0.17(m, 2H)
15-015;	7.39-7.18 and 7.09-6.49(m, 7H), 6.08-5.89(m, 1H), 5.33-5.15(m, 2H), 4.69-4.48(m, 4H), 3.72-3.61(m, 3H), 3.39-2.72(m, 4H), 2.48-2.21(m, 4H), 2.17-1.80(m, 6H)
15-016;	6.69-6.62(m, 1H), 6.58-6.51(m, 1H), 4.68-4.61(m, 2H), 3.75-3.66(m, 3H), 3.47-3.18(m, 4H), 3.08-2.72(m, 3H), 2.49-2.21 and 2.13-2.02 and 1.98-1.79(m, 16H)
15-017;	6.70-6.64(m, 1H), 6.58-6.50(m, 1H), 6.09-5.91(m, 1H), 5.35-5.16(m, 2H), 4.60-4.50(m, 2H), 3.74-3.63(m, 3H), 3.58-3.23(m, 5H), 3.08-2.76(m, 3H), 2.44-2.18(m, 11H), 2.13-2.03(m, 3H), 1.89(s, 3H)
15-018;	6.70-6.63(m, 1H), 6.58-6.50(m, 1H), 3.92-3.81(m, 2H), 3.78-3.62(m, 3H), 3.54-2.72(m, 11H), 2.40-2.21(m, 4H), 2.17-2.07(m, 3H), 1.98-1.82(m, 3H), 1.70-1.05(m, 4H), 0.61-0.46(m, 2H), 0.32-0.20(m, 2H)

[0266] Test Example

Subsequently, usefulness of the compound of the present invention as a herbicide will be specifically described in the following Test Examples. The present invention, however,

5 is not limited to these Test Examples.

[Test Example 1] Herbicidal activity test by application before weed generation in submerged conditions

After alluvial soil was placed into 1/10000 are of Wagner pot, water was poured and mixed to form a submerged condition having a water depth of 4 cm. Seeds of *Echinochloa*

oryzicola Vasing., *Scirpus juncoides*, and *Monochoria vaginalis* were sowed in a mixed manner in the above pot and thereafter 2.5 leaf stage rice plant seedlings were transplanted thereto. On the day of sowing seeds, the emulsion agent of the compound of the present invention prepared in accordance with Formulation Example 2 was diluted with water so as to be a predetermined herbicide amount and the diluted emulsion agent was applied to the surface of the water. The pot was placed in a greenhouse of 25°C to 30°C to grow plant. 3 weeks later from the herbicide application, the effect to each plant was investigated in accordance with the following criteria. The results are listed in Table 22.

Criteria

- | | | |
|----|---|--|
| 10 | 5 | Herbicidal ratio of 90% or more (almost completely withered) |
| | 4 | Herbicidal ratio of 70% or higher and lower than 90% |
| | 3 | Herbicidal ratio of 40% or higher and lower than 70% |
| | 2 | Herbicidal ratio of 20% or higher and lower than 40% |
| | 1 | Herbicidal ratio of 5% or higher and lower than 20% |
| 15 | 0 | Herbicidal ratio of 5% or lower (almost no effect) |

[0267] [Test Example 2] Herbicidal activity test by application during weed generation in submerged conditions.

After alluvial soil was placed into 1/10000 are of Wagner pot, water was poured and mixed to form a submerged condition having a water depth of 4 cm. Seeds of *Echinochloa oryzicola* Vasing., *Scirpus juncoides*, and *Monochoria vaginalis* were sowed in a mixed manner in the above pot and the pot was placed in the greenhouse of 25°C to 30°C to grow the plants. When *Echinochloa oryzicola* Vasing., *Scirpus juncoides*, and *Monochoria vaginalis* were grown to one leaf stage to two leaf stage, the emulsion agent of the compound of the present invention prepared in accordance with Formulation Example 2 was diluted with water so as to be a predetermined herbicide amount and the diluted emulsion agent was applied to the surface of the water. 3 weeks later from the herbicide

application, the effect to each plant was investigated in accordance with the criteria of Test Example 1. The results are listed in Table 23.

[0268] [Test Example 3] Herbicidal effect test by foliage application

After alluvial soil was placed into 1/10000 are of Wagner pot, water was poured and
 5 mixed to form a submerged condition having a water depth of 0.1 cm to 0.5 cm. Seeds of *Echinochloa crus-galli* var. *crus-galli*, *Leptochloa chinensis*, *Cyperus difformis*, and rice were sowed and the pot was placed in the greenhouse of 25°C to 30°C to grow the plants. After the plants were grown for 14 days, the emulsion agent of the compound of the present invention prepared in accordance with Formulation Example 2 was diluted with water so as
 10 to be a predetermined herbicide amount and the diluted emulsion agent was uniformly applied to a foliage part with a small-size spray. 3 weeks later from the herbicide application, the effect to each plant was investigated in accordance with the criteria of Test Example 1. The results are listed in Table 24.

[0269] [Test Example 4] Herbicidal effect test by soil treatment

15 Sterilized diluvial soil was placed in a plastic box having a length of 21 cm, a width of 13 cm, and a depth of 7 cm. Each of the seeds of *Digitaria ciliaris*, *Setaria viridis*, *Echinochloa crus-galli* var. *crus-galli*, *Avena fatua*, *Alopecurus myosuroides*, *Lolium multiflorum* Lam., *Apera spica-venti*, *Abutilon theophrasti*, *Amaranthus retroflexus*, *Chenopodium album*, *Stellaria media*, *Galium spurium*, *Veronica persica*, corn, soybean,
 20 rice, wheat, beet, and rapeseed was sowed in a spot-like manner and was covered with the soil of a thickness of about 1.5 cm. Subsequently, the emulsion agent of the compound present invention prepared in accordance with Formulation Example 2 was diluted with water so as to be a predetermined herbicide amount and the diluted emulsion agent was uniformly applied to the surface of the soil with a small-size spray. The plastic box was
 25 placed in a greenhouse of 25°C to 30°C to grow plant. 3 weeks later from the herbicide application, the effect to each plant was investigated in accordance with the criteria of Test

Example 1. The results are listed in Table 25.

[0270] [Test Example 5] Herbicidal effect test by foliage application

Sterilized diluvial soil was placed in a plastic box having a length of 21 cm, a width of 13 cm, and a depth of 7 cm. Each of the seeds of *Digitaria ciliaris*, *Setaria viridis*,
 5 *Echinochloa crus-galli* var. *crus-galli*, *Avena fatua*, *Alopecurus myosuroides*, *Lolium multiflorum* Lam., *Apera spica-venti*, *Abutilon theophrasti*, *Amaranthus retroflexus*, *Chenopodium album*, *Stellaria media*, *Galium spurium*, *Veronica persica*, corn, soybean, rice plant, wheat, beet, and rapeseed was sowed in a spot-like manner and was covered with the soil of a thickness of about 1.5 cm. Thereafter, the plants were grown in the
 10 greenhouse of 25°C to 30°C. After the plants were grown for 14 days, the emulsion agent of the compound of the present invention prepared in accordance with Formulation Example 2 was diluted with water so as to be a predetermined herbicide amount and the diluted emulsion agent was uniformly applied to a foliage part with a small-size spray. 3 weeks later from the herbicide application, the effect to each plant was investigated in
 15 accordance with the criteria of Test Example 1. The results are listed in Table 26.

[0271] The symbols in Table 22 to Table 26 have the following meanings.

A: *Echinochloa oryzicola* Vasing., B: *Scirpus juncoides*, C: *Monochoria vaginalis*, D: *Leptochloa chinensis*, E: *Cyperus iria*, F: *Digitaria ciliaris*, G: *Setaria viridis*, H: *Echinochloa crus-galli* var. *crus-galli*, I: *Avena fatua*, J: *Alopecurus myosuroides*, K: *Lolium*
 20 *multiflorum* Lam., L: *Apera spica-venti*, M: *Abutilon theophrasti*, N: *Amaranthus retroflexus*, O: *Chenopodium album*, P: *Stellaria media*, Q: *Galium spurium*, R: *Veronica persica*, a: transplanted rice plant, b: directly sowed rice plant, c: corn, d: soybean, e: wheat, f: beet, and g: rapeseed

The application herbicide amount (g/ha) means an amount that a concentration is
 25 adjusted so that, when an application amount is converted into per hectare, the herbicide is applied by the number of grams (g) of the described value.

[Table 22]

N o .	Application herbicide amount (g / h a)	A	B	C	a
1-001	320	0	0	0	0
1-002	320	5	4	4	5
1-003	320	5	4	5	5
1-004	320	5	5	4	5
1-005	320	5	5	5	5
1-006	320	5	3	3	4
1-007	320	0	0	0	0
1-008	320	5	3	0	0
1-009	320	0	0	0	0
1-010	320	5	5	2	5
1-011	320	0	0	0	0
1-012	320	0	0	0	0
1-013	320	0	0	0	0
1-014	320	5	5	2	5
1-015	320	5	5	2	5
1-016	320	5	5	4	5
1-017	320	5	5	2	5
1-018	320	5	5	2	5
1-019	320	5	5	2	5
1-020	320	5	5	4	5
1-021	320	0	0	0	0
1-022	320	5	5	2	5
1-023	320	4	0	0	1
1-024	320	5	5	2	5
1-025	320	4	2	0	3
1-026	320	5	5	5	5
1-027	320	4	3	3	4
1-028	320	5	5	1	5
1-029	320	4	0	0	5
1-030	320	2	0	0	1
1-031	320	5	4	2	0
1-032	320	5	5	3	5
1-033	320	5	4	1	5
1-034	320	5	4	2	5
1-035	320	5	5	2	5
1-036	320	5	4	1	5
1-037	320	0	0	0	0
1-038	320	5	5	3	5
1-039	320	5	5	2	5
1-040	320	3	2	0	4
1-041	320	5	5	0	5
1-042	320	5	5	4	5
1-043	320	5	5	2	5
1-044	320	5	5	4	5
1-045	320	5	2	0	3

[Table 22] continued

N o .	Application herbicide amount (g / h a)	A	B	C	a
1-046	320	5	5	4	5
1-047	320	4	0	0	1
1-048	320	5	4	1	5
1-049	320	0	0	0	0
1-050	320	4	2	3	4
1-051	320	5	5	0	5
1-052	320	5	5	0	5
1-053	320	5	3	0	5
1-054	320	5	0	0	5
1-055	320	5	3	0	5
1-056	320	5	5	4	5
1-057	320	5	3	2	4
1-058	320	5	0	0	5
1-059	320	5	3	2	4
1-060	320	5	4	3	5
1-062	320	5	2	1	5
1-063	320	5	3	0	5
1-064	320	5	5	1	4
1-065	320	5	5	0	5
1-066	320	4	0	0	5
1-067	320	5	5	1	5
1-068	320	5	4	3	5
1-069	320	5	4	2	5
1-070	320	4	0	0	4
1-071	320	5	4	0	5
1-072	320	5	4		5
1-073	320	5	5	1	5
1-074	320	5	5	4	5
1-075	320	5	4		5
1-076	192	4	4	0	5
1-077	320	1	2	0	1
1-078	320	5	2	0	5
1-079	320	5	5	3	5
1-080	320	5	5	3	5
1-081	320	5	5	2	5
1-082	320	5	5	2	5
1-083	320	5	4	1	5
1-085	320	4	0	0	3
1-086	320	5	0	0	3
1-087	320	5	5	1	5
1-088	320	5	5	0	5
1-089	320	5	5	3	5
1-090	320	5	5	1	5
1-091	320	5	5	0	4

[Table 22] continued

N o .	Application herbicide amount (g / h a)	A	B	C	a
1-092	320	5	5	0	5
1-093	320	5	5	2	5
1-094	320	5	5	1	5
1-095	320	5	5	2	5
1-096	320	5	5	0	5
1-097	320	3	0	0	3
1-098	320	5	5	4	5
1-099	320	5	4	2	5
1-100	320	5	5	3	5
1-101	320	5	5	2	5
1-102	320	5	3		5
1-103	320	5	5	1	5
1-104	320	5	4	1	3
1-105	320	5	5	4	5
1-106	320	5	3		5
1-107	320	5	4	1	3
1-108	320	5	4	3	5
1-109	320	5	5	3	5
1-110	320	3	0	0	5
1-111	320	5	2	1	5
1-112	320	5	5	5	5
1-113	320	5	4	4	3
1-114	320	5	5	5	5
1-115	320	5	3	4	1
1-116	320	5	4	5	3
1-117	320	5	5	5	5
1-118	320	5	1	2	4
1-119	320	1	0	0	3
1-120	320	4	5	3	0
1-121	320	5	5	3	5
1-122	320	5	5	0	5
1-123	320	5	4	3	5
1-124	320	1	0	0	0
1-125	320	3	0	1	5
1-126	320	4	0	0	3
1-130	320	3	0	0	3
1-131	320	5	4	1	4
1-133	320	4	0	0	1
1-134	320	5	5	1	5
1-135	320	5	5	1	5
1-136	320	5	5	5	5
1-137	320	5	5	5	5
1-138	320	5	5	5	5
1-139	320	5	4	1	5
1-140	320	5	5	1	5

[Table 22] continued

N o .	Application herbicide amount (g / h a)	A	B	C	a
1-142	320	5	5	2	5
1-143	320	4	4	1	5
1-144	320	5	5	3	5
1-145	320	5	5	1	5
1-146	320	5	5	1	5
1-147	320	5	5	1	5
1-148	320	5	4	3	5
1-149	320	5	5	1	5
1-150	320	5	3	0	5
1-151	320	5	3	0	4
1-152	320	4	0	0	2
1-153	320	5	3	0	4
1-154	320	5	4	2	5
1-155	320	5	5	1	5
1-156	320	5	5	1	5
1-159	320	5	0	0	1
1-160	320	5	4	2	5
1-161	320	5	4	1	4
1-162	320	5	4	3	5
1-163	320	5	4	0	5
1-166	320	5	0	0	0
2-001	102	4	0	0	4
2-002	320	0	0	0	0
2-003	320	0	0	0	0
2-005	269	3	0	0	4
2-006	320	5	2	3	3
2-007	320	3	2	0	4
2-008	320	0	0	0	0
2-009	320	0	0	0	0
2-010	320	0	0	0	0
2-011	320	0	0	0	0
2-012	320	0	0	0	0
2-013	320	0	0	0	0
2-014	320	4	3	1	1
2-015	320	0	4	0	0
2-016	320	4	0	0	4
2-017	320	5	5	3	5
2-018	320	5	2	1	4
2-020	320	2	0	0	3
2-021	320	4	4	2	5
2-022	320	1	0	0	3
2-024	320	2	0	0	4
2-025	320	3	0	0	2
2-026	320	3	3	0	4
2-028	320	3	0	0	3

[Table 22] continued

N o .	Application herbicide amount (g / h a)	A	B	C	a
2-030	320	4	0	0	3
2-031	320	4	4	2	5
2-032	320	4	4	1	5
3-001	320	0	0	0	0
3-002	320	0	0	0	0
4-001	320	0	0	0	0
5-001	320	0	0	0	0
5-002	320	0	0	0	0
6-001	320	5	0	0	5
6-002	320	3	0	0	3
6-003	320	5	4	1	5
6-004	320	5	5	2	5
6-005	320	5	5	3	5
6-006	320	5	5	1	5
6-007	320	5	5	1	5
6-008	320	5	5	5	5
6-009	320	5	2	0	3
6-010	320	5	4	1	5
6-015	320	5	5	5	5
6-016	320	5	0	0	4
6-017	320	5	1	0	5
6-018	320	5	5	4	5
6-023	320	0	0	0	4
6-024	320	3	2		3
6-025	320	2	0	0	3
6-026	320	1	0	0	3
6-029	320	5	3	3	5
6-030	320	3	0	0	2
6-031	320	3	0	0	1
6-034	320	5	5	4	5
6-035	320	5	4	1	5
6-037	320	5	5	4	5
6-038	320	5	4	3	5
6-049	320	5	5	4	5
6-050	320	3	1	0	4
6-051	320	4	4	2	5
6-052	320	4	1	0	3
6-053	320	4	2	1	3
6-054	320	1	0	0	2
6-055	320	4	1	0	5
6-056	320	3	0	0	0
6-057	320	3	3	1	5
6-058	320	5	5	5	5
6-059	320	5	5	4	5
6-060	320	5	5	5	5

[Table 22] continued

N o .	Application herbicide amount (g / h a)	A	B	C	a
6-061	320	5	1	1	5
6-062	320	5	4	4	5
6-063	320	5	2	3	4
6-064	320	5	0	0	5
6-065	320	4	2	3	4
6-066	320	5	3	2	3
6-071	320	4	0	0	0
6-072	320	4	0	0	0
6-073	320	4	1	1	5
6-074	320	1	0	0	2
6-075	320	4	1	2	3
6-076	320	5	3	2	5
6-077	320	5	3	3	5
6-078	320	5	5	4	5
6-079	320	4	0	2	5
6-080	320	5	1	2	5
6-081	320	5	0	1	3
6-082	320	5	4	4	5
6-083	320	5	4	4	5
6-084	320	5	3	0	5
6-085	320	5	3	0	5
6-086	320	5	2	0	5
6-087	320	5	0	0	2
6-088	320	4	1	0	3
6-089	320	5	3	3	5
6-090	320	5	0	0	0
6-091	320	5	5	4	5
6-092	320	3	0	0	0
6-093	320	5	5	4	5
6-094	320	5	5	3	5
6-095	320	5	4	0	5
6-096	320	1	0	0	5
6-098	320	0	1	0	1
6-099	320	5	5	5	5
6-100	320	5	5	5	5
6-103	320	5	0	0	5
6-104	320	5	5	5	5
6-106	320	5	5	4	5
6-107	320	5	5	5	5
6-108	320	4	3	0	5
6-109	320	5	3	3	5
6-110	320	5	3	0	5
6-111	320	5	5	2	5
6-112	320	5	0	0	4
6-113	320	4	0	0	5

[Table 22] continued

Application herbicide amount					
N o .		A	B	C	a
(g / h a)					
7-001	320	0	0	0	0
7-002	320	0	0	0	2
7-003	320	5	0	0	0
7-004	320	5	3	0	5
7-005	320	3	0	0	1
7-006	320	3	0	0	2
7-007	320	5	1	3	5
7-008	320	4	2	0	5
7-010	320	5	5	1	5
7-011	320	2	1	0	1
7-012	320	3	0	0	1
7-015	320	5	1	2	5
7-018	320	2	0	0	2
7-019	320	1	0	0	0
7-020	320	2	0	0	2
7-022	320	4	2	3	3
7-023	320	2	0	0	1
7-024	320	2	1	2	2
7-026	320	3	0	0	0
7-027	320	4	0	2	3
7-029	320	2	0	0	0
8-001	320	0	0	0	0
8-002	320	0	0	0	0
8-003	320	0	0	0	0
9-001	320	4	0	0	4
9-002	320	5	2	0	5
9-003	320	5	4	1	5
9-004	320	5	2	0	5
9-005	320	4	0	0	4
9-006	320	5	4	0	5
9-007	320	5	4	0	5
9-008	320	5	5	4	5
9-009	320	4	0	0	5
9-010	320	5	5	4	5
9-011	320	5	5	4	5
9-012	320	5	4	2	5
9-013	320	5	5	1	5
9-014	320	5	4	2	5
9-015	320	5	5	1	5
9-016	320	5	5	2	5
9-017	320	4	2	0	4
9-018	320	1	0	0	2
9-019	320	4	0	0	4
9-020	320	5	4	1	5
9-021	320	5	5	2	5

[Table 22] continued

N o .	Application herbicide amount (g / h a)	A	B	C	a
9-022	320	5	3	0	5
9-023	320	5	5	4	5
9-024	320	5	4	2	5
9-025	320	5	1	1	0
9-026	320	4	0	0	0
9-027	320	5	2	1	5
9-028	320	5	5	5	5
10-002	320	1	0	0	1
10-003	320	1	0	0	3
10-004	320	5	0	0	5
11-002	320	2	0	0	2
12-002	320	5	3	2	3
13-001	320	5	2	0	5
13-002	320	5	4	0	5
13-003	320	5	5	0	5
13-004	320	5	5	5	5
13-005	320	5	0	2	5
13-006	320	5	5	4	5
14-001	320	4	3	3	5
14-002	320	4	1	2	2

[0273] [Table 23]

N o .	Application herbicide amount (g / h a)	A	B	C
1-001	320	0	0	0
1-002	320	5	3	3
1-003	320	5	3	3
1-004	320	5	4	4
1-005	320	5	4	4
1-006	320	5	3	3
1-007	320	0	0	0
1-008	320	5	2	0
1-009	320	0	0	0
1-010	320	5	5	2
1-011	320	0	0	0
1-012	320	0	0	0
1-013	320	0	0	0
1-014	320	5	3	3
1-015	320	5	4	4
1-016	320	5	4	3
1-017	320	5	4	3
1-018	320	5	5	3
1-019	320	5	5	2
1-020	320	5	3	2
1-021	320	0	0	0
1-022	320	4	5	3
1-023	320	4	0	0
1-024	320	5	5	3
1-025	320	1	0	0
1-026	320	5	3	3
1-027	320	4	3	0
1-028	320	5	4	0
1-029	320	4	0	0
1-030	320	2	0	0
1-031	320	5	2	0
1-032	320	5	4	3
1-033	320	5	4	2
1-034	320	5	3	3
1-035	320	5	4	4
1-036	320	5	4	2
1-037	320	0	0	0
1-038	320	5	5	4
1-039	320	5	5	3
1-040	320	4	0	0
1-041	320	5	0	0
1-042	320	5	4	3
1-043	320	5	5	3
1-044	320	5	4	3
1-045	320	3	0	0

[Table 23] continued

N o .	Application herbicide amount (g / h a)	A	B	C
1-046	320	5	5	3
1-047	320	2	0	0
1-048	320	5	4	2
1-049	320	0	0	0
1-050	320	3	0	0
1-051	320	5	5	3
1-052	320	5	2	0
1-053	320	4	0	0
1-054	320	3	0	0
1-055	320	2	0	0
1-056	320	5	5	4
1-057	320	2	0	0
1-058	320	5	0	0
1-059	320	4	0	0
1-060	320	5	4	0
1-062	320	3	0	0
1-063	320	4	2	0
1-064	320	5	4	1
1-065	320	4	5	0
1-066	320	2	0	0
1-067	320	4	4	2
1-068	320	5	5	3
1-069	320	4	4	3
1-070	320	4	0	0
1-071	320	5	3	
1-072	320	5	3	0
1-073	320	5	5	2
1-074	320	5	4	
1-075	320	5	4	
1-076	192	5	4	0
1-078	320	4	0	0
1-079	320	5	4	3
1-080	320	4	4	2
1-081	320	5	4	3
1-082	320	5	5	3
1-083	320	5	4	3
1-085	320	3	0	0
1-086	320	5	0	
1-087	320	5	5	1
1-088	320	5	5	3
1-089	320	5	4	3
1-090	320	5	5	3

[Table 23] continued

N o .	Application herbicide amount	A	B	C
	(g / h a)			
1-091	320	5	3	0
1-092	320	5	4	0
1-093	320	5	5	3
1-094	320	5	5	4
1-095	320	5	4	1
1-096	320	5	5	
1-097	320	1	0	0
1-098	320	5	4	3
1-099	320	4	4	2
1-100	320	5	5	3
1-101	320	5	5	2
1-102	320	5	2	2
1-103	320	5	4	0
1-104	320	5	4	0
1-105	320	5	5	3
1-106	320	5	0	0
1-107	320	5	2	0
1-108	320	5	3	1
1-109	320	5	5	2
1-110	320	2	0	0
1-111	320	5	1	0
1-112	320	4	4	4
1-113	320	3	3	0
1-114	320	4	3	4
1-115	320	3	2	0
1-116	320	2	3	2
1-117	320	4	3	3
1-118	320	2	0	
1-120	320	1	5	3
1-121	320	5	4	1
1-122	320	5	5	0
1-123	320	5	3	2
1-124	320	2	0	0
1-125	320	2	0	0
1-130	320	1	0	0
1-131	320	4	4	0
1-133	320	1	0	0
1-134	320	5	4	3
1-135	320	5	4	0
1-136	320	4	4	5
1-137	320	4	4	3
1-138	320	3	4	2
1-139	320	5	4	1
1-140	320	5	5	3
1-142	320	5	4	

[Table 23] continued

N o .	Application herbicide amount (g / h a)	A	B	C
1-143	320	4	4	3
1-144	320	5	4	2
1-145	320	5	5	3
1-146	320	5	5	4
1-147	320	5	5	3
1-148	320	5	4	4
1-149	320	5	4	3
1-150	320	5	3	1
1-151	320	5	1	2
1-152	320	2	0	0
1-153	320	4	1	0
1-154	320	5	4	4
1-155	320	5	5	3
1-156	320	5	5	3
1-159	320	4	1	3
1-160	320	5	4	4
1-161	320	5	4	3
1-162	320	5	1	2
1-163	320	5	4	3
1-166	320	3	0	0
2-001	102	0	0	0
2-002	320	0	0	0
2-003	320	0	0	0
2-005	269	3	0	0
2-006	320	5	2	2
2-007	320	3	0	0
2-008	320	0	0	0
2-009	320	0	0	0
2-010	320	0	0	0
2-011	320	0	0	0
2-012	320	0	0	0
2-013	320	0	0	0
2-014	320	4	3	0
2-015	320	0	0	0
2-016	320	4	0	0
2-017	320	5	4	4
2-018	320	4	0	0
2-020	320	1	0	0
2-021	320	5	2	1
2-022	320	1	0	0
2-024	320	1	0	0
2-026	320	4	3	0
2-028	320	3	0	0
2-030	320	3	0	0
2-031	320	4	0	0

[Table 23] continued

N o .	Application herbicide amount		A	B	C
	(g / h a)				
2-032	320		4	1	0
3-001	320		0	0	0
3-002	320		0	0	0
4-001	320		0	0	0
5-001	320		0	0	0
5-002	320		0	0	0
6-001	320		4	0	0
6-002	320		0	0	0
6-003	320		4	1	3
6-004	320		5	4	
6-005	320		5	2	3
6-006	320		5	5	1
6-007	320		5	3	2
6-008	320		5	5	5
6-009	320		3	0	0
6-010	320		5	3	0
6-015	320		5	5	5
6-016	320		3	0	0
6-017	320		4	3	0
6-018	320		5	4	3
6-024	320		1	0	0
6-025	320		2	0	0
6-029	320		5	3	2
6-030	320		2	0	0
6-031	320		4	0	0
6-034	320		5	5	3
6-035	320		5	4	0
6-036	320		3	0	0
6-037	320		5	4	4
6-038	320		4	4	1
6-049	320		5	4	3
6-050	320		3	0	0
6-051	320		5	4	2
6-052	320		3	0	0
6-053	320		3	1	2
6-054	320		2	1	0
6-055	320		5	2	0
6-056	320		1	0	0
6-057	320		3	2	0
6-058	320		5	5	5
6-059	320		5	4	4
6-060	320		5	4	4
6-061	320		5	4	2
6-062	320		5	3	3
6-063	320		2	3	2

[Table 23] continued

N o .	Application herbicide amount	A	B	C
	(g / h a)			
6-064	320	4	0	0
6-065	320	5	1	2
6-066	320	5	0	0
6-071	320	2	0	0
6-072	320	1	0	0
6-073	320	4	2	1
6-074	320	1	0	0
6-075	320	1	0	1
6-076	320	5	1	1
6-077	320	5	4	3
6-078	320	4	2	3
6-079	320	3	2	3
6-080	320	5	4	3
6-081	320	1	0	0
6-082	320	4	3	5
6-083	320	5	3	4
6-084	320	4	3	0
6-085	320	5	4	1
6-086	320	4	4	3
6-087	320	2	0	0
6-088	320	4	2	0
6-089	320	5	2	3
6-090	320	3	0	0
6-091	320	5	5	3
6-092	320	1	0	0
6-093	320	5	3	3
6-094	320	5	2	1
6-095	320	5	3	2
6-096	320	4	0	0
6-099	320	5	5	5
6-100	320	5	5	5
6-103	320	5	0	0
6-104	320	5	5	5
6-106	320	5	5	4
6-107	320	5	5	5
6-108	320	4	1	2
6-109	320	5	2	2
6-110	320	5	1	0
6-111	320	5	3	4
6-112	320	3	0	0
6-113	320	5	0	3
7-001	320	0	0	0
7-002	320	0	0	0
7-003	320	2	0	0
7-004	320	4	0	0

[Table 23] continued

N o .	Application herbicide amount		A	B	C
	(g / h a)				
7-005	320		1	0	0
7-006	320		2	0	0
7-007	320		5	0	3
7-008	320		4	0	0
7-010	320		5	5	1
7-011	320		3	2	0
7-012	320		3	0	0
7-013	320		2	0	0
7-015	320		5	0	0
7-018	320		1	0	0
7-020	320		1	0	0
7-024	320		1	0	0
7-027	320		3	0	2
7-031	320		0	1	2
8-001	320		0	0	0
8-002	320		0	0	0
8-003	320		0	0	0
9-001	320		4	0	0
9-002	320		5	0	0
9-003	320		5	4	
9-004	320		5	2	0
9-005	320		3	0	0
9-006	320		5	4	
9-007	320		5	4	
9-008	320		5	4	3
9-009	320		2	0	0
9-010	320		4	4	1
9-011	320		5	5	4
9-012	320		5	4	2
9-013	320		5	5	3
9-014	320		2	0	0
9-015	320		5	3	
9-016	320		5	4	1
9-017	320		1	0	0
9-018	320		1	0	0
9-019	320		3	0	0
9-020	320		4	4	0
9-021	320		5	5	
9-022	320		4	0	0
9-023	320		5	4	1
9-024	320		3	3	1
9-027	320		3	0	0
9-028	320		5	4	4
9-029	320		0	0	0

[Table 23] continued

N o .	Application herbicide amount (g / h a)	A	B	C
10-002	320	1	0	0
10-003	320	3	0	0
10-004	320	5	0	0
11-002	320	2	0	0
12-002	320	5	3	1
13-001	320	5	0	0
13-002	320	5	5	2
13-003	320	5	4	3
13-004	320	5	5	4
13-005	320	5	2	
13-006	320	5	3	4
14-001	320	5	0	1
14-002	320	5	0	0

[0274] [Table 24]

N o .	Application herbicide amount (g / h a)				
		H	D	E	b
1-001	320	0	0	0	0
1-002	320	5	5	5	5
1-003	320	5	5	5	5
1-004	320	5	5	5	5
1-005	320	5	5	5	5
1-006	320	5	5	5	5
1-007	320	0	5	0	0
1-008	320	5	5	4	5
1-009	320	0	0	0	0
1-010	320	5	5	5	5
1-011	320	0	5	0	0
1-012	320	0	0	0	0
1-013	320	0	2	0	0
1-014	320	5	5	5	5
1-015	320	5	5	5	5
1-016	320	5	5	5	5
1-017	320	5	5	5	5
1-018	320	5	5	3	5
1-019	320	5	5	5	5
1-020	320	5	5	2	5
1-021	320	2	0	0	0
1-022	320	5	5	4	5
1-023	320	5	5	0	4
1-024	320	5	5	5	5
1-025	320	5	5	5	5
1-026	320	5	5	5	5
1-027	320	5	5	5	5
1-028	320	5	5	5	5
1-029	320	5	5	4	5
1-030	320	5	5	3	5
1-031	320	3	4	0	5
1-032	320	5	5	5	5
1-033	320	5	5	5	5
1-034	320	5	5	5	5
1-035	320	5	5	5	5
1-036	320	5	5	5	5
1-037	320	0	0	0	0
1-038	320	5	5	5	5
1-039	320	5	5	5	5
1-040	320	5	4	4	5
1-041	320	5	5	5	5
1-042	320	5	5	5	5
1-043	320	5	5	5	5
1-044	320	5	5	5	5
1-045	320	5	4	0	3

[Table 24] continued

N o .	Application herbicide amount (g / h a)				
		H	D	E	b
1-046	320	5	5	5	5
1-047	320	1	3	0	2
1-048	320	5	4	5	5
1-049	320	0	0	0	0
1-050	320	5	4	5	5
1-051	320	5	5	5	5
1-052	320	5	5	5	5
1-053	320	5	5	4	5
1-054	320	5	5	0	5
1-055	320	5	5	4	5
1-056	320	5	5	5	5
1-057	320	4	3	3	5
1-058	320	5	5	5	5
1-059	320	4	1	3	5
1-060	320	5	5	5	5
1-062	320	4	3	4	5
1-063	320	5	5	5	5
1-064	320	5	5	5	5
1-065	320	5	5	5	5
1-066	320	5	2	5	5
1-067	320	5	5	5	5
1-068	320	5	5	5	5
1-069	320	5	5	5	5
1-070	320	5	4	4	5
1-071	320	5	5	5	5
1-072	320	4	5	4	5
1-073	320	5	5	5	5
1-074	320	5	5	5	5
1-075	320	5	5	5	5
1-076	192	5	5	5	5
1-078	320	5	4	0	5
1-079	320	5	5	5	5
1-080	320	5	5	5	5
1-081	320	5	5	5	5
1-082	320	5	5	5	5
1-083	320	5	5	5	5
1-084	320	2	0	0	1
1-085	320	5	4	0	5
1-086	320	5	4	4	5
1-087	320	5	5	5	5
1-088	320	5	5	5	5
1-089	320	5	5	5	5
1-090	320	5	5	5	5

[Table 24] continued

N o .	Application herbicide amount	H	D	E	b
	(g / h a)				
1-091	320	5	5	5	5
1-092	320	5	5	5	5
1-093	320	5	5	5	5
1-094	320	5	5	4	5
1-095	320	5	5	5	5
1-096	320	5	5	5	5
1-098	320	5	5	5	5
1-099	320	5	5	5	5
1-100	320	5	5	5	5
1-101	320	5	5	5	5
1-102	320	5	5	5	5
1-103	320	5	5	5	5
1-104	320	5	5	5	5
1-105	320	5	5	5	5
1-106	320	5	5	5	5
1-107	320	5	5	5	5
1-108	320	5	5	5	5
1-109	320	5	5	5	5
1-110	320	5	5	5	5
1-111	320	5	5	5	5
1-112	320	5	5	5	5
1-114	320	5	5	2	5
1-116	320	5	3	4	5
1-117	320	5	4	5	5
1-118	320	4	0	0	5
1-119	320	5	4	0	5
1-120	320	5	0	4	3
1-121	320	5	5	4	5
1-122	320	5	5	5	5
1-123	320	5	5	4	5
1-124	320	5	5	0	5
1-125	320	5	5	2	5
1-126	320	3	5	2	5
1-130	320	4	5	4	5
1-131	320	5	5	5	5
1-132	320	2	1	0	1
1-133	320	3	0	0	0
1-134	320	5	5	5	5
1-135	320	5	4		5
1-136	320	5	2		5
1-137	320	5	5		5
1-138	320	3	2		5
1-139	320	5	5	5	5
1-140	320	5	5		5
1-141	320	2	0		1

[Table 24] continued

N o .	Application herbicide amount (g / h a)	H	D	E	b
1-142	320	5	5		5
1-143	320	4	4		5
1-144	320	5	5		5
1-145	320	5	5		5
1-146	320	5	5		5
1-147	320	5	5		5
1-148	320	5	5	4	5
1-149	320	5	5	5	5
1-150	320	5	4		5
1-151	320	4	4		5
1-152	320	5	5	5	5
1-153	320	5	5	4	5
1-154	320	5	5	5	5
1-155	320	5	5	5	5
1-156	320	5	5	5	5
1-157	320	0	4		0
1-158	320	0	2	0	2
1-159	320	4	5	4	5
1-160	320	5	5	5	5
1-161	320	4	5	4	5
1-162	320	5	5	5	5
1-163	320	5	5	5	5
1-164	320	2	3	0	4
1-166	320	4	4		3
2-001	102	5	5	5	5
2-002	320	0	0	0	0
2-003	320	5	5	4	4
2-005	269	5	5	4	5
2-006	320	5	5	5	5
2-007	320	5	5	5	5
2-008	320	0	0	0	0
2-009	320	3	0	0	1
2-010	320	3	0	0	1
2-011	320	0	0	0	0
2-012	320	0	0	0	0
2-013	320	0	0	0	0
2-014	320	5	4	5	5
2-015	320	1	0	0	4
2-016	320	5	5	4	5
2-017	320	5	5	5	5
2-018	320	5	5	5	5
2-020	320	2	2	0	2
2-021	320	5	3	3	5
2-022	320	1	4	2	5

[Table 24] continued

N o .	Application herbicide amount	H	D	E	b
	(g / h a)				
2-024	320	5	3	0	5
2-025	320	3	1	0	4
2-026	320	5	4	5	5
2-027	320	3	0	0	5
2-028	320	5	5	4	5
2-029	320	0	0	0	4
2-030	320	4	5	0	5
2-031	320	5	5	5	5
2-032	320	5	3	4	5
3-001	320	3	2	0	2
3-002	320	0	0	0	0
4-001	320	2	3	0	4
5-001	320	2	3	0	5
5-002	320	0	0	0	0
6-001	320	5	5	0	5
6-002	320	4	4	0	5
6-003	320	5	5	5	5
6-004	320	5	5	5	5
6-005	320	5	5	3	5
6-006	320	5	5	5	5
6-007	320	5	5	5	5
6-008	320	5	5	5	5
6-009	320	5	5	0	5
6-010	320	5	5	5	5
6-015	320	5	5	5	5
6-016	320	5	5	1	5
6-017	320	5	5	4	5
6-018	320	5	5	5	5
6-023	320	5	5	4	5
6-024	320	3	2	3	3
6-025	320	5	5	4	5
6-026	320	5	5	5	5
6-027	320	2	3	0	0
6-029	320	5	5	5	5
6-030	320	4	5	0	2
6-031	320	3	2	2	4
6-033	320	0	0	3	0
6-034	320	5	5	4	5
6-035	320	5	5	5	5
6-036	320	4	5	3	4
6-037	320	5	5	5	5
6-038	320	5	5	5	5
6-049	320	5	5	5	5

[Table 24] continued

N o .	Application herbicide amount (g / h a)	H	D	E	b
6-050	320	5	5	5	5
6-051	320	5	5	5	5
6-052	320	5	5	3	5
6-053	320	5	5	3	5
6-054	320	5	5	3	5
6-055	320	5	5	5	5
6-056	320	4	5	3	5
6-057	320	5	5	5	5
6-058	320	5	5	5	5
6-059	320	5	5	5	5
6-060	320	5	5	5	5
6-061	320	5	5	5	5
6-062	320	5	5	5	5
6-063	320	4	5	1	5
6-064	320	5	5	0	4
6-065	320	5	5	5	5
6-066	320	5	5	5	5
6-068	320	0	2	0	0
6-070	320	0	4	0	0
6-071	320	4	5	0	1
6-072	320	5	5	0	0
6-073	320	5	5	5	5
6-074	320	4	5	2	1
6-075	320	3	3	3	4
6-076	320	5	5	5	5
6-077	320	5	5	5	5
6-078	320	5	5	0	5
6-079	320	5	5	4	5
6-080	320	5	5	5	5
6-081	320	1	3	0	0
6-082	320	5	5	5	5
6-083	320	5	5	5	5
6-084	320	5	5	5	5
6-085	320	5	5	5	5
6-086	320	5	5	5	5
6-087	320	5	5	0	5
6-088	320	5	5	5	5
6-089	320	5	5	4	5
6-090	320	0	5	0	0
6-091	320	5	5	5	5
6-092	320	5	5	4	5
6-093	320	5	5	4	5
6-094	320	5	5	5	5
6-095	320	5	5	5	5

[Table 24] continued

Application herbicide amount		H	D	E	b
N o .	(g / h a)				
6-096	320	5	4	5	5
6-098	320	3	5	4	5
6-099	320	5	5	5	5
6-100	320	5	5	5	5
6-103	320	5	5	5	5
6-104	320	5	5		5
6-105	320	3	4		4
6-106	320	4	5		5
6-107	320	5	5		5
6-108	320	5	5		5
6-109	320	5	4		5
6-110	320	5	5		5
6-111	320	5	5		5
6-112	320	5	5	4	5
6-113	320	5	5	5	5
7-001	320	4	5	0	2
7-002	320	5	5	3	5
7-003	320	5	5	0	5
7-004	320	5	5	5	5
7-005	320	5	5	0	5
7-006	320	5	5	0	5
7-007	320	5	5	4	5
7-008	320	5	5	5	5
7-010	320	5	5	5	5
7-011	320	5	4	5	5
7-012	320	5	5	4	5
7-014	320	4	5	2	5
7-015	320	5	5	5	5
7-016	320	0	5	0	0
7-017	320	5	5	4	5
7-018	320	3	5	3	3
7-019	320	5	4	2	3
7-020	320	4	5	3	4
7-021	320	2	2	0	0
7-022	320	0	4	0	0
7-023	320	0	5	0	0
7-024	320	5	5	2	3
7-025	320	1	3	0	0
7-026	320	0	3	0	0
7-027	320	5	5	4	5
7-028	320	0	0	0	0
7-029	320	3	4	0	0
7-031	320	4	5	3	5
8-001	320	0	0	0	0

[Table 24] continued

N o .	Application herbicide amount (g / h a)				
		H	D	E	b
8-002	320	0	0	0	0
8-003	320	0	0	0	0
9-001	320	5	4	2	5
9-002	320	5	5	5	5
9-003	320	5	5	5	5
9-004	320	5	5	5	5
9-005	320	5	5	2	4
9-006	320	5	5	5	5
9-007	320	5	5	5	5
9-008	320	5	5	5	5
9-009	320	5	5	4	5
9-010	320	5	5	5	5
9-011	320	5	5	5	5
9-012	320	5	5	5	5
9-013	320	5	5	5	5
9-014	320	5	5	5	5
9-015	320	5	5	5	5
9-016	320	5	5	5	5
9-017	320	5	5	3	5
9-018	320	2	0	0	4
9-019	320	5	5	4	5
9-020	320	5	5	5	5
9-021	320	5	5	5	5
9-022	320	5	5	5	5
9-023	320	5	5	5	5
9-024	320	5	5	5	5
9-025	320	0	5	0	2
9-026	320	0	3	0	0
9-027	320	5	5	5	3
9-028	320	5	5		5
9-029	320	4	4		3
10-001	320	5	4	0	3
10-002	320	5	5	3	5
10-003	320	5	4	0	5
10-004	320	5	5	5	5
11-002	320	5	5	4	5
12-002	320	5	5	5	5
13-001	320	5	5	4	5
13-002	320	5	5	5	5
13-003	320	5	5	5	5
13-004	320	5	5	5	5
13-005	320	5	5	5	5
13-006	320	5	5	5	5
14-001	320	5	5	5	5
14-002	320	5	5	5	5

[0275] [Table 25]

Application herbicide amount																				
No.	(g/ha)	F	G	H	I	J	K	L	M	N	O	P	Q	R	b	c	d	e	f	g
1-001	320	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1-002	320	5	5	5	5	5	5	5	5	5	5	3	1	5	5	4	0	4	5	5
1-003	320	5	5	5	4	5	5	5	4	3		3	0		5	5	3	5	2	4
1-004	320	5	5	5	5	5	5	5	5	5	0	0	0		5	4	3	3	4	4
1-005	320	5	5	5	5	5	5	5	5	5	0	0	0		5	4	2	4	4	4
1-006	320	5	4	5	3	4	5	5	4	4	0	0	0	0	5	1	0	0	0	0
1-007	320	0	0	0	0	0	2	3	0	0					0	0	0	0		0
1-008	320	5	4	4	0	5	5	5	0	0					3	0	0	0		0
1-009	320	0	0	0	0	0	0	0	0	0					0	0	0	0	0	0
1-010	320	5	5	5	5	5	5	5	5	5		4	2	4	5	4	4	4	4	4
1-011	320	0	0	0	0	0	0	0	0	0					0	0	0	0	0	0
1-012	320	0	0	0	0	0	0	0	0	0			0		0	0	0	0	0	0
1-013	320	0	0	0	0	0	0		0	0		0			0	0	0	0	0	0
1-014	320	5	5	5	5	5	5	5	4				5		4	4	4			
1-015	320	5	5	5	5	5	5	5	5	5			3		5	4	3	3		4
1-016	320	5	5	5	5	5	5	5	5	5					5	4	3	2	0	4
1-017	320	5	5	5	5	5	5	5	5	5					5	4	2	2	0	4
1-018	320	5	5	5	4	5	5	5	4	2					5	4	0	4	0	4
1-019	320	5	5	5	5	5	5	5	4	3					5	4	3	3	0	4
1-020	320	5	5	5	4	5	5	5	3	0		0	0		5	1	0	2	0	4
1-021	320	0	0	0	0	0	2	0	0	0		0	0		2	0	0	0	0	0
1-022	320	5	5	5	4	5	5	5	0	0					5	9	0	4	3	
1-023	320	4	3	3	0	0	3	4	0	0	0	0	0		5	0	0	0	0	0
1-024	320	5	5	5	4	5	5	5	3	4			0		5	1	1	4	0	3
1-025	320	5	5	5	3	4	5	5	0	0		0	0		5	0	0	0	0	4
1-026	320	5	5	5	3	5	5	5	0	0			0		4	0	0	2		3
1-027	320	5	5	5	4	5	5	5	0	0			0		5	4	0	3	0	4
1-028	320	5	5	5	4	5	5	5	3	3					5	0	0	4	0	4
1-029	320	5	5	5	4	3	5	5	0	0		0			5	0	0	0	0	3
1-030	320	3	2	2	0	3	5	3	0	0					4	0	0	0		0
1-031	320	0	0	0	0	0	0	0	0	0		0	0		0	0	0	0	0	3
1-032	320	5	5	5	5	5	5	5	4	4					5	4	0	5	4	5
1-033	320	5	5	5	4	5	5	5	5	5		0	3	4	5	4	0	5	4	5
1-034	320	5	5	5	5	5	5	5	5	5	5		4		5	4	0	4	4	5
1-035	320	5	5	5	4	5	5	5	5	5			0		5	4	0	4	3	5
1-036	320	5	5	5	5	5	5	5	5	5					5	3	0	3	3	5
1-037	320	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0	0	0
1-038	320	5	5	5	0	5	5	5	4	3	0	0	0	0	5	3	1	3	0	4
1-039	320	5	5	5	4	5	5	5	5	5					5	4	0	4	3	4
1-040	320	4	4	5	3	4	4	5	0	0			0		5	0	0	0	0	3
1-041	320	5	5	5	5	5	5	5	3	3		0		3	5	4	1	4		4
1-042	320	5	5	5	3	5	5	5	5	4	0	0			5	3	0	1	0	4
1-043	320	5	5	5	4	5	5	5	4	4			0		5	4	1	4	4	5
1-044	320	5	5	5	2	5	5	5	5	4					5	4	0	2		4
1-045	320	0	0	0	0	0	4	0	0	0		0			0	0	0	0	0	0

[Table 25] continued

No .	Application herbicide amount																			
	(g / h a)	F	G	H	I	J	K	L	M	N	O	P	Q	R	b	c	d	e	f	g
1-046	320	5	4	5	5	5	5	5	4	2			0		5	4	0	4	0	4
1-047	320	3	0	3	0	0	3	0	0	0	0	0	0	0	4	0	0	0	0	
1-048	320	5	5	5	1	5	5	5	3	1	0	0	0	0	5	3	0	2	0	0
1-049	320	0	0	0	0	0	0	0	0	0		0	0		0	0	0	0	0	0
1-050	320	5	4	4	0	0	4	0	1	0	0	0			5	0	0	0	0	0
1-051	320	5	5	5	3	5	5	5	5	4	0	0	0		5	4	3	2	0	4
1-052	320	5	5	5	4	5	5	5	4	3	0	0		0	5	3	0	5	0	3
1-053	320	5	4	5	0	3	5	3	1	0	0	0		0	5	1	0	0	0	3
1-054	320	5	5	4	0	1	5	1	0	0	0	0		0	5	0	0	0	0	1
1-055	320	5	4	4	0	1	5	2	0	0	0	0		0	5	0	0	0	0	0
1-056	320	5	5	5	3	5	5	5	4	3		0		0	5	3	0	5	0	4
1-057	320	4	4	4	0	4	5	4	3	1		0		0	5	0	0	0	0	4
1-058	320	5	5	5	1	5	5	4	4	2	0	0		0	5	4	0	0	0	3
1-059	320	4	4	4	0	3	5	5	1	0		0			4	3	0	0	0	0
1-060	320	5	5	5	3	5	5	5	4	5	0	0		0	5	4	0	2	0	3
1-062	320	5	5	5	0	5	5	4	0	0	0	0	0	0	5	4	0	0	0	3
1-063	320	5	5	5	3	5	5	5	2	0				0	5	4	0	3		0
1-064	320	5	5	5	3	5	5	5	5	4		0		0	5	5	2	3	0	4
1-065	320	5	5	5	3	5	5	5	4	5		0		0	5	5	0	4	0	4
1-066	320	4	4	5	0	5	5	5	0	0	0	0	0	0	5	4	0	0	0	0
1-067	320	5	5	5	3	5	5	5	5	5		0	0	0	5	3	0	5	0	4
1-068	320	5	5	5	3	5	5	5	4	4		0	0	0	5	5	0	4	0	4
1-069	320	5	4	5	3	5	5	5	4	4		0		0	5	5	0	4	0	4
1-070	320	4	4	4	0	5	5	5	0	0	0	0	0	0	5	1	0	0	0	0
1-071	320	5	5	5	4	5	5	5	4	4		0	0	0	5	4	0	4		4
1-072	320	5	5	5	4	5	5	5	4	5		0	0	0	5	5	0	4	0	4
1-073	320	5	5	5	4	5	5	5	5	5					5	4	0	4		4
1-074	320	5	5	5	4	5	5	5	5	5	0	0	0	0	5	4	0	4	0	4
1-075	320	5	5	5		5	5	5	5	5	0	0			5	5	0	4		
1-076	192	5	5	5	4	4	5	5	4	4		0	0	0	5	2	0	4	0	4
1-078	320	5	5	2	0	3	5	4	0	0		0		0	5	4	0	0	0	1
1-079	320	5	5	5	3	5	5	5	5	4	0	0		0	5	4	1	4	0	4
1-080	320	5	5	5	3	5	5	5	4	5		0		0	5	4	1	4	0	4
1-081	320	5	5	5	3	5	5	5	4	4	0	0		0	5	4	1	4	0	4
1-082	320	5	5	5	3	5	5	5	5	5		0		0	5	4	2	3	0	4
1-083	320	5	5	5	3	5	5	5	4	5	0	0		0	5	4	1	4	0	4
1-085	320	0	5	1	0	3	3	3	0	0	0	0		0	5	0	0	0	0	0
1-086	320	2	4	4	3	3	5	3	0	0	0	0		0	5	1	0	0	0	2
1-087	320	5	5	5	3	5	5	5	5	5		0	0	0	5	3	2	5	4	5
1-088	320	5	5	5	3	5	5	5	0	1	0	0		0	5	4	0	3	0	4
1-089	320	5	5	5	2	5	5	5	2	3	0	0		0	5	5	0	4	0	4
1-090	320	5	5	5	3	5	5	5	4	0	0	0		0	5	3	0	4	0	4

[Table 25] continued

Application herbicide amount																				
No.	(g / h a)	F	G	H	I	J	K	L	M	N	O	P	Q	R	b	c	d	e	f	g
1-091	320	5	5	5	3	5	5	5	1	0		0	0	0	5	5	0	4	0	3
1-092	320	5	5	5	2	4	5	5	3	3		0		0	5	5	0	4	0	4
1-093	320	5	5	5	3	5	5	5	4	3	0	0	0	0	5	5	0	4	0	4
1-094	320	5	5	5	3	5	5	5	2	4	0	0		0	5	4	1	3	0	4
1-095	320	5	5	5	3	5	5	5	4	4	0	0	0	1	5	5	0	4	0	4
1-096	320	5	5	4	3	5	5	5	4	4	0	0		0	5	4	1	3	0	3
1-097	320	0	2	2	1	2	2	0	0	0	3	0	0	0	2	1	0	0	0	3
1-098	320	5	5	5	2	5	5	5	4	4		0	0	0	5	5	2	3	0	5
1-099	320	5	5	5	2	5	5	5	5	3	0	0		0	5	5	3	3	2	5
1-100	320	5	5	5	3	5	5	5	4	2		0	0	1	5	5	2	5	0	3
1-101	320	5	5	5	3	5	5	5	5	3	0	0	0	0	5	5	2	3	3	5
1-102	320	4	5	5	0	5	5	5	0	0		0		0	5	0	0	0	0	0
1-103	320	5	5	5	3	5	5	4	5	5	0	0	0	0	5	5	1	4	0	3
1-104	320	5	5	5	3	5	5	5	4	0		0	0	0	5	1	0	1	0	2
1-105	320	5	5	5	1	5	5	5	1	4	0	0	0	0	5	1	0	3	0	3
1-106	320	5	5	5	3	5	5	5	0	0	0	0	0	0	5	1	0	3	0	3
1-107	320	5	3	5	0	5	5	5	0	0		0		0	5	0	0	0	0	2
1-108	320	5	5	5	3	5	5	5	4	0		0	0	0	5	5	0	4	0	4
1-109	320	5	5	5	2	5	5	5	4	3	0	0	0	2	5	1	0	2	0	4
1-110	320	5	5	5	4	5	5	5	0	0	0	0	0	0	5	4	0	5	0	1
1-111	320	5	5	5	3	5	5	5	4	0	0	0	0	0	5	1	1	5	0	4
1-112	320	4	5	4	3	5	5	5	0	0	0	0	0	0	5	1	0	0	0	0
1-113	320	1	0	0	3	3	5	5	0	0	0	0	0	0	2	0	0	0	0	0
1-114	320	5	5	0	3	4	5	5	0	0	0	0	0	0	3	0	0	0	0	1
1-116	320	1	3	3	3	4	4	3	2	5	0	0	0	0	1	0	0	0	0	2
1-117	320	4	5	5	0	4	4	5	0	0	0	0	0	0	5	0	0	0	0	2
1-118	320	3	2	4	0	3	3	3	0	0	0	0	0	0	5	0	0	0	0	1
1-119	320	4	4	5	4	4	5	5	0	0	0	0	0	0	5	0	0	0	0	3
1-120	320	0	0	0	0	0	4	3	0	0	0	0	0	0	0	0	0	0	0	0
1-121	320	5	5	5	4	5	5	5	0	0	0	0	0	0	5	1	0	0	0	3
1-122	320	2	3	4	2	5	5	4	0	0	0	0	0	0	4	2	0	0	0	0
1-123	320	5	5	5	4	5	5	5	3	0	0	0	0	0	5	3	0	0	0	3
1-124	320	0	3	1	0	2	3	0	0	0	0	0	0	0	1	0	0	0	0	0
1-125	320	5	5	5	3	0	5	5	0	0	0	0	0	0	5	2	0	3	0	0
1-126	320	0	0	0	0	3	4	0	0	0	0	0	0	0	0	0	0	0	0	0
1-130	320	0	0	0	0	3	3	3	0	0	0	0	0	0	0	0	0	0	0	0
1-131	320	4	5	5	3	5	5	5	0	0	0	0		3	5	0	0	0	0	4
1-133	320	4	4	4	0	5	3		0	0	0	0		0	0	0	4	0	0	0
1-134	320	5	5	5	2	5	5		3	4	0	0	0	0	5	5	0	2	0	0
1-135	320	5	5	5	3	5	5		0	0	0	0	0	2	5	0	0	0	0	2
1-136	320	5	5	5	3	5	5			0	0	0	0	0	2	0	0	3	0	3
1-137	320	5	5	5	2	5	5		0		0	0	0	0	5	0	0	0	0	0
1-138	320		4	5	0	5	5		0	0	0	0	0	0	5	0	0	0	0	0
1-139	320	5	5	5	4	5	5	5	4	3	0	0	0		5	5	0	3	0	4

[Table 25] continued

Application herbicide amount																				
No.	(g / h a)	F	G	H	I	J	K	L	M	N	O	P	Q	R	b	c	d	e	f	g
1-140	320	5	5	5	4	5	5	5	5	5	0	0	0	0	5	4	1	5	0	4
1-142	320	5	5	5	3	5	5		0	0		0	0	0	5	0	0	3	0	3
1-143	320	1	1	0	2	2	4	5	0	0		0	0	0	0	0	0	2	0	0
1-144	320	5	5	5	2	4	4		0	0	0	0	0	0	5	3	0	0	0	2
1-145	320	5	5	5	4	5	5	5	4	4	0	3	0	3	5	5	0	5	0	4
1-146	320	5	5	5	4	5	5	5	5	5	0	1	0	5	5	1	0	5	3	5
1-147	320	5	5	5	5	5	5	5	5	5	0	2	0	3	5	5	0	5	0	4
1-148	320	5	5	5	0	5	5	5	5	2	0	0	0		5	3	0	0	0	4
1-149	320	5	5	5	0	5	5	5	5	4	0	0		0	5	2	0	5	0	4
1-150	320	5	0	0	2	5	5				0	0	0	0	0	0	0	1	0	0
1-151	320	5		0	3	5	5		0	0	0	0	0	0	1	0	0	0	0	0
1-152	320	0	0	0	0	3	2		0	0	0	0	0	0	0	0	0	0	0	0
1-153	320	5	1	0	0	3	4		0	0	0	0	0	0	1	0	0	2	0	0
1-154	320	5	5	5	0	5	5	5	4	4	0	0	0	0	5	0	0	3	0	4
1-155	320	5	5	5	4	5	5		5	5	0	0	0		5	3	0	3	0	4
1-156	320	5	5	5	4	5	5		5	5	0	2			5	1	0	5	1	4
1-159	320	4	3	3	0	4	5		0	0	0	0	0	0	3	0	0	1	0	0
1-160	320	5	5	5	0	5	5		4	4	0	0	0	0	5	0	0	2	0	4
1-161	320	5	0	0	0	3	3		0	0	0	0		0	3	0	0	3	0	2
1-162	320	5	5	5	3	5	5		5	4	0	0	0	0	5	2	0	4	0	4
1-163	320	5	5	5	3	5	5			4	0	0	0	0	5	1	0	0	0	4
2-001	102	5	4	5	0	4	5	2	3	1		0	0	0	5	4	0	0	0	3
2-002	320	0	0	0	0	0	0	0	0	0		0	0	0	1	0	0	0	0	0
2-003	320	4	0	0	0	4	5	5	0	0	0	0			2	0	0	0	0	0
2-005	269	5	4	5	0	4	5	1	0	0		0	0		5	0	0	0	0	4
2-006	320	5	5	5	3	5	5	5	4	0	0	0	0	0	5	2	0	0	0	4
2-007	320	5	4	5	0	3	5	3	0	0	0	0	0		5	0	0	0	0	4
2-008	320	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0
2-009	320	2	0	1	0	0	0	0	0	0	0	0	0		5	0	0	0	0	0
2-010	320	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2-011	320	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0
2-012	320	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0
2-013	320	1	1	1	0	0	1	0	0	0	0	0	0	0	5	0	0	0	0	0
2-014	320	5	5	5	0	2	4	2	0	0	0	0		0	5	3	0	0	0	0
2-015	320	3	3	1	0	2	5	3	0	0	0	0			4	0	0	0	0	0
2-016	320	5	5	5	0	4	5	2	0	0					5	3	0	0		2
2-017	320	5	5	5	0	3	5	3	4	0	0	0	0		5	0	0	0	0	5
2-018	320	5	5	5	0	3	5	2	4	3	0	0			5	2	0	0	0	3
2-020	320	5	5	4	0	0	4	0	0	1				0	5	3	0	0	0	0
2-021	320	5	5	4	0	5	5	0	1	2	0	0		0	5	4	0	0	0	1
2-022	320	0	4	0	0	0	4	0	0	0	0	0		0	4	0	0	0	0	0
2-024	320	5	5	4	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0
2-025	320	4	5	4	0	0	4	0	0	0	0	0	0	0	5	0	0	0	0	0
2-026	320	5	5	5	0	3	5	2	0	0			0	0	5	1	0	0	0	4

[Table 25] continued

No.	Application herbicide amount																			g
	(g/ha)	F	G	H	I	J	K	L	M	N	O	P	Q	R	b	c	d	e	f	
2-027	320	3	5	3	0	1	2	0	0	0		0		0	4	1	0	0	0	0
2-028	320	4	5	1	0	3	5	2	1	0	0	0	0	0	5	2	0	0	0	0
2-030	320	4	5	1	0	3	4	4	0	0	0	0	0	0	5	1	0	0	0	0
2-031	320	5	5	5	0	3	5	2	1	0	0	0		0	5	5	0	3	0	3
2-032	320	4	5	4	0	5	5		0	0	0	0	0	0	5	1	0	0	0	1
3-001	320	2	0	0	0	1	4	5	0	0	0	0	0	0	2	0	0	0	0	0
3-002	320	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0
4-001	320	2	0	0	0	3	5	5	0	0			0		5	0	0	0	0	1
5-001	320	4	0	1	0	2	5	5	0	0			0		5	0	0	0		0
5-002	320	0	0	0	0	0	0	0	0	0				0	0	0	0	0	0	
6-001	320	5	5	5	5	5	5	5	0	0		0	0		5	5	0	5	0	2
6-002	320	2	3	2	0	2	5	4	0	0		0			5	0	0	0	0	0
6-003	320	5	5	5	3	5	5	5	5	3	0	0			5	4	0	0	0	4
6-004	320	5	5	5	4	5	5	5	0	4		0			5	2	0	0		4
6-005	320	5	5	5	4	5	5	5	0	0	0	0	0		5	3	1	4	0	0
6-006	320	5	5	5	4	5	5	5	4	3	0	0		2	5	5	0	5	0	4
6-007	320	5	5	5	4	5	5	5	4	3	0	0	0		5	5	0	5	0	
6-008	320	5	5	5	4	4	5	5	0	0		0	0	0	5	3	0	4	0	0
6-009	320	5	5	5	4	5	5	5	5	5		4			5	5	0	5	2	4
6-010	320	5	5	5	3	5	5	5	3	1		0			5	4	0	4	0	0
6-015	320	5	5	5	0	5	5	5	3	5	3	2			5	5	0	0	0	4
6-016	320	5	5	4	0	0	0	5	0	2	0	0	0	0	2	0	0	0	0	0
6-017	320	5	5	3	0		4	5	0	1	0	0	0	0	3	0	0	0	0	0
6-018	320	5	5	5	0	5	5	5	0	0	0	0	0	0	3	0	0	0	0	0
6-023	320	1	3	0	0	4	5	4	0	0		0		0	5	1	0	0		3
6-025	320	3	4	0	2	2	5	4	0	0		0	0	0	5	0	0	0	0	0
6-026	320	4	4	1	0	1	1	0	0	2	0	0	0	0	5	0	0	0	0	0
6-029	320	5	5	5	4	5	5	5	0	0	3			4	5	2	0	4	0	2
6-031	320	0	0	0	0	0	3	0	0	4		0		0	0	0	0	0	0	3
6-034	320	5	5	5	4	5	5	5	1	2	0	0		4	2	1	0	0	0	1
6-035	320	5	5	5	3	4	5	5	0	0		3	0	3	5	2	0	0	0	0
6-037	320	5	5	5	5	5	5	5	5	3	0	0	0	1	5	5	2	5	0	3
6-038	320	5	4	5	2	5	5	5	5	4	0	0		1	5	5	1	1	0	5
6-049	320	5	5	5	5	5	5	5	4	4	4	4	3	4	5	5	0	5	3	5
6-050	320	5	4	4	2	4	5	0	0	0		3		0	5	1	0	0	0	2
6-051	320	5	5	5	1	5	5	5	1	5	0	2	0	0	5	1	1	2	0	4
6-052	320	4	3	4	0	0	0	5	0	0	0	2	0	0	1	0	0	0	0	3
6-053	320	4	3	2	1	0	0	0	0	0		0		0	2	1	0	0	0	0
6-055	320	5	5	5	0	4	5	5	3	0	0	0	0	0	5	5	0	0	0	0
6-056	320	0	2	0	0	0	0	0	0	0		0	0	0	1	0	0	0	0	0
6-057	320	5	5	5	0	3	5	4	0	0	0	0	0	0	5	1	0	1	0	1
6-058	320	5	5	5	5	5	5	5	5	5	5	5		5	5	5	0	5	4	5
6-059	320	5	5	2	3	5	1	5	0	0	0	0	3	3	0	0	0	0	0	0
6-060	320	5	5	4	0	3	3	0	0	5	0	0	0	2	3	0	0	0	0	0

[Table 25] continued

No.	Application herbicide amount																b	c	d	e	f	g
	(g/ha)	F	G	H	I	J	K	L	M	N	O	P	Q	R								
6-061	320	5	5	5	4	5	5	5	1	3		3		4	5	0	0	2	0	3		
6-062	320	3	5	5	0	4	0	5	0	0		3	0	3	0	0	0	0	0	0		
6-063	320	5	1	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0		
6-064	320	5	5	5	0	4	0	5	0	0	0	0	0	0	0	0	0	0	0	0		
6-065	320	5	5	5	4	5	5	5	0	4	3	4	4	3	5	5	0	5	2	3		
6-066	320	5	5	5	5	5	5	5	0	2	0	0	0	3	5	4	0	4	0	2		
6-073	320	5	5	5	3	2	5	0	0	0	0	0	0	0	5	3	0	2	0	3		
6-074	320	0	2	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0		
6-075	320	0	0	0	0	4	4	3	0	0	0	0	0	0	0	0	0	0	0	0		
6-076	320	5	5	5	3	0	5	5	5	1	0	0	0	0	5	5	0	0	0	2		
6-077	320	5	5	5	4	5	5	5	5	5	4	3	4	4	5	0	0	0	1	4		
6-078	320	5	5	0	3	0	0	3	1	0	0	0		0	1	0	1	0	0	0		
6-079	320	5	5	5	0	3	5	5	1	4	0	0	0	3	3	0	0	3	0	0		
6-080	320	5	5	5	0	5	5	5	0	1	0	0	0	0	0	0	0	0	0	0		
6-082	320	5	5	5	3	5	5	5	2		0	0	0	3	1	0	0	0	0	0		
6-083	320	5	5	0	0	5	1	5	0	0	0	0	0	3	0	0	0	0	0	0		
6-084	320	5	5	5	5	5	5		0	4	3	3	3	4	2	0	5	2	0	1		
6-085	320	5	5	5	5	5	5		4	5	5	5	4	4	1	1	5	3	3	4		
6-086	320	5	5	5	4	5	5		0	3	3	4		4	1	0	5	2	1	4		
6-087	320	5	5	5	0	4	3		0	0	0	0	0	2	0	0	3	0	0	1		
6-088	320	5	5	5	5	5	5		3	0	5	5	4	4	0	0	5	0	0	3		
6-089	320	5	4	1	0	2	3		0	0	0	0	0	0	0	0	0	0	0	0		
6-091	320	5	5	5	5	5	5		5	4	3	4	0	4	5	5	1	5	1	4		
6-092	320	5	5	3	3	3	5		0	0	0	0		0	4	0	0	0	0	0		
6-093	320	5	5	5	0	3	1		0	0		5	0	4	1	0	0	0	0	0		
6-094	320	5	5	5	5	5	5		4	0	5	0	0	3	5	1	0	0	0	4		
6-095	320	5	5	5	3	5	5		5	1	0	0	0	0	5	2	0	2	0	4		
6-096	320	4	4	4	3	3	5		0	0	0	0		0	5	3	0	0	0	0		
6-099	320	5	5	5	5	5	5	5	3	5	4	4	3	4	5	5	0	5	2	5		
6-100	320	5	5	5	5	5	5	5	4	5	5	4	1	5	5	4	0	3	0	5		
6-103	320	5	5	5	5	5	5	5	0	0	0	0	0	0	5	5	0	5	0	0		
6-104	320	5	5	5	4	5	1	5	5	5	4	3	4	4	5	5	0	5	4	4		
6-106	320	5		5	3	3	3		0	0	0	0	0	0	1	0	0	0	0	3		
6-107	320	5	5	5	3	5	4		4		4	2	2	4	5	0	0	4	1	4		
6-108	320	5	4	5	3	3	5		5	4	5	3	3	3	5	1	0	3	0	4		
6-109	320	5		5	0	5	5		0	0	0	0	0	0	1	0	0	0	0	0		
6-110	320	0	0	5	0	3	3		0	0	0	0	0	0	0	0	0	0	0	0		
6-111	320	4	0	4	0	5	5		0	0	0	0	0	0	1	0	0	0	0	0		
6-112	320	5	5	5	4	5	5		1	1	0	0	0	0	5	4	0	3	0	0		
6-113	320	5	5	5	0	5	5			0	0	0	0	0	5	1	0	0	0	1		
7-001	320	5	4	4	3	0	5	0	0	0			0		4	0	0	0	0	0		
7-002	320	5	4	5	0	3	5	5	0	0	0	0	0		5	0	0	0	0	0		
7-003	320	5	5	5	4	5	5	5	0	0	0	0	0	0	5	0	0	0	0	0		
7-004	320	5	5	5	0	5	5	5	3	2	0	0		0	5	4	0	0	0	3		

[Table 25] continued

Application herbicide amount																				
No.	(g / h a)	F	G	H	I	J	K	L	M	N	O	P	Q	R	b	c	d	e	f	g
7-005	320	5	0	0	0	0	2	0	0	0	0	0	0	0	1	0	0	0	0	0
7-006	320	0	0	0	0	0	2	0	0	0	0	0		0	3	0	1	0	0	0
7-007	320	4	4	5	0	5	5	5	0	0	0	0	0	0	4	3	0	0	0	0
7-008	320	5	5	5	3	5	5	5	0	0	0	0		0	5	4	0	1	0	0
7-010	320	5	5	5	2	5	5	5	4	0		0	0	3	5	5	2	4	0	3
7-011	320	5	0	4	0	3	4	3	0	0		0	0	0	5	3	0	0	0	4
7-012	320	5	5	5	0	2	2	0	0	0	0	0	0	0	5	0	0	0	0	0
7-013	320	3	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0
7-014	320	3	2	0	0	0	3	0	0	0		0	0	0	4	0	0	0	0	0
7-015	320	5	5	5	3	5	5	4	0	0		0	0	0	5	5	0	4	0	2
7-016	320	3	2	2	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0
7-017	320	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7-018	320	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7-019	320	3	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7-020	320	3	2	0	0	3	3	0	0	0	0	0	0	0	5	0	0	0	0	0
7-024	320	4	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0
7-027	320	5	5	5	0	5	5	5	0	0	0	0	0	0	5	3	0	2	0	0
7-029	320	0	4	2	0	1	3		0	0	0	0	0	0	1	0	0	0	0	0
8-001	320	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0
8-002	320	3	0	2	0	0	0	0	0	0		0			0	0	0	0	0	0
8-003	320	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0	0	0
9-001	320	4	4	5	0	3	5	4	0	1		0		0	4	0	0	0	0	0
9-002	320	5	5	5	3	5	5	5	0	0	0	0		0	5	3	0	0	0	0
9-003	320	5	5	5	3	5	5	5	0	0	0	0	0	0	5	5	0	4	0	5
9-004	320	5	5	5	2	5	4	5	0	0	0	0	0	0	0	0	0	0	0	0
9-005	320	1	0	0	0	1	4	4	0	0		0		0	1	0	0	0	0	0
9-006	320	5	5	5	4	5	5	5	0	2	0	0	0	4	5	5	0	5	0	3
9-007	320	5	5	3	3	5	5	5	0	0	0	0	0	0	5	0	0	0	0	0
9-008	320	5	5	5	3	5	5	5	4	4	0	0	0	3	5	4	0	5	0	4
9-009	320	5	4	0	0	4	5	4	0	0			0	1	0	0	0	0	0	0
9-010	320	5	5	5	4	5	5	5	0	0	0	0		0	5	1	0	0	0	0
9-011	320	5	5	5	3	5	5	5	3	0	0	0		0	5	5	0	4	0	4
9-012	320	5	5	5	0	5	5	5	0	0	0	0		2	5	2	0	0	0	0
9-013	320	5	5	5	5	5	5	5	3	1		0		4	5	5	0	4	5	4
9-014	320	4	3	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
9-015	320	5	5	5	1	5	5	5	0	0	0	0		0	5	0	0	3	0	0
9-016	320	5	5	5	2	5	5	4	0	0		0		0	5	3	0	0	0	0
9-017	320	4	0	0	0	0	0	0	0	0				0	4	0	0	0	0	0
9-019	320	0	5	0	0	5	3	0	0	0		0		0	5	0	0	0	0	0
9-020	320	4	5	0	0	3	5	4	3	0				0	3	0	0	0	0	0
9-021	320	5	5	5	1	5	5	5	1	0	0	0	0	3	5	3	0	3	0	2
9-022	320	5	5	5	0	0	0	0	0	0	0	0		0	4	1	0	0	0	0
9-023	320	5	5	5	2	3	3	5	0	5	0	0	0	0	5	3	0	3	0	4
9-024	320	5	5	5	3	5	5	5	0	3	0	4	0	4	5	0	0	2	0	0

[Table 25] continued

No.	Application herbicide amount																			
	(g / ha)	F	G	H	I	J	K	L	M	N	O	P	Q	R	b	c	d	e	f	g
9-025	320	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9-027	320	5	5	5	4	5	5	5	0	3	3	3	0	3	5	0	0	2	0	1
9-028	320	5	5	5	3	5	5	5	0	0	0	0	0	0	3	1	0	3	0	4
9-029	320	3	4	3	0	3	4		0	0	0	0	0	0	1	0	0	0	0	0
10-002	320	4	4	4	3	0	4	3	0	0	0	0		0	4	0	0	0	0	0
10-003	320	0	4	5	0	3	4	3	0	0	0	0	0	0	4	0	0	0	0	0
10-004	320	5	5	5	3	5	5	5	0	0	0	0		0	5	5	0	0	0	0
11-002	320	0	1	3	3	3	5	4	0	0	0	0	0	0	4	1	0	0	0	2
12-002	320	4	5	5	4	4	5	3	0	0	0	0	0	0	4	3	0	0	0	1
13-001	320	5		5	2	4	5	5	0	0	0	0	0	0	5	5	0	0	0	0
13-002	320	5	5	5	4	4	5		0	0		0	0	0	5	5	1	3	0	1
13-003	320	5	5	5	1	5	5		4	0	0	0	0	0	5	5	0	0	0	3
13-004	320	5	5	5	3	5	5	5	0	4	0	1	0	3	5	5	1	5	0	4
13-005	320	4	0	1	0	4	5		0	0	0	0	0	0	1	0	0	1	0	0
13-006	320	5	5	5	0	5	5		5	0		0	0	0	5	1	0	4	0	3
14-001	320	5	5	5	5	5	5	5	0	0	0	0	0	0	5	5	0	0	0	0
14-002	320	5	5	5	0	4	5	5	0	0	0	0	0	0	5	1	0	3	0	0

Application herbicide amount																				
No.	(g / h a)	F	G	H	I	J	K	L	M	N	O	P	Q	R	b	c	d	e	f	g
1-001	320	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1-002	320	5	5	5	5	5	5	5	4	5	4	4	4	4	5	5	4	5	5	5
1-003	320	5	5	5	5	5	5	5	4	3	3	2	3	3	5	5	3	5	3	4
1-004	320	5	5	5	5	5	5	5	4	4	3		3	4	5	5	4	5	3	4
1-005	320	5	5	5	5	5	5	5	4	4	3	4	4	3	5	5	4	5	3	4
1-006	320	5	5	5	5	5	5	5	4	3	0	0	0	2	5	3	4	3	0	3
1-007	320	0	0	0	3	3	5	1	0	0	0	0	0	0	0	0	0	0	0	0
1-008	320	5	5	4	4	5	5	4	2	0	0	0	0	0	4	0	2	0	0	3
1-009	320	0	0	0	0	1	4	0	1	0	0	0	0	0	0	0	0	0	0	0
1-010	320	5	5	5	5	5	5	5	4	4	4	4	4	4	5	5	4	5	4	4
1-011	320	3	0	0	0	4	5	5	0	0	0			0	2	0	0	0	0	4
1-012	320	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0
1-013	320	0	0	0	0	4	5	4	0	0	0	0		0	2	0	0	0	0	4
1-014	320	5	5	5	5	5	5	5	5	5	3			3	5	5	5	5	3	4
1-015	320	5	5	5	5	5	5	5	4	4	3	4	4	4	5	5	5	5	3	4
1-016	320	5	5	5	5	5	5	5	4	4	2			4	5	4	4	5	3	4
1-017	320	5	5	5	5	5	5	5	4	4	2			3	5	4	4	5	2	4
1-018	320	5	5	5	5	5	5	5	3	0		4	4	4	5	5	3	5	4	4
1-019	320	5	5	5	5	5	5	5	4	2		4	4	4	5	5	3	5	4	4
1-020	320	5	5	5	4	5	5	5	3				4	4	5	1	0	5	3	4
1-021	320	1	1	3	0	3	4	4	0	0			0	0	3	0	0	0	0	2
1-022	320	5	5	5	5	5	5	5	1	1	3	3	4	3	5	3	3	5	0	4
1-023	320	2	1	4	1	4	4	4	0	0	0	0	2	0	4	1	0	0	0	2
1-024	320	5	5	5	5	5	5	5	1	0	1	3	3		5	5	2	5	0	4
1-025	320	5	4	4	5	5	5	5	1	0	4	4	4	3	4	3	3	4	0	4
1-026	320	5	5	4	1	5	5	5	0	0	3	1			5	3	0	2		4
1-027	320	5	5	5	5	5	5	5	2	0	1	1	3		5	5	3	4	0	4
1-028	320	5	5	5	4	5	5	5	3	0	3	3	3		5	4	2	3	0	4
1-029	320	5	5	5	5	5	5	5	1	0	3	3	3	1	5	3	1	5	0	4
1-030	320	4	5	4	3	4	5	4	0	0	0	0	0	0	5	1	0	0	0	3
1-031	320	1	1	1	3	3	4	0	0	0	0	0	0		3	0	0	0	0	3
1-032	320	5	5	5	5	5	5	5	4	3	3	4	4		5	5	4	5	3	4
1-033	320	5	5	5	5	5	5	5	4	4		3	1	2	5	4	4	5	3	4
1-034	320	5	5	5	5	5	5	5	4	3	5				5	4	4	5	4	5
1-035	320	5	5	5	5	5	5	5	4	3					5	4	4	5	2	4
1-036	320	5	5	5	5	5	5	5	4	4	2		0		5	4	4	5	3	4
1-037	320	0	0	0	0	0	0	0	0	0	0		0		0	0	0	0	0	0
1-038	320	5	5	5	5	5	5	5	4	2	0	0	0	1	5	4	4	4	1	4
1-039	320	5	5	5	5	5	5	5	4	4		3			5	4	4	5	3	4
1-040	320	4	4	5	4	5	5	5	1	0	0	0		0	5	3	0	0	0	4
1-041	320	5	5	5	5	5	5	5	4	3	3	3	3	3	5	5	4	5	1	4
1-042	320	5	5	5	5	5	5	5	3	0	0	0	0	1	5	4	3	5	1	4
1-043	320	5	5	5	5	5	5	5	4	3	2	4	3	2	5	5	4	5	3	4
1-044	320	5	5	5	5	5	5	5	4	2		0	0	0	5	4	4	5	2	4
1-045	320	4	5	5	5	5	5	5	0	0	0	0	0	0	5	3	1	0	0	2

[Table 26] continued

No.	Application herbicide amount																				
	(g / h a)	F	G	H	I	J	K	L	M	N	O	P	Q	R	b	c	d	e	f	g	
1-046	320	4	5	5	5	5	5	5	3	2	2	2	0	4	5	5	3	4	0	4	
1-047	320	1	1	3	0	3	4	1	0	0	0	0	0	0	4	0	0	0	0	3	
1-048	320	4	4	5	4	5	5	5	3	1	3	3	1	3	5	4	0	0	1	3	
1-049	320	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1-050	320	3	5	5	3	4	5	3	3	0	0	0	0	0	5	0	0	0	0	4	
1-051	320	5	5	5	5	5	5	5	4	1	0	3		0	5	5	4	5	0	4	
1-052	320	5	5	5	5	5	5	5	3	0	1	0		3	5	4	4	5	0	4	
1-053	320	3	3	4	2	4	5	3	0	0	1	0		2	5	3	3	0	0	4	
1-054	320	2	3	4	3	4	5	3	0	0	0	0	0	0	4	0	0	0	0	3	
1-055	320	3	3	4	4	4	5	5	0	0	1	0			5	3	2	0	0	3	
1-056	320	5	5	5	5	5	5	5	4	2	1	0			5	4	4	5	0	4	
1-057	320	3	3	4	2	3	5	1	1	0	0	0		0	3	0	3	0	1	4	
1-058	320	5	5	5	5	5	5	5	4	1	0	0			5	4	3	5	0	4	
1-059	320	1	4	4	4	4	5	4	0	0	0	0		0	4	4	0	0	0	3	
1-060	320	5	5	5	5	5	5	5	3	0	3	3		3	5	4	4	5	0	4	
1-062	320	1	4	4	4	5	5	5	0	0	0	0	0	0	5	4	0	0	0	3	
1-063	320	1	5	5	5	5	5	5	2	0	0	0		4	5	5	3	4	0	4	
1-064	320	5	5	5	5	5	5	5	4	2	0	1		3	5	5	4	5	1	4	
1-065	320	5	5	5	5	5	5	5	4	2	2	0		3	5	5	4	5	0	4	
1-066	320	4	5	5	4	5	5	4	1	0	1	0		3	5	4	0	0	0	3	
1-067	320	5	5	5	5	5	5	5	5	4	2	3	2	3	5	5	4	5	1	4	
1-068	320	5	5	5	5	5	5	5	5	4	1	3		3	5	5	4	5	3	4	
1-069	320	5	5	5	5	5	5	5	5	5	2	3		3	5	5	4	5	1	4	
1-070	320	1	5	3	5	5	5	4	0	0	1	0	2	2	5	4	0	0	0	3	
1-071	320	5	5	5	5	5	5	5	4	0	1	0	2	1	5	5	4	5	0	4	
1-072	320	5	5	5	5	5	5	5	5	5	1	2	2	3	5	5	2	5	1	4	
1-073	320	5	5	5	5	5	5	5	4	2		2		3	5	4	3	5	1	4	
1-074	320	5	5	5	5	5	5	5	3	0	2	1	1		5	5	4	5	0	4	
1-075	320	5	5	5	5	5	5	5	4	4		1	0	0	5	4	1	5			
1-076	192	5	5	5	5	5	5	5	4	0		3		3	5	4	4	5	0	4	
1-078	320	1	5	5	1	4	5	3	0	0		0	0	0	5	3	0	0	0	3	
1-079	320	5	5	5	5	5	5	5	4	0	0	1		3	5	5	4	4	0	5	
1-080	320	5	5	5	5	5	5	5	4	0	3	0		1	5	5	4	4	0	4	
1-081	320	5	5	5	5	5	5	5	4	5	3	0	0	0	5	5	5	4	0	5	
1-082	320	5	5	5	5	5	5	5	4	0	1	0	0	0	5	5	4	5	0	4	
1-083	320	5	5	5	5	5	5	5	4	4	0	4	0	0	5	5	4	5	0	4	
1-085	320	3	5	5	3	3	3	3	0	0	0	0	0	0	4	5	0	3	0	1	
1-086	320	0	3	5	4	4	5	4	0	0	0	0	0	2	4	3	0	0	0	3	
1-087	320	5	5	5	5	5	5	5	5	4	0	3	4	3	5	5	3	5	4	4	
1-088	320	5	5	5	5	5	5	5	4	1	2	3	0	3	5	5	3	5	0	4	
1-089	320	5	5	5	5	5	5	5	4	2	1	0	0	3	5	5	2	5	0	4	
1-090	320	5	5	5	5	5	5	5	4	1	2	3	0	3	5	5	3	5	0	4	
1-091	320	5	5	5	5	5	5	5	4	3	0	0		1	5	5	1	5	0	4	
1-092	320	5	5	5	2	4	5	5	3	3	0	0		0	5	5	0	4	0	4	

[Table 26] continued

Application herbicide amount																				
No.	(g / h a)	F	G	H	I	J	K	L	M	N	O	P	Q	R	b	c	d	e	f	g
1-093	320	5	5	5	5	5	5	5	4	4	0	2	0	3	5	5	3	5	0	4
1-094	320	5	5	5	5	5	5	5	4	2	0	3	0	3	5	5	2	5	0	4
1-095	320	5	5	5	5	5	5	5	4	3	0	2		3	5	5	2	5	0	4
1-096	320	5	5	5	5	5	5	5	4	2	2	2		3	5	5	3	5	0	4
1-097	320	5	5	5	3	5	5	4	3		1	0		3	5	5	3	2		3
1-098	320	5	5	5	5	5	5	5	4	0	0	3	0	3	5	5	3	5	1	5
1-099	320	5	5	5	5	5	5	5	4	0	3	3	3	3	5	5	4	5	1	5
1-100	320	5	5	5	5	5	5	5	4	0	1	0		3	5	5	3	5	0	5
1-101	320	5	5	5	5	5	5	5	5	5	3	3	0	3	5	5	3	5	0	5
1-102	320	5	5	5	5	5	5	5	0	0	3	0	0	2	5	5	0	4	0	2
1-103	320	5	5	5	5	5	5	5	4	0	2	2		3	5	5	3	5	0	4
1-104	320	5	5	5	5	5	5	5	3	0	2	1		1	5	4	1	0	0	4
1-105	320	5	5	5	5	5	5	5	1	0	2	1	2	3	5	4	1	5	0	4
1-106	320	5	5	5	5	5	5	5	1	5	2	2	0	1	5	5	0	4	0	3
1-107	320	4	5	5	5	5	5	5	1	0	0	0		0	5	2	3	2	0	4
1-108	320	5	5	5	5	5	5	5	4	5	0	3		1	5	5	3	3	1	4
1-109	320	5	5	5	5	5	5	5	3	0	3	3		3	5	5	0	5	0	4
1-110	320	5	5	5	5	5	5	5	0	0	2	3	3	3	5	5	0	5	0	5
1-111	320	5	5	5	5	5	5	5	1	0	1	3	2	1	5	5	3	5	0	5
1-112	320	5	4	5	5	5	5	5	1	0	3	1	3	3	5	4	0	5	0	4
1-113	320	5	4	4	4	4	5	5	1	0	2	3	0	4	4	0	0	3	0	5
1-114	320	5	5	5	5	4	5	5	1	1	3	3	0	2	5	1	0	4	0	4
1-115	320	2	1	1	2	3	3	4	0	0	0	1	0	1	1	0	0	0	0	5
1-116	320	5	5	5	4	5	5	5	1	0	3	2	1	3	4	5	3	3	0	5
1-117	320	5	5	5	5	5	5	5	1	1	0	3	0	3	5	3	0	5	0	5
1-118	320	0	0	2	3	4	5	3	0	0	3	3	3	3	4	4	0	0	0	4
1-119	320	5	5	5	5	5	5	5	1	0	3	1	0	3	5	2	0	4	0	5
1-120	320	3	4	5	4	3	5	3	0	0	4	4	5	3	1	1	2	0	0	5
1-121	320	5	5	5	5	5	5	5	3	0	3	2	0	3	5	5	2	3	0	5
1-122	320	4	5	5	5	5	5	5	4	1	0	1	0	0	5	5	4	4	0	5
1-123	320	5	5	5	5	5	5	5	4	0	0	3	0	4	5	5	2	5	0	5
1-124	320	0	2	5	2	3	4	3	0	0	3	2	0	0	3	4	0	3	0	4
1-125	320	5	5	5	5	5	5	5	0	0	1	2	3	2	5	3	0	5	0	3
1-126	320	3	4	4	3	5	5	3	0	0		0	0	0	4	0	0	0	0	4
1-127	320	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
1-130	320	4	5	5	5	5	5	5	0	0		0	0	0	5	1	1	2	0	5
1-131	320	0	5	4	4	5	5	5	0	0	0	0	0	4	4	3	0	2	0	5
1-132	320	0	0	0	1	2	3	1	0	0	0	0	0	0	1	0	0	0	0	3
1-133	320	0	4	4	3	4	5	2	0	0	0	3	0	3	1	0	3	0	3	4
1-134	320	5	5	5	5	5	5	5	2	1	4	2	4	1	5	5	2	5	0	4
1-135	320	5	5	5	5	5	5	5	3	0	5	1	0	3	5	4	1	2	0	4
1-136	320	5	5	5	4	5	5	5	3		0	1	4	2	5	3	1	3	0	4
1-137	320	5	5	5	5	5	5	5	4		3	0	0	2	5	3	0	3	0	4
1-138	320	5	5	5	5	5	5	5	3	0	0	1	3	3	5	2	0	3	0	4

[Table 26] continued

Application herbicide amount																				
No.	(g/ha)	F	G	H	I	J	K	L	M	N	O	P	Q	R	b	c	d	e	f	g
1-139	320	5	5	5	5	5	5	5	2	0	1	3	3	2	5	5	1	5	0	4
1-140	320	5	5	5	5	5	5	5	4	3	2	3	2	3	5	4	3	5	3	5
1-142	320	5	5	5	5	5	5	5	4	0	2	3	3	3	5	5	3	4	3	4
1-143	320	5	5	5	5	5	5	5	1	1	0	0	0	0	2	3	1	3	0	4
1-144	320	5	5	5	5	5	5	5	4	1	0	2	2	3	5	5	3	4	2	4
1-145	320	5	5	5	5	5	5	5	3	0	1	2	2	3	5	5	2	5	2	4
1-146	320	5	5	5	5	5	5	5	5	0	2	3	3	3	5	5	4	5	4	5
1-147	320	5	5	5	5	5	5	5	4	1	1	3	4	4	5	5	3	5	3	4
1-148	320	5	5	5	5	5	5	5	4	2	1	3	3	3	5	4	3	5	3	5
1-149	320	5	5	5	5	5	5	5	4	0	2	3	3	2	5	4	2	5	2	4
1-150	320	5	4	5	5	5	5	5	3	0	0	0	0	0	5	4	0	4	0	4
1-151	320	5	5	5	5	5	5	5	3	0	0	0	0	1	4	4	2	3	2	4
1-152	320	5	5	5	4	5	5	5	4	3	0	0	0	0	5	2	1	3	0	4
1-153	320	5	5	5	5	5	5	5	4	4	0	0	3	0	5	3	1	5	0	4
1-154	320	5	5	5	5	5	5	5	4	3	1	2	3	3	5	3	3	5	1	4
1-155	320	5	5	5	5	5	5	5	4	2	0	2	0	3	5	4	3	5	2	4
1-156	320	5	5	5	5	5	5	5	4	3	2	3	3	4	5	4	3	5	3	4
1-158	320	0	0	1	3	1	4	0	0	0	0	0	0	0	1	0	0	0	0	2
1-159	320	5	1	4	5	5	5	5	4	3	0	0	0	0	3	0	1	2	2	4
1-160	320	5	5	5	5	5	5	5	4	0	2	3	4	3	5	4	2	5	5	5
1-161	320	4	0	4	4	5	5	5	0	0	0	0	0	0	3	1	0	2	0	3
1-162	320	5	5	5	5	5	5	5	4	1	4	4	4	3	5	4	2	5	3	4
1-163	320	5	5	5	5	5	5	5	4	3	3	3	3	3	5	4	2	5	4	5
1-166	320	1	1	4	5	4	5	5	3	0	0	0	0	0	3	1	1	1	0	4
2-001	102	5	4	5	4	5	5	4	1	2	3	3	3	2	4	3	0	0	1	4
2-002	320	4	4	3	1	4	5	2	0	0	3	2	2	1	4	0	0	0	0	3
2-003	320	4	5	5	5	5	5	4	1	0	0	0	0	3	5	3	0	0	0	3
2-005	269	3	4	5	3	5	5	3	0	0	0	0	0	0	5	3	0	0	2	4
2-006	320	3	3	4	3	4	5	3	0	0	0	0	0	0	4	0	0	0	0	0
2-007	320	1	0	1	0	4	4	3	0	0	0	2	0		3	1	0	0	0	1
2-008	320	2	3	3	0	3	4	0	0	1	0	0	0		4	1	1	0	0	3
2-009	320	0	0	3	0	1	1	0	0	0	0	0	0	0	4	0	0	0	0	0
2-010	320	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2-011	320	0	0	2	0	1	2	0	0	0	0	0	0	0	3	0	0	0	0	0
2-012	320	0	0	1	0	1	3	0	0	0	0	0	0	0	4	0	0	0	0	0
2-013	320	4	5	5	3	5	5	4	0	0	1	1	1	2	5	4	0	0	0	4
2-014	320	3	5	5	4	5	5	4	3	0	0	0	0	3	5	3	0	0	0	4
2-015	320	5	5	5	4	5	5	3	1	0	0	0	0	0	5	4	1	0	0	4
2-016	320	5	5	5	4	5	5	4	4	3	0	0	0	0	5	4	3	0	0	4
2-017	320	5	5	5	4	4	5	3	1	0		0		0	5	2	0	0	0	4
2-018	320	1	1	1	0	1	4	1	0	0			0	0	2	0	0	0	0	0
2-020	320	3	5	4	0	4	5	0	0	0	0	0		0	4	1	0	0	0	0
2-021	320	4	4	4	3	5	5	0	0	0	0	0	0	0	4	3	0	0	0	3
2-022	320	0	0	1	0	3	5	2	0	0	0	0		0	5	3	0	0	0	1

[Table 26] continued

Application herbicide amount																				
No.	(g / ha)	F	G	H	I	J	K	L	M	N	O	P	Q	R	b	c	d	e	f	g
2-023	320	0	0	1	0	0	1	0	0	0	0	0		0	3	0	0	0	0	0
2-024	320	4	5	5	2	4	5	2	0	0	0	0		2	5	3	0	0	0	3
2-025	320	4	5	4	0	4	5	3	0	0	0	0	0	0	4	1	0	0	0	3
2-026	320	4	5	4	4	4	5	3	0	0	0	0	0	0	5	2	0	0	0	3
2-027	320	0	5	3	1	2	4	0	0	0		0	0	0	4	1	0	0	0	1
2-028	320	2	5	5	0	4	5	1	0	0	0	0	0	0	5	4	0	0	0	3
2-029	320	0	0	0	2	0	1	0	0	0	0	0	0	0	2	0	0	0	0	0
2-030	320	4	5	4	1	3	5	2	0	0	0	0	0	1	5	2	0	0	0	3
2-031	320	5	5	5	5	5	5	4	0	0	0	0	0	4	5	5	0	0	0	4
2-032	320	2	5	5	3	4	5	5	0	0	0	0	0	0	5	1	0	1	0	4
3-001	320	4	3	4	2	3	4	3	0	0	0	0		0	4	2	0	0	0	0
3-002	320	0	2	1	0	0	1	0	0	0	0	0	0	0	3	0	0	0	0	0
4-001	320	3	1	2	4	5	5	2	0	0	0		0		4	1	0	0	0	
5-001	320	4	3	3	4	5	5	4	0	0		0	0	0	4	2	0	0		0
5-002	320	0	0	0	0	0	0	0	0	0	0		0		0	0	0	0	0	
6-001	320	5	5	5	5	5	5	5	0	0	0		0	0	5	5	0	5	0	2
6-002	320	5	5	5	5	5	5	5	1	0	0		0	0	5	5	0	0	0	0
6-003	320	5	5	5	5	5	5	5	3	0	1	2	3	0	5	5	3	0	0	4
6-004	320	5	5	5	4	5	5	5	3	2	3		3	3	5	4	1	0		4
6-005	320	5	5	5	5	5	5	5	5	4	3		3		5	5	4	4	0	0
6-006	320	3	3	4	1	5	4	3	0	0	0		0		4	1	0	5		4
6-007	320	5	5	5	3	5	5	4	1	0	0		0		5	5	2	5	0	
6-008	320	0	5	5	0	5	3	3	0	0	0	0	0		3	3	1	4	0	0
6-009	320	5	5	5	4	5	5	5	3	0	2		0		5	5	3	5	2	4
6-010	320	5	5	5	3	5	4	5	0	0	3	0	0		5	4	3	4	0	0
6-015	320	5	5	5	4	5	5	5	2	2	4	3	2		5	5	3	0	0	4
6-016	320	5	5	5	4	4	5	5	0	0	3	0		3	5	5	0	0	0	1
6-017	320	5	5	5	5	5	5	5	0	0	4	1	0	3	5	5	0	1	0	3
6-018	320	5	5	5	4	5	5	5	0	0	3	3		4	5	5	3	2	1	3
6-023	320	5	5	5	5	5	5	4	0	0		0	0	1	5	3	0	3		3
6-024	320	0	3	1	1	3	5	1	0	0	0	0	0	0	0	0	0	0	0	3
6-025	320	4	5	5	5	5	5	5	0	0	0	0	0	0	5	4	0	1	0	3
6-026	320	5	5	5	5	5	5	3	0	0	0	0	0	1	5	5	0	3	0	3
6-027	320	3	4	4	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
6-029	320	5	5	5	5	5	5	5	4	5	4	3	5	4	5	5	0	5	0	4
6-030	320	4	4	1	0	1	1	0	0	0	0	0	0	0	1	0	0	0	0	3
6-031	320	5	5	5	5	5	5	4	2	0	3	0		1	5	4	0	0	0	3
6-032	320	4	3	4	0	0	0	0	0	0		0		0	0	0	0	0	0	0
6-033	320	0	0	1	3	0	5	0	0	0	0	0		0	3	3	0	0	0	1
6-034	320	5	5	5	5	5	4	5	3	3	3	3	5	3	5	5	0	0	0	4
6-035	320	5	5	5	5	5	5	5	4	5	3	3	4	4	5	5	2	4	0	4
6-036	320	4	4	5	3	3	5	3	0	0	0	1	0	3	4	4	0	0	0	3
6-037	320	5	5	5	5	5	5	5	5	5	3	4		3	5	5	4	5	3	5
6-038	320	5	5	5	5	5	5	5	5	5	3	4	0	3	5	5	4	3	0	5

[Table 26] continued

Application herbicide amount																					
No. .	(g / h a)	F	G	H	I	J	K	L	M	N	O	P	Q	R	b	c	d	e	f	g	
6-049	320	5	5	5	0	5	5	5	3	4	5	5	5	5	5	5	2	5	4	5	
6-050	320	4	2	4	3	5	5	4	0	0	3	3	3	3	5	4	0	0	2	5	
6-051	320	5	5	5	4	5	5	5	1	3	5	4	4	4	5	5	1	4	3	5	
6-052	320	5	5	5	2	4	5	4	0	0	0	0	0	0	5	3	0	0	0	3	
6-053	320	5	5	5	3	3	5	4	0	0	0	0	0	0	3	2	0	0	0	3	
6-054	320	4	5	5	3	5	4	5	0	0	4	0	0	0	3	4	0	0	0	1	
6-055	320	5	5	5	5	5	5	5	1	0	3	4	3	4	5	5	3	3	0	5	
6-056	320	5	5	4	3	3	4	3	0	0	3	0		0	2	1	0	0	0	3	
6-057	320	5	5	5	5	5	5	5	1	1	4	4	3	4	5	5	3	5	0	5	
6-058	320	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	2	5	5	5	
6-059	320	5	5	5	5	5	5	5	5	5	5	4	4	5	5	5	0	5	0	5	
6-060	320	5	4	5	5	5	5	5	5	4	4	4	4	4	5	5	1	4	2	5	
6-061	320	5	5	5	5	5	5	5	4	1	4	3	3	4	5	5	3	5	3	4	
6-062	320	5	5	5	5	5	4	5	3	1		3	5	5	5	5	0	5	0	4	
6-063	320	5	5	5	5	3	5	5	2	0		0	3	0	3	5	0	4	0	4	
6-064	320	5	5	5	5	3	5	5	4			0		4	5	5	0	5	0	3	
6-065	320	5	5	5	5	5	5	5	2	0	1	3	3	3	5	5	1	5	3	4	
6-066	320	5	5	5	5	5	5	5	3	3	4	3	4	4	5	5	3	5	0	4	
6-068	320	0	3	3	0	0	0	0	0	0	0	2	0	0	1	4	0	0	0	2	
6-071	320	0	0	0	0	3	4	2	0	0	0	0	0	0	1	0	0	2	0	0	
6-072	320	0	4	1	3	0	2	0	0	0	0	0	0	0	2	3	0	0	0	0	
6-073	320	5	5	5	5	5	5	3	0	0	3	2	3	3	5	4	0	3	0	4	
6-074	320	0	4	3	1	0	2	0	0	0	0	0	0	0	2	0	0	0	0	0	
6-075	320	1	0	2	5	5	5	5	0	0	0	0	0	0	4	4	0	2	0	3	
6-076	320	5	5	5	5	5	5	5	5	1	2	2	3	2	5	5	1	5	0	4	
6-077	320	5	5	5	5	5	5	5	5	1	4	4	4	4	5	5	2	5	4	5	
6-078	320	5	5	5	5	5	4	5	4	0	1	3		3		5	0	5	0	4	
6-079	320	5	5	5	5	5	5	5	4	0	3	3	4	3	5	5	1	5	0	4	
6-080	320	5	5	5	5	5	5	5	4	0	0	0	4	4	5	5	1	5	0	3	
6-081	320	4	0	4	5	3	4	5	0	0	0	0	0	0	0	5	0	3	0	3	
6-082	320	5	5	5	5	5	5	5	4	1		1	4	4	5	5	0	5	0	4	
6-083	320	5	5	5	5	5	4	5	5	3	5	1		4	5	5	0	4	3	4	
6-084	320	5	5	5	5	5	5	5	3	3	4	3	3	4	5	0	5	4	0	4	
6-085	320	5	5	5	5	5	5	5	4	3	5	3	4	4	5	3	5	5	4	5	
6-086	320	5	5	5	5	5	5	5	3	0	5	4		5	5	3	5	5	3	4	
6-087	320	5	5	5	0	4	4	3	0	0	0	1		4	1	0	3	1	0	4	
6-088	320	5	5	5	5	5	5	5	3	0	5	4	4	5	5	2	5	4	0	4	
6-089	320				5	5	4	5			4	4	3	4				4	0	4	
6-090	320	5	5	4	4	3	4	2	0	0	0	0	0	0	1	2	0	0	0	4	
6-091	320	5	5	5	5	5	5	5	4	2	3	4	3	4	5	5	4	5	3	5	
6-092	320	5	5	4	5	5	5	3	0	0	5	3	4	4	4	2	1	0	0	4	
6-093	320	5	5	5	5	5	5	5	3	3	5	4	5	5	4	5	2	5	3	4	
6-094	320	5	5	5	5	5	5	5	4	0	5	3	5	4	5	5	4	4		4	
6-095	320	5	5	5	5	5	5	5	4	0	5	1	0	3	5	5	3	4	0	4	

Application herbicide amount																				
No.	(g/ha)	F	G	H	I	J	K	L	M	N	O	P	Q	R	b	c	d	e	f	g
6-096	320				5	4	5	3			1	1	0	3				3	0	4
6-098	320	3	3	2	1	3	5	4	0	0	0	0	0	0	2	1	0	2	0	0
6-099	320	5	5	5	5	5	5	5	3	4	5	4	5	5	5	5	4	5	4	5
6-100	320	5	5	5	5	5	5	5	3	4	4	3	4	3	5	5	3	5	0	5
6-103	320	5	5	5	5	5	5	5	2	0	0	1	0	2	5	5	0	5	0	4
6-104	320	5	5	5	5	5	5	5	5	5	4	4	4	4	5	5	3	5	4	4
6-105	320	5	5	5	2	2	4	2	0	0	0	0	3	3	3	3	0	0	0	4
6-106	320	5	5	5	3	5	5	5	0	0	0	3	3	3	3	5	1	3	0	5
6-107	320	5	5	5	5	5	5	5	3	2	4	2	5	4	5	5	1	5	2	4
6-108	320	5	5	5	5	5	5	5	5	5	2	3	3	2	5	5	3	3	0	5
6-109	320	5	5	5	5	5	5	5	4	4	0	0	0	1	5	5	2	4	0	4
6-110	320	5	5	5	5	5	5	5	4	0	0	1	3	2	5	5	2	4	0	4
6-111	320	5	5	5	5	5	5	5	2	2	0	1	0	2	5	5	1	4	0	4
6-112	320	5	5	5	5	5	5	5	4	1	0	1	0	1	5	5	3	4	0	4
6-113	320	5	5	5	5	5	5	5	0	0	2	0	0	0	5	5	0	5	0	4
7-001	320	5	3	4	3	3	5	3	0	0				0	1	2	0	0	0	0
7-002	320	5	3	5	4	4	5	3	0	0	0	0	0	0	5	3	0	0	0	0
7-003	320	5	5	5	5	5	5	5	0	0	0	0	0	0	5	5	2	0	0	0
7-004	320	5	4	5	2	5	5	5	0	0	2	0	0		5	5	4	0	0	3
7-005	320	5	4	5	2	2	5	4	0	0	3	1	0	0	4	4	0	0	0	0
7-006	320	5	5	5	3	3	5	4	0	0	3	0	0	0	5	4	0	0	0	3
7-007	320	5	5	5	4	5	5	5	0	0	2	0		0	5	5	0	2	0	0
7-008	320	5	5	5	5	5	5	5	1	0	2	1		3	5	5	0	4	0	3
7-010	320	5	5	5	4	5	5	5	3	1	2	0	0	4	5	5	3	5	0	4
7-011	320	4	3	5	3	4	5	3	4	5	3	3	0	1	5	2	0	0	0	4
7-012	320	5	5	5	1	3	5	0	0	0	3	3		2	5	3	2	1	0	3
7-013	320	4	2	1	1	3	3	0	0	5	0	0		0	1	0	0	0	0	1
7-014	320	5	0	5	1	0	5	0	0	0	0	0		0	3	3	0	0	0	1
7-015	320	5	5	5	5	5	5	5	2	0	3	1		4	5	5	0	5	0	5
7-016	320	0	1	1	0	0</														

[Table 26] continued


Application herbicide amount																				
No.	(g/ha)	F	G	H	I	J	K	L	M	N	O	P	Q	R	b	c	d	e	f	g
9-001	320	4	4	5	5	3	5	3	0	0	0	0		0	3	4	0	0	0	2
9-002	320	5	5	5	5	5	5	5	4	3	0	0		1	5	5	0	3	0	4
9-003	320	5	5	5	4	5	5	5	4	0	3	3	0	4	5	5	4	4	1	4
9-004	320	5	5	5	5	5	5	4	0		1	2		0	5	5	0	3	0	3
9-005	320	4	4	5	5	4	5	5	0	0	0	0	0	0	4	3	0	0	0	3
9-006	320	5	5	5	4	5	5	5	0	0	2	3	0	4	5	5	0	5	0	4
9-007	320	5	5	5	5	5	5	5	0	0	3	3	1	4	5	5	0	4	0	4
9-008	320	5	5	5	4	5	5	5	4	0	3	4	2	4	5	5	3	5	0	4
9-009	320	4	5	5	5	4	5	5	0	0	0	0		0	5	3	0	0	0	3
9-010	320	5	5	5	4	5	5	5	0	3	3	3	3	3	5	3	2	0	0	3
9-011	320	5	5	5	5	5	5	5	2	2	1	0	1	3	5	5	2	5	0	4
9-012	320	5	5	5	5	5	5	5	1	4	2	4	4	3	5	5	1	2	0	3
9-013	320	5	5	5	5	5	5	5	4	0	3	2		4	5	5	0	4	4	4
9-014	320	5	5	5	4	4	4	3	0	0	0	0	0	2	5	5	0	1	0	2
9-015	320	5	5	5	4	5	5	5	0	0	3	3	2	4	5	5	0	3	0	5
9-016	320	5	5	5	5	5	5	5	0	0	2	3	2	1	5	5	3	3	0	3
9-017	320	4	5	5	4	3	5	3	0	0	0	0	0	0	5	5	0	3	0	3
9-018	320	0	3	3	3	1	1	0	0	0	0	1	0	0	3	3	0	0	0	0
9-019	320	4	5	5	4	4	5	1	0	0	0	0	0	0	3	5	0	0	0	1
9-020	320	5	5	5	5	5	5	4	4	5	3	3		3	5	5	1	2	0	4
9-021	320	5	5	5	4	5	5	5	2	2	3	1		4	5	5	1	4	0	4
9-022	320	5	5	5	0	2	2	2	0	0	0	0	0	0	5	2	0	0	0	0
9-023	320	5	5	5	4	5	5	5	0	0	3	3	0	3	5	5	0	1	0	5
9-024	320	5	5	5	5	5	5	5	3	1	4	4	4	4	5	5	0	3	0	4
9-025	320	5	4	1	3	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0
9-026	320	5	4	0	3	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0
9-027	320	5	5	5	5	5	5	5	0	0	2	3	3	2	5	5	0	4	0	4
9-028	320	5	5	5	4	5	5	5	1	4	2	3	4	4	5	5	1	4	3	4
9-029	320	3	3	3	5	4	5	4	0	0	0	0	0	0	3	4	0	4	0	4
10-001	320	3	2	4	1	1	3	0	0	0	0	0	0	0	2	1	0	0	0	0
10-002	320	5	5	5	5	4	5	4	0	0	0	0		0	4	5	0	0	0	0
10-003	320	3	5	5	3	3	4	3	0	0	0	0	0	0	4	2	0	0	0	0
10-004	320	5	5	5	5	5	5	5	3	0	0	0		3	5	5	0	4	0	4
11-002	320	4	4	5	5	5	5	5	0	0	0	0	0	0	5	2	1	2	0	4
12-002	320	5	5	5	5	5	5	5	1	0	2	4	4	4	5	5	1	2	3	5
13-001	320	5	5	5	5	5	5	5	1	0	0	0	0	0	5	5	0	5	0	4
13-002	320	5	5	5	5	5	5	5	2	0	5	3	4	4	5	5	2	5	3	4
13-003	320	5	5	5	5	5	5	5	4	0	0	1	3	1	5	5	3	5	0	4
13-004	320	5	5	5	5	5	5	5	1	0	4	2	4	3	5	5	1	5	0	4
13-005	320	5	5	5	5	5	5	5	0	0	0	0	0	0	5	4	0	5	0	3
13-006	320	5	5	5	5	5	5	5	4	3	2	3		2	5	5	2	5	3	4
14-001	320	5	5	5	5	5	5	5	4	0	0	0	0	2	5	5	2	4	0	4
14-002	320	5	5	5	5	5	5	5	4	0	0	0	0	0	4	5	1	3	0	4

INDUSTRIAL APPLICABILITY


[0277] The ketone or oxime compound of the present invention is a novel compound and is useful as herbicides for rice, corn, soybean, wheat, beet, and rapeseed.

CLAIMS

1. A ketone or oxime compound or a salt thereof of Formula (1):



[wherein B is a ring of any one of B-1, B-2, or B-3;



Q is an oxygen atom, a sulfur atom, or NOR⁷;

A is a hydrogen atom, C₁₋₆ alkyl, (C₁₋₆) alkyl arbitrarily substituted with R⁵, C₃₋₈ cycloalkyl, (C₃₋₈) cycloalkyl arbitrarily substituted with R⁵, C₂₋₆ alkenyl, C₃₋₈ cycloalkenyl, (C₃₋₈) cycloalkenyl arbitrarily substituted with R⁵, (C₂₋₆) alkenyl arbitrarily substituted with R⁵, C₂₋₆ alkynyl, (C₂₋₆) alkynyl arbitrarily substituted with R⁵, -S(O)₂R¹, -C(O)OR¹, -C(S)OR¹, -C(O)SR¹, -C(S)SR¹, -C(O)R², -C(S)R², -C(O)N(R⁴)R³, -C(S)N(R⁴)R³, -S(O)₂N(R⁴)R³, -P(O)(OR¹)₂, or -P(S)(OR¹)₂;

R¹ is C₁₋₈ alkyl, (C₁₋₆) alkyl arbitrarily substituted with R⁵, C₃₋₈ cycloalkyl, (C₃₋₈) cycloalkyl arbitrarily substituted with R⁵, C₂₋₆ alkenyl, (C₂₋₆) alkenyl arbitrarily substituted with R⁵, C₃₋₈ cycloalkenyl, (C₃₋₈) cycloalkenyl arbitrarily substituted with R⁵, C₂₋₆ alkynyl, (C₂₋₆) alkynyl arbitrarily substituted with R⁵, phenyl, or phenyl substituted with (Z)²_{q2};

R^2 is a hydrogen atom, C_{1-8} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^5 , C_{3-8} cycloalkyl, (C_{3-8}) cycloalkyl arbitrarily substituted with R^5 , C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^5 , C_{3-8} cycloalkenyl, (C_{3-8}) cycloalkenyl arbitrarily substituted with R^5 , C_{2-6} alkynyl, (C_{2-6}) alkynyl arbitrarily substituted with R^5 , $-C(=NOR^{31})R^{32}$, phenyl, phenyl substituted with $(Z^2)_{q2}$, naphthyl, naphthyl substituted with $(Z^2)_{q2}$, D1-1 to D1-42, D1-81, or D1-84;

R^3 and R^4 are each independently a hydrogen atom, C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^5 , C_{3-8} cycloalkyl, (C_{3-8}) cycloalkyl arbitrarily substituted with R^5 , C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^5 , C_{3-8} cycloalkenyl, (C_{3-8}) cycloalkenyl arbitrarily substituted with R^5 , C_{2-6} alkynyl, (C_{2-6}) alkynyl arbitrarily substituted with R^5 , phenyl, phenyl substituted with $(Z^2)_{q2}$, D1-32, D1-33 or D1-34, or R^3 optionally forms a 3- to 8-membered ring together with a nitrogen atom to which R^3 and R^4 are bonded by forming a C_{2-7} alkylene chain or a C_{2-7} alkenylene chain together with R^4 , and at this time, the alkylene chain or the alkenylene chain optionally contains one oxygen atom, sulfur atom, or nitrogen atom and optionally substituted with C_{1-6} alkyl, oxo, or thioxo;

R^5 is a halogen atom, cyano, nitro, C_{3-8} cycloalkyl, $-OR^{31}$, $-S(O)_{r2}R^{31}$, $-C(O)OR^{31}$, $-C(O)R^{32}$, $-N(R^{34})R^{33}$, $-Si(R^{32a})(R^{32b})R^{32c}$, phenyl, phenyl substituted with $(Z^2)_{q2}$, D1-1, D1-32, D1-33, or D1-34, or when two R^5 s are substituents on a same carbon, the two R^5 s optionally form oxo, thioxo, imino, C_{1-6} alkylimino, C_{1-6} alkoxyimino, or C_{1-6} alkylidene, together with each other;

R^6 is a hydrogen atom, C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{15} , C_{3-8} cycloalkyl, (C_{3-8}) cycloalkyl arbitrarily substituted with R^{15} , C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^{15} , C_{3-8} cycloalkenyl, (C_{3-8}) cycloalkenyl arbitrarily substituted with R^{15} , C_{2-6} alkynyl, (C_{2-6}) alkynyl arbitrarily substituted with R^{15} , $-C(=NOR^{16})R^{17}$, phenyl, phenyl substituted with $(Z^1)_{q1}$, D1-32, D1-33, D1-34, D1-36, D1-37, or D1-38;

R^7 is a hydrogen atom, C_{1-8} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{15b} , C_{3-8}

cycloalkyl, (C₃₋₈) cycloalkyl arbitrarily substituted with R^{15b}, C₂₋₆ alkenyl, (C₂₋₆) alkenyl arbitrarily substituted with R^{15b}, C₃₋₈ cycloalkenyl, (C₃₋₈) cycloalkenyl arbitrarily substituted with R^{15b}, C₂₋₆ alkynyl, (C₂₋₆) alkynyl arbitrarily substituted with R^{15b}, phenyl, or phenyl substituted with (Z¹)_{q1};

R^{8a}, R^{8b}, R^{9a}, and R^{9b} are each independently a hydrogen atom, cyano, nitro, C₁₋₆ alkyl, halo (C₁₋₆) alkyl, -OR^{16a}, -S(O)_{r1}R^{16a}, -C(O)OR^{16a}, -C(O)R^{17a}, -C(O)N(R^{19a})R^{18a}, -C(=NOR^{16a})R^{17a}, phenyl, or phenyl substituted with (Z¹)_{q1};

R¹⁰, R¹¹ and R¹² are each independently a hydrogen atom or C₁₋₆ alkyl;

R¹⁵ is a halogen atom, cyano, C₃₋₈ cycloalkyl, -OR¹⁶, -S(O)_{r1}R¹⁶, phenyl, phenyl substituted with (Z¹)_{q1}, D1-7, D1-11, D1-22, D1-32, D1-33, or D1-34;


R^{15b} is a halogen atom, cyano, C₃₋₈ cycloalkyl, halo (C₃₋₈) cycloalkyl, -OR^{16b}, -S(O)_{r1}R^{16b}, -C(O)OR^{16b}, -C(O)N(R^{18b})R^{19b}, -C(=NOR^{16b})R^{17b}, -N(R^{18b})R^{19b}, -Si(R^{32a})(R^{32b})R^{32c}, phenyl, phenyl substituted with (Z¹)_{q1}, D1-32, D1-33, D1-34, D1-36, D1-37, D1-38, D1-81, or D1-84, or when two R^{15b}s are substituents on a same carbon, the two R^{15b}s optionally form oxo, thioxo, imino, C₁₋₆ alkylimino, C₁₋₆ alkoxyimino, or C₁₋₆ alkylidene, together with each other;

R¹⁶, R^{16a}, R^{16b}, R¹⁷, R^{17a}, R^{17b}, R^{18a}, and R^{19a} are each independently a hydrogen atom or C₁₋₆ alkyl;


R^{18b} and R^{19b} are each independently a hydrogen atom, C₁₋₆ alkyl, or (C₁₋₆) alkyl arbitrarily substituted with R²⁰, or R^{18b} optionally forms a 3- to 8-membered ring together with a nitrogen atom to which R^{18b} and R^{19b} are bonded by forming a C₂₋₇ alkylene chain or a C₂₋₇ alkenylene chain together with R^{19b}, and at this time, the alkylene chain or the alkenylene chain optionally contains one oxygen atom, sulfur atom, or nitrogen atom and optionally substituted with oxo or thioxo;

R²⁰ is phenyl or phenyl substituted with (Z¹)_{q1};


D1-1 to D1-42, D1-81, and D1-84 each are a ring of the following structure;




D1-1




D1-2




D1-3




D1-4




D1-5




D1-6




D1-7




D1-8




D1-9




D1-10




D1-11




D1-12




D1-13




D1-14




D1-15




D1-16




D1-17




D1-18




D1-19




D1-20




D1-21




D1-22




D1-23




D1-24




D1-25




D1-26




D1-27




D1-28




D1-29




D1-30




D1-31




D1-32




D1-33




D1-34




D1-35




D1-36




D1-37




D1-38




D1-39




D1-40




D1-41



D1-42



D1-81



D1-84

X^1 is a halogen atom, cyano, nitro, C_{1-6} alkyl, halo (C_{1-6}) alkyl, or C_{3-8} cycloalkyl, when g_2 , g_3 , or g_4 is an integer of 2 or larger, each X^1 is the same as or different from each other, and further when two X^1 's are adjacent, the two adjacent X^1 's optionally form a 6-membered ring together with carbon atoms to which each X^1 is bonded by forming $-CH=CHCH=CH-$, and at this time, the hydrogen atom bonded to each carbon atom forming the ring is optionally substituted with a halogen atom, cyano, nitro, C_{1-6} alkyl, halo (C_{1-6}) alkyl, C_{1-6} alkoxy, C_{1-6} alkylthio, C_{1-6} alkylsulfinyl, or C_{1-6} alkylsulfonyl;

X^{1a} is a hydrogen atom or C_{1-6} alkyl;

X^{1b} is C_{1-6} alkyl;

Z is a halogen atom, cyano, nitro, C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{45} , C_{3-8} cycloalkyl, (C_{3-8}) cycloalkyl arbitrarily substituted with R^{45} , C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^{45} , C_{3-8} cycloalkenyl, (C_{3-8}) cycloalkenyl arbitrarily substituted with R^{45} , C_{2-6} alkynyl, (C_{2-6}) alkynyl arbitrarily substituted with R^{45} , $-OR^{41}$, $-S(O)_{r3}R^{41}$, $-C(O)OR^{41}$, $-C(O)R^{42}$, $-C(=NOR^{41})R^{42}$, $-N(R^{44})R^{43}$, phenyl, phenyl substituted with $(Z^3)_{q3}$, D1-1, D1-2, D1-7, D1-10, D1-11, D1-22, D1-32, D1-33, D1-34, D1-36, D1-37, or D1-38, and when q is an integer of 2 or larger, each Z is the same as or different from each other;

Z^1 is a halogen atom, cyano, nitro, C_{1-6} alkyl, halo (C_{1-6}) alkyl, C_{1-6} alkoxy, or C_{1-6} alkoxycarbonyl, and when q_1 is an integer of 2 or larger, each Z^1 is the same as or different from each other;

Z^2 is a halogen atom, cyano, nitro, C_{1-6} alkyl, halo (C_{1-6}) alkyl, $-OR^{51}$, $-S(O)_{r2}R^{51}$, $-C(O)OR^{51a}$, $-C(O)R^{52}$, $-C(O)N(R^{54})R^{53}$, $-C(S)N(R^{54})R^{53}$, or $-N(R^{54})R^{53}$, when q_2 is an integer of 2 or larger, each Z^2 is the same as or different from each other, and further when

two Z^2 s are adjacent, the two adjacent Z^2 s optionally form a 6-membered ring together with carbon atoms to which each Z^2 is bonded by forming $-N=CHCH=CH-$, $-CH=NCH=CH-$, $-N=NCH=CH-$, $-CH=NN=CH-$, $-N=CHCH=N-$, or $-N=CHN=CH-$, and at this time, the hydrogen atom bonded to each carbon atom forming the ring is optionally substituted with a halogen atom, cyano, nitro, C_{1-6} alkyl, halo (C_{1-6}) alkyl, C_{1-6} alkoxy, C_{1-6} alkylthio, C_{1-6} alkylsulfinyl, or C_{1-6} alkylsulfonyl;

Z^3 is a halogen atom, cyano, nitro, C_{1-6} alkyl, halo (C_{1-6}) alkyl, C_{1-6} alkoxy, halo (C_{1-6}) alkoxy, C_{1-6} alkylthio, C_{1-6} alkylsulfinyl, or C_{1-6} alkylsulfonyl, and when q_3 is an integer of 2 or larger, each Z^3 is the same as or different from each other;

R^{31} is a hydrogen atom, C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{35} , $-C(O)R^{37}$, phenyl, phenyl substituted with $(Z^2)_{q_2}$, naphthyl, or naphthyl substituted with $(Z^2)_{q_2}$;

R^{32} is a hydrogen atom, C_{1-6} alkyl, or (C_{1-6}) alkyl arbitrarily substituted with R^{35} ;

R^{32a} , R^{32b} , and R^{32c} are each independently C_{1-6} alkyl;

R^{33} and R^{34} are each independently a hydrogen atom, C_{1-6} alkyl, $-C(O)OR^{36}$, or $-C(O)R^{37}$;

R^{35} is a halogen atom, C_{1-6} alkoxy, C_{1-6} alkylthio, C_{1-6} alkylsulfinyl, C_{1-6} alkylsulfonyl, or phenyl;

R^{36} is C_{1-6} alkyl;

R^{37} is a hydrogen atom, C_{1-6} alkyl, phenyl, or phenyl substituted with $(Z^2)_{q_2}$;

R^{41} is a hydrogen atom, C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{45} , phenyl, phenyl substituted with $(Z^3)_{q_3}$, D1-32, D1-33, or D1-34;

R^{42} is a hydrogen atom or C_{1-6} alkyl;

R^{43} and R^{44} are each independently a hydrogen atom, C_{1-6} alkyl, C_{1-6} alkoxycarbonyl, or C_{1-6} alkylcarbonyl;

R^{45} is a halogen atom, C_{3-8} cycloalkyl, $-OH$, C_{1-6} alkoxy, C_{1-10} alkoxycarbonyl,

-Si(R^{32a})(R^{32b})R^{32c}, phenyl, phenyl substituted with (Z³)_{q3}, D1-32, D1-33, or D1-34, or when two R⁴⁵s are substituents on a same carbon, the two R⁴⁵s optionally form oxo, thioxo, imino, C₁₋₆ alkylimino, C₁₋₆ alkoxyimino, or C₁₋₆ alkylidene, together with each other;

R⁵¹ is a hydrogen atom, C₁₋₆ alkyl, halo (C₁₋₆) alkyl, phenyl, phenyl arbitrarily substituted with a halogen atom, or D1-39;

R^{51a} and R⁵² are each independently a hydrogen atom or C₁₋₆ alkyl;

R⁵³ and R⁵⁴ are each independently a hydrogen atom, C₁₋₆ alkyl, or C₁₋₆ alkylcarbonyl;

f5 is an integer of 0, 1, 2, 3, 4, or 5;

f7 is an integer of 0, 1, 2, 3, 4, 5, 6, or 7;

g1 and p are each independently an integer of 0 or 1;

g2, m, n, r1, r2, and r3 are each independently an integer of 0, 1, or 2;


g3 is an integer of 0, 1, 2, or 3;

g4 is an integer of 0, 1, 2, 3, or 4; and


q, q1, q2, and q3 are each independently an integer of 1, 2, 3, 4, or 5].

2. The ketone or oxime compound or a salt thereof according to claim 1, wherein

B is a ring of either B-1-a or B-2-a; and



B-1-a



B-2-a

Z^a, Z^c and Z^e are each independently a hydrogen atom, a halogen atom, cyano, nitro, C₁₋₆ alkyl, (C₁₋₆) alkyl arbitrarily substituted with R⁴⁵, C₃₋₈ cycloalkyl, (C₃₋₈) cycloalkyl

arbitrarily substituted with R^{45} , C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^{45} , C_{2-6} alkynyl, (C_{2-6}) alkynyl arbitrarily substituted with R^{45} , $-OR^{41}$, $-S(O)_{1-3}R^{41}$, $-C(O)OR^{41}$, $-C(O)R^{42}$, $-C(=NOR^{41})R^{42}$, $-N(R^{44})R^{43}$, phenyl, phenyl substituted with $(Z^3)_{q3}$, D1-1, D1-2, D1-7, D1-10, D1-11, D1-22, D1-32, D1-33, D1-34, D1-36, D1-37, or D1-38.

3. The ketone compound or the salt thereof according to claim 2, wherein Q is an oxygen atom.

4. The oxime compound or a salt thereof according to claim 2, wherein Q is $=NOR^7$.

5. The ketone compound or the salt thereof according to claim 3, wherein A is a hydrogen atom, C_{1-6} alkyl, or $-C(O)R^2$;

R^2 is C_{1-8} alkyl;

R^6 is C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{15} , C_{3-8} cycloalkyl, C_{2-6} alkenyl, $-C(=NOR^{16})R^{17}$, phenyl, phenyl substituted with $(Z^1)_{q1}$, or D1-32;

R^{8a} is a hydrogen atom, C_{1-6} alkyl, $-C(O)OR^{16a}$, or $-C(O)R^{17a}$;

R^{9a} is a hydrogen atom or C_{1-6} alkyl;

R^{8b} and R^{9b} are hydrogen atoms;

R^{10} , R^{11} , and R^{12} are hydrogen atoms;

R^{15} is a halogen atom, C_{3-8} cycloalkyl, $-OR^{16}$, or phenyl;

R^{16} , R^{16a} , R^{17} , and R^{17a} are each independently C_{1-6} alkyl;

X^1 is halo (C_{1-6}) alkyl;

Z^a , Z^c and Z^e are each independently a hydrogen atom, a halogen atom, C_{1-6} alkyl, C_{3-8} cycloalkyl, C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^{45} , C_{2-6} alkynyl, $-OR^{41}$, phenyl, phenyl substituted with $(Z^3)_{q3}$, D1-7, D1-11, D1-22, D1-32, or D1-37;

Z^1 is a halogen atom;

Z^3 is a halogen atom, C_{1-6} alkyl, halo (C_{1-6}) alkyl, C_{1-6} alkoxy, halo (C_{1-6}) alkoxy, or C_{1-6} alkylthio;

R^{41} is C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{45} , phenyl, D1-32, or D1-34;

R^{45} is a halogen atom, phenyl, or D1-34;

g_2 , g_3 , and p are 0;

q_1 and q_3 are integers of 1; and

g_4 , m , and n are each independently an integer of 0 or 1.

6. The ketone compound or the salt thereof according to claim 5, wherein

B is B-1-a;

Z^a is a halogen atom, C_{1-6} alkyl, or C_{1-6} alkoxy;

Z^c is a halogen atom, C_{1-6} alkyl, C_{3-8} cycloalkyl, C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^{45} , C_{2-6} alkynyl, $-OR^{41}$, phenyl, phenyl substituted with $(Z^3)_{q_3}$, D1-7, D1-11, D1-22, D1-32, or D1-37; and

Z^e is a halogen atom or C_{1-6} alkyl.

7. The oxime compound or the salt thereof according to claim 4, wherein

A is a hydrogen atom, C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^5 , C_{3-8} cycloalkyl, C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^5 , C_{2-6} alkynyl, (C_{2-6}) alkynyl arbitrarily substituted with R^5 , $-S(O)_{r_2}R^1$, $-C(O)OR^1$, $-C(O)SR^1$, $-C(S)OR^1$, $-C(O)R^2$, $-C(O)N(R^4)R^3$, $-C(S)N(R^4)R^3$, or $-S(O)_2N(R^4)R^3$;

R^1 is C_{1-8} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^5 , C_{3-8} cycloalkyl, C_{2-6} alkenyl, phenyl, or phenyl substituted with $(Z^2)_{q_2}$;

R^2 is C_{1-8} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^5 , C_{3-8} cycloalkyl, (C_{3-8}) cycloalkyl arbitrarily substituted with R^5 , C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted

with R^5 , C_{3-8} cycloalkenyl, (C_{3-8}) cycloalkenyl arbitrarily substituted with R^5 , C_{2-6} alkynyl, (C_{2-6}) alkynyl arbitrarily substituted with R^5 , $-C(=NOR^{31})R^{32}$, phenyl, phenyl substituted with $(Z^2)_{q2}$, D1-5, D1-6, D1-8, D1-10, or D1-81;

R^3 is C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^5 , C_{2-6} alkenyl, phenyl, or phenyl substituted with $(Z^2)_{q2}$, or R^3 forms a 5- to 6-membered ring together with a nitrogen atom to which R^3 and R^4 are bonded by forming a C_4 or C_5 alkylene chain together with R^4 , and at this time, the alkylene chain optionally contains one oxygen atom or nitrogen atom and is optionally substituted with C_{1-6} alkyl;

R^4 is C_{1-6} alkyl, C_{2-6} alkenyl, or phenyl;

R^5 is a halogen atom, cyano, C_{3-8} cycloalkyl, $-OR^{31}$, $-S(O)_{r2}R^{31}$, $-C(O)OR^{31}$, $-C(O)R^{32}$, $-N(R^{34})R^{33}$, $-Si(R^{32a})(R^{32b})R^{32c}$, phenyl, phenyl substituted with $(Z^2)_{q2}$, or D1-1, or when two R^5 s are substituents on a same carbon, the two R^5 s optionally form C_{1-6} alkoxyimino together with each other;

R^6 is a hydrogen atom, C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{15} , C_{3-8} cycloalkyl, C_{2-6} alkenyl, $-C(=NOR^{16})R^{17}$, phenyl, phenyl substituted with $(Z^1)_{q1}$ or, D1-32;

R^7 is a hydrogen atom, C_{1-7} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{15b} , C_{3-8} cycloalkyl, C_{2-6} alkenyl, C_{3-8} cycloalkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^{15b} , C_{2-6} alkynyl, or phenyl;

R^{8a} is a hydrogen atom, C_{1-6} alkyl, halo (C_{1-6}) alkyl, $-C(O)OR^{16a}$, $-C(=NOR^{16a})R^{17a}$, or phenyl substituted with $(Z^1)_{q1}$;

R^{9a} is a hydrogen atom or C_{1-6} alkyl;

R^{8b} and R^{9b} are hydrogen atoms;

R^{12} is a hydrogen atom;

R^{15} is a halogen atom, C_{3-8} cycloalkyl, or $-OR^{16}$;

R^{15b} is a halogen atom, cyano, C_{3-8} cycloalkyl, halo (C_{3-8}) cycloalkyl, $-OR^{16b}$, $-S(O)_{r1}R^{16b}$, $-C(O)OR^{16b}$, $-C(O)N(R^{18b})R^{19b}$, $-C(=NOR^{16b})R^{17b}$, $-N(R^{18b})R^{19b}$,

$-\text{Si}(\text{R}^{32a})(\text{R}^{32b})\text{R}^{32c}$, phenyl, phenyl substituted with $(\text{Z}^1)_{q1}$, D1-32, or D1-84;

R^{16} , R^{16a} , R^{17} , R^{17a} , and R^{17b} are each independently C_{1-6} alkyl;

R^{18b} is a hydrogen atom, C_{1-6} alkyl, or (C_{1-6}) alkyl arbitrarily substituted with R^{20} , or R^{18b} forms a 6-membered ring together with a nitrogen atom to which R^{18b} and R^{19b} are bonded by forming a C_5 alkylene chain together with R^{19b} , and at this time, the alkylene chain contains one oxygen atom;

R^{19b} is a hydrogen atom or C_{1-6} alkyl;

R^{20} is phenyl substituted with $(\text{Z}^1)_{q1}$;

X^1 is a halogen atom, C_{1-6} alkyl, halo (C_{1-6}) alkyl, or C_{3-8} cycloalkyl, $g3$ is an integer of 2, and further the two adjacent X^1 s form a 6-membered ring together with carbon atoms to which each X^1 is bonded by forming $-\text{CH}=\text{CHCH}=\text{CH}-$, and at this time, one hydrogen atom bonded to each carbon atom forming the ring is arbitrarily substituted with a halogen atom;

X^{1a} is C_{1-6} alkyl;

Z^a , Z^c , and Z^e are each independently a hydrogen atom, a halogen atom, cyano, nitro, C_{1-6} alkyl, C_{3-8} cycloalkyl, C_{2-6} alkenyl, (C_{2-6}) alkenyl arbitrarily substituted with R^{45} , C_{2-6} alkynyl, (C_{2-6}) alkynyl arbitrarily substituted with R^{45} , $-\text{OR}^{41}$, $-\text{S}(\text{O})_{f3}\text{R}^{41}$, $-\text{C}(\text{O})\text{OR}^{41}$, $-\text{C}(\text{O})\text{R}^{42}$, $-\text{C}(=\text{NOR}^{41})\text{R}^{42}$, $-\text{N}(\text{R}^{44})\text{R}^{43}$, phenyl, phenyl substituted with $(\text{Z}^3)_{q3}$, D1-2, D1-7, D1-11, D1-22, D1-32, D1-33, D1-34, or D1-37,

Z^1 is a halogen atom, nitro, C_{1-6} alkyl, halo (C_{1-6}) alkyl, C_{1-6} alkoxy, or C_{1-6} alkoxycarbonyl, and when $q1$ is an integer of 2 or larger, each Z^1 is the same as or different from each other;

Z^2 is a halogen atom, cyano, nitro, C_{1-6} alkyl, halo (C_{1-6}) alkyl, $-\text{OR}^{51}$, $-\text{S}(\text{O})_{f2}\text{R}^{51}$, $-\text{C}(\text{O})\text{OR}^{51a}$, $-\text{C}(\text{O})\text{R}^{52}$, or $-\text{C}(\text{O})\text{N}(\text{R}^{54})\text{R}^{53}$, when $q2$ is an integer of 2 or larger, each Z^2 is the same as or different from each other, and further when the two Z^2 s are adjacent, the two adjacent Z^2 s optionally form a 6-membered ring together with carbon atoms to which each

Z^2 is bonded by forming $-N=CHCH=CH-$, and at this time, one hydrogen atom bonded to each carbon atom forming the ring is arbitrarily substituted with a halogen atom;

Z^3 is a halogen atom, C_{1-6} alkyl, halo (C_{1-6}) alkyl, C_{1-6} alkoxy, halo (C_{1-6}) alkoxy, or C_{1-6} alkylthio, and when q_3 is an integer of 2 or larger, each Z^3 is the same as or different from each other;

R^{31} is C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{35} , $-C(O)R^{37}$, phenyl, phenyl substituted with $(Z^2)_{q_2}$, or naphthyl;

R^{32} is C_{1-6} alkyl or (C_{1-6}) alkyl arbitrarily substituted with R^{35} ;

R^{33} is $-C(O)R^{37}$;

R^{34} is C_{1-6} alkyl;

R^{35} is a halogen atom, C_{1-6} alkylthio, or phenyl;

R^{37} is C_{1-6} alkyl or phenyl;

R^{41} is a hydrogen atom, C_{1-6} alkyl, (C_{1-6}) alkyl arbitrarily substituted with R^{45} , phenyl, or D1-32;

R^{42} is C_{1-6} alkyl;

R^{43} is C_{1-6} alkoxycarbonyl;

R^{44} is a hydrogen atom;

R^{45} is a halogen atom, C_{3-8} cycloalkyl, $-OH$, C_{1-6} alkoxy, C_{1-10} alkoxycarbonyl, $-Si(R^{32a})(R^{32b})R^{32c}$, phenyl, or D1-34;

R^{51} is C_{1-6} alkyl, halo (C_{1-6}) alkyl, phenyl arbitrarily substituted with a halogen atom, or D1-39;

R^{51a} is C_{1-6} alkyl;

R^{53} and R^{54} are each independently C_{1-6} alkyl;

g_2 is an integer of 0, 1, or 2;

g_3 and r_1 are each independently an integer of 0, 1, or 2;

g_4 , m , and n are each independently an integer of 0 or 1;

f7, p, and r3 are 0;

q is an integer of 2 or 3;

q1 is an integer of 1 or 2;

q2 is an integer of 1, 2, or 3;

q3 is an integer of 1, 2, or 3; and

r2 is an integer of 0 or 2.

8. The oxime compound or the salt according to claim 7, wherein

B is B-1-a;

Z^a is a halogen atom, C₁₋₆ alkyl, C₁₋₆ alkoxy, or C₁₋₆ alkylthio;

Z^c is a hydrogen atom, a halogen atom, cyano, nitro, C₁₋₆ alkyl, C₃₋₈ cycloalkyl, C₂₋₆ alkenyl, (C₂₋₆) alkenyl arbitrarily substituted with R⁴⁵, C₂₋₆ alkynyl, (C₂₋₆) alkynyl arbitrarily substituted with R⁴⁵, -OR⁴¹, -S(O)_{r3}R⁴¹, -C(O)OR⁴¹, -C(O)R⁴², -C(=NOR⁴¹)R⁴², -N(R⁴⁴)R⁴³, phenyl, phenyl substituted with (Z³)_{q3}, D1-2, D1-7, D1-11, D1-22, D1-32, D1-33, D1-34, or D1-37;

Z^c is a halogen atom, C₁₋₆ alkyl, or C₁₋₆ alkoxy;

X¹ is a halogen atom or halo (C₁₋₆) alkyl; and

g3 is an integer of 0 or 1.

9. An agricultural chemical comprising:

one or more of compounds selected from the ketone or oxime compound or the salt thereof as claimed in any one of claims 1 to 8 as an active component.

10. A herbicide comprising:

one or more of compounds selected from the ketone or oxime compound or the salt thereof as claimed in any one of claims 1 to 8 as an active component.

