

1,332,159.

C. H. BUCK.
LOOSE LEAF BINDER ATTACHMENT.
APPLICATION FILED MAY 3, 1919.

Patented Feb. 24, 1920.
2 SHEETS—SHEET 1.

Diagram illustrating a loose leaf binder attachment (Fig. 1). The device consists of a main body (5) with a series of vertical slots (15) for inserting sheets. The main body is divided into sections for recording information:

- DATE**: A column for recording the date.
- ITEMS**: A column for recording the items or transactions.
- DEBITS**: A column for recording debit amounts.
- CREDITS**: A column for recording credit amounts.
- BALANCE**: A column for recording the balance.
- MARGIN**: A column for recording additional information.

The device includes punch holes (12, 13) and binding mechanisms (6, 7, 9, 10, 11) for attaching sheets. A dashed line indicates the cutting point for reversing the sheet.

Text on the diagram:

- WRITING ALWAYS ON RIGHT SIDE AFTER FILLING THIS SIDE OF SHEET, SLIT ON LINE FROM HOLE TO EDGE OF SHEET AND REVERSE. THIS ALWAYS GIVES A RIGHT HAND PAGE TO WRITE ON.
- WHEN REVERSING SHEET—CUT OFF HERE

Witnesses

Edwin L. McKee

Fig. 1.

Inventor
C. H. Buck

By Victor J. Evans

Attorney

Diagram illustrating a loose leaf binder attachment (Fig. 2). The attachment is shown as a ledger page (14) with a header section (15) containing fields for SHEET NO., NAME, ADDRESS, and RATING. The ledger page is divided into columns for DATE, ITEMS, DEBITS, CREDITS, BALANCE, and REMARKS. The page is shown with four binder rings (7, 13, 12) at the bottom, indicating its attachment to a binder.

Witnesses
Edwin G. McKee

Fig. 2.

Inventor
C. H. Buck
 By *Victor J. Evans*
 Attorney

UNITED STATES PATENT OFFICE.

CHESTER H. BUCK, OF CHATTANOOGA, TENNESSEE.

LOOSE-LEAF-BINDER ATTACHMENT.

1,332,159.

Specification of Letters Patent.

Patented Feb. 24, 1920.

Application filed May 3, 1919. Serial No. 294,546.

To all whom it may concern:

Be it known that I, CHESTER H. BUCK, a citizen of the United States, residing at Chattanooga, in the county of Hamilton and State of Tennessee, have invented new and useful Improvements in Loose-Leaf-Binder Attachments, of which the following is a specification.

This invention has reference to a loose leaf binding device.

The object of the invention is to produce an improved method of attaching a loose leaf in a binder, after the first side of said sheet has been filled so that the same may be reversed and replaced in the binder in a position similar to its first position, whereby the writing surface on the second side of the sheet is on the right side of the binder when opened to present a convenient writing surface for the user.

The improved sheet is designed to be attached to the ordinary posts of binders without interfering with the construction of such binders, by simply providing the sheet with an additional or auxiliary row of holes on the side thereof along the edge of the sheet directly opposite the usual rows of such holes, so that the auxiliary holes will be available for use after the first side of the sheet has been written full and the reverse side thereof is required for use, and whereby no writing space will be wasted and also that when the reverse side of the sheet is to be used the same will be presented to the user in the identical position for writing as the first side.

The foregoing and other objects which will appear as the nature of the invention is better understood may be accomplished by a construction and arrangement of parts such as disclosed by the accompanying drawings.

Figure 1 is a front elevation of the sheet arranged on a binder.

Fig. 2 is a similar view but showing a portion of the sheet severed and the sheet reversely positioned on the binder.

The improved sheet for loose leaf binders may be ruled in the usual manner and may have printed thereon suitable instructions re-

garding the arrangement of the same in the binder so that the writing on the sheet will be always on the right side of the binder.

The sheet is indicated by the numeral 5, and as disclosed by the drawings is provided with openings 6 adjacent to one of the edges thereof that are adapted to receive the binding posts 7 of the binder 8. The sheet 5 is slitted longitudinally to each of the openings 6, as indicated by the numeral 9, and the said sheet inward of the openings 6 is provided with either a weakened line 10 or a marked line whereby the end 11 of the sheet, that is, the end provided with the openings 6 may be detached or severed from the sheet 5 for a purpose which will presently be apparent. The sheet 5, in line with the openings 6, but adjacent to the edge thereof opposite that provided with the openings 6 has a line of openings or perforations 12 that are arranged directly opposite the openings 6.

When one of the sheets 5 has one of the faces thereof fully written on or filled in, the sheet may be removed from the binder by simply pulling the same longitudinally therefrom, causing the binding posts 7 to travel through the slits 9. The sheet is then cut along the line 10, and the sheet may be slit longitudinally from its outer ends to the openings 12. The sheet is then reversed and passed onto the binder by causing the slits 13 to pass the binding posts and permit of the said posts being received in the openings 12. The reverse side 14 of the sheet has indicia thereon similar to that on the first side 5.

Having thus described the invention, what is claimed as new, is:—

1. A leaf for loose leaf books having two series of openings arranged adjacent to the edges at the opposite ends thereof, said sheet being slitted from its end to one series of said openings, and these series of openings designed to receive the posts of a binder, and the said sheet, inward of the said openings having a weakened line or a line for indicating a point of severance of the end of the sheet provided with the last mentioned openings from the sheet, when one of the faces of the sheet is filled and the sheet is to be

reversed and the openings at the opposite end thereof to be received on the binding posts.

2. A sheet designed to be engaged by the
5 binding posts of a binder and to be reversed
after one of the faces thereof has been filled
in so that the writing space on the reverse
face will be at the right side of the binder,
comprising a sheet provided with series of
10 openings at its opposite ends, and the said
openings designed to receive the posts of the

binder, the sheet being slitted to the open-
ings thereof first engaged by the said posts
and being provided with a severing line in-
ward of said openings, and the said sheet 15
when slitted from its opposite end to its cor-
responding openings adapted to permit of
the arrangement thereof on the posts when
the reverse side thereof is to be presented on
the binder. 20

In testimony whereof I affix my signature.
CHESTER H. BUCK.