



US00D578703S

(12) **United States Design Patent**
Levine

(10) **Patent No.:** **US D578,703 S**

(45) **Date of Patent:** **** Oct. 14, 2008**

(54) **LIGHTING DEVICE**

(76) Inventor: **Jonathan E. Levine**, 419 Park Ave.
South, Suite 505, New York, NY (US)
10016

(**) Term: **14 Years**

(21) Appl. No.: **29/281,045**

(22) Filed: **Jun. 13, 2007**

(51) **LOC (8) Cl.** **26-99**

(52) **U.S. Cl.** **D26/113**

(58) **Field of Classification Search** D26/123,
D26/28, 122, 120, 118, 147, 142, 113, 24,
D26/25, 72, 74, 75, 76, 77, 85, 86, 119, 121,
D26/124, 128, 129, 132, 133, 134, 135, 136,
D26/138, 139, 152, 155; 362/612, 623, 566,
362/565, 507, 517, 147, 219, 247, 252, 297,
362/346, 364, 433, 441, 455, 457, 800, 807,
362/410

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D104,233 S * 4/1937 Arenberg D26/120
2,790,894 A * 4/1957 Zingone 362/429
D222,500 S 10/1971 Gugelot
D240,320 S 6/1976 Anderson
D264,254 S * 5/1982 Heritage D26/74
D275,062 S * 8/1984 Sorko-Ram et al. D6/300
4,515,570 A 5/1985 Beltran
D293,940 S * 1/1988 Lasker D26/65
4,751,627 A * 6/1988 Usher 362/421
D299,549 S * 1/1989 Macaluso D26/29
D312,136 S * 11/1990 Miletich et al. D26/24
D320,863 S * 10/1991 Macaluso D26/29
D346,459 S 4/1994 King
D371,857 S 7/1996 Gismondi
5,769,529 A 6/1998 Weinstock et al.
5,871,274 A 2/1999 Lee et al.
D412,040 S 7/1999 Hudak et al.
5,934,787 A 8/1999 Sharma
6,146,001 A 11/2000 Cwiakala

D440,673 S * 4/2001 Handsaker D26/24

D443,713 S * 6/2001 Benensohn D26/72

D446,321 S 8/2001 Lin

6,390,652 B1 5/2002 Echito

6,566,824 B2 * 5/2003 Panagotacos et al. 315/291

6,588,920 B2 7/2003 Agro

6,641,283 B1 11/2003 Bohler

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 11/954,225, filed Dec. 12, 2007, Levine.

(Continued)

Primary Examiner—Freda S. Nunn

Assistant Examiner—Kevin K Rudzinski

(74) *Attorney, Agent, or Firm*—Theodore W. Baker

(57) **CLAIM**

I claim the ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lighting device, as viewed from the top and one side, of the present invention.

FIG. 2 is an end elevation view of the lighting device of FIG. 1.

FIG. 3 is a front elevation view of the lighting device of FIG. 1.


FIG. 4 is a back elevation view of the lighting device of FIG. 1.

FIG. 5 is a top plan view of the lighting device of FIG. 1; and,

FIG. 6 is a bottom plan view of the lighting device of FIG. 1.

The details shown in broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D578,703 S

Page 2

U.S. PATENT DOCUMENTS

D484,270 S 12/2003 Yiu
D485,390 S 1/2004 Stancik et al.
6,726,502 B1 * 4/2004 Hayes 439/422
D490,925 S * 6/2004 Wilmotte D26/63
6,877,875 B2 4/2005 Yu et al.
D506,560 S * 6/2005 Oas D26/39
D507,373 S * 7/2005 Kim, II D26/80
D509,016 S 8/2005 Benghozi
D509,617 S 9/2005 Benghozi
6,979,107 B1 12/2005 Benensohn
D535,262 S * 1/2007 Saito et al. D13/180
D535,740 S 1/2007 Brown et al.
D544,117 S 6/2007 Coughaine
D544,618 S 6/2007 Coughaine

D544,988 S 6/2007 Benensohn
D551,795 S 9/2007 Compton et al.
D561,925 S 2/2008 Levine
D563,013 S 2/2008 Levine
D563,014 S 2/2008 Levine
D563,582 S 3/2008 Levine
D565,232 S 3/2008 Butler
D567,987 S 4/2008 Khubani
2006/0092637 A1 * 5/2006 Yeh 362/249
2006/0250789 A1 11/2006 Coughaine
2007/0070645 A1 3/2007 Coughaine et al.

OTHER PUBLICATIONS

U.S. Appl. No. 29/298,708, filed Dec. 12, 2007, Levine.

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6