Office de la Propriété Intellectuelle du Canada
Un organisme d'Industrie Canada

Canadian Intellectual Property Office
An agency of Industry Canada

CA 2717263 A1 2011/04/09

(21) 2 717 263

(12) DEMANDE DE BREVET CANADIEN
CANADIAN PATENT APPLICATION

(13) A1

(22) Date de dépôt/Filing Date: 2010/10/06

(41) Mise à la disp. pub./Open to Public Insp.: 2011/04/09

(30) Priorité/Priority: 2009/10/09 (US12/576,816)

(51) Cl.Int./Int.Cl. *A45C 5/00* (2006.01),
A45C 13/02 (2006.01), *B65D 25/04* (2006.01)

(71) Demandeur/Applicant:
THE STANLEY WORKS ISRAEL LTD., IL

(72) Inventeurs/Inventors:
TWIG, NOAM, IL;
VILKOMIRSKI, GIL, IL

(74) Agent: GRAHAM, LORELEI G.

(54) Titre : RANGE-TOUT
(54) Title: ORGANIZER



(57) Abrégé/Abstract:
A container having a container portion with an interior space in which articles to be transported can be stored and a lid pivotably connected to the container portion. The lid is moveable relative to the container portion between an opened and closed position. The container also includes a latch arrangement that is constructed to secure the lid in covering relation with respect to the container portion and a hinge structure that is constructed to enable the lid to pivot relative to the container portion. The container includes a support that engages a surface on which a bottom surface rests when the lid is in the opened position, so as to support the lid in the open position. The support is positioned proximate to the container portion when the lid is in the closed position and movable to an extended position when the lid is in the open position.

ABSTRACT

A container having a container portion with an interior space in which articles to be transported can be stored and a lid pivotably connected to the container portion. The lid is moveable relative to the container portion between an opened and closed position. The container also includes a latch arrangement that is constructed to secure the lid in covering relation with respect to the container portion and a hinge structure that is constructed to enable the lid to pivot relative to the container portion. The container includes a support that engages a surface on which a bottom surface rests when the lid is in the opened position, so as to support the lid in the open position. The support is positioned proximate to the container portion when the lid is in the closed position and movable to an extended position when the lid is in the open position.

ORGANIZER

FIELD OF THE INVENTION

[0001] The present invention relates to an organizer, and more particularly, to an organizer for storing and carrying objects.

BACKGROUND OF THE INVENTION

[0002] Numerous organizers or storage containers are known in the art. However, there is a constant need in the industry to improve upon existing organizers by making them more efficient and easy to use.

SUMMARY OF THE INVENTION

[0003] One aspect provides a container having a container portion with an interior space in which articles to be transported can be stored. The container further includes a lid that is pivotably connected to the container portion. The lid is moveable relative to the container portion between an opened position and a closed position to permit and prevent access to the interior space, respectively. The container also includes a latch arrangement that is constructed to secure the lid in covering relation with respect to the container portion and a hinge structure that is constructed to enable the lid to pivot relative to the container portion. The container further includes a support that is constructed and arranged to engage a surface on which a bottom surface rests when the lid is in the opened position, so as to support the lid in the open position. The support is constructed and arranged to be positioned proximate to the container portion when the lid is in the closed position and movable to an extended position when the lid is in the open position.

[0004] These and other aspects of the present invention, as well as the methods of operation and functions of the related elements of structure and the combination of parts and economies of manufacture, will become more apparent upon consideration of the following description and the appended claims with reference to the accompanying drawings, all of which form a part of this specification, wherein like reference numerals

CLAIMS

The embodiments of the invention in which an exclusive property or privilege is claimed are defined as follows:

1. A container comprising:

a container portion with an interior space in which articles to be transported can be stored;

a lid pivotably connected to the container portion, wherein movement of the lid relative to the container portion between an opened and closed position permits and prevents access to the interior space;

a latch arrangement constructed to secure the lid in covering relation with respect to the container portion;

a hinge structure constructed to enable the lid to pivot relative to the container portion; and

a support being constructed and arranged to engage a surface on which a bottom surface rests when the lid is in the opened position, so as to support the lid in the open position, the support being constructed and arranged to be positioned proximate to the container portion when the lid is in the closed position and movable to an extended position when the lid is in the open position.

2. The container of claim 1, wherein the support comprises a hinge constructed and arranged to enable a first portion of the support to pivot relative to a second portion of the support.

3. The container of claim 1, wherein the second portion of the support is constructed and arranged to engage the surface on which the bottom surface rests when the lid is in the opened position.

4. The container of claim 1, further comprising a handle constructed and arranged to enable a user to carry the container.


16
42
52
12
10
31
28
30
32
37
22
26
34
20
36
54
24
56
31
20
34
26
37
28
30
32
34
22
20
50
40
38
48

FIG. 1


42
59
16
10
36
28
30
24
33
26
54
18
9
59
18
38
60
62
40
58
49
63
14
49
61
58
50
28
30
33
26
A
12
48

FIG. 2

FIG. 3




18
10
65
73
66
18
16
64
64
66
69
64
73
65
64
66
69
64
65
49
69
64
14
63
20
12
52
58
85
49
54
57
67
85
49
50
58
48

FIG. 4


10
73
66
65
16
68
71
69
64
70
79
46
77
65
69
66
65
73
71
66
75
64
49
14
63
12
54
58
52
85
57
67
85
58
48
49
49
50

FIG. 5



FIG. 6


10
36
38
40
31
16
44
42
28
20
30
52
12
48
34
32
22
37
26
54
56
50
24