



US011510027B2

(12) **United States Patent**
Lundmark

(10) **Patent No.:** **US 11,510,027 B2**

(45) **Date of Patent:** **Nov. 22, 2022**

- (54) **SYSTEMS AND METHODS FOR VIRTUAL AND AUGMENTED REALITY**
- (71) Applicant: **Magic Leap, Inc.**, Plantation, FL (US)
- (72) Inventor: **David Charles Lundmark**, Plantation, FL (US)
- (73) Assignee: **Magic Leap, Inc.**, Plantation, FL (US)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(56) **References Cited**
U.S. PATENT DOCUMENTS

- 4,344,092 A 8/1982 Miller
- 4,652,930 A 3/1987 Crawford
- (Continued)

FOREIGN PATENT DOCUMENTS

- CN 104603675 A 5/2015
- CN 107683497 A1 2/2018
- (Continued)

OTHER PUBLICATIONS

“ARToolkit: Hardware”, <https://web.archive.org/web/20051013062315/http://www.hitl.washington.edu:80/artoolkit/documentation/hardware.htm> (downloaded Oct. 26, 2020), Oct. 13, 2015, (3 pages).

(Continued)

Primary Examiner — Thomas J Lett

(74) *Attorney, Agent, or Firm* — Stephen M. De Klerk

- (21) Appl. No.: **17/257,814**
- (22) PCT Filed: **Jul. 3, 2019**
- (86) PCT No.: **PCT/US2019/040544**
§ 371 (c)(1),
(2) Date: **Jan. 4, 2021**
- (87) PCT Pub. No.: **WO2020/010226**
PCT Pub. Date: **Jan. 9, 2020**

(65) **Prior Publication Data**
US 2021/0297808 A1 Sep. 23, 2021

Related U.S. Application Data


- (60) Provisional application No. 62/693,891, filed on Jul. 3, 2018.
- (51) **Int. Cl.**
H04W 4/02 (2018.01)
G02B 27/01 (2006.01)
(Continued)
- (52) **U.S. Cl.**
CPC **H04W 4/023** (2013.01); **G02B 27/0172** (2013.01); **G06K 7/1408** (2013.01); **G06T 19/006** (2013.01); **H04W 4/025** (2013.01)

- (58) **Field of Classification Search**
CPC H04W 4/023; H04W 4/025; G06T 19/006
(Continued)

(57) **ABSTRACT**

This disclosure describes techniques for receiving information that is wirelessly transmitted to a mobile computing system by wireless devices that are proximal to a route being travelled by the mobile computing system, and presenting at least a portion of the received information through a display of the mobile computing system. The information can be displayed according to a computing experience that is determined for a user of the mobile computing system (e.g., user-selected, inferred based on a stored schedule of the user, and so forth). Different sets of location-based information can be transmitted to the mobile computing system from different wireless devices that the mobile computing system comes into proximity with while traveling along a route. In some instances, the information can be locally stored on the wireless device(s) to reduce latency.

20 Claims, 9 Drawing Sheets



(51)	Int. Cl.			9,582,060	B2	2/2017	Balatsos	
	G06K 7/14	(2006.01)		9,658,473	B2	5/2017	Lewis	
	G06T 19/00	(2011.01)		9,671,566	B2	6/2017	Abovitz et al.	
(58)	Field of Classification Search			9,671,615	B1	6/2017	Vallius et al.	
	USPC		455/456.1	9,696,795	B2	7/2017	Marcolina et al.	
	See application file for complete search history.			9,798,144	B2	10/2017	Sako et al.	
(56)	References Cited			9,874,664	B2	1/2018	Stevens et al.	
	U.S. PATENT DOCUMENTS			9,918,058	B2	3/2018	Takahasi et al.	
				9,930,486	B2*	3/2018	Mycek	G01S 5/02
				9,955,862	B2	5/2018	Freeman et al.	
				9,978,118	B1	5/2018	Ozgumer et al.	
				9,996,797	B1	6/2018	Holz et al.	
				10,018,844	B2	7/2018	Levola et al.	
				10,082,865	B1	9/2018	Raynal et al.	
				10,151,937	B2	12/2018	Lewis	
				10,185,147	B2	1/2019	Lewis	
				10,218,679	B1	2/2019	Jawahar	
				10,241,545	B1	3/2019	Richards et al.	
				10,317,680	B1	6/2019	Richards et al.	
				10,436,594	B2*	10/2019	Belt	G01C 21/3652
				10,516,853	B1	12/2019	Gibson et al.	
				10,551,879	B1	2/2020	Richards et al.	
				10,578,870	B2	3/2020	Kimmel	
				10,698,202	B2	6/2020	Kimmel et al.	
				10,825,424	B2	11/2020	Zhang	
				10,856,107	B2*	12/2020	Mycek	H04W 4/30
				10,987,176	B2	4/2021	Poltaretskyi et al.	
				11,190,681	B1	11/2021	Brook et al.	
				11,209,656	B1	12/2021	Choi et al.	
				11,236,993	B1	2/2022	Hall et al.	
				2001/0010598	A1	8/2001	Aritake et al.	
				2002/0007463	A1	1/2002	Fung	
				2002/0108064	A1	2/2002	Nunally	
				2002/0063913	A1	5/2002	Nakamura et al.	
				2002/0071050	A1	6/2002	Homberg	
				2002/0122648	A1	9/2002	Mule' et al.	
				2002/0140848	A1	10/2002	Cooper et al.	
				2003/0028816	A1	2/2003	Bacon	
				2003/0048456	A1	3/2003	Hill	
				2003/0067685	A1	4/2003	Niv	
				2003/0077458	A1	4/2003	Korenaga et al.	
				2003/0115494	A1	6/2003	Cervantes	
				2003/0218614	A1	11/2003	Lavelle et al.	
				2003/0219992	A1	11/2003	Schaper	
				2003/0226047	A1	12/2003	Park	
				2004/0001533	A1	1/2004	Tran et al.	
				2004/0021600	A1	2/2004	Wittenberg	
				2004/0025069	A1	2/2004	Gary et al.	
				2004/0042377	A1	3/2004	Nikoloai et al.	
				2004/0073822	A1	4/2004	Greco	
				2004/0073825	A1	4/2004	Itoh	
				2004/0111248	A1	6/2004	Granny et al.	
				2004/0174496	A1	9/2004	Ji et al.	
				2004/0186902	A1	9/2004	Stewart	
				2004/0201857	A1	10/2004	Foxlin	
				2004/0238732	A1	12/2004	State et al.	
				2004/0240072	A1	12/2004	Schindler et al.	
				2004/0246391	A1	12/2004	Travis	
				2004/0268159	A1	12/2004	Aasheim et al.	
				2005/0001977	A1	1/2005	Zelman	
				2005/0034002	A1	2/2005	Flautner	
				2005/0157159	A1	7/2005	Komiya et al.	
				2005/0177385	A1	8/2005	Hull	
				2005/0273792	A1	12/2005	Inohara et al.	
				2006/0013435	A1	1/2006	Rhoads	
				2006/0015821	A1	1/2006	Jacques Parker et al.	
				2006/0019723	A1	1/2006	Vorenkamp	
				2006/0038880	A1	2/2006	Starkweather et al.	
				2006/0050224	A1	3/2006	Smith	
				2006/0090092	A1	4/2006	Verhulst	
				2006/0126181	A1	6/2006	Levola	
				2006/0129852	A1	6/2006	Bonola	
				2006/0132914	A1	6/2006	Weiss et al.	
				2006/0179329	A1	8/2006	Terechko	
				2006/0221448	A1	10/2006	Nivon et al.	
				2006/0228073	A1	10/2006	Mukawa et al.	
				2006/0250322	A1	11/2006	Hall et al.	
				2006/0259621	A1	11/2006	Ranganathan	
				2006/0268220	A1	11/2006	Hogan	

(56)

References Cited

U.S. PATENT DOCUMENTS

2007/0058248	A1	3/2007	Nguyen et al.	2013/0268257	A1	10/2013	Hu
2007/0103836	A1	5/2007	Oh	2013/0278633	A1	10/2013	Ahn et al.
2007/0124730	A1	5/2007	Pytel	2013/0314789	A1	11/2013	Saarikko et al.
2007/0159673	A1	7/2007	Freeman et al.	2013/0318276	A1	11/2013	Dalal
2007/0188837	A1	8/2007	Shimizu et al.	2013/0336138	A1	12/2013	Venkatraman et al.
2007/0198886	A1	8/2007	Saito	2013/0342564	A1	12/2013	Kinnebrew et al.
2007/0204672	A1	9/2007	Huang et al.	2013/0342570	A1	12/2013	Kinnebrew et al.
2007/0213952	A1	9/2007	Cirelli	2013/0342571	A1	12/2013	Kinnebrew et al.
2007/0283247	A1	12/2007	Brenneman et al.	2013/0343408	A1	12/2013	Cook
2008/0002259	A1	1/2008	Ishizawa et al.	2014/0013098	A1	1/2014	Yeung
2008/0002260	A1	1/2008	Arrouy et al.	2014/0016821	A1	1/2014	Arth et al.
2008/0043334	A1	2/2008	Itzkovitch et al.	2014/0022819	A1	1/2014	Oh et al.
2008/0046773	A1	2/2008	Ham	2014/0078023	A1	3/2014	Ikeda et al.
2008/0063802	A1	3/2008	Maula et al.	2014/0082526	A1	3/2014	Park et al.
2008/0068557	A1	3/2008	Menduni et al.	2014/0119598	A1	5/2014	Ramachandran et al.
2008/0146942	A1	6/2008	Dala-Krishna	2014/0126769	A1	5/2014	Reitmayr et al.
2008/0173036	A1	7/2008	Williams	2014/0140653	A1	5/2014	Brown et al.
2008/0177506	A1	7/2008	Kim	2014/0149573	A1	5/2014	Tofighbakhsh et al.
2008/0205838	A1	8/2008	Crippa et al.	2014/0168260	A1	6/2014	O'Brien et al.
2008/0215907	A1	9/2008	Wilson	2014/0266987	A1	9/2014	Magyari
2008/0225393	A1	9/2008	Rinko	2014/0267419	A1	9/2014	Ballard et al.
2008/0316768	A1	12/2008	Travis	2014/0274391	A1	9/2014	Stafford
2009/0153797	A1	6/2009	Allon et al.	2014/0282105	A1	9/2014	Nordstrom
2009/0224416	A1	9/2009	Laakkonen et al.	2014/0340449	A1	11/2014	Plagemann et al.
2009/0245730	A1	10/2009	Kleemann	2014/0359589	A1	12/2014	Kodsky et al.
2009/0310633	A1	12/2009	Ikegami	2014/0375680	A1	12/2014	Ackerman et al.
2010/0005326	A1	1/2010	Archer	2015/0005785	A1	1/2015	Olson
2010/0019962	A1	1/2010	Fujita	2015/0009099	A1	1/2015	Queen
2010/0056274	A1	3/2010	Uusitalo et al.	2015/0077312	A1	3/2015	Wang
2010/0063854	A1	3/2010	Purvis et al.	2015/0097719	A1	4/2015	Balachandreswaran et al.
2010/0079841	A1	4/2010	Levola	2015/0123966	A1	5/2015	Newman
2010/0153934	A1	6/2010	Lachner	2015/0130790	A1	5/2015	Vazquez, II et al.
2010/0194632	A1	8/2010	Raento et al.	2015/0134995	A1	5/2015	Park et al.
2010/0232016	A1	9/2010	Landa et al.	2015/0138248	A1	5/2015	Schrader
2010/0232031	A1	9/2010	Batchko et al.	2015/0155939	A1	6/2015	Oshima et al.
2010/0244168	A1	9/2010	Shiozawa et al.	2015/0168221	A1	6/2015	Mao et al.
2010/0296163	A1	11/2010	Sarikko	2015/0205126	A1	7/2015	Schowengerdt
2011/0021263	A1	1/2011	Anderson et al.	2015/0235431	A1	8/2015	Schowengerdt
2011/0022870	A1	1/2011	Mcgrane	2015/0253651	A1	9/2015	Russell et al.
2011/0050655	A1	3/2011	Mukawa	2015/0256484	A1	9/2015	Cameron
2011/0122240	A1	5/2011	Becker	2015/0269784	A1	9/2015	Miyawaki et al.
2011/0145617	A1	6/2011	Thomson et al.	2015/0294483	A1	10/2015	Wells et al.
2011/0170801	A1	7/2011	Lu et al.	2015/0301955	A1	10/2015	Yakovenko et al.
2011/0218733	A1	9/2011	Hamza et al.	2015/0338915	A1	11/2015	Publicover et al.
2011/0286735	A1	11/2011	Temblay	2015/0355481	A1	12/2015	Hilkes et al.
2011/0291969	A1	12/2011	Rashid et al.	2016/0004102	A1	1/2016	Nisper et al.
2012/0011389	A1	1/2012	Driesen	2016/0027215	A1	1/2016	Burns et al.
2012/0050535	A1	3/2012	Densham et al.	2016/0033770	A1	2/2016	Fujimaki et al.
2012/0075501	A1	3/2012	Oyagi et al.	2016/0077338	A1	3/2016	Robbins et al.
2012/0081392	A1	4/2012	Arthur	2016/0085285	A1	3/2016	Mangione-Smith
2012/0089854	A1	4/2012	Breakstone	2016/0085300	A1	3/2016	Robbins et al.
2012/0113235	A1	5/2012	Shintani	2016/0091720	A1	3/2016	Stafford et al.
2012/0127062	A1	5/2012	Bar-Zeev et al.	2016/0093099	A1	3/2016	Bridges
2012/0154557	A1	6/2012	Perez et al.	2016/0093269	A1	3/2016	Buckley et al.
2012/0218301	A1	8/2012	Miller	2016/0123745	A1	5/2016	Cotier et al.
2012/0246506	A1	9/2012	Knight	2016/0180596	A1	6/2016	Gonzalez del Rosario
2012/0249416	A1	10/2012	Maciocci et al.	2016/0187654	A1	6/2016	Border et al.
2012/0249741	A1	10/2012	Maciocci et al.	2016/0191887	A1	6/2016	Casas
2012/0260083	A1	10/2012	Andrews	2016/0202496	A1	7/2016	Billetz et al.
2012/0307075	A1	12/2012	Margalitu	2016/0217624	A1	7/2016	Finn et al.
2012/0307362	A1	12/2012	Silverstein et al.	2016/0266412	A1	9/2016	Yoshida
2012/0314959	A1	12/2012	White et al.	2016/0267708	A1	9/2016	Nistico et al.
2012/0320460	A1	12/2012	Levola	2016/0274733	A1	9/2016	Hasegawa et al.
2012/0326948	A1	12/2012	Crocco et al.	2016/0287337	A1	10/2016	Aram et al.
2013/0021486	A1	1/2013	Richardson	2016/0300388	A1	10/2016	Stafford et al.
2013/0050258	A1	2/2013	Liu et al.	2016/0321551	A1	11/2016	Priness et al.
2013/0050833	A1	2/2013	Lewis et al.	2016/0327798	A1	11/2016	Xiao et al.
2013/0051730	A1	2/2013	Travers et al.	2016/0334279	A1	11/2016	Mittleman et al.
2013/0077049	A1	3/2013	Bohn	2016/0357255	A1	12/2016	Lindh et al.
2013/0077170	A1	3/2013	Ukuda	2016/0370404	A1	12/2016	Quadrat et al.
2013/0094148	A1	4/2013	Sloane	2016/0370510	A1	12/2016	Thomas
2013/0129282	A1	5/2013	Li	2017/0038607	A1	2/2017	Camara
2013/0169923	A1	7/2013	Schnoll et al.	2017/0060225	A1	3/2017	Zha et al.
2013/0205126	A1	8/2013	Kruglick	2017/0061696	A1	3/2017	Li et al.
2013/0222386	A1	8/2013	Tannhauser et al.	2017/0100664	A1	4/2017	Osterhout et al.
				2017/0115487	A1	4/2017	Travis
				2017/0122725	A1	5/2017	Yeoh et al.
				2017/0123526	A1	5/2017	Trail et al.
				2017/0127295	A1	5/2017	Black et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2017/0131569	A1	5/2017	Aschwanden et al.
2017/0147066	A1	5/2017	Katz et al.
2017/0160518	A1	6/2017	Lanman et al.
2017/0161951	A1	6/2017	Fix et al.
2017/0185261	A1	6/2017	Perez et al.
2017/0192239	A1	7/2017	Nakamura et al.
2017/0205903	A1	7/2017	Miller et al.
2017/0206668	A1	7/2017	Poulos et al.
2017/0213388	A1	7/2017	Margolis et al.
2017/0219841	A1	8/2017	Popovich et al.
2017/0232345	A1	8/2017	Rofougaran et al.
2017/0235126	A1	8/2017	DiDomenico
2017/0235129	A1	8/2017	Kamakura
2017/0235142	A1	8/2017	Wall et al.
2017/0235144	A1	8/2017	Piskunov et al.
2017/0235147	A1	8/2017	Kamakura
2017/0243403	A1	8/2017	Daniels et al.
2017/0254832	A1	9/2017	Ho et al.
2017/0256096	A1	9/2017	Faaborg et al.
2017/0258526	A1	9/2017	Lang
2017/0270712	A1	9/2017	Tyson et al.
2017/0281054	A1	10/2017	Stever et al.
2017/0287376	A1	10/2017	Bakar et al.
2017/0293141	A1	10/2017	Schowengerdt et al.
2017/0307886	A1	10/2017	Stenberg et al.
2017/0307891	A1	10/2017	Bucknor et al.
2017/0312032	A1	11/2017	Amanatullah et al.
2017/0322426	A1	11/2017	Tervo
2017/0329137	A1	11/2017	Tervo
2017/0332098	A1	11/2017	Rusanovskyy et al.
2017/0336636	A1	11/2017	Amitai et al.
2017/0357332	A1	12/2017	Balan et al.
2017/0371394	A1	12/2017	Chan
2017/0371661	A1	12/2017	Sparling
2018/0014266	A1	1/2018	Chen
2018/0024289	A1	1/2018	Fattal
2018/0044173	A1	2/2018	Netzer
2018/0052007	A1	2/2018	Teskey et al.
2018/0052501	A1	2/2018	Jones, Jr. et al.
2018/0059305	A1	3/2018	Popovich et al.
2018/0067779	A1	3/2018	Pillalamarri et al.
2018/0070855	A1	3/2018	Eichler
2018/0082480	A1	3/2018	White et al.
2018/0088185	A1	3/2018	Woods et al.
2018/0102981	A1	4/2018	Kurtzman et al.
2018/0108179	A1	4/2018	Tomlin et al.
2018/0114298	A1	4/2018	Malaika et al.
2018/0131907	A1	5/2018	Schmirler et al.
2018/0136466	A1	5/2018	Ko
2018/0144691	A1	5/2018	Choi et al.
2018/0151796	A1	5/2018	Akahane
2018/0188115	A1	7/2018	Hsu et al.
2018/0189568	A1	7/2018	Powderly et al.
2018/0190017	A1	7/2018	Mendez et al.
2018/0191990	A1	7/2018	Motoyama et al.
2018/0250589	A1	9/2018	Cossairt et al.
2018/0284877	A1	10/2018	Klein
2018/0357472	A1	12/2018	Dreessen
2019/0005069	A1	1/2019	Filgueiras de Araujo et al.
2019/0011691	A1	1/2019	Peyman
2019/0056591	A1	2/2019	Tervo et al.
2019/0087015	A1	3/2019	Lam et al.
2019/0101758	A1	4/2019	Zhu et al.
2019/0155439	A1	5/2019	Mukherjee et al.
2019/0158926	A1	5/2019	Kang et al.
2019/0167095	A1	6/2019	Krueger
2019/0172216	A1	6/2019	Ninan et al.
2019/0178654	A1	6/2019	Hare
2019/0196690	A1	6/2019	Chong et al.
2019/0219815	A1	7/2019	Price et al.
2019/0243123	A1	8/2019	Bohn
2019/0318540	A1	10/2019	Piemonte et al.
2019/0321728	A1	10/2019	Imai et al.
2019/0347853	A1	11/2019	Chen et al.
2019/0380792	A1	12/2019	Poltaretskyi et al.
2020/0098188	A1	3/2020	Bar-Zeev et al.
2020/0110928	A1	4/2020	Al Jazaery et al.
2020/0117267	A1	4/2020	Gibson et al.
2020/0117270	A1	4/2020	Gibson et al.
2020/0202759	A1	6/2020	Ukai et al.
2020/0309944	A1	10/2020	Thoresen et al.
2020/0356161	A1	11/2020	Wagner
2020/0368616	A1	11/2020	Delamont
2020/0409528	A1	12/2020	Lee
2021/0008413	A1	1/2021	Asikainen et al.
2021/0033871	A1	2/2021	Jacoby et al.
2021/0041951	A1	2/2021	Gibson et al.
2021/0053820	A1	2/2021	Gurin et al.
2021/0093391	A1	4/2021	Poltaretskyi et al.
2021/0093410	A1	4/2021	Gaborit et al.
2021/0093414	A1	4/2021	Moore et al.
2021/0097886	A1	4/2021	Kuester et al.
2021/0142582	A1	5/2021	Jones et al.
2021/0158627	A1	5/2021	Cossairt et al.
2021/0173480	A1	6/2021	Osterhout et al.

FOREIGN PATENT DOCUMENTS

EP	0504930	A1	3/1992
EP	0535402	A1	4/1993
EP	0632360	A1	1/1995
EP	1215522	A2	6/2002
EP	1494110	A2	1/2005
EP	1938141	A1	7/2008
EP	1943556	A2	7/2008
EP	2290428	A2	3/2011
EP	2350774	A1	8/2011
EP	1237067	B1	1/2016
EP	3139245	A1	3/2017
EP	3164776	B1	5/2017
EP	3236211	A1	10/2017
EP	2723240	B1	8/2018
EP	2896986	B1	2/2021
GB	2499635	A	8/2013
GB	2542853	A	4/2017
IN	938/DEL/2004	A	6/2006
JP	2002-529806		9/2002
JP	2003-029198	A	1/2003
JP	2007-012530	A	1/2007
JP	2008-257127	A	10/2008
JP	2009-090689	A	4/2009
JP	2009-244869	A	10/2009
JP	2012-015774	A	1/2012
JP	2013-525872	A1	6/2013
JP	2016-85463	A	5/2016
JP	2016-516227	A	6/2016
JP	6232763	B2	11/2017
JP	6333965	B2	5/2018
KR	2005-0010775	A	1/2005
KR	10-1372623	B1	3/2014
TW	201219829	A	5/2012
TW	201803289	A	1/2018
WO	1991/000565	A2	1/1991
WO	2000/030368	A1	6/2000
WO	2002/071315	A2	9/2002
WO	2004095248	A	11/2004
WO	2006132614	A1	12/2006
WO	2007/085682	A1	8/2007
WO	2007/102144	A1	9/2007
WO	2008148927	A1	12/2008
WO	2009/101238	A1	8/2009
WO	2012030787	A2	3/2012
WO	2013/049012	A1	4/2013
WO	2013062701	A1	5/2013
WO	2015143641	A1	10/2015
WO	2016/054092	A1	4/2016
WO	2017004695	A1	1/2017
WO	2017120475	A1	7/2017
WO	2017/203201	A1	11/2017
WO	2018/044537	A1	3/2018
WO	2018087408	A1	5/2018
WO	2018097831	A1	5/2018

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	2018/166921 A	9/2018
WO	2018166921 A1	9/2018
WO	2019148154 A1	8/2019

OTHER PUBLICATIONS

Communication Pursuant to Article 94(3) EPC dated Sep. 4, 2019, European Patent Application No. 10793707.0, (4 pages).

European Search Report dated Oct. 15, 2020, European Patent Application No. 20180623.9, (10 pages).

Examination Report dated Jun. 19, 2020, European Patent Application No. 20154750.2, (10 pages).

Extended European Search Report dated May 20, 2020, European Patent Application No. 20154070.5, (7 pages).

Extended European Search Report dated Nov. 3, 2020, European Patent Application No. 18885707.2, (7 pages).

Extended European Search Report dated Nov. 4, 2020, European Patent Application No. 20190980.1, (14 pages).

Extended European Search Report dated Jun. 12, 2017, European Patent Application No. 16207441.3, (8 pages).

Final Office Action dated Aug. 10, 2020, U.S. Appl. No. 16/225,961, (13 pages).

Final Office Action dated Dec. 4, 2019, U.S. Appl. No. 15/564,517, (15 pages).

Final Office Action dated Feb. 19, 2020, U.S. Appl. No. 15/552,897, (17 pages).

Final Office Action dated Nov. 24, 2020, U.S. Appl. No. 16/435,933, (44 pages).

International Search Report and Written Opinion dated Mar. 12, 2020, International PCT Patent Application No. PCT/US19/67919, (14 pages).

International Search Report and Written Opinion dated Aug. 15, 2019, International PCT Patent Application No. PCT/US19/33987, (20 pages).

International Search Report and Written Opinion dated Jun. 15, 2020, International PCT Patent Application No. PCT/US2020/017023, (13 pages).

International Search Report and Written Opinion dated Oct. 16, 2019, International PCT Patent Application No. PCT/US19/43097, (10 pages).

International Search Report and Written Opinion dated Oct. 16, 2019, International PCT Patent Application No. PCT/US19/36275, (10 pages).

International Search Report and Written Opinion dated Oct. 16, 2019, International PCT Patent Application No. PCT/US19/43099, (9 pages).

International Search Report and Written Opinion dated Jun. 17, 2016, International PCT Patent Application No. PCT/FI2016/050172, (9 pages).

International Search Report and Written Opinion dated Oct. 22, 2019, International PCT Patent Application No. PCT/US19/43751, (9 pages).

International Search Report and Written Opinion dated Dec. 23, 2019, International PCT Patent Application No. PCT/US19/44953, (11 pages).

International Search Report and Written Opinion dated May 23, 2019, International PCT Patent Application No. PCT/US18/66514, (17 pages).

International Search Report and Written Opinion dated Sep. 26, 2019, International PCT Patent Application No. PCT/US19/40544, (12 pages).

International Search Report and Written Opinion dated Aug. 27, 2019, International PCT Application No. PCT/US2019/035245, (8 pages).

International Search Report and Written Opinion dated Dec. 27, 2019, International Application No. PCT/US19/47746, (16 pages).

International Search Report and Written Opinion dated Dec. 3, 2020, International Patent Application No. PCT/US20/43596, (25 pages).

International Search Report and Written Opinion dated Sep. 30, 2019, International Patent Application No. PCT/US19/40324, (7 pages).

International Search Report and Written Opinion dated Sep. 4, 2020, International Patent Application No. PCT/US20/31036, (13 pages).

International Search Report and Written Opinion dated Jun. 5, 2020, International Patent Application No. PCT/US20/19871, (9 pages).

International Search Report and Written Opinion dated Aug. 8, 2019, International PCT Patent Application No. PCT/US2019/034763, (8 pages).

International Search Report and Written Opinion dated Oct. 8, 2019, International PCT Patent Application No. PCT/US19/41151, (7 pages).

International Search Report and Written Opinion dated Jan. 9, 2020, International Application No. PCT/US19/55185, (10 pages).

International Search Report and Written Opinion dated Feb. 28, 2019, International Patent Application No. PCT/US18/64686, (8 pages).

International Search Report and Written Opinion dated Feb. 7, 2020, International PCT Patent Application No. PCT/US2019/061265, (11 pages).

International Search Report and Written Opinion dated Jun. 11, 2019, International PCT Application No. PCT/US19/22620, (7 pages).

Invitation to Pay Additional Fees dated Aug. 15, 2019, International PCT Patent Application No. PCT/US19/36275, (2 pages).

Invitation to Pay Additional Fees dated Sep. 24, 2020, International Patent Application No. PCT/US2020/043596, (3 pages).

Invitation to Pay Additional Fees dated Oct. 22, 2019, International PCT Patent Application No. PCT/US19/47746, (2 pages).

Invitation to Pay Additional Fees dated Apr. 3, 2020, International Patent Application No. PCT/US20/17023, (2 pages).

Invitation to Pay Additional Fees dated Oct. 17, 2019, International PCT Patent Application No. PCT/US19/44953, (2 pages).

Non Final Office Action dated Nov. 19, 2019, U.S. Appl. No. 16/355,611, (31 pages).

Non Final Office Action dated Aug. 21, 2019, U.S. Appl. No. 15/564,517, (14 pages).

Non Final Office Action dated Jul. 27, 2020, U.S. Appl. No. 16/435,933, (16 pages).

Non Final Office Action dated Jun. 17, 2020, U.S. Appl. No. 16/682,911, (22 pages).

Non Final Office Action dated Jun. 19, 2020, U.S. Appl. No. 16/225,961, (35 pages).

Non Final Office Action dated Nov. 5, 2020, U.S. Appl. No. 16/530,776, (45 pages).

Non Final Office Action dated Oct. 22, 2019, U.S. Appl. No. 15/859,277, (15 pages).

Non Final Office Action dated Sep. 1, 2020, U.S. Appl. No. 16/214,575, (40 pages).

Notice of Allowance dated Mar. 25, 2020, U.S. Appl. No. 15/564,517, (11 pages).

Notice of Allowance dated Oct. 5, 2020, U.S. Appl. No. 16/682,911, (27 pages).

Notice of Reason of Refusal dated Sep. 11, 2020 with English translation, Japanese Patent Application No. 2019-140435, (6 pages).

“Phototourism Challenge”, CVPR 2019 Image Matching Workshop. <https://image-matching-workshop.github.io/>, (16 pages).

Summons to attend oral proceedings pursuant to Rule 115(1) EPC mailed on Jul. 15, 2019, European Patent Application No. 15162521.7, (7 pages).

Aarik, J. et al., “Effect of crystal structure on optical properties of TiO₂ films grown by atomic layer deposition”, *Thin Solid Films*; Publication [online]. May 19, 1998 [retrieved Feb. 19, 2020], Retrieved from the Internet: <URL: <https://www.sciencedirect.com/science/article/pii/S0040609097001351?via%3Dihub>>; DOI: 10.1016/S0040-6090(97)00135-1; see entire document, (2 pages).

Arandjelović, Relja et al., “Three things everyone should know to improve object retrieval”, *CVPR*, 2012, (8 pages).

(56)

References Cited

OTHER PUBLICATIONS

- AZOM, , “Silica—Silicon Dioxide (SiO₂)”, AZO Materials; Publication [Online], Dec. 13, 2001 [retrieved Feb. 19, 2020], Retrieved from the Internet: <URL: <https://www.azom.com/article.aspx?ArticleID=1114>>, (6 pages).
- Azuma, Ronald T. , “A Survey of Augmented Reality”, Presence: Teleoperators and Virtual Environments 6, 4 (Aug. 1997), 355-385; <https://web.archive.org/web/20010604100006/http://www.cs.unc.edu/~azuma/ARpresence.pdf> (downloaded Oct. 26, 2020).
- Azuma, Ronald T. , “Predictive Tracking for Augmented Reality”, Department of Computer Science, Chapel Hill NC; TR95-007, Feb. 1995, 262 pages.
- Battaglia, Peter W. et al., “Relational inductive biases, deep learning, and graph networks”, arXiv:1806.01261, Oct. 17, 2018, pp. 1-40.
- Berg, Alexander C et al., “Shape matching and object recognition using low distortion correspondences”, In CVPR, 2005, (8 pages).
- Bian, Jiawang et al., “GMS: Grid-based motion statistics for fast, ultra-robust feature correspondence.”, In CVPR (Conference on Computer Vision and Pattern Recognition), 2017, (10 pages).
- Brachmann, Eric et al., “Neural-Guided RANSAC: Learning Where to Sample Model Hypotheses”, In ICCV (International Conference on Computer Vision), arXiv:1905.04132v2 [cs.CV] Jul. 31, 2019, (17 pages).
- Butail, et al., “Putting the fish in the fish tank: Immersive VR for animal behavior experiments”, In: 2012 IEEE International Conference on Robotics and Automation. May 18, 2012 (May 18, 2012) Retrieved on Nov. 14, 2020 (Nov. 14, 2020) from <<http://lcdl.umd.edu/papers/icra2012.pdf>> entire document, (8 pages).
- Caetano, Tibério S et al., “Learning graph matching”, IEEE TPAMI, 31(6):1048-1058, 2009.
- Cech, Jan et al., “Efficient sequential correspondence selection by cosegmentation”, IEEE TPAMI, 32(9):1568-1581, Sep. 2010.
- Cuturi, Marco , “Sinkhorn distances: Lightspeed computation of optimal transport”, NIPS, 2013, (9 pages).
- Dai, Angela et al., “ScanNet: Richly-annotated 3d reconstructions of indoor scenes”, In CVPR, arXiv:1702.04405v2 [cs.CV] Apr. 11, 2017, (22 pages).
- Deng, Haowen et al., “PPFnet: Global context aware local features for robust 3d point matching”, In CVPR, arXiv:1802.02669v2 [cs.CV] Mar. 1, 2018, (12 pages).
- Detone, Daniel et al., “Deep image homography estimation”, In RSS Work—shop: Limits and Potentials of Deep Learning in Robotics, arXiv:1606.03798v1 [cs.CV] Jun. 13, 2016, (6 pages).
- Detone, Daniel et al., “Self-improving visual odometry”, arXiv:1812.03245, Dec. 8, 2018, (9 pages).
- Detone, Daniel et al., “SuperPoint: Self-supervised interest point detection and description”, In CVPR Workshop on Deep Learning for Visual SLAM, arXiv:1712.07629v4 [cs.CV] Apr. 19, 2018, (13 pages).
- Dusmanu, Mihai et al., “D2-net: A trainable CNN for joint detection and description of local features”, CVPR, arXiv:1905.03561v1 [cs.CV] May 9, 2019, (16 pages).
- Ebel, Patrick et al., “Beyond cartesian representations for local descriptors”, ICCV, arXiv:1908.05547v1 [cs.CV] Aug. 15, 2019, (11 pages).
- Fischler, Martin A et al., “Random sample consensus: a paradigm for model fitting with applications to image analysis and automated cartography”, Communications of the ACM, 24(6): 1981, pp. 381-395.
- Gilmer, Justin et al., “Neural message passing for quantum chemistry”, In ICML, arXiv:1704.01212v2 [cs.LG] Jun. 12, 2017, (14 pages).
- Goodfellow, , “Titanium Dioxide—Titania (TiO₂)”, AZO Materials; Publication [online], Jan. 11, 2002 [retrieved Feb. 19, 2020], Retrieved from the Internet: <URL: <https://www.azom.com/article.aspx?ArticleID=1179>>, (9 pages).
- Hartley, Richard et al., “Multiple View Geometry in Computer Vision”, Cambridge University Press, 2003, pp. 1-673.
- Jacob, Robert J. , “Eye Tracking in Advanced Interface Design”, Human-Computer Interaction Lab, Naval Research Laboratory, Washington, D.C., date unknown. 2003, pp. 1-50.
- Lee, Juho et al., “Set transformer: A frame-work for attention-based permutation-invariant neural networks”, ICML, arXiv:1810.00825v3 [cs.LG] May 26, 2019, (17 pages).
- Leordeanu, Marius et al., “A spectral technique for correspondence problems using pairwise constraints”, Proceedings of (ICCV) International Conference on Computer Vision, vol. 2, pp. 1482-1489, Oct. 2005, (8 pages).
- Levola, T. , “Diffractive Optics for Virtual Reality Displays”, Journal of the SID Eurodisplay 14/05, 2005, XP008093627, chapters 2-3, Figures 2 and 10, pp. 467-475.
- Levola, Tapani , “Invited Paper: Novel Diffractive Optical Components for Near to Eye Displays—Nokia Research Center”, SID 2006 DIGEST, 2006 SID International Symposium, Society for Information Display, vol. XXXVII, May 24, 2005, chapters 1-3, figures 1 and 3, pp. 64-67.
- Li, Yujia et al., “Graph matching networks for learning the similarity of graph structured objects”, ICML, arXiv:1904.12787v2 [cs.LG] May 12, 2019, (18 pages).
- Li, Zhengqi et al., “Megadepth: Learning single-view depth prediction from internet photos”, In CVPR, from arXiv: 1804.00607v4 [cs.CV] Nov. 28, 2018, (10 pages).
- Loiola, Eliane M. et al., “A survey for the quadratic assignment problem”, European journal of operational research, 176(2): 2007, pp. 657-690.
- Lowe, David G. , “Distinctive image features from scale-invariant keypoints”, International Journal of Computer Vision, 60(2): 91-110, 2004, (28 pages).
- Luo, Zixin et al., “ContextDesc: Local descriptor augmentation with cross-modality context”, CVPR, arXiv:1904.04084v1 [cs.CV] Apr. 8, 2019, (14 pages).
- Memon, F. et al., “Synthesis, Characterization and Optical Constants of Silicon Oxycarbide”, EPJ Web of Conferences; Publication [online]. Mar. 23, 2017 [retrieved Feb. 19, 2020].<URL: https://www.epj-conferences.org/articles/epjconf/pdf/2017/08/epjconf_nanop2017_00002.pdf>; DOI: 10.1051/epjconf/201713900002, (8 pages).
- Munkres, James , “Algorithms for the assignment and transportation problems”, Journal of the Society for Industrial and Applied Mathematics, 5(1): 1957, pp. 32-38.
- Ono, Yuki et al., “LF-Net: Learning local features from images”, 32nd Conference on Neural Information Processing Systems (NIPS 2018), arXiv:1805.09662v2 [cs.CV] Nov. 22, 2018, (13 pages).
- Paszke, Adam et al., “Automatic differentiation in Pytorch”, 31st Conference on Neural Information Processing Systems (NIPS 2017), Long Beach, CA, USA, (4 pages).
- Peyré, Gabriel et al., “Computational Optimal Transport”, Foundations and Trends in Machine Learning, 11(5-6):355-607, 2019; arXiv:1803.00567v4 [stat.ML] Mar. 18, 2020, (209 pages).
- Qi, Charles R. et al., “Pointnet++: Deep hierarchical feature learning on point sets in a metric space.”, 31st Conference on Neural Information Processing Systems (NIPS 2017), Long Beach, CA, USA., (10 pages).
- Qi, Charles R. et al., “Pointnet: Deep Learning on Point Sets for 3D Classification and Segmentation”, CVPR, arXiv:1612.00593v2 [cs.CV] 10 Apr. 201, (19 pages).
- Radenović, Filip et al., “Revisiting Oxford and Paris: Large-Scale Image Retrieval Benchmarking”, CVPR, arXiv:1803.11285v1 [cs.CV] Mar. 29, 2018, (10 pages).
- Raguram, Rahul et al., “A comparative analysis of ransac techniques leading to adaptive real-time random sample consensus”, Computer Vision—ECCV 2008, 10th European Conference on Computer Vision, Marseille, France, Oct. 12-18, 2008, Proceedings, Part I, (15 pages).
- Ranftl, René et al., “Deep fundamental matrix estimation”, European Conference on Computer Vision (ECCV), 2018, (17 pages).
- Revaud, Jerome et al., “R2D2: Repeatable and Reliable Detector and Descriptor”, In NeurIPS, arXiv:1906.06195v2 [cs.CV] Jun. 17, 2019, (12 pages).

(56)

References Cited

OTHER PUBLICATIONS

Rocco, Ignacio et al., "Neighbourhood Consensus Networks", 32nd Conference on Neural Information Processing Systems (NeurIPS 2018), Montréal, Canada, arXiv:1810.10510v2 [cs.CV] Nov. 29, 2018, (20 pages).

Ruble, Ethan et al., "ORB: An efficient alternative to SIFT or SURF", Proceedings of the IEEE International Conference on Computer Vision. 2564-2571. 2011; 10.1109/ICCV.2011.612654, (9 pages).

Sattler, Torsten et al., "SCRAMSAC: Improving RANSAC's efficiency with a spatial consistency filter", ICCV, 2009: 2090-2097., (8 pages).

Schonberger, Johannes L. et al., "Structure-from-motion revisited", Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2016, pp. 4104-4113, (11 pages).

Sinkhorn, Richard et al., "Concerning nonnegative matrices and doubly stochastic matrices.", Pacific Journal of Mathematics, 1967, pp. 343-348.

Spencer, T. et al., "Decomposition of poly(propylene carbonate) with UV sensitive iodonium 11 salts", Polymer Degradation and Stability; (online), Dec. 24, 2010 (retrieved Feb. 19, 2020), <URL: [http://kohl.chbe.gatech.edu/sites/default/files/linked_files/publications/2011Decomposition%20of%20poly\(propylene%20carbonate\)%20with%20UV%20sensitive%20iodonium%20salts.pdf](http://kohl.chbe.gatech.edu/sites/default/files/linked_files/publications/2011Decomposition%20of%20poly(propylene%20carbonate)%20with%20UV%20sensitive%20iodonium%20salts.pdf)>; DOI: 10.1016/j.polydegradstab.2010.12.003, (17 pages).

Tanriverdi, Vildan et al., "Interacting With Eye Movements in Virtual Environments", Department of Electrical Engineering and Computer Science, Tufts University; Proceedings of the SIGCHI conference on Human Factors in Computing Systems, Apr. 2000, pp. 1-8.

Thomee, Bart et al., "YFCC100m: The new data in multimedia research", Communications of the ACM, 59(2):64-73, 2016; arXiv:1503.01817v2 [cs.MM] Apr. 25, 2016, (8 pages).

Torresani, Lorenzo et al., "Feature correspondence via graph matching: Models and global optimization", Computer Vision—ECCV 2008, 10th European Conference on Computer Vision, Marseille, France, Oct. 12-18, 2008, Proceedings, Part II, (15 pages).

Tuytelaars, Tinne et al., "Wide baseline stereo matching based on local, affinity invariant regions", BMVC, 2000, pp. 1-14.

Ulyanov, Dmitry et al., "Instance normalization: The missing ingredient for fast stylization", arXiv:1607.08022v3 [cs.CV] Nov. 6, 2017, (6 pages).

Vaswani, Ashish et al., "Attention is all you need", 31st Conference on Neural Information Processing Systems (NIPS 2017), Long Beach, CA, USA; arXiv:1706.03762v5 [cs.CL] Dec. 6, 2017, (15 pages).

Veličković, Petar et al., "Graph attention networks", ICLR, arXiv:1710.10903v3 [stat.ML] Feb. 4, 2018, (12 pages).

Wang, Yue et al., "Deep Closest Point: Learning representations for point cloud registration", ICCV, arXiv:1905.03304v1 [cs.CV] May 8, 2019, (10 pages).

Wang, Yue et al., "Dynamic Graph CNN for learning on point clouds", ACM Transactions on Graphics, arXiv:1801.07829v2 [cs.CV] Jun. 11, 2019, (13 pages).

Weissel, et al., "Process cruise control: event-driven clock scaling for dynamic power management", Proceedings of the 2002 international conference on Compilers, architecture, and synthesis for embedded systems. Oct. 11, 2002 (Oct. 11, 2002) Retrieved on May 16, 2020 (May 16, 2020) from <URL: <https://dl.acm.org/doi/pdf/10.1145/581630.581668>>, p. 238-246.

Yi, Kwang M. et al., "Learning to find good correspondences", CVPR, arXiv:1711.05971v2 [cs.CV] May 21, 2018, (13 pages).

Yi, Kwang Moo et al., "Lift: Learned invariant feature transform", ECCV, arXiv:1603.09114v2 [cs.CV] Jul. 29, 2016, (16 pages).

Zaheer, Manzil et al., "Deep Sets", 31st Conference on Neural Information Processing Systems (NIPS 2017), Long Beach, CA, USA arXiv:1703.06114v3 [cs.LG] Apr. 14, 2018, (29 pages).

Zhang, Jiahui et al., "Learning two-view correspondences and geometry using order-aware network", ICCV; arXiv:1908.04964v1 [cs.CV] Aug. 14, 2019, (11 pages).

Zhang, Li et al., "Dual graph convolutional net-work for semantic segmentation", BMVC, 2019; arXiv:1909.06121v3 [cs.CV] Aug. 26, 2020, (18 pages).

Extended European Search Report dated Jan. 22, 2021, European Patent Application No. 18890390.0, (11 pages).

Extended European Search Report dated Mar. 4, 2021, European Patent Application No. 19768418.6, (9 pages).

Final Office Action dated Jun. 15, 2021, United States U.S. Appl. No. 16/928,313, (42 pages).

Final Office Action dated Mar. 1, 2021, U.S. Appl. No. 16/214,575, (29 pages).

Final Office Action dated Mar. 19, 2021, U.S. Appl. No. 16/530,776, (25 pages).

International Search Report and Written Opinion dated Feb. 12, 2021, International Application No. PCT/US20/60555, (25 pages).

International Search Report and Written Opinion dated Feb. 2, 2021, International PCT Patent Application No. PCT/US20/60550, (9 pages).

Non Final Office Action dated Jan. 26, 2021, U.S. Appl. No. 16/928,313, (33 pages).

Non Final Office Action dated Jan. 27, 2021, U.S. Appl. No. 16/225,961, (15 pages).

Non Final Office Action dated Jun. 10, 2021, U.S. Appl. No. 16/938,782, (40 Pages).

Non Final Office Action dated Mar. 3, 2021, U.S. Appl. No. 16/427,337, (41 pages).

Non Final Office Action dated May 26, 2021, U.S. Appl. No. 16/214,575, (19 pages).

Altwaijry, et al., "Learning to Detect and Match Keypoints with Deep Architectures", Proceedings of the British Machine Vision Conference (BMVC), BMVA Press, Sep. 2016, [retrieved on Jan. 8, 2021 (Jan. 8, 2021)] < URL: <http://www.bmva.org/bmvc/2016/papers/paper049/index.html> >, en lire document, especially Abstract, pp. 1-6 and 9.

Lee, et al., "Self-Attention Graph Pooling", Cornell University Library/Computer Science/ Machine Learning, Apr. 17, 2019 [retrieved on Jan. 8, 2021 from the Internet< URL: <https://arxiv.org/abs/1904.08082> >, entire document.

Libovicky, et al., "Input Combination Strategies for Multi-Source Transformer Decoder", Proceedings of the Third Conference on Machine Translation (WMT). vol. 1: Research Papers, Belgium, Brussels, Oct. 31-Nov. 1, 2018; retrieved on Jan. 8, 2021 (Jan. 8, 2021) from < URL: <https://doi.org/10.18653/v1/W18-64026> >, entire document, pp. 253-260.

Molchanov, Pavlo et al., "Short-range FMCW monopulse radar for hand-gesture sensing", 2015 IEEE Radar Conference (RadarCon) (2015), pp. 1491-1496.

Sarlin, et al., "SuperGlue: Learning Feature Matching with Graph Neural Networks", Cornell University Library/Computer Science/ Computer Vision and Pattern Recognition, Nov. 26, 2019 [retrieved on Jan. 8, 2021 from the Internet< URL: <https://arxiv.org/abs/1911.11763>>, entire document.

Communication Pursuant to Article 94(3) EPC dated Apr. 25, 2022, European Patent Application No. 18885707.2, (5 pages).

Extended European Search Report dated Mar. 22, 2022, European Patent Application No. 19843487.0, (14 pages).

First Examination Report dated May 13, 2022, Indian Patent Application No. 202047026359, (8 pages).

First Office Action dated Mar. 14, 2022 with English translation, Chinese Patent Application No. 201880079474.6, (11 pages).

Non Final Office Action dated Apr. 1, 2022, U.S. Appl. No. 17/256,961, (65 pages).

Non Final Office Action dated Apr. 11, 2022, U.S. Appl. No. 16/938,782, (52 pages).

Non Final Office Action dated Apr. 12, 2022, U.S. Appl. No. 17/262,991, (60 pages).

Non Final Office Action dated Mar. 9, 2022, U.S. Appl. No. 16/870,676, (57 pages).

Non Final Office Action dated May 10, 2022, U.S. Appl. No. 17/140,921, (25 pages).

Non Final Office Action dated May 17, 2022, U.S. Appl. No. 16/748,193, (11 pages).

(56)

References Cited

OTHER PUBLICATIONS

Extended European Search Report dated Jun. 19, 2020, European Patent Application No. 20154750.2, (10 pages).
 Communication according to Rule 164(1) EPC dated Feb. 23, 2022, European Patent Application No. 20753144.3, (11 pages).
 Communication Pursuant to Article 94(3) EPC dated Oct. 21, 2021, European Patent Application No. 16207441.3, (4 pages).
 Communication Pursuant to Rule 164(1) EPC dated Jul. 27, 2021, European Patent Application No. 19833664.6, (11 pages).
 Extended European Search Report dated Jun. 30, 2021, European Patent Application No. 19811971.1, (9 pages).
 Extended European Search Report dated Jan. 28, 2022, European Patent Application No. 19815876.8, (9 pages).
 Extended European Search Report dated Jan. 4, 2022, European Patent Application No. 19815085.6, (9 pages).
 Extended European Search Report dated Jul. 16, 2021, European Patent Application No. 19810142.0, (14 pages).
 Extended European Search Report dated Jul. 30, 2021, European Patent Application No. 19839970.1, (7 pages).
 Extended European Search Report dated Oct. 27, 2021, European Patent Application No. 19833664.6, (10 pages).
 Extended European Search Report dated Sep. 20, 2021, European Patent Application No. 19851373.1, (8 pages).
 Extended European Search Report dated Sep. 28, 2021, European Patent Application No. 19845418.3, (13 pages).
 Final Office Action dated Feb. 23, 2022, U.S. Appl. No. 16/748,193, (23 pages).
 Final Office Action dated Feb. 3, 2022, United States U.S. Appl. No. 16/864,721, (36 pages).
 Final Office Action dated Sep. 17, 2021, U.S. Appl. No. 16/938,782, (44 pages).
 "Multi-core processor", TechTarget, 2013, (1 page).
 Non Final Office Action dated Aug. 4, 2021, U.S. Appl. No. 16/864,721, (51 pages).
 Non Final Office Action dated Feb. 2, 2022, U.S. Appl. No. 16/783,866, (8 pages).
 Non Final Office Action dated Jul. 9, 2021, U.S. Appl. No. 17/002,663, (43 pages).
 Non Final Office Action dated Jul. 9, 2021, U.S. Appl. No. 16/833,093, (47 pages).
 Non Final Office Action dated Jun. 29, 2021, U.S. Appl. No. 16/698,588, (58 pages).
 Non Final Office Action dated Sep. 20, 2021, U.S. Appl. No. 17/105,848, (56 pages).
 Non Final Office Action dated Sep. 29, 2021, U.S. Appl. No. 16/748,193, (62 pages).

Giuseppe, Donato, et al., "Stereoscopic helmet mounted system for real time 3D environment reconstruction and indoor ego—motion estimation", Proc. SPIE 6955, Head- and Helmet-Mounted Displays XIII: Design and Applications, SPIE Defense and Security Symposium, 2008, Orlando, Florida, United States, 69550P.

MRAD, et al., "A framework for System Level Low Power Design Space Exploration", 1991.

Sheng, Liu, et al., "Time-multiplexed dual-focal plane head-mounted display with a liquid lens", Optics Letters, Optical Society of AMER I CA, US, vol. 34, No. 11, Jun. 1, 2009 (Jun. 1, 2009), XP001524475, ISSN: 0146-9592, pp. 1642-1644.

"Communication Pursuant to Article 94(3) EPC dated May 30, 2022", European Patent Application No. 19768418.6, (6 pages).

"Extended European Search Report dated May 16, 2022", European Patent Application No. 19871001.4, (9 pages).

"Extended European Search Report dated May 30, 2022", European Patent Application No. 20753144.3, (10 pages).

"Extended European Search Report dated Jul. 20, 2022", European Patent Application No. 19885958.9, (9 pages).

"Extended European Search Report dated Aug. 8, 2022", European Patent Application No. 19898874.3, (8 pages).

"First Examination Report dated Jul. 27, 2022", Chinese Patent Application No. 201980036675.2, (5 pages).

"First Examination Report dated Jul. 28, 2022", Indian Patent Application No. 202047024232, (6 pages).

"Non Final Office Action dated Jul. 26, 2022", U.S. Appl. No. 17/098,059, (28 pages).

"Second Office Action dated Jul. 13, 2022 with English Translation", Chinese Patent Application No. 201880079474.6, (10 pages).

Chittineni, C., et al., "Single filters for combined image geometric manipulation and enhancement", Proceedings of SPIE vol. 1903, Image and Video Processing, Apr. 8, 1993, San Jose, CA. (Year 1993), pp. 111-121.

"Extended European Search Report dated Aug. 24, 2022", European Patent Application No. 20846338.0, (13 pages).

"Final Office Action dated Jul. 13, 2022", U.S. Appl. No. 17/262,991, (18 pages).

"Non Final Office Action dated Sep. 19, 2022", U.S. Appl. No. 17/263,001, (14 pages).

"Second Office Action dated Jun. 20, 2022 with English Translation", Chinese Patent Application No. 201880089255.6, (14 pages).

Anonymous, "Koi Pond: Top iPhone App Store Paid App", <https://web.archive.org/web/20080904061233/https://www.iphoneincanada.ca/reviews/koi-pond-top-iphone-app-store-paid-app/> - [retrieved on Aug. 9, 2022], (2 pages).

* cited by examiner




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9

SYSTEMS AND METHODS FOR VIRTUAL AND AUGMENTED REALITY

CROSS-REFERENCE TO RELATED APPLICATION

This is a national phase of International Patent Application No: PCT/US2019/040544, filed on Jul. 3, 2019, which claims benefit of priority under 35 U.S.C. § 119(e) of U.S. Provisional Patent Application Ser. No. 62/693,891, titled “Systems and Methods for Virtual and Augmented Reality,” which was filed on Jul. 3, 2018, all of which are incorporated herein by reference in their entirety.

FIELD OF THE INVENTION

This invention is related to connected mobile computing systems, methods, and configurations, and more specifically to mobile computing systems, methods, and configurations featuring at least one wearable component which may be utilized for virtual and/or augmented reality operation.

BACKGROUND

It is desirable that mixed reality, or augmented reality, near-eye displays be lightweight, low-cost, have a small form-factor, have a wide virtual image field of view, and be as transparent as possible. In addition, it is desirable to have configurations that present virtual image information in multiple focal planes (for example, two or more) in order to be practical for a wide variety of use-cases without exceeding an acceptable allowance for vergence-accommodation mismatch. Referring to FIG. 1, an augmented reality system is illustrated featuring a head-worn viewing component (2), a hand-held controller component (4), and an interconnected auxiliary computing or controller component (6) which may be configured to be worn as a belt pack or the like on the user. Each of these components may be operatively coupled (10, 12, 14, 16, 17, 18) to each other and to other connected resources (8) such as cloud computing or cloud storage resources via wired or wireless communication configurations, such as those specified by IEEE 802.11, Bluetooth®, and other connectivity standards and configurations. The augmented reality system can include the two depicted optical elements (20) through which the user may see the world around them along with visual components which may be produced by the associated system components, for an augmented reality experience. There is a need for compact and persistently connected systems and assemblies which are optimized for use in wearable computing systems.

SUMMARY

The present disclosure is generally directed to presenting information through a display of a mobile computing system. More specifically, the present disclosure describes, according to various embodiments, receiving information that is wirelessly transmitted to the mobile computing system by wireless devices that are proximal to a route being travelled by the mobile computing system, and presenting at least a portion of the received information through a display of the mobile computing system according to a computing experience determined for a user of the mobile computing system.

Embodiments of the present disclosure include a method performed by the mobile computing system, the method including the following operations: determining a comput-

ing experience for a user of the mobile computing system; establishing a wireless connection between the mobile computing system and each of a plurality of wireless devices, wherein each respective wireless device is in proximity to a travel route of the mobile computing system; receiving, over each respective wireless connection between the mobile computing system and a respective wireless device, location-based information that is associated with a location of the respective wireless device in proximity to the travel route; and presenting, through a display of the mobile computing system, the location-based information received from each of the plurality of wireless devices, wherein the location-based information is presented according to the determined computing experience.

Embodiments of the present disclosure can also optionally include one or more of the following aspects: determining the computing experience includes receiving a selection of the computing experience that is made by the user through the mobile computing system; determining the computing experience includes accessing at least one data source that stores a schedule of the user, and inferring the computing experience based at least partly on the schedule of the user; at least two of the plurality of wireless devices are at different locations in proximity to the travel route; the respective location-based information received from each of the at least two wireless devices is presented, through the display, during different periods of time; the computing experience includes at least one regulation that indicates at least: i) a first type of content to be displayed while the computing experience is employed, and ii) a second type of content to not be displayed while the computing experience is employed; presenting the location-based information includes presenting the first type of content and not presenting the second type of content; at least a portion of the location-based information that is associated with the location of the respective wireless device is stored locally on the respective wireless device; the mobile computing system is a wearable computing device; at least a portion of the location-based information that is associated with the location of the respective wireless device is communicated to the mobile computing system responsive to the mobile computing system scanning a beacon that is proximal to the location; at least the portion of the location-based information is communicated to the mobile computing system from a cloud-based storage system; the display of the mobile computing system is an augmented reality display or a mixed reality display; the location-based information sent from the respective wireless device includes geometric information associated with a feature in proximity to the location of the respective wireless device; and/or presenting the location-based information includes using the geometric information to present a virtual representation of the feature in the display.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 shows an example computing system.

FIGS. 2-5 show example environments in which a mobile computing system can operate according to embodiments of the present disclosure.

FIG. 6-8 show schematics of example wireless devices according to embodiments of the present disclosure.

FIG. 9 shows an example marker which can be employed according to embodiments of the present disclosure.

DETAILED DESCRIPTION

Referring to FIG. 2, a travelling scenario (160) is depicted wherein a user of a mobile computing system, such as the

wearable computing system described in reference to FIG. 1, operates in the world. FIG. 2 illustrates a home (22) of the user which features at least one wireless device (40) configured to connect the user's wearable computing system. As the user navigates the world around him, here in an illustrative example day wherein the user travels (30) from home (22; point A—80) to work (24; points B—82, C—84, D—86, E—88); then from work (24) he travels (32; points I—96, J—98) to a park (26) for a walk (28; points K—100, L—102, M—104) before the rest of the return (34; points N—106, O—108) to home (22)—along the way coming into wireless contact between his mobile computing system and various wireless devices (40, 42, 44, 46, 48, 50, 52, 54, and others as shown in magnified views of FIG. 3 and FIG. 4). Preferably the mobile computing system is configured to utilize various wireless devices and information exchanged therewith to provide the user with a relatively low-latency and robust connectivity experience, generally subject to user preferences which may be selected by the user.

In some embodiments, the mobile computing system can be an augmented reality, or mixed reality, system as described, for example, in U.S. patent application Ser. Nos. 14/555,585, 14/690,401, 14/331,218, 15/481,255, and 62/518,539, each of which is incorporated by reference herein in its entirety.

In one embodiment, the mobile computing system may be configured such that the user selects certain aspects of his computing experience for the day. For example, through a graphical user interface, voice controls, and/or gestures, the user may input to the mobile computing system that he'll have a typical work day, usual route there, stopping at park for brief walk on the way home. Preferably the mobile computing system has certain artificial intelligence aspects so that it may use integration with his electronic calendar to provisionally understand his schedule, subject to quick confirmations. For example, as he is departing for work, the system may be configured to say or show: "headed to work; usual route and usual computing configuration", and this usual route may be garnered from previous GPS and/or mobile triangulation data through his mobile computing system. The "usual computing configuration" may be customized by the user and subject to regulations; for example, the system may be configured to only present certain non-occlusive visuals, no advertisements, and no shopping or other information not pertinent to driving while the user is driving, and to provide an audio version of a news program or current favorite audiobook while the user is driving on his way to work. As the user navigates the drive on the way to work, he may leave connectivity with his home wireless device (40) and enter or maintain connectivity with other wireless devices (42, 44, 46, 48). Each of these wireless devices may be configured to provide the user's mobile computing system with information pertinent to the user's experience at relatively low latency (e.g., by storing locally certain information which may be pertinent to the user at that location). FIGS. 6 and 7 illustrate certain aspects of wireless devices which may be utilized as described herein; the embodiments of FIGS. 8 and 9 feature non-storage beacon and/or marker configurations which also may be utilized to connect directly to locally-pertinent cloud-based information without the benefit of local storage.

For example, as the user travels from point A (80) to point B (82) to point C (84), a local wireless device (44) around point C (84) may be configured to pass to the user's mobile system geometric information which may be utilized on the user's mobile computing system for highlighting where a trench is being created at such location, so that the user

clearly visualizes and/or understands the hazard while driving past, and this geometric information (which may feature a highlighted outline of the trench, for example; may also feature one or more photos or other non-geometric information) maybe locally stored on the local wireless device (44) so that it does not need to be pulled from more remote resources which may involve greater latency in getting the information to the driver. In addition to lowering latency, local storage also may function to decrease the overall compute load on the user's mobile computing system, because the mobile system may receive information that it otherwise would have had to generate or build itself based upon sensors, for example, which may comprise part of the locally mobile hardware.

Once the user arrives at the parking lot of his work (24), the system may, for example, be configured to detect walking velocity and to be configured by the user to review with the user his schedule for the day, via an integration with his computerized calendaring system, as he is walking up to the office. Certain additional information not resident on his locally mobile computing system may be pulled from local sources (48, 50, for example) which may feature certain storage capacity, to again facilitate smaller mobile overhead and lower latency versus direct cloud connectivity.

Referring to FIG. 4, once in the office (24), the user may connect with a variety of wireless devices (50, 60, 62, 64, 66, 68, 70, 72, 74), each of which may be configured to be able to provide location-based information. For example, when at point F (90), the user's mobile computing system may be configured to detect the location (such as by GPS, computer vision, marker or beacon identification, and/or wireless device (60, 62, 64) triangulation) and then quickly upload from local storage (e.g., from a wireless device 60, 62, 64) to his mobile computing system information pertinent to that location, such as a dense triangular mesh of the geometry of the room, or certain information pertaining to whose office that room is, information about that person, or other information that may be deemed relevant, such as by an artificial intelligence agent working automatically on the user's mobile computing system. Various other wireless devices (50, 66, 68, 70, 72, 74) may be positioned in other locations of the office and configured to feature other location-based information, again to provide local users with low-latency and robust mobile computing functionality without everything, such as determination of the room geometry, being done de novo by the sensor facilities local to the mobile computing system in real time. Referring to FIG. 3, similar wireless device resources (40, 56, 58) may be utilized in the home (22) to assist with location-based information as the user navigates (P—110, Q—112, R—114, S—116, T—118, U—120) the home with his mobile computing system. In the office (24) or home (22) environments, the mobile computing system may be configured to utilize external resources quite differently from driving. For example, the artificial intelligence component of the user's mobile computing system may be aware that the user likes to watch nightly news highlights from the previous week (perhaps in a display manner that would ordinarily not be acceptable when driving, but is acceptable when walking, or perhaps automatically expanding when the user stops walking around and is seated or standing mobile) as he is walking around on Saturday mornings between 7 and 8 am, and so when walking velocity is detected, the system may be configured to deliver such highlights from local storage between those hours, while also gathering other location-based information such as the position of various objects or

structures within the house (e.g., to decrease computer vision processing load) in the pertinent location.

Similarly, as the user navigates a walk (28) through the park (26), shown in magnified view in FIG. 5, local wireless device resources (54) may be utilized to provide location-based information, such as background information related to a sculpture garden that the user may be observing as he walks along; such information may be displayed or reproduced as audio as the user is walking around in a manner that is tailored and/or customizable to his walking-in-a-park scenario (e.g., as opposed to driving, or walking around in the home or work).

Referring to FIG. 6, in one embodiment, one of more of the aforementioned wireless devices (40, 42, 44, 46, 48, 50, 52, 54, and others as shown in magnified views of FIG. 3 and FIG. 4) may comprise a system as shown in FIG. 6, wherein a local controller (134), such as a processor, is operatively coupled (138) to a power supply (132), such as a battery, a transceiver (130), such as a transmitting and receiving antenna set, and a local storage device (136), such as a mass storage or memory device. The storage device (136) may be operatively coupled (140) to external storage resources (146), such as cloud storage resources; the local power supply (132) may be operatively coupled (142) to external power resources (148), such as for long term charging or replenishment; the transceiver (130) may be operatively coupled to external connectivity resources (150) to provide access, for example, to the internet backbone. All of these local and connected resources may be configured based upon the location of such device, to provide local users with information tailored to the local scenario, whether such information is pertinent to traffic, shopping, weather, structures, culture, etc. FIG. 7 illustrates an embodiment similar to that of FIG. 6, but without local storage facility—the components thereof are operatively coupled (141) to remote storage resources (146), such as cloud resources; such an embodiment as in FIG. 7 maybe utilized in various configurations in place of embodiments such as those in FIG. 6, without the benefit of directly local storage (as described above, such local storage may be beneficial in reducing latency in terms of providing information to a mobile system in the area). Referring to FIG. 8, in further scenarios without local storage capability, a transmitter beacon (41) type of device, for example featuring only a transmitter (131, not a two-way transceiver) and a relatively long-term battery (132), may be utilized to connect to a locally positioned mobile computing device to share location or beacon identification information the functions as a pointer to connect mobile computing system with pertinent cloud resources (e.g., bypassing local storage, but providing information akin to: you are here+pointers to cloud resources that are pertinent). Referring to FIG. 9, in a very basic scenario, a non-electronic marker (43), such as an aruco marker, may be utilized to also function as a pointer to connect mobile computing system with pertinent cloud resources (e.g., bypassing local storage, but providing information akin to: you are here+pointers to cloud resources that are pertinent).

As described above, to decrease latency and generally increase useful access to pertinent location-based information, wireless devices with localized storage resources, such as those depicted in FIG. 6, may be located throughout the interiors of structures such as homes, enterprises, etc.—and also exteriors, such as urban downtown areas, outsides of stores or shops, etc. Similarly, wireless devices without localized storage capacity—but operatively coupled to, or pointed to, remote storage resources, also may be located throughout the interiors of structures such as homes, enter-

prises, etc.—and also exteriors, such as urban downtown areas, outsides of stores or shops, etc.

In one embodiment, the mobile computing system may be customizable by the user to present information filtered on a time-domain basis, such as by how old or “stale” such information is. For example, the user may be able to configure the system to only provide traffic information while he is driving that is 10 minutes old or newer, etc. (e.g., the time domain aspect may be customized/configurable); or the user may be able to configure the system to only present architectural (e.g., position of walls within a building) that is one year old or newer etc. (e.g., the time domain aspect may be customized/configurable).

Various example embodiments of the invention are described herein. Reference is made to these examples in a non-limiting sense. They are provided to illustrate more broadly applicable aspects of the invention. Various changes may be made to the invention described and equivalents may be substituted without departing from the true spirit and scope of the invention. In addition, many modifications may be made to adapt a particular situation, material, composition of matter, process, process act(s) or step(s) to the objective(s), spirit or scope of the present invention. Further, as will be appreciated by those with skill in the art that each of the individual variations described and illustrated herein has discrete components and features which may be readily separated from or combined with the features of any of the other several embodiments without departing from the scope or spirit of the present inventions. All such modifications are intended to be within the scope of claims associated with this disclosure.

The invention includes methods that may be performed using the subject devices. The methods may comprise the act of providing such a suitable device. Such provision may be performed by the end user. In other words, the “providing” act merely requires the end user obtain, access, approach, position, set-up, activate, power-up or otherwise act to provide the requisite device in the subject method. Methods recited herein may be carried out in any order of the recited events which is logically possible, as well as in the recited order of events.

Example aspects of the invention, together with details regarding material selection and manufacture have been set forth above. As for other details of the present invention, these may be appreciated in connection with the above-referenced patents and publications as well as generally known or appreciated by those with skill in the art. The same may hold true with respect to method-based aspects of the invention in terms of additional acts as commonly or logically employed.

In addition, though the invention has been described in reference to several examples optionally incorporating various features, the invention is not to be limited to that which is described or indicated as contemplated with respect to each variation of the invention. Various changes may be made to the invention described and equivalents (whether recited herein or not included for the sake of some brevity) may be substituted without departing from the true spirit and scope of the invention. In addition, where a range of values is provided, it is understood that every intervening value, between the upper and lower limit of that range and any other stated or intervening value in that stated range, is encompassed within the invention.

Also, it is contemplated that any optional feature of the inventive variations described may be set forth and claimed independently, or in combination with any one or more of the features described herein. Reference to a singular item,

includes the possibility that there are plural of the same items present. More specifically, as used herein and in claims associated hereto, the singular forms “a,” “an,” “said,” and “the” include plural referents unless the specifically stated otherwise. In other words, use of the articles allow for “at least one” of the subject item in the description above as well as claims associated with this disclosure. It is further noted that such claims may be drafted to exclude any optional element. As such, this statement is intended to serve as antecedent basis for use of such exclusive terminology as “solely,” “only” and the like in connection with the recitation of claim elements, or use of a “negative” limitation.

Without the use of such exclusive terminology, the term “comprising” in claims associated with this disclosure shall allow for the inclusion of any additional element—irrespective of whether a given number of elements are enumerated in such claims, or the addition of a feature could be regarded as transforming the nature of an element set forth in such claims. Except as specifically defined herein, all technical and scientific terms used herein are to be given as broad a commonly understood meaning as possible while maintaining claim validity.

The breadth of the present invention is not to be limited to the examples provided and/or the subject specification, but rather only by the scope of claim language associated with this disclosure.

The invention claimed is:

1. A method performed by a mobile computing system, the method comprising:
 - determining a computing experience for a user of the mobile computing system;
 - establishing a wireless connection between the mobile computing system and each of a plurality of wireless devices, wherein each respective wireless device is in proximity to a travel route of the mobile computing system;
 - receiving, over each respective wireless connection between the mobile computing system and a respective wireless device, location-based information that is associated with a respective location of the respective wireless device in proximity to the travel route, wherein at least a portion of the location-based information that is associated with the respective location of the respective wireless device is stored locally on the respective wireless device before establishing the wireless connection; and
 - presenting, through a display of the mobile computing system, the location-based information received from each of the plurality of wireless devices, wherein the location-based information is presented according to the determined computing experience.
2. The method of claim 1, wherein determining the computing experience includes receiving a selection of the computing experience that is made by the user through the mobile computing system.
3. The method of claim 1, wherein determining the computing experience includes:
 - accessing at least one data source that stores a schedule of the user; and
 - inferring the computing experience based at least partly on the schedule of the user.
4. The method of claim 1, wherein:
 - at least two of the plurality of wireless devices are at different locations in proximity to the travel route; and
 - the respective location-based information received from each of the at least two wireless devices is presented, through the display, during different periods of time.

5. The method of claim 1, wherein:
 - the computing experience includes at least one regulation that indicates at least: i) a first type of content to be displayed while the computing experience is employed, and ii) a second type of content to not be displayed while the computing experience is employed; and
 - presenting the location-based information includes presenting the first type of content and not presenting the second type of content.
6. The method of claim 1, wherein at least a portion of the location-based information that is associated with the location of the respective wireless device is presented to the user as an outline of a feature within the location.
7. The method of claim 1, wherein the mobile computing system is a wearable computing device.
8. The method of claim 1, wherein at least a portion of the location-based information that is associated with the location of the respective wireless device is communicated to the mobile computing system responsive to the mobile computing system scanning a marker that is proximal to the location.
9. The method of claim 8, wherein at least the portion of the location-based information is communicated to the mobile computing system from a cloud-based storage system.
10. The method of claim 1, wherein:
 - the display of the mobile computing system is an augmented reality display or a mixed reality display;
 - the location-based information sent from the respective wireless device includes geometric information associated with a feature in proximity to the location of the respective wireless device; and
 - presenting the location-based information includes using the geometric information to present a virtual representation of the feature in the display.
11. A mobile computing system comprising:
 - a display;
 - at least one processor communicatively coupled to the display; and
 - memory communicatively coupled to the at least one processor, the memory storing instructions which, when executed by the at least one processor, cause the at least one processor to perform operations comprising:
 - determining a computing experience for a user of the mobile computing system;
 - establishing a wireless connection between the mobile computing system and each of a plurality of wireless devices, wherein each respective wireless device is in proximity to a travel route of the mobile computing system;
 - receiving, over each respective wireless connection between the mobile computing system and a respective wireless device, location-based information that is associated with a location of the respective wireless device in proximity to the travel route, wherein at least a portion of the location-based information that is associated with the location of the respective wireless device is stored locally on the respective wireless device before establishing the wireless connection; and
 - presenting, through the display, the location-based information received from each of the plurality of wireless devices, wherein the location-based information is presented according to the determined computing experience.

12. The system of claim 11, wherein determining the computing experience includes receiving a selection of the computing experience that is made by the user through the mobile computing system.

13. The system of claim 11, wherein determining the computing experience includes:

accessing at least one data source that stores a schedule of the user; and

inferring the computing experience based at least partly on the schedule of the user.

14. The system of claim 11, wherein:

at least two of the plurality of wireless devices are at different locations in proximity to the travel route; and the respective location-based information received from each of the at least two wireless devices is presented, through the display, during different periods of time.

15. The system of claim 11, wherein:

the computing experience includes at least one regulation that indicates at least: i) a first type of content to be displayed while the computing experience is employed, and ii) a second type of content to not be displayed while the computing experience is employed; and presenting the location-based information includes presenting the first type of content and not presenting the second type of content.

16. The system of claim 11, wherein at least a portion of the location-based information that is associated with the

location of the respective wireless device is presented to the user as an outline of a feature within the location.

17. The system of claim 11, wherein the mobile computing system is a wearable computing device.

18. The system of claim 11, wherein at least a portion of the location-based information that is associated with the location of the respective wireless device is communicated to the mobile computing system responsive to the mobile computing system scanning a marker that is proximal to the location.

19. The system of claim 18, wherein at least the portion of the location-based information is communicated to the mobile computing system from a cloud-based storage system.

20. The system of claim 11, wherein:
the display of the mobile computing system is an augmented reality display or a mixed reality display;
the location-based information sent from the respective wireless device includes geometric information associated with a feature in proximity to the location of the respective wireless device; and
presenting the location-based information includes using the geometric information to present a virtual representation of the feature in the display.

* * * * *