



US00D684580S

(12) **United States Design Patent**
Ruhland et al.

(10) **Patent No.:** **US D684,580 S**

(45) **Date of Patent:** **** Jun. 18, 2013**

(54) **LASER SCANNER**

(75) Inventors: **Axel Ruhland**, Stuttgart (DE);
Reinhard Becker, Ludwigsburg (DE);
Bernd-Dietmar Becker, Ludwigsburg
(DE)

(73) Assignee: **Faro Technologies, Inc.**, Lake Mary, FL
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/383,758**

(22) Filed: **Jan. 21, 2011**

(30) **Foreign Application Priority Data**

Jul. 26, 2010 (EM) 001736133

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/420**

(58) **Field of Classification Search**

USPC D14/420, 426-430, 453, 346, 341,
D14/347, 412; D13/107, 184; 358/473;
235/462.43, 462.45, 462.47, 462.48, 462.44,
235/462.46, 487, 472.01, 472.02; 16/110.1,
16/430, 431; 439/133, 135; 709/219, 201;
710/73; 320/114, 115, 123; 361/679; 382/313,
382/321; 455/575.1, 561, 572

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D281,977 S * 12/1985 Sklaroff D14/430
D296,788 S * 7/1988 Schneider et al. D14/430
D308,201 S * 5/1990 Doyle et al. D14/430
D396,850 S * 8/1998 Ito D14/420
D464,969 S * 10/2002 Byun et al. D14/420

6,504,602 B1 * 1/2003 Hinderling 356/5.1
6,512,575 B1 * 1/2003 Marchi 356/5.1
D489,098 S * 4/2004 Byrd D21/574
D493,807 S * 8/2004 Raab et al. D15/199
D524,813 S * 7/2006 Nakajima et al. D14/426
7,127,822 B2 * 10/2006 Kumagai et al. 33/290
7,193,690 B2 * 3/2007 Ossig et al. 356/4.01
D558,624 S * 1/2008 Perez et al. D10/104.1
7,430,068 B2 * 9/2008 Becker et al. 358/511
D617,799 S * 6/2010 Odhe et al. D14/420
D632,692 S * 2/2011 Rosel et al. D14/429
8,082,120 B2 * 12/2011 St-Pierre et al. 702/85
D667,010 S * 9/2012 Firth et al. D14/426
8,284,407 B2 * 10/2012 Briggs et al. 356/614
2003/0043386 A1 * 3/2003 Froehlich et al. 356/601
2003/0179361 A1 * 9/2003 Ohtomo et al. 356/4.01

(Continued)

Primary Examiner — Susan Moon Lee

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP


(57) **CLAIM**

We claim, the ornamental design for a laser scanner, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a laser scanner;
FIG. 2 is a top plan view of the embodiment of FIG. 1;
FIG. 3 is a first side plan view of the embodiment of FIG. 1;
FIG. 4 is a front plan view of the embodiment of FIG. 1;
FIG. 5 is a second side plan view of the embodiment of FIG. 1;
FIG. 6 is a rear plan view of the embodiment of FIG. 1; and,
FIG. 7 is a bottom plan view of the embodiment of FIG. 1.
Color tones in the form of tonal shades of gray are not claimed.
References to “side”, “top”, and “bottom” in the figure descriptions are not meant to require certain in-use orientation, a luminaire according to the claimed design may be used in any orientation.

1 Claim, 7 Drawing Sheets



US D684,580 S

Page 2

U.S. PATENT DOCUMENTS				2010/0134596 A1 *	6/2010	Becker	348/47
2005/0141052 A1 *	6/2005	Becker et al.	358/475	2012/0262573 A1 *	10/2012	Bridges	348/135
2006/0245717 A1 *	11/2006	Ossig et al.	385/147	* cited by examiner			

FIG. 1




FIG. 2




FIG. 3





FIG. 4






FIG. 5

FIG. 6




FIG. 7

