

CORRECTED VERSION

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
11 January 2007 (11.01.2007)

PCT

(10) International Publication Number
WO 2007/004010 A3

- (51) **International Patent Classification:**
H04B 5/00 (2006.01) H04L 12/28 (2006.01)
- (21) **International Application Number:**
PCT/IB2006/001768
- (22) **International Filing Date:** 28 June 2006 (28.06.2006)
- (25) **Filing Language:** English
- (26) **Publication Language:** English
- (30) **Priority Data:**
11/174,289 30 June 2005 (30.06.2005) US
- (71) **Applicant (for all designated States except US):** NOKIA CORPORATION [FI/FI]; Keilalahdentie 4, FIN-02150 Espoo (FI).
- (71) **Applicant (for LC only):** NOKIA INC. [US/US]; 6000 Connection Drive, Irving, TX 75039 (US).
- (72) **Inventor; and**
- (75) **Inventor/Applicant (for US only):** OTRANEN, Jari [FTTH]; Gyldenarinkatu 1 B 24, FIN-02600 Espoo (FI).
- (74) **Agents:** MAGUIRE, Francis, J. et al; Ware, Fressola, Van der Sluys & Adolphson LLP, 755 Main Street, P.O. Box 224, Monroe, CT 06468 (US).


- (81) **Designated States (unless otherwise indicated, for every kind of national protection available):** AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW
- (84) **Designated States (unless otherwise indicated, for every kind of regional protection available):** ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:
— with international search report

(88) **Date of publication of the international search report:**
29 March 2007

[Continued on next page]

(54) **Title:** RFID OPTIMIZED CAPABILITY NEGOTIATION



(57) **Abstract:** A near field communication (NFC) device is capable of operating as an NFC initiator device or an NFC target device for exchanging request and response messages with another similar device in order to determine a secondary transport mechanism suitable for communications between the two devices with bandwidth greater than available for NFC and for determining appropriate roles for both devices without excessive communication. Such determination of roles can be determined by rule or by exchanging information indicating a choice of roles.

WO 2007/004010 A3



(48) Date of publication of this corrected version:

3 May 2007

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning 8 of each regular issue of the PCT Gazette.

(15) Information about Correction:

see PCT Gazette No. 18/2007 of 3 May 2007