



US00D735655S

(12) **United States Design Patent**  
**Frappart et al.**

(10) **Patent No.:** **US D735,655 S**

(45) **Date of Patent:** **\*\* Aug. 4, 2015**

(54) **SURFACE DESIGN FOR A PNEUMATIC TIRE**

(71) Applicants: **Arnaud Frappart**,  
Clermont-Ferrand-Cedex (FR);  
**Masayoshi Nomura**, Tokyo (JP)

(72) Inventors: **Arnaud Frappart**,  
Clermont-Ferrand-Cedex (FR);  
**Masayoshi Nomura**, Tokyo (JP)

(73) Assignees: **COMPAGNIE GENERALE DES  
ETABLISSEMENTS MICHELIN**  
(FR); **MICHELIN RECHERCHE ET  
TECHNIQUE S.A.** (CH)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/477,095**

(22) Filed: **Dec. 19, 2013**

(30) **Foreign Application Priority Data**

Jun. 21, 2013 (EM) ..... 002260182-0001

(51) **LOC (10) Cl.** ..... **12-05**

(52) **U.S. Cl.**  
USPC ..... **D12/605; D5/30**

(58) **Field of Classification Search**  
USPC ..... D12/504, 604, 605; D5/30, 53, 56, 59,  
D5/60, 61, 62; D7/588, 396.4, 396.5;  
D24/124, 125, 126; D25/100, 101,  
D25/109, 138; D2/952  
CPC ..... B60C 13/00; B60C 13/001; B60C 13/02;  
B60C 1/0025; D04H 11/00; D04H 11/04;  
D04H 11/08

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D37,403 S \* 4/1905 McMeohen ..... D5/30  
D44,854 S \* 11/1913 Morris ..... D12/504

D44,855 S \* 11/1913 Morris ..... D12/504  
D46,439 S \* 9/1914 Marshall ..... D12/504  
D47,892 S \* 9/1915 Hauvette-Michelin ..... D12/504  
D47,963 S \* 10/1915 Mooney ..... D12/504  
D48,690 S \* 3/1916 McGraw ..... D12/504  
D58,018 S \* 5/1921 Campbell ..... D12/504  
D63,022 S \* 9/1923 Black ..... D12/504  
D96,584 S \* 8/1935 Baronio ..... D5/30  
D104,558 S \* 5/1937 Carter ..... D5/61  
D154,950 S \* 8/1949 Ortner ..... D5/60  
4,842,921 A \* 6/1989 Sorko-Ram ..... 428/187  
D461,643 S \* 8/2002 Missoni ..... D5/59  
D485,684 S \* 1/2004 Della Valle ..... D5/30  
D489,904 S \* 5/2004 Lee ..... D5/30  
D498,931 S \* 11/2004 Delaney et al. .... D5/53  
D506,617 S \* 6/2005 Della Valle ..... D5/30  
D532,613 S \* 11/2006 Wu ..... D5/53  
D556,463 S \* 12/2007 Bridges et al. .... D5/53  
D572,018 S \* 7/2008 Bridges et al. .... D5/53  
D611,256 S \* 3/2010 Brusa ..... D5/61  
D630,859 S \* 1/2011 Koenig ..... D5/53  
D631,262 S \* 1/2011 Evans ..... D5/56

\* cited by examiner

*Primary Examiner* — Cynthia M Chin

(74) *Attorney, Agent, or Firm* — Dickinson Wright PLLC

(57) **CLAIM**


The ornamental design for a surface design for a pneumatic tire, as shown and described.


**DESCRIPTION**

FIG. 1 is a view of the lateral surface of a pneumatic tire with the ornamental surface design in an environment of use; and, FIG. 2 is a detailed view of the ornamental surface design of FIG. 1.


The broken line perimeter structure that is shown in FIGS. 1 and 2 surrounding the design indicates the boundaries of the claim and forms no part of the claimed design. The additional broken lines in FIG. 1 represent environmental subject matter and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**





**FIG. 1**



**FIG. 2**