



US00D739775S

(12) **United States Design Patent**
Vu et al.

(10) **Patent No.:** **US D739,775 S**
(45) **Date of Patent:** **** Sep. 29, 2015**

(54) **ACTIVITY MONITORING DEVICE**

- (71) Applicant: **Misfit Wearables Corporation**, Salem, NH (US)
- (72) Inventors: **Sonny X. Vu**, Salem, NH (US); **Matthew Ryan Montgomery**, Palo Alto, CA (US); **Jessica Ng Sheung-Yan**, San Francisco, CA (US)
- (73) Assignee: **Misfit Wearables Corporation**, Salem, NH (US)

D249,874	S	*	10/1978	Lawrence	D10/38
D349,864	S	*	8/1994	Dunlap et al.	D11/3
D364,099	S	*	11/1995	Bergeron	D10/33
D417,236	S	*	11/1999	Burrus	D19/28
6,208,593	B1	*	3/2001	Liao	368/232
D486,090	S	*	2/2004	Thomson	D10/123
7,134,784	B1	*	11/2006	Marin	368/295
7,180,830	B1	*	2/2007	Cotsen	368/80
D596,051	S	*	7/2009	Mille	D10/38
8,199,612	B2	*	6/2012	Jolidon	368/223
D664,456	S		7/2012	Trine et al.		
D668,164	S		10/2012	Cowles et al.		
D671,026	S	*	11/2012	Thurau	D10/126

(Continued)

(**) Term: **14 Years**

(21) Appl. No.: **29/504,665**

(22) Filed: **Oct. 8, 2014**

Related U.S. Application Data

(62) Division of application No. 29/461,314, filed on Jul. 22, 2013, now Pat. No. Des. 717,674.

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/103; D10/126**

(58) **Field of Classification Search**

USPC D10/30-39, 65, 70, 97, 98, 102, 103, D10/122-124, 126, 128; D11/3, 79-81, 85; D14/138 R, 203.5, 203.6, 341, 344, D14/347; D24/167, 168

CPC A44C 5/00-5/16; G04B 37/00-37/228; G04B 45/0069; G04B 47/04; G04B 19/00-19/34; G04B 21/12; G04B 23/12; G04B 47/00-47/068; G01C 17/00; G01C 21/00-21/3697

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,744,236	A	*	7/1973	Kishida	368/226
D246,104	S	*	10/1977	Vong	D14/192

OTHER PUBLICATIONS

Response to Election/Restriction mailed Jun. 23, 2014, issued for Design U.S. Appl. No. 29/461,314 (8 pages).

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Cooley LLP

(57) **CLAIM**


The ornamental design for an activity monitoring device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view thereof;
 FIG. 2 is a bottom perspective view thereof;
 FIG. 3 is a top view thereof;
 FIG. 4 is a bottom view thereof;
 FIG. 5 is a side view thereof;
 FIG. 6 is an enlarged front view of the portion of FIG. 5 identified by the line 6;
 FIG. 7 is a back view thereof; and,
 FIG. 8 is a front view thereof.

The broken lines immediately adjacent the shaded areas represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,400,883 B2 * 3/2013 Lin 368/228
8,477,567 B2 * 7/2013 Greubel et al. 368/220
D687,328 S 8/2013 Clymer et al.

D692,332 S 10/2013 Ni et al.
D695,145 S * 12/2013 De Belder D10/126
D700,080 S 2/2014 Broadbent et al.
D708,073 S * 7/2014 Parmigiani D10/38
D709,785 S * 7/2014 Stegmann D10/126

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7




FIG. 8