



US00D773165S

(12) **United States Design Patent** (10) **Patent No.:** **US D773,165 S**  
**Youn** (45) **Date of Patent:** **\*\* Dec. 6, 2016**

- (54) **NONSKID PAD FOR SHOES**
- (71) Applicant: **Shin Dong Hae International Co., Ltd.**, Cheonan, Chungcheongnam-Do (KR)
- (72) Inventor: **Sung Hee Youn**, Chungcheongnam-Do (KR)
- (73) Assignee: **Shin Dong Hae International Co., Ltd.**, Cheonan, Chungcheongnam-Do (KR)

D257,908 S *	1/1981	Inohara .....	D2/962
D259,297 S *	5/1981	Carey .....	D2/962
D261,945 S *	11/1981	Carey .....	D2/962
D399,342 S *	10/1998	Carlson .....	D2/951
D476,798 S *	7/2003	Reynolds .....	D2/946
D576,397 S *	9/2008	Couder .....	D2/946
D612,140 S *	3/2010	Moon .....	D2/962
D612,141 S *	3/2010	Moon .....	D2/962
D622,042 S *	8/2010	Moon .....	D2/951
D622,946 S *	9/2010	Moon .....	D2/951
D622,947 S *	9/2010	Moon .....	D2/951
D625,092 S *	10/2010	Moon .....	D2/951
D634,528 S *	3/2011	Oldenburg .....	D2/946

(Continued)

(\*\*) Term: **14 Years**

*Primary Examiner* — Elizabeth J Oswecki

(21) Appl. No.: **29/525,245**

(74) *Attorney, Agent, or Firm* — Mintz Levin Cohn Ferris Glovsky and Popeo, P.C.; Kongsik Kim; Jonathon Western

(22) Filed: **Apr. 28, 2015**

(30) **Foreign Application Priority Data**

(57) **CLAIM**

Nov. 5, 2014 (KR) ..... 30-2014-0053084

The ornamental design for a nonskid pad for shoes, as shown and described.

(51) **LOC (10) Cl.** ..... **02-04**

(52) **U.S. Cl.**  
USPC ..... **D2/962**

(58) **Field of Classification Search**

**DESCRIPTION**

USPC ..... D2/896, 906, 908, 946, 951, 962, 976, D2/968; 36/83, 88, 92, 71, 59 R, 61, 62, 64, 65, 36/66, 67 R, 67 A, 67 B, 67 C, 67 D, 59 A, 59 B, 36/59 C

CPC ..... A43C 15/00; A43C 15/005; A43C 15/02; A43C 15/04; A43C 15/10; A43C 13/00; A43C 13/02; A43C 13/04; A43C 13/06; A43C 13/08; A43C 13/10; A43C 13/12

See application file for complete search history.

FIG. 1 is a perspective view of a nonskid pad for shoes showing my new design.  
 FIG. 2 is a front view of the nonskid pad of FIG. 1.  
 FIG. 3 is a rear view of the nonskid pad of FIG. 1.  
 FIG. 4 is a left side view of the nonskid pad of FIG. 1.  
 FIG. 5 is a right side view of the nonskid pad of FIG. 1.  
 FIG. 6 is a top view of the nonskid pad of FIG. 1.  
 FIG. 7 is a bottom view of the nonskid pad of FIG. 1; and, FIG. 8 is another perspective view of the nonskid pad of FIG. 1, shown in a used condition on a shoe sole shown in broken lines.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

The broken lines shown in the drawings represent portion of the nonskid pad for shoes that form no part of the claimed design.

- 1,305,693 A \* 6/1919 Lambert ..... G09F 3/14 40/667
- D247,692 S \* 4/1978 Inohara ..... D2/962

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

## U.S. PATENT DOCUMENTS

D635,752	S	*	4/2011	Shea	.....	D2/946
D653,438	S	*	2/2012	Moon	.....	D2/951
D659,970	S	*	5/2012	Liao	.....	D2/962
D664,755	S	*	8/2012	Gavrieli	.....	D2/962
D675,005	S	*	1/2013	Minami	.....	D2/962
D675,415	S	*	2/2013	Minami	.....	D2/962
D695,507	S	*	12/2013	Hillis	.....	D2/962
D697,297	S	*	1/2014	McClaskie	.....	D2/951
D704,424	S	*	5/2014	Martin	.....	D2/951
D707,935	S	*	7/2014	Williams, Jr.	.....	D2/951
D711,085	S	*	8/2014	da Costa Pereira	.....	D2/951
D716,027	S	*	10/2014	Kirschner	.....	D2/951
D723,777	S	*	3/2015	Cin	.....	D2/951
D727,610	S	*	4/2015	Francis	.....	D2/951
D758,709	S	*	6/2016	Youn	.....	D2/962
2006/0272252	A1	*	12/2006	Moller, Jr.	.....	E01C 5/20
						52/384
2009/0307932	A1	*	12/2009	Kirby	.....	A43B 13/223
						36/134

\* cited by examiner

FIG. 1






FIG. 2




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**





**FIG. 7**



**FIG. 8**

