



US00D897828S

(12) **United States Design Patent**
Lin

(10) **Patent No.:** **US D897,828 S**

(45) **Date of Patent:** **** Oct. 6, 2020**

(54) **CLAMP FOR POLES**

(71) Applicant: **Chien-Ting Lin**, Santa Fe Springs, CA
(US)

(72) Inventor: **Chien-Ting Lin**, Santa Fe Springs, CA
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/647,808**

(22) Filed: **May 16, 2018**

(30) **Foreign Application Priority Data**

Nov. 16, 2017 (CN) 2017 3 0565560

(51) **LOC (12) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/396**

(58) **Field of Classification Search**

USPC D8/349, 354, 363, 373, 379, 382, 394,
D8/395, 396, 499; D16/245
CPC F16M 11/00; F16M 11/2021; F16M 11/28;
F16M 11/18; F16M 11/245; F16M 11/14;
H04R 1/28; H04R 1/02; H04R 2201/025;
Y10T 24/44974

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,151,768 A * 3/1939 Humeston F41G 11/003
248/229.13
D123,589 S * 11/1940 Eden et al. 439/762
3,069,189 A * 12/1962 Hollaender E04G 7/14
285/188
3,581,354 A * 6/1971 Usiskin et al. G01B 5/0002
24/569
D250,221 S * 11/1978 Clark D17/22
4,360,177 A * 11/1982 Dulhunty H02G 7/053
174/40 R
D301,544 S * 6/1989 de Faucamberge D12/317

D319,966 S * 9/1991 Ellison D8/382
D344,672 S * 3/1994 Current D8/373
D374,608 S * 10/1996 Shoda D8/382
5,632,459 A * 5/1997 Brett F16M 11/14
248/122.1
5,934,628 A * 8/1999 Bosnakovic B60Q 7/00
248/169
6,007,032 A * 12/1999 Kuo F16M 11/10
248/125.1
D453,102 S * 1/2002 Postelwait D8/349
D505,617 S * 5/2005 Eason D8/396
D550,075 S * 9/2007 Tung D8/396
7,273,198 B2 * 9/2007 Tourtellotte E04H 12/2238
248/166
D580,262 S * 11/2008 Eason F16B 7/0493
D8/396
D631,905 S * 2/2011 Sandell D16/245
D661,981 S * 6/2012 Melino, Sr. D8/396
D672,229 S * 12/2012 Reid D8/396

(Continued)

Primary Examiner — Steven J Czyz

(57) **CLAIM**


The ornamental design for a clamp for poles, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a clamp for poles showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left elevational view thereof;
FIG. 5 is a right elevational view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a perspective view of the sleeve viewed from another direction.

The broken lines depict portions of the article that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D681,440	S	*	5/2013	Yu		D8/396
D687,701	S	*	8/2013	Rast		D8/382
D710,190	S	*	8/2014	Weger		D8/396
D712,730	S	*	9/2014	Gridley		D8/396
D723,902	S	*	3/2015	Wongso		D8/349
D761,084	S	*	7/2016	Cox		D8/354
D761,085	S	*	7/2016	Cox		D8/354
D777,240	S	*	1/2017	Costa		D16/245
D777,241	S	*	1/2017	Costa		D16/245
D782,745	S	*	3/2017	Childs		D29/130
D789,257	S	*	6/2017	Bucher		D12/133
9,719,627	B2	*	8/2017	Hennessey		F16M 11/28
D798,699	S	*	10/2017	Roiser		D8/396
9,961,421	B2	*	5/2018	Liao		H04R 1/02
D831,463	S	*	10/2018	Granberg		D8/349
D832,694	S	*	11/2018	May		D8/396
D833,265	S	*	11/2018	Meola		D8/396

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8