



(86) Date de dépôt PCT/PCT Filing Date: 2009/03/06

(87) Date publication PCT/PCT Publication Date: 2009/09/17

(45) Date de délivrance/Issue Date: 2016/07/19

(85) Entrée phase nationale/National Entry: 2010/08/26

(86) N° demande PCT/PCT Application No.: EP 2009/052653

(87) N° publication PCT/PCT Publication No.: 2009/112432

(30) Priorité/Priority: 2008/03/12 (GB0804479.4)

(51) Cl.Int./Int.Cl. *A61K 8/60* (2006.01),
A61K 8/31 (2006.01), *A61K 8/37* (2006.01),
A61K 8/44 (2006.01), *A61Q 1/14* (2006.01)

(72) Inventeurs/Inventors:
HATTORI, SHIZUMA, JP;
MORIMOTO, SHOTA, JP;
MURATA, YUKIHIRO, JP;
NUMATA, TADASHI, JP

(73) Propriétaire/Owner:
UNILEVER PLC, GB

(74) Agent: BERESKIN & PARR LLP/S.E.N.C.R.L.,S.R.L.

(54) Titre : COMPOSITION DEMAQUILLANTE A EXCELLENT POUVOIR MOUSSANT

(54) Title: MAKE-UP REMOVAL COMPOSITION WHICH PROVIDES GOOD FOAM

(57) Abrégé/Abstract:

The invention relates to make-up remover composition using low oil and retaining excellent make-up removal efficiency. The composition foams well, rinses easily and has good phase stability when the correct balance of ingredients is selected.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
17 September 2009 (17.09.2009)

(10) International Publication Number
WO 2009/112432 A3

(51) International Patent Classification:

A61K 8/04 (2006.01) *A61K 8/46* (2006.01)
A61K 8/31 (2006.01) *A61K 8/60* (2006.01)
A61K 8/37 (2006.01) *A61Q 1/14* (2006.01)
A61K 8/44 (2006.01)

(21) International Application Number:

PCT/EP2009/052653

(22) International Filing Date:

6 March 2009 (06.03.2009)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

0804479.4 12 March 2008 (12.03.2008) GB

(71) **Applicant** (for AE, AG, AU, BB, BH, BW, BZ, CA, CY, EG, GB, GD, GH, GM, IE, IL, KE, KN, LC, LK, LS, MT, MW, MY, NA, NG, NZ, OM, PG, SC, SD, SG, SL, SZ, TT, TZ, UG, VC, ZA, ZM, ZW only): **UNILEVER PLC** [GB/GB]; Unilever House, 100 Victoria Embankment, London Greater London EC4P 4BQ (GB).

(71) **Applicant** (for all designated States except AE, AG, AU, BB, BE, BW, BZ, CA, CY, EG, FR, GB, GD, GH, GM, GR, IE, IL, IN, IT, KE, KN, LC, LK, LS, LV, MC, MT, MW, MY, NA, NG, NL, NZ, OM, PG, SC, SD, SG, SI, SL, SZ, TT, TZ, UG, US, VC, ZA, ZM, ZW): **UNILEVER N.V.** [NL/NL]; Weena 455, NL-3013 AL Rotterdam (NL).

(71) **Applicant** (for IN only): **HINDUSTAN UNILEVER LIMITED** [IN/IN]; Hindustan Lever House, 165/166 Backbay Reclamation, Maharashtra, Mumbai 400 020 (IN).

(72) Inventors; and

(75) **Inventors/Applicants** (for US only): **HATTORI, Shizuma** [JP/JP]; Unilever Japan K.k., Asia Technology Center In Japan, 38-1 Haga-dai, Haga-machi, Haga-gun, Tochigi 321-3325 (JP). **MORIMOTO, Shota** [JP/JP]; Unilever Japan K.k., Asia Technology Center In Japan, 38-1 Haga-

dai, Haga-machi, Haga-gun, Tochigi 321-3325 (JP). **MURATA, Yukihiro** [JP/JP]; Unilever Japan K.k., Asia Technology Center In Japan, 38-1 Haga-dai, Haga-machi, Haga-gun, Tochigi 321-3325 (JP). **NUMATA, Tadashi** [JP/JP]; Unilever Japan K.k., Asia Technology Center In Japan, 38-1 Haga-dai, Haga-machi, Haga-gun, Tochigi 321-3325 (JP).

(74) **Agent:** **BAKER, Colin**; Potter Clarkson LLP, Park View House, 58 The Ropewalk, Nottingham NG1 5DD (GB).

(81) **Designated States** (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) **Designated States** (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report (Art. 21(3))
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))

(88) Date of publication of the international search report:

17 December 2009

(54) **Title:** MAKE-UP REMOVAL COMPOSITION WHICH PROVIDES GOOD FOAM

(57) **Abstract:** The invention relates to make-up remover composition using low oil and retaining excellent make-up removal efficiency. The composition foams well, rinses easily and has good phase stability when the correct balance of ingredients is selected.



WO 2009/112432 A3

- 1 -

MAKE-UP REMOVAL COMPOSITION WHICH PROVIDES GOOD FOAM

5

FIELD OF THE INVENTION

The present invention relates to makeup removal compositions which also provide good foam.

10

BACKGROUND OF THE INVENTION

Make-up remover is typically applied to skin as a liquid oil composition and has little or no foam. It would be advantageous to find a make-up composition which uses less oil and rinses off more easily, but retains some make-up removing efficiency.

15

20

By utilizing specific foaming anionic surfactant, applicants can provide foaming make-up remover which uses less oil (e.g., hydrogenated polyisobutene) and rinses off more readily. To ensure the efficiency of make-up removal and stability of such composition, a specific combination of amphoteric (hydroxysultaine), nonionic and C₁₀-C₁₄ ester oil are also needed. It has been found that certain levels of specific nonionics, including at least 0.1% alkyl glucoside, are required to maintain the overall efficiency and stability.

J3927(C)

- 2 -

Three references which display general knowledge, but not the specific combinations of the invention are:

5

- (1) JP 2005-200640 to NOF Corporation;
- (2) JP H09-175936 to Kao; and
- (3) JP H06-016524 to Kao

10

Additional references which display general knowledge but not the specific combinations of the invention are EP 0 687 721 and US 2005/180939.

15

EP 0 687 721 discloses a detergent composition containing an N-acylthreonine salt in combination with a higher fatty acid salt. The detergent composition exhibits little irritation and has improved foam maintenance, foam quality and feel upon use.

20

US 2005/180939 discloses a foaming skin cleansing composition comprising a physiologically acceptable medium, a surfactant system containing at least one anionic surfactant and at least one amphoteric surfactant. The composition also comprises a thickening system containing at least two different anionic polymers each comprising at least one hydrophobic chain.

BRIEF SUMMARY OF THE INVENTION

25

More specifically, the present invention comprises a foaming, easier to rinse make-up removing composition comprising:

30

- (1) 1 to 10%, preferably 1.5 to 5% by wt. salt of N-alkoyl (e.g. N-acyl) amino acid, e.g., N-acyl glycinate; especially preferred is C₁₀-C₁₆ alkali metal glycinate, e.g., acyl potassium glycinate;
- (2) 1 to 10%, preferably 2 to 4% by wt. of an amphoteric surfactant comprising alkyl hydroxy sultaine;
- (3) 0.1 to 10%, preferably 3 to 5% by wt. hydrogenated polyisobutene

35

- 3 -

- (4) 0.1 to 10% by wt. nonionic surfactant selected from the group consisting of alkyl glucoside and alkoxylated glyceryl, except that there is at least 0.1, preferably at least 0.4% by wt. alkyl glucoside;
- 5 (5) 0.1 to 5%, preferably 1 to 3% by wt. C₁₀-C₁₄ ester, preferably laurate ester wherein preferably the ester (e.g., laurate ester) is free of hydroxyl functional group; and
- (6) balance water.

10 Compositions of the invention are preferably dispensed in a manner that the volume is about 5-20 times greater when dispensed relative to prior to dispensing. This is preferably accomplished using, for example a pump foamer dispenser package. Such package is beneficial, for example, for applying composition onto the face without dripping.

15 These and other aspects, features and advantages will become apparent to those of ordinary skill in the art from a reading of the following detailed description and the appended claims. For the avoidance of doubt, any feature of one aspect of the present invention may be utilized in any other aspect of the invention. It is noted that the examples given in the description below are intended to clarify the invention and are not intended to limit the
20 invention to those examples per se. Similarly, all percentages are weight/weight percentages of the total composition unless otherwise indicated. Numerical ranges expressed in the format "from x to y" are understood to include x and y. When for a specific feature multiple preferred ranges are described in the format "from x to y", it is understood that all ranges combining the different endpoints are also contemplated. Where the term "comprising" is
25 used in the specification or claims, it is not intended to exclude any terms, steps or features not specifically recited. All temperatures are in degrees Celsius (°C) unless specified otherwise. All measurements are in SI units unless specified otherwise.

- 4 -

DETAILED DESCRIPTION OF THE INVENTION

5 The present invention provides compositions that achieve make-up removal efficiency (MUR efficiency), while also providing good foaming (which actually helps with make-up removal efficiency), while using less oil. Moreover, all this is done while maintaining good stability of the compositions. This is accomplished through specific selection of compounds which interact with one another to maintain the delicately
10 defined balance.

 More specifically, good make-up removal efficiency is obtained using combination of hydrogenated polyisobutene (oil) and alkyl hydroxy sultaine. Use of the hydroxysultaine permits the polyisobutene to be used at relatively low levels of 3 to 5%
15 by wt. Less oil is also used because of use of salts of N-alkoyl amino acid (e.g., N-alkyl glycinate) as foaming anionic. Nevertheless, such systems are not stable unless there is also used, as a type of stabilization system, about 3 to 8% nonionic surfactant, where at least 1% of composition comprises alkyl glucoside, in combination with 1 to 3% by wt. of a C₁₀ C₁₄ ester oil, preferably laurate.

20

The composition is described in greater detail below.

Compositions of the invention comprise 1 to 10%, preferably 1.5 to 5% by wt. salts of N-alkoyl (N-acyl) amino acid represented by the following formula:

25



wherein R'CO is a straight chain acyl of C₈ to C₂₀, preferably C₁₀ to C₁₈ carbons

30

n = 1 or 2; and

- 5 -

M is alkali metal (e.g., sodium, potassium) or trialkanolamine.

5 An especially preferred compound is C₁₀-C₁₆ alkali metal glycinates, e.g., acyl potassium glycinate.

10 The anionic is important because, in combination with hydroxysultaine, it allows less oil (e.g., polyisobutene) to be used while still retaining good foaming. Stability of the oil, as discussed below, is further ensured through use of non ionic and ester oil stabilization system.

15 A second required component of the subject invention is amphoteric surfactant wherein said amphoteric comprises alkyl hydroxysultaine (e.g., lauryl hydroxysultaine). It is believed that the amphoteric helps with cleanser efficiency while also helping with overall stability, principally provided by nonionic and ester combination.

20 The amphoteric is typically used in an amount of 1 to 10%, preferably 2 to 4% by wt. of the composition.

25 A third component of the compositions of the invention is hydrogenated polybutene. The hydrogenated polybutene oil, typically a good make-up remover, can be used in amounts of 0.1 to 5%, preferably 3 to 5% by wt. Higher amounts are not needed because, as noted, efficacy as provided by good foaming (as provided by N-acyl amino acid and hydroxysultaine) and combination of other ingredients. This permits also that the compositions have less greasy/oily feel than might be otherwise expected (e.g., according to consumer in-use testing).

- 6 -

Although less oil is used, stability is further provided through a combination of
5 nonionic surfactant (which must comprise alkyl glucoside and/or alkoxylated glyceryl,
except that there must be at least 0.1, preferably at least 0.4% alkyl glucoside); and C₁₀-
C₁₄ ester. The amphoteric also helps with stability.

Specifically, the compositions comprise 0.1 to 10% nonionic surfactant selected
10 from the group consisting of alkyl glucoside and alkoxylated glyceryl except that at least
0.1% wt. alkyl glycoside must be present.

In addition, the composition must comprise 0.1 to 5%, preferably 1 to 3% by wt.
C₁₀-C₁₄ ester, preferably a laurate ester. Preferably the ester (e.g., laurate ester) is free
15 of hydroxyl functional groups.

The balance of the composition comprises water.

Compositions of the invention also may comprise other ingredients that may be
20 used in make-up remover compositions. These include oils (e.g., ester oils, mineral oils
and plant oils); silicone, fatty acids, alcohols, polyols, colorants, preservatives,
perfumes, powders, scrubs, chelating agents, gelling agents and other ingredients such
as may be well known to those skilled in the art of make-up removal formulations.

25 EXAMPLES

Protocol

Stability of compositions was measured by observing phase stability at ambient
30 temperature (e.g., 20-25°C) after 24 hours. Compositions which did not phase separate
were considered stable.

- 7 -

Make-up removal efficiency was defined by placing a dab of lipstick (about 0.008 g) on the arm (e.g., preferably the forearm). This is followed by applying the formula
5 from a pump foamed package using a single push from the dispenser (dispensing about 12 cm³ formulation) and rubbing for about 60 seconds. The skin is then rinsed for about 30 seconds in water and a 5 point scale of visual assessment was used to determine removal.

10 Foam is measured by observing amount of foam released from pump foamer and grading based on 5 point visual scale.

Examples

15

The table below with Examples 1 and Comparatives A-M show how each element of the invention is needed to provide ideal combination of MUR efficiency, foam, and phase stability. When some parameter or other is not met, there is typically some issue as noted in the description of the Comparatives.

20

Table 1

Ingredients	Ex. 1 % by wt.	A	B	C	D	E	F	G	H	I	J	K	L	M
Water	68.4	72.9	71.1	69.9	68.8	71.9	71.4	69.75	72.9	69.9	73.3	83.4	68.4	68.4
Cocoyl glycinate	3	3	3	3	3	3	-	3	3	3	3	3	3	3
Lauryl hydroxysultaine	2.7	2.7	-	2.7	2.7	2.7	2.7	1.35	2.7	2.7	2.7	2.7	Δ	2.7
Lauryl glucoside	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	-	0.4	0.4	0.4
PEG-20 glyceryl	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	-	4.5	-	4.5	4.5	4.5
Glycerin	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	-	4.5	4.5
Isopentylidol	5	5	5	5	5	5	5	5	5	5	5	-	5	5
PEG-400	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	-	5.5	5.5
Laurate ester	1.5	1.5	1.5	-	1.5	1.5	1.5	1.5	1.5	-	1.5	1.5	1.5	**
Hydrogenated polyisobutene	4.5	-	4.5	4.5	4.5	1	4.5	4.5	4.5	4.5	4.5	4.5	4.5	
Stability	OK	OK	OK	Sep*	Sep*	OK	OK	OK	Sep*	Sep*	Sep*	OK	OK	Sep*
Appearance	T	T	O			T	S	O				S	S	
MUR efficiency	5		1			4	3	2				2	3	
Foam quickly	5	No foam	5			5	2	5				5	5	

* Separates (i.e., phase separation)

T = Transparent

5 Δ Betaine used as amphoteric at 2.7% by wt.

O = Opaque

** Isotridecyl isononanoate was used as oil at 1.5% by wt.

S = Semitransparent

- 9 -

What Comparatives Demonstrate.

- | | | |
|----|---|---|
| 5 | A | Shows you need oil (for foam formation); |
| | B | Shows you need hydroxysultaine for MUR efficiency; |
| | C | Shows you need ester for phase stability; |
| | D | Shows you also need nonionic (lauryl glucoside) for stability; |
| | E | Similar to Example 1, but with only 1% polybutene, there is less optimal |
| 10 | | MUR efficiency; |
| | F | With no salt of N Acyl amino acid, there is big drop in both MUR efficiency |
| | | and foam; |
| | G | Shows that, without minimal sultaine, MUR efficiency is compromised; |
| | H | Shows that, w/o minimum nonionic, there is phase instability; |
| 15 | I | Shows that ester oil is also required for stability; |
| | J | Again shows minimum nonionic needed for stability; |
| | K | Suggests that a certain amount of polyol is required for optimal MUR |
| | | efficiencies; |
| | L | With different amphoteric, less MUR efficiency; |
| 20 | M | With different oil, you get separation. |

CLAIMS

1. A foaming, make-up remover composition comprising:
 - (a) 1-10% by wt. salts of N-acyl amino acid represented by the following formula:
$$\text{R'CONH}(\text{CH}_2)_n\text{COOM},$$
wherein R'CO is straight chain acyl of C₈-C₂₀ carbons; n = 1 or 2 and M is alkali metal salt or trialkanolamine;
 - (b) 1-10% by wt. of an amphoteric surfactant comprising alkyl hydroxy sultaine;
 - (c) 0.1 to 10% by wt. hydrogenated polyisobutene;
 - (d) 0.1-10% by wt. nonionic surfactant comprising alkyl glucoside and alkoxylated glyceryl, except that there must be at least 0.1% alkyl glucoside;
 - (e) 0.1 to 5% by wt. C₁₀-C₁₄ ester wherein C₁₀-C₁₄ refers to the number of carbon atoms in the acyl moiety; and
 - (f) balance water.
2. A composition according to claim 1, wherein R' is C₁₀-C₁₈ carbons.
3. A composition according to claim 1 or claim 2, comprising to 2-4% by wt. hydroxy sultaine.
4. A composition according to any one of claims 1 to 3, wherein the C₁₀-C₁₄ ester is free of hydroxyl functional group.