



(86) **Date de dépôt PCT/PCT Filing Date:** 2010/04/30
(87) **Date publication PCT/PCT Publication Date:** 2010/11/04
(45) **Date de délivrance/Issue Date:** 2017/09/12
(85) **Entrée phase nationale/National Entry:** 2011/10/28
(86) **N° demande PCT/PCT Application No.:** EP 2010/055943
(87) **N° publication PCT/PCT Publication No.:** 2010/125201
(30) **Priorité/Priority:** 2009/05/01 (EP09159287.3)

(51) **Cl.Int./Int.Cl.** **C12N 7/04** (2006.01)
(72) **Inventeurs/Inventors:**
JOHN, CORINNE, CH;
SCHAUB, CHRISTIAN, CH;
WELLNITZ, SABINE, CH
(73) **Propriétaire/Owner:**
PFIZER INC., US
(74) **Agent:** FETHERSTONHAUGH & CO.

(54) **Titre : PARTICULES RECOMBINANTES DE TYPES VIRUS CODEES PAR UN VECTEUR DE GENES MULTIPLES**
(54) **Title: RECOMBINANT VIRUS-LIKE PARTICLES ENCODED BY MULTI-GENE VECTOR**

A)




B)



C)



D)



E)



(57) **Abrégé/Abstract:**

The invention describes novel virus-like particles for use as vaccines, diagnostic tools and R&D tools based on recombinant DNA and cell cultivation techniques for production. The recombinant virus-like particles of the invention are assembled by polypeptide

(57) **Abrégé(suite)/Abstract(continued):**

chains that incorporate several, in particular two or more, different epitopes which are selected either (a) from different viral strains of the same virus and/or (b) from different serotypes of the same virus and/or (c) from different viral strains specific for different hosts. These epitopes are then displayed on the particle surface.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
4 November 2010 (04.11.2010)(10) International Publication Number
WO 2010/125201 A1(51) International Patent Classification:
C12N 7/04 (2006.01)(21) International Application Number:
PCT/EP2010/055943(22) International Filing Date:
30 April 2010 (30.04.2010)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09159287.3 1 May 2009 (01.05.2009) EP(71) Applicant (for all designated States except US): **RED-BIOTEC AG** [CH/CH]; Wagistrasse 23, CH-8952 Schlieren (CH).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **JOHN, Corinne** [DE/CH]; Probsteistrasse 115a, CH-8051 Zürich (CH). **SCHAUB, Christian** [CH/CH]; Reblaubenweg 1, CH-8820 Wädenswil (CH). **WELLNITZ, Sabine** [DE/CH]; Im Stuedacker 4, CH-8902 Urdorf (CH).(74) Agent: **BECKER, Konrad**; Aeschenvorstadt 24, Postfach 318, CH-4010 Basel (CH).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: RECOMBINANT VIRUS-LIKE PARTICLES ENCODED BY MULTI-GENE VECTOR

Fig. 1

A)



B)




C)



D)



E)



(57) Abstract: The invention describes novel virus-like particles for use as vaccines, diagnostic tools and R&D tools based on recombinant DNA and cell cultivation techniques for production. The recombinant virus-like particles of the invention are assembled by polypeptide chains that incorporate several, in particular two or more, different epitopes which are selected either (a) from different viral strains of the same virus and/or (b) from different serotypes of the same virus and/or (c) from different viral strains specific for different hosts. These epitopes are then displayed on the particle surface.

WO 2010/125201 A1

Published:

- *with international search report (Art. 21(3))*
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))*
- *with sequence listing part of description (Rule 5.2(a))*

Recombinant virus-like particles encoded by multi-gene vector

Field of the invention

- 5 The invention relates to recombinant virus-like particles comprising epitopes from different virus strains, and vectors encoding these.

Background of the invention

- 10 There is an increasing interest in small natural biomolecules using them in different aspects in biomedicine, nanotechnology and material science. Virus simulators, virus capsids or virus-like particles are very attractive because of their regular structure, their homogenous particle size, their stability, the ease of production and the potential for manipulation. Virus-like particle possess dynamic structures, their interior is accessible
15 and furthermore the coat is modifiable. Dependent on the application the virus-like particles could have an envelope or not and could be chosen as virus simulators. These embodiments could be used as new biological entities or targets, as vaccines, as antigens for antibody production, as research tools, as diagnostic tool, for drug delivery and bioconjunctions. These virus simulators are formed by self-assembly of envelope and or
20 capsid proteins of many viruses. The size varies between 22-150 nm dependent on the morphology of the particular virus. The virus simulators are non-infectious because they assemble without incorporating genetic material. Dependent on the application foreign genetic material could be included in the herein described virus simulator.

- 25 A promising application of these virus simulators is the production of vaccines against various diseases because their repetitive, high density display of epitopes elicit often a strong immune response. The small size of particles is an advantage for uptake by dendritic cells. Chimeric virus simulators offer an enormous potential in selective, multi-epitope, multi-protein, multi-serotype, multi-strain, or multi-species presentation.

30

- There exist many expression systems for the production of virus simulators which include the baculovirus/insect cell system, various mammalian cell lines, either stably or transiently transfected or transduced with viral expression vectors, furthermore various species of yeast including *Saccharomyces cerevisiae* and *Pichia pastoris*, and
35 *Escherichia coli* and other bacteria.

Vaccination is dependent on the generation of a sufficient immunity to protect from infectious diseases. The mostly used attenuated virus vaccines rely on limited replication of the virus in the host following immunization. But this kind of vaccination may cause
5 severe reactions in some patients. Therefore the development of virus-like particles (VLP) as subunit vaccines is an advantage because the particles lack in general DNA or RNA genome but have the authentic conformation of the natural virus.

Vaccination is one of the most potent and cost-effective counter-measures to the threat of e.g. seasonal or pandemic influenza outbreaks. The ease of spread as an aerosol and the
10 cause for a severe illness especially to susceptible humans are the major reasons why influenza is one of the most devastating viral diseases. Currently licensed seasonal vaccines are only partially protective, and the egg-based production is very time-consuming and cost-intensive. This strategy is vulnerable to the unanticipated emergence of epidemic strains that are poorly matched or not matched at all by the vaccine. Due to
15 the danger of emerging strains of avian influenza or influenza of other origin novel vaccine approaches are necessary.

In another aspect the research in the field of several important viruses like HCV, HIV, Ebola etc. is very difficult because of biosafety issues. Until now there exist only a few
20 models for investigation of viral entry and viral trafficking. Diagnostic tools are based on the genome of these viruses because of the lack of appropriate non-infectious virus models.

Presently commercial human influenza vaccines contain hemagglutinin as their only or
25 main viral antigen. Their production starts from viruses grown on embryonated chicken eggs or, more recently, in mammalian cells in tissue culture. The production in eggs requires selection of high yield, reassorted virus strains, is limited in capacity, time-consuming (6-8 months), and expensive. Beyond that it can cause problems in vaccinated persons allergic to egg protein. The production is only possible with non-lethal bird strains.
30 One of the most important disadvantages of the egg-based production is the limited capacity. In case of a pandemic the production of the seasonal influenza vaccine has to be stopped in favour of a pandemic influenza vaccine production which could result in even more lethal events in the long run.

35 Vaccines against viral diseases rely traditionally on attenuated virus strains or inactivation of infectious virus. An appropriate environment is necessary for highly pathogenic or

32082-3

3

haemorrhagic viruses which constrains the production possibilities because of the biosafety level (e.g. BL3 / BL4). For some viruses like human papilloma virus the attenuation will not be sufficient because the virus cannot be propagated *in vitro*. The ability to generate human papilloma virus (HPV)-like particles based vaccines
5 (Gardasil, Cervarix) has changed the prospects for preventing cervical cancer in woman.

Due to the danger of emerging strains of avian influenza or other origin, novel vaccine approaches are necessary which result in an enhanced protection.

Summary of the invention

10 The invention relates to a recombinant virus-like particle comprising two or more different epitopes or different proteins comprising epitopes which are selected either (a) from different viral strains of the same virus and/or (b) from different serotypes of the same virus and/or (c) from different viral strains specific for different hosts. These recombinant virus-like particles are useful as vaccines, and the invention also relates
15 to these vaccines.

Furthermore the invention relates to a vector comprising two or more polynucleotides coding for different epitopes or for different proteins comprising epitopes which are selected either (a) from different viral strains of the same virus and/or (b) from different serotypes of the same virus and/or (c) from different viral strains specific for
20 different hosts, and to host cells comprising these vectors.

The invention as claimed relates to:

- a single baculoviral vector encoding a recombinant virus-like particle comprising two or more different surface proteins comprising epitopes, wherein the surface proteins are selected from (a) different viral strains of a same virus type, (b)
25 different serotypes of a same virus type, or (c) different viral strains of a same virus type specific for different hosts, and wherein the baculoviral vector comprises a polynucleotide sequence selected from SEQ ID NOs: 1 to 5; and

32082-3

3a

- a host cell comprising the baculoviral vector as described herein.

Brief description of the Figure

Figure 1: Schematic representations of vector constructs expressing multiple-epitope virus-like particles.

- 5 (A) (SEQ ID NO:1) Multivalent influenza A virus simulator containing different epitopes (M1, M2) from H1N1 viral strains as well as H3N2 (HA, NA) viral strains
- (B) (SEQ ID NO:2) Chimeric human papilloma virus-like particle containing an epitope (L1) from serotypes HPV16 and HPV18
- (C) (SEQ ID NO:3) Expression vector construct with embedded epitopes (HA, NA,
- 10 M1, M2) from influenza B/Florida isolates
- (D) (SEQ ID NO:4) Vector construct for expression of an epitope (L1) of HPV16 and HPV18 serotypes where both genes are under the control of different promoters

(E) (SEQ ID NO:5) Same Vector construct as (B) with deletion of promoter p10

The vectors contain two promoters P1 and P2 (<, >) selected from polh, p10 and p_{XIV} very late baculoviral promoters, vp39 baculoviral late promoter, vp39polh baculoviral late/very late hybrid promoter, *pca/polh*, *pcna*, *etl*, *p35*, *egt*, *da26* baculoviral early promoters; CMV, SV40, UBc. EF-1, RSVLTR, MT, P_{DS47}, Ac5, P_{GAL} and P_{ADH}. The terminator sequences T1 and T2 (T) are selected from SV40, HSVtk or BGH (bovine growth hormone). Furthermore the vector contains the transposon sites TnL and TnR (L,R) for generation of MultiBacbacmid, a loxP site (LP) for site specific homologous recombination (plasmid fusion), an *origin of replication* (O), ampicillin (A) and gentamycine (G) resistance genes and defined restriction sites.

Figure 2: Analysis of expressed chimeric influenza virus-like particles.

(A) The conformation of secreted (A, lane 2) as well as intracellular VLPs (prepared from SEQ ID NO:1, A, lane 1) is verified by immunoblotting using specific antibodies against the proteins HA (H3), NA (H3) and M2 (H1). Lane 3 = ladder, protein sizes in kDa. The epitopes are co-localized, which means that they are assembled in one particle.

(B) Visualization of the chimeric Influenza virus-like particle (prepared from SEQ ID NO:3) by electron microscopy using negative staining with uranyl acetate. The spikes representing epitope HA are visible. The size of the particle is in the range of 50-80 nm.

Figure 3: Chromatographic purification and analysis of secreted multi-epitope influenza virus-like particles prepared from SEQ ID NO:1.

(A) Chromatogram of gel filtration purification. The first peak (1) contains the virus-like particle (VLP). The other peaks (2-6) represent contaminant proteins.

(B) Coomassie-stained SDS-PAGE. The multiple epitopes of the virus-like particles are verified by analyzing different fractions from the 1st peak (1) representing the start (lane 1), middle (lane 2) and end (lane 3) part of the VLP containing peak. The ladder [kDa] is represented left of the first lane. Detection of epitopes is indicated by arrows.

(C) Western blot analysis according to Coomassie-stained gel using an anti-HA antibody.

Figure 4: Functionality of nature-like influenza virus-like particles (VLP).

Twofold serial dilution series (1:2 to 1:2048) of the purified VLPs (prepared from SEQ ID NO:3) are analyzed by standard hemagglutination assay. 50 µL purified particle solution was coated onto 96-well plate incubated with red blood cells (erythrocytes). The influenza VLP (1, upper part) are able to agglutinate red blood cells in a dose dependent manner.

32082-3

5

Highest dilution is 1:1024. In contrast PBS, used as control (C), leads only to precipitation of erythrocytes, visible as a "dot" in the middle of the well.

Figure 5: *In vivo* evaluation of multi-epitope influenza virus-like particles.

- 5 Mice are immunized either with 50 ng (mice 1-5) or 100 ng (mice 6-10) purified VLP prepared from SEQ ID NO:3, and as control with PBS (mice 11-12). Antibody titers after prime injection (3 weeks post injection) are indicated as white boxes, titers after a boost injection are indicated as black boxes (6 weeks post injection). The titers are presented as dilution of mice sera (y-axis). VLPs effectively stimulate an antibody immune response.
- 10 The best results are obtained when immunization is performed with 100 μ l (mice 6-10), indicating a dose dependent immune response. A clear increase of the amount of anti-VLP antibodies is observed after boost. As expected, control animals (mice 11-12) showed no immune response.

- 15 Figure 6: Confirmation of specific immune response to multi-epitope influenza VLP by hemagglutination inhibition assay.

The ELISA test was performed with sera taken at week 6 post injection to analyze the presence of specific anti-HA antibodies. Multi-epitope virus-like particles prepared from SEQ ID NO:3 were coated onto a 96-well plate, mixed with the sera and incubated for 30 min. The sera were tested in a series of twofold dilutions (1:2 to 1:1024). After incubation erythrocytes were added and incubated for further 30 min. Specific anti-Influenza-HA antibodies from different mice binding to multi-epitope virus-like particles result in inhibition of erythrocyte agglutination up to a dilution 1:128 (1) and dilution 1:256 (2), visible as erythrocyte precipitation ("dot") in the middle of the well. No hemagglutination inhibition is observed with sera sample of the control mouse (C).

Figure 7: Screening of best expression conditions using 50 mL bioreactors.

The initial cell amount in the range of $1-2 \times 10^6$ cells/mL (TOI, 1 or 2), virus inoculum (MOI, 0.01-2) and time of harvest (days post infection, d2-d6) were determined by dot blot analysis.

(A) Determination of best expression parameters of an expression construct carrying only one epitope L1 which is used as control. Detection by a specific anti-HPV18 antibody (Abcam)*.

(B) Determination of best expression parameters of a multi-epitope expression construct carrying two epitopes from different serotypes (SEQ ID NO:2). Detection by specific anti-

*Trademark

HPV16- (Camvir, Santa Cruz) and anti-HPV18- (Abcam) antibodies against the two epitopes HPV16 L1 and HPV18 L1.

Figure 8: Chromatographic purification and analysis of multi-epitope human papilloma

- 5 virus-like particles prepared from SEQ ID NO:2.
- (A) Chromatogram of anion exchange chromatography using DEAE-sepharose column. Flow through (1), wash (2) and elution peaks (3-5) are indicated by numbers (1-5). The increased ionic strength of elution buffer is shown by a line [%]. 3 = elution with 300 mM NaCl, 4 = elution with 420 mM NaCl, 5 = elution with 680 mM NaCl.
- 10 (B) Coomassie-stained SDS-PAGE. The presence of multiple epitopes of the virus-like particles were verified by analyzing different parts of the chromatogram. Lane1 = ladder [kDa], lane 2 = VLP before purification, lane 3 = wash step, lane 4 = elution with 300 mM NaCl, lane 5 = elution with 420 mM NaCl, lane 6 = elution with 500 mM NaCl, lane 7 = elution with 680 mM NaCl. Epitopes are indicated by arrows (L1).
- 15 (C) Western blot analysis with coomassie-stained gel using specific antibodies against two epitopes which are indicated by arrows (L1).

Detailed description of the invention

- 20 The invention aims at producing novel virus-like particles for use as vaccines, diagnostic tools and R&D tools based on recombinant DNA and cell cultivation techniques for production. Particles of the invention meet the demand for vaccines suitable to combat a potential pandemic influenza outbreak. The recombinant virus-like particles of the invention are assembled by polypeptide chains that incorporate several, in particular two
- 25 or more, such as two, three, four or five, or also multiples of three, such as six, nine or twelve, different epitopes or different proteins comprising epitopes which are selected either (a) from different viral strains of the same virus and/or (b) from different serotypes of the same virus and/or (c) from different viral strains specific for different hosts. These epitopes are then displayed on the particle surface. Selection of epitopes from different
- 30 strains, serotypes and/or viruses specific for different hosts results in a multifunctional virus-like particle mimicking natural changes of viruses as they occur in nature, e.g. as observed in April 2009 during the outbreak of swine influenza. State of the art virus-like particles are either composed of a single protein or comprise up to three different epitopes derived from the same viral strain. The particle of the invention is encoded by a single
- 35 DNA vector, either viral or plasmid based, which is used for the production in a host cell

such as insect cells, bacterial cells and mammalian cells. In a preferred embodiment, the DNA vector is a baculovirus vector and the host cell an insect cell.

- Epitopes of the invention are immunogenic peptides consisting of between 4 and 1000 amino acids, preferably between 6 and 100 amino acids, and are preferably neutralization epitopes. Neutralization epitopes are epitopes which, when bound by antibodies as the results of an immunogenic response, lead to neutralization of the virus carrying such a neutralizing epitope. Epitopes as understood herein may be repetitive, and may be part of a larger protein, in particular part of an antigen, part of a viral surface protein or part of a viral membrane protein. Such epitopes incorporated in viral surface proteins or viral membrane proteins are preferred. If the intended use of the virus-like particles according to the invention is as a R&D tool, diagnostics tool or a virus simulator it is important that the epitopes are part of complete viral proteins providing a complete virus-type surface.
- 15 Different viral strains of the invention are, for example, different strains of influenza virus, for example influenza virus A strains H1N1, H5N1, H9N1, H1N2, H2N2, H3N2 or H9N2, or also influenza virus B or influenza virus C.

- Different serotypes of the invention are, for example, different serotypes of human papilloma virus (HPV), for example serotypes 6, 11, 16, 18, 31, 33, 35, 39, 45, 48, 52, 58 62, 66, 68, 70, 73 and 82, but also from the proto-oncogenic types HPV 5, 8, 14, 17, 20 and 47 or from papilloma relevant types HPV 6, 11, 13, 26, 28, 32 and 60.

- Virus strains specific for different hosts means particularly adapted to the corresponding host, and are, for example, human influenza virus strains, swine influenza virus strains and avian influenza virus strains. In this context, specific for a host means that the virus is easily transmitted from one host to another host of the same type, but not to a different type of host. For example, an avian virus strain is easily transmitted from birds to other birds, but not to other animals or to humans.

- 30 In a preferred embodiment the particle comprising epitopes from different strains, serotypes and/or viruses specific for different hosts are combined with B- and/or T-cell epitopes in order to induce a broader immune response.

- 35 In another preferred embodiment the virus-like particle consists of proteins forming a complete virus-like surface, optionally further comprising capsid and nucleopore proteins.

The virus-like particle of the invention may further comprise fluorescent proteins, proteins useful for purification purposes of the particles or for attaching a label, and proteinaceous structures required for transport processes and stability.

- 5 The herein described polypeptides and virus like particles are generated in a shorter time and in unlimited amounts compared to actual vaccine manufacturing processes, due to the use of specific genetic and process engineering tools. The capability to assemble the required viral genes by modern molecular biology methods, such as the MultiBac technology (WO 2005/085456; I. Berger et al., Nature Biotechnology 22, 1583, 2004),
10 Polybac technology (WO 2007/054250), or gene synthesis, for instance, allows for fast assembly of the coding DNA vector. The use of these technologies does not require any physical transfer of original, potentially dangerous viruses during the development, manufacturing or administration of virus-like particles and vaccines of the invention. For the construction of particles of the invention it is sufficient to use nucleotide sequences
15 from an infected individual. This stands in major contrast to classical egg-based methods for generating vaccines, which require genetically modified virus as a seed-strain virus. Particles of the invention are manufactured using modern disposable tissue culture techniques which allow for high production capacity. In the preferred embodiment of baculoviral vector and insect cells as host cells the manufacturing process can be quickly
20 set-up, and production times are short, i.e. in the range of weeks rather than months compared to egg-based methods. Additionally, the construction of disposable tissue culture facilities is less time-consuming and costly compared to setting up an egg-based facility. As a consequence large amounts of vaccine for a full population can be produced and re-produced within short time frames, and several different types of vaccines, e.g.
25 seasonal influenza vaccines and pandemic influenza vaccines, can easily be produced in parallel. Difficult decisions by health authorities for the one or the other vaccine due to capacity limits of egg-based vaccine manufacturing plants will not be required.

- The invention relates to a recombinant virus-like particle comprising two or more, such as
30 two, three, four or five, or also multiples of three, such as six, nine or twelve, different epitopes or different proteins comprising epitopes which are selected either (a) from different viral strains of the same virus and/or (b) from different serotypes of the same virus and/or (c) from different viral strains specific for different hosts. Preferred are recombinant virus-like particle comprising three or more, preferably four or more different
35 epitopes or different proteins comprising epitopes. Likewise preferred are recombinant virus-like particle comprising multiples of three, such as six, nine or twelve different

epitopes or different proteins comprising epitopes. The epitopes are selected from two different strains, serotypes or virus strains specific for different hosts, or from three different strains, serotypes or virus strains specific for different hosts, or from four different strains or serotypes. Preferred are virus-like particles comprising several epitopes from
5 three different strains or serotypes. Likewise preferred are virus-like particles comprising several epitopes from virus strains specific for two or three different hosts.

Furthermore the invention relates to a vector comprising two or more, such as two, three, four or five, or also multiples of three, such as six, nine or twelve, different polynucleotides
10 coding for epitopes or for different proteins comprising epitopes which are selected either (a) from different viral strains of the same virus and/or (b) from different serotypes of the same virus and/or (c) from different viral strains specific for different hosts.

“Polynucleotides” as used herein may represent a chain of between 12 and 3'000 nucleotides, includes oligonucleotides as commonly designated, and may be a viral gene
15 or open reading frame from the mentioned different viral sources, in particular genes or open reading frames encoding viral surface proteins or viral membrane proteins.

Preferred are vectors coding for preferred virus-like particles mentioned hereinbefore.

20 Most preferred is a vector comprising a polynucleotide sequence selected from SEQ ID NO: 1 to 5.

In preferred embodiments a virus-like particle of the invention comprises
(1) the same type of a surface protein from two or three different strains or serotypes of
25 the same virus;
(2) a mixture of more than two different surface proteins from different viral strains, e.g. from influenza virus strains H5N1 and H1N1;
(3) a mixture of different surface proteins combined from viruses specific for different hosts, e.g. from influenza virus specific for swine, human and/or avian hosts.

30

Viruses considered as source for epitopes to be comprised in virus-like particles of the invention are, for example, influenza virus, HPV, HIV, CMV, Dengue, HCV and Newcastle Disease Virus. Epitopes may be derived from other viruses and from bacteria. Particularly preferred is influenza virus. Equally preferred is human papilloma virus (HPV).

35

Vectors considered are DNA vectors, and can either be a plasmid vector or a viral vector. Methods to assemble such vectors are standard methods of state of the art molecular biology. Preferred methods are MultiBac such as described in WO 2005/085456 and in I. Berger et al., Nature Biotechnology 22, 1583, 2004, or Polybac methods such as
5 described in WO 2007/054250, combined with CAPTM technology and state of the art gene synthesis technologies. These technologies allow assembling a multi-gene co-expression DNA vector which is suitable for expression in different host cells. The preferred DNA vector of the invention is a baculoviral vector.

10 The host cell used for the expression of vectors of the invention can be any prokaryotic (e.g. *E.coli*) or eukaryotic expression cell line. For expression of a preferred baculoviral vector an insect cell line is preferred. Examples of insect cell lines are, e.g., SF9, SF21, Hi-5, Express Sf+, and S2 Schneider cells. For expression in a eukaryotic system, mammalian cells are preferred, in particular human cells, e.g. HeLa, Huh7, HEK293,
15 HepG2, BHK, CHO, MT-2, bone-marrow fibroblasts, primary neural cells, or embryonic cells. For expression in yeast *S. cerevisiae*, *S. pombe*, *C. albicans*, or *P. pastoris* cells may be used.

Cultivation and propagation of host cells according to the invention can be done in any
20 vessel, bioreactor or disposable unit providing the appropriate conditions for the particular host cell.

The virus-like particles of the invention can be used as vaccines. Furthermore they may be used as antigens in diagnostic tools, antigens for antibody generation, and as virus
25 simulators for research and development tools, e.g. viral entry studies and virus-host interaction studies.

Vaccines according to the invention contain the recombinant virus-like particle in aqueous solution optionally further containing viscosity-regulating compounds, stabilizing
30 compounds and/or adjuvants increasing the immunogenicity, as is known in the state of the art.

In a particular embodiment H3N2 Influenza virus-like particles are constructed using the methods of Berger et al., Nature Biotechnology, 2004, WO2005/085456 and
35 WO 2007/054250 and CAPTM technology. At least one M1 and M2 gene of the H1N1 Influenza strain A/Puerto Rico/834 is cloned by PCR amplification into the transfer vector

pFL (WO 2007/054250, Figure 1) together with the HA gene of influenza A/Brisbane10/2007 and the NA gene of influenza A/Brisbane10/2007. The construct is confirmed by DNA sequencing.

- 5 In another particular embodiment the same cloning techniques are used to introduce at least one L1 gene of both serotypes HPV16 and HPV18 or further serotypes from the group 2, 4, 6, 11, 31, 33-35, 39, 40-45, 51-53, 55-59, 62, 66, 68, 70, 73, and 77, cloned into the transfer vector pFL (Figure 1).

10 Experimental Part

The baculoviral vectors termed MultiBac or YFPMultiBac (WO 2005/085456), which allow propagation in *E.coli* cells, and CAPTM technology are used for generation of recombinant AcNPVs (Autographa californica nuclear polyhedrosis virus, a baculovirus) using a
15 conventional system (Fitzgerald et al., Nature Methods, 3, 1021, 2006). 10 ng of the multi-gene vector is transformed in DH10MultiBac and/or DH10YFPMultiBac competent cells. Positive clones are selected by blue/white screening and PCR. The corresponding MultiBac bacmid DNA is isolated using the Birnboim & Doly method. Recombinant AcNPVs are generated by transfection of 1 µg of multi-gene MultiBac bacmid in 0.9x10⁶
20 Sf21 (Invitrogen) cells using transfection reagent Fugene (Roche) according to the manufacturers protocol. Virus amplification is done as described previously (Fitzgerald et al., Nature Methods, 3, 1021, 2006). The titer of all recombinant AcNPVs is determined by plaque assay described in the Bac-to-Bac-Manual (Invitrogen). Protein production parameters like multiplicity of infection (MOI), cell number (TOI) and time of harvest (TOH)
25 are analyzed with small scale expression studies.

Example 1: Generation of expression vector construct

To manufacture various constructs the multiplication module M present in the transfer vector pFL (WO 2005/085456 and CAPTM technology) is used according to the described
30 method in WO 2005/085456. DNA of epitopes are either obtained by isolation of viral RNA from original virus followed by reverse transcription combined with PCR (for the influenza virus epitopes) or by gene synthesis (provided by the company Geneart). The reverse transcription is performed using the RevertAidTM H Minus First strand cDNA Synthesis kit (Fermentas) according to the manufactures protocol. The cDNA (2 µL) is used as
35 template for PCR reaction. The following conditions are used based on the manufacturer's protocol. For a 50 µL total volume reaction 0.2 mM dNTP (NEB), 1.2% DMSO, 0.5 µM

reverse and forward primer (Microsynth), 10 µl 5x Phusion GC reaction buffer and 2U Phusion Hot Start Polymerase (Finnzyme) are used. For multigene assembly the appropriate restriction sites (BstZ17I, SpeI, PmeI, AvrII) are introduced using PCR. The PCR fragments are cut with the restriction enzymes followed by ligation and

5 transformation processes to integrate the multiplication module into the transfer vector. The ligation is done over night at 4°C using 500 ng linearized transfer vector (pFL), 4 µL PCR product and 1U T4-DNA-ligase (Fermentas). To generate the plasmid 4 µL ligation solution are added to 50 µl competent DH5α cells and incubated for 30 min on ice. After a heat shock at 42°C for 30 sec and a 2 min cold shock at 4°C, 200 µl LB medium is added

10 and incubated for 1 h at 37°C and 220 rpm. Afterwards 80 µl of the cell suspension is plated on LB agar plates containing the appropriate antibiotics, in this case 100 µg ampicillin and 100 µg gentamycin. The whole procedure is repeated until all epitopes are introduced into the transfer vector.

Influenza epitopes are selected from the genes HA and NA, both chosen from a

15 H3N2/Brisbane10/2007 strain whereas epitopes from M1 and M2 are chosen from H1N1/Puerto Rico/834 strain. The M1 epitope is controlled by the promoter p10, all other epitopes are controlled by the polyhedrin promoter polh. All epitopes are present on the same vector construct (Fig. 1A, SEQ ID NO:1). Influenza B/Florida/2006 isolates are chosen to generate a construct with multiple epitopes from the genes HA, NA, M1 and M2

20 (Fig. 1C, SEQ ID NO:3). Human papillomavirus epitopes are selected from the gene L1 from the cancer relevant serotypes HPV16 and HPV18 and are unified in one vector construct. Both epitopes are controlled by the polyhedrin promoter polh (Fig. 1B, SEQ ID NO:2). To improve the expression yield the p10 promoter is deleted in a further construct (Fig. 1E, SEC ID NO:5). In another construct HPV16 epitope is controlled by p10 promoter

25 whereas the polyhedrin promoter polh is chosen for the HPV18 epitope (Fig. 1D, SEQ ID NO:4).

Example 2: Generation of recombinant baculovirus

This virus contains multiple epitopes to generate virus-like particles or virus simulators

30 which present these epitopes on their surface. The virus-like particles can be used for different applications, e.g. as vaccines in the influenza field. The AcNPV-derived baculovirus contains multiple different epitopes from the viral strains recommended by WHO for the 2008/2009-VLP vaccination campaign. All genes of the transfer vector are transposed by site specific homologous recombination into MultiBac cells according to the

35 protocol of WO 2005/085456.

10 ng transfer vector are added to 100 µl MultiBac competent cells and incubated for 30 min at 4°C. After a heat shock at 42°C for 45 sec and a 2 min cold shock at 4°C 400 µl LB medium is added and the cell solution is incubated for 4 h at 37°C and 220 rpm. Different dilutions are plated on appropriate LB agar plates containing various antibiotic resistances. Based on blue/white and PCR screening several correct MultiBac clones are selected. The corresponding MultiBac bacmid DNA is isolated using the Birnboim & Doly method. At least four MultiBac bacmid clones are selected for initial transfection of insect cells like Sf9 or Sf21 to generate the recombinant AcNPV-derived baculovirus. This is generated by transfection of 1 µg of multi-gene MultiBac bacmid in 0.9×10^6 Sf21 (Invitrogen) cells using transfection reagent Fugene^{*} (Roche) according to the manufacturer's protocol. Virus amplification is done as described previously (Fitzgerald et al., Nature Methods, 3, 1021, 2006; Bac-to-Bac-Manual, Invitrogen). The virus is amplified to expand the volume and increase the infectious titer which is determined by plaque assay according to Bac-to-Bac-Manual (Invitrogen). The best expression construct is determined by 50 mL small scale expression experiments followed by determination of protein yield by Bradford Assay (ADV, Cytoskeleton). Expression of best expressor is further verified by Western blot analysis with antibodies against the multiple different epitopes (Fig. 2A).

20 Example 3: Production and purification of multi-epitope influenza virus-like particles in insect cells

After determination of the best expression construct the biotechnological production parameters like cell line, cell amount (TOI), amount of recombinant virus inoculum (multiplicity of infection, MOI) and time of harvest (TOH) are determined in 50 mL bioreactors. A matrix of different TOI, MOI and TOH are designed according to Eibl, Riesen and John (Bioforum 03/2009) and Friesen J. (Bachelor thesis, University of Applied Science, Esslingen, Germany). The expression of secreted or intracellular multi-epitope virus-like particles is observed for six to eight days with daily sample taking. For intracellular particles (e.g. HPV) the cell pellets are lysed with 50 mM TrisCl, pH 7.6, 100 mM NaCl, 0.1% Triton^{*}X100 and centrifuged for 10 min, at 4°C and 8000 x g. The epitopes of the virus-like particles present in the supernatant are further verified using a Dot-blot apparatus (Biometra) followed by Western blotting with specific antibodies. Conditions resulting in the highest yield are defined as expression parameters preferring a harvest time between three and four days. According to these defined parameters the virus-like particles are produced either in shaker flasks or wave cultibags in fall armyworm *Spodoptera frugiperda* cells Sf9 and Sf21. For multi-epitope influenza virus-like particles

*Trademark

32082-3

14

- expression Sf21 cells are chosen with the following conditions: 1.5×10^6 cells/mL, MOI 0.05 and harvest time at day four post infection. Cells are propagated at 27°C without carbon dioxide and fetal calf serum supplementation. According to defined time of harvest the secreted virus-like particles are collected by centrifugation at 500-1000 x g for 20 min at 4°C. The supernatant volume containing the particles is reduced for purification by tangential flow filtration using cassettes (Sartocon-Slice 200, Sartorius and CentramateOS, PALL) with a cut-off of 100 kDa. The purification of virus-like particles is performed with scalable chromatographic methods and sucrose gradient ultracentrifugation.
- The chromatographic purification is a multi-step purification using cation exchange, anion exchange and gel filtration chromatography. The supernatant is loaded onto a CaptoQ column connected to an FPLC-system (AEKTA purifier, GE Healthcare) in 50 mM phosphate buffer, pH 7.4. The particles are eluted with increasing salt concentrations in a linear gradient using 50 mM phosphate, 1 M NaCl, pH 7.4. The particle containing fractions are pooled and further purified by gel filtration chromatography (VLP from SEQ ID NO:1, Fig. 3). The purification is performed in 50 mM phosphate, 150 mM NaCl, pH 7.4 buffer using a HighLoad Superdex 200 pg column. All chromatography steps are analyzed by SDS-PAGE followed by coomassie staining and immunoblotting.
- Example 4: Analysis of purified influenza virus-like particles
- To confirm the presence of the different epitopes purified material is analyzed by SDS-PAGE followed by coomassie staining or Western blot. 150 µl of different chromatography fractions are loaded on a 4-12% Bis-Tris NuPAGE gel (Invitrogen), run for 15 min at 150 V and for 45 min at 175 V and coomassie stained using SimplyBlueSafestain (Invitrogen).
- For immunoblotting the proteins are transferred onto a nitrocellulose membrane (BioRAD) at 19 V for 40 min using a semi-dry apparatus (BioRAD). After blocking unspecific binding sites for 30 min with 5% non-fat-dry-milk-TrisCl-Tween^{*}20 (0.1%) solution, the membrane is incubated over night at 4°C with antibodies against HA, NA and matrix proteins. The membrane is washed several times with TrisCl-Tween20 (0.1%) buffer. Dependent on the source of primary antibody the second antibody is either an anti-mouse or anti-rabbit connected with alkaline phosphatase or horse-radish-peroxidase for detection. A co-localization of these proteins show the assembly and the production derived from one expression vector and one baculovirus (Fig. 3B, from SEQ ID NO:1). This co-localization can also be shown for the expression constructs containing the genes HA, NA and both matrix proteins M1 and M2 including their membrane anchors.

*Trademark

Example 5: Functionality of influenza virus-like particles (VLP)

To analyze if the VLPs correctly integrate the hemagglutinin protein (HA) in their surface, a standard hemagglutination assay using red blood cells (RBC) from chicken is performed (Fig. 4, VLP from SEQ ID NO:3). Twofold serial dilutions of the purified VLPs are carried out with PBS (1x) in V-formed 96 well plates. An equal amount of erythrocytes (1% solution) is added and incubated for 1 h at 4°C. The appearance of RBC aggregates on the bottom of the well indicates lack of hemagglutination. Titers are expressed as the inverse of the highest dilution of the purified VLP solution to agglutinate RBCs. The results obtained show that VLPs are able to agglutinate chicken erythrocytes and demonstrate indirectly the presence of HA on the VLP surface. The negative control (PBS) shows no agglutination.

Example 6: *In vivo* evaluation of influenza VLP

The immunogenicity (stimulation of immune system) of VLPs (prepared from SEQ ID NO:3) is tested *in vivo* using two groups of mice which are subcutaneously immunized in a prime boost schedule at week 0 and week 3 respectively. Immunization is performed using 50 or 100 µl (50 or 100 ng) of VLPs in suspension. To determine the quality of the immune response of the VLPs alone, no adjuvant is used. Mice are bled at week 3 and 6 and sera are analyzed to look for antibody responses against the immunized VLPs. Results obtained show that VLPs are effective at stimulating an antibody immune response. The best results are obtained when immunization is performed with 100 µl, indicating a dose dependent immune response. A clear increase of the amount of anti-VLP antibodies is observed after boost. As expected, naïve animals show no immune response. To reconfirm the specificity of the immune response, a hemagglutination inhibition test is performed at week 6 to analyze the presence of specific anti-HA antibodies. The results show that specific anti-Influenza-HA antibodies are able to inhibit erythrocyte agglutination up to a dilution 128 (mouse 6) and a dilution 256 (mouse 8). No hemagglutination inhibition is observed with sera sample of the naïve mouse. Newly generated multi-epitope influenza-VLPs are able to stimulate the immune system in a dose dependent manner. When the immune system is re-stimulated with a boost, the immune response increases at least 15 times. The specificity of the elicited immune response is analyzed by ELISA and a hemagglutination test.

Example 7: Production and purification of multi-epitope virus-like particles carrying human papillomavirus epitopes in various cell lines

The biotechnological production parameters like cell line, cell amount (TOI), amount of recombinant virus inoculum (multiplicity of infection, MOI) and time of harvest (TOH) are
 5 determined in 50 mL bioreactors (Fig. 7) according to Eibl et al. (Bioforum 3/2009). According to these defined parameters the virus-like particles are produced either in shaker flasks or wave cultibags in fall armyworm *Spodoptera frugiperda* cells Sf9 and Sf21. Multiple-epitope papilloma virus-like particles are expressed from SEQ ID NO:2 in Sf21 cells using 2×10^6 cells/mL, MOI 0.5 and harvest time at day three post infection. Cells
 10 are propagated at 27°C without carbon dioxide and fetal calf serum supplementation. At defined harvest time (three days post infection) intracellular virus-like particles are collected by centrifugation at 500-1000 x g for 20 min at 4°C. The cells are lysed using hypotonic phosphate buffers followed by ultrasonication. After a centrifugation step at 4°C and 2000 x g the supernatant was collected. The purification of virus-like particles is
 15 performed with scalable chromatographic methods and sucrose gradient ultracentrifugation. The chromatographic purification is a multi-step purification using cation exchange, anion exchange and gel filtration chromatography. The supernatant is loaded onto a CaptoDEAE column connected to an FPLC-system (AEKTA purifier, GE Healthcare) in 50 mM phosphate buffer, pH 7.4. The particles are eluted with increasing
 20 salt concentrations in a linear gradient using 50 mM phosphate, 1 M NaCl, pH 7.4 (Fig. 8A). The particle containing fractions are pooled and further purified using a hydroxyapatite column. Binding is performed in 20 mM phosphate buffer, pH 7.0 followed by linear gradient elution with 500 mM phosphate, 150 mM NaCl, pH 7.0. To polish the multi-epitope particles a gel filtration chromatography is done. The purification is
 25 performed in 50 mM phosphate, 150 mM NaCl, pH 7.4 buffer using a HighLoad Superdex 200 pg column. All chromatography steps are analyzed by SDS-PAGE followed by coomassie staining and immunoblotting.

Example 8: Analysis of purified chimeric human papilloma virus-like particles

30 To confirm the presence of the different epitopes in purified material, the VLP prepared from SEQ ID NO:2 is analyzed by SDS-PAGE followed by coomassie staining (Fig. 8B) and Western blot (Fig. 8C). For immunoblotting antibodies against L1 protein of different serotypes are used. 150 µl of different chromatography fractions are loaded on a 4-12% Bis-Tris NuPAGE gel (Invitrogen), run for 15 min at 150 V and a for 45 min at 175 V and
 35 coomassie stained using SimplyBlueSafestain (Invitrogen). For immunoblotting the proteins are transferred onto a nitrocellulose membrane (BioRAD) at 19 V for 40 min

using a semi-dry apparatus (BioRAD). After blocking unspecific binding sites for 30 min with 5% non-fat-dry-milk-TrisCl-Tween20 (0.1%) solution, the membrane is incubated over night at 4°C with antibodies against L1 epitopes. Camvir antibody (SantaCruz) is used for HPV16 and anti-HPV18ab (Abcam) for HPV18 detection. The membrane is washed
5 several times with TrisCl-Tween20 (0.1%) buffer. The membrane is incubated for 1 h with an anti-mouse antibody connected with alkaline phosphatase for detection. The epitopes are detected by BCIP/NPT solution. A co-localization of these proteins show the assembly and production derived from one expression vector and one baculovirus.

10 Example 9: Functionality of chimeric human papilloma virus-like particles (VLP)

To analyze if the human papilloma virus-like particles prepared from SEQ ID NO:2 correctly integrate the L1 protein in their surface, a standard ELISA assay is performed. Twofold serial dilutions of the purified VLPs are carried out with PBS (1x) in V-formed 96 well plates. An equal amount of a serotype specific antibody (concentration 1:1000) is
15 added and incubated for 1 h at 37°C. Appropriate binding of the antibody to the L1 protein is detected using a second antibody with a horse-radish peroxidase and a chemoluminescent detection system. The results obtained show binding of antibodies to the recombinant expressed epitopes in a dose dependent manner. The negative control (PBS) showed no binding.

17a

SEQUENCE LISTING IN ELECTRONIC FORM

In accordance with Section 111(1) of the Patent Rules, this description contains a sequence listing in electronic form in ASCII text format (file: 30694-20 Seq 16-01-12 v1.txt).

A copy of the sequence listing in electronic form is available from the Canadian Intellectual Property Office.

The sequences in the sequence listing in electronic form are reproduced in the following table.

SEQUENCE TABLE

<110> Redbiotec AG
John, Corinne
Schaub, Christian
Wellnitz, Sabine

<120> Recombinant virus-like particles encoded by multi-gene vector

<130> P371A

<150> EP09159287.3

<151> 2009-05-01

<160> 5

<170> PatentIn version 3.5

<210> 1

<211> 10482

<212> DNA

<213> Artificial sequence

<220>

<223> multi-epitope influenza A virus-like particle

<400> 1

ttctctgtca cagaatgaaa atttttctgt catctcttcg ttattaatgt ttgtaattga	60
ctgaatatca acgcttatatt gcagcctgaa tggcgaatgg gacgcgccct gtagcggcgc	120
attaagcgcg gcgggtgtgg tggttacgcg cagcgtgacc gctacacttg ccagcgcctt	180
agcgcctcgt cctttcgcgt tcttcccttc ctttctcgcc acgttcgcgc gctttccccg	240
tcaagctcta aatcgggggc tccctttagg gttccgattt agtgctttac ggcacctcga	300
ccccaaaaaa cttgattagg gtgatgggtt acgtagtggg ccatcgccct gatagacggt	360
ttttcgcctt ttgacgttgg agtccacggt cttaatagtg gactcttggt ccaaactgga	420
acaacactca accctatctc ggtctattct tttgatttat aagggtttt gccgatttcg	480
gcctattggt taaaaaatga gctgatttaa caaaaattta acgcgaattt taacaaaata	540
ttaacgctta caatttaggt ggcacttttc ggggaaatgt gcgcggaacc cctatttggt	600
tatttttcta aatacattca aatatgtatc cgctcatgag acaataacce tgataaatgc	660
ttcaataata ttgaaaaagg aagagtatga gtattcaaca tttccgtgtc gcccttattc	720
ccttttttgc ggcattttgc cttcctgttt ttgctcaccc agaaacgctg gtgaaagtaa	780

17b

aagatgctga	agatcagttg	ggtgcacgag	tgggttacat	cgaactggat	ctcaacagcg	840
gtaagatcct	tgagagtttt	cgccccgaag	aacgttttcc	aatgatgagc	actttttaag	900
ttctgctatg	tggcgcggtg	ttatcccgtg	ttgacgcccg	gcaagagcaa	ctcggtcgcc	960
gcatacacta	ttctcagaat	gacttggttg	agtactcacc	agtcacagaa	aagcatctta	1020
cggatggcat	gacagtaaga	gaattatgca	gtgctgccat	aaccatgagt	gataaactg	1080
cggccaactt	acttctgaca	acgatcggag	gaccgaagga	gctaaccgct	tttttgcaca	1140
acatggggga	tcattgtaact	cgccttgatc	gttgggaacc	ggagctgaat	gaagccatac	1200
caaacgacga	gcgtgacacc	acgatgcctg	tagcaatggc	aacaacggtg	cgcaaaactat	1260
taactggcga	actacttact	ctagcttccc	ggcaacaatt	aatagactgg	atggaggcgg	1320
ataaagttgc	aggaccactt	ctgcgctcgg	cccttcgccc	tggctgggtt	attgctgata	1380
aatctggagc	cggtgagcgt	gggtctcgcg	gtatcattgc	agcactgggg	ccagatggta	1440
agccctcccg	tatcgtagtt	atctacacga	cggggagtcg	ggcaactatg	gatgaacgaa	1500
atagacagat	cgttgagata	ggtgcctcac	tgattaagca	ttggtaactg	tcagaccaag	1560
tttactcata	tatactttag	attgatttaa	aacttcattt	tttaatttaa	aggatctagg	1620
tgaagatcct	ttttgataat	ctcatgacca	aaatccctta	acgtgagttt	tcgttccact	1680
gagcgtcaga	ccccgtagaa	aagatcaaag	gatcttcttg	agatcccttt	tttctgcgcg	1740
taatctgctg	cttgcaaaca	aaaaaaccac	cgtaccagc	ggtgggtttg	ttgccggatc	1800
aagagctacc	aactcttttt	ccgaaggtaa	ctggcttcag	cagagcgcag	ataccaaata	1860
ctgttcttct	agtgtagccg	tagttaggcc	accacttcaa	gaactctgta	gcaccgccta	1920
catacctcgc	tctgctaate	ctgttaccag	tggctgctgc	cagtggcgat	aagtcgtgtc	1980
ttaccgggtt	ggactcaaga	cgatagttac	cggataaggc	gcagcggtcg	ggctgaacgg	2040
ggggttcgtg	cacacagccc	agcttggagc	gaacgaccta	caccgaactg	agatacctac	2100
agcgtgagct	atgagaaagc	gccacgcttc	ccgaagggag	aaaggcggac	aggtatccgg	2160
taagcggcag	ggtcggaaca	ggagagcgca	cgagggagct	tccaggggga	aacgcctggg	2220
atctttatag	tcctgtcggg	tttcgccacc	tctgacttga	gcgtcgattt	ttgtgatgct	2280
cgtcaggggg	gcggagccta	tggaaaaacg	ccagcaacgc	ggccttttta	cggttcctgg	2340
ccttttgctg	gccttttgct	cacatgttct	tccctgcgtt	atccctgat	tctgtggata	2400
accgtattac	cgcctttgag	tgagctgata	ccgtcgcgcg	cagccgaacg	accgagcgca	2460
gcgagtcagt	gagcgaggaa	gcggaagagc	gcctgatgcg	gtattttctc	cttacgcctc	2520
tgtgcggtat	ttcacaccgc	atagaccagc	cgcgtaacct	ggcaaaatcg	gttacgggtg	2580
agtaataaat	ggatgccttg	cgtaagcggg	tgtgggcgga	caataaagtc	ttaaactgaa	2640
caaaatagat	ctaaactatg	acaataaagt	cttaaactag	acagaatagt	tgtaaactga	2700
aatcagtcca	gttatgctgt	gaaaaagcat	actggacttt	tgttatggct	aaagcaaact	2760
cttcattttc	tgaagtgcaa	attgcccgtc	gtattaaaga	ggggcgtggc	caagggcatg	2820
gtaaagacta	tattcgcggc	gttgtgacaa	tttaccgaac	aactccgcgg	ccgggaagcc	2880
gatctcggct	tgaacgaatt	gttaggtggc	ggtagcttgg	tcgatatcaa	agtgcacac	2940
ttcttcccgt	atgcccaact	ttgtatagag	agccactgcg	ggatcgtcac	cgtaatctgc	3000
ttgcacgtag	atcacataag	caccaagcgc	gttggcctca	tgcttgagga	gattgatgag	3060
cgcggtggca	atgccctgcc	tcgggtgctc	gccggagact	gcgagatcat	agatatagat	3120
ctcactacgc	ggctgctcaa	acttgggcag	aacgtaagcc	gcgagagcgc	caacaaccgc	3180
ttcttggtcg	aaggcagcaa	gcgcgatgaa	tgtcttacta	cggagcaagt	tcccagggtg	3240
atcggagtc	ggctgatgtt	gggagtaggt	ggctacgtct	ccgaactcac	gaccgaaaag	3300
atcaagagca	gcccgcattg	atttgacttg	gtcagggccg	agcctacatg	tgcgatgat	3360
gcccatactt	gagccaccta	actttgtttt	agggcgactg	ccctgctgcg	taacatcggt	3420
gctgctgcgt	aacatcggtg	ctgctccata	acatcaaaaa	tcgacccacg	gcgtaacgcg	3480
cttgctgctt	ggatgcccg	ggcatagact	gtacaaaaaa	acagtcataa	caagccatga	3540
aaaccgccac	tgcgcggtta	ccaccgctgc	gttcgggtcaa	ggttctggac	cagttgcgtg	3600
agcgcatacg	ctacttgcat	tacagtttac	gaaccgaaca	ggcttatgtc	aactgggttc	3660
gtgccttcat	cgttttccac	gggtgtgcgtc	acccggcaac	cttgggcagc	agcgaagtcg	3720
aggcatttct	gtcctggctg	gcgaacgagc	gcaaggtttc	ggtctccacg	catcgtcagg	3780
cattggcggc	cttgctgttc	ttctacggca	aggtgctgtg	cacggatctg	cccttgcttc	3840
aggagatcgg	tagacctcgg	cgtcgcggc	gcttgccggg	ggtgctgacc	cggatgaag	3900
tggttcgcct	cctcgggttt	ctggaaggcg	agcatcgttt	gttcgccccag	gactctagct	3960
atagttctag	tggttggcta	cagctttgtt	tgtactatca	acaggttgaa	ctgctgatca	4020
acagatcttc	tacgcggccg	cggtaccata	acttcgtata	gcatacatta	tacgaagtta	4080
tctggtttaa	acgtaccctg	agtggctatg	gcagggcttg	cgcgcccgac	gttggctgcg	4140

17c

agccctgggc	cttcacccga	acttgggggt	tgggggtggg	aaaaggaaga	aacgcgggcg	4200
tattgggtccc	aatgggggtct	cgggtggggta	tcgacagagt	gccagccctg	ggaccgaacc	4260
ccgcgtttat	gaacaaacga	cccaacaccc	gtgcgtttta	ttctgtcttt	ttattgocgt	4320
catagcgcg	gttccttccg	gtattgtctc	cttcctgtgt	tcagttagcc	tcccccatct	4380
cccggtagcg	catgctatgc	atgcggccgc	tcacttgaac	cgttgcatct	gcacccccat	4440
tcgtttctga	taggcctgca	aattttcaag	aagatcattt	ttcagaccag	cactggagct	4500
aggatgagtc	ccaatgggtc	tcctcgcttg	caccatttgc	ctagcctgac	tagcaacctc	4560
catggcctct	gctgcttgct	cactcgatcc	agccatttgc	tccatagcct	tagctgtagt	4620
gctggctaaa	accattctgt	tctcatgtct	gattagtggg	ttgggtgttg	tcaccatttg	4680
cctatgagac	cgatgctggg	agtcagcaat	ctgttcacag	gttgcacata	ccaggccaaa	4740
tgccacttca	gtggtcacag	ccccatcct	gttgatatatg	aggcccatac	aactggcaag	4800
tgcaccagca	gaataactga	gtgagatttc	tttggcccca	tggaatgtta	tctccctctt	4860
gagcttccta	tacagtttaa	ctgctttgtc	catgttatatt	ggatccccgt	tcccattaag	4920
ggcagtttgg	acaaagcgtc	tacgctgcag	tcctcgctca	ctgggcacgg	tgagcgtgaa	4980
cacaaatcct	aaaatcccct	tagtcagagg	tgacaggatt	ggtcttgtct	ttagccattc	5040
catgagaacc	tcaagatcgg	tgttcttccc	tgcaaagaca	tcttcaagtc	tctgtgcgat	5100
ctcggctttg	agggggcctg	acgggatgat	agagagaacg	tacgtttcga	cctcggttag	5160
aagactcatg	gtggatccat	cccgggtgat	caagtcttcg	tcgagtgatt	gtaaataaaa	5220
tgtaatattac	agtatatgat	tttaattaat	atacaaata	tttgataata	attcttattt	5280
aactataata	tattgtgttg	ggttgaatta	aaggctccgt	tactagtatc	gattcgcgac	5340
ctactccgga	atattaatag	atcatggaga	taattaaaat	gataaccatc	tcgcaaataa	5400
ataagtattt	tactgttttc	gtaacagttt	tgtaatataa	aaacctataa	atattccgga	5460
ttattcatat	cgtcccacca	tcgggcgcgg	atccaccatg	aatccaaatc	aaaagataat	5520
aacgattggc	tctgtttctc	tcaccatttc	cacaatatgc	ttcttcatgc	aaattgccat	5580
cttgataact	actgtaacat	tgcatttcaa	gcaatatgaa	ttcaactccc	ccccaaacaa	5640
ccaagtgatg	ctgtgtgaac	caacaataat	agaaagaaac	ataacagaga	tagtgtatct	5700
gaccaacacc	accatagaga	aggaaatatg	ccccaaacta	gcagaataca	gaaattgggtc	5760
aaagccgcaa	tgtgacatta	caggatttgc	acctttttct	aaggacaatt	cgattaggct	5820
ttccgctggg	ggggacatct	gggtgacaag	agaaccttat	gtgtcatgcg	atcctgacaa	5880
gtgttatcaa	tttgcccttg	gacagggaac	aacactaaac	aacgtgcatt	caaattgacac	5940
agtagctgat	aggaccctt	atcggaccct	attgatgaat	gagttagggtg	ttccttttca	6000
tctggggacc	aagcaagtgt	gcatagcatg	gtccagctca	agttgtcacg	atggaaaagc	6060
atggctgcat	gtttgtataa	cgggggatga	taaaaatgca	actgctagct	tcatttacia	6120
tgggaggctt	gtagatagta	ttgtttcatg	gtccaaagaa	atcctcagga	cccaggagtc	6180
agaatgcgtt	tgtatcaatg	gaacttgtac	agtagtaatg	actgatggga	gtgcttcagg	6240
aaaagctgat	actaaaatac	tattcattga	ggaggggaaa	atcgttcata	ctagcacatt	6300
gtcaggaagt	gctcagcatg	tcgaggagtg	ctcctgctat	cctcgatata	ctgggtgtcag	6360
atgtgtctgc	agagacaact	ggaaaggctc	caataggccc	atcgtagata	taaacataaa	6420
ggatcatagc	actgtttcca	gttatgtgtg	ttcaggactt	gttgagagaca	caccagagaa	6480
aaacgacagc	tccagcagta	gccattgttt	ggatcctaac	aatgaagaag	gtgggtcatgg	6540
agtgaagggc	tgggcctttg	atgatggaaa	tgacgtgtgg	atgggaagaa	cgatcagcga	6600
gaagtcgcgc	ttagggtatg	aaaccttcaa	agtcattgaa	ggctgggtcca	accctaagtc	6660
caaattgcag	ataaataggc	aagtcatagt	tgacagaggt	aatagggtccg	gttattctgg	6720
tattttctct	gttgaaggca	aaagctgcat	caatcggtgc	ttttatgtgg	agttgataag	6780
gggaagaaaa	gaggaaactg	aagtcttgtg	gacctcaaac	agtattgttg	tgttttgtgg	6840
cacctcaggt	acatatggaa	caggctcatg	gcctgatggg	gcggacatca	atctcatgcc	6900
tatataagta	ctagaggatc	ataatcagcc	ataccacatt	tgtagagggtt	ttacttgctt	6960
taaaaaacct	cccacacctc	cccctgaacc	tgaaacataa	aatgaatgca	attgttggtg	7020
ttacttggtt	tattgcagct	tataatgggt	acaaataaag	caatagcatc	acaaatttca	7080
caaataaagc	atttttttca	ctgcatttcta	gttggtgggtt	gtccaaactc	atcaatgtat	7140
cttatcatgt	ctggatctga	tcactgcttg	agcctagaag	atccggctgc	taacaaagcc	7200
cgaaagggaag	ctgagttggc	tgtgtgtggc	agcttatcta	gaaatattaa	tagatcatgg	7260
agataattaa	aatgataacc	atctcgcaaa	taaataagta	ttttactgtt	ttcgtaacag	7320
ttttgtaata	aaaaaaccta	taaatattcc	ggattattca	taccgtccca	ccatcgggcg	7380
caccatgagt	cttctaaccg	aggctgaaac	gcctatcaga	aacgaatggg	ggtgcagatg	7440
caacggttca	agtgatcctc	tcactattgc	cgcaaatatc	attgggatct	tgcacttgac	7500

17d

attgtggatt	cttgatcgtc	tttttttcaa	atgcatttac	cgtcgcttta	aatacggact	7560
gaaaggagg	ccttctacgg	aaggagtgcc	aaagtctatg	agggagaagt	atcgaaagga	7620
acagcagagt	gctgtggatg	ctgacgatgg	tcattttgtc	agcatagagc	tggagtaagt	7680
actagaggat	cataatcagc	cataccacat	ttgtagaggt	tttacttgct	ttaaaaaacc	7740
tcccacacct	ccccctgaac	ctgaaacata	aaatgaatgc	aattgttggt	gttaacttgt	7800
ttattgcagc	ttataatggt	tacaaataaa	gcaatagcat	cacaaatttc	acaaataaag	7860
catttttttc	actgcattct	agttgtggtt	tgtccaaact	catcaatgta	tcttatcatg	7920
tctggatctg	atcactgctt	gagcctagaa	gatccggctg	ctaacaaagc	ccgaaaggaa	7980
gctgagttgg	ctgctgccac	cgtgagcaa	taactatcat	aaccggaata	ttaatagatc	8040
atggagataa	ttaaaatgat	aaccatctcg	caaataaata	agtattttac	tgttttcgta	8100
acagttttgt	aataaaaaaa	cctataaata	ttccggatta	ttcataccgt	cccaccatcg	8160
ggcgcggatc	caccatgaag	actatcattg	ctttgagcta	cattctatgt	ctggttttca	8220
ctcaaaaact	tcccggaaat	gacaacagca	cggcaacgct	gtgccttggg	caccatgcag	8280
taccaaacgg	aacgatagtg	aaaacaatca	cgaatgacca	aattgaagtt	actaatgcta	8340
ctgagctggg	tcagagttcc	tcaacagggt	aaatatgcga	cagtcctcat	cagatccttg	8400
atggagaaaa	ctgcacacta	atagatgctc	tattgggaga	ccctcagtgt	gatggcttcc	8460
aaaataagaa	atgggacctt	tttggtgaac	gcagcaaagc	ctacagcaac	tgttaccctt	8520
atgatgtgcc	ggattatgcc	tcccttaggt	cactagttgc	ctcatccggc	acactggagt	8580
ttaacaatga	aagcttcaat	tggactggag	tcactcaaaa	cgaacaagc	tctgcttgca	8640
taaggagatc	taataacagt	ttcttttagta	gattgaattg	gttgacccac	ttaaaattca	8700
aatacccagc	attgaacgtg	actatgccaa	acaatgaaaa	atttgacaaa	ttgtacattt	8760
gggggggttc	ccaccgggt	acggacaatg	accaaactct	cccgatgct	caagcatcag	8820
gaagaatcac	agtctctacc	aaaagaagcc	aacaaactgt	aatcccgaat	atcggatcta	8880
gaccagagt	aaggaatata	cccagcagaa	taagcatcta	ttggacaata	gtaaaaccgg	8940
gagacatact	tttgattaac	agcacaggga	atctaattgc	tcctaggggt	tacttcaaaa	9000
tacgaagtgg	gaaaagctca	ataatgagat	cagatgcacc	cattggcaaa	tgcaattctg	9060
aatgcatcac	tccaaacgga	agcattccca	atgacaaacc	attccaaaat	gtaaacagga	9120
tcacatacgg	ggcctgtccc	agatatgtta	agcaaaacac	tctgaaattg	gcaacagggg	9180
tgcgaaatgt	accagagaaa	caaactagag	gcataatttg	cgcaatcgcg	ggtttcatag	9240
aaaatggttg	ggagggaatg	gtggatggtt	ggtacggttt	caggcatcaa	aattctgagg	9300
gaataggaca	agcagcagat	ctcaaaagca	ctcaagcagc	aatcgatcaa	atcaatggga	9360
agctgaatag	gttgatcggg	aaaaccaacg	agaaattcca	tcagattgaa	aaagaattct	9420
cagaagtcga	agggagaatt	caggaccttg	agaaatatgt	tgaggacacc	aaaatagatc	9480
tctggtcata	caacgcggag	cttcttggtg	ccctggagaa	ccaacataca	attgatctaa	9540
ctgactcaga	aatgaacaaa	ctgtttgaaa	aaacaaagaa	gcaactgagg	gaaaatgctg	9600
aggatatggg	caatggttgt	ttcaaaatat	accacaaatg	tgacaatgcc	tgcataggat	9660
caatcagaaa	tggaaacttat	gaccacgatg	tatacagaga	tgaagcatta	aacaaccggt	9720
tccagatcaa	gggcgttgag	ctgaagtcag	gatacaaaga	ttggatccta	tggatttcct	9780
ttgccatata	atgttttttg	ctttgtgttg	ctttgttggg	gttcatcatg	tgggcctgcc	9840
aaaaaggcaa	cattaggtgc	aacatttgca	tttgagtact	agaggatcat	aatcagccat	9900
accacatttg	tagagggttt	acttgcttta	aaaaacctcc	cacacctccc	cctgaacctg	9960
aaacataaaa	tgaatgcaat	tgttgttggt	aacttgttta	ttgcagctta	taatggttac	10020
aaataaagca	atagcatcac	aaatttcaca	aataaagcat	ttttttcact	gcattctagt	10080
tgtggtttgt	ccaaactcat	caatgtatct	tatcatgtct	ggatctgac	actgcttgag	10140
cctagaagat	coggctgcta	acaaagcccg	aaagggaagt	gagttggctg	ctgccaccgc	10200
tgagcaataa	ctatcataac	ccctaggaga	tccgaaccag	ataagtgaag	tctagtcca	10260
aactattttg	tcatttttaa	ttttcgtatt	agcttacgac	gctacacca	gttcccatct	10320
attttgtcac	tcttccctaa	ataatcctta	aaaactccat	ttccacctct	cccagttccc	10380
aactattttg	tccgcccaca	gcggggcatt	tttcttcctg	ttatgttttt	aatcaaacat	10440
cctgccaaact	ccatgtgaca	aaccgtcatc	ttcggctact	tt		10482

<210> 2

<211> 8917

<212> DNA

<213> Artificial sequence

<220>

<223> multi-epitope human papilloma virus-like particle

<400> 2

ttctctgtca	cagaatgaaa	atTTTTctgt	catctcttcg	ttattaatgt	ttgtaattga	60
ctgaatatca	acgcttattt	gcagcctgaa	tggcgaatgg	gacgcgccct	gtagcggcgc	120
attaagcgcg	gcgggtgtgg	tggttacgcg	cagcgtgacc	gctacacttg	ccagcgccct	180
agcgcgccgt	cctttcgctt	tcttcccttc	ctttctcgcc	acgttcgccg	gctttccccg	240
tcaagctcta	aatcgggggc	tccctttagg	gttccgattt	agtgcctttac	ggcacctcga	300
ccccaaaaaa	cttgattagg	gtgatggttc	acgtagtggg	ccatcgccct	gatagacggt	360
ttttcgccct	ttgacgttgg	agtccacggt	cttaataagt	gactcttggt	ccaaactgga	420
acaacactca	accctatctc	ggtctattct	tttgatttat	aagggatttt	gccgattttcg	480
gcctattggt	taaaaaatga	gctgatttaa	caaaaattta	acgcgaattt	taacaaaata	540
ttaacgctta	caatttaggt	ggcacttttc	ggggaaatgt	gcgcggaacc	cctatttggt	600
tattttttcta	aatacattca	aatatgtatc	cgtcatgag	acaataaccc	tgataaatgc	660
ttcaataata	ttgaaaaagg	aagagtatga	gtattcaaca	tttccgtgtc	gcccttattc	720
cctttttttgc	ggcattttgc	cttcctgttt	ttgctcacc	agaaacgctg	gtgaaagtaa	780
aagatgctga	agatcagttg	ggtgcacgag	tgggttacat	cgaactggat	ctcaacagcg	840
gtaagatcct	tgagagtttt	cgccccgaag	aacgtttttc	aatgatgagc	actttttaag	900
ttctgctatg	tggcgcggta	ttatcccgta	ttgacgccgg	gcaagagcaa	ctcggtcgcc	960
gcatacacta	ttctcagaat	gacttggttg	agtactcacc	agtcacagaa	aagcatctta	1020
cggatggcat	gacagtaaga	gaattatgca	gtgctgccat	aaccatgagt	gataacactg	1080
cggccaactt	acttctgaca	acgatcggag	gaccgaagga	gctaaccgct	tttttgaca	1140
acatggggga	tcatgtaact	cgccttgatc	gttgggaacc	ggagctgaat	gaagccatac	1200
caaacgacga	gcgtgacacc	acgatgcctg	tagcaatggc	aacaacgttg	cgcaaactat	1260
taactggcga	actacttact	ctagcttccc	ggcaacaatt	aatagactgg	atggaggcgg	1320
ataaagttgc	aggaccactt	ctgcgctcgg	cccttcgcgg	tggctgggtt	attgctgata	1380
aatctggagc	cggtgagcgt	gggtctcgcg	gtatcattgc	agcactgggg	ccagatggta	1440
agccctcccg	tatcgtagtt	atctacacga	cggggagtca	ggcaactatg	gatgaacgaa	1500
atagacagat	cgtgagata	ggtgcctcac	tgattaagca	ttggtaactg	tcagaccaag	1560
tttactcata	tatactttag	attgatttaa	aacttcattt	ttaatttaaa	aggatctagg	1620
tgaagatcct	ttttgataat	ctcatgacca	aatccctta	acgtgagttt	tcgttccact	1680
gagcgtcaga	ccccgtagaa	aagatcaaag	gatcttcttg	agatcctttt	tttctgcgcg	1740
taatctgctg	cttgcaaaca	aaaaaaccac	cgtaccagc	ggtggtttgt	ttgccggatc	1800
aagagctacc	aactcttttt	ccgaaggtaa	ctggcttcag	cagagcgcag	ataccaaata	1860
ctgttcttct	agtgtagccg	tagttaggcc	accacttcaa	gaactctgta	gcaccgccta	1920
catacctcgc	tctgctaate	ctgttaccag	tggctgctgc	cagtggcgat	aagtcgtgtc	1980
ttaccggggt	ggactcaaga	cgatagttac	cggataaggc	gcagcggtcg	ggctgaacgg	2040
ggggttcgtg	cacacagccc	agcttgagc	gaacgaccta	caccgaactg	agatacctac	2100
agcgtgagct	atgagaaagc	gccacgcttc	ccgaaggagg	aaaggcggac	aggtatccgg	2160
taagcggcag	ggtcgggaaca	ggagagcgca	cgaaggagct	tccaggggga	aacgcctggt	2220
atcttttatag	tcctgtcggg	tttcgccacc	tctgacttga	gcgtcgattt	ttgtgatgct	2280
cgtcaggggg	gcggagccta	tggaaaaacg	ccagcaacgc	ggccttttta	cggttcctgg	2340
ccttttgctg	gccttttgct	cacatgttct	ttcctgcgtt	atcccctgat	tctgtggata	2400
accgtattac	cgcctttgag	tgagctgata	ccgctcgccg	cagccgaacg	accgagcgca	2460
gcgagtcagt	gagcgaggaa	gcggaagagc	gcctgatgcg	gtatttttctc	cttacgcatac	2520
tgtgcggtat	ttcacaccgc	atagaccagc	cgcgtaacct	ggcaaaatcg	gttacggttg	2580
agtaataaat	ggatgccctg	cgtaagcggg	tgtgggcgga	caataaagtc	ttaaactgaa	2640
caaaatagat	ctaaactatg	acaataaagt	cttaaaactag	acagaatagt	tgtaaaactga	2700
aatcagtcca	gttatgctgt	gaaaaagcat	actggacttt	tgttatggct	aaagcaaact	2760
cttcatttttc	tgaagtgcaa	attgcccgtc	gtattaaaga	ggggcgtggc	caagggcatg	2820
gtaaagacta	tattcgcggc	gttgtgacaa	tttaccgaac	aactccgcgg	ccgggaagcc	2880
gatctcggct	tgaacgaatt	gttaggtggc	ggtaacttggg	tcgatatcaa	agtgcatacac	2940
ttcttcccgt	atgcccaact	ttgtatagag	agccactgcg	ggatcgtcac	cgtaatctgc	3000
ttgcacgtag	atcacataag	caccaagcgc	gttggcctca	tgcttgagga	gattgatgag	3060
cgcggtggca	atgccctgcc	tccggtgctc	gccggagact	gcgagatcat	agatatagat	3120

ctcactacgc	ggctgetcaa	acttggggcag	aacgtaagcc	gcgagagcgc	caacaaccgc	3180
ttcttggtcg	aaggcagcaa	gcgcgatgaa	tgtcttacta	cggagcaagt	tcccgaggta	3240
atcggagtc	ggctgatgtt	gggagtaggt	ggctacgtct	ccgaactcac	gaccgaaaag	3300
atcaagagca	gcccgcgatg	atttgacttg	gtcagggccg	agcctacatg	tgcgaatgat	3360
gcccatactt	gagccaccta	actttgtttt	agggcgactg	ccctgctgcg	taacatcggt	3420
gctgctgcgt	aacatcggtg	ctgctccata	acatcaaaca	tcgacccacg	gcgtaacgcg	3480
cttgctgctt	ggatgcccga	ggcatagact	gtacaaaaaa	acagtcataa	caagccatga	3540
aaaccgccac	tgcgccgtta	ccaccgctgc	gttcggtcaa	ggttctggac	cagttgcgtg	3600
agcgcatacg	ctacttgcat	tacagtttac	gaaccgaaca	ggcttatgtc	aactgggttc	3660
gtgccttcat	ccgtttccac	ggtgtgcgtc	acccggcaac	cttgggcagc	agcgaagtcg	3720
aggcattttct	gtcctggctg	gcgaacgagc	gcaaggtttc	ggtctccacg	catcgtcagg	3780
cattggcggc	cttgctgttc	ttctacggca	aggtgctgtg	cacggatctg	cccttgcttc	3840
aggagatcgg	tagacctcgg	ccgtcgcggc	gcttgccggg	ggtgctgacc	ccggatgaag	3900
tgggtcgcac	cctcgggtttt	ctggaaggcg	agcatcgttt	gttcgcccag	gactctagct	3960
atagttctag	tggttggcta	cagctttgtt	tgtactatca	acaggttgaa	ctgctgatca	4020
acagatcctc	tacgcggccg	cggtagcata	acttcgtata	gcatacata	tacgaagtta	4080
tctggtttaa	acgtacccgt	agtggctatg	gcagggcttg	ccgccccgac	gttggctgcg	4140
agccctgggc	cttcacccga	acttgggggt	tgggggtggg	aaaaggaaga	aacgcgggcg	4200
tattgggtccc	aatgggggtct	cgggtggggta	tcgacagagt	gccagccctg	ggaccgaacc	4260
ccgcgtttat	gaacaaacga	cccaacaccc	gtgcgtttta	ttctgtcttt	ttattgccgt	4320
catagcgcgg	gttccttccg	gtattgtctc	cttcctgtgt	tcagttagcc	tcccccatct	4380
cccggtagcc	catgctatgc	atatcccggt	tgatcaagtc	ttcgtcagat	gattgtaaat	4440
aaaatgtaat	ttacagtata	gtattttaat	taatatacaa	atgatttgat	aataattctt	4500
atttaactat	aatatattgt	gttgggttga	attaaaggct	cgtatactag	tatcgattcg	4560
cgacctactc	cggaatatta	atagatcatg	gagataatta	aaatgataac	catctcgcaa	4620
ataaataagt	attttactgt	tttcgtaaca	gttttgtaat	aaaaaaacct	ataaatattc	4680
cggattatct	ataccgtccc	accatcgggc	gcggatccgc	caccatgtcc	ctgtggctgc	4740
cctccgaggc	taccgtgtac	ctgccccccg	tgcccgtgtc	caaggtgggt	tccacogacg	4800
agtacgtggc	tcgtaccaac	atctactacc	acgctggcac	ctcccgtctg	ctggctgtgg	4860
gtcaccacct	cttccccatc	aagaagccca	acaacaacaa	gacctcgggt	cccaagggtg	4920
ccggcctgca	gtaccgtgtg	ttccgtatcc	acctgcccga	cccccaacaag	ttcggtttcc	4980
ccgacacctc	cttctacaac	cctgacaccc	agcgccctcg	gtgggcttgc	gtgggctgtg	5040
aggctcggccg	tggccagccc	ctgggtgtcg	gtatctccgg	tcacccctcg	ctgaacaagc	5100
tggacgacac	cgagaacgct	tcgccttacg	ctgctaaccg	tgggtgtcgac	aaccgcgagt	5160
gcctctccat	ggactacaag	cagaccacgc	tgtgcctgat	cgggttgcaag	ccccccatcg	5220
gcgagcactg	gggcaagggt	tccccctgca	ccaacgtggc	tgtgaacccc	ggcgactgcc	5280
cccctctcga	gctgatcaac	accgtgatcc	aggacggcga	catggtggac	accggtttcg	5340
gtgctatgga	cttcaccacc	ctgcaggcta	acaagtccga	ggtgcccctg	gacatctgca	5400
cctccatctg	caagtacccc	gactacatca	agatgggtgc	cgagccctac	ggcgactccc	5460
tgttcttcta	cctgcgtcgt	gagcagatgt	tcgtgcgtca	cctgttcaac	cgtgctgggt	5520
ctgtggggcga	gaacgtgccc	gacgacctgt	acatcaaggg	ttccgggttc	accgctaacc	5580
tggcttccag	caactacttc	cctaccccct	ccggttccat	ggtcacctcc	gacgctcaga	5640
tcttcaacaa	gccctactgg	ctgcagcgtg	ctcagggtca	caacaacggg	atctgctggg	5700
gcaaccagct	gttcgtgacc	gtggtcgaca	ccaccggttc	caccaacatg	tctctgtgcg	5760
ctgctatctc	cacctccgag	actacctaca	agaacaccaa	cttcaaggag	tacctgcgtc	5820
acggcgagga	gtacgacctg	cagttcatct	tccagctgtg	caagatcacc	ctgaccgctg	5880
acgtgatgac	ctacatccac	tccatgaact	ccactatcct	cgaagattgg	aacttcgggtc	5940
tgcagccccc	tcccgggtgg	accctcgagg	acacctaccg	tttcgtcacc	tcccaggcta	6000
tcgcttgcca	gaagcacacc	ccccctgctc	ccaaggagga	ccccctgaag	aagtacacct	6060
tctgggaggt	caacctgaag	gagaagttct	ccgctgacct	ggaccagttc	cccctgggtc	6120
gcaagtctct	gctgcaggcc	ggactgaagg	ccaagcccaa	gttcaccctg	ggcaagcgca	6180
aggctacccc	caccacctcc	tccacctcca	ccaccgctaa	gaggaagaag	cgcaagctgt	6240
aaaagcttgt	cgagaagtac	tagaggatca	taatcagcca	taccacattt	gtagaggttt	6300
tacttgcttt	aaaaaacctc	ccacacctcc	ccctgaacct	gaaacataaa	atgaatgcaa	6360
ttgttggtgt	taacttgttt	attgcagctt	ataatggtta	caaataaagc	aatagcatca	6420
caaatttcac	aaataaagca	tttttttcac	tgcattctag	ttgtgggttg	tccaaactca	6480

17g

tcaatgtatc	ttatcatgtc	tggatctgat	cactgcttga	gcctagaaga	tcgggtgct	6540
aacaaagccc	gaaaggaagc	tgagttggct	gctgtggcta	gctttgttta	actttaagaa	6600
ggagatacat	ctagaaatat	taatagatca	tggagataat	taaaatgata	accatctcgc	6660
aaataaataa	gtattttact	gttttcgtaa	cagttttgta	ataaaaaaac	ctataaatat	6720
tccggattat	tcataaccgtc	ccaccatcgg	gcgcggatcc	gccaccatgg	ctctgtggcg	6780
tccctccgac	aacaccgtgt	acctgcccc	tccctccgtg	gctcgtgtgg	tcaacaccga	6840
cgactacgtg	acccgtacct	ccatcttcta	ccacgctggg	tcctcccgtc	tgctgaccgt	6900
gggcaacccc	tacttccgtg	tgcccgtgtg	cggtggcaac	aagcaggaca	tccccaaggt	6960
gtccgcttac	cagtaccgtg	tgttccgtgt	gcagctgccc	gaccccaaca	agttcgggtct	7020
gcccgaacac	tccatctaca	accccgaagc	tcagcgcttc	gtgtgggctt	gcgctgggtgt	7080
cgagatcggg	cgtggccagc	ccctgggtgt	cggcctgtcc	ggtcacccct	tctacaacaa	7140
gctggacgac	accgagtcct	cccacgtgc	tacctccaac	gtgtccgagg	acgtgcgcga	7200
caacgtgtct	gtggactaca	agcagaccca	gctgtgcate	ctgggttgcg	ctcccgtat	7260
cggcgagcac	tgggctaagg	gcaccgcttg	caagtcccg	cctctgtccc	agggcgactg	7320
ccccctctc	gagctgaaga	acaccgtgct	cgaggacggc	gacatgggtg	acaccggtta	7380
cgggtgctatg	gacttcagca	ccctgcagga	caccaagtgc	gaggtgcccc	tggacatctg	7440
ccagtcctac	tgcaagtacc	ccgactacct	gcagatgtcc	gctgacccct	acggcgactc	7500
tatgttcttc	tgccctgcgc	gtgagcagct	gttcgctcgt	cacttctgga	accgtgctgg	7560
caccatgggt	gacaccgtgc	cccagtcct	gtacatcaag	ggcaccggca	tgcggtgctc	7620
ccccggttcc	tgcggtgact	ccccttcccc	ctccggttcc	atcgtagact	ccgactccca	7680
gctgttcaac	aagccctact	ggctgcacaa	ggctcaggg	cacaacaacg	gtgtctgctg	7740
gcacaaccag	ctgttcgtga	ccgtgggtcg	caccacccgt	tccaccaacc	tgaccatctg	7800
cgcttccacc	cagtcccccg	tgcccggcca	gtacgacgct	accaagttca	agcagtactc	7860
ccgtcacgtg	gaggagtacg	acctgcagtt	catcttccag	ctctgcaact	tcaccctgac	7920
cgctgacgtg	atgtccctaca	tccactccat	gaactcctct	atcctcgaag	attggaactt	7980
cgggtgtccc	cctcccccca	ctacctccct	ggtggacact	taccgtttcg	tgcagtccgt	8040
ggctatcacc	tgccagaagg	acgtgctcc	cgctgagaac	aaggacccct	acgacaagct	8100
gaagttctgg	aacgtggacc	tgaaggagaa	gttctccctg	gacctggacc	agtacccct	8160
gggtcgcaag	ttcctgggtg	aggctggcct	gaggcgcaag	cccaccatcg	gtccccgcaa	8220
gcgttccgct	ccctccgcta	ccacctctc	caagcccgc	aagcgtgtgc	gtgtgcgcgc	8280
tcgcaagtaa	gctagcaagc	ttgtcgagaa	gtactagagg	atcataatca	gccataccac	8340
atttgtagag	gttttacttg	ctttaaaaaa	cctcccacac	ctccccctga	acctgaaaca	8400
taaaatgaat	gcaattgttg	ttgttaactt	gtttattgca	gcttataatg	gttacaaata	8460
aagcaatagc	atcacaaatt	tcacaaataa	agcatttttt	tactgcatt	ctagttgtgg	8520
tttgtccaaa	ctcatcaatg	tatcttatca	tgtctggatc	tgatcactgc	ttgagcctag	8580
aagatccggc	tgctaacaaa	gcccgaaggg	aagctgagtt	ggctgctgcc	accgctgagc	8640
aataactatc	ataaccctta	ggagatccga	accagataag	tgaaatctag	ttccaaacta	8700
ttttgtcatt	tttaattttc	gtattagctt	acgacgctac	accagtttcc	catctatttt	8760
gtcactcttc	cctaaataat	ccttaaaaaa	tccatttcca	cccctcccag	ttcccaacta	8820
ttttgtccgc	ccacagcggg	gcatttttct	tcctgttatg	tttttaatca	aacatcctgc	8880
caactccatg	tgacaaaccg	tcactcttcg	ctacttt			8917

<210> 3

<211> 10595

<212> DNA

<213> Artificial sequence

<220>

<223> multi-epitope influenza B virus-like particle

<400> 3

ttctctgtca	cagaatgaaa	atttttctgt	catctcttcg	ttattaatgt	ttgtaattga	60
ctgaatatca	acgcttattt	gcagcctgaa	tggcgaatgg	gacgcgccct	gtagcggcgc	120
attaagcgcg	gcgggtgtgg	tggttacgcg	cagcgtgacc	gctacacttg	ccagcgcct	180
agcgcgccgt	cctttcgttt	tcttcccttc	ctttctcgcc	acgttcgcgc	gctttccccg	240

17h

tcaagctcta	aatcgggggc	tccctttagg	gttccgattt	agtgcctttac	ggcacctcga	300
ccccaaaaaa	cttgattagg	gtgatgggtc	acgtagtggg	ccatcgccct	gatagacggt	360
ttttcgccct	ttgacgttgg	agtccacggt	cttaatagtg	gactcttggt	ccaaactgga	420
acaacactca	accctatctc	ggtctattct	tttgatttat	aagggatttt	gccgatttcg	480
gcctattggt	taaaaaatga	gctgatttaa	caaaaattta	acgcgaattt	taacaaaata	540
ttaacgctta	caatttaggt	ggcacttttc	ggggaaatgt	gcgcggaacc	cctatttggt	600
tatttttcta	aatacattca	aatatgtatc	cgctcatgag	acaataaccc	tgataaatgc	660
ttcaataata	ttgaaaaagg	aagagtatga	gtattcaaca	tttccgtgtc	gcccttattc	720
ccttttttgc	ggcattttgc	cttcctgttt	ttgctcaccc	agaaacgctg	gtgaaagtaa	780
aagatgctga	agatcagttg	ggtgcacgag	tgggttacat	cgaactggat	ctcaacagcg	840
gtaagatcct	tgagagtttt	cgccccgaag	aacgttttcc	aatgatgagc	actttttaaag	900
ttctgctatg	tggcgcggta	ttatcccgtg	ttgacgccgg	gcaagagcaa	ctcggtcgcc	960
gcatacacta	ttctcagaat	gacttggttg	agtactcacc	agtcacagaa	aagcatctta	1020
cggatggcat	gacagtaaga	gaattatgca	gtgctgccat	aaccatgagt	gataacactg	1080
cggccaactt	acttctgaca	acgatcggag	gaccgaagga	gctaaccgct	tttttgcaca	1140
acatggggga	tcatgtaact	cgccttgatc	gttgggaacc	ggagctgaat	gaagccatac	1200
caaacgacga	gcgtgacacc	acgatgcctg	tagcaatggc	aacaacgttg	cgcaaactat	1260
taactggcga	actacttact	ctagcttccc	ggcaacaatt	aatagactgg	atggaggcgg	1320
ataaagttgc	aggaccactt	ctgcgctcgg	cccttcgggc	tggctggttt	attgctgata	1380
aatctggagc	cggtgagcgt	gggtctcgcg	gtatcattgc	agcactgggg	ccagatggta	1440
agccctcccg	tatcgtagtt	atctacacga	cggggagtca	ggcaactatg	gatgaacgaa	1500
atagacagat	cgctgagata	ggtgcctcac	tgattaagca	ttggtaactg	tcagaccaag	1560
tttactcata	tatactttag	attgatttaa	aacttcattt	ttaatttaaa	aggatctagg	1620
tgaagatcct	ttttgataat	ctcatgacca	aaatccctta	acgtgagttt	tcgttccact	1680
gagcgtcaga	ccccgtagaa	aagatcaaag	gatcttcttg	agatcctttt	tttctgcgcg	1740
taatctgctg	cttgcaaaca	aaaaaaccac	cgctaccagc	ggtggtttgt	ttgccggatc	1800
aagagctacc	aactcttttt	ccgaaggtaa	ctggcttcag	cagagcgcag	ataccaaata	1860
ctgttcttct	agtgtagccg	tagttagggc	accacttcaa	gaactctgta	gcaccgccta	1920
catacctcgc	tctgctaate	ctgttaccag	tggctgctgc	cagtggcgat	aagtcgtgtc	1980
ttaccggggt	ggactcaaga	cgatagttac	cggataaggg	gcagcggtcg	ggctgaacgg	2040
gggggttcgt	cacacagccc	agcttgagag	gaacgacctc	caccgaactg	agataacctac	2100
agcgtgagct	atgagaaagc	gccacgcttc	ccgaaggggag	aaaggcggac	aggtatccgg	2160
taagcggcag	ggtcggaaca	ggagagcgca	cgagggagct	tccaggggga	aacgcctggt	2220
atcttttatag	tcctgtcggg	tttcgccacc	tctgacttga	gcgtcgattt	ttgtgatgct	2280
cgtcaggggg	gcgagacctc	tggaaaaacg	ccagcaacgc	ggccttttta	cggttcctgg	2340
ccttttgctg	gccttttgct	cacatgttct	ttcctgcgtt	atccctgat	tctgtggata	2400
accgtattac	cgcctttgag	tgagctgata	ccgctcgccg	cagccgaacg	accgagcgca	2460
gcgagtcagt	gagcgaggaa	gcggaagagc	gcctgatgcg	gtattttctc	cttacgcctc	2520
tgtgcggtat	ttcacaccgc	atagaccagc	cgcgtaacct	ggcaaaatcg	gttacggttg	2580
agtaataaat	ggatgccttg	cgtaagcggg	tgtgggcgga	caataaagtc	ttaaactgaa	2640
caaaatagat	ctaaactatg	acaataaagt	cttaaaactag	acagaatagt	tgtaaactga	2700
aatcagtcga	gttatgctgt	gaaaaagcat	actggacttt	tgttatggct	aaagcaaact	2760
cttcattttc	tgaagtgcaa	attgcccgtc	gtattaaaga	ggggcgtggc	caagggcatg	2820
gtaaagacta	tattcgcggc	gttgtgacaa	tttaccgaac	aactccgcgg	ccgggaagcc	2880
gatctcggct	tgaacgaatt	gttaggtggc	ggtacttggt	tcgatataca	agtgcatac	2940
ttcttcccg	atgcccaact	ttgtatagag	agccactgcg	ggatcgtcac	cgtaatctgc	3000
ttgcacgtag	atcacataag	caccaagcgc	gttggcctca	tgcttgagga	gattgatgag	3060
cgcggtggca	atgccctgcc	tccggtgctc	gccggagact	gcgagatcat	agatatagat	3120
ctcactacgc	ggctgctcaa	acttggggcag	aacgtaagcc	gcgagagcgc	caacaaccgc	3180
ttcttggtcg	aaggcagcaa	gcgcgatgaa	tgtcttacta	cggagcaagt	tcccagggtg	3240
atcggagtc	ggctgatggt	gggagtaggt	ggctacgtct	ccgaactcac	gaccgaaaag	3300
atcaagagca	gcccgcatgg	atttgacttg	gtcagggccg	agcctacatg	tgcgaatgat	3360
gcccatactt	gagccacctc	actttgtttt	agggcgactg	ccctgctgcg	taacatcggt	3420
gctgctgcgt	aacatcgttg	ctgctccata	acatcaaaca	tcgaccacgc	gcgtaacgcg	3480
cttgctgctt	ggatgcccg	ggcatagact	gtacaaaaaa	acagtcataa	caagccatga	3540
aaaccgccac	tgcgccgtta	ccaccgctgc	gttcgggtcaa	ggttctggac	cagttgcgtg	3600

agcgcatacg	ctacttgcat	tacagtttac	gaaccgaaca	ggcttatgtc	aactgggttc	3660
gtgccttcat	ccgtttccac	ggtgtgcgtc	acccggcaac	cttgggcagc	agcgaagtcg	3720
aggcatttct	gtcctggctg	gcgaacgagc	gcaaggtttc	ggtctccacg	catcgtcagg	3780
cattggcggc	cttgetgttc	ttctacggca	agggtgctgtg	cacggatctg	cccttgcttc	3840
aggagatcgg	tagacctcgg	ccgtcgcggc	gcttgccggg	ggtgctgacc	ccggatgaag	3900
tggttcgcac	cctcgggtttt	ctggaaggcg	agcatcgttt	gttcgcccag	gactctagct	3960
atagttctag	tggttggcta	cagctttgtt	tgtactatca	acaggttgaa	ctgctgatca	4020
acagatcctc	tacgcggccg	cggtaccata	acttcgtata	gcatacatta	tacgaagtta	4080
tctggtttaa	acgtacccgt	agtggctatg	gcagggcttg	ccgccccgac	gttggctgcg	4140
agccctgggc	cttcacccga	acttgggggt	tgggggtggg	aaaaggaaga	aacgcgggcg	4200
tattgggtccc	aatgggggtct	cggtggggta	tcgacagagt	gccagccctg	ggaccgaacc	4260
ccgcgtttat	gaacaaacga	cccaacaccc	gtgcgtttta	ttctgtcttt	ttattgccgt	4320
catagcgcgg	gttccttccg	gtattgtctc	cttcctgtgt	tcagttagcc	tccccatct	4380
cccggtacct	tataagtatt	tcctcacaag	agctgaattt	cccatagagc	tctgttttag	4440
cacttccatt	acatctttgg	caattccttc	tccattcttt	tgacttgctc	ctagagatct	4500
caacactcca	atgttggtttt	gcagctcttc	tgctagtttt	tggacgtctt	ctccctttcc	4560
cattccattc	attgtctttg	ctgtgttcat	agctgaaacc	atctgcattt	ctcgtcttac	4620
tccaggtacc	gaagaccttg	ctgctctgct	atgggctcta	tgcgagtgcg	atgcttgttt	4680
ctcgcataaa	gcacagagcg	ttcctagttt	tacttgcat	gaatagtttt	cagggttttag	4740
gtacatgacc	ataagacaat	atagtaatgc	tgagctttcg	tggccttctg	ctatttcaaa	4800
tgcttcatga	aagcttacac	atcttctcat	ttttctctca	gctagaatta	ggcctttctt	4860
ctttgttgct	gttgttccca	ttcctgacag	gggctctgtg	atgaatctcc	ttttcttttc	4920
ttggctcttg	ggtttttaaaa	agcatataga	ggcaccaatt	agtgtctttt	gtatatcagt	4980
taggcacctt	ttgtttttta	tccattccaa	agcagaatct	agggtcaaatt	ctttcccacc	5040
gaaccaacag	tgtaattttt	cagctagttc	tgctttgcct	tctccatctt	ctattagtga	5100
aagcaggtag	gcaattgtgt	ctccaaacag	cgacatggtg	gcaccccggg	tgatcaagtc	5160
ttcgctcgagt	gattgtaaat	aaaatgtaat	ttacagtata	gtatttttaat	taatatacaa	5220
atgatttgat	aataattctt	atttaactat	aatatattgt	gttgggttga	attaaaggtc	5280
cgtatactag	tatcgattcg	cgacctactc	cggaatatta	atagatcatg	gagataatta	5340
aaatgataac	catctcgcaa	ataaataagt	attttactgt	tttcgtaaca	gttttgtaat	5400
aaaaaaacct	ataaatattc	cggattattc	ataccgtccc	accatcgggc	gcggatccac	5460
catgaaggca	ataattgtac	tactcatggg	agtaacatcc	aatgcagatc	gaatctgcac	5520
tgggaataaca	tcttcaaact	cacctcatgt	ggtcaaaaaca	gccactcaag	gggagggtcaa	5580
tgtgactggg	gtgataccac	taacaacaac	accaacaaaa	tcttattttg	caaactctcaa	5640
aggaacaagg	accagagggg	aactatgccc	agactgtctc	aactgcacag	atctggatgt	5700
ggctttgggc	agaccaatgt	gtgtggggac	cacaccttcg	gcgaaagctt	caatactcca	5760
cgaagtcaaa	cctgtttacat	ccgggtgctt	tcctataatg	cacgacagaa	caaaaatcag	5820
gcaactaccc	aatcttctca	gaggatatga	aaatatcagg	ctatcaaccc	aaaacgtcat	5880
cgatgcggaa	aaggcaccag	gaggacccta	cagacttgga	acctcaggat	cttgccctaa	5940
cgctaccagt	aagagcggat	ttttcgcaac	aatggcttgg	gctgtcccaa	aggacaacaa	6000
caaaaatgca	acgaacccac	taacagtaga	agtaccatac	atthgtacag	aaggggaaga	6060
ccaaatcact	gtttgggggt	tccattcaga	tgacaaaacc	caaatgaaga	acctctatgg	6120
agactcaaat	cctcaaaagt	tcacctcatc	tgctaattgga	gtaaccacac	actatgtttc	6180
tcagattggc	agcttcccag	atcaaacaga	agacggagga	ctaccacaaa	gcggcaggat	6240
tgttgttgat	tacatgatgc	aaaaacctgg	gaaaacagga	acaattgtct	accaaagagg	6300
tgttttgttg	cctcaaaagg	tgtggtgcgc	gagtggcagg	agcaaagtaa	taaaagggtc	6360
cttgccctta	attggtgaag	cagattgcct	tcatgaaaaa	tacggtggat	taaacaaaag	6420
caagccttac	tacacaggag	aacatgcaaa	agccatagga	aattgcccaa	tatgggtgaa	6480
aacacctttg	aagcttgcca	atggaaccaa	atatagacct	cctgcaaaac	tattaaagga	6540
aaggggtttc	ttcggagcta	ttgctggttt	cctagaagga	ggatgggaag	gaatgattgc	6600
aggctggcac	ggatacacat	ctcacggagc	acatggagtg	gcagtggcgg	cggaccttaa	6660
gagtacgcaa	gaagctataa	acaagataac	aaaaaatctc	aattctttga	gtgagctaga	6720
agtaaagaat	cttcaaagac	taagtgggtc	catggatgaa	ctccacaacg	aaatactcga	6780
gctggatgag	aaagtggatg	atctcagagc	tgacactata	agctcgcaaa	tagaacttgc	6840
agtcttgctt	tccaacgaag	gaataataaa	cagtgaagat	gagcatctat	tggcacttga	6900
gagaaaacta	aagaaaatgc	tgggtccctc	tgctgtagag	ataggaaatg	gatgcttcga	6960

aaccaaacac	aagtgcaacc	agacctgctt	agacaggata	gctgctggca	cctttaatgc	7020
aggagaattt	tctctcccca	cttttgattc	actgaacatt	actgctgcat	ctttaaatga	7080
tgatggattg	gataaccata	ctatactgct	ctattactca	actgctgctt	ctagtttggc	7140
tgtaacattg	atgctagcta	tttttattgt	ttatatggtc	tccagagaca	acgtttcatg	7200
ctccatctgt	ctataagtcg	acgtactaga	ggatcataat	cagccatacc	acatttgtag	7260
aggttttact	tgctttaaaa	aacctcccac	acctccccct	gaacctgaaa	cataaaatga	7320
atgcaattgt	tggtgttaac	ttgtttattg	cagcttataa	tggttacaaa	taaagcaata	7380
gcatcacaaa	tttcacaaat	aaagcatttt	tttcaactgc	ttctagttgt	ggtttgtcca	7440
aactcatcaa	tgtatcttat	catgtctgga	tctgatcact	gcttgagcct	agaagatccg	7500
gctgctaaca	aagcccgaag	ggaagctgag	ttggctgctg	tggctagctt	tgtttaactt	7560
taagaaggag	atacatctag	aaatattaat	agatcatgga	gataattaaa	atgataacca	7620
tctcgcaaat	aaataagtat	tttactgttt	tctgaacagt	tttgtaataa	aaaaacctat	7680
aaatattccg	gattattcat	acctcccac	catcgggcgc	ggatccacca	tgctaccttc	7740
aactatacaa	acgttaaccc	tatttctcac	atcaggggga	gtgttattat	cactatatgt	7800
gtcagcttca	ttgtcatact	tactatattc	ggatatattg	ctaaaatttt	cacaaacaga	7860
aataactgca	ccaataatgc	cattggattg	tgcaaacgca	tcaaagtgtc	aggctgtgaa	7920
ccgttctgca	gcaaaagggg	tgacacttct	tctcccagaa	ccggagtgga	cataccctcg	7980
tttatcttgc	ccgggctcaa	cctttcagaa	agcactccta	attagcccc	atagattcgg	8040
agaaaccaa	ggaaactcag	ctcccttgat	aataaggga	ccttttattg	cttgtggacc	8100
aacggaatgc	aaacactttg	ctctaaccce	ttatgcagct	caaccagggg	gatactacaa	8160
tggaacaaga	gaagacagaa	acaagctgag	gcatctaatt	tcagtcaa	tgggcaaat	8220
ccaacagta	gaaaactcca	ttttccatat	ggcagcttgg	agcgggtccg	catgccatga	8280
tggtaaagaa	tggaacatata	tccggagtga	tgcccccgac	agtaatgcat	tactcaaat	8340
aaaatatgga	gaagcatata	ctgacacata	ccattcctat	gcaaaaaaca	tcctaaggac	8400
acaagaaagt	gcctgcaatt	gcatcggggg	agattgttat	cttatgataa	ctgatggccc	8460
agcttcaggg	attagtgaat	gcagattcct	taagattcga	gagggccgaa	taataaaaaga	8520
aatatattcca	acaggaagag	taaaacatac	tgaggaatgc	acatgcggat	ttgccagcaa	8580
caaaaccata	gaatgtgctt	gtagagataa	cagttacaca	gcaaaaagac	cctttgtcaa	8640
attaaatgtg	gagactgata	cagcggaaat	aagattgatg	tgacacagaga	cttatttgga	8700
cacccccaga	ccaaatgatg	gaagcataac	agggccttgc	gaatctgatg	gggacaaagg	8760
gagtggaggc	atcaaggagg	gatttgttca	tcaaagaatg	gcatccaaga	ttggaagggtg	8820
gtactctcga	acgatgtcta	aaactaaaag	aattggggatg	ggactgtatg	taaagtatga	8880
tggaagacca	tggaactgaca	gtgaagccct	tgctcttagt	ggagtaatgg	tttcgatgga	8940
agaacctggg	tggtattcct	ttggcttcga	aataaaagat	aagaaatgtg	atgtcccctg	9000
tattgggata	gaaatggtac	atgatggtgg	gaaaacgact	tggcactcag	cagcaacagc	9060
catttactgt	ttaatgggct	caggacaact	gctgtgggac	actgtcacag	gtgttgatat	9120
ggctctgtaa	atcgatgaca	agcttgtcga	gaagtactag	aggatcataa	tcagccatac	9180
cacatttgta	gaggttttac	ttgcttttaa	aaacctccca	cacctcccc	tgaacctgaa	9240
acataaaatg	aatgcaattg	ttgttggtta	cttgtttatt	gcagcttata	atgggttacaa	9300
ataaagcaat	agcatcacaa	atttcacaaa	taaagcattt	ttttcaactgc	attctagttg	9360
tggtttgtcc	aaactcatca	atgtatctta	tcatgtctgg	atctgatcac	tgcttgagcc	9420
tagaagatcc	ggctgctaac	aaagcccga	aggaagctga	gttggctgct	gggtgcctaa	9480
tgagtgagct	aactcacatt	aattgcccgg	aataattaata	gatcatggag	ataattaaaa	9540
tgataaccat	ctcgcaaata	aataagtatt	ttactgtttt	cgtaacagtt	ttgtaataaa	9600
aaaacctata	aattattccg	attattcata	ccgtcccacc	atcgggcgcg	gatccaccat	9660
gctcgaacca	tttcagattc	tttcaatttg	ttctttttatc	ttatcagctc	tccatttcat	9720
ggcttgga	atagggcatt	tgaatcaaat	aaaaagagga	ataaacatga	aaatacgaat	9780
aaaagggtcca	aacaaagaga	caataaacag	agaggtatca	attttgagac	acagttacca	9840
aaaagaaatc	caggccaaag	aaacaatgaa	ggaagtactc	tctgacaaca	tggagggtgtt	9900
gagtgaccac	ataataattg	aggggctttc	tgccgaagag	ataataaaaa	tgggtgaaac	9960
agttttggag	atagaagaat	tgcatthaagt	actagaggat	cataatcagc	cataccacat	10020
ttgtagaggt	tttacttgct	ttaaaaaacc	tcccacacct	ccccctgaac	ctgaaacata	10080
aaatgaatgc	aattgttggt	gttaacttgt	ttattgcagc	ttataatggg	tacaaataaa	10140
gcaatagcat	cacaaatttc	acaaataaag	catttttttc	actgcattct	agttgtgggt	10200
tgtccaaact	catcaatgta	tcttatcatg	tctggatctg	atcactgctt	gagcctagaa	10260
gatccggctg	ctaacaaagc	ccgaaaggaa	gctgagttgg	ctgctgccac	cgctgagcaa	10320

17k

taactatcat	aaccocctagg	agatccgaac	cagataagtg	aaatctagtt	ccaaactatt	10380
ttgtcatttt	taatttttcgt	attagcttac	gacgctacac	ccagttccca	tctattttgt	10440
cactcttccc	taaataatcc	ttaaaaactc	catttccacc	cctcccagtt	cccaactatt	10500
ttgtccgccc	acagcggggc	atttttcttc	ctgttatgtt	tttaatcaaa	catcctgcca	10560
actccatgtg	acaaaccgtc	atcttcggt	acttt			10595

<210> 4

<211> 8411

<212> DNA

<213> Artificial sequence

<220>

<223> multi-epitope papilloma virus-like particle

<400> 4

ttctctgtca	cagaatgaaa	atttttctgt	catctcttcg	ttattaatgt	ttgtaattga	60
ctgaatatca	acgcttattt	gcagcctgaa	tggcgaatgg	gacgcgccct	gtageggcgc	120
attaagcgcg	gcggtgtgg	tggttacgcg	cagcgtgacc	gctacacttg	ccagcgccct	180
agcgcccgt	cctttcgctt	tcttcccttc	ctttctcgcc	acgttcgccc	gctttccccg	240
tcaagctcta	aatcgggggc	tccctttagg	gttccgattt	agtgccttac	ggcacctcga	300
ccccaaaaa	cttgattagg	gtgatggttc	acgtagtggg	ccatcgccct	gatagacggt	360
ttttcgccct	ttgacgttgg	agtccacggt	cttaatatgt	gactcttggt	ccaaactgga	420
acaacactca	accctatctc	ggtctattct	tttgatttat	aagggtttt	gccgatttcg	480
gcctattggt	taaaaaatga	gctgatttaa	caaaaattta	acgcgaattt	taacaaaata	540
ttaacgctta	caatttaggt	ggcacttttc	ggggaaatgt	gcgcggaacc	cctatttggt	600
tatttttcta	aatacattca	aatatgtatc	cgctcatgag	acaataacce	tgataaatgc	660
ttcaataata	ttgaaaaagg	aagagtatga	gtattcaaca	tttccgtgtc	gcccttattc	720
ccttttttgc	ggcattttgc	cttcctgttt	ttgctcacc	agaaacgctg	gtgaaagtaa	780
aagatgctga	agatcagttg	ggtgcacgag	tgggttacat	cgaactggat	ctcaacagcg	840
gtaagatcct	tgagagtttt	cgcccogaag	aacgttttcc	aatgatgagc	acttttaaaag	900
ttctgctatg	tggcgcggtg	ttatcccgtg	ttgacgccgg	gcaagagcaa	ctcggtcgcc	960
gcatacacta	ttctcagaat	gacttggttg	agtactcacc	agtcacagaa	aagcatctta	1020
cggatggcat	gacagtaaga	gaattatgca	gtgctgccat	aaccatgagt	gataacactg	1080
cggccaactt	acttctgaca	acgatcggag	gaccgaagga	gctaaccgct	tttttgcaca	1140
acatggggga	tcatgtaact	cgccttgatc	gttgggaacc	ggagctgaat	gaagccatac	1200
caaacgacga	gcgtgacacc	acgatgcctg	tagcaatggc	aacaacgttg	cgcaaactat	1260
taactggcga	actacttact	ctagcttccc	ggcaacaatt	aatagactgg	atggaggcgg	1320
ataaagttgc	aggaccactt	ctgcgctcgg	cccttccggc	tggctgggtt	attgctgata	1380
aatctggagc	cgggtgagcg	gggtctcgcg	gtatcattgc	agcactgggg	ccagatggta	1440
agccctcccg	tatcgtagtt	atctacacga	cggggagtcg	ggcaactatg	gatgaacgaa	1500
atagacagat	cgctgagata	ggtgcctcac	tgattaagca	ttggtaactg	tcagaccaag	1560
tttactcata	tatactttag	attgatttaa	aacttcattt	tttaatttaa	aggatctagg	1620
tgaagatcct	ttttgataat	ctcatgacca	aaatccctta	acgtgagttt	tcgttccact	1680
gagcgtcaga	ccccgtagaa	aagatcaaag	gatcttcttg	agatcccttt	tttctgcgcg	1740
taatctgctg	cttgcaaaca	aaaaaaccac	cgctaccagc	ggtgggtttgt	ttgccggatc	1800
aagagctacc	aactcttttt	ccgaaggtaa	ctggcttcag	cagagcgag	ataccaaata	1860
ctgttcttct	agtgtagccg	tagttaggcc	accacttcaa	gaactctgta	gcaccgccta	1920
catacctcgc	tctgctaate	ctgttaccag	tggctgctgc	cagtggcgat	aagtcgtgtc	1980
ttaccgggtt	ggactcaaga	cgatagttac	cggataaggc	gcagcggtcg	ggctgaacgg	2040
ggggttcgtg	cacacagccc	agcttgagc	gaacgacctg	caccgaactg	agatacctac	2100
agcgtgagct	atgagaaagc	gccacgcttc	ccgaaggag	aaaggcggac	aggatatccg	2160
taagcggcag	ggtcggaaca	ggagagcgca	cgaggagct	tccaggggga	aacgcctggt	2220
atctttatag	tcctgtcggg	tttcgccacc	tctgacttga	gcgtcgattt	ttgtgatgct	2280
cgtcaggggg	gcggagccta	tggaaaaacg	ccagcaacgc	ggccttttta	cggttcctgg	2340
ccttttgctg	gccttttgct	cacatgttct	ttcctgcgtt	atccctgat	tctgtggata	2400

accgtattac	cgcctttgag	tgagctgata	ccgctcgccg	cagccgaacg	accgagcgca	2460
gcgagtcagt	gagcgaggaa	gcggaagagc	gcctgatgcg	gtattttctc	cttacgcate	2520
tgtgcggtat	ttcacaccgc	atagaccagc	cgcgtaacct	ggcaaaatcg	gttacgggtg	2580
agtaataaat	ggatgccctg	cgtaagcggg	tgtgggcgga	caataaagtc	ttaaactgaa	2640
caaaatagat	ctaaactatg	acaataaagt	cttaaactag	acagaatagt	tgtaaactga	2700
aatcagttca	gttatgctgt	gaaaaagcat	actggacttt	tgttatggct	aaagcaaact	2760
cttcattttc	tgaagtgcaa	attgcccgtc	gtattaaaga	ggggcggtgg	caagggcatg	2820
gtaaagacta	tattcgcggc	gttgtgacaa	tttaccgaac	aactccgcgg	ccgggaagcc	2880
gatctcggct	tgaacgaatt	gttaggtggc	ggtagcttgg	tcgatataca	agtgcatacc	2940
ttcttcccgt	atgcccaact	ttgtatagag	agccactgcg	ggatcgtcac	cgtaatctgc	3000
ttgcacgtag	atcacataag	caccaagcgc	gttggcctca	tgcttgagga	gattgatgag	3060
cgcggtggca	atgccctgcc	tccggtgctc	gccggagact	gcgagatcat	agatatagat	3120
ctcactacgc	ggctgctcaa	acttggggcag	aacgtaagcc	gcgagagcgc	caacaaccgc	3180
ttcttggtcg	aaggcagcaa	gcgcgatgaa	tgtcttacta	cggagcaagt	tcccagaggt	3240
atcggagtc	ggctgatgtt	gggagtaggt	ggctacgtct	ccgaactcac	gaccgaaaag	3300
atcaagagca	gcccgcattg	atttgacttg	gtcagggccg	agcctacatg	tgcgaaatgat	3360
gcccatactt	gagccaccta	actttgtttt	agggcgactg	ccctgctgcg	taacatcggt	3420
gctgctgctg	aacatcggtg	ctgctccata	acatcaaaca	tcgaccacag	gcgtaacgcg	3480
cttgctgctt	ggatgcccga	ggcatagact	gtacaaaaaa	acagtcataa	caagccatga	3540
aaaccgccac	tgccgcgtta	ccaccgctgc	gttcgggtcaa	ggttctggac	cagttgctgt	3600
agcgcatacg	ctacttgcat	tacagtttac	gaaccgaaca	ggcttatgtc	aactgggttc	3660
gtgccttcat	ccgtttccac	ggtgtgcgtc	acccggcaac	cttgggcagc	agcgaagtcg	3720
aggcattttc	gtcctggctg	gcgaacgagc	gcaagggttc	ggtctccacg	catcgtcagg	3780
cattggcggc	cttgctgttc	ttctacggca	aggtgctgtg	cacggatctg	cccttgcttc	3840
aggagatcgg	tagacctcgg	ccgtcgcggc	gcttgccggg	ggtgctgacc	ccggatgaag	3900
tggttcgcat	cctcgggttt	ctggaaggcg	agcatcggtt	gttcgccag	gactctagct	3960
atagttctag	tggttggcta	cagctttgtt	tgtactatca	acaggttgaa	ctgctgatca	4020
acagatcctc	tacgcggccg	cggtagcata	acttcgtata	gcatacatta	tacgaagtta	4080
tctggtttaa	acgtaccctg	agtggctatg	gcagggtctg	ccgccccgac	gttggtgctg	4140
agccctgggc	cttcacccga	acttgggggt	tgggggtggg	aaaagggaaga	aacgcgggcg	4200
tattgggtccc	aatgggggtc	cgggtggggt	tcgacagagt	gccagccctg	ggaccgaacc	4260
ccgcgtttat	gaacaaacga	cccaacaccc	gtgcgtttta	ttctgtcttt	ttattgccgt	4320
catagcgcg	gttccttccg	gtattgtctc	cttcctgtgt	tcagttagcc	tccccatct	4380
cccggtaccg	catgctatgc	ataagctttt	acagcttgcg	cttcttctct	ttagcgggtg	4440
tggaggtgga	ggaggtggtg	ggggtagcct	tgccgttgcc	cagggtgaac	ttgggcttgg	4500
ccttcagtc	ggcctgcagc	aggaacttgc	gaccagggg	gaactggtcc	aggtcagcgg	4560
agaacttctc	cttcagggtg	acctcccaga	aggtgtactt	cttcaggggg	tcctccttgg	4620
gagcaggggg	ggtgtgcttc	tggcaagcga	tagcctggga	ggtgacgaaa	cggtaggtgt	4680
cctcgagggt	gccaccggga	gggggctgca	gaccgaagtt	ccaatcttcg	aggatagtgg	4740
agttcatgga	gtggatgtag	gtcatcacgt	cagcggtcag	ggtgatcttg	cacagctgga	4800
agatgaactg	caggtcgtac	tcctcgccgt	gacgcaggta	ctccttgaa	ttggtgttct	4860
tgtaggtagt	ctcggaggtg	gagatagcag	cgcacagaga	catgttggtg	gaacgggtgg	4920
tgtcgaccac	ggtcacgaac	agctgggtgc	cccagcagat	accgttggtg	tgaccctgag	4980
cacgctgcag	ccagtagggc	ttgttgaa	tctgagcgtc	ggaggtgacc	atggaaccgg	5040
agggggtagg	gaagtaggtg	ctggaagcca	ggttagcggg	ggaaccggaa	cccttgatgt	5100
acaggtcgtc	gggcacgttc	tcgcccacag	caccagcacg	gttgaaacag	tgacgcacga	5160
acatctgctc	acgacgcagg	tagaagaaca	gggagtcgcc	gtagggctcg	gacaccatct	5220
tgatgtagtc	ggggtacttg	cagatggagg	tgcagatgtc	caggggcacc	tcggacttgt	5280
tagcctgcag	ggtggtgaag	tcctatagcac	cgaaccgggt	gtccaccatg	tcgccgtcct	5340
ggatcacggg	gttgatcagc	tcgagagggg	ggcagtcgcc	ggggttcaca	gccacgttgg	5400
tgcaggggga	acccttgccc	cagtgtctgc	cgatgggggg	cttgcaaccg	atcaggcaca	5460
gctgggtctg	cttgtagtcc	atggagatgc	actcgcgggt	gtcgacacca	gcgttagcag	5520
cgtaagcggg	agcgttctcg	gtgtcgtcca	gcttggtcag	cagggggtga	ccggagatac	5580
cgacacccag	gggctggcca	cggccgacct	ccacgccccac	gcaagccccc	acgaggcgtc	5640
gggtgtcagg	gttgtagaag	gaggtgtcgg	ggaaaccgaa	cttggtgggg	tcgggcagggt	5700
ggatacggaa	cacacgggtac	tgcaggccgg	acaccttggg	caccaggatc	ttgttggtgt	5760

17m

tgggcttctt	gatggggaag	taggggtgac	ccacagccag	cagacgggag	gtgccagcgt	5820
ggtagtagat	gttggtacga	gccacgtact	cgtcgggtga	caccaccttg	gacacgggca	5880
cggggggcag	gtacacggta	gcctcggagg	gcagccacag	ggacatgggtg	gcggatccat	5940
cccgggtgat	caagtcttcg	tcgagtgatt	gtaaataaaa	tgtaattttac	agtatagtat	6000
tttaattaat	atacaaatga	tttgataata	attcttattt	aactataata	tattgtgttg	6060
ggttgaatta	aaggtccgta	tactagtatc	gattcgcgac	ctactccgga	atattaatag	6120
atcatggaga	taattaaaat	gataaccatc	tcgcaaataa	ataagtattt	tactgttttc	6180
gtaacagttt	tgtaataaaa	aaacctataa	atattccgga	ttattcatac	cgtcccacca	6240
tcgggcgcgg	atccgccacc	atggctctgt	ggcgctccctc	cgacaacacc	gtgtacctgc	6300
cccctccctc	cgtggctcgt	gtggtaaca	ccgacgacta	cgtgacccgt	acctccatct	6360
tctaccacgc	tggttcctcc	cgtctgctga	ccgtgggcaa	cccctacttc	cgtgtgcccg	6420
ctggcgggtg	caacaagcag	gacatcccca	aggtgtccgc	ttaccagtac	cgtgtgttcc	6480
gtgtgcagct	gcccgaaccc	aacaagttcg	gtctgccgga	cacctccatc	tacaaccccg	6540
agactcagcg	cctcgtgtgg	gcttgcgctg	gtgtcgagat	cggtcgtggc	cagcccctgg	6600
gtgtcggcct	gtccggtcac	cccttctaca	acaagctgga	cgacaccgag	tcctcccacg	6660
ctgctacctc	caacgtgtcc	gaggacgtgc	gcgacaacgt	gtctgtggac	tacaagcaga	6720
cccagctgtg	catcctgggt	tgcgctcccg	ctatcggcga	gcactgggct	aagggcaccg	6780
cttgcaagtc	ccgtcctctg	tcccagggcg	actgcccccc	tctcgagctg	aagaacaccg	6840
tgctcgagga	cggcgacatg	gtggacaccg	gttacgggtgc	tatggacttc	agcaccctgc	6900
aggacaccaa	gtgcgaggtg	cccctggaca	tctgccagtc	catctgcaag	taccccgact	6960
acctgcagat	gtccgctgac	ccctacggcg	actctatgtt	cttctgcctg	cgtcgtgagc	7020
agctgttcgc	tcgtcacttc	tggaaaccgtg	ctggcaccat	gggtgacacc	gtgccccagt	7080
ccctgtacat	caagggcacc	ggcatgcgtg	cttcccccg	tctctgcgtg	tactcccctt	7140
ccccctccgg	ttccatcgtg	acctccgact	cccagctgtt	caacaagccc	tactggctgc	7200
acaaggctca	gggtcacaac	aacgggtgtct	gctggcacia	ccagctgttc	gtgaccgtgg	7260
tcgacaccac	ccgttccacc	aacctgacca	tctgcgcttc	cacccagtc	cccggtgccc	7320
gccagtacga	cgctaccaag	ttcaagcagt	actcccgtca	cgtggaggag	tacgacctgc	7380
agttcatctt	ccagctctgc	actatcacc	tgaccgctga	cgtgatgtcc	tacatccact	7440
ccatgaactc	ctctatcctc	gaagattgga	acttcgggtg	ccccctccc	cccactacct	7500
ccctgggtgga	caettaccgt	tctgtgcagt	ccgtggctat	cacctgccag	aaggacgctg	7560
ctcccgtga	gaacaaggac	ccctacgaca	agctgaagtt	ctggaacgtg	gacctgaagg	7620
agaagttctc	cctggacctg	gaccagtacc	ccctgggtcg	caagttcctg	gtgcaggctg	7680
gcctgaggcg	caagcccacc	atcggtcccc	gcaagcgttc	cgtccctccc	gctaccacct	7740
cctccaagcc	cgccaagcgt	gtgcgtgtgc	gcgctcgcaa	gtaagctagc	aagcttgctg	7800
agaagtacta	gaggatcata	atcagccata	ccacatttgt	agaggtttta	cttgctttaa	7860
aaaacctccc	acacctcccc	ctgaacctga	aacataaaat	gaatgcaatt	gttggtgtta	7920
acttgtttat	tgcagcttat	aatgggttaca	aataaagcaa	tagcatcaca	aatttcacaa	7980
ataaagcatt	tttttcaactg	cattctagtt	gtggtttgtc	caaactcacc	aatgtatctt	8040
atcatgtctg	gatctgatca	ctgcttgagc	ctagaagatc	cggctgctaa	caaagcccga	8100
aaggaagctg	agttggctgc	tgccaccgct	gagcaataac	tatcataacc	cctaggagat	8160
ccgaaccaga	taagtgaat	ctagttccaa	actattttgt	cattttttaat	tttcgtatta	8220
gcttacgacg	ctacacccag	ttcccatcta	ttttgtcact	cttccctaaa	taatccttaa	8280
aaactccatt	tcaccccctc	ccagttccca	actattttgt	ccgcccacag	cggggcattt	8340
ttcttctgt	tatgttttta	atcaaacatc	ctgccaaactc	catgtgacaa	accgtcatct	8400
tcggctactt	t					8411

<210> 5

<211> 8445

<212> DNA

<213> Artificial sequence

<220>

<223> multi-epitope papilloma virus-like particle

17n

<400> 5

ttctctgtca	cagaatgaaa	atTTTTctgt	catctcttcg	ttattaatgt	ttgtaattga	60
ctgaatatca	acgcttattt	gcagcctgaa	tggcgaatgg	gacgcgccct	gtagcggcgc	120
attaagcgcg	gcgggtgtgg	tggttacgcg	cagcgtgacc	gctacacttg	ccagcgcctt	180
agcgcccgct	cctttcgctt	tcttcccttc	ctttctcgcc	acgttcgccc	gctttccccg	240
tcaagctcta	aatcgggggc	tccctttagg	gttccgattt	agtgcctttac	ggcacctcga	300
ccccaaaaaa	cttgattagg	gtgatgggtc	acgtagtggg	ccatcgccct	gatagacggg	360
ttttcgccct	ttgacgttgg	agtccacggt	cttaatagtg	gactcttggt	ccaaactgga	420
acaacactca	accctatctc	ggtctattct	tttgatttat	aagggatttt	gccgatttcg	480
gcctattggg	taaaaaatga	gctgatttaa	caaaaattta	acgcgaattt	taacaaaata	540
ttaacgctta	caatttaggt	ggcacttttc	ggggaaatgt	gcgcggaacc	cctatttggt	600
tatttttcta	aatacattca	aatatgtatc	cgctcatgag	acaataaccc	tgataaatgc	660
ttcaataata	ttgaaaaagg	aagagtatga	gtattcaaca	tttccgtgtc	gcccttattc	720
ccttttttgc	ggcattttgc	cttccgtgtt	ttgctcacc	agaaacgctg	gtgaaagtaa	780
aagatgctga	agatcagttg	ggtgcacgag	tgggttacat	cgaactggat	ctcaacagcg	840
gtaagatcct	tgagagtttt	cgccccgaag	aacgttttcc	aatgatgagc	acttttaaag	900
ttctgctatg	tggcgcggta	ttatcccgta	ttgacgcggg	gcaagagcaa	ctcggtcgcc	960
gcatacacta	ttctcagaat	gacttggttg	agtactcacc	agtcacagaa	aagcatctta	1020
cggatggcat	gacagtaaga	gaattatgca	gtgctgccat	aaccatgagt	gataacactg	1080
cggccaactt	acttctgaca	acgatcggag	gaccgaagga	gctaaccgct	tttttgcaca	1140
acatggggga	tcagtgaact	cgccttgatc	gttgggaacc	ggagctgaat	gaagccatac	1200
caaacgacga	gcgtgacacc	acgatgcctg	tagcaatggc	aacaacgttg	cgcaaactat	1260
taactggcga	actacttact	ctagcttccc	ggcaacaatt	aatagactgg	atggaggcgg	1320
ataaagttgc	aggaccactt	ctgcgctcgg	cccttcgggc	tggctgggtt	attgctgata	1380
aatctggagc	cgggtgagcgt	gggtctcgcg	gtatcattgc	agcactgggg	ccagatggta	1440
agccctcccg	tatcgtagtt	atctacacga	cggggagtca	ggcaactatg	gatgaacgaa	1500
atagacagat	cgctgagata	ggtgcctcac	tgattaagca	ttggtaactg	tcagaccaag	1560
tttactcata	tatactttag	attgatttaa	aacttcattt	ttaatttaaa	aggatctagg	1620
tgaagatcct	ttttgataat	ctcatgacca	aaatccctta	acgtgagttt	tcgttccact	1680
gagcgtcaga	ccccgtagaa	aagatcaaag	gatcttcttg	agatcctttt	tttctgcgcg	1740
taatctgctg	cttgcaaaca	aaaaaaccac	cgctaccagc	ggtgggtttgt	ttgccggatc	1800
aagagctacc	aactcttttt	ccgaaggtaa	ctggcttcag	cagagcgcag	ataccaaata	1860
ctgttcttct	agtgtagccg	tagttaggcc	accacttcaa	gaactctgta	gcaccgccta	1920
catacctcgc	tctgctaate	ctgttaccag	tggctgctgc	cagtggcgat	aagtcgtgtc	1980
ttaccgggtt	ggactcaaga	cgatagttac	cggataaggc	gcagcggtcg	ggctgaacgg	2040
ggggttcgtg	cacacagccc	agcttggagc	gaacgacctc	caccgaactg	agatacctac	2100
agcgtgagct	atgagaaagc	gccacgcttc	ccgaagggag	aaaggcggac	aggtatccgg	2160
taagcggcag	ggtcggaaca	ggagagcgca	cgagggagct	tccaggggga	aacgcctggg	2220
atctttatag	tcctgtcggg	tttcgccacc	tctgacttga	gcgtcgattt	ttgtgatgct	2280
cgtcaggggg	gcggagccta	tggaaaaacg	ccagcaacgc	ggccttttta	cggttcctgg	2340
ccttttgctg	gccttttgct	cacatgttct	ttcctgcgtt	atccctgat	tctgtggata	2400
accgtattac	cgcctttgag	tgagctgata	ccgctcgccg	cagccgaacg	accgagcgca	2460
gcgagtcagt	gagcgaggaa	gcggaagagc	gcctgatgcg	gtattttctc	cttacgcctc	2520
tgtgcggtat	ttcacaccgc	atagaccagc	cgcgtaacct	ggcaaaatcg	gttacgggtg	2580
agtaataaat	ggatgccttg	cgtaagcggg	tgtgggcgga	caataaagtc	ttaaactgaa	2640
caaaatagat	ctaaactatg	acaataaagt	cttaaactag	acagaatagt	tgtaaactga	2700
aatcagtcca	gttatgctgt	gaaaaagcat	actggacttt	tgttatggct	aaagcaaact	2760
cttcattttc	tgaagtgcaa	attgcccgtc	gtattaaaga	ggggcgtggc	caagggcatg	2820
gtaaagacta	tattcgcggc	gttgtgacaa	tttaccgaac	aactccgcgg	cgggaagcc	2880
gatctcggct	tgaacgaatt	gttaggtggc	ggtacttggg	tcgatatcaa	agtgcacac	2940
ttcttcccgt	atgcccact	ttgtatagag	agccactgcg	ggatcgtcac	cgtaatctgc	3000
ttgcacgtag	atcacataag	caccaagcgc	gttggcctca	tgcttgagga	gattgatgag	3060
cgcggtggca	atgcctgcc	tccggtgctc	gccggagact	gcgagatcat	agatatagat	3120
ctcactacgc	ggctgctcaa	acttgggcag	aacgtaagcc	gcgagagcgc	caacaaccgc	3180
ttcttggctg	aaggcagcaa	gcgcgatgaa	tgtcttacta	cggagcaagt	tcccagggta	3240
atcggagtcc	ggctgatgtt	gggagttagt	ggctacgtct	cgaactcac	gaccgaaaag	3300

atcaagagca	gcccgcacatgg	atttgacttg	gtcagggccg	agcctacatg	tgcgaatgat	3360
gcccatactt	gagccaccta	actttgtttt	agggcgactg	ccctgctgcg	taacatcggt	3420
gctgctgcgt	aacatcggtg	ctgctccata	acatcaaaca	tcgacccacg	gcgtaacgcg	3480
cttgctgctt	ggatgcccga	ggcatagact	gtacaaaaaa	acagtcataa	caagccatga	3540
aaaccgcccac	tgcgcgcgtta	ccaccgctgc	gttcgggtcaa	ggttctggac	cagttgcgtg	3600
agcgcatac	ctacttgcat	tacagtttac	gaaccgaaca	ggcttatgtc	aactgggttc	3660
gtgccttcat	ccgtttccac	gggtgtgcgtc	acccggcaac	cttgggcagc	agcgaagtcg	3720
aggcatttct	gtcctggctg	gcgaacgagc	gcaagggttc	ggctctccacg	catcgtcagg	3780
cattggcggc	cttgctgttc	ttctacggca	aggtgctgtg	cacggatctg	cccttgcttc	3840
aggagatcgg	tagacctcgg	ccgtcgcggc	gcttgccggg	gggtgctgacc	ccggatgaag	3900
tggttcgcac	cctcgggtttt	ctggaaggcg	agcatcggtt	gttcgcccag	gactctagct	3960
atagttctag	tggttggcta	cagctttgtt	tgtactatca	acaggttgaa	ctgctgatca	4020
acagatcctc	tacgcggccg	cggtaaccata	acttcgtata	gcatacatta	tacgaagtta	4080
tctggtttcg	acctaactccg	gaatattaat	agatcatgga	gataattaa	atgataacca	4140
tctcgcaaat	aaataagtat	tttactgttt	tcgtaacagt	tttgtaataa	aaaaacctat	4200
aaatattccg	gattattcat	accgtcccac	catcggggcg	ggatccgcca	ccatgtccct	4260
gtggctgccc	tccgaggcta	ccgtgtacct	gccccccgtg	cccggtgtcca	aggtgggtgc	4320
caccgacgag	tacgtggctc	gtaccaacat	ctactaccac	gctggcacct	cccgctctgct	4380
ggctgtgggt	caccctact	tccccatcaa	gaagoccaa	aacaacaaga	tcctgggtgcc	4440
caaggtgtcc	ggcctgcagt	accgtgtgtt	ccgtatccac	ctgcccagacc	ccaacaagtt	4500
cggtttcccc	gacacctcct	tctacaaccc	tgacacccag	cgcctcgtgt	gggcttgctg	4560
gggcgtggag	gtcggccgtg	gccagcccct	gggtgtcggg	atctccggtc	acccctgct	4620
gaacaagctg	gacgacaccg	agaacgcttc	cgcttacgct	gctaacgctg	gtgtcgacaa	4680
cgcgcagtgc	atctccatgg	actacaagca	gaccagctg	tgctgatcgc	gttgcaagcc	4740
ccccatcggc	gagcaactggg	gcaagggttc	ccctgcacc	aacgtggctg	tgaaccccgg	4800
cgactgcccc	cctctcgagc	tgatcaaac	cgtgatccag	gacggcgaca	tgggtggacac	4860
cggtttcggg	gctatggact	tcaccacct	gcaggctaac	aagtccgagg	tgcccctgga	4920
catctgcacc	tccatctgca	agtaccccga	ctacatcaag	atgggtgtccg	agccctacgg	4980
cgactccctg	ttcttctacc	tgcgtcgtga	gcagatgttc	gtgcgtcacc	tgttcaaccg	5040
tgctgggtgct	gtgggcgaga	acgtgcccga	cgacctgtac	atcaagggtt	cgggttccac	5100
cgctaacctg	gcttccagca	actacttccc	tacccctcc	ggttccatgg	tcacctccga	5160
cgctcagatc	ttcaacaagc	cctactggct	gcagcgtgct	cagggtcaca	acaacgggtat	5220
ctgctggggc	aaccagctgt	tcgtgaccgt	ggtcgacacc	acccgttcca	ccaacatgtc	5280
tctgtgcgct	gctatctcca	cctccgagac	tacctacaag	aacaccaact	tcaaggagta	5340
cctgcgtcac	ggcgaggagt	acgacctgca	gttcatcttc	cagctgtgca	agatcaccct	5400
gaccgctgac	gtgatgacct	acatccactc	catgaactcc	actatcctcg	aagattggaa	5460
cttcgggtctg	cagccccctc	ccgggtggcac	cctcgaggac	acctaccgtt	tcgtcacctc	5520
ccaggctatc	gcttgccaga	agcacacccc	ccctgctccc	aaggaggacc	ccctgaagaa	5580
gtacaccttc	tgggaggtca	acctgaagga	gaagttctcc	gctgacctgg	accagttccc	5640
cctgggtcgc	aagttcctgc	tgcaggccgg	actgaaggcc	aagcccaagt	tcaccctggg	5700
caagcgcaag	gctacccccca	ccacctcctc	cacctccacc	accgctaaga	ggaagaagcg	5760
caagctgtaa	aagcttgctg	agaagtacta	gaggatcata	atcagccata	ccacatttgt	5820
agaggtttta	cttgcttttaa	aaaacctccc	acacctcccc	ctgaacctga	aacataaaat	5880
gaatgcaatt	gttgttgtta	acttgtttat	tgcagcttat	aatggttaca	aataaagcaa	5940
tagcatcaca	aatttcacaa	ataaagcatt	tttttctactg	cattctagtt	gtggtttgtc	6000
caaactcatc	aatgtatctt	atcatgtctg	gatctgatca	ctgcttgagc	ctagaagatc	6060
cggctgctaa	caaagcccga	aagggaagctg	agttggctgc	tgtggctagc	tttgtttaac	6120
tttaagaagg	agatacatct	agaaatatta	atagatcatg	gagataatta	aaatgataac	6180
catctcgcaa	ataaataagt	attttactgt	tttcgtaaca	gttttgtaat	aaaaaaacct	6240
ataaatattc	cggattattc	ataccgtccc	accatcgggc	gcggatccgc	caccatggct	6300
ctgtggcgtc	cctccgacaa	caccgtgtac	ctgccccctc	cctccgtggc	tcgtgtggtc	6360
aacaccgacg	actacgtgac	ccgtacctcc	atcttctacc	acgtgggttc	ctcccgctctg	6420
ctgaccgtgg	gcaacccta	cttcogtgtg	cccgtggcg	gtggcaacaa	gcaggacatc	6480
cccaagggtg	ccgcttacca	gtaccgtgtg	ttccgtgtgc	agctgcccga	ccccaacaag	6540
ttcgggtctgc	ccgacacctc	catctacaac	cccagactc	agcgccctcg	gtgggcttgc	6600
gctgggtgctg	agatcggtcg	tggccagccc	ctgggtgctg	gcctgtccgg	tcaccccttc	6660

tacaacaagc	tggacgacac	cgagtcctcc	cacgetgota	cctccaacgt	gtccgaggac	6720
gtgcgcgaca	acgtgtctgt	ggactacaag	cagacccagc	tgtgcatect	gggttgcgct	6780
cccgcctatcg	gcgagcaactg	ggctaagggc	accgcttgca	agtcgccgtcc	tctgtcccag	6840
ggcgactgcc	cccctctcga	gctgaagaac	accgtgctcg	aggacggcga	catgggtggac	6900
accggttacg	gtgctatgga	cttcagcacc	ctgcaggaca	ccaagtgcga	gggtgcccctg	6960
gacatctgcc	agtccatctg	caagtacccc	gactacctgc	agatgtccgc	tgacccctac	7020
ggcgactcta	tgttcttctg	cctgcgtcgt	gagcagctgt	tcgctcgtca	cttctggaac	7080
cgtgctggca	ccatgggtga	caccgtgccc	cagtcacctgt	acatcaaggg	caccggcatg	7140
cgtgcttccc	ccggttccctg	cgtgtactcc	ccttccccct	ccggttccat	cgtgacctcc	7200
gactcccagc	tgttcaacaa	gccctactgg	ctgcacaagg	ctcaggggtca	caacaacggg	7260
gtctgctggc	acaaccagct	gttcgtgacc	gtggctcgaca	ccaccgcgttc	caccaacctg	7320
accatctgcg	cttccaccca	gtcccccggtg	cccggccaggt	acgacgctac	caagttcaag	7380
cagtactccc	gtcacgtgga	ggagtagcac	ctgcagttca	tcttccagct	ctgcactatc	7440
accctgaccg	ctgacgtgat	gtcctacatc	cactccatga	actcctctat	cctcgaagat	7500
tggaaacttcg	gtgtcccccc	tccccccact	acctccctgg	tggacactta	ccgtttcgtg	7560
cagtcgcgtgg	ctatcacctg	ccagaaggac	gctgctcccc	ctgagaacaa	ggacccctac	7620
gacaagctga	agttctggaa	cgtggacctg	aaggagaagt	tctccctgga	cctggaccag	7680
taccccttgg	gtcgcaagtt	cctgggtgcag	gctggcctga	ggcgcaagcc	caccatcggt	7740
ccccgcaagc	gttccgctcc	ctccgctacc	acctcctcca	agcccgccaa	gcgtgtgcgt	7800
gtgcgcgctc	gcaagtaagc	tagcaagctt	gtcgagaagt	actagaggat	cataatcagc	7860
cataccacat	ttgtagaggt	tttacttget	ttaaaaaacc	tcccacacct	ccccctgaac	7920
ctgaaacata	aatgaatgc	aattggtgtt	gttaacttgt	ttattgcagc	ttataatggt	7980
tacaaataaa	gcaatagcat	cacaaatttc	acaaataaag	catttttttc	actgcattct	8040
agttgtgggt	tgtccaaact	catcaatgta	tcttatcatg	tctggatctg	atcactgctt	8100
gagcctagaa	gatccggctg	ctaacaaagc	ccgaaaggaa	gctgagttgg	ctgctgccac	8160
cgttgagcaa	taactatcat	aacccttagg	agatccgaac	cagataagtg	aaatctagtt	8220
ccaaactatt	ttgtcatttt	taattttcgt	attagcttac	gacgctacac	ccagttccca	8280
tctattttgt	cactcttccc	taaataatcc	ttaaaaactc	catttccacc	cctcccagtt	8340
cccaactatt	ttgtccgccc	acagcggggc	atttttcttc	ctgttatggt	tttaatcaaa	8400
catcctgcca	actccatgtg	acaaaccgtc	atcttcgggt	acttt		8445

32082-3

18

CLAIMS:

1. A single baculoviral vector encoding a recombinant virus-like particle comprising two or more different surface proteins comprising epitopes, wherein the surface proteins are selected from (a) different viral strains of a same virus type, (b) 5 different serotypes of a same virus type, or (c) different viral strains of a same virus type specific for different hosts, and wherein the baculoviral vector comprises a polynucleotide sequence selected from SEQ ID NOs: 1 to 5.
2. The baculoviral vector according to claim 1, wherein the virus-like particle comprises three or more different epitopes or different proteins comprising 10 epitopes.
3. The baculoviral vector according to claim 1, wherein the virus-like particle comprises four or more different epitopes or different proteins comprising epitopes.
4. The baculoviral vector according to claim 1, wherein the virus-like 15 particle comprises six, nine or twelve epitopes or different proteins comprising epitopes.
5. The baculoviral vector according to any one of claims 1 to 4 wherein the epitopes are from three or more different virus strains or serotypes.
6. The baculoviral vector according to any one of claims 1 to 5, wherein 20 the virus-like particle further comprises B- and/or T-cell epitopes.
7. The baculoviral vector according to any one of claims 1 to 6, wherein the virus-like particle further comprises proteins forming a complete virus-like surface and optionally capsid and/or nucleopore proteins.
8. The baculoviral vector according to any one of claims 1 to 7, wherein 25 the virus-like particle further comprises fluorescent proteins, proteins useful for

32082-3

19

purification purposes of the particles or for attaching a label, and/or proteinaceous structures required for transport processes.

9. The baculoviral vector according to any one of claims 1 to 8 wherein the virus type is influenza virus.

5 10. The baculoviral vector according to any one of claims 1 to 8 wherein the virus type is human papilloma virus.


11. A host cell comprising the baculoviral vector according to any one of claims 1 to 10.

Fig. 1

A)




B)



C)



D)



E)




Fig. 2




Fig. 3






Fig. 4




Fig. 5




Fig. 6




Fig. 7







Fig. 8






A)




B)



C)



D)



E)

