



US00D459488S

(12) **United States Design Patent**  
Thornton et al.

(10) **Patent No.:** **US D459,488 S**

(45) **Date of Patent:** **\*\* Jun. 25, 2002**

(54) **FLOORING UNIT**

(76) Inventors: **Patrick Thornton**, 33 Bridge Avenue,  
Oak Flats, New South Wales, 2529  
(AU); **Kevin James Walsh**, 109  
Daltons Road, Jamberoo, New South  
Wales, 2533 (AU)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/137,884**

(22) Filed: **Mar. 2, 2001**

(51) **LOC (7) Cl.** ..... **25-01**

(52) **U.S. Cl.** ..... **D25/119; D25/199**

(58) **Field of Search** ..... 52/403.1, 677,  
52/685, 686; D25/61, 62, 199, 119

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D240,708 S \* 7/1976 Ilukowicz ..... D25/199  
4,835,933 A \* 6/1989 Yung ..... 52/685  
D357,544 S \* 4/1995 Spransy ..... D25/119

\* cited by examiner

*Primary Examiner*—Doris Clark

(74) *Attorney, Agent, or Firm*—Barnes & Thornburg

(57) **CLAIM**

We claim, the ornamental design for a flooring unit, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a flooring unit according to the principles of the present invention.

FIG. 2 is a plan view of the first embodiment.

FIG. 3 is a side view of the first embodiment.


FIG. 4 is a perspective view of a second embodiment of the present invention.


FIG. 5 is a plan view of the second embodiment; and,

FIG. 6 is a side view of the second embodiment.


The broken line shown in the Drawings are used to designate features of varying length.

**1 Claim, 6 Drawing Sheets**






*FIG. 1*



*FIG. 2*



*FIG. 3*






FIG. 4E



*FIG. 5*



*FIG. 6*