



Office de la Propriété
Intellectuelle
du Canada

Un organisme
d'Industrie Canada

Canadian
Intellectual Property
Office

An agency of
Industry Canada

CA 2348517 C 2007/12/18

(11)(21) **2 348 517**

(12) **BREVET CANADIEN
CANADIAN PATENT**

(13) **C**

(86) Date de dépôt PCT/PCT Filing Date: 1999/10/20
(87) Date publication PCT/PCT Publication Date: 2000/05/04
(45) Date de délivrance/Issue Date: 2007/12/18
(85) Entrée phase nationale/National Entry: 2001/04/26
(86) N° demande PCT/PCT Application No.: EP 1999/007951
(87) N° publication PCT/PCT Publication No.: 2000/024852
(30) Priorité/Priority: 1998/10/26 (DE198 49 247.2)

(51) Cl.Int./Int.Cl. *C11D 17/00* (2006.01),
C11D 1/40 (2006.01), *C11D 1/62* (2006.01),
C11D 1/75 (2006.01), *C11D 1/90* (2006.01),
C11D 1/92 (2006.01), *C11D 3/02* (2006.01),
C11D 3/34 (2006.01)

(72) Inventeurs/Inventors:
ENDLEIN, EDGAR, DE;
KOSUB, MIKE, DE;
GIBIS, KARL-LUDWIG, DE;
HARY, ALEXANDRA, DE;
KAISER, ROGER, DE

(73) Propriétaire/Owner:
RECKITT BENCKISER N.V., NL

(74) Agent: FETHERSTONHAUGH & CO.

(54) Titre : DETERGENT LIQUIDE POUVANT SE SEPARER EN DEUX PHASES AQUEUSES
(54) Title: LIQUID DETERGENT WHICH SEPARATES INTO TWO AQUEOUS PHASES

(57) **Abrégé/Abstract:**

A liquid cleaning agent or detergent composition that is separated into at least two aqueous phases in a state of rest, containing at least one surfactant in a concentration of less than 10 wt. % and at least one electrolyte in a concentration of less than 15 % under the proviso that the composition contains less than 10 wt. % organic solvent and less than 6 wt. % sodium hexametaphosphate if at all.





PCT
WELTORGANISATION FÜR GEISTIGES EIGENTUM
Internationales Büro
INTERNATIONALE ANMELDUNG VERÖFFENTLICHT NACH DEM VERTRAG ÜBER DIE
INTERNATIONALE ZUSAMMENARBEIT AUF DEM GEBIET DES PATENTWESENS (PCT)

(51) Internationale Patentklassifikation ⁷ : C11D 17/00, 3/02, 3/34 // C11D 1/40, 1/62, 1/75, 1/90, 1/92	A3	(11) Internationale Veröffentlichungsnummer: WO 00/24852 (43) Internationales Veröffentlichungsdatum: 4. Mai 2000 (04.05.00)		
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top; padding: 5px;"> (21) Internationales Aktenzeichen: PCT/EP99/07951 (22) Internationales Anmeldedatum: 20. Oktober 1999 (20.10.99) (30) Prioritätsdaten: 198 49 247.2 26. Oktober 1998 (26.10.98) DE (71) Anmelder (für alle Bestimmungsstaaten ausser US): BENCKISER N.V. [NL/NL]; WTC AA Schiphol Boulevard 229, NL-1118 BH Schiphol Airport, Amsterdam (NL). (72) Erfinder; und (75) Erfinder/Anmelder (nur für US): ENDLEIN, Edgar [DE/DE]; Sandtorfer Weg 113a, D-68623 Lampertheim (DE). KOSUB, Mike [DE/DE]; Flüsselweg 2, D-76646 Bruchsal (DE). GIBIS, Karl-Ludwig [DE/DE]; Adlerstrasse 6, D-67065 Ludwigshafen (DE). HARY, Alexandra [DE/DE]; Kurfürstenstrasse 3, D-67061 Ludwigshafen (DE). KAISER, Roger [DE/DE]; Defreggerstrasse 25, D-67061 Ludwigshafen (DE). (74) Anwalt: WINKLER, Andreas; Boehmert & Boehmert, Hollerallee 32, D-28209 (DE). </td> <td style="width: 50%; vertical-align: top; padding: 5px;"> (81) Bestimmungsstaaten: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO Patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), eurasisches Patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), europäisches Patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI Patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Veröffentlicht <i>Mit internationalem Recherchenbericht.</i> (88) Veröffentlichungsdatum des internationalen Recherchenberichts: 31. August 2000 (31.08.00) </td> </tr> </table>			(21) Internationales Aktenzeichen: PCT/EP99/07951 (22) Internationales Anmeldedatum: 20. Oktober 1999 (20.10.99) (30) Prioritätsdaten: 198 49 247.2 26. Oktober 1998 (26.10.98) DE (71) Anmelder (für alle Bestimmungsstaaten ausser US): BENCKISER N.V. [NL/NL]; WTC AA Schiphol Boulevard 229, NL-1118 BH Schiphol Airport, Amsterdam (NL). (72) Erfinder; und (75) Erfinder/Anmelder (nur für US): ENDLEIN, Edgar [DE/DE]; Sandtorfer Weg 113a, D-68623 Lampertheim (DE). KOSUB, Mike [DE/DE]; Flüsselweg 2, D-76646 Bruchsal (DE). GIBIS, Karl-Ludwig [DE/DE]; Adlerstrasse 6, D-67065 Ludwigshafen (DE). HARY, Alexandra [DE/DE]; Kurfürstenstrasse 3, D-67061 Ludwigshafen (DE). KAISER, Roger [DE/DE]; Defreggerstrasse 25, D-67061 Ludwigshafen (DE). (74) Anwalt: WINKLER, Andreas; Boehmert & Boehmert, Hollerallee 32, D-28209 (DE).	(81) Bestimmungsstaaten: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO Patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), eurasisches Patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), europäisches Patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI Patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Veröffentlicht <i>Mit internationalem Recherchenbericht.</i> (88) Veröffentlichungsdatum des internationalen Recherchenberichts: 31. August 2000 (31.08.00)
(21) Internationales Aktenzeichen: PCT/EP99/07951 (22) Internationales Anmeldedatum: 20. Oktober 1999 (20.10.99) (30) Prioritätsdaten: 198 49 247.2 26. Oktober 1998 (26.10.98) DE (71) Anmelder (für alle Bestimmungsstaaten ausser US): BENCKISER N.V. [NL/NL]; WTC AA Schiphol Boulevard 229, NL-1118 BH Schiphol Airport, Amsterdam (NL). (72) Erfinder; und (75) Erfinder/Anmelder (nur für US): ENDLEIN, Edgar [DE/DE]; Sandtorfer Weg 113a, D-68623 Lampertheim (DE). KOSUB, Mike [DE/DE]; Flüsselweg 2, D-76646 Bruchsal (DE). GIBIS, Karl-Ludwig [DE/DE]; Adlerstrasse 6, D-67065 Ludwigshafen (DE). HARY, Alexandra [DE/DE]; Kurfürstenstrasse 3, D-67061 Ludwigshafen (DE). KAISER, Roger [DE/DE]; Defreggerstrasse 25, D-67061 Ludwigshafen (DE). (74) Anwalt: WINKLER, Andreas; Boehmert & Boehmert, Hollerallee 32, D-28209 (DE).	(81) Bestimmungsstaaten: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO Patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), eurasisches Patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), europäisches Patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI Patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Veröffentlicht <i>Mit internationalem Recherchenbericht.</i> (88) Veröffentlichungsdatum des internationalen Recherchenberichts: 31. August 2000 (31.08.00)			
(54) Title: LIQUID CLEANING AGENT OR DETERGENT COMPOSITION (54) Bezeichnung: FLÜSSIGE REINIGUNGS- ODER WASCHMITTELZUSAMMENSETZUNG (57) Abstract A liquid cleaning agent or detergent composition that is separated into at least two aqueous phases in a state of rest, containing at least one surfactant in a concentration of less than 10 wt. % and at least one electrolyte in a concentration of less than 15 % under the proviso that the composition contains less than 10 wt. % organic solvent and less than 6 wt. % sodium hexametaphosphate if at all. (57) Zusammenfassung Flüssige Reinigungs- oder Waschmittelzusammensetzung, die im Ruhezustand in wenigstens zwei wässrige Phasen getrennt vorliegt, mit einem Gehalt an wenigstens einem Tensid in einer Konzentration von weniger als 10 Gew.-% und einem Gehalt an wenigstens einem Elektrolyten in einer Konzentration von weniger als 15 Gew.-%, mit der Massgabe, dass die Zusammensetzung, wenn überhaupt, weniger als 10 Gew.-% organisches Lösungsmittel und weniger als 6 Gew.-% Natriumhexametaphosphat enthält.				

25448-159

1

LIQUID DETERGENT WHICH SEPARATES INTO TWO AQUEOUS PHASES

The present invention relates to a liquid cleansing or detergent composition.

Whether cleaning hard surfaces, in particular in the kitchen or bathroom, or washing soiled fabric, it is a problem to remove both inorganic and organic dirt. Whilst standard surfactants are used to remove most organic dirt, they are less effective and often even totally ineffective in removing inorganic dirt.

In order to remove inorganic dirt, it is therefore necessary to use compounds, usually in aqueous solution, which are suitable for removing or detaching this dirt. Depending on the type of dirt, these compounds may be acid, neutral or alkaline.

In order to dissolve limestone deposits, which are generally attributable to hardness-forming elements in the water, it is preferable to use acid aqueous solutions. Other inorganic dirt, for example containing clay and/or pigment, is more readily removed using aqueous solutions which have a neutral or alkaline pH in aqueous solution.

In either case, however, it has been found that if surfactants are added to aqueous solutions devised as a means of removing inorganic dirt - so as to render them capable of removing organic dirt as well - their effectiveness on inorganic dirt is significantly reduced.

The underlying objective of the invention is to provide a liquid cleansing or detergent composition which also has an efficient cleansing effect on inorganic dirt in spite of containing surfactants.

This objective is achieved by the invention due to a liquid cleansing or detergent composition, which separates into at least two aqueous phases when not in use, containing at least one surfactant in a concentration of less than 10% by weight, and containing at least one electrolyte in a concentration of less than 15% by weight provided the composition contains, if any at all, less than 10% by weight of organic solvent and less than 6% by weight of sodium hexametaphosphate.

WO 00/24852**PCT/EP99/07951****2**

In a preferred embodiment of the invention, surfactant(s) is(are) present in a concentration of between 0.5 and 6% by weight.

By preference, the electrolyte(s) is(are) present in a concentration of at least 0.5% by weight.

An alternative of the invention is characterised in that the electrolyte comprises at least one acid and the surfactant is at least partially a surfactant which has a net positive charge given the pH value of the composition.

In a preferred embodiment of this alternative composition proposed by the invention, the concentration of acid is 0.5 to 15% by weight.

In another preferred embodiment of this alternative composition proposed by the invention, the concentration of acid is between 7 and 10% by weight.

It is more especially preferred if the pH value of the composition is below 4.

The acid(s) preferably used in this alternative of the composition proposed by the invention is(are) selected from the group consisting of phosphoric acid, amidosulphonic acid and mixtures thereof.

The preferred surfactant(s) is(are) selected from the group consisting of the quaternary ammonium salts, amines, amine oxides, betaines, sulfo-betaines and mixtures thereof.

In a second alternative proposed by the invention, the composition preferably contains at least one builder or a builder system, at least one alkaline or alkalising compound or mixtures thereof.

By preference, the builder(s) or builder system and the alkaline or alkalising compound(s) is(are) present in a concentration of from 0.5 to 6% by weight.

By particular preference, the surfactant contains, at least in part, at least one cationic surfactant.

In a preferred embodiment, the composition proposed by the invention contains at least one other

WO 00/24852**PCT/EP99/07951****3**

compound which promotes phase separation.

In one alternative, this may be a compound which promotes phase separation by separating out the salts, for which purpose an alkali metal, earth alkali metal or ammonium salt of an inorganic acid, preferably sodium chloride, may be considered in particular.

In another alternative, the compound to promote phase separation may be one which comprises at least a hydrophobic part and at least an anionic group. By preference, this will be an anionic surfactant, xylol or cumol sulphonic acid or salts or mixtures thereof.

In a preferred embodiment, the composition proposed by the invention is characterised in that it contains at least one perfume and/or a colouring agent.

The invention also relates to the use of a composition, which separates into at least two aqueous phases when not being used and contains at least one surfactant, as a cleanser or detergent.

One of the aforementioned compositions proposed by the invention is used for this purpose.

One particularly preferred embodiment relates to the use of such a composition containing at least one acid for removing limestone deposits and the compositions listed above are preferably also used for this purpose.

Another embodiment of the composition proposed by the invention relates to the use of at least one electrolyte in a liquid cleansing and detergent composition containing at least one surfactant to promote separation of the composition into at least two aqueous phases in order to improve the effectiveness of the composition as a cleansing agent or detergent.

Finally, the invention also relates to the use of xylol or cumol sulphonic acid or salts thereof in a liquid cleansing and detergent composition containing at least one surfactant and at least one acid to promote separation of the composition into at least two aqueous phases for improving the removal of limestone deposits.

Surprisingly, it has been found that by formulating a cleansing agent or detergent to produce a composition that separates into at least two aqueous phases when not in use leads to an unexpected improvement in the cleansing effect of such compositions, and in particular the dual effect against both organic and inorganic dirt. If such a composition is shaken or mixed before or during use, a dispersion is produced enabling a homogeneous application on the surface or substrate. Both on the surface or substrate and in the container, this dispersion separates relatively quickly again in the static state to form separate aqueous phases.

Without wanting to claim such to be the theory, it is assumed that this separation on the surface to be cleaned or the substrate to be cleaned is at least one of the reasons behind the superior cleansing effect that has been discovered, since the negative counter-effect of the compounds used for the different cleaning purposes is at least reduced, in particular the negative influence of the surfactant or surfactants on the effectiveness of the aqueous solutions in cleaning inorganic dirt.

Cleansing or detergent compositions which separate into two or more aqueous phases have not been known before. Such compositions have been previously described in relation to cosmetics and body care products (e.g. shampoo).

For example, GB-A-1 247 189 discloses a liquid composition for use as a shampoo or similar, which contains a surfactant, a water-miscible organic solvent and an electrolyte, the relative proportions of the electrolyte and the organic solvent being such that the composition separates into two aqueous phases. When shaken, such compositions form a temporary oil-in-water emulsion and separate into two phases again when left to stand. The compositions need to contain a significant amount of organic solvent and/or electrolyte.

Shampoo compositions which also separate into two aqueous phases when left to stand are known from EP 0 116 422 A1 and 0 175 485 A2. In the case of EP 0 116 422 A1, however, the contents - in addition to surfactant - must include at least 6% of sodium hexametaphosphate. In the case of EP 0 175 485 A2, the minimum amount of surfactant contained in the composition is 11%. Furthermore, the phase separation, which is the desired objective, is produced only if special complexing agents such as organophosphonates, aminocarboxylic acids, etc., are used.

WO 00/24852**PCT/EP99/07951****5**

Surprisingly, it has been found that a liquid cleansing or detergent composition which separates into at least two aqueous phases when left to stand can be obtained using a relatively low content of surfactant and electrolyte, without it being necessary to incorporate additional substances to produce this effect.

Analyses conducted on the two phases of the composition proposed by the invention which occur normally have shown that the top phase contains the surfactant(s), the perfume(s) and optionally the colour agent(s), whilst the remaining ingredients, in particular the electrolyte, are essentially evenly distributed in both phases.

What appears particularly notable is the fact that the composition can be readily adjusted so that the volume of both phases is more or less identical. If the volume of the two phases is unevenly distributed, it may help to add a small quantity of a non-ionic surfactant in order to produce the two phases in the same volumes as required.

In addition to producing the desired phase separation, a surprisingly low content of surfactant and electrolyte and a superior cleansing or detergent effect, it has surprisingly also been found to be of advantage if an optionally used perfume remains more or less exclusively concentrated in the top phase, as mentioned above. This is an advantage because on the one hand the essential purpose of adding a perfume to a composition of this type is to mask other undesirable odours and accordingly, the desired "masking effect" can best be produced in the top phase. On the other hand, in the preferred situation - i.e. when the two phases are of more or less equal volume - if the perfume is concentrated in the top phase, it is possible to reduce the perfume content in the composition as a whole by about a half, which makes for a significant saving in costs, particularly if more expensive perfumes are used.

With the acid compositions proposed by the present invention, apart from the quaternary ammonium salts, amines, amine oxides, betaines and sulfo-betaines mentioned above, all other surfactants which have a net positive charge in a composition of this pH are clearly also suitable.

The acids specified as a means of removing limestone deposits, i.e. phosphoric acid and

WO 00/24852**PCT/EP99/07951****6**

amidosulphonic acid, are also not the only possible choice. Other acids which might be used include, for example, citric acid, maleic acid, Bernstein's acid, glutaric acid, adipic acid, hydrochloric acid, etc..

Apart from the builders or builder systems or alkaline or alkalising compounds specifically mentioned above, other compounds or mixtures which exhibit the requisite cleansing effect on inorganic stains are also suitable for the present invention.

Optionally, cationic surfactants such as those mentioned above may be used in the neutral or alkaline compositions proposed by the invention.

Clearly, the compounds used to promote phase separation are not restricted to the salts or organic compounds specifically mentioned above.

As stated earlier, the addition of a (usually small) quantity of non-ionic surfactant may be helpful in producing the two aqueous phases in more or less equal volumes. Generally speaking, there are no specific restrictions as to the non-ionic surfactants that may be used. Accordingly, all known non-ionic surfactants are suitable, in particular fatty alcohol ethoxylates and alkylphenol ethoxylates.

The selection and quantity of appropriate perfumes and colouring agents will essentially depend on aesthetic factors and the stability of these compounds in the compositions proposed by the invention and present no particular difficulty for the person skilled in this field.

Other advantages and features of the invention will become clear from the examples set out below:

Examples I to V

Various compositions as proposed by the invention, with delayed re-soiling, containing an acid are set out in Table I below.

WO 00/24852

PCT/EP99/07951

7

Table I

% weight Components	Example I	Example II	Example III	Example IV	Example V
Amidosulphonic acid	5	5	5	5	5
Phosphoric acid	3.75	3.75	3.75	3.75	3.75
Alkyl(C ₁₆)-trimethyl ammonium chloride	2.5	1.5	-	-	-
Oleyl-bis-(2-hydroxyethyl)-methylammonium chloride	-	-	1.9	-	-
Oleyl-bis-(2-hydroxyethyl)-amine	-	-	-	3	-
Lauryldimethyl amine oxide	-	-	-	-	1.8
Sodium cumol sulphonate	1.42	0.8	0.65	0.8	0.63
Sodium chloride	-	-	-	0.5	-
Perfume	0.15	0.15	0.15	0.15	0.15
Colouring (Acid Blue 80)	-	0.0015	0.0015	0.0015	0.0015
Water	-	Rest	Rest	Rest	Rest

Although it does not appear to be decisive in terms of the result, the following sequence in which the components are added to water to produce the compositions proposed by the invention clearly seems to produce an advantage:

1. Water
2. Electrolytes (acid(s), sodium chloride)

WO 00/24852**PCT/EP99/07951****8**

3. Surfactant(s), perfume(s), colouring agent(s).
4. Sodium cumol sulphonate.

In all cases, the composition distinctly separated into two aqueous phases of more or less equal volume when left to stand and analysis of the individual phases showed that the surfactant, colouring agent and perfume were contained almost exclusively in the top phase whilst the acids and the sodium cumol sulphonate acting as the hydrotrope were more or less evenly distributed in both phases.

The limestone cleansing action of the compositions proposed by the invention were investigated on a test model. As a comparative example, a single-phase composition of essentially the same composition as the compositions of examples I, II and IV respectively was used although the sodium cumol sulphonate was replaced with water.

In order to determine the lime-dissolving capacity of these compounds, a marble cube in a metal basket was completely immersed in the corresponding solution for a period of 30 minutes and the weight loss of the marble cube as a % determined after 1, 2, 5, 10 and 30 minutes.

In each case, the 2-phase formulation homogenised by shaking beforehand was tested in comparison with the single-phase comparative formula with an identical content of acid and surfactant. With the 2-phase formula, care was taken to ensure that a phase separation, which as a rule started after a few minutes, was prevented by moving the basket, which was placed at approximately half height, up and down.

The test method was selected because it provided a good simulation of the actual conditions under which the corresponding detergent would be used.

WO 00/24852

PCT/EP99/07951

9

Table 2

Lime-dissolving capacity as a % over time:	1 min.	2 min.	5 min.	10 min.	30 min.
I	0.41	0.78	1.73	3.37	9.97
I' (Comparative example)	0.41	0.72	1.93	3.07	8.37
II	0.51	0.98	2.27	4.40	11.08
II' (Comparative example)	0.44	0.79	1.72	3.21	8.93
IV	0.47	0.80	1.73	3.23	9.39
IV' (Comparative example)	0.22	0.41	0.93	1.80	5.56

The results set out above demonstrate that the shaken 2-phase formula is clearly superior in lime-dissolving capacity than the corresponding single-phase formula.

The same positive results were produced when sodium cumol sulphonate was replaced with corresponding quantities of sodium xylol sulphonate.

Example VI

Another acid detergent composition proposed by the invention is set out in Table 3 below.

WO 00/24852

PCT/EP99/07951

10

Table 3

Components	% weight	Example VI
Alkylbenzol sulphonate		3
Phosphoric acid		3.7
Amidosulphonic acid		5
Alkylethoxylate-C9, 11-12EO		1
Perfume		0.15
Colouring agent (Acid Blue 80)		0.0015
Water		Rest

Instead of a salt of cumol or xylol sulphonic acid, alkylbenzol sulphonate was used as an anionic surfactant in this composition. The tests for lime-dissolving capacity described above in relation to the preceding examples also showed superior performance compared with a corresponding single-phase formula, although the effect was not so significant as using sodium cumol sulphonate or sodium xylol sulphonate.

Examples VII to XV

Various neutral or alkaline disinfectant compositions proposed by the invention are set out in Table 4 below.

WO 00/24852**PCT/EP99/07951****11**Table 4

Components	% weight	Example VII	Example VIII	Example IX	Example X
Sodium carbonate		0.75	0.75	-	-
Sodium chloride		-	-	-	-
Sodium sulphate		0.75	2	2	-
Sodium tripolyphosphate		-	1.5	-	-
Potassium tripolyphosphate		-	-	-	-
Phosphonate		-	-	-	-
EDTA		-	-	-	-
HEDP		-	-	-	-
Disilicate		-	-	-	3
Metasilicate		-	-	2	-
Didecyldimethyl ammonium chloride ¹		2.8	2.8	2.8	2.8
C ₁₂₋₁₆ -benzyldimethyl ammonium chloride ²		-	-	-	-
Non-ionic surfactant (FAO, C9-11, 6-EO)		0.75	-	2	2
Non-ionic surfactant (FAO, C9-11, 2.5-EO)		4	-	-	-
Amphoteric surfactant		-	-	0.9	0.9
Esterquat		1	-	-	-
Dimethyloleylamine		1.25	-	-	-
Fatty alcohol C ₇ -C ₉		-	-	-	-
Cocoamidopropyl betaine		-	2.7	-	-
C ₁₂ -C ₁₄ glucamide 50%		-	-	-	-
Propylene glycolmethyl ether		-	-	-	-
Perfume		0.2	0.2	0.2	0.2

WO 00/24852

PCT/EP99/07951

12

Colouring agent (Acid Blue 80)	0.0015	0.0015	0.0015	0.0015
Water	Rest	Rest	Rest	Rest

Table 4 (continued)

Components	% weight	Example XI	Example XII	Example XII	Example XIV	Example XV
Sodium carbonate		0.5	0.75	0.75	0.75	0.75
Sodium chloride		0.8	-	-	-	-
Sodium sulphate		-	2	3	2	0.5
Sodium tripolyphosphate		4	1.5	-	-	-
Potassium tripolyphosphate		4	-	-	-	3
Phosphonate		0.1	-	-	-	-
EDTA		-	-	-	0.8	-
HEDP		-	-	1.2	-	-
Disilicate		-	-	-	-	-
Metasilicate		-	-	-	-	-
Didecyldimethylammonium chloride ²		-	-	2.8	2.8	2.8
(C ₁₂₋₁₆ -benzyl dimethyl ammonium chloride) ²		0.4	-	-	-	-
Non-ionic surfactant (FAO, C9-11, 6-EO)		-	0.5	2	2	0.75
Non-ionic surfactant (FAO, C9-11, 2.5-EO)		-	-	-	-	-
Amphoteric surfactant		3	2.55	0.9	0.9	0.9
Esterquat		-	-	0.5	-	-
Dimethyloleylamine		-	-	-	-	1.5
Fatty alcohol C ₇ -C ₉		-	2	2	2	-
Cocoamidopropyl betaine		-	-	-	-	-

25448-159

13

C ₁₂ -C ₁₄ glucamide 50%	3	-	-	-	-
Propylene glycolmethyl ether	3	-	-	-	-
Perfume	0.2	0.2	0.2		0.2
Colouring agent (Acid Blue 80)	0.0015	0.0015	0.0015	0.0015	0.0015
Water	Rest	Rest	Rest	Rest	Rest

¹ ca. 70% solution in isopropanol² ca. 50% solution in isopropanol

In all cases, there was a clear separation of the composition into two aqueous phases of approximately equal volume when left to stand and an analysis of the individual phases indicated that the surfactant, colouring agent and perfume were almost exclusively contained in one phase whilst the other components, in particular the builder or alkaline compound, were more or less equally divided between the two phases.

The cleansing effect of the two compositions proposed by the invention were investigated on a test model. The test structure was as follows:

The following ingredients were mixed in the specified sequence and stirred for two hours:

15% clay, screened through 250 μ m
 10% Myritol* 7 318 (capryl-capringlyceride, Henkel)
 10% corn starch
 15% CaCO₃
 10% FeCl₂
 40% tap water.

Prior to use, the mixture was thoroughly stirred again in order to produce a homogeneous solution. This standard dirt (referred to as "pigment/grease dirt") was applied using an appropriate coating device in a coating thickness of 100 μ m on enamel strips (10x40 cm). The strips were stored at room temperature for at least the days in order to obtain a uniform drying

* Trademark

WO 00/24852**PCT/EP99/07951****14**

process.

The cleaning tests were conducted using an automatic wiping machine (Erichsen). 2 ml of the composition proposed by the invention were applied in each case on a damp sponge. The number of wiping cycles was 20.

The cleaned strips were assessed visually. Taking the bottom phase essentially containing no surfactant as a reference value, the top phase, which contained surfactant, exhibited a markedly superior cleansing effect and a significantly superior cleansing effect for the shaken mixture.

Cleansing performance (10 = 100% clean; 1 = no cleansing effect)

Examples	XII	XIII	XIV	XV
Shaken mixture	8	9	9	8
Bottom phase	6	7	8	6
Top phase	3	2	6	3

The features of the invention disclosed in the description above and in the claims may essentially be used individually or in any combination to implement the invention in its various embodiments.

. 25448-159

15

CLAIMS:

1. A liquid detergent or cleansing composition which separates into two aqueous phases when left to stand and comprises:

5 at least one surfactant in a concentration of less than 10% by weight; and

at least one electrolyte in a concentration of less than 15% by weight, provided the composition contains, if any at all, less than 10% by weight of an organic solvent
10 and less than 6% by weight of sodium hexametaphosphate,

wherein the electrolyte comprises at least one acid and the surfactant comprises at least one surfactant which has a net positive charge given a pH value of the composition.

15 2. The composition as claimed in claim 1, wherein the concentration of the surfactant is 0.5 to 6% by weight.

3. The composition as claimed in claim 1 or 2, wherein the concentration of the electrolyte is at least 0.5% by weight.

20 4. The composition as claimed in any one of claims 1 to 3, wherein the acid is contained in a concentration of 0.5 to less than 15% by weight.

5. The composition as claimed in claim 4, wherein the concentration of the acid is 7 to 10% by weight.

25 6. The composition as claimed in any one of claims 1 to 5, wherein the pH value of the composition is below 4.

25448-159

16

7. The composition as claimed in any one of claims 1 to 6, wherein the acid is selected from the group consisting of phosphoric acid, amidosulphonic acid and mixtures thereof.

5 8. The composition as claimed in any one of claims 1 to 7, wherein the surfactant is selected from the group consisting of quaternary ammonium salts, amines, amine oxides, betaines, sulfo-betaines and mixtures thereof.

9. The composition as claimed in any one of
10 claims 1 to 3, which further comprises at least one builder or a builder system, at least one alkaline or alkalising compound or mixtures thereof.

10. The composition as claimed in claim 9, wherein the builder or the builder system or the alkaline or alkalising
15 compound is present in a concentration of from 0.5 to 6% by weight.

11. The composition as claimed in claim 9 or 10, wherein the surfactant is at least partially a cationic surfactant.

20 12. The composition as claimed in any one of claims 1 to 11, which further comprises at least one other compound which promotes phase separation.

13. The composition as claimed in claim 12, wherein the compound which promotes phase separation is a salt.

25 14. The composition as claimed in claim 13, wherein the salt is an alkali metal, alkaline earth metal or ammonium salt of an inorganic acid.

15. The composition as claimed in claim 13, wherein the salt is sodium chloride.

25448-159

17

16. The composition as claimed in claim 12, wherein the compound which promotes phase separation has at least one hydrophobic element and at least one anionic group.

17. The composition as claimed in claim 16, wherein
5 the compound which promotes phase separation is an anionic surfactant, xylol or cumol sulphonic acid or salt or a mixture thereof.

18. The composition as claimed in any one of claims 1 to 17, which further comprises at least one perfume.

10 19. The composition as claimed in any one of claims 1 to 18, which further comprises at least one colouring agent.

20. A liquid detergent or cleaning composition for removing dirt containing CaCO_3 , which has a pH value below 4, which separates into top and bottom phases when left to
15 stand but becomes a dispersion when shaken and which comprises:

(1) at least one surfactant which has a net positive charge at the pH value of the composition and is selected from the group consisting of quaternary ammonium
20 salts, amines, amine oxides, betaines and sulfo-betaines, in a concentration of 0.5 to 6% by weight;

(2) at least one acid selected from the group consisting of phosphoric acid, amidosulphonic acid, citric acid, maleic acid, Bernstein's acid, glutaric acid, adipic
25 acid and hydrochloric acid;

(3) at least one phase separation promoting compound selected from the group consisting of (a) alkali metal, alkaline earth metal or ammonium salts of inorganic acids and (b) compounds having a hydrophobic part and an
30 anionic group;

25448-159

18

(4) at least one perfume; and

(5) water,

wherein the acid (2) and the phase separation promoting compound (3) are contained in their total concentration of at least 0.5% by weight and less than 15% by weight.

21. The composition as claimed in claim 20, wherein the acid (2) comprises phosphoric acid, amidosulphonic acid or a mixture thereof.

10 22. The composition as claimed in claim 20 or 21, wherein the phase separation promoting compound (a) is sodium chloride and the phase separation promoting compound (b) is a xylol or cumol sulphonic acid salt.

23. A method of removing dirt containing CaCO_3 from a
15 hard surface or a soiled fabric, which comprises:

shaking the composition as defined in any one of claims 1 to 22 to obtain a dispersion, and

applying the dispersion to the hard surface or the soiled fabric.

20 24. A use of the composition as defined in any one of claims 1 to 22 as a detergent or cleansing composition.

25. The use, as claimed in claim 24, for removing limestone deposits.

26. A use of xylol or cumol sulphonic acid or a salt
25 thereof in a liquid cleansing or detergent composition containing at least one surfactant and at least one acid, to promote separation of the composition into at least two

25448-159

19

aqueous phases in order to improve effectiveness in removing limestone deposits.

27. A method of promoting separation of a liquid cleansing or detergent composition containing at least one
5 surfactant and at least one acid into top and bottom aqueous phases in order to improve effectiveness in removing limestone deposits, which method comprises incorporating xylol or cumol sulphonic acid or a salt thereof into the liquid cleansing or detergent composition.

10 28. The method according to claim 27, wherein sodium cumol sulphonate is employed.

29. The method according to claim 27 or 28, wherein the surfactant has a net positive charge at a pH value of the composition, is selected from the group consisting of
15 quaternary ammonium salts, amines, amine oxides, betaines and sulfo-betaines and is contained in a concentration of less than 10% in the composition; and the acid is contained in a concentration of at least 0.5% by weight and less than 15% by weight in the composition.

20 30. The method according to claim 29, wherein the pH value is below 4.

31. The method according to any one of claims 27 to 30, wherein the acid is at least one member selected from the group consisting of phosphoric acid and amidosulphonic
25 acid.

32. The method according to any one of claims 27 to 31, wherein the composition further contains a perfume.