



US00D341129S

United States Patent [19]
McCormick

[11] **Patent Number: Des. 341,129**
[45] **Date of Patent: ** Nov. 9, 1993**

- [54] **REMOTELY LOCATED CONTROLLER**
- [75] **Inventor: John McCormick, Perris, Calif.**
- [73] **Assignee: Authors Family Trust, Los Angeles, Calif.**
- [**] **Term: 14 Years**
- [21] **Appl. No.: 934,189**
- [22] **Filed: Aug. 21, 1992**

- D. 205,856 9/1966 Beerbaum D10/40
- D. 253,234 10/1979 Cooke D13/168
- D. 262,619 1/1982 Antos et al. D8/353 X
- 3,522,393 7/1970 Barnathy et al. D10/40
- 4,280,063 7/1981 Yokomori et al. D13/158 X

Primary Examiner—Wallace R. Burke
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Small Larkin & Kidde

[57] **CLAIM**

The ornamental design for a remotely located controller, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a remotely located controller showing my new design;
FIG. 2 is a right side elevational view thereof;
FIG. 3 is a front view taken along a plane parallel to the rim surface of the dial;
FIG. 4 is a top plan view thereof;
FIG. 5 is a back elevational view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a rear and upper left perspective view thereof.


Related U.S. Application Data

- [63] Continuation of Ser. No. 346,827, May 3, 1989, abandoned.
- [52] **U.S. Cl. D13/168**
- [58] **Field of Search D13/132, 168; D10/40, D10/80, 122, 123, 126; 200/5 R, 19 L, 27 B, 43.03, 43.04, 43.08, 43.22, 61.45 R, 193, 296, 297, 298, 331**

References Cited

U.S. PATENT DOCUMENTS

- [56] D. 198,684 7/1964 Kerr D10/123 X






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6.




FIG. 1.




FIG. 8.