



US00D803214S

(12) **United States Design Patent**
Nishizawa

(10) **Patent No.:** **US D803,214 S**

(45) **Date of Patent:** **** Nov. 21, 2017**

(54) **COORDINATE INPUT DEVICE**

(71) Applicant: **Wacom Co., Ltd.**, Kazo-shi, Saitama (JP)

(72) Inventor: **Naoya Nishizawa**, Tokyo (JP)

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/574,824**

(22) Filed: **Aug. 18, 2016**

(30) **Foreign Application Priority Data**

Mar. 10, 2016 (JP) 2016-005281

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**

USPC **D14/390; D14/454**

(58) **Field of Classification Search**

USPC D14/388, 389, 390, 316, 341, 346, 347,
D14/381, 383, 371, 374, 496, 129, 138 G,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D506,195 S * 6/2005 Leveridge D14/336
D519,997 S * 5/2006 Hirota D14/341

(Continued)

FOREIGN PATENT DOCUMENTS

KR 30-0726648 S 1/2014

OTHER PUBLICATIONS

Coordinate input devices. (Design—© Questel). orbit.com.[online PDF] 39 pgs. Print Dates range Jun. 25, 2013 through Nov. 7, 2016 [retrieved on Jul. 3, 2017] <https://sobjprd.questel.fr/export/QPTUJ214/pdf2/7c1c4b70-34c0-44f3-a408-65697cf68812-223426.pdf>*

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Marie Fast Horse

(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC; Brandon Stallman; Jake Ferderer

(57) **CLAIM**

The ornamental design for a coordinate input device, as shown and described.

DESCRIPTION

FIG. 1 is a front top right isometric view of a coordinate input device according to my new design;

FIG. 2 is a rear top right isometric view of the coordinate input device of FIG. 1;

FIG. 3 is front view of the coordinate input device of FIG. 1;

FIG. 4 is a rear view of the coordinate input device of FIG. 1;

FIG. 5 is a top view of the coordinate input device of FIG. 1;

FIG. 6 is a bottom view of the coordinate input device of FIG. 1;

FIG. 7 is a left side view of the coordinate input device of FIG. 1;

FIG. 8 is a right side view of the coordinate input device of FIG. 1;

FIG. 9 is a rear view of the coordinate input device of FIG. 1, showing the device in a second position;

FIG. 10 is a top view of the coordinate input device of FIG. 1, showing the device in the second position;

FIG. 11 is a bottom view of the coordinate input device of FIG. 1, showing the device in the second position;

FIG. 12 is a left side view of the coordinate input device of FIG. 1, showing the device in the second position;

FIG. 13 is a right side view of the coordinate input device of FIG. 1, showing the device in the second position;

FIG. 14 is a rear view of the coordinate input device of FIG. 1, showing the device in a third position;

FIG. 15 is a top view of the coordinate input device of FIG. 1, showing the device in the third position;


FIG. 16 is a bottom view of the coordinate input device of FIG. 1, showing the device in the third position;

FIG. 17 is a left side view of the coordinate input device of FIG. 1, showing the device in the third position; and,

FIG. 18 is a right side view of the coordinate input device of FIG. 1, showing the device in the third position.

The broken lines show portions of the coordinate input device which form no part of the claimed design.

1 Claim, 12 Drawing Sheets



US D803,214 S

Page 2

(58) **Field of Classification Search**

USPC D14/168, 203.1, 203.3, 248, 299, 454,
D14/457, 447, 451, 452; D19/59-61,
D19/113; D20/10, 11, 19, 99; D21/324,
D21/329, 333; D10/65
CPC G06F 3/033; G06F 3/041; G06F 3/0414;
G06F 3/0433; G06F 3/0436; G06F 3/044;
G06F 3/045; G06F 3/046; G06F 3/0486;
G06F 3/0488; G06F 2206/1512; G08C
21/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D525,621 S * 7/2006 Hirota D14/346
D589,961 S * 4/2009 Hackenberg D14/388
D617,793 S * 6/2010 Chiang D14/341
D629,402 S * 12/2010 Crisp D14/390
D648,723 S * 11/2011 Harper D14/390

D673,961 S * 1/2013 Matsui D14/447
D695,735 S * 12/2013 Kitchen D14/341
D706,254 S * 6/2014 Chang D14/217
D711,888 S * 8/2014 Huebner D14/447
D718,308 S * 11/2014 Nishizawa D14/389
D724,579 S * 3/2015 Moradian D14/341
D732,533 S 6/2015 Hirota
D736,218 S * 8/2015 Lee et al. D14/454
D749,557 S * 2/2016 Feng D14/250
D754,008 S * 4/2016 Huebner D10/65
D761,260 S * 7/2016 Luo D14/383
D766,890 S * 9/2016 Park D14/341
D766,892 S * 9/2016 Bajwa D14/341
D769,865 S * 10/2016 Oakley D14/336
D775,125 S * 12/2016 Yoshihara D14/341
D776,104 S * 1/2017 Tien D14/250
D780,167 S * 2/2017 Tien D14/250
D789,344 S * 6/2017 Kim D14/250
9,677,702 B2 * 6/2017 Kim F16M 11/00
2010/0116560 A1 * 5/2010 Sato G06F 3/041
178/18.01

* cited by examiner




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.



Fig. 6.




Fig. 7.



Fig. 8.




Fig. 9.




Fig. 10.




Fig. 11.




Fig. 12.




Fig. 13.




Fig. 14.



Fig. 15.




Fig. 16.



Fig. 17.




Fig. 18.