



(12) **United States Design Patent** (10) **Patent No.:** **US D766,734 S**
Fitzsimmons et al. (45) **Date of Patent:** **** Sep. 20, 2016**

- (54) **FLEXIBLE POUCH WITH INTERNAL STRUCTURE**
- (71) Applicant: **Perimeter Brand Packaging, LLC**, Northborough, MA (US)
- (72) Inventors: **William Tyler Fitzsimmons**, Stow, MA (US); **Isaac Haverlick**, Brighton, MA (US); **Shane Yellin**, Dover, MA (US); **David G. Honan**, Concord, MA (US); **Roger R. Fontaine**, North Smithfield, RI (US); **Steven Callahan**, Westborough, MA (US); **Mark A. Nichols**, Newton Highlands, MA (US)
- (73) Assignee: **Perimeter Brand Packaging, LLC**, Northborough, MA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/455,176**
- (22) Filed: **May 17, 2013**
- (51) **LOC (10) Cl.** **09-05**
- (52) **U.S. Cl.**
USPC **D9/709**
- (58) **Field of Classification Search**
USPC D9/702-714, 434-435, 522, 696, D9/720-722, 716, 447, 440; D7/319, 317, D7/522, 531, 321; 215/385; 206/811; 383/6, 9, 96, 107, 119-120, 123, 108, 383/92, 61.1, 80-81, 104, 63, 103, 203; D24/118, 207; 222/92, 107, 206; 604/408, 410, 403; 220/495.03; D3/202
CPC B65D 1/00; B65D 1/02; B65D 1/095; B65D 1/0207; B65D 1/0223; B65D 1/0246; B65D 1/10; B65D 1/16; B65D 7/00; B65D 7/02; B65D 7/14; B65D 41/00; B65D 41/02
See application file for complete search history.


- (56) **References Cited**
U.S. PATENT DOCUMENTS
- | | | | | |
|--------------|--------|-----------------|-------|--------|
| D396,630 S * | 8/1998 | Lerner | | D9/709 |
| D528,011 S * | 9/2006 | Ueda | | D9/702 |
| D560,122 S * | 1/2008 | Fuchs et al. | | D9/708 |
| D609,906 S * | 2/2010 | Guyon et al. | | D3/243 |
| D619,906 S * | 7/2010 | Carignan et al. | | D9/708 |
- (Continued)
- Primary Examiner* — Abraham Bahta
(74) *Attorney, Agent, or Firm* — Brian M. Dingman; Dingman, McInnes & McLane, LLP

(57) **CLAIM**
We claim the ornamental design for a flexible pouch with internal structure, as shown and described.

DESCRIPTION

FIG. 1 is a front, top perspective view of the flexible pouch with an internal structure;
FIG. 2 is a front, bottom perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a right side view; the left side view is a mirror image thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is front, top perspective view thereof;
FIG. 9 is front, rear perspective view of the internal structure of the pouch shown separately for clarity of disclosure;
FIG. 10 is front view; the rear view is a mirror image thereof;
FIG. 11 is right side view; the left side view is a mirror image thereof;
FIG. 12 is top view thereof;
FIG. 13 is bottom view thereof;
FIG. 14 is a perspective exploded view of the flexible pouch, internal structure of the pouch and the cap;
FIG. 15 is front cross-sectional view taken along line 15-15 in FIG. 5; and,
FIG. 16 is side cross-sectional view taken along line 16-16 in FIG. 3.

1 Claim, 16 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D639,677 S *	6/2011	Ueda et al.	D9/708	D664,863 S *	8/2012	Kristoff	D9/709
D644,937 S *	9/2011	Ueda et al.	D9/708	D667,313 S *	9/2012	Hensen	D9/708
D656,038 S *	3/2012	Molayem	D9/708	D677,581 S *	3/2013	Murray	D9/709
				D686,088 S *	7/2013	Murray	D9/708
				D687,721 S *	8/2013	Karwowska	D9/710

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12





FIG. 13

FIG. 14






FIG. 15




FIG. 16